

NUREG-0540
Vol. 10, No. 9

Title List of Documents Made Publicly Available

September 1-30, 1988

**U.S. Nuclear Regulatory
Commission**

Office of Administration and Resources Management



Available from

Superintendent of Documents
U.S. Government Printing Office
Post Office Box 37082
Washington, D.C. 20013-7082

A year's subscription consists of 12 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

Title List of Documents Made Publicly Available

September 1-30, 1988

Date Published: November 1988

Division of Freedom of Information and Publications Services
Office of Administration and Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555



CONTENTS

Preface	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name	xv
Docketed Items	1
Low Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	6
Domestic Licensing of Special Nuclear Material — Docket 70	216
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	221
Licensing of Independent Spent Fuel Storage — Docket 72	224
Nondocketed Items	227
10 CFR — Commission Meeting Records	227
ACRS — Advisory Committee on Reactor Safeguards	227
ADVCM — NRC Advisory Committee	227
COMMISSION — NRC Commissioners	227
CONTRACT — NRC Contracts and Modifications	229
FOIA — Freedom of Information Act Requests and Releases	231
GEN TECH IS — Generic Technical Issues	238
I&E — Inspection and Enforcement	239
MISC — Public Document Room Miscellaneous	241
NUREG — NUREG Reports and Related Correspondence	241
ORG — Correspondence with Other Organizations	245
PR — Proposed Rule	247
PRM — Petition for Rulemaking	258
PROJ — Projects - Predocket Licensing	258
PT21 — Noncompliance Reports and Related Correspondence	259
QA999 — Quality Assurance Inspections	259
REGGD — Regulatory Guides	259
RES — Research and Technical Assistance Reports	260
REVIEW GROUP — NRC Research Review Groups	260
SECY — Position Papers Before the Commission	271
STATE PROG — State Programs	272
TOPREP — Vendor Reports and Related Correspondence	273
WASTE MGT — Nuclear Waste Management	275
WASTE RES — Waste Management Research Reports	280
XPORTLIC — Export and Import Licenses	281
Personal Author Index	283
Corporate Source Index	307
Report Number Index	329
Cross Reference of Enclosures to Principal Documents	331
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are:

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Report (PSAR), amendments
- C. Utility Environmental Report (ER), amendments and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), and correspondence
- E. NRC Safety Evaluation Report (SER), supplements and correspondence
- F. Security, medical, emergency and fire-protection plans
- G. Adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Report (FSAR) and amendments
- L. Limited work authorization and related correspondence
- M. Antitrust correspondence
- N. Antitrust hearing transcripts
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins and correspondence
- R. Periodic operating reports and related correspondence
- S. Reportable occurrences. LERs and related correspondence
- T. Hearing transcripts on non-antitrust matters
- U. Congressional/executive correspondence
- V. Licensing operators and related correspondence

- W. Decommissioning stage documents and correspondence
- X. Onsite low-level wastes storage

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are:

- ① P. Operating license stage documents & correspondence

- ②
- ③

8411270362 Submits renewed, amended & updated petition under 2.206, urging NRC to require that util provide Commission full disclosure of intended sources & environ consequences prior to issuing full power OL.

④ SUGARMAN, R.J. ⑤ Sugarman, Denworth & Hellegers ⑥ 84/11/21
 ⑦ Denton, H. Office of Nuclear Reactor Regulation, Director ⑧ 2pp.
 27628:356.27628:357

- ⑨
- ⑩
- ⑪
- ⑫
- ⑬

1. NRC/PDR Document category (see Appendix A).
2. NRC Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Corporate, agency or nonindividual source.
6. Date of document described.
7. Recipient of document and NRC or corporate affiliation.
8. Pages in this document.
9. This five-digit number is the NRC 48X microfiche designation.
10. The three-digit portion of this entry is the number of the frame on which this document starts.
11. The five-digit portion of this entry is the number of the frame on which this document ends.
12. The three-digit portion of this entry is the number of the frame on which this document ends.
13. If this space is blank, the document is available to the public only in the NRC Public Document Room, 1717 H St., N.W., Washington, D.C. 20555. If this space is filled, it gives other sources for copies of the document. The entry may be "Available at NRC" for sale; "Available at NTIS"; or "Available at GPO."

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS


The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 DISCLOSURE—Financial Disclosure Information
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement
 MISC—Public Document Room Miscellaneous
 NUREG—NUREG Reports and Related Correspondence
 ORG—Correspondence with Other Organizations
 PR—Proposed Rule
 PRM—Petition for Rulemaking
 PROJ—Projects—Predocket Licensing
 PT21—Noncompliance Reports and Related Correspondence
 QA999—Quality Assurance Inspections
 REGGD—Regulatory Guides
 RES—Research and Technical Assistance Reports
 REVIEW GRP—NRC Research Review Groups
 RM—Rulemakings
 SECY—Position Papers Before the Commission
 STATE PROG—State Programs
 TOPREP—Vendor Reports and Related Correspondence
 WASH—Regulatory Publications—Pre-NUREG Series
 WASTE MGT—Nuclear Waste Management
 WASTE RES—Waste Management Research Reports
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are:



1. Nondocket category
2. NRC Accession Number (year, month, day, and sequence number of item)
3. NRC Report Number
4. Title and description of information contained in the document
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency or other nonindividual source.
7. Contract or financial (FIN) number (if any). If the document has a secondary report number, it will appear following this entry.
8. Secondary report number assigned by originator.
9. Date of document described.
10. NRC organizational recipient.
11. Pages in document.
12. All NUREG-series documents are available for purchase at NRC. Information on ordering documents is given below. All NUREG-series documents are also available at NTIS. Information on ordering from NTIS is also given below.
13. Price for which NRC sells the documents.

14. This five-digit number is the NRC 48X microfiche designation.
15. This three-digit portion of this entry is the number of the frame on which this document starts.
16. This five-digit number is the microfiche on which this document ends.
17. This three-digit number is the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for NRC is:
Director
Division of Publications Services
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

To place orders, send check or money order, payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling (301) 492-9530.

2. The address for NTIS is:
National Technical Information Service
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express credit cards; supply the charge card number when placing your order.

3. The address for the PDR is:
1717 H Street, N.W.
Washington, D.C. 20555

To place orders, either write to the NRC PDR or call (202) 634-3274. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8768	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	4
27-048	RICHLAND, WA, U.S. ECOLOGY, INC.	1	40-8794	MOLYCORP, INC., LOS ANGELES, CA	4
Domestic Licensing of Source Material - Docket 40			40-8801	RADIATION MANAGEMENT CORP., NORTHBROOK, IL	4
40-0772	BENDIX CORP., TETERBORO, NJ	1	40-8829	FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	4
40-1162	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	1	40-8857	EVEREST MINERALS CORP., CONVERSE COUNTY, WY	4
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	1	40-8902	ANACONDA MINERALS CO., GRANTS, NM	4
40-2061	KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	1	40-8903	HOMESTAKE MINING CO., GRANTS, NM	4
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	1	40-8904	BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	5
40-3453	ATLAS MINERALS, INC., DENVER, CO	1	40-8905	KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	5
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	2	40-8906	BOKUM RESOURCES CORP., ALBUQUERQUE, NM	5
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	2	40-8907	UNITED NUCLEAR CORP., SANTA FE, NM	5
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	40-8908	CHEVRON, U.S.A., INC., GRANTS, NM	5
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	2	40-8914	ENERGY, DEPT. OF, SCOVILLE, ID	5
40-6940	KAWECKI BERYLCO INDUSTRIES, INC., BOYERTOWN, PA	2	40-8926	ALTAIR RESOURCES, INC., CASPER, WY	5
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	2	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	5
40-7455	WHITTAKER METALS, LOS ANGELES, CA	2	40-8946	METALLURG, INC., NEWFIELD, NJ	5
40-7604	SOHIO CHEMICAL CO., LIMA, OH	2	40-8954	VALENTEC OLIVETTE, ST. LOUIS, MO	6
40-8027	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	2	40-8964	SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	6
40-8064	EXXON MINERALS CO., USA, HOUSTON, TX	3	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	6
40-8084	RIO ALGOM MINING CORP., MOAB, UT	3	40-8971	U.S. ENERGY CORP., RIVERTON, WY	6
40-8102	EXXON CO., USA, HOUSTON, TX	3	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3	50-2	FORD NUCLEAR REACTOR	6
40-8502	MALAPAI RESOURCES CO., PHOENIX, AZ	3	50-3	INDIAN POINT STATION, UNIT 1	6
40-8584	MINERALS EXPLORATION CO., LOS ANGELES, CA	3	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	6
40-8681	UMETCO MINERALS CORP., GRAND JUNCTION, CO	3	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	7
40-8684	MALAPAI RESOURCES CO., CASPER, WY	3	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	7
40-8698	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	3	50-29	YANKEE-ROWE NUCLEAR POWER STATION	7
40-8714	CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	4	50-32	AEROJET-GENERAL NUCLEONICS	8
40-8724	CHEMETRON CORP., CHICAGO, IL	4	50-54	CINTICHEM	8
			50-57	BUFFALO MATERIALS RESEARCH CENTER	9
			50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	9

Docket	Name	Page	Docket	Name	Page
50-72	UNIV. OF UTAH RESEARCH REACTOR	9	50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	37
50-83	UNIV. OF FLORIDA TRAINING REACTOR	9	50-261	H B ROBINSON PLANT, UNIT 2	40
50-116	IOWA STATE UNIV. RESEARCH REACTOR	9	50-263	MONTICELLO NUCLEAR GENERATING PLANT	42
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	9	50-265	QUAD-CITIES STATION, UNIT 2	43
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	9	50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	44
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	10	50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	45
50-142	UCLA TRAINING REACTOR	10	50-269	OCONEE NUCLEAR STATION, UNIT 1	47
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	10	50-270	OCONEE NUCLEAR STATION, UNIT 2	48
50-155	BIG ROCK POINT NUCLEAR PLANT	10	50-271	VERMONT YANKEE NUCLEAR POWER STATION	50
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	11	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	52
50-163	GA TECHNOLOGIES	11	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	54
50-166	UNIV. OF MARYLAND RESEARCH REACTOR	11	50-276	AGN-201	55
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	11	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	55
50-184	NATIONAL BUREAU OF STANDARDS REACTOR	12	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	59
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	12	50-280	SURRY POWER STATION, UNIT 1	63
50-192	UNIV. OF TEXAS RESEARCH REACTOR	12	50-281	SURRY POWER STATION, UNIT 2	65
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	12	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	66
50-213	HADDAM NECK PLANT	14	50-285	FORT CALHOUN STATION, UNIT 1	67
50-219	OYSTER CREEK NUCLEAR POWER PLANT	15	50-286	INDIAN POINT STATION, UNIT 3	69
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	17	50-287	OCONEE NUCLEAR STATION, UNIT 3	71
50-224	UNIV. OF CALIFORNIA RESEARCH REACTOR	18	50-288	REED COLLEGE RESEARCH REACTOR	73
50-225	RPI CRITICAL EXPERIMENT	19	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	73
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	19	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	74
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	19	50-295	ZION NUCLEAR POWER STATION, UNIT 1	77
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	20	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	78
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	21	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	81
50-247	INDIAN POINT STATION, UNIT 2	23	50-298	COOPER NUCLEAR STATION	81
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	24	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	82
50-250	TURKEY POINT PLANT, UNIT 3	26	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	83
50-251	TURKEY POINT PLANT, UNIT 4	28	50-304	ZION NUCLEAR POWER STATION, UNIT 2	85
50-254	QUAD-CITIES STATION, UNIT 1	30	50-305	KEWAUNEE NUCLEAR POWER PLANT	86
50-255	PALISADES NUCLEAR PLANT	32	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	87
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	34	50-309	MAINE YANKEE ATOMIC POWER PLANT	88
			50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	89

Docket	Name	Page	Docket	Name	Page
50-312	RANCHO SECO NUCLEAR GENERATING STATION	90	50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	136
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	92	50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	138
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	94	50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	140
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	95	50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	142
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	97	50-368	ARKANSAS NUCLEAR ONE, UNIT 2	143
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	99	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	145
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	100	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	146
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	101	50-373	LASALLE COUNTY STATION, UNIT 1	148
50-322	SHOREHAM NUCLEAR POWER STATION	103	50-374	LASALLE COUNTY STATION, UNIT 2	150
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	105	50-382	WATERFORD GENERATING STATION, UNIT 3	152
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	107	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	153
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	109	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	154
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	110	50-389	ST. LUCIE PLANT, UNIT 2	155
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	110	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	157
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	113	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	158
50-329	MIDLAND PLANT, UNIT 1	116	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	160
50-330	MIDLAND PLANT, UNIT 2	116	50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	161
50-331	DUANE ARNOLD ENERGY CENTER	116	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	161
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	118	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	162
50-334	BEAVER VALLEY POWER STATION, UNIT 1	119	50-407	UNIV. OF UTAH RESEARCH REACTOR	164
50-335	ST. LUCIE PLANT, UNIT 1	120	50-409	LA CROSSE BOILING WATER REACTOR	164
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	122	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	164
50-338	NORTH ANNA POWER STATION, UNIT 1	123	50-412	BEAVER VALLEY POWER STATION, UNIT 2	166
50-339	NORTH ANNA POWER STATION, UNIT 2	125	50-413	CATAWBA NUCLEAR STATION, UNIT 1	167
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	126	50-414	CATAWBA NUCLEAR STATION, UNIT 2	169
50-344	TROJAN NUCLEAR PLANT	127	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	171
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	129	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	173
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	131	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	173
50-352	LIMERICK GENERATING STATION, UNIT 1	132	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	174
50-353	LIMERICK GENERATING STATION, UNIT 2	133	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	176
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	134	STN-50-437	FLOATING NUCLEAR PLANT	177
50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	135	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	177
			50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	178

Docket	Name	Page	Docket	Name	Page
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	178	STN-50-567	YELLOW CREEK NUCLEAR PLANT, UNIT 2	215
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	180	50-601	RESAR SP/90	215
50-443	SEABROOK NUCLEAR STATION, UNIT 1	180	50-602	UNIV. OF TEXAS RESEARCH REACTOR	215
50-444	SEABROOK NUCLEAR STATION, UNIT 2	185	50-603	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	215
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	189	50-604	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	216
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	191	STN-50-605	GE ADVANCED BWR DESIGN	216
STN-50-454	BYRON STATION, UNIT 1	194	Domestic Licensing of Special Nuclear Material - Docket 70		
STN-50-455	BYRON STATION, UNIT 2	196	70-0008	BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH	216
STN-50-456	BRAIDWOOD STATION, UNIT 1	197	70-0025	ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA	217
STN-50-457	BRAIDWOOD STATION, UNIT 2	198	70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	217
50-458	RIVER BEND STATION, UNIT 1	200	70-0135	BABCOCK & WILCOX CO., APOLLO, PA	217
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	202	70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	217
50-461	CLINTON POWER STATION, UNIT 1	202	70-0152	PURDUE UNIV., WEST LAFAYETTE, IN	218
50-462	CLINTON POWER STATION, UNIT 2	204	70-0364	BABCOCK & WILCOX CO., APOLLO, PA	218
STN-50-470	CESSAR SYSTEM 80	204	70-0371	UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	218
STN-50-482	WOLF CREEK GENERATING STATION	204	70-0622	ARMY, DEPT. OF, DOVER, NJ	218
STN-50-483	CALLAWAY PLANT, UNIT 1	205	70-0687	CINTICHEM, INC., TUXEDO, NY	218
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	206	70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	219
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	209	70-0734	GA TECHNOLOGIES, INC., SAN DIEGO, CA	219
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	210	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	219
STN-50-518	HARTSVILLE NUCLEAR PLANT, UNIT 1	211	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	219
STN-50-519	HARTSVILLE NUCLEAR PLANT, UNIT 2	211	70-0854	ISOTOPIC ANALYSIS, INC., TULSA, OK	219
STN-50-520	HARTSVILLE NUCLEAR PLANT, UNIT 3	211	70-0920	RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	219
STN-50-521	HARTSVILLE NUCLEAR PLANT, UNIT 4	211	70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	219
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	211	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	219
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	212	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	220
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	213	70-1151	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	220
50-537	CLINCH RIVER BREEDER REACTOR	215	70-1201	BABCOCK & WILCOX CO., LYNCHBURG, VA	220
STN-50-553	PHIPPS BEND NUCLEAR STATION, UNIT 1	215	70-1257	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	220
STN-50-554	PHIPPS BEND NUCLEAR STATION, UNIT 2	215	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	220
STN-50-566	YELLOW CREEK NUCLEAR PLANT, UNIT 1	215	70-1500	WASHINGTON HOSP. CENTER, WASHINGTON, DC	220

Docket	Name	Page	Docket	Name	Page
70-1507	HENRY FORD HOSP., DETROIT, MI	220	71-9039	MODEL: 715, TECH/OPS, INC.	223
70-2786	GENERAL ELECTRIC CO., SAN JOSE, CA	221	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO	223
70-2932	TEXAS UTILITIES GENERATING CO., DALLAS, TX	221	71-9070	MODEL: N-55, NUCLEAR PACKAGING, INC.	223
70-3018	HOUSTON LIGHTING & POWER CO., HOUSTON, TX	221	71-9079	MODEL: NUPAC 14D-2.0, WESTINGHOUSE-HITTMAN NUCLEAR	223
70-3047	INLAND STEEL MINING CO., VIRGINIA, MN	221	71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	223
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			71-9102	MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	223
71-0128	AMOCO OIL CO.	221	71-9108	MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	223
71-0173	PACIFIC NORTHWEST LABORATORIES	221	71-9126	MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	223
71-0361	MODEL: PAT-1, ENERGY, DEPT OF	221	71-9127	MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	223
71-0496	NUS CORP.	221	71-9128	MODEL: C-8, GAMMA INDUSTRIES, INC.	223
71-0657	N.V. ENTERPRISES	221	71-9132	MODEL: T-3, ENERGY, DEPT. OF	223
71-0658	GENERAL DYNAMICS, CHARLESTON, SC	221	71-9133	MODEL: C-10, GAMMA INDUSTRIES, INC.	223
71-0659	TRI STATE ASSOCIATES, INC.	221	71-9135	MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	224
71-3002	MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.	221	71-9151	MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR	224
71-5800	MODEL: ORNL TRITIUM TARGET CONTAINER	221	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	224
71-5939	MODEL: GE-1500, GENERAL ELECTRIC CO.	221	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	224
71-5957	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	221	71-9163	MODEL: GNG-20, GULF NUCLEAR, INC.	224
71-5980	MODEL: GE-600, GENERAL ELECTRIC CO.	221	71-9176	MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.	224
71-6003	MODEL: M-130, ENERGY, DEPT. OF	221	71-9183	MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	224
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	221	71-9187	MODEL: 865, TECH/OPS, INC.	224
71-6639	MODEL: MH-1A, ENERGY, DEPT. OF	222	71-9200	MODEL: 125-B, ENERGY, DEPT. OF	224
71-6678	MODEL: LP-50, ENERGY, DEPT. OF	222	71-9208	MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	224
71-6717	MODEL: 6717-B, GAMMA INDUSTRIES, INC.	222	71-9214	MODEL: DHLW, GA TECHNOLOGIES, INC.	224
71-9001	MODEL: IF-300, GENERAL ELECTRIC CO.	222	71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	224
71-9010	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	222	71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF	224
71-9015	MODEL: TN-8, -8L, TRANSNUCLEAR, INC.	222	71-9222	MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC.	224
71-9016	MODEL: TN-9, TRANSNUCLEAR, INC.	222	71-9224	MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.	224
71-9022	MODEL: CE-250-2, COMBUSTION ENGINEERING, INC.	222	71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	224
71-9029	MODEL: 676 & 676E, TECH/OPS, INC.	222	Licensing of Independent Spent Fuel Storage - Docket 72		
71-9032	MODEL: 650, TECH/OPS, INC.	222	72-0003	CAROLINA POWER & LIGHT CO.	224
71-9033	MODEL: 660 & 660E, TECH/OPS, INC.	222	72-0004	DUKE POWER CO., 50-269	225
71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	222			

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			PATHFINDER MINES CORP., RIVERTON, WY	40-2259	1
RICHLAND, WA, U.S. ECOLOGY, INC.	27-048	1	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2
Domestic Licensing of Source Material - Docket 40			PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	2
ALTAIR RESOURCES, INC., CASPER, WY	40-8926	5	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	40-8698	3
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	2	RADIATION MANAGEMENT CORP., NORTHBROOK, IL	40-8801	4
ANACONDA MINERALS CO., GRANTS, NM	40-8902	4	RIO ALGOM MINING CORP., MOAB, UT	40-8084	3
ATLAS MINERALS, INC., DENVER, CO	40-3453	1	SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	40-8964	6
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	2
BENDIX CORP., TETERBORO, NJ	40-0772	1	SOHIO CHEMICAL CO., LIMA, OH	40-7604	2
BOKUM RESOURCES CORP., ALBUQUERQUE, NM	40-8906	5	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	1
BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	40-8904	5	U.S. ENERGY CORP., RIVERTON, WY	40-8971	6
CHEMETRON CORP., CHICAGO, IL	40-8724	4	UMETCO MINERALS CORP., GRAND JUNCTION, CO	40-8681	3
CHEVRON, U.S.A., INC., GRANTS, NM	40-8908	5	UNITED NUCLEAR CORP., SANTA FE, NM	40-8907	5
CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	40-8714	4	VALENTEC OLIVETTE, ST. LOUIS, MO	40-8954	6
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	2	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	40-1162	1
ENERGY, DEPT. OF, SCOVILLE, ID	40-8914	5	WHITTAKER METALS, LOS ANGELES, CA	40-7455	2
EVEREST MINERALS CORP., CONVERSE COUNTY, WY	40-8857	4	Domestic Licensing of Production and Utilization Facilities - Docket 50		
EXXON CO., USA, HOUSTON, TX	40-8102	3	AEROJET-GENERAL NUCLEONICS	50-32	8
EXXON MINERALS CO., USA, HOUSTON, TX	40-8064	3	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	19
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	5	AGN-201	50-276	55
FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	40-8829	4	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-604	216
HOMESTAKE MINING CO., GRANTS, NM	40-8903	4	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-603	215
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	6	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	174
KAWECKI BERYLCO INDUSTRIES, INC., BOYERTOWN, PA	40-6940	2	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	176
KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	40-2061	1	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	92
KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	40-8905	5	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	143
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8027	2	BEAVER VALLEY POWER STATION, UNIT 1	50-334	119
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8768	4	BEAVER VALLEY POWER STATION, UNIT 2	50-412	166
MALAPAI RESOURCES CO., CASPER, WY	40-8684	3	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	177
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8502	3	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	178
METALLURG, INC., NEWFIELD, NJ	40-8948	5	BIG ROCK POINT NUCLEAR PLANT	50-155	10
MINERALS EXPLORATION CO., LOS ANGELES, CA	40-8584	3	BRAIDWOOD STATION, UNIT 1	STN-50-456	197
MOLYCORP, INC., LOS ANGELES, CA	40-8794	4	BRAIDWOOD STATION, UNIT 2	STN-50-457	198
			BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	34

Name	Docket	Page	Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	37	FLOATING NUCLEAR PLANT	STN-50-437	177
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	78	FORD NUCLEAR REACTOR	50-2	6
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	109	FORT CALHOUN STATION, UNIT 1	50-285	67
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	107	FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	45
BUFFALO MATERIALS RESEARCH CENTER	50-57	9	GA TECHNOLOGIES	50-163	11
BYRON STATION, UNIT 1	STN-50-454	194	GE ADVANCED BWR DESIGN	STN-50-605	216
BYRON STATION, UNIT 2	STN-50-455	196	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	11
CALLAWAY PLANT, UNIT 1	STN-50-483	205	GRAND GULF NUCLEAR STATION, UNIT 1	50-416	171
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	97	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	173
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	99	H.B. ROBINSON PLANT, UNIT 2	50-261	40
CATAWBA NUCLEAR STATION, UNIT 1	50-413	167	HADDAM NECK PLANT	50-213	14
CATAWBA NUCLEAR STATION, UNIT 2	50-414	169	HARTSVILLE NUCLEAR PLANT, UNIT 1	STN-50-518	211
CESSAR SYSTEM 80	STN-50-470	204	HARTSVILLE NUCLEAR PLANT, UNIT 2	STN-50-519	211
CINTICHEM	50-54	8	HARTSVILLE NUCLEAR PLANT, UNIT 3	STN-50-520	211
CLINCH RIVER BREEDER REACTOR	50-537	215	HARTSVILLE NUCLEAR PLANT, UNIT 4	STN-50-521	211
CLINTON POWER STATION, UNIT 1	50-461	202	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	134
CLINTON POWER STATION, UNIT 2	50-462	204	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	9
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	189	INDIAN POINT STATION, UNIT 1	50-3	6
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	191	INDIAN POINT STATION, UNIT 2	50-247	23
COOPER NUCLEAR STATION	50-298	81	INDIAN POINT STATION, UNIT 3	50-286	69
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	83	IOWA STATE UNIV. RESEARCH REACTOR	50-116	9
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	129	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	118
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	54	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	131
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	105	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	140
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	94	KEWAUNEE NUCLEAR POWER PLANT	50-305	86
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	95	LA CROSSE BOILING WATER REACTOR	50-409	164
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	6	LASALLE COUNTY STATION, UNIT 1	50-373	148
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	19	LASALLE COUNTY STATION, UNIT 2	50-374	150
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	24	LIMERICK GENERATING STATION, UNIT 1	50-352	132
DUANE ARNOLD ENERGY CENTER	50-331	116	LIMERICK GENERATING STATION, UNIT 2	50-353	133
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	101	MAINE YANKEE ATOMIC POWER PLANT	50-309	88
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	142	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	7
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	7	MIDLAND PLANT, UNIT 1	50-329	116
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	126	MIDLAND PLANT, UNIT 2	50-330	116
			MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	21
			MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	122
			MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	173
			MONTICELLO NUCLEAR GENERATING PLANT	50-263	42

Name	Docket	Page	Name	Docket	Page
NATIONAL BUREAU OF STANDARDS REACTOR	50-184	12	SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	12
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	17	SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	136
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	164	SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	138
NORTH ANNA POWER STATION, UNIT 1	50-338	123	SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10
NORTH ANNA POWER STATION, UNIT 2	50-339	125	SEABROOK NUCLEAR STATION, UNIT 1	50-443	180
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	81	SEABROOK NUCLEAR STATION, UNIT 2	50-444	185
OCONEE NUCLEAR STATION, UNIT 1	50-269	47	SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	110
OCONEE NUCLEAR STATION, UNIT 2	50-270	48	SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	113
OCONEE NUCLEAR STATION, UNIT 3	50-287	71	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	162
OYSTER CREEK NUCLEAR POWER PLANT	50-219	15	SHOREHAM NUCLEAR POWER STATION	50-322	103
PALISADES NUCLEAR PLANT	50-255	32	SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	206
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	211	SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	209
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	212	ST. LUCIE PLANT, UNIT 1	50-335	120
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	213	ST. LUCIE PLANT, UNIT 2	50-389	155
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	11	SURRY POWER STATION, UNIT 1	50-280	63
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	55	SURRY POWER STATION, UNIT 2	50-281	65
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	59	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	153
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	178	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	154
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	180	TEXAS A&M UNIV. RESEARCH REACTOR	50-128	9
PHIPPS BEND NUCLEAR STATION, UNIT 1	STN-50-553	215	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	73
PHIPPS BEND NUCLEAR STATION, UNIT 2	STN-50-554	215	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	100
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	74	TROJAN NUCLEAR PLANT	50-344	127
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	44	TURKEY POINT PLANT, UNIT 3	50-250	26
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	82	TURKEY POINT PLANT, UNIT 4	50-251	28
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	66	UCLA TRAINING REACTOR	50-142	10
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	87	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	110
QUAD-CITIES STATION, UNIT 1	50-254	30	UNIV. OF CALIFORNIA RESEARCH REACTOR	50-224	18
QUAD-CITIES STATION, UNIT 2	50-265	43	UNIV. OF FLORIDA TRAINING REACTOR	50-83	9
RANCHO SECO NUCLEAR GENERATING STATION	50-312	90	UNIV. OF MARYLAND RESEARCH REACTOR	50-166	11
REED COLLEGE RESEARCH REACTOR	50-288	73	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	12
RESAR SP/90	50-601	215	UNIV. OF TEXAS RESEARCH REACTOR	50-192	12
RIVER BEND STATION, UNIT 1	50-458	200	UNIV. OF TEXAS RESEARCH REACTOR	50-602	215
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	20	UNIV. OF UTAH RESEARCH REACTOR	50-407	164
RPI CRITICAL EXPERIMENT	50-225	19	UNIV. OF UTAH RESEARCH REACTOR	50-72	9
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	52	UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	161
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	89	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	9
			VERMONT YANKEE NUCLEAR POWER STATION	50-271	50
			VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	160

Name	Docket	Page	Name	Docket	Page
WATERFORD GENERATING STATION, UNIT 3	50-382	152	RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	70-0920	219
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	157	ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA	70-0025	217
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	158	TEXAS UTILITIES GENERATING CO., DALLAS, TX	70-2932	221
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	145	TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	220
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	146	UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	70-0371	218
WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	135	WASHINGTON HOSP. CENTER, WASHINGTON, DC	70-1500	220
WOLF CREEK GENERATING STATION	STN-50-482	204	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	70-1151	220
WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	10	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	219
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	202	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	161			
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	210			
YANKEE-ROWE NUCLEAR POWER STATION	50-29	7			
YELLOW CREEK NUCLEAR PLANT, UNIT 1	STN-50-566	215			
YELLOW CREEK NUCLEAR PLANT, UNIT 2	STN-50-567	215	AMOCO OIL CO.	71-0128	221
ZION NUCLEAR POWER STATION, UNIT 1	50-295	77	GENERAL DYNAMICS, CHARLESTON, SC	71-0658	221
ZION NUCLEAR POWER STATION, UNIT 2	50-304	85	MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	71-9127	223
Domestic Licensing of Special Nuclear Material - Docket 70			MODEL: 125-B, ENERGY, DEPT. OF	71-9200	224
			MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	71-9126	223
ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	70-1257	220	MODEL: 650, TECH/OPS, INC.	71-9032	222
ARMY, DEPT. OF, DOVER, NJ	70-0822	218	MODEL: 660 & 660E, TECH/OPS, INC.	71-9033	222
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	217	MODEL: 6717-B, GAMMA INDUSTRIES, INC.	71-6717	222
BABCOCK & WILCOX CO., APOLLO, PA	70-0364	218	MODEL: 676 & 676E, TECH/OPS, INC.	71-9029	222
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	219	MODEL: 715, TECH/OPS, INC.	71-9039	223
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-1201	220	MODEL: 865, TECH/OPS, INC.	71-9187	224
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	217	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	71-5957	221
BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH	70-0008	216	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	222
CINTICHEM, INC., TUXEDO, NY	70-0687	218	MODEL: C-10, GAMMA INDUSTRIES, INC.	71-9133	223
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	219	MODEL: C-8, GAMMA INDUSTRIES, INC.	71-9128	223
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	219	MODEL: CE-250-2, COMBUSTION ENGINEERING, INC.	71-9022	222
GA TECHNOLOGIES, INC., SAN DIEGO, CA	70-0734	219	MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	71-9135	224
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	219	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	223
GENERAL ELECTRIC CO., SAN JOSE, CA	70-2786	221	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	224
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	220	MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	71-9108	223
HENRY FORD HOSP., DETROIT, MI	70-1507	220	MODEL: DHLW, GA TECHNOLOGIES, INC.	71-9214	224
HOUSTON LIGHTING & POWER CO., HOUSTON, TX	70-3018	221	MODEL: GE-1500, GENERAL ELECTRIC CO.	71-5939	221
INLAND STEEL MINING CO., VIRGINIA, MN	70-3047	221	MODEL: GE-600, GENERAL ELECTRIC CO.	71-5980	221
ISOTOPIC ANALYSIS, INC., TULSA, OK	70-0854	219	MODEL: GNG-20, GULF NUCLEAR, INC.	71-9163	224
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	217			
PURDUE UNIV., WEST LAFAYETTE, IN	70-0152	218			

Name	Docket	Page	Name	Docket	Page
MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR	71-9151	224	MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC	71-9176	224
MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.	71-9224	224	MODEL: NUPAC 14D-2.0, WESTINGHOUSE- HITTMAN NUCLEAR	71-9079	223
MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC.	71-9222	224	MODEL: ORNL TRITIUM TARGET CONTAINER	71-5800	221
MODEL: IF-300, GENERAL ELECTRIC CO	71-9001	222	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	221
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	224	MODEL: PAT-1, ENERGY, DEPT. OF	71-0361	221
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	224	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	71-9056	223
MODEL: LP-50, ENERGY, DEPT. OF	71-6678	222	MODEL: T-3, ENERGY, DEPT. OF	71-9132	223
MODEL: M-130, ENERGY, DEPT. OF	71-6003	221	MODEL: TN-8, -8L, TRANSNUCLEAR, INC.	71-9015	222
MODEL: MH-1A, ENERGY, DEPT. OF	71-6639	222	MODEL: TN-9, TRANSNUCLEAR, INC.	71-9016	222
MODEL: N-55, NUCLEAR PACKAGING, INC.	71-9070	223	MODEL: TRUPACT-II, ENERGY, DEPT. OF	71-9218	224
MODEL: NAC-1, NUCLEAR ASSURANCE CORP.	71-9183	224	N.V. ENTERPRISES	71-0657	221
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	224	NUS CORP.	71-0496	221
MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	71-9010	222	PACIFIC NORTHWEST LABORATORIES	71-0173	221
MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	71-9102	223	TRI STATE ASSOCIATES, INC.	71-0659	221
MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.	71-3002	221	Licensing of Independent Spent Fuel Storage - Docket 72		
MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	71-9208	224	CAROLINA POWER & LIGHT CO.	72-0003	224
			DUKE POWER CO., 50-269	72-0004	225

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-048 RICHLAND, WA, U.S. ECOLOGY, INC.

8809090230 Forwards "Annual Environ Monitoring Rept for 1987"
ADAMS,S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc). 88/08/31
INGERSOLL,C.E. Washington, State of, Dept of Social & Health Services. 1p.
46806 207-46806 302

-8809090235 "Annual Environ Monitoring Rept for 1987."
ADAMS,S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc) 87/12/31 98pp
46806 206-46806 302

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0772 BENDIX CORP., TETERBORO, NJ

8809010079 Notification of Licensee Meeting 88-132 on 880831 in King of Prussia,PA to
discuss cleanup of thorium contamination identified during Insp 88090001/88-77.
ULLRICH,B. Region 1, Ofc of the Director 88/08/31. Region 1, Ofc of the Director.
2pp. 46740-181-46740 182.

DOCKET 40-1182 WESTERN NUCLEAR, INC., JEFFREY CITY, WY

8809060107 Forwards "Split Rock Mill Annual Engineering Stability Rept for Tailings Re-
tention Sys for May 1987 - Apr 1988."
BAKER,S.J. Western Nuclear, Inc (subs. of Phelps Dodge Corp) 88/07/01.
PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 1p. 46740.112-46740.117.

-8809060109 Forwards annual evaluation of stability of Split Rock Mill tailings retention
sys for May 1987 through Apr 1988. Evaluation includes assessment of hydraulic &
hydrologic conditions & retention sys movement.W/11 oversize drawings
TAYLOR,M.J. Canonic, Inc. 88/04/30. 5pp. 46740.113-46740.117.

8809200276 Recommends Issuance of Amend 45 to License SUA-56,Inserting Condition
29 re annual surety review.
ROSE,H.D., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 88/08/15. Uranium
Recovery Field Ofc, R4. 4pp. 46900.152-46900.155.

8809200290 Forwards Amend 45 to License SUA-56,amending Part 40 of license & cor-
recting typos identified in specific license conditions.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/15. BAKER,S. Western Nuclear,
Inc. (subs. of Phelps Dodge Corp.), 5pp. 46912:304-46912:309.

-8809200292 Amend 45 to License SUA-56 for Western Nuclear,Inc, authorizing pos-
session of unlimited natural U.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/15. 15pp. 46912:309-46912:339.

8809200281 Recommends that License SUA-56 be modified by deleting ref to Green
Mountain Ion Exchange facility from License Conditions 9 & 10 deleting License Con-
ditions 31, 68 & 69.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 88/08/16 Uranium
Recovery Field Ofc, R4. 2pp. 46900:220-46900.221.

8809200298 Forwards Amend 46 to License SUA-56,modifying Conditions 9 & 10 by de-
leting ref to Green Mountain ion exchange & deleting License Conditions 31,68 & 69
SMITH,R.D. Uranium Recovery Field Ofc, R4 88/08/16. BAKER,S. Western Nuclear,
Inc. (subs. of Phelps Dodge Corp.), 3pp. 46919.223-46919.256.

-8809200301 Amend 46 to License SUA-56 for Western Nuclear,Inc,modifying License
Conditions 9 & 10 by deleting ref to Green Mountain ion exchange & deleting Con-
ditions 31,68 & 69.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/16. 15pp. 46919.228-46919.256.

8809200210 Issues Amend 47 to License SUA-56, revising Condition 28 to extend date
for placement of soil cover in mill site burial area to 890930 & submittal of final rept to
900101.
HEYER,R.S., PETTENGILL,H.J. Uranium Recovery Field Ofc, R4 88/08/16 Uranium
Recovery Field Ofc, R4. 3pp. 46900.345-46900:347.

8809200278 Forwards Amend 47 to License SUA-56, revising Conditions 28B & C as
listed.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/16. BAKER,S. Western Nuclear,
Inc. (subs. of Phelps Dodge Corp.) 3pp 46905.204-46905:238.

-8809200280 Amend 47 to License SUA-56 for Western Nuclear,Inc, authorizing use of
any natural U to perform surface contamination surveys in areas used for ofcs,change
rooms & eating areas on biweekly schedule.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/16. 16pp. 46905.207-46905.238.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

8809060292 Documents 880802 & 03 telcons re organic matl entering Cottonwood
Creek via loose pipe coupling.Site personnel immediately corrected problem by reseal-
ing coupling.
HARTMAN,G. Tennessee Valley Authority. 88/08/03. OLSEN,T. Affiliation Not As-
signed. 1p. 46788:007-46788:007.

8809200025 Discusses environ monitoring rept for TVA Edgemont Mill for Nov 1987 -
Apr 1988 in compliance w/10CFR40.65 & License Conditions 14,24 & 27 of License
SUA-818.No further action necessary since no significant upward trends noted.
OLSEN,T.T., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 88/08/23. Uranium Re-
covery Field Ofc, R4. 5pp. 46918.024-46918:028.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL

8809140385 Application for amend to License STA-583, revising West Chicago health
physics manual Fee paid.
STAUTER,J.C. Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.). 88/08/28
ROUSE,L.C. Fuel Cycle Safety Branch 6pp 46838:036-46838.074.

-8809150003 "Site Safety & Health Plan"
* Kerr McGee Chemical Corp (subs. of Kerr-McGee Corp.). 88/08/30. 30pp
46838.042-46838.072

-8809140388 Forwards revised 10CFR170 re fee category,in response to 880628 appli-
cation for amend to License STA-583 to reflect revs to health physics manual.Fee
requested.W/o encl
JACKSON,G. License Fee Management Branch 88/07/21. STAUTER Kerr-McGee
Chemical Corp (subs. of Kerr-McGee Corp.). 1p 46838.073-46838.073.

-8809140392 Remits fee in payment for revs to health physics manual submitted on
880628.
STAUTER,J.C. Kerr McGee Chemical Corp. (subs. of Kerr-McGee Corp.). 88/08/09
JACKSON,G. License Fee Management Branch. 1p 46838.074-46838.074

8809070350 Advises that Amend 13 to License STA-583 issued on 870826 no longer
being held in abeyance & therefore effective as of 880805 Commission 880805 order
issuing Decision CLI-88-08 encl
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/18 STAUTER,J.C. Kerr-McGee Chemi-
cal Corp (subs. of Kerr-McGee Corp.). 1p 46776.300 46776:333.

8809150294 Responds to JC Stauter request for info re inclination of PCB & thorium
contaminated soil Waste contamination considered stated byproduct matl as defined
by Atomic Energy act of 1954.
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/08 WERNICK,M. Ensco, Inc 1p.
46857 014-46857:014.

8809220215 Provides addl info requested re 31 drums of PCB/thorium contaminated
soil stored at facility.Gamma measurement performed on external surfaces of each
drum w/sensitive detector to assure homogeneity of contents within each drum.
MUNSON,S.C. Kerr-McGee Chemical Corp. (subs. of Kerr-McGee Corp.). 88/09/12.
WERNICK,M. Ensco, Inc 6pp. 46918.029 46918:035.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

8809120179 Application for amend to License SUA-672,changing location of back-
ground air monitoring station to 2,600 ft north of present location.Fee paid.
HARDGROVE,T.W. Pathfinder Mines Corp 88/07/26 HEYER,R. Uranium Recovery
Field Ofc, R4. 1p. 46825.049 46825.049.

8809200288 Recommends that License Conditions 22 & 60 be revised as listed re
groundwater protection stds.
KONWINSKI,G.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 88/08/18. Urani-
um Recovery Field Ofc, R4 5pp 46900:340 46900.344.

8809200297 Forwards Amend 19 to License SUA-672 for Pathfinder Mines Corp, revising
License Conditions 22 & 60 to require reporting of results of effluent & environ moni-
toring & implementation of compliance monitoring program as stated.
SMITH,R.D. Uranium Recovery Field Ofc, R4 88/08/22. Pathfinder Mines Corp. 4pp.
46913:016-46913:051.

-8809200315 Amend 19 to License SUA 672 for Pathfinder Mines Corp, authorizing
use of natural U in unlimited quantity at stated location.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/22. 15pp. 46913:020 46913:051

DOCKET 40-3453 ATLAS MINERALS, INC., DENVER, CO

8809140066 "1986 ALARA Audit Rept of Atlas Minerals Corp/Radiation Protection Pro-
gram at MOAB Mill." W/880609 ltr.
EDWARDS,D., JENSEN,W., BLUBAUGH,R. Atlas Corp 88/12/31. VAN SCOVILLE
Uranium Recovery Field Ofc, R4. 61pp. 46842:142-46842:202.

8809190078 Application for amend to License SUA-917,allowing const & utilization of
roadway on tailings beach at Moab Mill fallings impoundment.Fee paid.W/one over-
size drawing.
BLUBAUGH,R.E. Atlas Corp. 88/07/14. SMITH,R.D. Region 4, Ofc of the Director.
6pp. 46850.259-46850.263.

8809070054 Forwards results of annual Insp of Atlas Minerals U tailings Impoundment
near Moab,UT
BLUBAUGH,R.E. Atlas Corp 88/07/20. SMITH,R.D. Uranium Recovery Field Ofc, R4.
4pp. 46784:147-46784:150.

8809070178 Discusses intended decommissioning & reclamation of U operation in
Moab,UT unless market undergoes dramatic turnaround in near future.
WEAVER,R.R. Atlas Corp. 88/07/25. SMITH,R.D. Region 4, Ofc of the Director. 2pp.
46784:078-46784:080.

8809060186 Responds to NRC 880630 ltr re violations noted in Insp of License SUA-
917,Corrective actions taken specialized technical training conducted in conjunction
w/scheduled embankment evaluation on 880628.
BLUBAUGH,R.E. Atlas Corp. 88/07/27. PETTENGILL,H.J. Uranium Recovery Field
Ofc, R4 6pp. 46753:132-46753:137.

8809060267 Responds to 880819 telcon request for clarification re 880714 application
for amend to License SUA-917.Training will be provided to contractors by Atlas re ra-
diation safety specified in 1984 renewal application.
BLUBAUGH,R.E. Atlas Corp. 88/08/19. SCOVILLE,V. Uranium Recovery Field Ofc,
R4. 2pp. 46754.050-46754:051.

2 DOCKETED ITEMS

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

8809060155 Ack receipt of 880727 ltr re Reclamation Permit 352 Addresses three items, including bonding of contractor, obtaining of surety bond & use of original approved reclamation plan instead of amending plan
WOOD, R Wyoming, State of 88/08/05. FERGUSON, J.C. American Nuclear Corp 2pp. 46747 255-46747.256

DOCKET 40-6500 ENERGY, DEPT. OF, CANONSBURG, PA

8809120187 Forwards comments on surveillance & maint plan for Burrell Township disposal site. Comments intended to assure that meaningful surveillance records maintained & evaluated & measures for responding to adverse conditions in place
LOHAUS, P.H. Operations Branch 88/08/23 ARTHUR, W.J. Energy, Dept. of. 4pp. 46813 357-46813 380

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

8809060269 Confirms details of insp of Pathfinder Shirley Basin U operation on 880808-11, per 880801 telcon w/H Pettengill
FRANCIS, E Wyoming, State of 88/08/01 WOOD, R, SHAFFER, R, GARLAND, B Wyoming, State of 2pp 46764 004-46764.005.

8809140428 Insp repts of open pit U mine & maint shop & U mill on 880808 & 11 Recommendations for corrective actions provided.
STAUFFENBERG, D Wyoming, State of 88/08/15. 2pp 46837-358 46837.359

8809140060 Discusses insp of Pathfinder Mines Corp U mill in Shirley Basin, WY on 880808 & 11 All circuits & related functions were inspected while mill was operating
STAUFFENBERG, D. Wyoming, State of 88/08/16. Wyoming, State of. 1p 46836 030-46836 030

8809130307 Forwards Water Quality & Air Quality Divs repts re coordinated insp of Pathfinder mines in Shirley Basin
FRANCIS, E Wyoming, State of. 88/08/22. PETTINGILL, L.H. Uranium Recovery Field Ofc, R4 11p 46836 248 46836 258

DOCKET 40-6659 PETROTECHNICS CO., SHIRLEY BASIN, WY

8809140059 Advises that Mining Permit PT351C terminated & bond transferred to NRC. Disposition of First Interstate Bank of California Ltr of Credits 1-38353 & 1-40216 encl
SHAFFER, R., WOOD, R Wyoming, State of 88/08/26. BENNETT, M Petrotechnics Co (formerly Getty/Petrotechnics Co.). 6pp. 46845.059-46845 064.

DOCKET 40-6940 KAWECKI BERYLCO INDUSTRIES, INC., BOYERTOWN, PA

8809190264 Application for amend to License SMB-920, finalizing decontamination of facility within reasonable time. Survey & QA programs described. Fee paid
GANNON, W.C. Cabot Corp. 88/08/17 PENNINGTON, W.S. Office of Nuclear Material Safety & Safeguards, Director. 4pp. 46896 082-46896 085.

8808290110 Requests that analysis re basis for 10 plico Ci limit in License SMB-920, item 17, be sent to L Lusk & TM Gerusky.
GANNON, W.C. Cabot Corp. 88/08/15 ROUSE, L. Fuel Cycle Safety Branch 2pp 46868,006-46868 007.

8809060361 Forwards policy paper on disposal options for residual thorium or U providing basis for 10 plicocurie per gram limit established in Condition 17 of license.
ROUSE, L.C. Fuel Cycle Safety Branch 88/08/28. GANNON, W.C. Cabot Corp. 1p 46763,001-46763 001.

8809150192 Advises that License SMB 920 due to expire on 881231. Renewal application must be filed at least 30 days prior to expiration date. Environ info required to support renewal application, per 10CFR51.60, W/o stated encls.
SWIFT, J.J. Fuel Cycle Safety Branch 88/09/08 GANNON, W.C. Cabot Corp 1p 46874 050-46874.050.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

8809060279 Advises that MR Morgenstern of Shieldalloy informed that NRC approval to install four addl monitoring wells not required. MR Morgenstern informed by telcon on 880817.
PENNINGTON, S. Fuel Cycle Safety Branch 88/08/19 Fuel Cycle Safety Branch 1p 46793 086-46793 086

8809010308 Forwards "Radiological Survey of the Shieldalloy Corp, Newfield, NJ" & Amends 6 & 7 to License SMB-743, in response to 880713 & 0725 ltrs. New license not presently available & will be sent when issued W/o encls.
KINNEMAN, J.D. Region 1, Ofc of the Director. 88/08/26 WESTERGAARD, R. Gloucester County, NJ 2pp. 46740.145-46740.151

-8809010315 Requests listed documents re Shieldalloy Corp, including existing NRC permit or license, new permit when issued & environ survey rept.
WESTERGAARD, R. Gloucester County, NJ. 88/07/26 KINNEMAN, J.D. Region 1, Ofc of the Director. 3pp 46740.147-46740.149.

-8809080299 Requests documents of existing NRC permit, new permit & environ survey rept for Shieldalloy Corp
WESTERGAARD, R. Gloucester County, NJ 88/07/13. KINNEMAN, J. Region 1, Ofc of the Director. 2pp 46740.150-46740.151.

8809130068 Forwards "Radiological Survey of Shieldalloy Corp, Newfield, NJ," by Oak Ridge Associated Univs, per 880614 ltr.
KINNEMAN, J.D. Region 1, Ofc of the Director. 88/09/06 DREY, K Drey, K 1p. 46839,170 46839.171.

-8809130071 Requests copy of Oak Ridge Associated Univs rept re field insp of Shieldalloy facility in Newfield, NJ.
DREY, K Drey, K 88/08/14. FRIEDMAN, L.F. Region 1, Ofc of the Director 1p 46839,171-46839.171.

8809200241 Requests consent re 880919 visit w/JD Berger to obtain informal technical input to radiological survey outline
HOLMES, R.E. ERT 88/09/08. ROUSE, L.C. Fuel Cycle Safety Branch 3pp 46912 340-46912 342

DOCKET 40-7455 WHITTAKER METALS, LOS ANGELES, CA

8806290028 "Whittaker Corp Audit Rept of Radioactive Matl Located Next to Greenville Metals, Greenville, PA."
MILLER, F.L. Whittaker Corp. 88/08/15 2pp 46668-299-46668 300

DOCKET 40-7604 SOHIO CHEMICAL CO., LIMA, OH

8809160200 Application for amend to License SUB-808, authorizing release of catalyst plant warehouse area per attached plot plan. Results of unrestricted release survey encl. Fee paid.
SIMON, S.J. Viatron Corp 88/08/15. SWIFT, J. NRC - No Detailed Affiliation Given 4pp 46869 268-46873.192

-8809160204 Rev 0 to 83A2881, "Unrestricted Release Survey for Catalyst Plant Warehouse Area, BP Chemical Co, Lima, OH."
ELY, P.C. Nuclear Energy Services, Inc 88/07/31. 13,000pp. 46869.268 46873.192.

DOCKET 40-8027 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8807140131 Forwards data from 2-yr comprehensive monitoring program for employees exposed or potentially exposed to release of UF₆, per License Condition 30 Affidavit of JG Randolph re withholding encl (ref 10CFR2 790(a)(8)).
STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/06/28. ROUSE, L.C. Office of Nuclear Material Safety & Safeguards, Director. 3pp 46184.096-46184 098.

8807140131 Forwards data from 2-yr comprehensive monitoring program for employees exposed or potentially exposed to release of UF₆, per License Condition 30 Affidavit of JG Randolph re withholding encl (ref 10CFR2 790(a)(8)).
STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/06/29. ROUSE, L.C. Office of Nuclear Material Safety & Safeguards, Director 3pp. 46895.101-46895.110.

-8809140386 "Biological Monitoring Program for Sequoyah Facility Employees Exposed to UO₂F₂ & HF Arising from Accident on 860104."
GOLTRA, E.R. Kerr-McGee Corp. 88/08/28. 8pp 46895 103-46895.110.

8809020191 Forwards corrected cover ltr for June 1988 discharge monitoring rept which mistakenly referred to May 1988 instead of June 1988 as reporting period.
KNIGHT, S.P. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/07/14. KNUDSON, M.O. Environmental Protection Agency. 2pp. 46758 022-46758 022.

8808030099 Notification of 880802 meeting w/Withrop, Stimson, Putnam & Roberts & GA Co in Rockville, MD re proposed vendor reorganization.
PROVENCER, R.B. Fuel Cycle Safety Branch 88/07/19 ROUSE, L.C., SWIFT, J.J. Fuel Cycle Safety Branch. FONNER, R.L. Office of the General Counsel 1p 46849.074-46849 074

8809060128 NPDES noncompliance notification, on 880730, grab sample of Outfall 001 for pH not processed. Caused by oversight. Addl administrative controls implemented by lab to insure that samples collected, processed & analyzed in timely fashion.
KNIGHT, S.P. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/08/03. KNUDSON, M.O. Environmental Protection Agency 1p 46758 022-46758 022.

8809060207 Forwards proposed findings of fact, conclusions of law & board order re application to renew Permit WD-75-074, which will be presented to Board on 880914 in Oklahoma City, OK
COUCH, D.A. Oklahoma, State of. 88/08/11. NRC - No Detailed Affiliation Given 61pp. 46764 191-46764 251.

8809070013 NPDES noncompliance notification, on 880809, total suspended solids daily max limit exceeded at Outfall 001. Caused by algae & sediment lodged in outfall. Outfall cleaned.
KNIGHT, S.P. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/08/11. KNUDSON, M.O. Environmental Protection Agency 5pp 46783 232-46783 236

8809130287 Forwards maps & info inadvertently omitted from proposed Waste Disposal Permit WD-75-074. Comparison summary of provisions of permit, outline of proposed findings of fact & conclusions of law & board order also encl.
COUCH, D. Oklahoma, State of. 88/08/19. NRC - No Detailed Affiliation Given. 7pp 46826.305-46826.311.

8809200010 Lists major issues that need to be resolved re General Atomic Corp transfer of control of Sequoyah Fuels Corp to Sequoyah Holding Corp before NRC can authorize transfer of license.
GARCIA, P.J. Uranium Recovery Field Ofc, R4. 88/08/19. BANGART, R.L. Region 4, Ofc of the Director. 3pp. 46918.081-46918 083.

8809150136 Trip rept of 880822-25 visit to Sequoyah fuels facility in Gore, OK re plant health physics & recently reported allegations.
PENNINGTON, W.S. Fuel Cycle Safety Branch 88/09/09 Fuel Cycle Safety Branch 1p 46849 348-46849 348.

8809220194 Forwards revised Section 16.3.8 of License SUB-1010, per discrepancy noted during insp conducted wk of 880822.
STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/09/16. ROUSE, L.C. Fuel Cycle Safety Branch. 5pp. 46927 237-46927 241.

8809220200 Advises that licensee will continue use of method to "tamper safe" UF₆ cylinders described in 870529 ltr, specifically, use of heavy gauge plastic envelope placed over cylinder valve & drawn tight w/wire drawstring.
STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/08/16. ROUSE, L.C. Fuel Cycle Safety Branch. 3pp. 46927.212-46927 214.

DOCKETED ITEMS 3

DOCKET 40-8064 EXXON MINERALS CO., USA, HOUSTON, TX

8809070074 "1988 Second Quarter Rept Pilot In Situ Mining Program." RANGE,D M Exxon Corp 88/07/21 Uranium Recovery Field Ofc, R4 3pp. 46779.227-46779.229.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

8808120081 Forwards Irrevocable Ltr of Credit 20-88/99016 for Rio Algom Mining Corp. for review & signature VANDOROS,H. Canadian Imperial Bank of Commerce 88/06/06 NRC - No Detailed Affiliation Given. 3pp 46946 130 46946 132

8809080180 Advises that vendor lab notified to include barium & mercury analysis on groundwater samples, per 880713 telcon REAVEAU,B K Rio Algom Mining Corp. 88/08/05 GRACE,S. Uranium Recovery Field Ofc, R4 1p. 46754.058 46754 058

8809140079 Forwards supplemental questions re Rio Algom Mining Corp reclamation plan & responses to 881215 questions, per NRC Apr 1987 site visit. STEVEN,R A Colorado State Univ., Fort Collins, CO 88/08/26 HAWKINS,E F Uranium Recovery Field Ofc, R4 3pp 46838.360 46838.362

DOCKET 40-8102 EXXON CO., USA, HOUSTON, TX

8809060085 Discusses Highland U mill tailings reclamation plan design criteria review Approval of license amend has been suspended pending NRC review. Informal suspension of uncertain duration unwarranted. Background info provided PATTON,J D. Exxon Corp 88/08/02 MARTIN,R.D. Uranium Recovery Field Ofc, R4 THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director 3pp. 46747.248-46747.250.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

8809020266 Quarterly radiation safety/envirom monitoring rept for Second Quarter 1988 & semiannual review, submitted per License Condition 14 CHASE,G. Bear Creek Uranium Co. 88/07/27. JACOBY,D. Uranium Recovery Field Ofc, R4. 44pp. 46746.002-46746 045

8809060402 Forwards data on MW-12 re License Condition 47 of License SUA-1310, per request CHASE,G. Bear Creek Uranium Co. 88/08/08. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 4pp. 46755.229-46755 242

8809200291 Recommends that License Conditions 42 & 47 be revised to incorporate modified ground-water monitoring program. Recommendation based on review of util 880506 & 0806 data. KONWINSKI,G R., HAWKINS,E F Uranium Recovery Field Ofc, R4 88/08/22. Uranium Recovery Field Ofc, R4. 5pp. 46913.055-46913.059.

8809200325 Forwards Amend 18 to License SUA-1310, revising License Conditions 42 & 47 to read as listed. SMITH,R.D. Uranium Recovery Field Ofc, R4 88/08/22. Bear Creek Uranium Co. 4pp. 46916.181-46916 224.

--8809200327 Amend 18 to License SUA-1310 For Bear Creek U Co, authorizing use of natural U at U mill facilities located in Converse, County, Wy. SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/22. 10pp. 46916.195-46916.224.

8809130296 Requests approval to place interim cover over mill site & portions of contaminated mill burial site used to date upon completion of concrete demolition. SCOTT,E.Y. Bear Creek Uranium Co. 88/08/23. HAWKINS,E. Uranium Recovery Field Ofc, R4. 1p. 46830.062-46830.062.

DOCKET 40-8502 MALAPAI RESOURCES CO., PHOENIX, AZ

8809070008 Provides explanation of recent changes in surety mechanisms for Drilling Notification 192DN. WICHERS,D.L. Malapai Resources Co. 88/06/14. JORDAN,P. Wyoming, State of. 10pp 46783.047-46783.062.

8809060149 "NPDES Discharge Monitoring Rept for Apr-June 1988." W/880729 ltr WICHERS,D.L. Malapai Resources Co. 88/06/30. WAGNER,J. Wyoming, State of. 6pp. 46763.354-46763.359.

8809060056 Ack receipt of 880712 ltr granting conditional acceptance of Malapai Resources Co Christensen Ranch amend application. All proposed conditions w/exception of Conditions 1(d) & 2 in 880712 ltr acceptable WICHERS,D.L. Malapai Resources Co. 88/07/26. SHAFFER,R. Wyoming, State of. 4pp. 46764.345-46764.348.

8809060274 Comments on Irigaray Mine Permit 478 880630 proposed change to analyze chloride in trend wells Request to change Page M4-13 to reflect agreement acceptable. INGLE,S. Wyoming, State of. 88/07/28 Wyoming, State of. 2pp 46765.238-46765.239.

8809060163 Discusses proposed changes to Irigaray Mine, Permit 478 INGLE,S. Malapai Resources Co. 88/08/03. Malapai Resources Co. 2pp. 46759.033-46759.034

8809070240 Informs of 880806 trunkline break at Irigaray Mine site Caused by butt-fused joint giving way on Production Unit 6-9 Injection trunkline losing approx 11,000 gallons of solution Licensee evaluating options to prevent recurrence WICHERS,D.L. Malapai Resources Co. 88/08/12. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p. 46784.339-46784.339.

8809120154 Forwards Amends 1,2 & 3 to Irigaray Ltr of Credit SB-8255, including reclamation cost associated w/Christensen Ranch amend area. WICHERS,D.L. Malapai Resources Co. 88/08/19. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 6pp. 46825.034-46825 039.

8809200287 Ack receipt of 880812 ltr re broken butt fused joint on truck line resulting in spill of approx 11,000 gallons of injection solution onto ground & soak into soil. Response will be reviewed during next insp HAWKINS,E F Uranium Recovery Field Ofc, R4. 88/08/22. WICHERS,D. Malapai Resources Co 2pp 46800.272-46800.273

8809270141 Forwards final finding of no significant impact re major amend to License SUA-1341 HAWKINS,E P. Uranium Recovery Field Ofc, R4 88/08/25 MEYER,D. Office of the Secretary of the Commission 1p. 46971.350-46971 353.

--8809270144 Final finding of no significant impact re major license amend to Malapai Resources Co Irigaray operation HAWKINS,E F. Uranium Recovery Field Ofc, R4 88/08/25 3pp. 46971 351-46971 353

8809140044 Notifies that break in Production Units 6 & 9 injection trunkline occurred on 880821 Due to operator prompt attention to low-flow alarm, only 6,000 gallons of injection solutions lost Options evaluated to prevent recurrence. WICHERS,D.L. Malapai Resources Co 88/08/26 KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p 46836.059-46836.059.

DOCKET 40-8584 MINERALS EXPLORATION CO., LOS ANGELES, CA

8809060362 Responds to 880731 telcon re safety precaution for employees working at decanting yellowcake slurry. Personal air pump will be hung on employee & urinalysis after decanting done IX test plan & std operating procedures for decanting encl. ROYBAL,D. Minerals Exploration Co. (subs. of Union Oil Co. of California). 88/08/04. HEYER,R. Uranium Recovery Field Ofc, R4 3pp. 46758 353-46758 355.

8809200194 Forwards Amend 8 to License SUA-1350, modifying Condition 11 to authorize operation of test U extraction ion exchange at Sweetwater U project. SMITH,R.D. Uranium Recovery Field Ofc, R4 88/08/18 Minerals Exploration Co (subs. of Union Oil Co. of California). 2pp 46919.137-46919.165.

--8809200195 Amend 8 to License SUA-1350 for Minerals Exploration Co, modifying Condition 11 to authorize operation of test U extraction ion exchange plant at Sweetwater U project SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/18 11pp. 46919.139 46919.165.

8809200341 Recommends that License Condition 11 be amended as stated to incorporate licensees 880815 & 0804 ltrs informing NRC of intent to operate test U extraction plant. HEYER,R S., PETTENGILL,H J. Uranium Recovery Field Ofc, R4. 88/08/18. Uranium Recovery Field Ofc, R4 3pp. 46913.052-46913.054.

DOCKET 40-8681 UMETCO MINERALS CORP., GRAND JUNCTION, CO

8809120156 Application for amend to License SUA-1356, proposing that monitoring & maint stds for Diversion Ditch 1 be abandoned & requirements for const of Diversion Ditches 2 & 3 be dropped Fee paid HAMRICK,J.S., SPARLING,D K UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 88/07/28. PETTENGILL,H J. Uranium Recovery Field Ofc, R4 6pp. 46813.342-46813.347.

8809080294 Notifies NRC of withdrawal of 880120 & 0211 application for amend to License SUA-1356, allowing processing of U bearing mail obtained from state of NJ. ROBERTS,H.R. Landmark Reclamation. 88/08/05 PETTENGILL,H.J. Uranium Recovery Field Ofc, R4. 1p 46755.216-46755.216

8809060020 Discusses annual accounting of any lands in status of grazing, agricultural use, residences, water wells or any other land usage within 5-mile radius of White Mesa Mill since Aug 1987. SCHIERMAN,S.L. UMETCO Minerals Corp (subs. of Union Carbide Corp.). 88/08/12. PETTENGILL,H.J. Uranium Recovery Field Ofc, R4 1p 46765.240-46765.240

8809200222 Advises that no further action will be taken re 880805 amend request to allow disposal of radium bearing soils from site. SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/18. UMETCO Minerals Corp. (subs. of Union Carbide Corp.) 2pp. 46900.007-46900.009

DOCKET 40-8684 MALAPAI RESOURCES CO., CASPER, WY

8809060156 "NPDES Discharge Monitoring Rept for Apr-June 1988." W/880729 ltr. WICHERS,D.L. Malapai Resources Co. 88/06/30. WAGNER,J. Wyoming, State of. 3pp. 46757.357-46757.359.

8809060170 "Eighth Quarterly Operations Rept for Apr-June 1988 for Willow Creek R&D Project." W/880729 ltr. WICHERS,D.L. Malapai Resources Co. 88/06/30 KONWINSKI,G.R. Uranium Recovery Field Ofc, R4. MOONEY,G. Wyoming, State of. 35pp. 46759.242-46759.276.

8809020260 Determines that Christensen Ranch permit application technically adequate & complete w/ listed understandings. Response w/acceptance or nonacceptance requested within 15 days of ltr receipt. SHAFFER,R. Wyoming, State of 88/07/12. WICHERS,D. Malapai Resources Co. 6pp. 46747.097-46747.102

8809140115 Discusses nonacceptance of proposed Permit Condition 1(d). Separate memo will address proposed Permit Condition 2 Neither water nor land quality div object to semiannual schedule. INGLE,S. Malapai Resources Co. 88/08/22 Malapai Resources Co. 2pp. 46840.312-46840.313

DOCKET 40-8698 PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO

8809060083 "Effluent Monitoring Rept for Jan-June 1988 " W/880818 ltr. MORRILL,V.W. Plateau Resources, Ltd. 88/06/30. 15pp. 46748.083-46748.077

4 DOCKETED ITEMS

DOCKET 40-8714 CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH

8809060182 Informs of end of stability monitoring period & proposed meeting to discuss results & impact on restoration effort
CLARKIN,K Wyoming, State of 88/07/25 KONWINSKI,G. NRC - No Detailed Affiliation Given WOOD,R, ENGELMANN,R Energy, Dept of 2pp. 46758 122-46758,123.

8809060185 Forwards Energy Labs analytical results from 880706 samples of 11 B-Well Field wells & five monitor wells.Rept to be prepared as basis for formal request that agencies determine groundwater adequately restored
AHO,G D Cleveland-Cliffs, Inc 88/07/25 KONWINSKI,G. Uranium Recovery Field Ofc, R4. ENGELMAN,R Wyoming, State of 31pp 46758 125-46758 155

8809060112 Requests Umetsco acceptance of waste from Gas Hills operation during site decontamination program Malls consist of 30 metal drums w/lids containing pipe fitting,cuno filter media & other miscellaneous hardware w/U & radium contamination
AHO,G D Cleveland Cliffs, Inc. 88/08/16 LYONS,P J. UMETCO Minerals Corp. (subs. of Union Carbide Corp) 1p 46754.053 46754/053.

DOCKET 40-8724 CHEMETRON CORP., CHICAGO, IL

8809120093 Ack receipt of 880810 ltr informing NRC of release of designated area for const of storm sewer As soon as site is released,McGean Rocho intends to use this portion of property to erect new bldgs for packaging & warehousing
ZELLNER,R J. McGean-Rohco, Inc (formerly McGean Chemical Co., Inc.) 88/08/29 ROUSE,L C Fuel Cycle Safety Branch 3pp. 46825 052-46825 054.

8809190088 Forwards "Confirmatory Radiological Survey of Industrial Dump Site ," final rept.
BERGER,J.D. Oak Ridge Associated Univs. 88/08/29 ROUSE,L NRC - No Detailed Affiliation Given 2pp. 46896:203 46896,272.

-8809190091 "Confirmatory Radiological Survey of Industrial Dump Site, Chemetron Corp Newburgh Heights,OH," final rept
BERGER,J.D. Oak Ridge Associated Univs FIN A 9093 ORAU 88/H-63 88/08/31. Division of Industrial & Medical Nuclear Safety (Post 870729) 68pp 46896 205-46896,272

DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8809060069 "Semiannual Rept - 1st Half 1988 O Sand In Situ U R&D Project" W/ 880802 ltr
FREEMAN,M D Sequoyah Fuels Corp (subs. of Kerr-McGee Nuclear Corp.). 88/08/30 SHAFER,R Wisconsin, State of. 41pp. 46753 345 46754 028

8809060105 Responds to NRC 880628 ltr re violations noted in Insp Rept 40 8768/88-01.Corrective actions special work permit form revised to require entry in block entitled, "radiation monitoring requirement"
STAUTER,J.C Sequoyah Fuels Corp (subs of Kerr-McGee Nuclear Corp.). 88/07/21. HAWKINS,E F. Uranium Recovery Field Ofc, R4. 4pp. 46748 059-46748 062

8809060301 Requests that Smith Ranch proj application be transferred to Kerr McGee Corp & application for permit to mine should be revised to read as listed
STAUTER,J.C. Kerr-McGee Corp. 88/08/15 SHAFER,R Wyoming, State of 2pp 46758:160-46758,161.

8809070269 Requests transfer of Mining Permit 304C,R&B Licenses 5RD & 13RD to Kerr-McGee Corp.News bulletin encl
STAUTER,J.C Kerr-McGee Corp. 88/08/15. SHAFER,R. Wyoming, State of. 2pp. 46778:347-46778,348.

8809190089 Application for amend to License SUA-1387,transferring license to Kerr McGee Corp Fee paid
STAUTER,J.C. Kerr-McGee Corp 88/08/15. SMITH,D.R. Uranium Recovery Field Ofc, R4 3pp. 46893.107-46893:109.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

8808280357 Requests extension of License SMB 1408 at facility until 911231 due to production of rare earth chloride.Licensee intends to ask for decommissioning of facility in 1991. Withdraws application for license renewal
BARNUM,E C Molycorp, Inc. (subs of Union Oil of California). 88/08/12. ROUSE,L.C. Fuel Cycle Safety Branch 2pp 46658,262-46658,264.

DOCKET 40-8801 RADIATION MANAGEMENT CORP., NORTHBROOK, IL

8808290221 Forwards Refs 4-8 In NUREG-1308,Rev 1 & J Burger 880703 & 14 repts,per telcon request W/o encls.
LAROUCHE,G. Fuel Cycle Safety Branch 88/08/23. DREY,L Affiliation Not Assigned. 1p. 46685:259 46685,259.

8808290233 Forwards summary rept on radioactive mail in West Lake Landfill (NUREG-1308,Rev 1),per request W/o encl
LAROUCHE,G. Fuel Cycle Safety Branch. 88/08/23. CALDWELL,N. Hazelwood, MO 1p 46686 251-46686 251.

8808310240 Forwards "Summary Rept on Radioactive Mail In West Lake Landfill," (NUREG-1308,Rev 1),W/o encl
LAROUCHE,G. Fuel Cycle Safety Branch 88/08/23. CALDWELL,N. Hazelwood, MO. 1p. 46699:142-46699,142.

8809060345 Forwards summary rept on radioactive mail in West Lake Landfill (NUREG-1308,Rev 1),W/o encl.
LAROUCHE,G. Fuel Cycle Safety Branch. 88/08/31. GUILFORD,N G Laidlaw Industries, Inc. 1p. 46784,006-46784/006

8809060367 Forwards summary rept on radioactive mail in West Lake Landfill (NUREG-1308,Rev 1),per telcon request,W/o encl.
LAROUCHE,G Fuel Cycle Safety Branch 88/08/31. MEYER,P. Bridgeton, MO. 1p 46758,359-46758,359.

8809070073 Forwards summary rept on radioactive mail in West Lake landfill (NUREG 1308) W/o encl
LAROUCHE,G Fuel Cycle Safety Branch 88/08/31 OCCOR,J Illinois, State of. 1p 46779 350-46779 350

8809070285 Forwards summary rept on radioactive mail in West Lake Landfill (NUREG 1308,Rev 1),per telcon request W/o encl
LAROUCHE,G Fuel Cycle Safety Branch 88/08/31 ARNOLD,J Bridgeton, MO 1p. 46781 293-46781 293.

8809150230 Forwards Oak Ridge Associated Universities 860527 rept & Page 8 of previously sent rept of Sept 1981 NRC not ready to release Univ of Missouri rept at this time Results of aerial survey in RMC rept
LAROUCHE,G. Fuel Cycle Safety Branch 88/09/08 DREY,L Affiliation Not Assigned. 1p 46854 301-46854 305.

-8809150236 Forwards results of gross alpha & gross beta analyses performed on 32 well water samples,collected on 860507 & 08 at West Lake Landfill site
BERGER,J D Oak Ridge Associated Univs 86/05/27 LAROUCHE,G. Uranium Fuel Licensing Branch. 4pp 46854 302-46854 305

DOCKET 40-8829 FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE

8809120188 Notifies that annual review of surety to account for inflation re License Condition 43 of SUA-1441 updated Present bond adequate for restoration & reclamation of pilot plant per updated review of May 1987 costs.
COLLINGS,S P. Ferret Exploration Company of Nebraska, Inc. 88/06/16. KONWINSKI,G Uranium Recovery Field Ofc, R4 1p 46825,024-46825,024

8809140241 "Semiannual ALARA Rept for Two Quarters Ending 880830," W/880819 ltr
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 88/06/30. KONWINSKI,G. Uranium Recovery Field Ofc, R4 43pp 46841 055 46841,097.

8809120190 Ramits fee for amend request re annual review of surety to account for inflation.
COLLINGS,S P Ferret Exploration Company of Nebraska, Inc. 88/07/05 KONWINSKI,G Uranium Recovery Field Ofc, R4 1p 46813 298-46813,298

8809060042 Forwards semiannual rept for First & Second Quarters 1988 W/o encl.
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 88/07/29. KONWINSKI,G Uranium Recovery Field Ofc, R4 1p 46765,321-46765,321.

DOCKET 40-8857 EVEREST MINERALS CORP , CONVERSE COUNTY, WY

8809060215 Forwards "Highland U Project Section 21 30 Sand (Central) Hydrology Test"
MORZENTI,S.P. Everest Minerals Corp 88/06/07. OLSEN,T T Uranium Recovery Field Ofc, R4 1p 46753,138 46753 235.

-8809060218 "Highland U Project Section 21 30 Sand (Central) Hydrology Test."
* Everest Minerals Corp. 88/03/31. 94pp. 46753:139 46753 235.

8809060210 Informs that present MU-13 will be used as underlying aquifer monitor well for B-8/B-9 wellfield areas Baseline samples obtained bailing method Required mitigation & reporting will be performed if sampling confirms excursion
HILDENBRAND,P. Everest Minerals Corp. 88/07/28 SPEARS,R. Wyoming, State of. 1p 46763 341-46763 341.

8809060029 Discusses First Quarter 1988 monitor well excursion parameter results,Section 21.Well M-1 gone on excursion status due to vertical leakage through area where aquitard absent.Three areas noted from data listed
INGLE,S. Wyoming, State of 88/08/08. Wyoming, State of 2pp. 46765:319-46765,320

8809010283 Discusses Section 21-30 sand central portion pump test. Concludes source of recharge needs evaluation to determine cause & remedial action to correct potential problems.
INGLE,S. Wyoming, State of. 88/08/10. Wyoming, State of 7pp. 46740:101-46740 107.

8809070012 Discusses Everest Minerals Permit 603 re proposed monitor well locations for mining unit overlying abandoned TVA tunnel.Tunnel directly beneath ore to be mined & separated from by 10 ft of silty shale
INGLE,S Wyoming, State of. 88/08/11. BELDEN,S. Wyoming, State of. 1p. 46777 341-46777:341.

DOCKET 40-8902 ANACONDA MINERALS CO., GRANTS, NM

8809080043 Forwards "Verification Procedure for Cleanup of Contaminated Lands," provided as suppl to reclamation plan.Procedure adequate to verify Ra-226 content in soil & to demonstrate compliance w/Criterion 6.
BERGSTROM,P D Atlantic Richfield Co. (ARCO). 88/08/09. PETTINGILL,H.J. Region 4, Ofc of the Director 1p 46773:238 46773,245.

-8809130016 "Verification Procedure for Cleanup of Contaminated Lands " W/one oversize drawing
* Atlantic Richfield Co. (ARCO). 88/09/09 7pp. 46773 239-46773:245.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

8809060188 Forwards semiannual rept for mill groundwater discharge plan (DP-200),covering first half of 1988.Rept also covers discussion on brine evaporation pond discharge,W/o encl
KENNEDY,E.E. Homestake Mining Co 88/08/08 ARDITO,C. New Mexico, State of. 1p 46766,011-46766/011.

DOCKETED ITEMS 5

8809140091 Responds to NRC 880715 request for info re land-cleanup efforts. Informs that reason background radium concentrations in vicinity of mill elevated is locations of outcrops of geologic strata bearing concentrations of U & radium.
KENNEDY, E.E. Homestake Mining Co. 88/08/16. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 12pp. 46839 179-46839 180.

DOCKET 40-8904 BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE

8809060382 Provides listed info taken from 1981 Hydro-Engineering rept, "Groundwater Hydrology Near L-Bar Tailings Reservoir." Info supporting conclusion that faulting in vicinity of L-Bar tailing area will not jeopardize integrity of facility.
OSBORN, T.G. INTERA Technologies, Inc. 88/07/13. GRACE, S. Uranium Recovery Field Ofc, R4. 1p. 46757.360-46757.360.

8809140369 Application for amend to License SUA-1472, deleting License Condition 15. Fee paid.
OSBORN, T.G. INTERA Technologies, Inc. 88/07/27. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 1p. 46840.280-46840.280.

8809060066 Responds to NRC 880627 ltr re violations noted in Insp of License SUA-1472 on 880627. Weekly tailings Insp procedure is operational & strictly observational procedure intended to document effectiveness of windblown suppression techniques.
OSBORN, T.G. INTERA Technologies, Inc. 88/08/10. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 3pp. 46758.023-46758.025.

8809290107 Ack receipt of 880810 ltr informing NRC of steps taken to correct violations noted Insp Rept 40 8904/88-01. Response & corrective actions found adequate.
HAWKINS, E.F. Region 4, Ofc of the Director. 88/08/17. DELEONARDIS, R. BP America, Inc. 3pp. 46863 263-46863 265.

8809180223 Application for amend to License SUA-1472, deleting Condition 19 re possession of min qualifications as specified in Section 2.4.1 of Reg Guide 8.31. Fee paid.
OSBORN, T.G. INTERA Technologies, Inc. 88/08/18. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 5pp. 46895 021-46895 025.

DOCKET 40-8905 KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK

8809070124 Submits listed changes in licensee detection monitoring plan for Ambrosia Lake, NM facility in response to 880729 ltr. W/ one oversize drawing.
STAUTER, J.C. Quivira Mining Co. 88/08/10. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 3pp. 46747.168-46747.160.

8809080313 Forwards log for Monitor Well 38-05 to be included as noted in Item 1 for Ponds 7 & 8.
CLEVELAND, J.E. Quivira Mining Co. 88/08/11. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 2pp. 46764.033-46764.034.

8809140143 Forwards 1988 update pages to "Operations, Health Physics, Environ & Emergency Response Programs" per Condition 10. Includes Rev 1, "ALARA Policy Statement" & Rev 4, "Exposure Determination Programs."
CLEVELAND, J.E. Quivira Mining Co. 88/08/23. GARCIA, P. Uranium Recovery Field Ofc, R4. 37pp. 46838.075-46838.111.

DOCKET 40-8906 BOKUM RESOURCES CORP., ALBUQUERQUE, NM

8809140182 Forwards Special Termination Insp Rept 40-8906/88 01 on 880828. No violations or deviations noted.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/09/07. MCCORKLE, K. Bokum Resources Corp. 2pp. 46836 315-46836 322.

8809140184 Insp Rept 40-8906/88-01 on 880828. No violations or deviations noted. Major areas inspected tour of mining facilities & inspector observations to facilitate termination.
GRACE, S.R., ROSE, H.D., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/09/07. 6pp. 46836 317-46836 322.

DOCKET 40-8907 UNITED NUCLEAR CORP., SANTA FE, NM

8809020254 Requests response to listed questions re investigation of groundwater contamination on UNC-Churchrock Superfund Site. Investigation requires inquiry into identification, nature & quantity of mals generated or disposed of on site.
DAVIS, A.M. Environmental Protection Agency. 88/07/11. GEBEAU, A. Quivira Mining Co. 3pp. 46746.358-46746.360.

8809120183 Forwards proposed changes to draft Amend 2 to License SUA-1475, in response to 880809 ltr. Suggests that deadline for submittal of mil decommissioning plan be changed to 881231.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/07/12. SMITH, R.D. Uranium Recovery Field Ofc, R4. 5pp. 46815 357-46815 361.

8809070244 Forwards proposed changes to NRC Draft License Amend 2 re cleanup program for all outside tailings disposal areas.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/07/18. PETTINGILL, H. Uranium Recovery Field Ofc, R4. 6pp. 46779.235-46779.241.

8809070255 Informs NRC of new telefax number.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/07/14. PETTINGILL, H. Region 4, Ofc of the Director. 1p. 46779.241-46779.241.

8809060194 Confirms 880727 briefing on EPA proposed plan of action for United Nuclear Corp Churchrock Superfund site & requests attendance & input at meeting re State position.
DAVIS, A.M. Environmental Protection Agency. 88/07/26. JONES, K. New Mexico, State of. 1p. 46753.130-46753.130.

8809060119 Discusses feasibility study for United Nuclear Corp Church Rock site. Alternative selected to clean up groundwater will be combination of extracting groundwater from Zone 3 & alluvium to arrest plumes in respective units.
CARY, S. New Mexico, State of. 88/08/01. ROWE, W. Environmental Protection Agency. 2pp. 46787.300-46787.301.

8809060139 Forwards results of ALARA audit, conducted on 880804, per License Condition 28A of License SUA-1475.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/08/08. SMITH, D. Uranium Recovery Field Ofc, R4. 3pp. 46765 270-46765 272.

8809060005 Forwards Amend 1 to reclamation plan submitted to NRC on 880726. Identical ltr sent to BP Churan, EC Becenti, LA Linkin, C Shuey & L Stone W/o encl.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/08/12. ANAYA, J. New Mexico, State of. 14pp. 46767 302-46767 315.

8809070288 Forwards remedial investigation & feasibility study re United Nuclear Corp (UNC) superfund site. EPA will notify UNC of final decision on remedial action at site after public comment period. W/o encl.
DAVIS, A.M. Environmental Protection Agency. 88/08/15. MCLAIN, P.X. United Nuclear Corp. (subs. of UNC Resources, Inc.). 1p. 46779.167-46779.167.

8809060394 Forwards revised procedure for control of windblown tailings per 880721 request.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/08/19. PETTINGILL, H. Region 4, Ofc of the Director. 4pp. 46763 350-46763 353.

DOCKET 40-8908 CHEVRON, U.S.A., INC., GRANTS, NM

8809070119 Requests info & answers to listed questions re relicensing of Chevron Resources Panna Maria Texas Project on behalf of Panna Maria Concerned Citizens.
BUNCH, W.G. Henry, Kelly, Bunch & Hess (formerly Henry & Kelly). BUNCH, W.G. Panna Maria Concerned Citizens. 88/08/17. HAWKINS, E.D. Uranium Recovery Field Ofc, R4. 2pp. 46790.225-46790.226.

DOCKET 40-8914 ENERGY, DEPT. OF, SCOVILLE, ID

8809120196 Application for amend to License SUA-1482, extending deadline for submittal of proposed cleanup action plan or proposed stabilization plan to 881001. Fee paid.
KELLEY, C.D. Hecla Mining Co. 88/07/27. GARCIA, P. Uranium Recovery Field Ofc, R4. 1p. 46813 354-46813 355.

8809160065 Forwards application fee for amend to License SUA-1482 re extension of 880812 deadline for submittal of proposed cleanup action plan to 881001.
KELLEY, C.D. Hecla Mining Co. 88/08/08. HEYER, R. Uranium Recovery Field Ofc, R4. 1p. 46813 355-46813 355.

8809200213 Forwards Amend 2 to License SUA-1482, revising License Condition 11 as listed. Amend revises date for submitting proposed cleanup action plan or stabilization plan to 881001.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/16. Hecla Mining Co. 2pp. 46900.113-46900.116.

8809200215 Amend 2 to License SUA-1482 for Hecla Mining Co, authorizing changes to Items 9, 10 & 11.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/16. 2pp. 46900.115-46900.116.

8809200216 Recommends that License Condition 11 be amended accepting proposed date change of submittal for cleanup or stabilization plan to 881001.
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/08/16. Uranium Recovery Field Ofc, R4. 2pp. 46900 277-46900 278.

DOCKET 40-8926 ALTAIR RESOURCES, INC., CASPER, WY

8809020213 Informs of no known release of radioactive effluents to unrestricted areas from Jul-Dec 1987 & Jan-June 1988. Requests to be informed if licensee still required to submit rept of effluent monitoring.
CATCHPOLE, G.J. Altair Resources, Inc. 88/07/25. KONWINSKI, G. Uranium Recovery Field Ofc, R4. 1p. 46747.140-46747.140.

8809060178 Provides rept on 880723 spill at Bison Basin mine site. Water spilled from pipeline break contained in evaporation pond area & did not leave permit boundary. Most recent water quality analyses of water in Pond 2 encl.
CATCHPOLE, G.J. Altair Resources, Inc. 88/07/28. KONWINSKI, G. Uranium Recovery Field Ofc, R4. MOXLEY, M. Wyoming, State of. 10pp. 46764 335-46764 344.

8809060076 Forwards tabulated results of radiation survey of equipment at Bison Basin U solution mine. Survey intended to meet Sept 1984 "Guidelines for Decontamination of Facilities & Equipment Prior to Release for Unrestricted Use."
CATCHPOLE, G.J. Altair Resources, Inc. 88/08/11. KONWINSKI, G. Uranium Recovery Field Ofc, R4. 21pp. 46767 277-46767 287.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

8809070004 Forwards wastewater irrigation proposal for Crow Butte Project. Rept describes proposed irrigation activity in detail. W/o encl.
COLLINGS, S.P. Ferret Exploration Company of Nebraska, Inc. 88/08/03. KONWINSKI, G. Uranium Recovery Field Ofc, R4. 1p. 46764 253-46764 253.

8809140038 Forwards EPA fact sheet from aquifer exemption hearing held on 880823. Article from Omaha World Herald by F Thomas also encl.
KNODE, R. Ferret Exploration Company of Nebraska, Inc. 88/08/25. KONWINSKI, G. Uranium Recovery Field Ofc, R4. 6pp. 46836 091-46836 096.

DOCKET 40-8948 METALLURG, INC., NEWFIELD, NJ

8809200241 Requests consent re 880919 visit w/JD Berger to obtain informal technical input to radiological survey outline.
HOLMES, R.E. ERT. 88/09/08. ROUSE, L.C. Fuel Cycle Safety Branch. 3pp. 46912 340-46912 342.

6 DOCKETED ITEMS

DOCKET 40-8954 VALENTEC OLIVETTE, ST. LOUIS, MO

8808260129 Discusses requirements for reporting transfers of SNM or source mat to NRC All licensees subj to reporting requirements assigned identification symbol for use in completing transfer forms.
GRAMANN,R.H. NRC - No Detailed Affiliation Given 88/08/24. LUTER,R.L. Valenlec Olivette. 1p 46669.188-46669.188

DOCKET 40-8964 SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK

8809060006 Forwards outstanding completeness comments from Sequoyah Fuels Corp 880830 submittal re Smith Ranch Project,listing adjudication,vegetation,hydrology & water quality comments
ENGELMANN,R. Wyoming, State of 88/08/15. FREEMAN,M.D. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 2pp. 46757.352-46757.353.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

8809060349 Forwards sketch showing expected areal extent of first wellfield in Section 8 of Churchrock in situ leach project & locations of baseline wells (CR-1 through CR-8) used during Jan 1988 pump test
BARTELS,C.S. Hydro Resources, Inc. 88/08/02. OLSEN,T Uranium Recovery Field Ofc, R4 3pp. 46759.037-46759.039.

8809070033 Forwards updated water analysis repl for proposed Churchrock project Presence of EID representative at 880824 presentation requested.
PELIZZA,M.S. Hydro Resources, Inc. 88/08/04. OLSON,T Uranium Recovery Field Ofc, R4 7pp 46784.081-46784.087.

8809060052 Discusses proposed Discharge Plan DP-558 for Hydro Resource, Inc in response to 880510 ltr.
REBUCKE New Mexico, State of, 88/08/10. BECENTI,E. New Mexico, State of. 2pp. 46753.236-46753.237.

8809070331 Forwards updated background radon table for Churchrock Project
PELIZZA,M.S. Hydro Resources, Inc 88/08/10. OLSON,T. Uranium Recovery Field Ofc, R4 2pp 46786.328-46786.329.

8809070025 Summarizes 880510-12,0810,0715 & 0803 discussions re addl info needed to continue review of Churchrock project groundwater discharge plan application.
LAMBERT,K New Mexico, State of, 88/08/16. PELIZZA,M.S. Hydro Resources, Inc 1p 46783.197-46783.198.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

8809020184 Forwards self bond agreement for USE/OC Permit PT 381C.
JORDAN,P. Wyoming, State of, 88/07/20. ROSE,H. Uranium Recovery Field Ofc, R4. 16pp. 46745.073-46745.088.

8809080409 Forwards author 880801 ltr to M Moxley & certificate of deposit which represent cash bond for reclamation pertaining to Permit 381C.
WEBBER,K. U.S. Energy Corp. 88/08/01. ROSE,H. Uranium Recovery Field Ofc, R4 3pp. 46784.008-46784.010.

8809060025 Forwards Receipt P 3257 which constitutes ack of Certificate of Deposit B 7050,Permit PT 381C.Certificate of Deposit assures that all requirements of Environ Quality Act & rules & regulations performed adequately.
SHAFFER,R. Wyoming, State of 88/08/05. WEBBER,K. Affiliation Not Assigned. 1p. 46765.318-46765.318

8809200249 Advises of issuance of License SUA-1524 for possession of natural U byproducts License does not authorize operation of Green Mountain Ion Exchange facility.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 88/08/16 WEBER,K U S Energy Corp 3pp. 46900.092-46900.112.

-8809200258 License SUA-1524 for US Energy Corp.authorizing possession of byproduct matts in form of wastes & contaminated facilities & equipment resulting from previous operations.
SMITH,R.D. Uranium Recovery Field Ofc, R4 88/08/16. 1p. 46900.095-46900.112

8809200268 Recommends issuance of source mat license for possession only to US Energy Corp in accordance w/880528 application & addl requirements including previously used ion exchange resins removed from site by Pathfinder Mines
ROSE,H.D., PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 88/08/16. Uranium Recovery Field Ofc, R4 4pp. 46918.106-46918.109.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

8809070415 Revised Apps 2,3 & 5 to "Ford Nuclear Reactor Emergency Plan " W/ 880823 ltr
KERF,W. Michigan, Univ of, Ann Arbor, MI 88/08/23. MICHAELS,T.S. Standardization & Non-Power Reactor Project Directorate. 16pp. 46772.124-46772.139.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300325 Forwards rev to physical security plan for plant Rev withheld (ref 10CFR2.790(d) & 73.21).
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/19. RUSSELL,W. Region 1, Ofc of the Director. 1p. 46693.360-46693.360.

8809080140 Forwards public version of revs to Books 1 & 2 of emergency plan & emergency procedures document.
BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/23. Document Control Branch (Document Control Desk) 1p 46798.212-46798.260

-8809080179 Public version of revised emergency plan & procedures document.W/ 880806 release memo
* Consolidated Edison Co. of New York, Inc. 88/08/23 48pp 46798.213-46798.260

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc. 41pp. 47065.001-47065.006.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp. 46690.054-46690.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co of New York, Inc. 123pp 46713.085-46713.217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc 121pp. 46712.244-46713.004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc 122pp. 46824.216-46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809140308 "Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr.
* Consolidated Edison Co. of New York, Inc. 88/08/31. 54pp. 46837.283-46837.335.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(a) & acceptable.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/08/31. REED,C Commonwealth Edison Co 2pp. 46806.193-46806.194.

8809150313 Rev 0 to Emergency Plan Implementing Procedure EPIP 200-T4, "Containment Radiation Time Dependent Correction Factors Graph."
* Commonwealth Edison Co. 88/09/06 4pp. 46854.280-46854.293.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc. 41pp 47065.001-47065.006

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50,App B requirements & acceptable
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/19. REED,C Commonwealth Edison Co. 2pp. 46742.071-46742.072.

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations" Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization MORGAN,W.E. Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk) 1p 46998 322-46999 336

-8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations." SHEWSKI,W. Commonwealth Edison Co. CE-1-A R52 88/09/13. 12pp. 46999,323-46999 336.

Q. Inspection reports, IE Bulletins & correspondence

8809060234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR Records also available under listed FOIAs. GRIMSLEY,D. Division of Rules & Records (870413-880514) 88/08/10 UNNERSTALL,K. Newman & Holtzinger. 6pp 46769,054-46769 059.

-8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/06/21 RUSSELL,W.T. Region 1, Ofc of the Director GRACE,J.N. Region 2, Ofc of the Director DAVIS,A.B. Region 3, Ofc of the Director. 9pp 46769-146 46769 154.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690,054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702,311-46703,070.

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713,218 46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713,095 46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712,244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726,001-46726 123

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS In PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824,215-46824,336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946:263-46947 013

R. Periodic operating reports & related correspondence

8809010235 Forwards util summary & work request data for Jul 1988 Inadvertently omitted from operating data rept. EENIGENBURG,E. Commonwealth Edison Co. 88/08/19. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46741,273-46741,283.

-8809010268 Revised monthly operating rept for Jul 1988. * Commonwealth Edison Co 88/07/31 10pp 46741-274-46741:283.

DOCKET 60-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

P. Operating license stage documents & correspondence

8809260314 Application for amend to License DPR-09,allowing facility to be maintained as present safe storage condition ORSER,W.S. Detroit Edison Co. 88/09/15 Document Control Branch (Document Control Desk). 13pp. 46966:148-46966 173.

-8809260316 Proposed Tech Specs,extending expiration date to Mar 2025 to allow plant to be maintained in safe storage condition. * Detroit Edison Co. 88/09/15. 13pp. 46966,161-46966 173.

R. Periodic operating reports & related correspondence

8809080111 "Enrico Fermi Atomic Power Plant,Unit 1 Annual Operating Rept for Jul 1987 - June 1988 " W/880829 ltr. DROUILLARD,R.C. GIPSON,D.R., GRIFFING,E.P. Detroit Edison Co. EF-134. 88/08/30. 12pp. 46792,008-46792,019.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8809070512 Forwards Insp Rept 50 020/88 03 on 880718-20 No violations noted BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/30 BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp 46784,257-46784 263.

-8809070515 Insp Rept 50-020/88-03 on 880718-20 No violations noted Major areas inspected facility organization,operations, notification,communication,equipment & training GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director 88/08/29 5pp. 46784 259-46784 263.

Q. Inspection reports, IE Bulletins & correspondence

8809070512 Forwards Insp Rept 50 020/88-03 on 880718-20.No violations noted BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/30 BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA 2pp. 46784,257-46784 263

-8809070515 Insp Rept 50-020/88-03 on 880718-20.No violations noted Major areas inspected facility organization,operations, notification,communication,equipment & training GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 88/08/29 5pp 46784,259 46784 263

8809130082 Advises that proposed experiment now prototype tested to pressure of 1,000 psi & changes initiated to significantly reduce necessary hydrostatic test pressures,per Insp Rept 50 020/88-02. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA 88/09/06 Document Control Branch (Document Control Desk) 1p 46834,118 46834 119.

R. Periodic operating reports & related correspondence

8809070337 "MIT Research Reactor Annual Rept to NRC for Jul 1987 - June 1988 " W/880829 ltr. KWOK,K.S., BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA 88/08/30 27pp. 46774:261-46774:288.

8809190070 Forwards revised "MIT Research Reactor Annual Rept to NRC for Jul 1987 - June 1988." Info on liquid discharges to sanitary sewerage sys inadvertently omitted from 880829 submittal. KWOK,K.S., BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA 88/08/30, Document Control Branch (Document Control Desk) 1p 46895:155 46895:163.

-8809230086 Revised "MIT Research Reactor Annual Rept to NRC for Jul 1987 - June 1988." Massachusetts Institute of Technology, Cambridge, MA 88/08/29. 28pp. 46895,155-46895:163.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8808300042 Responds to 880803 request that rept on emergency exercise at Yankee Rowe be sent to constituent.NRC exercise rept encl FEMA rept on offsite portion of exercise not yet issued ZECH,L.W. Ofc of the Executive Director for Operations 88/08/23. CONTE,S.O. House of Rep. 4pp. 46893 329 46893,342.

-8808300044 Forwards constituent J MacNulty 880729 request for evacuation drill rept for Yankee Rowe Response requested. CONTE,S.O. House of Rep., Appropriations 88/08/03. ZECH,L.W. Commissioners. 2pp. 46893,341-46893:342

8809230260 Grants permission for temporary use of site & company property for contingency telecommunications Understands that communications equipment to be installed only in event of actual emergency or NRC participation drill DRAWBRIIDGE,B.L. Yankee Atomic Electric Co. 88/09/16 Document Control Branch (Document Control Desk). 1p 46832,300-46832-300.

8809270040 Forwards Rev 20 to security plan,reflecting expansion of security organization to provide mgt of all security-related functions,including continuous shift supervision of security force.Rev withheld. PAPANIC,G. Yankee Atomic Electric Co 88/09/23. Document Control Branch (Document Control Desk) 1p. 46970:137-46970,137

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065,006

8808290223 Application for amend to License DPR-3,modifying Tech Specs to remove ref to specific value of 2,200 ppm & provide generalized boron concentration value & remove requirement for inverse count rate multiplication measurement.Fee paid. DEVINCENTIS,J. Yankee Atomic Electric Co. 88/08/11. Document Control Branch (Document Control Desk). 4pp. 46684:013-46684,018

-8808290225 Proposed Tech Spec changes to remove ref to specific value of 2,200 ppm & provide generalized boron concentration value & remove requirement for inverse count rate multiplication measurement after insertion of each five fuel assemblies. * Yankee Atomic Electric Co. 88/08/11. 2pp. 46684,017-46684:018.

8 DOCKETED ITEMS

8809090270 Forwards YAE-1652, "Yankee Nuclear Power Station, Core 20, Performance Analysis." Mechanical, thermal-hydraulic, physics & safety analysis aspects of Core 20 presented in rept. Core 20 scheduled to startup on 881224
DEVINCENTIS, J. Yankee Atomic Electric Co. 88/08/19. Document Control Branch (Document Control Desk) 1p. 46798 261-46798 345

-8809090274 "Yankee Nuclear Power Station, Core 20, Performance Analysis"
CARPENITO, F.L., CROFTON, S.P., DISTEFANO, J. Yankee Atomic Electric Co. YAE-1652 88/08/31 84pp. 46798 262-46798 345

8809070184 Forwards updated CRDR data mgt sort that provides cross ref between old human engineering deficiency numbers & individual findings, ref notes & current status. W/ five oversize drawings
PAPANIC, G. Yankee Atomic Electric Co. 88/08/26 Document Control Branch (Document Control Desk) 68pp. 46757.233-46757 300.

8809270012 Forwards util "Effluent & Waste Disposal Semiannual Rept for First & Second Quarters, 1988," per Tech Spec 6.9.5 b Util offsite dose calculation manual also encl
PAPANIC, G. Yankee Atomic Electric Co. 88/08/30 Document Control Branch (Document Control Desk) 1p. 46918.195-46918 310

-8809270014 Rev 6 to "Yankee Nuclear Power Station Offsite Dose Calculation Manual"
Yankee Atomic Electric Co. 88/03/06 98pp. 46918 213-46918 310.

8809270098 Forwards "Simulate-3 Validation & Verification," per 880411 commitment fee paid
PAPANIC, G. Yankee Atomic Electric Co. 88/09/12 Document Control Branch (Document Control Desk) 2pp. 46968 259-46968 005

-8809270100 "Simulate-3 Validation & Verification."
DIGIOVINE, A.S., GORSKI, J.P., TREMBLAY, M.A. Yankee Atomic Electric Co. YAE-1659 88/09/30 106pp. 46968 261-46968 005.

Q. Inspection reports, IE Bulletins & correspondence

8809150227 Notices of 880908 meeting in Rockville, MD to discuss generic concerns of Info Notice 88-035, "Inadequate Licensee Performed Vendor Audits" & possible recommendations to improve licensee vendor audit process/methodology.
MARTIN, R.L. Yankee Atomic Electric Co. 88/08/11. BRACH, W. Vendor Inspection Branch 2pp. 46874 068 46874 069

8808260259 Forwards Safety Insp Rept 50-029/88-14 on 880718-22 No violations noted
DURR, J.P. Region 1, Ofc of the Director. 88/08/17. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46854 035 46854.044

-8808260265 Insp Rept 50-029/88-14 on 880718 22 No violations noted. Major areas inspected implementation of provisions of inservice test program for pumps & valves, test procedures & results & results of May 1987 integrated leak rate test.
GOLLA, J.A., EAPEN, P.K. Region 1, Ofc of the Director. 88/08/11. 8pp. 46854.037-46854 044

8808190165 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217

8809070509 Responds to NRC Bulletin 88-005 re nonconforming matts supplied by Piping Supplies, Inc & West Jersey Mfg Co No relationships found either directly or indirectly from vendors
DEVINCENTIS, J. Yankee Atomic Electric Co. 88/08/30. Document Control Branch (Document Control Desk) 1p. 46781.187-46781.197.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713.004.

8809070304 Responds to NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes." Westinghouse evaluation indicates very low potential for fluidelastic instability.
DEVINCENTIS, J. Yankee Atomic Electric Co. 88/09/01. Document Control Branch (Document Control Desk) 5pp. 46779.230-46779 234

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DG Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726 123

8809230003 Forwards Confirmatory Measurements Insp Rept 50-029/88-15 on 880815-18 No violations noted Data from measurements obtained in mobile lab will be reported in subsequent insp rept
BELLAMY, R.R. Region 1, Ofc of the Director. 88/09/12 DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46945 250-46945 260

-8809230004 Insp Rept 50-029/88-15 on 880815-18. No violations noted. Major areas inspected, radiochemical measurements program using NRC mobile measurements lab & licensee whole body counting facility, including confirmatory measurements.
MCNAMARA, N.T., KOTTAN, J.J., PASCIAK, W.J. Region 1, Ofc of the Director. 88/09/07. 9pp. 46945 252-46945 260.

8809220317 Forwards Safety Insp Rept 50-029/88-10 on 880801-0801. No violations noted
WIGGINS, J.T. Region 1, Ofc of the Director. 88/09/13. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46927.266 46927 292.

-8809220319 Insp Rept 50-029/88-10 on 880801-0801. No violations noted Major areas inspected, licensee action on previous inspector findings, operational safety verification, radiological controls & events requiring telephone notification to NRC
HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/09/13 25pp. 46927.268-46927 292

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46948 133-46948 262.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46948 253-46948 013.

R. Periodic operating reports & related correspondence

8809270012 Forwards util "Effluent & Waste Disposal Semiannual Rept for First & Second Quarters, 1988," per Tech Spec 6.9.5 b Util offsite dose calculation manual also encl.
PAPANIC, G. Yankee Atomic Electric Co. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46918.195-46918 310.

-8809080328 "Effluent & Waste Disposal Semiannual Rept for First & Second Quarters 1988."
Yankee Atomic Electric Co. 88/08/30. 17pp. 46918.196-46918 212.

-8809270014 Rev 6 to "Yankee Nuclear Power Station Offsite Dose Calculation Manual."
Yankee Atomic Electric Co. 88/03/06. 98pp. 46918 213-46918 310.

8809190085 Monthly operating rept for Aug 1988 for Yankee Atomic Nuclear Station. W/ 880908 ltr.
CARROLL, K., BERRY, R.L. Yankee Atomic Electric Co. 88/09/31. 6pp. 46898 329-46898 334

S. Reportable occurrences, LERs & related correspondence

8808290142 Special rept on 880707, containment fire detection instrumentation left out of svc for greater than 14 days. Cause can not be determined until plant shutdown & reactor missile shield removed to access detector wire
ST LAURENT, N.N. Yankee Atomic Electric Co. 88/08/19. Document Control Branch (Document Control Desk). 3pp. 46883.341-46883 343

V. Operator Examinations

8809190088 Forwards best estimate of exam needs for plant in response to Generic Ltr 88-13, "Operator Licensing Exams"
PAPANIC, G. Yankee Atomic Electric Co. 88/09/08. Document Control Branch (Document Control Desk) 2pp. 46893 077-46893 079.

DOCKET 50-32 AEROJET-GENERAL NUCLEONICS

V. Operator Examinations

8809070530 Forwards, for presentation, certificates for DJ Willett & St. Warren in response to Commission direction, in recognition of achievement. W/o encls.
KIRSCH, D.F. Region 5, Ofc of the Director. 88/08/30 NEWACHECK, R.L. Aerotest Operations, Inc. 1p. 46777 338 46777 338

DOCKET 50-54 CINTICHEM

F. Security, medical, emergency & fire protection plans

8809190090 Requests that licensee review LA-CP-87-02, "Nonpower Reactor Sabotage Study" & provide listed info.
ADAMS, A. Standardization & Non-Power Reactor Project Directorate 88/09/13 MCGOVERN, J.J. Cintichem, Inc. 3pp. 46899 116-46899 120.

-8809190104 Informs of certain NRC security precautions & procedures re use of facility for temporary storage for study on radiological sabotage in non-power reactors
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 88/09/13. Defense, Dept. of. 2pp. 46899 119-46899 120.

Q. Inspection reports, IE Bulletins & correspondence

8809070181 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-054/88-01 & 70-0687/88-04.
BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/23. MCGOVERN, J.J. Cintichem, Inc. 2pp. 46779 156-46779 161.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

R. Periodic operating reports & related correspondence

8809010387 "Annual Operating Rept State Univ of New York at Buffalo, Buffalo Mails Research Ctr for CY87." W/880411 ltr HENRY,L.G., SULLIVAN,D.W. New York, State Univ. of, Buffalo, NY. 87/12/31 STAROSTECKI,R. Region 1, Ofc of the Director 14pp 46722 056-46722-070.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8809260122 Forwards Insp Rept 50-062/88-02 on 880809-11 & notice of violation COLLINS,D.M. Region 2, Ofc of the Director 88/09/14. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA 2pp. 46957:267-46957:277.

-8809260125 Notice of violation from Insp on 880809-11. Violation noted. all personnel expected to respond in event of emergency not trained as required. COLLINS,D.M. Region 2, Ofc of the Director 88/09/14 2pp. 46957:269 46957:270.

-8809260129 Insp Rept 50-062/88-02 on 880809-11 No violations noted. Major areas inspected: emergency preparedness program conducted in areas of emergency facilities & equipment, training performance of drills & offsite agency support BOLAND,A.T., DECKER,T.R. Region 2, Ofc of the Director. 88/09/13. 7pp. 46957 271-46957:277.

Q. Inspection reports, IE Bulletins & correspondence

8809260122 Forwards Insp Rept 50-062/88-02 on 880809-11 & notice of violation COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA 2pp. 46957:267-46957:277.

-8809260125 Notice of violation from Insp on 880809-11. Violation noted. all personnel expected to respond in event of emergency not trained as required COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. 2pp. 46957:269-46957:270.

-8809260129 Insp Rept 50-062/88-02 on 880809-11. No violations noted. Major areas inspected: emergency preparedness program conducted in areas of emergency facilities & equipment, training performance of drills & offsite agency support. BOLAND,A.T., DECKER,T.R. Region 2, Ofc of the Director. 88/09/13. 7pp. 46957:271-46957:277.

V. Operator Examinations

8809200042 Requests that licensee furnish encl list of ref mail by 881001 In order to meet schedule for reactor operator & senior operator licensing exams scheduled for wk of 881114. Rules, guidelines & requirements also encl. JULIAN,C.A. Region 2, Ofc of the Director. 88/09/06. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA 8pp. 46919 292-46919:299.

DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8809190252 Responds to NRC 880823 telcon re violations noted in Insp Rept 50-407/88-01 & 50-072/88-01. Corrective actions/licensee modified checkout procedure for operation of TRIGA reactor. GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 88/08/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 46898:348-46898:349.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

V. Operator Examinations

8809010244 Forwards rev to upgrade operator requalification & recertification program for Jul 1987 to June 1989 per 10CFR65 VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 88/08/19. Document Control Branch (Document Control Desk). 11pp. 46740:157-46740:167.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8809060305 Requests extension for submission of application for conversion from high to low enrichment U to 881130. Extension needed due to new round of calculations based on revised model of UTR-10. HENDRICKSON,R. Iowa State Univ., Ames, IA. 88/08/26. Document Control Branch (Document Control Desk). 3pp. 46763:360-46763:362.

V. Operator Examinations

8809010072 Advises that JT Sankoorikal resigned position as reactor operator. HENDRICKSON,R. Iowa State Univ., Ames, IA. 88/08/23. Document Control Branch (Document Control Desk). 1p. 46719:081-46719:081.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8808290074 Responds to notice of violation & proposed imposition of civil penalty on 880713 in amount of \$5,000 Corrective actions dosimeters issued to current NSC employees reviewed & updated. RICHARDSON,H.H. Texas A&M Univ., College Station, TX. 88/07/28. Ofc of Enforcement (Post 870413). 16pp. 46680:328-46681:044.

-8808290083 "Review of Texas A&M Univ Nuclear Science Ctr - Beam Port Experiment." POSTON,J.W., KENEFFICK,R.A., SANDEL,P.S. Texas A&M Univ., College Station, TX. 88/07/15 61pp 46680:344 46681:044.

8809260045 Ack receipt of 880721 ltr & check in payment for civil penalties in amount of \$5,000. Ack receipt of 880728 response to notice of violation. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/20 RICHARDSON,H.H. Texas A&M Univ., College Station, TX. 1p. 46957:357-46957:357.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8808300012 Forwards changes to Rev 2 to physical security plan. Info withheld (ref 10CFR73.21). SHIFFER,J.D. Pacific Gas & Electric Co. 88/08/26. Document Control Branch (Document Control Desk). 1p. 46692 006-46692:006

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065:006.

8809220206 Requests exemption from provisions of 10CFR70.51(d) re annual physical inventory of spent fuel. Conducting physical inventory not necessary to achieve underlying purpose of rule. Performance of annual inventory satisfies requirement. SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/13. Document Control Branch (Document Control Desk) 3pp. 46942:001-46942:009.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mig by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690:178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702:311-46703:070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713:218-46713:219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713:095 46713:217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713:004.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46728:001-46728:123.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824:215-46824:336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946:252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946:253-46947:013.

R. Periodic operating reports & related correspondence

8809020127 "Semiannual Radioactive Effluent Release Rept Jan-June 1988." W/ 880829 ltr. SHIFFER,J.D. Pacific Gas & Electric Co. 88/06/30. 20pp. 46746:227-46746:246.

10 DOCKETED ITEMS

DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

P. Operating license stage documents & correspondence

8809190267 Forwards order modifying Amend 10 to License R-61, requiring non-power reactor conversion to low-enriched U fuel under certain conditions, per 10CFR50.64 Response to statements in Encl 4 requested within 30 days
MICHAELS, T.S. Standardization & Non Power Reactor Project Directorate 88/09/12
NEWTON, T.H. Worcester Polytechnic Institute, Worcester, MA 5pp. 46901.171-46901.199.

-8809190273 Order modifying License R 61 to convert from high to low enriched U
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/12 16pp 46901.176-46901.191.

-8809190280 Safety evaluation supporting order to convert from high to low enriched U.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/12. 8pp 46901.192-46901.199.

V. Operator Examinations

8809090025 Informs of plans for training & examining licensed operators prior to operating w/LEU fueled core. Training will consist of operators studying all core related changes & changes in WPI safety analysis rept & Tech Specs as submitted to NRC.
NEWTON, T.H. Worcester Polytechnic Institute, Worcester, MA 88/03/07
MICHAELS, T.L. Standardization & Non Power Reactor Project Directorate 1p. 46803.354-46803.354.

DOCKET 50-142 UCLA TRAINING REACTOR

W. Decommissioning Stage Documents & Correspondence

8809010369 Forwards request for addl info re licensee decommissioning Phase I rept submitted on 880412, including disposition of reactor core components & contaminated &/or activated mat removed from facility
ADAMS, A. Standardization & Non-Power Reactor Project Directorate 88/08/26
MCLAUGHLIN, J.E. California, Univ of, Los Angeles, CA. 4pp. 46740.324-46740.327.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

8809020228 Forwards correction values reported for second quarter 1988 re contaminated water from containment vessel sump.
HEWARD, R.W. Saxton Nuclear Experimental Corp 88/08/19. Document Control Branch (Document Control Desk) 2pp 46746.128-46746.129.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8809140062 Forwards SALP Rept 50-155/87-01 for Apr 1986 - Aug 1987. Further mgt attention required to assure that actions to improve performance continue to be effectively implemented
DAVIS, A.B. Region 3, Ofc of the Director. 87/12/08. BUCKMAN, F.W. Consumers Power Co 2pp. 46836.136-46836.170.

-8809140063 SALP Rept 50 155/87-01 for Apr 1986 - Aug 1987.
* Region 3, Ofc of the Director. 87/08/31. 33pp. 46836.138-46836.170.

8809130103 Rev 88 to Vol 9 to site emergency plan W/880902 ltr.
THOMAS, P. Consumers Power Co. 88/09/02. 27pp. 46834.143-46834.169.

8809200248 Forwards Amend 92 to License DPR-6 & safety evaluation. Amend modifies Paragraph 2 C (5) re physical security plan
SCOTT, W.E. Project Directorate III-1. 88/09/14. BERRY, K.W. Consumers Power Co. 4pp. 46899.340-46899.348

-8809200250 Amend 92 to License DPR 6, modifying Paragraph 2 C (5) of license re physical security.
DIANNI, D.C. Project Directorate III-1. 88/09/14. 2pp. 46899.344-46899.345

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/06/08. Consolidated Edison Co of New York, Inc 41pp. 47065.001-47065.006

8809080046 Corrected ltr forwarding notice of consideration of issuance of amend to License DPR-6 & opportunity for hearing on 880707 request.
SCOTT, W.E. Project Directorate III-1. 88/08/23. BERRY, K.W. Consumers Power Co. 3pp. 46792.001-46792.007

8809060009 Forwards "Assessment of Consequences of Seismic Event" & SMA 13703.01, "Seismic Fragility of Big Rock Point Core Assembly & Reactor Vessel Supports," per Integrated Plan Issue 014A (SEP Topic III 6).
FRISCH, R.R. Consumers Power Co. 88/08/29 Document Control Branch (Document Control Desk), 2pp. 46755.280-46756.278.

-8809060071 "Assessment of Consequences of Seismic Event at Big Rock Point Plant."
* Consumers Power Co 88/08/29 250pp. 46755.282-46756.242

-8809060075 "Seismic Fragility of Big Rock Point Core Assembly & Reactor Vessel Supports."
CAMPBELL, R.D. WARRINER, R.W., SUES, R. Structural Mechanics Associates. SMA 13703.01. 85/10/31. 35pp. 46756.243-46756.278.

8809080013 Forwards "Semiannual Radioactive Effluent Release & Waste Disposal Rept for Jan-June 1988 " Suppl info to semiannual radioactive effluent release rept for Jul-Dec 1987 & Revs 2 & 3 to offsite dose calculation manual also encl
JOHNSON, B.D. Consumers Power Co. 88/08/31 Document Control Branch (Document Control Desk) 1p. 46788.221-46788.320

-8809080037 Rev 2 to Procedure Change Form, "Offsite Dose Calculations Manual "
* Consumers Power Co 88/04/13 8pp 46788.239-46788.246

-8809080040 "Big Rock Point Plant Radiological Effluent T/S Required Documents, Offsite Dose Calculations & Process Control Program "
* Consumers Power Co 88/04/12 74pp 46788.247-46788.320

8809140244 Forwards revised safety evaluation accepting continued use of hafnium hybrid control blades & proposed surveillance program
SCOTT, W.E. Project Directorate III-1. 88/09/07 BERRY, K.W. Consumers Power Co 3pp 46844.130-46844.134

-8809140247 Revised safety evaluation accepting continued use of hafnium hybrid control blade & proposed surveillance program
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/07. 2pp 46844.133-46844.134.

8809150290 Application for amend to License DPR-6, proposing removal of organization charts from Tech Specs & Informing NRC of onsite organizational changes Fee paid
BERRY, K.W. Consumers Power Co 88/09/08. Document Control Branch (Document Control Desk) 6pp 46891.114-46891.127.

-8809150291 Proposed Tech Specs, removing organization charts from Tech Specs & Informing NRC of onsite organizational changes
* Consumers Power Co 88/09/08 8pp 46891.120-46891.127.

8809150118 Responds to NRC 880727 ltr re abbreviated site access training program
JOHNSON, B.D. Consumers Power Co 88/09/09. Document Control Branch (Document Control Desk). 1p. 46864.109-46864.109.

8809190078 Forwards NUMAC do wide range monitor addl verification plan proposed by GE Actions can be completed & results reported to NRC within 80 days following written approval of proposed plan.
FRISCH, R.R. Consumers Power Co 88/09/12. Document Control Branch (Document Control Desk). 4pp 46893.073-46893.076.

8809190111 Informs of intention to pursue other methods of disposal for slightly radioactively contaminated waste oils/solvents as nonradioactive hazardous waste. Util withdraws 871023 request.
FRISCH, R.R. Consumers Power Co 88/09/12. Document Control Branch (Document Control Desk). 1p 46893.072-46893.072.

8809200248 Forwards Amend 92 to License DPR-6 & safety evaluation. Amend modifies Paragraph 2 C (5) re physical security plan
SCOTT, W.E. Project Directorate III-1 88/09/14. BERRY, K.W. Consumers Power Co. 4pp. 46899.340-46899.348

-8809200250 Amend 92 to License DPR-6, modifying Paragraph 2 C (5) of license re physical security.
DIANNI, D.C. Project Directorate III-1. 88/09/14 2pp 46899.344-46899.345.

-8809200252 Safety evaluation supporting Amend 92 to License DPR 6.
* Project Directorate III-1 88/09/14. 3pp. 46899.346-46899.348

Q. Inspection reports, IE Bulletins & correspondence

8809140062 Forwards SALP Rept 50-155/87-01 for Apr 1986 - Aug 1987. Further mgt attention required to assure that actions to improve performance continue to be effectively implemented.
DAVIS, A.B. Region 3, Ofc of the Director. 87/12/08. BUCKMAN, F.W. Consumers Power Co. 2pp. 46836.136-46836.170.

-8809140063 SALP Rept 50-155/87-01 for Apr 1986 - Aug 1987
* Region 3, Ofc of the Director 87/08/31. 33pp 46836.138-46836.170

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc 125pp. 46890.054-46890.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703.070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713.218-46713.219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712.244-46713.004.

8809090102 Advises that util selection of applicable safety-related valves, valves max differential pressures & program to assure valve operability requested by action Item 4 of IE Bulletin 85-003 acceptable, in response to 880802 ltr.
GREENMAN, E.G. Region 3, Ofc of the Director 88/09/01 HOFFMAN, D.P. Consumers Power Co. 1p. 46801.024-46801.024.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809140093 Responds to NRC 880805 ltr re violations noted in Insp Rept 50-155/88-13 Corrective actions unmarked procedures removed from work spaces & instruction on correct practices for using procedures provided to personnel.
BERRY,K.W. Consumers Power Co. 88/09/06 Document Control Branch (Document Control Desk). 6pp. 46841.111-46841.116.

8809190073 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs" Requested actions completed & documentation for evaluation of adequacy of procedures, training programs & instrumentation will be maintained on file
BERRY,K.W. Consumers Power Co. 88/09/12 Document Control Branch (Document Control Desk). 2pp. 46898.357-46898.358.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809230130 Forwards Safety Insp Rept 50-155/88-17 on 880711-0906 & notice of violation NRC understanding of corrective actions described in Paragraph 2 of rept
WRIGHT,G.C. Region 3, Ofc of the Director 88/09/16. HOFFMAN,D.P. Consumers Power Co. 2pp. 46951.018-46951.027

-8809230139 Notice of violation from insp on 880711-0906 Violation noted, instruments not tested using detector current values which were appropriate to those found at facility re satisfactory inservice performance of wide-range monitors
WRIGHT,G.C. Region 3, Ofc of the Director 88/09/16. 1p. 46951.020-46951.020

-8809230142 Safety Insp Rept 50-155/88-017 on 880711-0906 Violation noted, Major areas inspected problems encountered w/ wide-range monitors during plant startup from 1986 refueling outage & modified control rod insertion sequence
RESCHESKE,P.R., PHILLIPS,M.P. Region 3, Ofc of the Director. 88/09/16 7pp. 46951.021-46951.027.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809080013 Forwards "Semiannual Radioactive Effluent Release & Waste Disposal Rept for Jan-June 1988." Suppl info to semiannual radioactive effluent release rept for Jul-Dec 1987 & Revs 2 & 3 to offsite dose calculation manual also encl
JOHNSON,B.D. Consumers Power Co. 88/08/31. Document Control Branch (Document Control Desk). 1p. 46768.221-46768.320.

-8809080036 "Semiannual Radioactive Effluent Release & Waste Disposal Rept for Jan-June 1988"
* Consumers Power Co. 88/08/30. 17pp. 46768.222-46768.233

-8809140347 Revised "Semiannual Radioactive Effluent Release Rept for Jul-Dec 1987"
* Consumers Power Co. 87/12/31. 5pp. 46788.234-46788.238.

-8809080037 Rev 2 to Procedure Change Form, "Offsite Dose Calculations Manual."
* Consumers Power Co. 88/04/13. 8pp. 46768.239-46768.246.

-8809080040 "Big Rock Point Plant Radiological Effluent T/S Required Documents, Offsite Dose Calculations & Process Control Program."
* Consumers Power Co. 88/04/12 74pp. 46768.247-46768.320.

8809140177 Monthly operating rept for Aug 1986 for Big Rock Point. W/880902 ltr.
JOHNSTON,J.R., ELWARD,T.W. Consumers Power Co. 88/08/31. 6pp. 46840.284-46840.289.

S. Reportable occurrences, LERs & related correspondence

8809070313 LER 88-007.00 on 880829, plant heat balance calculation determined reactor power to be 45.3% in preparation for power range monitor calibr. Caused by insufficient gain & sensitivity adjustment of GE monitors W/880902 ltr.
SCHRADER,R.E., ALEXANDER,R.J., FRISCH,R.R. Consumers Power Co. 88/09/02. 7pp. 46781.198-46781.204.

V. Operator Examinations

8809140062 Forwards SALP Rept 50-155/87-01 for Apr 1986 - Aug 1987. Further mgt attention required to assure that actions to improve performance continue to be effectively implemented.
DAVIS,A.B. Region 3, Ofc of the Director. 87/12/08. BUCKMAN,F.W. Consumers Power Co. 2pp. 46836.136-46836.170

-8809140063 SALP Rept 50-155/87-01 for Apr 1986 - Aug 1987.
* Region 3, Ofc of the Director. 87/08/31. 33pp. 46836.138-46836.170.

8809080060 Forwards best estimate of util needs for operator licensing & requalification exams for FY89-FY92, per Generic Ltr 88-13.
COOPER,H.F. Consumers Power Co. 88/09/01. HANNON,J. Operator Licensing Branch. 5pp. 46788.327-46788.331.

8809200234 Submits outline of revised licensed operator requalification program & planned implementation schedule, per 880815 request.
FRISCH,R.R. Consumers Power Co. 88/09/15. Document Control Branch (Document Control Desk). 2pp. 46912.346-46912.347.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8809200131 Responds to NRC ltr re violations noted in Insp Rept 50 160/87-07 Requests answers to listed situations re operation of GTRR.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 88/08/13. GRACE,J.N. Region 2, Ofc of the Director 8pp. 46900.033-46900.079

-8809200139 Forwards results of smear surveys taken during month of Aug, also survey of Downs apartment taken on 880111.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 88/01/22 FREDRICKSON,P. Region 2, Ofc of the Director. 15pp. 46900.041-46900.079

8809160036 Requests licensee attend enforcement conference to discuss findings of NRC Ofc of Investigations 880824 rept
GRACE,J.N. Region 2, Ofc of the Director. 88/09/01. CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 1p. 46897.182-46897.182

8809260158 Confirms 880913 telcon between AP Sheppard & PE Fredrickson re enforcement conference in Atlanta, GA on 880919. Issues to be discussed transmitted in 880901 ltr.
GRACE,J.N. Region 2, Ofc of the Director 88/09/13. CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 1p. 46957.347-46957.347

DOCKET 50-163 GA TECHNOLOGIES

P. Operating license stage documents & correspondence

8809080275 Responds to 880825 request for documentation indicating that easement agreement on land required to maintain effective site boundary of 100 meters from TRIGA reactor permits total exclusion of public at all times. Easement agreement encl.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 88/08/23 ADAMS,A. Standardization & Non Power Reactor Project Directorate 8pp. 46795.070-46795.077.

DOCKET 50-166 UNIV. OF MARYLAND RESEARCH REACTOR

R. Periodic operating reports & related correspondence

8809140399 Annual rept of Maryland Univ training reactor for Jul 1987 - June 1988.
ROUSH,M.L. Maryland, Univ. of, College Park, MD. 88/07/19. Document Control Branch (Document Control Desk). 8pp. 46843.249-46843.256.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.008.

8809140237 Forwards request for addl info re proposed amend to extend facility possession only license for 40 addl yrs. Response requested by 881020.
ERICKSON,P.B. Standardization & Non Power Reactor Project Directorate 88/09/07. ALDEN,W.N. Philadelphia Electric Co. 4pp. 46845.055-46845.058.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 126pp. 46690.054-46690.178.

8808160451 NRC Info Notice 88-068, "Satpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809120140 Responds to NRC 880809 ltr re violation of plant Administrative Procedure A-7, "Shift Operations" Corrective actions/author assumes responsibility for violation & conducts weekly shift meetings w/ other operators
HART,R.S. Philadelphia Electric Co. 88/08/28. Ofc of Enforcement (Post 870413). 4pp. 46813.348-46813.351.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

12 DOCKETED ITEMS

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA," Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 124pp. 46824 215 46824 338.

8809120187 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry," Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46846.133 46946 252

8809130350 NRC Info Notice 88 078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809130063 Forwards "Peach Bottom Atomic Station Unit 1,Decommissioning Rept 15,1987," ALDEN,W.M. Philadelphia Electric Co. 88/08/30, VARGA,S.A. Division of Reactor Projects - VII (Post 870411) 1p. 46833.161-46833.164

--8809130073 "Peach Bottom Atomic Power Station Unit 1 Decommissioning Rept 15,1987," * Philadelphia Electric Co. 87/12/31. 3pp 46833:162-46833.164.

DOCKET 50-184 NATIONAL BUREAU OF STANDARDS REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8809230216 Forwards Safety Insp Rept 50-184/88-02 on 880809-11.No violations noted. BELLAMY,R.R. Region 1, Ofc of the Director, 88/09/13. CARTER,R.S. National Institute of Standards & Technology (formerly National Bureau of Stand. 2pp. 46943.195-46943.199.

--8809230218 Insp Rept 50-184/88 02 on 880809-11 No violations identified Major areas inspected review of radiation protection program including determination of implementation of radiological safety & surveillance program. SHERBINI,S. SHANBAKY,M. Region 1, Ofc of the Director. 88/09/13. 3pp. 46943.187-46943.199.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

Q. Inspection reports, IE Bulletins & correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants Forwards documents listed in App C Documents also available in PDR GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17, UNNERSTALL,K. Newman & Holtzinger 2pp. 46766.272-46766.308.

--8809090160 Discusses selection of severity level re containment valve open during operation & inoperable high pressure scram at Univ of Missouri at Columbia research reactor. KEPLER,J.G. Region 3, Ofc of the Director (810301-820201). 81/07/21. THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 2pp. 46766.283-46766 284.

S. Reportable occurrences, LERs & related correspondence

8809260169 RC: on 880818,emergency generator cranking limit indication found tripped & "plant failed to start" lamp energized. Caused by linkage lubrication problem.Preventive maint (PM) procedure added to PM schedule MCKIBBEN,J.C., ALGER,D.M. Missouri, Univ. of, Columbia, MO. 88/09/16, Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46956.232-46956 234.

DOCKET 50-192 UNIV. OF TEXAS RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8809130006 Ack receipt of 880824 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-192/88-02 & 50 602/88-02. CALLAN,L.J. Region 4, Ofc of the Director 88/09/02. KLEIN,D.E. Texas, Univ. of, Austin, TX. 2pp. 46835 346-46835:347.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290099 Rev 2.02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3" BASKIN,K.P. Southern California Edison Co. * San Diego Gas & Electric Co. * Anaheim, CA 88/07/22. 200pp. 46668.014-46668:282.

8808290237 Forwards Insp Repts 50 206/88-16,50-361/88-15 & 50-362/88-16 on 880522-0702 & notices of violation & deviation. MARTIN,J.B. Region 5, Ofc of the Director. 88/08/12 BASKIN,K.P. Southern California Edison Co. 3pp. 46668 280-46668.312.

--8808290249 Insp Repts 50-206/88-16,50-361/88-15 & 50-362/88-16 on 880522-0702 No violations noted.Major areas inspected operational safety verification,radiological protection,security,evaluation of plant trips & events. HUEY,F.R., JOHNSON,A.D., JOHNSON,P.H. Region 5, Ofc of the Director. 88/08/12. 27pp 46666.286-46666.312.

8809010016 Forwards Rev 2 02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3" MEDFORD,M.O. Southern California Edison Co. 88/08/22 Document Control Branch (Document Control Desk). 5pp. 46718:110 46720.018.

8808310170 Forwards Amend 107 to License DPR-13,changing License Condition 3.G, "Physical Protection " TRAMMELL,C.M. Project Directorate V. 88/08/25. BASKIN,K.P. Southern California Edison Co. 4pp. 46725 304-46725 309.

--8808310172 Amend 107 to License DPR-13, revising Condition 3 G, "Physical Protection " KNIGHTON,G.W. Project Directorate V. 88/08/25. 2pp 46725.308-46725.309.

8809080063 Forwards Rev 19A to physical security plan Rev withheld (ref 10CFR73 21) MORGAN,H.E. Southern California Edison Co. 88/08/26. Document Control Branch (Document Control Desk). 1p. 46793 359 46793:359

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities,W/o encl BASKIN,K.P. Southern California Edison Co. 88/09/02. Document Control Branch (Document Control Desk). 12pp. 46772.143-46772 154.

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities. BASKIN,K.P. Southern California Edison Co. 88/09/02. Document Control Branch (Document Control Desk). 12pp 46934.172-46941.028.

--8809230286 Rev 4 to updated fire hazards analysis for San Onofre Units 1,2 & 3 * Southern California Edison Co. 88/08/31 2,000pp. 46934 165-46941.028.

8809130131 Revised emergency plan implementing procedures,including Technical Change Notice 2-7 to Rev 5 to EPIP S0123-VIII-0 301, "Offsite/Onsite Communication Tests" & Rev 11 to EPIP S0123-VIII-0.9,W/880902 ltr. WHARTON,M.A. Southern California Edison Co. 88/09/02 129pp. 46828 314 46829.082

8809150023 Forwards Amend 108 to Provisional License DPR-13 & safety evaluation Amend modifies Paragraph 3.G of license to require compliance w/amended physical security plan. TRAMMELL,C.M. Project Directorate V. 88/09/06. BASKIN,K.P. Southern California Edison Co. 4pp. 46856.001-46856 009.

--8809150025 Amend 108 to Provisional License DPR-13,modifying Paragraph 3.G of license to require compliance w/amended physical security plan. KNIGHTON,G.W. Project Directorate V. 88/09/06. 2pp. 46856:005 46856:006.

--8809150027 Safeguards evaluation rept supporting amended physical security plan,per 10CFR73.55. * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06. 3pp 46856.007-46856.009.

H. General correspondence

8809190321 Expresses dismay at util 880808 response to NRC 880509 request for util commitment to install reactor vessel water level instrument at facility. GEISMAR,B. Affiliation Not Assigned. 88/09/11 TRAMMELL,C.M. Project Directorate V. 1p. 46899:246-46899:246.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment.Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

8808290248 Requests FR publication of notice of consideration of issuance of amend to License DPR-13 & proposed NSHC determination & opportunity for hearing on 870320 request re changes in airlock leak testing requirements. TRAMMELL,C.M. Project Directorate V. 88/08/16 NRC - No Detailed Affiliation Given 4pp. 46677:271-46677:274.

8808260182 Forwards Amend 106 to License DPR-13,safety evaluation & notice of denial Amend reduces number & frequency of diesel generator test starts consistent w/Generic Ltr 84-15 TRAMMELL,C.M. Project Directorate V. 88/08/17. BASKIN,K.P. Southern California Edison Co. 4pp. 46669 143-46669:159.

--8808260188 Amend 106 to License DPR-13, reducing number & frequency of diesel generator test starts consistent w/Generic Ltr 84-15. KNIGHTON,G.W. Project Directorate V. 88/08/17. 8pp. 46669:147-46669.162.

--8808260195 Safety evaluation supporting Amend 106 to License DPR-13. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/17. 4pp. 46669:153-46669:156.

--8808260200 Notice of denial of Amend 106 to License DPR-13 & opportunity for hearing. TRAMMELL,C.M. Project Directorate V. 88/08/17. 3pp. 46669:157-46669.159.

8809120091 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5).App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. Doc-Search Associates. 5pp. 46770.060-46770.236.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985 AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770 211-46770:223.

8809010293 Requests detailed test results for MP Acosta 880602 positive or failed drug tests,per 10CFR55.27. SCARANO,R.A. Region 5, Ofc of the Director. 88/08/19. BASKIN,K.P. Southern California Edison Co. 1p 46718.352-46718:352.

DOCKETED ITEMS 13

8808310170 Forwards Amend 107 to License DPR-13, changing License Condition 3 G, "Physical Protection."
TRAMMELL, C.M. Project Directorate V 88/08/25 BASKIN, K.P. Southern California Edison Co 4pp. 46725 304-46725 309

--8808310172 Amend 107 to License DPR-13, revising Condition 3 G, "Physical Protection"
KNIGHTON, G.W. Project Directorate V 88/08/25, 2pp. 46725-308-46725 309

8809020185 Forwards "Semiannual Effluent Rept Jan June 1988" & Rev 4 to "Offsite Dose Calculation Manual"
MORGAN, H.E. Southern California Edison Co 88/08/30 Document Control Branch (Document Control Desk) 1p. 46750 313-46751 149

--8809020190 Rev 4 to "Offsite Dose Calculation Manual Nuclear Generation Site Unit 1"
* Southern California Edison Co 88/05/03, 110pp 46750 314-46751 053

8809020259 Forwards Cycle X mod design descriptions for refueling water storage tank isolation Valve MOV-883, per util 880405 commitment Mod will resolve single failure susceptibility identified in LER 87-015, Rev 1
MEDFORD, M.O. Southern California Edison Co 88/08/31 Document Control Branch (Document Control Desk) 2pp 46745 168 46745-169.

8809130145 Advises that nuclear instrumentation sys functional block diagrams listed in util 880808 ltr will be withheld (ref 10CFR2.790), per 880803 request
TRAMMELL, C.M. Project Directorate V 88/09/01 WIESEMANN, R.A. Westinghouse Electric Corp. 4pp. 46836-282-46836 295

8809070215 Forwards util 880808 ltr re direct reading reactor vessel water level indicator at facility, per 880808 request
TRAMMELL, C.M. Project Directorate V. 88/09/02, GEISMAR, B. Affiliation Not Assigned 3pp 46779.242-46779.244.

8809130301 Summary of 880810 11 meetings w/util in Rosemead, CA re reactor protection & ESF sys single failure analysis & related mods List of attendees, meeting agenda & viewgraphs encl.
TRAMMELL, C.M. Project Directorate V 88/09/02 Project Directorate V. 31pp 46839 001-46839 031.

8809150023 Forwards Amend 108 to Provisional License DPR-13 & safety evaluation Amend modifies Paragraph 3 G of license to require compliance w/amended physical security plan.
TRAMMELL, C.M. Project Directorate V. 88/09/06 BASKIN, K.P. Southern California Edison Co 4pp 46856 001-46856 009

--8809150025 Amend 108 to Provisional License DPR-13, modifying Paragraph 3 G of license to require compliance w/amended physical security plan
KNIGHTON, G.W. Project Directorate V. 88/09/06 2pp 46856 005 46856 006

--8809150027 Safeguards evaluation rept supporting amended physical security plan, per 10CFR73.55
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06, 3pp 46856 007-46856 009

8809150197 Informs that util will not be able to respond to control room habitability review, NUREG-0737, Item III D.3.4 prior to 881101, due to extensive nature required to develop responses for info requested.
MEDFORD, M.O. Southern California Edison Co. 88/09/09 Document Control Branch (Document Control Desk) 1p. 46873.329-46873.329

8809150051 Forwards Amend Applications 153, 62 & 40 to Licenses DPR-13, NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility Fee paid
BASKIN, K.P. Southern California Edison Co 88/09/13, Document Control Branch (Document Control Desk) 2pp 46856:164-46856.228.

--8809150054 Amend Applications 153, 62 & 40 to Licenses DPR-13, NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility.
BASKIN, K.P. Southern California Edison Co 88/09/13 42pp 46856-168-46856-207

--8809150058 Proposed Tech Specs 80, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility.
* Southern California Edison Co 88/09/13, 21pp 46856-208-46856-228

8809190285 Agrees w/staff conclusion that difference in ponding level is matter of engineering judgement Rooftop scuppers will be modified rather than performing testing to demonstrate validity of assumption
MEDFORD, M.O. Southern California Edison Co 88/09/14, Document Control Branch (Document Control Desk), 1p. 46898:049 46898.049

8809270062 Forwards notice of environ assessment & finding of no significant impact re 870527 amend to License DPR-13 concerning control room emergency air treatment sys surveillance requirements
TRAMMELL, C.M. Project Directorate V. 88/09/14, BASKIN, K.P. Southern California Edison Co 3pp. 46967:177-46967-182.

--8809270064 Environ assessment & finding of no significant impact supporting amend to License DPR-13 to clarify control room emergency air treatment sys Tech Specs
KNIGHTON, G.W. Project Directorate V. 88/09/15, 3pp. 46967:180 46967:182

8809270066 Forwards SER supporting util response to Generic Ltr 83-28, Item 4.5.2, "Reactor Trip Sys Reliability, Online Testing"
TRAMMELL, C.M. Project Directorate V. 88/09/14 BASKIN, K.P. Southern California Edison Co 3pp. 46950.051-46950.055.

--8809270067 Safety evaluation supporting reactor trip sys reliability, on-line testing
* NRC - No Detailed Affiliation Given 88/09/14, 2pp. 46950-054-46950 055

8809270042 Forwards notice of consideration of issuance of amends to Licenses DPR-13, NPF-10 & NPF-15 re deletion of organizational charts from Tech Specs & rev of nuclear safety group reporting arrangements.
TRAMMELL, C.M. Project Directorate V. 88/09/15, BASKIN, K.P. Southern California Edison Co 5pp 46968.006 46968 016.

--8809270044 Notice of consideration of issuance of amends to Licenses DPR-13, NPF-10 & NPF-15 & proposed NSHC determination & opportunity hearing. Amend deletes onsite & offsite organizational charts from Tech Specs.
TRAMMELL, C.M. Project Directorate V. 88/09/15 6pp. 46968.011-46968 016.

8809270071 Requests date indicating when response to 880531 request for addl info re ATWS equipment & design will be submitted, within 7 working days of ltr receipt.
KNIGHTON, G.W. Project Directorate V. 88/09/15 BASKIN, K.P. Southern California Edison Co 4pp 46970.083 46970 086

8809260171 Forwards updated prioritized list of significant licensing actions for facility.
MEDFORD, M.O. Southern California Edison Co. 88/09/21, Document Control Branch (Document Control Desk) 2pp. 46966 287-46966 288

8809260055 Advises that charging pump motors recertified to 700 horsepower w/svc factor of 1.15, per License Condition 3 L (6).
MEDFORD, M.O. Southern California Edison Co 88/09/22, Document Control Branch (Document Control Desk) 2pp. 46965 165-46965 166

Q. Inspection reports, IE Bulletins & correspondence

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR. Records also available under listed FOIAs.
GRIMSLEY, D. Division of Rules & Records (870413 880514), 88/08/10 UNNERSTALL, K. Newman & Holtzinger 6pp 46769 054-46769 059.

--8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN, J. Ofc of Enforcement (Post 870413), 88/06/21, RUSSELL, W.T. Region 1, Ofc of the Director, GRACE, J.N. Region 2, Ofc of the Director, DAVIS, A.B. Region 3, Ofc of the Director, 9pp 46769.146 46769 154.

8809290237 Forwards Insp Repts 50-206/88 16, 50-361/88-15 & 50-362/88-16 on 880522-0702 & notices of violation & deviation
MARTIN, J.B. Region 5, Ofc of the Director 88/08/12, BASKIN, K.P. Southern California Edison Co. 3pp. 46886-260-46886.312

--8809290241 Notice of violation from Insp on 880522-0702. Violation noted, snp chart recorder w/calibr due date of 880616 & dc amplifier w/calibr due date of 880614 being used to gather data to evaluate operability of post-LCCA Train B.
MARTIN, J.B. Region 5, Ofc of the Director, 88/08/12 2pp. 46886.283-46886.284

--8809290243 Notice of deviation/nonconformance from insp on 880522-0702. Deviation noted: fuel pool purification sys suction piping extends to bottom of spent fuel storage pool
MARTIN, J.B. Region 5, Ofc of the Director, 88/08/12, 1p 46886.285 46886.285

--8809290249 Insp Repts 50 206/88-16, 50 361/88-15 & 50-362/88-16 on 880522-0702 No violations noted Major areas inspected, operational safety verification, radiological protection, security, evaluation of plant trips & events
HUEY, F.R., TATUM, J.E., HON, A.L. Region 5, Ofc of the Director, 88/08/12, 27pp. 46886-286 46886-312

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co of New York, Inc 125pp. 46690 054-46690-178.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co of New York, Inc 121pp. 46702.311-46703.070

8808180366 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc. 122pp. 46713-216-46713 219

8809140130 Forwards Insp Repts 50-206/88-20, 50 361/88-20 & 50-362/88-21 on 880801-11. No items of noncompliance noted.
SCARANO, R.A. Region 5, Ofc of the Director, 88/08/25, BASKIN, K.P. Southern California Edison Co. 2pp. 46842 129 46842:141.

--8809140133 Insp Repts 50 206/88-20, 50 361/88-20 & 50-362/88-21 on 880801-11. No items of noncompliance noted Major areas inspected licensee program for radiological environ monitoring, organization & mgt control & training
RUSSELL, J.E., YUHAS, G.P. Region 5, Ofc of the Director, 88/08/25, 11pp. 46842-131-46842-141.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/29, Consolidated Edison Co. of New York, Inc 123pp. 46713.085 46713.217.

8809130025 Forwards proprietary WCAP-11905 & nonproprietary WCAP-11906, "San Onofre Unit 1 Steam Generator U-Bend Tube Fatigue Evaluation," per NRC Bulletin 88 002, Westinghouse application also encl. WCAP-11905 withheld (ref 10CFR2.790).
PILMER, D.F. Southern California Edison Co 88/08/30, MARTIN, J.B. Region 5, Ofc of the Director, 2pp. 46830-287-46830.312.

--8809130030 Requests that proprietary WCAP-11905, "San Onofre Unit 1 Steam Generator U-Bend Tube Fatigue Evaluation" be withheld from public disclosure (ref 10CFR2.790)
WIESEMANN, R.A. Westinghouse Electric Corp 88/07/20 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411), 11pp. 46830-289-46830-288.

--8809130036 "San Onofre Unit 1 Steam Generator U-Bend Tube Fatigue Evaluation."
HALL, J.M., HOPKINS, G.W., HU, M.H. Westinghouse Electric Corp WCAP-11906, 88/07/31 14pp. 46830-289 46830:312.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713.004

14 DOCKETED ITEMS

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02
Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726.123.

8809220102 Forwards Insp Repts 50-206/88-17, 50-361/88-16 & 50-362/88-17 on 880725-29. No violations noted
ZIMMERMAN, R.P. Region 5, Ofc of the Director 88/09/02 BASKIN, K.P. Southern California Edison Co 2pp. 46930.108 46930.124

-8809220106 Insp Repts 50-206/88-17, 50-361/88-16 & 50-362/88-17 on 880725-29. No violations noted. Major areas inspected maint program implementation, compliance w/ATWS rule, TMI action plan followup & verification of mod of license.
CALDWELL, C.W., JOHNSON, P.H. Region 5, Ofc of the Director, 88/09/01 15pp 46930.110 46930.124

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14
Consolidated Edison Co. of New York, Inc 122pp. 46824.215-46824.336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16
Consolidated Edison Co. of New York, Inc 124pp 46946.133 46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19.
Consolidated Edison Co. of New York, Inc. 125pp 46946.253 46947.013

R. Periodic operating reports & related correspondence

8808310045 "Marine Environ Analysis & Interpretation, Rept on 1987 Data." W/880826 ltr
MEDFORD, M.O. Southern California Edison Co. 87/12/31. 200pp 46701.050 46702.095

8808260349 Forwards monthly NPDES summary rept for June 1988, describing violation noted in plant NPDES permit.
MORGAN, H.E. Southern California Edison Co. 88/08/15 Document Control Branch (Document Control Desk). 2pp. 46689.141-46689.142

8809020185 Forwards "Semiannual Effluent Rept Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual"
MORGAN, H.E. Southern California Edison Co. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46750.313-46751.149.

-8809020190 Rev 4 to "Offsite Dose Calculation Manual Nuclear Generation Site Unit 1"
Southern California Edison Co. 88/05/03 110pp. 46750.314 46751.053

-8809020196 "San Onofre Nuclear Generating Station Semiannual Effluent Rept Jan-June 1988"
Southern California Edison Co. 88/08/30 96pp 46751.054-46751.149

8809200146 Monthly operating rept for Aug 1988 for San Onofre Nuclear Generating Station Unit 1 W/880915 ltr
SIACOR, E.F., MORGAN, H.E. Southern California Edison Co 88/08/31 8pp 46900.351-46900.358

8809210008 Forwards revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16
MORGAN, H.E. Southern California Edison Co 88/08/12 Document Control Branch (Document Control Desk) 2pp. 46929.258-46929.261.

-8809210108 Revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16.
Southern California Edison Co. 87/12/31 2pp 46929.260 46929.261.

S. Reportable occurrences, LERs & related correspondence

8808300281 LER 88-011 00, on 880724, containment isolation sys Train A actuation occurred due to loss of power to vital bus (VB) 1. Caused by improper installation of breaker/bus connection. VB 1 supply breaker replaced W/880823 ltr
MORGAN, H.E. Southern California Edison Co. 88/08/23 5pp 46708.296 46708.301.

8809070006 LER 88-003 01, on 880802, discovered that due to configuration of safety injection sys piping, minor leakage from main feedwater sys may dilute fluid. Caused by misinformation to Westinghouse, Concentration revised. W/880829 ltr
MORGAN, H.E. Southern California Edison Co. 88/08/29 2pp 46779.353-46779.354.

8809070558 LER 87-011-01, on 880728, spurious actuation of containment isolation train A occurred w/isolation valves verified properly closed. Caused by broken instrument electrical solder connection. Procedures modified W/880831 ltr.
MORGAN, H.E. Southern California Edison Co. 88/08/31. 4pp. 46777.007-46777.010

8809130021 LER 88-013 00 on 880806, east main feedwater pump safety injection recirculation Valve CV-875A observed leaking feedwater to refueling water storage tank. Caused by valve not seating properly in closed position. W/880902 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/02. 5pp 46836.356-46836.360.

8809150243 LER 88-012 00, on 880808, determined that Loop A feedwater signal erroneously low. Possibly caused by onice plate being installed backwards. Procedure revised requiring highest flow be used for feedwater flow inputs W/880907 ltr
MORGAN, H.E. Southern California Edison Co. 88/09/07. 6pp. 46873.323-46873.328.

V. Operator Examinations

8809150138 Informs that written & oral exams for reactor operator & senior reactor operator scheduled for 881129 & 1130-1201, respectively, per 880824 telcon. Encl mails requested by 881007
PATE, R.J. Region 5, Ofc of the Director, 88/09/07. MCCARTHY, C. Southern California Edison Co. 9pp. 46854.353-46854.361.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

8809010386 Revised emergency plan implementing procedures, including Rev 34 to EPIP 1.5-2, "Notification & Communication" & Rev 9 to EPIP 1.5-37, "Manager of Dose Assessment" W/880823 ltr
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/08/23. 26pp 46720.019-46720.044

8809080072 Forwards updated implementation status on SAMP functional areas for Mar 1986 - Mar 1987. Discusses corrective actions that were incomplete as of 870717 response. Provides addl relevant info similar to 880202 & 880708 meetings w/NRC
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. * Northeast Utilities. 88/08/26 Document Control Branch (Document Control Desk) 16pp 46753.327-46753.342

8809070545 Revised emergency plan implementing procedures, including Rev 12 to EPIP 1.5-28, "Manager of Technical Support Ctr" & Rev 8 to EPIP 1.5-45, "Emergency Communications Sys Testing" W/880831 ltr
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities 88/08/31. 29pp. 46776.334-46777.002.

8809180125 Revised emergency plan implementing procedures, including Rev 5 to EPIP-1.5-20, "Reentry & Recovery" & Rev 19 to EPIP-1.5-33, "Shift Supervisors Staff Assistant" W/880912 ltr.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities 88/09/12. 69pp. 46885.079-46885.148

8809200120 Forwards revised scenario package for full-scale emergency preparedness exercise on 881010, per 880826 request. Scenario package was initially & inadvertently issued to LPDR. W/o encl.
MROCZKA, E.J., SEARS, C.F. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities 88/09/16. LAZARUS, W.J. Region 1, Ofc of the Director 2pp 46905.202-46905.203

J. Insurance & indemnity information

8809200165 Informs NRC that until cognizant of 881004 deadline re insurance reporting requirements of 10CFR50.54(w), Util understands NRC pending actions & assurance that util will be relieved from 881004 deadline
MROCZKA, E.J., SEARS, C.F. Connecticut Yankee Atomic Power Co. (subs of Northeast Utilities) MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/09/15. Document Control Branch (Document Control Desk) 2pp. 46918.101-46918.102.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc 41pp. 47065.001-47065.006.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDF App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR, L. Doc-Search Associates. 5pp. 46770.060-46770.238

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770.211-46770.223.

8808290333 Summarizes conclusions derived from topical repts re resolution of TMI Action Plan Item II.K.3.5 concerning automatic trip of reactor coolant pumps.
MROCZKA, E.J., SEARS, C.F. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/08/19. Document Control Branch (Document Control Desk). 2pp 46876.210 46876.211.

8809010320 Informs that Commissioners found Thames Valley State Technical College training program acceptable. Staff proceeding to act on license amendments
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/26 MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 3pp. 46740.054-46740.056

8809070553 Rev to 871117 application for amend to License DPR-61, adding new Tech Spec 3.12, "Electrical Power Sys" which would incorporate degraded grid requirements in Westinghouse STS format.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/08/29 Document Control Branch (Document Control Desk). 3pp 46773.027-46773.100.

-8809070554 Proposed Tech Specs 3.12 & 4.2 re addition of operability requirements for offsite & onsite power sources w/limiting conditions for operations & time requirements for corrective actions to station service power, respectively.
Connecticut Yankee Atomic Power Co 88/08/31. 71pp. 46773.030 46773.100.

8809080146 Provides NRC w/preliminary info re nuclear instrumentation sys mods & Phase II of reactor protection sys (RPS) upgrades. Attachment I contains conceptual project description & safety evaluation re RPS upgrades
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities 88/09/01. Document Control Branch (Document Control Desk) 3pp. 46794.220-46794.354.

-8809080148 Rev 0 to, "Connecticut Yankee Modernize Reactor Protection Sys - Phase 2" conceptual project description.
KOWALCHUK, J.N., MAZZIE, V.J., SHAFFER, T.A. Connecticut Yankee Atomic Power Co. 83-113 R00. 88/03/08. 82pp. 46794.223-46794.304.

-8809080149 Rev 0 to "Connecticut Yankee Replace Nuclear Instrumentation Sys," NEO project description.
BROTHERS, M.H., MAZZIE, V.J., SHAFFER, T.A. Connecticut Yankee Atomic Power Co 85-066 R00. 88/08/03 50pp 46794.305-46794.354.

DOCKETED ITEMS 15

8809120220 Notification of 880820 meeting w/utl in Rockville,MD to discuss proposal to convert to std format Tech Specs.
WANG,A.B. Project Directorate I-4. 88/09/09 STOLZ,J.F. Project Directorate I-4 3pp. 46825 040-46825 042

8809200225 Informs that 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants," acceptable
WANG,A.B. Project Directorate I-4 88/09/13. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 4pp. 46911.015-46911.018

8809230070 Application for amend to License DPR-61,incorporating new section of sprinkler protection in turbine bldg & reduction in number of smoke detectors available in containment from 23 to 22.Fee paid
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities 88/09/13. Document Control Branch (Document Control Desk) 4pp 46943 292-46943 298.

-**8809230084** Proposed Tech Spec changes incorporating new section of sprinkler protection in turbine bldg & reduction in number of smoke detectors available in containment from 23 to 22
* Connecticut Yankee Atomic Power Co. 88/09/13 3pp 46943 298 46943 298.

Q. Inspection reports, IE Bulletins & correspondence

8808290280 Forwards Insp Rept 50-213/88-14 on 880719-22 No violations noted
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/18. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 2pp. 46883-071-46883 078

-**8808290281** Insp Rept 50-213/88-14 on 880719-22.No violations noted Major areas inspected-concrete work & records,structural steel work & records for new switchgear bldg
CHAUDHARY,S.K., STROSNIDER,J.R. Region 1, Ofc of the Director 88/08/16 6pp 46883 073 46883 078.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054 46890 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808180358 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 46713:218-46713 219

8809060072 Forwards updated implementation status on SALP functional areas for Mar 1988 - Mar 1987.Discusses corrective actions that were incomplete as of 870717 response.Provides addl relevant info similar to 880202 & 880708 meetings w/NRC
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. * Northeast Utilities. 88/08/26 Document Control Branch (Document Control Desk) 16pp. 46753.327-46753.342.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713.095 46713.217.

8809070087 Forwards response to NRC 880803 ltr re violations noted in Insp Rept 50-213/88-12.Response withheld (ref 10CFR73.21)
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities 88/08/30. KANE,W.F. Region 1, Ofc of the Director. 2pp. 46781:291-46781 292.

8809080183 Notification of 880918 SALP Board Meeting 88-142 w/licensee in King of Prussia,PA.
MCABEE,E.C. Region 1, Ofc of the Director. 88/08/31. Region 1, Ofc of the Director. 2pp 46789.355-46789.358.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712.244 46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726 123.

8809130285 Forwards response to NRC Bulletin 88-005, "Nonconforming Malls Supplied by Piping Supplies,Inc. at Folsom,NJ & West Jersey Mfg Co at Williamstown,NJ." No significant deficiencies discovered & no mall replaced.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/09/02 Document Control Branch (Document Control Desk). 17pp. 46836 231-46836 247.

8809140309 Informs of decision to withdraw Relief Requests 3-2 & 3-17 & provides addl info for Relief Requests 3-1,3-4 & 3 9 re inservice insp program,per 880824 telcon w/ NRC
MROCZKA,E.J., SEARS,C.F. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 88/09/07. Document Control Branch (Document Control Desk). 14pp. 46845 006-46845 019.

8809200049 Forwards response to NRC Bulletin No 88 009, "Thimble Tube Thinning in Westinghouse Reactors." Informs that eddy current testing of flux mapping thimbles successful in proving that at present time thimbles sound.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities 88/09/09. Document Control Branch (Document Control Desk). 6pp. 46905 298-46905 309.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824.216-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88 078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809060053 "Semiannual Radioactive Effluents Release Rept,Jan-June 1988 " W/ 880830 ltr.
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 88/08/30. 15pp 46753 238-46753 254

8809220120 Monthly operating rept for Aug 1988 for Haddam Neck Plant.W/ 880815 ltr
WALL,K.C., MILLER,D.B. Connecticut Yankee Atomic Power Co 88/08/31. 10pp 46928 107-46928 116.

S. Reportable occurrences, LERs & related correspondence

8809140315 LER 88 017-00-on 880810 & 15,river water temp exceeded design basis limit.Caused by tidal effects,minimal rainfall & solar heating of water Engineering effort to resolve issue W/880907 ltr
WARNER,C.A., MILLER,D.B. Connecticut Yankee Atomic Power Co 88/09/07. 7pp 46837 010-46837 018.

8809190128 LER 88 018-00-on 880818,determined during surveillance testing of stack wide range gas monitor that as-found indication was outside tolerance.Caused by improper setting of lower level discriminator voltage.W/880915 ltr.
GALLOWAY,T.J., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/09/15. 5pp 46885 354-46885 358

V. Operator Examinations

8809010320 Informs that Commissioners found Thames Valley State Technical College training program acceptable.Staff proceeding to act on license amends
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/26 MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 3pp. 46740.054-46740 058.

8809080072 Forwards updated implementation status on SALP functional areas for Mar 1988 - Mar 1987.Discusses corrective actions that were incomplete as of 870717 response.Provides addl relevant info similar to 880202 & 880708 meetings w/NRC
MROCZKA,E.J. Connecticut Yankee Atomic Power Co * Northeast Utilities 88/08/26. Document Control Branch (Document Control Desk). 16pp. 46753.327-46753.342

8809230037 Forwards updated schedules for operator licensing exams for FY89-92 in response to Generic Ltr 88-13
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/09/16. HANNON,J. Operator Licensing Branch. 10pp. 46845 297-46845 306

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8808300226 Ack receipt of 880801 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/88 08.Request for withdrawal of violation re audits of emergency program unjustified.Response required within 30 days.
EBNETER,S.D. Region 1, Ofc of the Director. 88/08/18 FITZPATRICK,E General Public Utilities Corp - GPU Service Corp. 7pp. 46892:207-46892 308.

-**8808310011** Audit on 870223 0511 of emergency preparedness program & associated emergency implementing procedures
MACFARLANE,D. General Public Utilities Corp. - GPU Service Corp S OC-87-01. 87/08/28 34pp 46892.230-46892 293

-**8808310015** Audit on 860213-0509 of definition & implementation of emergency plan
HEYSEK,W.G. General Public Utilities Corp - GPU Service Corp. S OC-86-03. 66/06/05. 46pp. 46882 264-46882 308.

8808290071 Forwards FEMA post-exercise assessment of 870512 plant exercise of radiological response plans of State of NJ,Ocean County & 16 municipalities.FEMA considers offsite radiological emergency preparedness adequate.
EBNETER,S.D. Region 1, Ofc of the Director 88/08/22. ROCHE,M.B. General Public Utilities Corp - GPU Service Corp. 2pp. 46885.267-46886 012.

8809010373 Forwards Safety Insp Rept 50-219/88-20 on 880626-0730 No violations noted.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/08/24. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 2pp 46740.345-46740 359.

-**8809010375** Insp Rept 50-219/88-20 on 880626 0730.No violations noted. Major areas inspected.new fuel movement & channelling,plant operations,physical security,radation control,housekeeping, fire protection & emergency preparedness
COWGILL,C Region 1, Ofc of the Director. 88/08/18. 13pp. 46740.347-46740 359.

8809070174 Rev 1 to Emergency Plan Implementing Procedure 1000-PLN-1300.01, "GPU Nuclear Corp Emergency Plan for TMI & Oyster Creek Nuclear Generating Station"
NEVLING,R.E. General Public Utilities Corp. - GPU Service Corp. 88/09/02. 300pp. 46778 001-46778 340.

16 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 8808120294** Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc 41pp. 47065 001-47065 006.
- 8808260105** Forwards responses to 880526 request for addl info re SEP Topic III-4A, "Tornado Missile". NAGAI, Y. General Public Utilities Corp. - GPU Service Corp. 88/08/12. DROMERICK, A.W. NRC - No Detailed Affiliation Given 7pp. 46658 065 46658 071.
- 8808300224** Forwards response to Generic Ltr 88-01 re NRC position on IGSCC in BWR austenitic stainless steel piping Insp plans still not in complete compliance w/ NUREG-0313, Rev 2 intent of subj NUREG adopted in response to plant IGSCC experience. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/08/12. Document Control Branch (Document Control Desk). 2pp. 46692 309 46693 004.
- 8808300263** Rev 0 to "Response to Generic Ltr 88-01 & NUREG-0313, Rev 2". COVILL, D., LORENZO, R., CAPODANNO, G.R. General Public Utilities Corp. - GPU Service Corp. TR-050 R00. 88/08/10. 55pp. 46692 311-46693 004.
- 8809120091** Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates. 5pp. 46770 060 46770 069.
- 8809120137** Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770 211-46770 223.
- 880910284** Documents results of 880607 meeting w/NRC re SEP Topic 4.1.3, "Intake Water Level Monitoring". Concludes that instrumentation w/associated alarm not necessary based upon replacement of current water level staff gauge. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/08/19. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46743 346 46743 347.
- 8809060355** Forwards listed info needed to resolve issues re SEP Topic VII-1A, "Isolation of Reactor Protection Sys for Nonsafety Sys," per 871110 request. NAGAI, Y. General Public Utilities Corp. - GPU Service Corp. 88/08/19. DROMERICK, A.W. NRC - No Detailed Affiliation Given. 3pp. 46758 356-46758 358.
- 8809010273** Notification of 880901 meeting w/util in Rockville, MD to discuss Rev 2 to util operational QA plan for plants. SPRAU, J.G. Quality Assurance Branch. 88/08/29. WEISS, S.H. Quality Assurance Branch. 3pp. 46743 198-46743 200.
- 8809140218** Forwards "Race Code Methodology & Verification," per NRC 880512 request for addl info Consideration of uncertainties for input variables to code correlation described in encl necessitates change in Tech Spec Change Request 188. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/09/02. Document Control Branch (Document Control Desk). 2pp. 46840 195-46840 243.
- 8809140254** "Race Code Methodology & Verification". FURIA, R.V. General Public Utilities Corp. - GPU Service Corp. 87/11/24. 47pp. 46840 197-46840 243.
- 8809120101** Notification of 880928 meeting w/util in Forked River, NJ to discuss status of licensing activities for facility. DROMERICK, A.W. Project Directorate I-4. 88/09/07. STOLZ, J.F. Project Directorate I-4. 3pp. 46815 353-46815 355.
- 8809200018** Forwards Amend 126 to License DPR-16 & safety evaluation. Amend revises requirements on max radiiodine concentration allowed in reactor coolant. DROMERICK, A.W. Project Directorate I-4. 88/09/12. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46899 313-46899 329.
- 8809200020** Amend 126 to License DPR-18, revising requirement on max radiiodine concentration allowed in reactor coolant. STOLZ, J.F. Project Directorate I-4. 88/09/12. 10pp. 46899 315-46899 324.
- 8809200021** Safety evaluation supporting Amend 126 to License DPR-16. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/12. 5pp. 46899 325-46899 329.
- 8809210069** Forwards addl info re ASME Code compliance for upper elevations of plant drywall containment, per NRC 880728 meeting request. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/08/12. Document Control Branch (Document Control Desk). 8pp. 46920 117-46920 124.
- 8809200136** Summary of 880901 QA meeting w/util in Rockville, MD to discuss Rev 2 of util operational QA plan for plants Agenda & list of participants encl. SPRAU, J.G. Quality Assurance Branch. 88/09/15. WEISS, S.H. Quality Assurance Branch. 5pp. 46900 008-46900 013.
- Q. Inspection reports, IE Bulletins & correspondence**
- 8808300224** Forwards response to Generic Ltr 88-01 re NRC position on IGSCC in BWR austenitic stainless steel piping Insp plans still not in complete compliance w/ NUREG-0313, Rev 2 intent of subj NUREG adopted in response to plant IGSCC experience. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/08/12. Document Control Branch (Document Control Desk). 2pp. 46692 309-46693 004.
- 8808300263** Rev 0 to "Response to Generic Ltr 88-01 & NUREG-0313, Rev 2". COVILL, D., LORENZO, R., CAPODANNO, G.R. General Public Utilities Corp. - GPU Service Corp. TR-050 R00. 88/08/10. 55pp. 46692 311-46693 004.
- 8808290277** Notification of 880830 Significant Licensee Meeting 88-131 w/util in King of Prussia, PA to discuss enforcement conference re equipment environ qualification. COWGILL, C.J. Region 1, Ofc of the Director, 88/08/15. Region 1, Ofc of the Director. 2pp. 46863 244-46863 245.
- 8808300226** Ack receipt of 880801 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/88-06 Request for withdrawal of violation re audits of emergency program unjustified Response required within 30 days. EBNETER, S.D. Region 1, Ofc of the Director. 88/08/18. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 7pp. 46892 207-46892 308.
- 8808310011** Audit on 870223 0511 of emergency preparedness program & associated emergency implementing procedures. MACFARLANE, D. General Public Utilities Corp. - GPU Service Corp. S OC-87-01 81/06/26. 34pp. 46692 230 46692 263.
- 8808310015** Audit on 860213 0509 of definition & implementation of emergency plan. HEYSEK, W.G. General Public Utilities Corp. - GPU Service Corp. S OC-88-03 86/06/05. 45pp. 46692 284-46692 308.
- 8808190195** NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co of New York, Inc. 125pp. 46690 054 46690 176.
- 8808260325** Forwards Insp Rept 50-219/88-15 on 880523-0726 & notice of violation. JOHNSTON, W.V. Region 1, Ofc of the Director. 88/08/19. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46655 237-46655 264.
- 8808260330** Notice of violation from Insp on 880521-0726. Violation noted licensee performed evaluation that accepted calculated reduction in stress margins, below levels established by NRC, increasing failure probability for two piping sys. Region 1, Ofc of the Director. 88/08/19. 1p. 46655 239-46655 239.
- 8808260339** Insp Rept 50-219/88-15 on 880523-0726. Violations noted Major areas inspected, licensee action in response to Mark I containment mod requirements of NUREG 0861, review of design analyses & plant unique analysis rept. CHAUDHARY, S.K., ROMNEY, N.D., STROSNIDER, J.R. Region 1, Ofc of the Director. 88/08/15. 25pp. 46655 240 46655 264.
- 8809010278** Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Neither bulletin nor suppl applicable to facility. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/08/10. Document Control Branch (Document Control Desk). 2pp. 46742 219 46742 220.
- 8808160451** NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co of New York, Inc. 121pp. 46702 311-46702 070.
- 8809080124** Notification of Licensee Meeting 88-135 on 880806 in King of Prussia, PA to discuss safety limit violation. COWGILL, C.J. Region 1, Ofc of the Director. 88/08/23. Region 1, Ofc of the Director. 2pp. 46789 328-46789 330.
- 8808160368** Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co of New York, Inc. 122pp. 46713 216-46713 219.
- 8809010373** Forwards Safety Insp Rept 50-219/88-20 on 880626 0730. No violations noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/08/24. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46740 345-46740 359.
- 8809010375** Insp Rept 50-219/88-20 on 880828 0730. No violations noted Major areas inspected new fuel movement & channeling, plant operations, physical security, radiation control, housekeeping, fire protection & emergency preparedness. COWGILL, C. Region 1, Ofc of the Director. 88/08/18. 13pp. 46740 347-46740 359.
- 8809010388** Forwards Safety Insp Rept 50-219/88-21 on 880711-15 & notice of violation. KANE, W.F. Region 1, Ofc of the Director. 88/08/24. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46740 060 46740 076.
- 8809020199** Notice of violation from Insp on 880711-15. Violation noted reactor remained in operation for greater than 7 days w/one loop of containment spray/emergency svc water sys inoperable. Region 1, Ofc of the Director. 88/08/24. 2pp. 46740 082-46740 083.
- 8809020192** Insp Rept 50-213/88-21 on 880711-15. Violations noted Major areas inspected review of events surrounding containment spray/emergency svc water HX differential pressure & exceeding limiting condition for operation. COWGILL, C. Region 1, Ofc of the Director. 88/08/23. 13pp. 46740 084-46740 076.
- 8809080244** Ack receipt of 880810 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/87-25. BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/25. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46788 208-46788 211.
- 8809080249** Responds to NRC 880215 ltr re violations noted in Insp Rept 50-219/87-25. Corrective action all armed response personnel are & will continue to be scheduled for weapons requalification at least every 12 months. MANGANARO, F.F. General Public Utilities Corp. - GPU Service Corp. 88/08/10. EBNETER, S.D. Region 1, Ofc of the Director. 3pp. 46788 210-46788 211.
- 8808290112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co of New York, Inc. 123pp. 46713 095-46713 217.
- 8809080139** Notification of 880907 Significant Licensee Meeting 88-136 w/util in King of Prussia, PA for enforcement conference to discuss individual operator actions surrounding safety limit violation. COWGILL, C.J. Region 1, Ofc of the Director. 88/08/29. Region 1, Ofc of the Director. 2pp. 46860 275-46860 276.
- 8808260492** NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

1300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated valves." Svc list encl.
JSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02
Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

1200159 Responds to NRC Bulletin 88-005 re nonconforming matl supplied by King Supplies, Inc & West Jersey Mfg Co.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/12 Document Control Branch (Document Control Desk) 4pp 46900.268-46900 271

1050339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in VRs During Recirculation Operation Following LOCA." Svc list encl.
JSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14
Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824.336

1200361 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." Current rating procedures address reactor stability concerns & operator actions to mitigate rating conditions for power oscillation problems.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/14 Office Nuclear Reactor Regulation, Director (Post 870411). 2pp 46911 252-46911 253

120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit breakers by Anti Pump Circuitry." Svc list encl.
JSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16
Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252.

130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
JSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19
Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947.013

portable occurrences, LERs & related correspondence

300351 LER 88-014-00 on 880721, upstream MSIV in steam line A failed surveillance test & declared inoperable. Caused by procedural inadequacy. Damage to guide s repaired & poppet properly aligned w/guide ribs. Valve stem replaced. W/880819

YLEY,R.B., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/19. 5pp. 46892.037-46892.041.

080244 LER 88-015-00 on 880805, reactor isolation signal inadvertently initiated during intermediate range neutron monitor front panel surveillance. Caused by circuit configured to facilitate testing. Fuse replaced. W/880830 ltr.
ITMAN,L.W., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 108/30. 5pp. 46758.219-46758.223.

230019 LER 88-016-00 on 880819, isolation condenser automatic actuation pressure sensors RE15A, RE15B, RE15C & RE15D tripped at values greater than specified Tech Spec 2.3.E. Caused by inadequate instrument repeatability W/880918 ltr.
IDKNECHT,M., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 109/16 5pp 46945.289-46945.292

erator Examinations

080123 Requests that encl list of ref matl be provided by 881003 for senior reactor operator licensing exams scheduled for wk of 881205. Description of requirements for including exams & rules & guidance for written exam also encl.
NGE,D.L. Region 1, Ofc of the Director. 88/08/30 FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 9pp 46800.185-46800.193.

380044 Forwards projected schedule of operator licensing exam requirements for 89-92, per General Ltr 88-13.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/01.
NNON,J. Region 1, Ofc of the Director. 3pp. 46794-358-46794-380

ET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

curity, medical, emergency & fire protection plans

100345 Advises that util 880715 proposed revs to plant security plan & training & mitigation plan consistent w/provisions of 10CFR50.54(p) & acceptable.
LAMY,R.R. Region 1, Ofc of the Director. 88/08/24. BERATTA,J.P. Niagara Mohawk Power Corp. 3pp. 46698-311-46698.313.

110176 Revised emergency plan implementing procedures, including Rev 9 to EPP-5, "Radiation Emergencies." Rev 13 to EPP-2, "Fire Fighting" & Rev 11 to EPP-5, "Site Evacuation." W/880829 ltr.
RDAN,E.C., ROMAN,T.W., ABBOTT,R.B. Niagara Mohawk Power Corp. 88/08/29. 3pp. 46702-121-46702-310.

160190 Provides Status Rept 2 for plant, including plant status, items of special interest, activities planned, onsite NRC coverage & cumulative summary of significant events.
SCHMIDT,W.L. Region 1, Ofc of the Director. 88/08/30. JOHNSON,J.R. Region 1, Ofc of the Director. 3pp 46800-243-46800-245.

190300 Forwards summary of current restrictions contained in either Tech Specs or in procedures & identifies emergency action levels, per 880802 request to review license-related actions for plants.
RA,R.A. Project Directorate I-1. 88/09/07. BOGER,B. Project Directorate I-1. 5pp. 99-252-46999.258.

40008 Forwards security & safeguards contingency plan. Definition of security & member discussed. Plan withheld.
BERATTA,J.P. Niagara Mohawk Power Corp. 88/09/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46911-005-46911.005.

90287 Forwards Insp Repts 50-220/88-26 & 50-410/88-25 on 880801-03. No violations noted.
LAMY,R.R. Region 1, Ofc of the Director. 88/09/09. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46896.037-46896.045.

--8809190296 Insp Repts 50-220/88-26 & 50-410/88-25 on 880801-03. No violations noted. Major areas inspected emergency preparedness & observation of annual partial participation emergency exercise.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 88/09/09 7pp 46896 039-46896 045

8809230152 Forwards Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824 & notice of violation Stop work order issued as result of QA dept surveillance of inservice inspections demonstrates inadequate control & oversight of program.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/09/15. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp 46932 189-46932.217.

--8809230153 Notice of violation from Insp on 880707-0824 Violation noted on 880713 continuous fire watch was not established within 1 h on one side of inoperable Fire Door T-234.
* Region 1, Ofc of the Director. 88/09/15 1p. 46932 192-46932 192

--8809230155 Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824 Violations noted. Major areas inspected. Unit 1 outage. Unit 2 power operations. NRC bulletin & notice reviews, LER reviews, temporary instruction followup & 10CFR50.59 reviews.
JOHNSON,J.H. Region 1, Ofc of the Director. 88/09/14 25pp 46932 193 46932 217.

8809270126 Revised emergency plan implementing procedures, including Rev 9 to Procedure EPP-15, "Health Physics Procedure" & Rev 6 to Procedure EPP-19, "Site Evacuation Procedure."
BURGESS,G.W., TERRY,C.D. Niagara Mohawk Power Corp. 88/09/19 79pp 46971.271 46971 349

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLRs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808260130 Informs that tests described in 880603 ltr to assure sys operability following insps during 1988 refueling outage be utilized to assure continued operability of scram discharge instrument vol.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/17. Document Control Branch (Document Control Desk). 1p. 46655.236 46655-236.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,I. Doc-Search Associates. 5pp 46770 060 46770.069.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770.211-46770.223.

8808300252 Forwards application for amend to License DPR-63. Amend changes Tech Specs re RCS isolation valves & instrumentation that initiates scram. Fee paid.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/19 Document Control Branch (Document Control Desk). 1p. 46695.330 46695.339.

--8808300253 Application for amend to License DPR 63, changing Tech Specs re RCS isolation valves & instrumentation that initiates scram.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/19 2pp. 46695.331-46695.332.

--8808300256 Proposed Tech Specs re instrumentation that initiates scram & RCS isolation valves.
* Niagara Mohawk Power Corp. 88/08/19. 7pp. 46695.333-46695 339.

8809090001 Provides milestones accomplished re comprehensive assessment of activities at Neely Nuclear Research Cir, per 880223 & 0513 discussions.
CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 88/08/19 GRACE,J.N. Region 2, Ofc of the Director. 3pp. 46808-114-46808-116.

8809080190 Provides Status Rept 2 for plant, including plant status, items of special interest, activities planned, onsite NRC coverage & cumulative summary of significant events.
SCHMIDT,W.L. Region 1, Ofc of the Director. 88/08/30. JOHNSON,J.R. Region 1, Ofc of the Director. 3pp. 46800-243-46800-245.

8809060097 Forwards safety evaluation supporting util 870401 & 880806 submittals on compliance w/ATWS rule re alternate rod injection sys & recirculation pump trip sys. NRC will provide guidance on Tech Specs for sub sys in separate document.
HAUGHEY,M.F. Project Directorate I-1. 88/08/31. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46758.015 46759-032.

--8809060126 Safety evaluation supporting util 870401 & 880806 submittals on compliance w/ATWS rule re alternate rod injection sys & recirculation pump trip sys.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/31. 7pp. 46759.017-46759.032.

8809140471 Advises that util will delay submitting Tech Spec changes until 30 days after receipt of response to util 880728 ltr.
PERKINS,T.J. Niagara Mohawk Power Corp. 88/09/02. Document Control Branch (Document Control Desk). 1p. 46840.277-46840.277

8809130332 Forwards notice of environ assessment & finding of no significant impact re 880823 request for exemption from certain requirements of 10CFR50, App J.
HAUGHEY,M.F. Project Directorate I-1. 88/09/08 MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46833-338-46833-345.

--8809130336 Notice of environ assessment & finding of no significant impact re util request for exemption from certain requirements of 10CFR50, App J.
CAPRA,R.A. Project Directorate I-1. 88/09/08. 5pp. 46833-341-46833-345.

8809120158 Summary of 880830 meeting w/util re status of licensing issues for plant. W/ list of meeting participants & observers.
HAUGHEY,M.F. Project Directorate I-1. 88/09/07. Project Directorate I-1. 9pp. 46825.025-46825.033.

16 DOCKETED ITEMS

P. Operating license stage documents & correspondence

- 8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 008
- 8808260105 Forwards responses to 880526 request for addl info re SEP Topic III 4A, "Tornado Missile". NAGAI, Y. General Public Utilities Corp. - GPU Service Corp. 88/08/12. DROMERICK, A.W. NRC - No Detailed Affiliation Given 7pp. 46658 065-46658 071
- 8808300224 Forwards response to Generic Ltr 88-01 re NRC position on IGSCC in BWR austenitic stainless steel piping Insp plans still not in complete compliance w/ NUREG-0313, Rev 2. Intent of subj NUREG adopted in response to plant IGSCC experience. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/08/12. Document Control Branch (Document Control Desk). 2pp. 46692 309-46693 004
- 8808300263 Rev 0 to "Response to Generic Ltr 88-01 & NUREG 0313, Rev 2." COVILL, D., LORENZO, R., CAPODANNO, G.R. General Public Utilities Corp. - GPU Service Corp. TR-050 R00. 88/08/10. 55pp. 46692 311-46693 004
- 8809120091 Final response to FOIA request for documents Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (rel FOIA Exemption 5) App C documents partially withheld (rel FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates 5pp. 46770 060-46770 089
- 8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770 211-46770 223
- 880910264 Documents results of 880607 meeting w/NRC re SEP Topic 4.1.3, "Intake Water Level Monitoring". Concludes that instrumentation w/associated alarm not necessary based upon replacement of current water level staff gauge. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/08/19. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46743 346-46743 347.
- 8809060355 Forwards listed info needed to resolve issues re SEP Topic VII-1A, "Isolation of Reactor Protection Sys for Nonsafety Sys." per 871110 request. NAGAI, Y. General Public Utilities Corp. - GPU Service Corp. 88/08/19. DROMERICK, A.W. NRC - No Detailed Affiliation Given 3pp. 46758 356-46758 358
- 880910273 Notification of 880901 meeting w/util in Rockville, MD to discuss Rev 2 to util operational QA plan for plants. SPRAUL, J. Quality Assurance Branch 88/08/29. WEISS, S.H. Quality Assurance Branch 3pp. 46743 198-46743 200
- 8809140218 Forwards "Race Code Methodology & Verification," per NRC 880512 request for addl info. Consideration of uncertainties for input variables to code correlation described in encl necessitates change in Tech Spec Change Request 188. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/09/02. Document Control Branch (Document Control Desk). 2pp. 46840 185-46840 243.
- 8809140254 "Race Code Methodology & Verification". FURIA, R.V. General Public Utilities Corp. - GPU Service Corp. 87/11/24. 47pp. 46840 187-46840 243.
- 8809120101 Notification of 880928 meeting w/util in Forked River, NJ to discuss status of licensing activities for facility. DROMERICK, A.W. Project Directorate I-4. 88/09/07. STOLZ, J.F. Project Directorate I-4. 3pp. 46815 353-46815 355.
- 8809200016 Forwards Amend 126 to License DPR-16 & safety evaluation. Amend revises requirements on max radiiodine concentration allowed in reactor coolant. DROMERICK, A.W. Project Directorate I-4. 88/09/12. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46899 313-46899 329.
- 8809200020 Amend 126 to License DPR-16, revising requirement on max radiiodine concentration allowed in reactor coolant. STOLZ, J.F. Project Directorate I-4. 88/09/12. 10pp. 46899 315-46899 324.
- 8809200022 Safety evaluation supporting Amend 126 to License DPR-16. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/12. 5pp. 46899 325-46899 329.
- 8809210069 Forwards addl info re ASME Code compliance for upper elevations of plant drywell containment, per NRC 880728 meeting request. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/09/12. Document Control Branch (Document Control Desk). 8pp. 46920 117-46920 124.
- 8809200136 Summary of 880901 QA meeting w/util in Rockville, MD to discuss Rev 2 of util operational QA plan for plants. Agenda & list of participants encl. SPRAUL, J.G. Quality Assurance Branch. 88/09/15. WEISS, S.H. Quality Assurance Branch. 5pp. 46900 009-46900 013

Q. Inspection reports, IE Bulletins & correspondence

- 8808300224 Forwards response to Generic Ltr 88-01 re NRC position on IGSCC in BWR austenitic stainless steel piping Insp plans still not in complete compliance w/ NUREG-0313, Rev 2. Intent of subj NUREG adopted in response to plant IGSCC experience. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. 88/08/12. Document Control Branch (Document Control Desk). 2pp. 46692 309-46693 004.
- 8808300263 Rev 0 to "Response to Generic Ltr 88-01 & NUREG 0313, Rev 2." COVILL, D., LORENZO, R., CAPODANNO, G.R. General Public Utilities Corp. - GPU Service Corp. TR-050 R00. 88/08/10. 55pp. 46692 311-46693 004.
- 8808290277 Notification of 880830 Significant Licensee Meeting 88-131 w/util in King of Prussia, PA to discuss enforcement conference re equipment environ qualification issues. COWGILL, C.J. Region 1, Ofc of the Director. 88/08/15. Region 1, Ofc of the Director. 2pp. 46683 244-46683 245.
- 8808300226 Ack receipt of 880801 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/88-08 Request for withdrawal of violation re audits of emergency program unjustified Response required within 30 days. EBNETER, S.D. Region 1, Ofc of the Director. 88/08/18. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 7pp. 46692 207-46692 308.
- 8808310011 Audit on 870223 0511 of emergency preparedness program & associated emergency implementing procedures. MACFARLANE, D. General Public Utilities Corp. - GPU Service Corp. S-OC-87-01. 87/06/26. 34pp. 46692 230-46692 263.
- 8808310015 Audit on 860213 0509 of definition & implementation of emergency plan. HEYSEK, W.G. General Public Utilities Corp. - GPU Service Corp. S-OC-86 03. 86/08/05. 45pp. 46692 264-46692 308.
- 8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/10. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.
- 8808260325 Forwards Insp Rept 50-219/88-15 on 880523 0726 & notice of violation. JOHNSTON, W.V. Region 1, Ofc of the Director. 88/08/19. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46655 237-46655 264.
- 8808260339 Notice of violation from Insp on 880521-0726. Violation noted. Licensee performed evaluation that accepted calculated reduction in stress margins, below levels established by NRC, increasing failure probability for two piping sys. Region 1, Ofc of the Director. 88/08/19. 1p. 46655 239-46655 230.
- 8808260339 Insp Rept 50-219/88-15 on 880523 0726. Violations noted. Major areas inspected. Licensee action in response to Mark I containment mod requirements of NUREG-0861, review of design analyses & plant unique analysis rept. CHAUDHARY, S.K., ROMNEY, N.D., STROSNIDER, J.R. Region 1, Ofc of the Director. 88/08/15. 25pp. 46655 240-46655 264.
- 880910276 Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Neither bulletin nor suppl applicable to facility. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/08/10. Document Control Branch (Document Control Desk). 2pp. 46742 218-46742 220.
- 8808180451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.
- 880910124 Notification of Licensee Meeting 88-135 on 880808 in King of Prussia, PA to discuss safety limit violation. COWGILL, C.J. Region 1, Ofc of the Director. 88/08/23. Region 1, Ofc of the Director. 2pp. 46789 329-46789 330.
- 8808180388 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 218.
- 880910373 Forwards Safety Insp Rept 50-219/88-20 on 880626 0730. No violations noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/08/24. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46740 345-46740 359.
- 880910375 Insp Rept 50-219/88-20 on 880626 0730. No violations noted. Major areas inspected: new fuel movement & channelling, plant operations, physical security, radiation control, housekeeping, fire protection & emergency preparedness. COWGILL, C. Region 1, Ofc of the Director. 88/08/18. 13pp. 46740 347-46740 350.
- 880910388 Forwards Safety Insp Rept 50-219/88-21 on 880711-15 & notice of violation. KANE, W.F. Region 1, Ofc of the Director. 88/08/24. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46740 060-46740 076.
- 8809020189 Notice of violation from Insp on 880711-15. Violation noted. Reactor remained in operation for greater than 7 days w/one loop of containment spray/emergency svc water sys inoperable. Region 1, Ofc of the Director. 88/08/24. 2pp. 46740 062-46740 063.
- 8809020192 Insp Rept 50-213/88-21 on 880711-15. Violations noted. Major areas inspected: review of events surrounding containment spray/emergency svc water iix differential pressure & exceeding limiting condition for operation. COWGILL, C. Region 1, Ofc of the Director. 88/08/23. 13pp. 46740 084-46740 076.
- 8809080244 Ack receipt of 880810 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/87-25. BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/26. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46798 208-46798 211.
- 8809080249 Responds to NRC 880215 ltr re violations noted in Insp Rept 50-219/87-25. Corrective action: all armed response personnel are & will continue to be scheduled for weapons requalification at least every 12 months. MANGANARO, F.F. General Public Utilities Corp. - GPU Service Corp. 88/08/10. EBNETER, S.D. Region 1, Ofc of the Director. 3pp. 46798 210-46798 211.
- 8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/20. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.
- 8809080139 Notification of 880907 Significant Licensee Meeting 88-136 w/util in King of Prussia, PA for enforcement conference to discuss individual operator actions surrounding safety limit violation. COWGILL, C.J. Region 1, Ofc of the Director. 88/08/29. Region 1, Ofc of the Director. 2pp. 46800 275-46800 276.
- 8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

DOCKETED ITEMS 17

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809200159 Responds to NRC Bulletin 88-005 re nonconforming mail supplied by Piping Supplies, Inc. & West Jersey Mtg Co
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/12 Document Control Branch (Document Control Desk) 4pp. 46900 268 46900 271

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 336

8809200361 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." Current operating procedures address reactor stability concerns & operator actions to mitigate initiating conditions for power oscillation problems
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/14, Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46911.252 46911.253

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133 46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013

S. Reportable occurrences, LERs & related correspondence

8808300351 LER 88-014-00 on 880721, upstream MSIV in steam line A failed surveillance test & declared inoperable. Caused by procedural inadequacy. Damage to guide ribs repaired & poppet properly aligned w/guide ribs. Valve stem replaced w/880819 ltr.
GAYLEY,R.B., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/08/19 5pp. 46892 037-46892 041.

8809080244 LER 88-015-00 on 880805, reactor isolation signal inadvertently initiated during intermediate range neutron monitor front panel surveillance. Caused by circuit not configured to facilitate testing. Fuse replaced. W/880830 ltr.
LEITMAN,L.W., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/08/30. 5pp. 46758.219-46758 223

8809230019 LER 88-016-00 on 880819, isolation condenser automatic actuation pressure sensors RE15A, RE15B, RE15C & RE15D tripped at values greater than specified in Tech Spec 2.3 E. Caused by inadequate instrument repeatability. W/880916 ltr.
GODKNECHT,M., FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/16. 5pp. 46945.288-46945.292.

V. Operator Examinations

8809080123 Requests that encl list of ref mail be provided by 881003 for senior/reactor operator licensing exams scheduled for wk of 881205. Description of requirements for conducting exams & rules & guidance for written exam also encl.
LANGE,D.L. Region 1, Ofc of the Director. 88/08/30. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 5pp. 46800.185-46800 193

8809080044 Forwards projected schedule of operator licensing exam requirements for FY89-92, per Generic Ltr 88-13.
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/09/01 HANNON,J. Region 1, Ofc of the Director. 3pp. 46794 358-46794 360.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300345 Advises that util 880715 proposed revs to plant security plan & training & qualification plan consistent w/provisions of 10CFR50.54(g) & acceptable.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/24. BERATTA,J.P. Niagara Mohawk Power Corp. 3pp. 46698 311-46698 313

8808310176 Revised emergency plan implementing procedures, including Rev 9 to EPP-1, "Radiation Emergencies," Rev 13 to EPP-2, "Fire Fighting" & Rev 11 to EPP-5, "Station Evacuation." W/880828 ltr.
GORDAN,E.C., ROMAN,T.W., ABBOTT,R.B. Niagara Mohawk Power Corp. 88/08/29. 120pp. 46702:121-46702 310

8809080190 Provides Status Rept 2 for plant, including plant status, items of special interest, activities planned, onsite NRC coverage & cumulative summary of significant events.
SCHMIDT,W.L. Region 1, Ofc of the Director. 88/08/30. JOHNSON,J.R. Region 1, Ofc of the Director. 3pp. 46800:243 46800:245.

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880802 request to review hurricane related actions for plants.
CAPRA,R.A. Project Directorate I-1. 88/09/07. BOGER,B. Project Directorate I-1. 5pp. 46999.252-46999 258.

8809140008 Forwards security & safeguards contingency plan. Definition of security force member discussed. Plan withheld.
BERATTA,J.P. Niagara Mohawk Power Corp. 88/09/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46911:005-46911.005

8809190287 Forwards Insp Repts 50-220/88-26 & 50-410/88-26 on 880801-03. No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/09. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46896 037-46896 045

8809190296 Insp Repts 50-220/88-26 & 50-410/88-26 on 880801-03. No violations noted. Major areas inspected emergency preparedness & observation of annual partial participation emergency exercise.
GORDON,C.Z., LAZARUS,W.J. Region 1, Ofc of the Director. 88/09/09. 7pp. 46896.039 46896 045.

8809230152 Forwards Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824 & notice of violation Stop work order issued as result of QA dept surveillance of inservice insps demonstrates inadequate control & oversight of program.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/09/15. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46932.189 46932 217

8809230153 Notice of violation from insp on 880707-0824 Violation noted on 880713 continuous fire watch was not established within 1 h on one side of inoperable Fire Door T-234.
* Region 1, Ofc of the Director. 88/09/15 1p. 46932:192-46932 192

8809230155 Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824. Violations noted. Major areas inspected Unit 1 outage, Unit 2 power operations, NRC bulletin & notice reviews, LER reviews, temporary instruction followup & 10CFR50.59 reviews.
JOHNSON,J.R. Region 1, Ofc of the Director. 88/09/14. 25pp. 46932:193 46932 217.

8809270126 Revised emergency plan implementing procedures, including Rev 9 to Procedure EPP-15, "Health Physics Procedure" & Rev 6 to Procedure EPP-18, "Site Evacuation Procedure."
BURGESS,C.W., TERRY,C.D. Niagara Mohawk Power Corp. 88/09/19. 79pp. 46971 271-46971 349

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

8808280130 Informs that tests described in 880603 ltr to assure sys operability following insps during 1988 refueling outage be utilized to assure continued operability of scram discharge instrument vol.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/17 Document Control Branch (Document Control Desk). 1p. 46855:236-46855 236

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates. 5pp. 46770 060-46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770 211-46770 223

8808300252 Forwards application for amend to License DPR-83 Amend changes Tech Specs re RCS isolation valves & instrumentation that initiates scram. Fee paid.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/19. Document Control Branch (Document Control Desk). 1p. 46695 330-46695 339.

8808300253 Application for amend to License DPR-83, changing Tech Specs re RCS isolation valves & instrumentation that initiates scram.
TERRY,C.D. Niagara Mohawk Power Corp. 88/08/19. 2pp. 46695.331-46695 332.

8808300256 Proposed Tech Specs re instrumentation that initiates scram & RCS isolation valves.
* Niagara Mohawk Power Corp. 88/08/19. 7pp. 46695:333-46695 339

8809090001 Provides milestones accomplished re comprehensive assessment of activities at Neely Nuclear Research Ctr, per 880223 & 0513 discussions.
CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 88/08/19. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 46806.114-46806 116.

8809080190 Provides Status Rept 2 for plant, including plant status, items of special interest, activities planned, onsite NRC coverage & cumulative summary of significant events.
SCHMIDT,W.L. Region 1, Ofc of the Director. 88/08/30. JOHNSON,J.R. Region 1, Ofc of the Director. 3pp. 46800.243 46800.245.

8809060097 Forwards safety evaluation supporting util 870401 & 880606 submittals on compliance w/ATWS rule re alternate rod injection sys & recirculation pump trip sys. NRC will provide guidance on Tech Specs for sub sys in separate document.
HAUGHEY,M.F. Project Directorate I-1. 88/08/31. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46759.016 46759 032.

8809060126 Safety evaluation supporting util 870401 & 880606 submittals on compliance w/ATWS rule re alternate rod injection sys & recirculation pump trip sys.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/31 7pp. 46759.017-46759 032

8809140471 Advises that util will delay submitting Tech Spec changes until 30 days after receipt of response to util 880728 ltr.
PERKINS,T.J. Niagara Mohawk Power Corp. 88/09/02. Document Control Branch (Document Control Desk). 1p. 46840:277-46840 277.

8809130332 Forwards notice of environ assessment & finding of no significant impact re 880623 request for exemption from certain requirements of 10CFR50, App J.
HAUGHEY,M.F. Project Directorate I-1. 88/09/06. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46833.338-46833 345.

8809130336 Notice of environ assessment & finding of no significant impact re util request for exemption from certain requirements of 10CFR50, App J.
CAPRA,R.A. Project Directorate I-1. 88/09/06. 5pp. 46833 341-46833 345.

8809120158 Summary of 880830 meeting w/util re status of licensing issues for plant W/list of meeting participants & observers.
HAUGHEY,M.F. Project Directorate I-1. 88/09/07. Project Directorate I-1. 8pp. 46825.025-46825 033

18 DOCKETED ITEMS

8809140096 Requests confirmation that classification of components & investigation of reactor inp function components to be completed by 851231, has been completed, per Generic Ltr 83-28.
HAUGHEY, M.F. Project Directorate I-1. 88/09/07. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46846 115-46845 116

8809160149 Forwards errata to Amend 97 to License DPR 63, consisting of corrected Figure 2.1.1.
HAUGHEY, M.F. Project Directorate I-1. 88/09/13. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46894-344-46894 346.

8809160150 Errata to Amend 97 to License DPR 63, revising Figure 2.1.1.
* Project Directorate I-1. 88/09/13. 1p. 46894 346-46894 346.

8809190382 Forwards SER accepting evaluation of effect of potential mixup of reactor vessel surveillance capsule test mail on pressure temp limits for facility.
HAUGHEY, M.F. Project Directorate I-1. 88/09/14. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46898 028-46898 037.

8809190387 Safety evaluation re reactor vessel pressure temp limits & surveillance program.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/14. 8pp. 46898 030-46898 037.

8809200126 Requests exemption from requirements of 10CFR50.62(c)(4) re liquid poison sys control capacity equivalency requirements. Fee paid.
TERRY, C.D. Niagara Mohawk Power Corp. 88/09/14. Document Control Branch (Document Control Desk). 3pp. 46905 244-46905 246

8809220100 Informs that standby liquid control sys shutdown margins acceptable & do not change conclusions of 880419 SER Actions on submittals re reload Cycle 10 completed.
HAUGHEY, M.F. Project Directorate I-1. 88/09/16. MANGAN, C.V. Niagara Mohawk Power Corp. 4pp. 46928 160-46928 163.

Q. Inspection reports, IE Bulletins & correspondence

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890 178

8809180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8809180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 219-46713 219.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8809070358 Informs of actions taken to address Unresolved Item 86 07-04 from Insp Repts 50-220/88 07 & 50-410/88 08 re methodology for determining effect of ac & dc emergency buses when new loads added to plant.
MANGAN, C.V. Niagara Mohawk Power Corp. 88/08/28. Document Control Branch (Document Control Desk). 2pp. 46779 203-46779 204.

8809080180 Provides Status Rept 2 for plant, including plant status, items of special interest, activities planned, onsite NRC coverage & cumulative summary of significant events.
SCHMIDT, W.L. Region 1, Ofc of the Director. 88/08/30. JOHNSON, J.R. Region 1, Ofc of the Director. 3pp. 46800 243-46800 245.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809120112 Advises that util 880714 response to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE," adequately addresses concerns.
HAUGHEY, M.F. Project Directorate I-1. 88/09/07. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46824 356-46824 357

8809130070 Forwards Insp Rept 50 220/88-28 on 880801-05 No violations noted.
DURR, J.P. Region 1, Ofc of the Director. 88/09/07. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46833 238-46833 290

8809130078 Insp Rept 50-220/88-28 on 880801-05. No violations or deviations noted. Major areas inspected util action re NUREG 0681 containment mod requirements Viewgraphs & agenda from 880426 meeting concerning torus wall thinning encl.
CHAUDHARY, S.K., CARRASCO, J., WEBER, M. Region 1, Ofc of the Director. 88/09/06. 51pp. 46833 240-46833 290.

8809190079 Responds to NRC Bulletin 88-005 through Suppl 2 re mail supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamsburg, NJ. Total of 829 safety-related items purchased from subv vendors.
TERRY, C.D. Niagara Mohawk Power Corp. 88/09/09. Document Control Branch (Document Control Desk). 11pp. 46899 102-46899 112.

8809190287 Forwards Insp Repts 50 220/88 26 & 50-410/88-25 on 880801-03 No violations noted.
BELLAMY, R.R. Region 1, Ofc of the Director. 88/09/09. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46898 037-46898 045.

8809190296 Insp Repts 50-220/88 26 & 50-410/88-25 on 880801-03 No violations noted. Major areas inspected, emergency preparedness & observation of annual partial participation emergency exercise.
GORDON, C.Z., LAZARUS, W.J. Region 1, Ofc of the Director. 88/09/09. 7pp. 46898 039-46898 045

8809190316 Forwards response to NRC Bulletin 88-007 Reactor operators & shift technical advisors performing shift duties briefed on LaSalle Unit 2 880309 event & adequacy of procedures & operator training programs evaluated.
TERRY, C.D. Niagara Mohawk Power Corp. 88/09/12. Document Control Branch (Document Control Desk). 4pp. 46898 006-46898 009

8809220309 Forwards Insp Repts 50-220/88-24 & 50 410/88 26 on 880725-29. No violations noted.
DURR, J.P. Region 1, Ofc of the Director. 88/09/12. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46930 237-46930 253

8809220311 Insp Repts 50-220/88-24 & 50 410/88 24 on 880725-29. No violations noted. Major areas inspected review of corrective actions from IE Bulletin 85 003 addressing improper limit switch & torque switch settings in motor-operated valves.
ANDERSON, C.J., KOSHY, T., MATHEW, R.K. Region 1, Ofc of the Director. 88/09/08. 15pp. 46930 239-46930 253.

8809190067 Informs that 880328 response to NRC Bulletin 88 001, "Defects in Westinghouse Circuit Breakers," satisfactory.
HAUGHEY, M.F. Project Directorate I-1. 88/09/13. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46899 088-46899 099

8809220216 Notification of 880919 meeting w/util in Rockville, MD to discuss status of inservice insp program.
HAUGHEY, M.F. Project Directorate I-2. 88/09/13. MURLEY, T.E., SNIEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 3pp. 46919 059-46919 061.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336.

8809230152 Forwards Insp Repts 50-220/88-17 & 50 410/88-17 on 880707-0824 & notice of violation. Stop work order issued as result of QA dept surveillance of inservice insps demonstrates inadequate control & oversight of program.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/09/16. MANGAN, C.V. Niagara Mohawk Power Corp. 3pp. 46932 189-46932 217.

8809230153 Notice of violation from insp on 880707 0824 Violation noted on 880713 continuous fire watch was not established within 1 h on one side of Inoperable Fire Door T-234.
* Region 1, Ofc of the Director. 88/09/15. 1p. 46932 192-46932 192.

8809230155 Insp Repts 50 220/88-17 & 50-410/88-17 on 880707-0824. Violations noted. Major areas inspected Unit 1 outage, Unit 2 power operations, NRC bulletin & notice reviews, LER reviews, temporary instruction followup & 10CFR50.59 reviews.
JOHNSON, J.R. Region 1, Ofc of the Director. 88/09/14. 25pp. 46932 193-46932 217.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809200127 Monthly operating rept for Aug 1988 for Nine Mile Point Unit 1 W/880913 ltr.
DAHLBERG, K.A., WILLIS, J.L. Niagara Mohawk Power Corp. 88/08/31. 8pp. 46919 191-46919 198

S. Reportable occurrences, LERs & related correspondence

8809070474 Special rept on 880730, detection zone not returned to functional status within 14 days. Repair of ionization fire detection per 880717 work request (WR) exceeded limits because Part 4 of WR checked as time permits.
WILLIS, J.L. Niagara Mohawk Power Corp. 88/09/29. Document Control Branch (Document Control Desk). 3pp. 46772 140-46772 142.

V. Operator Examinations

8809140464 Forwards proposed operator licensing & requalification exam schedule format in response to Generic Ltr 88-13.
PERKINS, T.J. Niagara Mohawk Power Corp. 88/09/02. Document Control Branch (Document Control Desk). 3pp. 46837 224-46837 226.

DOCKET 50-224 UNIV. OF CALIFORNIA RESEARCH REACTOR

G. Adjudicatory correspondence

8809210033 Notice of appearance of counsel for licensee. * Notifies that author will appear on behalf of licensee in proceeding. Certificate of Svc encl.
KROESCHE, J.B. California, Univ. of, Berkeley, CA. KROESCHE, J.B. Orrick, Herrington & Sutcliffe. #388 7095. 88/09/13. 3pp. 46843 158-46843 160.

8809210048 Joint motion to stay proceedings for addl 30 days & order thereon * Intervenor & licensee jointly move for stay of proceedings, including intervenor time to file suppl petition for leave to intervene W/Certificate of Svc
GELB, M. Berkeley, CA KROESCHE, J.B. California, Univ. of, Berkeley, CA
KROESCHE, J.B. Orrick, Herrington & Sutcliffe #388 7096, 88/09/16 Atomic Safety and Licensing Board Panel 7pp 46843,161-46843 167

DOCKET 50-225 RPI CRITICAL EXPERIMENT

F. Security, medical, emergency & fire protection plans

8809020123 Forwards proprietary response to NRC 880719 ltr re security violation noted in Insp Repts 50-225/88-02 & 70-0920/88 01 concerning effectiveness of RPI public safety guard checks of reactor critical facility security sys Response withheld.
HARRIS, D.R. Rensselaer Polytechnic Institute, Troy, NY. 88/08/16 BELLAMY, R.R. Region 1, Ofc of the Director. 1p 46750 304-46750 304

Q. Inspection reports, IE Bulletins & correspondence

8809020123 Forwards proprietary response to NRC 880719 ltr re security violation noted in Insp Repts 50-225/88-02 & 70-0920/88 01 concerning effectiveness of RPI public safety guard checks of reactor critical facility security sys Response withheld.
HARRIS, D.R. Rensselaer Polytechnic Institute, Troy, NY. 88/08/16 BELLAMY, R.R. Region 1, Ofc of the Director. 1p 46750 304-46750 304

DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8809160273 Forwards security plan Plan change Involves storage of irradiated & unirradiated fuel. Plan withheld (ref 10CFR2.780).
NEWACHECK, R.L. Aerotest Operations, Inc. 88/09/12 Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46885 305-46885 305

V. Operator Examinations

8809070530 Forwards, for presentation, certificates for DJ Willett & SL Warren in response to Commission direction, in recognition of achievement. W/o encls.
KIRSCH, D.F. Region 5, Ofc of the Director. 88/08/30 NEWACHECK, R.L. Aerotest Operations, Inc. 1p. 46777.338-46777.338.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809160256 Emergency Operating Procedure DEOP 010-400-4, "Flowcharts" W/10 oversize encls
* Commonwealth Edison Co. 88/05/27. 14pp 46857-063 46857 066

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable.
SHAFER, W.D. Region 3, Ofc of the Director. 88/08/31 REED, C. Commonwealth Edison Co. 2pp. 46806:193-46806 194.

8809080225 Forwards safety evaluation re util response to Generic Ltr 82-33 concerning emergency response capability conformance to Reg Guide 1.97, Rev 2 Response acceptable provided that neutron monitoring instrumentation concern addressed.
MULLER, D.R. Project Directorate III-2. 88/09/01. BLISS, H.E. Commonwealth Edison Co. 3pp. 46793.057-46793.083.

8809080227 Safety evaluation supporting util response to Generic Ltr 82-33, demonstrating post accident monitoring instrumentation conformance w/Reg Guide 1.97, subj to stated conditions. Response detailed in encl EG&G Rept EGG-NTA-7762.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 3pp. 46793 060-46793.083.

8809150313 Rev 0 to Emergency Plan Implementing Procedure EPIP 200-T4, "Containment Radiation Time Dependent Correction Factors Graph."
* Commonwealth Edison Co. 88/09/06. 4pp. 46854.280 46854.293.

8809140423 Confirms 880921 as date for site visit to tour emergency response facilities, per 880901 telcon. Outline of areas to be reviewed encl.
SHAFER, W.D. Region 3, Ofc of the Director. 88/09/08. REED, C. Commonwealth Edison Co. 3pp. 46846:186-46846 188.

8809260345 Requests relief from commitment to seal ventilation openings in electrical cabinets from water spray since safety significance of openings minimal, per review of fire protection requirements, 10CFR50, App R.
SILADY, J.A. Commonwealth Edison Co. 88/09/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46856.207-46856:208.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc. 41pp 47085 001-47085 006.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates. 5pp. 46770:060-46770:068.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 88/12/13. BLAHA, J.I. Program Support & Analysis Staff, IE (Pre 870413) 19pp 46770:211-46770:223.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/19 REED, C. Commonwealth Edison Co. 2pp 46742 071-46742 072

8808300272 Requests FR publication of notice of issuance of Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively Amends eliminate APRM scram requirement & remove bypass permissive on main steam line high radiation scram.
SIEGEL, B. Project Directorate III-2. 88/08/24. NRC - No Detailed Affiliation Given. 7pp 46692 146-46692 152.

8809020164 Forwards Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends eliminate APRM scram requirement & remove bypass permissive on main steam line high radiation scram.
SIEGEL, B. Project Directorate III-2. 88/08/24. BLISS, H.E. Commonwealth Edison Co. 4pp 46751.150-46751 171

8809020166 Amends 100 & 96 to Licenses DPR-19 & DPR 25, respectively, eliminating APRM scram requirement & removing bypass permissive on main steam line high radiation scram.
MULLER, D.R. Project Directorate III-2. 88/08/24. 14pp. 46751.154-46751 167.

8809020167 Safety evaluation supporting Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. 4pp. 46751 168-46751 171.

8809010237 Confirms 880920 meeting w/util in Rockville, MD to discuss periodic mgt meeting & update of plant performance.
GREENMAN, E.G. Region 3, Ofc of the Director. 88/08/25 REED, C. Commonwealth Edison Co. 1p. 46743.341-46743 341.

8809120189 Application for amend to License DPR-19, revising Tech Specs to facilitate future reload licensing review per 10CFR50.59 Supporting documents also encl. Fee paid.
JOHNSON, I.M. Commonwealth Edison Co. 88/08/25 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 24pp 46826.085 46826 304

8809120192 Proposed Tech Specs re reload licensing reviews
* Commonwealth Edison Co. 88/08/25. 68pp. 46826 109-46826 176.

8809120201 "Analysis of Dresden Units 2 & 3 Operation W/One Relief Valve Out-of-Svc"
SWOPE, D.R., COLLINGHAM, R.E., STOUT, R.B. Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc.). XN NF-84 49 84/09/26. 24pp. 46826 177-46826 200

8809120205 "LOCA-ECCS Analysis for Dresden Units During Single Loop Operation W/Advanced Nuclear Fuels Corp Fuel"
SWOPE, D.R. Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc.). ANF-87-111. 87/09/26. 49pp. 46826 201-46826 261.

8809120208 "Extended Operating Domain/Equipment Out of-Svc Analysis for Dresden Units 2 & 3"
KEHELEY, T.H. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) 88/07/13 63pp 46826:252-46826 304.

8809080342 Application for amends to Licenses DPR-19 & DPR-25, revising Tech Spec 3.5.F.3 to include more prescriptive requirements for ECCS operability during cold shutdown & refueling Fee paid.
SILADY, J.A. Commonwealth Edison Co. 88/08/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46795 049-46795 069

8809080352 Proposed Tech Spec 3.5.F.3, reflecting more prescriptive requirements for ECCS operability during cold shutdown & refueling
* Commonwealth Edison Co. 88/08/31. 18pp. 46795.051-46795.069

8809080225 Forwards safety evaluation re util response to Generic Ltr 82-33 concerning emergency response capability conformance to Reg Guide 1.97, Rev 2 Response acceptable provided that neutron monitoring instrumentation concern addressed.
MULLER, D.R. Project Directorate III-2. 88/09/01. BLISS, H.E. Commonwealth Edison Co. 3pp. 46793.057-46793.083.

8809080227 Safety evaluation supporting util response to Generic Ltr 82-33, demonstrating post-accident monitoring instrumentation conformance w/Reg Guide 1.97, subj to stated conditions. Response detailed in encl EG&G Rept EGG-NTA-7762.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/01. 3pp 46793 060-46793.083.

8809140273 Forwards safety evaluation supporting util 871117 request for relief from certain pump & valve tests in 10 yr interval inservice testing program.
MULLER, D.R. Project Directorate III-2. 88/09/01. BLISS, H.E. Commonwealth Edison Co. 5pp. 46840:244-46840:262.

8809140275 Safety evaluation supporting util request for relief from certain pump & valve tests during second 10-yr interval inservice testing program
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 14pp. 46840 249-46840:282.

8809140067 Forwards final "Rept on Potential Drywell Steel Degradation at Sand Pocket at Dresden Units 2 & 3 & Quad Cycles 1 & 2," in response to Generic Ltr 87-05.
MORGAN, W.E. Commonwealth Edison Co. 88/09/06. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 46842:043-46842:128

8809140090 "Rept on Potential for Drywell Steel Degradation at Sand Pocket Dresden Units 2 & 3 & Quad Cycles Units 1 & 2."
* Commonwealth Edison Co. * Sargent & Lundy, Inc. 88/08/31. 84pp. 46842 044-46842:128.

8809150338 Forwards addl info re fuel head assessment program, per 880802 request.
JOHNSON, I.M. Commonwealth Edison Co. 88/09/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46891:101-46891:108.

20 DOCKETED ITEMS

8809140295 Requests FR publication of notice of consideration of amendments to Licenses DPR-19 & DPR 25 & proposed NSHC determination & opportunity for hearing on 880831 request re low pressure ECCS sys
SIEGEL,B Project Directorate IL-2 88/09/08 NRC - No Detailed Affiliation Given
8pp 46838 317 46838 324

8809290065 Forwards Rev 52 to Topical Rept CE-1 A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization
MORGAN,W E Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk) 1p 46999 322-46999 336

8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations"
SHEWSKI,W. Commonwealth Edison Co CE-1-A R52. 88/09/13 12pp 46999 323-46999 336.

8809260099 Forwards recent submittal to State of IL EAP application for renewal of NPDES Permit IL0002224, for use & info.
SLADY,J A. Commonwealth Edison Co. 88/09/15 DAVIS,A B Region 3, Ofc of the Director. 62pp 46957 108-46957:169

Q. Inspection reports, IE Bulletins & correspondence

8809140173 Forwards SALP Repts 50 237/88 01 & 50 249/88-01 for Jan 1987 - Jan 1988, for review prior to 880502 meeting. Category Rating 2 being adjusted to Category 3 w/improved trend.
DAVIS,A B. Region 3, Ofc of the Director 88/04/20 REED,C Commonwealth Edison Co 3pp. 46845-157 46845 203.

8809140183 SALP Repts 50 237/88 01 & 50 249/88 01 for Jan 1987 - Jan 1988.
Region 3, Ofc of the Director. 88/04/20 43pp 46845.160 46845 203

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR Records also available under listed FOIAs
GRIMSLEY,D Division of Rules & Records (870413 880514) 88/09/10 UNNERSTALL,K Newman & Holtzinger 6pp 46769 054 46769.059.

8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413) 88/08/21 RUSSELL,W.T. Region 1, Ofc of the Director. 9pp. 46769.146-46769.154.

8809290004 Forwards Emergency Operating Procedure Team Insp Repts 50 237/88-12 & 50-249/88-14 Plans & corrective actions re technical, human factor & mgt control issues should be provided within 30 days of IIR date.
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/18 REED,C. Commonwealth Edison Co. 4pp 46880.198 46880.248.

8809290027 Notice of violation from insp on 880531 0608 Violation noted licensee failed to perform planned & periodic audits of emergency operating procedures between 851031 & 890608
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/18 1p 46880 202-46880 202.

8809290031 Insp Repts 50-237/88-12 & 50-249/88-14 on 880531-0808 Violations noted Major areas inspected Dresden emergency operating procedures (DEOPs), including comparison of DEOPs w/BWR Owners Group emergency procedures guidelines.
FLOREK,D J, GALLO,R M Region 3, Ofc of the Director 88/08/17 43pp 46880 203-46880 248.

8809190195 NRC Info Notice 88-068, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890-178

8809180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703.070

8809290304 Forwards Safety Insp Repts 50-237/88-19 & 50-249/88 20 on 880725-29 & notice of violation
SHAFFER,W D Region 3, Ofc of the Director 88/08/22. REED,C. Commonwealth Edison Co. 2pp. 46886.020 46886 036.

8809290305 Notice of violation from insp on 880725-0804 Violation noted first two quarters of 1986 licensee analyzed only six airborne particulate samples per wk & analyzed only six airborne radioiodine samples biweekly
SHAFFER,W D Region 3, Ofc of the Director. 88/08/22. 1p. 46886 022-46886 022.

8809290309 Insp Repts 50 237/88-19 & 50-249/88-20 on 880725 0804. Violations noted Major areas inspected confirmatory measurements, including plant chemistry organization, mgt controls, training & qualifications.
JANUSKA,A.G. SCHUMACHER,M Region 3, Ofc of the Director. 88/08/22. 14pp 46886 023-46886 036

8809180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713.219.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713-217.

8809260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713.004.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726.001-46726-123.

8809180243 Responds to NRC 880525 & 0729 ltrs re violations noted in Insp Repts 60 237/88 11 & 50-249/88-13 Corrective actions: both chainfalls removed & properly stored & Maint Memo 40 issued
BLISS,H E Commonwealth Edison Co. 88/09/02. DAVIS,A.B. Region 3, Ofc of the Director 6pp 46864.238-46864 243

8809130047 Forwards Insp Rept 50 237/88-17 & 50 249/88 18 on 880705 0902 No violations noted
FORNEY,W.L. Region 3, Ofc of the Director 88/09/07 REED,C. Commonwealth Edison Co 1p 46839.160-46839 169

8809130052 Insp Repts 50 237/88-17 & 50-249/88-18 on 880705 0902.No violations or deviations noted.Major areas inspected: response to diagnostic evaluation team findings & review of previous insp items
RING,M A Region 3, Ofc of the Director 88/09/07. 9pp. 46839 161 46839 169

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co emails complying w/ASME Code requirements Itemized list of components received encl
MORGAN,W E Commonwealth Edison Co. 88/09/08. Document Control Branch (Document Control Desk) 31pp 46857 021-46857.051.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809220243 Responds to NRC Bulletin 88 007 did 880615 per request that holders of OIs ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation.
MORGAN,W E Commonwealth Edison Co. 88/09/15. Document Control Branch (Document Control Desk). 11pp. 46927:198 46927 208

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-28 Addl listed info re pumps & valves requested
GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/15 REED,C. Commonwealth Edison Co. 4pp. 46956 055-46956 058

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp. 46948:133 46948:252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/10 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013

R. Periodic operating reports & related correspondence

8809010236 Forwards util summary & work request data for Jul 1988 Inadvertently omitted from operating data rept.
EENIGENBURG,E. Commonwealth Edison Co. 88/08/19 Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 46741.273 46741.283.

8809010268 Revised monthly operating rept for Jul 1988.
Commonwealth Edison Co. 88/07/31 10pp. 46741-274-46741-283

8809190351 Monthly operating rept for Aug 1988 for Dresden Nuclear Power Station, Units 2 & 3.W/880901 ltr
MAXWELL,D C, EENIGENBURG,E. Commonwealth Edison Co. 88/08/31. 60pp 46898-105-46898:160

S. Reportable occurrences, LERs & related correspondence

8809140053 LER 88 014-00 on 880803.Iridium activity in airborne effluents exceeded allowable Tech Spec 4.8.1.Caused by chemistry dept mgt personnel error Personnel counseled & chemistry dept coordinator assigned W/880901 ltr.
ANANDAPPA,A., EENIGENBURG,E Commonwealth Edison Co. 88/09/01. App. 46846.170 46846.173.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8809010384 Forwards Insp Rept 50-244/88-13 on 880711-0807.
BETTENHAUSEN,L Region 1, Ofc of the Director. 88/08/25 MECREDDY,R C. Rochester Gas & Electric Corp. 2pp. 46742 061-46742 068.

8809010385 Insp Rept 50-244/88-13 on 880711-0807 No violations or deviations noted Major areas inspected plant operations, ESF sys walkdown, operational safety verification, physical security, surveillance testing, maint & periodic repts.
COWGILL,C.J. Region 1, Ofc of the Director. 88/08/23. 6pp. 46742.063-46742 068

8809010236 Forwards revised emergency plan implementing procedures & revised nuclear emergency info plan, per 10CFR50.54.
MECREDDY,R.C. Rochester Gas & Electric Corp. 88/08/26. Document Control Branch (Document Control Desk). STAHL,C. NRC - No Detailed Affiliation Given. 1p. 46744:147-46744.294.

8809080410 Revised emergency plan implementing procedures, including Rev 1 to SC-321, "Mgt of Emergency Off-Site Radiation Survey Teams" & Rev 27 to SC 410, "Insp of Emergency Equipment."
MEYER,T A. Rochester Gas & Electric Corp. 88/08/26. 100pp 46744:148-46744.254.

8809080414 Revised nuclear emergency info plan.
Rochester Gas & Electric Corp. 88/08/05 40pp. 46744-255 46744:294.

8809190231 Forwards revised Pages 1:1,1:1A & revised App 1 to security plan, per RR Bellmay 880816 request Revs withheld (ref 10CFR73.21).
MECREDDY,R.C. Rochester Gas & Electric Corp. 88/09/12. Document Control Branch (Document Control Desk). 1p 46899.095-46899 095.

DOCKETED ITEMS 21

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065.006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR, L. Doc-Search Associates. 5pp 46770.060-46770.069.

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770.211-46770.223.

8809100061 Forwards revised rept re steam generator hydraulic snubber replacement program, containing add info re two analysis cases performed for reactor coolant loop in hot & cold conditions.
SMITH, R.E. Rochester Gas & Electric Corp. 88/08/19. STAHL, C. Document Control Branch (Document Control Desk). 1p. 46723.016 46723.093.

-8809080253 Rev 3 to "Steam Generator Hydraulic Snubber Replacement Program." * Rochester Gas & Electric Corp 88/08/15 80pp 46723 017-46723 093.

8809010108 Forwards corrected Tech Spec pages re 870310 application for amend, reflecting new requirements for operation & testing of reactor trip breakers. Attached pages should be exchanged for like pages in 880126 submittal, per 880622 telcon.
MECREDY, R.C. Rochester Gas & Electric Corp. 88/08/26 Document Control Branch (Document Control Desk) STAHL, C. NRC - No Detailed Affiliation Given 1p 46720.108 46720.108.

-8809010110 Proposed Tech Spec changes per 880622 telcon re new requirements for operation & testing of reactor trip breakers.
* Rochester Gas & Electric Corp 88/08/26 2pp. 46720.107-46720.108

8809080092 Advises that NRC has no objections to allow inactive senior reactor operator personnel to perform 8 h shift requirement. Formal request to be made to modify individual operator license for licensee to implement change.
WESSMAN, R.H. Project Directorate I-3 88/08/30. MECREDEY, R.C. Rochester Gas & Electric Corp App. 46754.054 46754.057

8809080306 Forwards SER accepting util intended replacement of six of eight hydraulic snubbers per steam generator at plant w/ rigid structural members SALP input also encl.
MARSH, L.B. Mechanical Engineering Branch 88/08/31. STAHL, C. Project Directorate I-3. 1p. 46764.282-46764.281.

-8809080314 SER accepting util intended replacement of six of eight hydraulic snubbers per steam generator at plant w/ rigid structural members.
* Mechanical Engineering Branch. 88/08/31 9pp. 46764 283-46764 291.

8809140188 Forwards request for add info re proposed steam generator tube periphery sleeve development program Response requested within 30 days from receipt of ltr.
STAHL, C. Project Directorate I-3 88/08/07 MECREDEY, R.C. Rochester Gas & Electric Corp. 3pp. 46837.343-46837.345.

8809260325 Suppls 870724 application for amend License DPR-18, revising Tech Spec Page 4.14-4 re clarification of functional testing requirements for steam generator snubbers.
SMITH, R.E. Rochester Gas & Electric Corp. 88/09/16. Document Control Branch (Document Control Desk). 1p. 46957.227-46957.228

-8809260331 Proposed Tech Specs supporting rev of amend re clarification of functional testing requirements for steam generator snubbers.
SMITH, R.E. Rochester Gas & Electric Corp. 88/09/16 1p. 46957.228-46957.228.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690.178.

8808160451 NRC Info Notice 88-086, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809010384 Forwards Insp Rept 50-244/88-13 on 880711-0807.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/08/26. MECREDEY, R.C. Rochester Gas & Electric Corp. 2pp. 46742.081-46742.088.

-8809010385 Insp Rept 50-244/88-13 on 880711-0807. No violations or deviations noted. Major areas inspected: plant operations, ESF sys walkdown, operational safety verification, physical security, surveillance testing, maint & periodic repts.
COWGILL, C.J. Region 1, Ofc of the Director. 88/08/23. 8pp. 46742.083-46742.088.

8809010087 Responds to NRC 880727 notice of violation & proposed imposition of civil penalty in amount of \$50,000, per Insp Rept 50-244/88-10. Corrective actions: check valves have been exercised monthly as part of test procedure. Penalty paid.
MECREDEY, R.C. Rochester Gas & Electric Corp 88/08/26. Ofc of Enforcement (Post 870413). 12pp. 46744 051-46744 062.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244 46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726.123.

8809150015 Forwards summary of actions taken in response to NRC Bulletin 88-005, including Suppls 1 & 2 re nonconforming mats supplied by Piping Supplies, Inc & West Jersey Mig Co. Twenty nine carbon steel flanges installed in stated sys.
MECREDEY, R.C. Rochester Gas & Electric Corp 88/09/08. STAHL, C. Document Control Branch (Document Control Desk) 100pp 46849.217-46849 316.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215 46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946.253-46947 013

R. Periodic operating reports & related correspondence

8809080175 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880829 ltr.
MECREDEY, R.C. Rochester Gas & Electric Corp. 88/08/30. 15pp. 46796.255-46796.269

8809220082 Monthly operating rept for Aug 1988 for Ginna Station. W/880915 ltr.
MCNAMARA, A.E., MECREDEY, R.C. Rochester Gas & Electric Corp 88/08/31. 6pp. 46927.007-46927.012.

S. Reportable occurrences, LERs & related correspondence

8809080296 LER 88-006-01 on 880716, emergency diesel generator started automatically. Caused by failed bushing on main electrical substation 115 kV oil circuit breakers. Bushing replaced & sent to Lapp Insulator Co for evaluation W/880829 ltr.
BACKUS, W.H., MECREDEY, R.C. Rochester Gas & Electric Corp. 88/08/29. 11pp. 46792.312-46792 322

8809140105 LER 88-007-00 on 880804, containment particulate radiation monitor de-energized due to open AC fuse inadvertently causing containment ventilation isolation. Caused by internal bridge rectifier power supply failure W/880908 ltr.
BACKUS, W.H., MECREDEY, R.C. Rochester Gas & Electric Corp 88/09/08 7pp 46839.218-46839 224.

8809140154 PNS-I 88-008 on 880908, licensee security notified by sheriff dept that bomb threat received. Perimeter patrols increased & access to site closed. Nothing unusual discovered during search of site. Suspected caller taken into custody.
MARSHALL, C., COWGILL, C. Region 1, Ofc of the Director. 88/09/09. 1p. 46842.220-46842 220

8809150024 RO on 880908, info on bomb threat to util received from Wayne County sheriff. Ofc Original threat received by Monroe County & Rochester police dept. Unusual event declared per SC-100 & offsite notifications made per SC-601.
SPECTOR, S.M. Rochester Gas & Electric Corp 88/09/09. Document Control Branch (Document Control Desk). 2pp. 46863.321-46863 322.

8809230146 PNS-I 88-007 on 880918, site exterior lighting lost due to wiring failure in switching device. Supplementary security personnel called in to provide compensatory measures. Electricians completed jumpering failed switching device.
MARSHALL, C., COWGILL, C. Region 1, Ofc of the Director. 88/09/19. 1p. 46944.341-46944.341.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8804250267 Forwards temporary change to physical security plan re protected area boundary. Rev withheld (ref 10CFR72.790(a)).
MROCZKA, E.J., ROMBERG, W.D. Northeast Nuclear Energy Co. (subs of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/04/22. Document Control Branch (Document Control Desk). 2pp 45281.286-45281.287.

8809020155 Responds to 880607-15 regulatory effectiveness review rept. Schedule for closure of findings not yet developed. Rept detailing open info to be forwarded in 6 months. Encl withheld (ref 10CFR73.21).
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/09/26 Document Control Branch (Document Control Desk). 1p 46745.209 46745.210.

8809230121 Forwards Insp Rept 50-245/88-12 on 880719 0829. No violations noted. Mail equipment parts list program discussed in util 880826 response to violation will be discussed during future insps.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/09/15. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities) 2pp 46945.014-46945.026.

-8809230122 Insp Rept 50-245/88-12 on 880719-0829. No violations noted. Major areas inspected: plant operations, physical security, emergency operating procedure improvement plan & various temporary instructions.
MCCABE, E.C. Region 1, Ofc of the Director. 88/09/15 13pp. 46945.016-46945.028.

22 DOCKETED ITEMS

8809290168 Revised emergency plan implementing procedures, including Rev 6 to EPIP 4612, "Waterford, State, Tri-Town & EMT Radio Test," Rev 7 to EPIP 4112-1, "Incident Reporting Document," & Rev 3 to EPIP 4112-3, "NRC ENS Event Notification" W/ 880920 ltr
MROCKZKA, E.J. Northeast Utilities 88/09/20, 52pp. 46985344-46986035

J. Insurance & Indemnity Information

8809200185 Informs NRC that util cognizant of 881004 deadline re insurance reporting requirements of 10CFR50.54(w) Util understands NRC pending actions & assurance that util will be relieved from 881004 deadline.
MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities)
MROCKZKA, E.J. Connecticut Yankee Atomic Power Co MROCKZKA, E.J. Northeast Utilities 88/09/15, Document Control Branch (Document Control Desk) 2pp 46918.101-46918.102

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411), 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR, L. Doc-Search Associates 5pp, 46770 080-46770 088.

-8808120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413), 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223.

8808260506 Forwards Amend 20 to License DPR-21 & safety evaluation. Amend incorporates requirements for helon sys in control room.
BOYLE, M.L. Project Directorate I-4 88/08/19, MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp 46669 127-46669 137

-8808260508 Amend 20 to License DPR 21, incorporating requirements for helon sys in control room.
STOLZ, J.F. Project Directorate I 4 88/08/19 6pp, 46669 129-46669 134.

-8808260510 Safety evaluation supporting Amend 20 to License DPR-21.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/19 3pp, 46669.135-46669.137.

8808290352 Forwards Amend 21 to License DPR-21 & safety evaluation. Amend revises Tech Spec Section 3.7.A.3, "Primary Containment" by removing permission to perform open vessel criticality w/o containment integrity.
BOYLE, M.L. Project Directorate I 4, 88/08/18, MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp, 46677 258-46677-266.

-8808290355 Amend 21 to License DPR-21, revising Tech Spec Section 3.7.A.3, "Primary Containment" by removing permission to perform open vessel criticality & open vessel low power physics testing w/o containment integrity
STOLZ, J.F. Project Directorate I-4 88/08/19, 6pp, 46677.258-46677 283

-8808300022 Safety evaluation supporting Amend 21 to License DPR-21.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/19 3pp, 46677.284-46677-286.

8808260398 Forwards safety evaluation re util 880624 request for amend to Tech Spec re spent fuel pool capacity expansion. Use of existing spent fuel racks as free standing w/no seismic restraints acceptable
BOYLE, M.L. Project Directorate I-4, 88/08/22, MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp, 46658.034-46658.039

-8808260398 Safety evaluation supporting removal of seismic restraints & qualification of existing spent fuel racks as free-standing racks, per 880624 application for amend to license.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/22, 4pp 46658.038-46658.039.

8808300029 Forwards Amend 22 to License DPR-21 & safety evaluation. Amend revises Tech Spec Section 3.9.B.5 & corresponding bases by reducing allowable battery sys outage time from 7 days to 24 h Revised Amends 1 & 11 also encl
BOYLE, M.L. Project Directorate I-4, 88/08/22, MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp 46693 272-46693-282

-8808300032 Amend 22 to License DPR-21, revising Tech Spec Section 3.9.B.5 & corresponding bases, by reducing allowable battery sys outage time from 7 days to 24 h
STOLZ, J.F. Project Directorate I 4 88/08/22, 6pp 46693.274-46693.278.

-8809060320 Corrected Tech Spec Sections 4.9.B.1.a & b to Amend 1 to License DPR-21
* NRC - No Detailed Affiliation Given 88/08/22, 1p 46693.279-46693-279

-8809060325 Corrected Tech Spec Table 3.7.1, reflecting changes made in Amend 4, issued on 870717, inadvertently omitted in Amend 11 to License DPR-21.
* NRC - No Detailed Affiliation Given 88/08/22 1p 46693 280-46693.280.

-8808300035 Safety evaluation supporting Amend 22 to License DPR-21 & correction to Tech Specs from Amends 1 & 11.
* Office of Nuclear Reactor Regulation, Director (Post 870411), 88/08/22, 2pp, 46693-281-46693-282.

8808310171 Documents that SPDS declared fully operational in accordance w/SAR on 880208 after successfully completing various tests & operator training, per NUREG-0737 & util 870409 ltr
MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities)
MROCKZKA, E.J. Northeast Utilities 88/08/24 Document Control Branch (Document Control Desk) 2pp, 46726-357-46726-359.

8809010320 Informs that Commissioners found Thames Valley State Technical College training program acceptable. Staff proceeding to act on license amends
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/26, MROCKZKA, E.J. Connecticut Yankee Atomic Power Co MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 3pp 46740 054-46740.056.

8809070346 Forwards copy of 880823 ltr to Town of Waterford, providing list of hazardous chemicals used at facilities in quantities exceeding min threshold for reportable quantities
MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities)
MROCKZKA, E.J. Northeast Utilities 88/09/01, Document Control Branch (Document Control Desk), 4pp 46788 079-46788 082

8809190062 Informs of decision to assess operational readiness of selected safety sys to function under operational & analyzed accident conditions
MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities)
MROCKZKA, E.J. Northeast Utilities 88/09/09 Document Control Branch (Document Control Desk), 2pp, 46893 286-46893-287.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co. of New York, Inc. 125pp 46690-054-46690.178.

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp, 46702.311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713-219.

8809020215 Responds to NRC 880728 ltr re violations noted in Insp Rept 50-245/08-01. Corrective actions rept filed, speed switch upgraded to QA Category 1 prior to declaring diesel operable.
MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities)
MROCKZKA, E.J. Northeast Utilities 88/08/26, RUSSELL, W.T. Region 1, Ofc of the Director 5pp, 46760 305-46760-308.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp, 46712.244-46713.004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp, 46726.001-46726-123.

8809130285 Forwards response to NRC Bulletin 88-005, "Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mig Co at Williamstown, NJ." No significant deficiencies discovered & no mat replaced.
MROCKZKA, E.J. Connecticut Yankee Atomic Power Co MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities), MROCKZKA, E.J. Northeast Utilities, 88/09/02, Document Control Branch (Document Control Desk), 17pp, 46836-231-46836-247.

8809200082 Forwards Insp Repts 50-245/88-13, 50-336/88-18 & 50 423/88-13 on 880728-29. No violations noted
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/09, MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp 46911.348-46911-354.

-8809200091 Insp Repts 50-245/88-13, 50-336/88-18 & 50 423/88-13 on 880728-29. No violations noted. Major areas inspected. Unit 2 radiation protection activities, including status of previously identified items & station ALARA practices.
THOMAS, W., SHANBAKY, M. Region 1, Ofc of the Director 88/09/08 5pp 46911-350-46911-354.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp, 46824.215-46824.336.

8809220186 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs" Existing operating procedures & instrumentation & ongoing operator training address occurrence of uncontrolled power oscillations during all modes of operation.
MROCKZKA, E.J., WERNER, R.P. Northeast Nuclear Energy Co (subs. of Northeast Utilities) MROCKZKA, E.J. Northeast Utilities 88/09/14, Document Control Branch (Document Control Desk), 4pp, 46918-191-46918-194.

8809230121 Forwards Insp Rept 50-245/88 12 on 880719-0829 No violations noted. Mat equipment parts list program discussed in util 880826 response to violation will be discussed during future insps.
BETTENHAUSEN, L. Region 1, Ofc of the Director, 88/09/15 MROCKZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp 46945-014-46945 028.

-8809230122 Insp Rept 50-245/88-12 on 880719-0829 No violations noted. Major areas inspected plant operations, physical security, emergency operating procedure improvement plan & various temporary instructions
MCCABE, E.C. Region 1, Ofc of the Director, 88/09/15, 13pp, 46945-016-46945-028.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp, 46948-133-46948-252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control," Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947.019

R. Periodic operating reports & related correspondence

8809060001 "Semiannual Radioactive Effluents Release Rept, Jan June 1988," W/ 880830 ltr. MROCZKA,E.J. Northeast Nuclear Energy Co (subs of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/08/30 86pp. 46747 163-46747.247

8809220110 Monthly operating rept for Aug 1988 for Millstone Unit 1.W/ 880912 ltr. NEWBURGH,G. SCACE,S.E. Northeast Nuclear Energy Co (subs of Northeast Utilities). SCACE,S.E. Northeast Utilities. 88/08/31. 5pp. 46930.040-46930 044.

S. Reportable occurrences, LERs & related correspondence

8809140129 LER 88 006 00 on 880806, standby gas treatment sys initiated automatically & reactor bldg ventilation sys isolated due to spurious high radiation signal Caused by electronic equipment failure. Relays & capacitors tested. W/ 880906 ltr SAUER,G., SCACE,S.E., HAYNES,H.F. Northeast Nuclear Energy Co (subs. of Northeast Utilities). 88/08/06 4pp. 46838 032-46838 035

V. Operator Examinations

8809010320 Informs that Commissioners found Thames Valley State Technical College training program acceptable Staff proceeding to act on license amends MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/28. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 3pp. 46740.054-46740.058.

8809230037 Forwards updated schedules for operator licensing exams for FY89 92 In response to Generic Ltr 88-13 MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/09/16. HANNON,J. Operator Licensing Branch. 10pp. 46945 297-46945 306

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808300325 Forwards rev to physical security plan for plant Rev withheld (ref 10CFR2.790(d) & 73.21) BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/19 RUSSELL,W. Region 1, Ofc of the Director. 1p. 46693.360 46693-360.

8808290258 Notification of 880907 Significant Licensee Meeting 88 127 w/util In King of Prussia, PA re sys engineer program & design basis documentation. SWETLAND,P. Region 1, Ofc of the Director. 88/08/22. Region 1, Ofc of the Director. 2pp. 46876.208-46876.209

8809020107 Forwards Safety Insp Rept 50 247/88-22 on 880711-15 No violations noted. BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46746.143 46746.152

--8809020109 Insp Rept 50-247/88-22 on 880711-15. No violations, deviations or unresolved items noted. Major areas inspected. licensee emergency preparedness program & emergency response facilities FOX,E.F., LAZARUS,W.J. Region 1, Ofc of the Director. 88/08/19 8pp. 46746-145-46746-152.

8809080140 Forwards public version of revs to Books 1 & 2 of emergency plan & emergency procedures document. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/23. Document Control Branch (Document Control Desk). 1p. 46788.212-46788.260.

--8809080179 Public version of revised emergency plan & procedures document. W/ 880906 release memo. * Consolidated Edison Co. of New York, Inc. 88/08/23 48pp. 46798-213-46798 250.

8809070483 Forwards application for amend to License DPR-26, requesting administrative change to fire protection Tech Spec to correct error. Fee paid. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/29. Document Control Branch (Document Control Desk). 2pp. 46781-139-46781-146.

--8809070486 Application for amend to License DPR-26, requesting administrative change to fire protection Tech Spec to correct error. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/29 1p. 46781-141-46781-141

--8809070489 Proposed fire protection Tech Spec, consisting of administrative change to correct error. * Consolidated Edison Co. of New York, Inc. 88/08/29. 5pp. 46781-142-46781-146

8809070219 Forwards Insp Rept 50-247/88-23 on 880705 0815 & notice of violation WENZINGER,E.C. Region 1, Ofc of the Director. 88/08/31. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46783-282-46783.306

--8809070342 Notice of violation from insp on 880705 0815. Violations noted. Key left in ignition of unattended vehicle in protected area & QA audit repts containing safeguards info stored on bookshelf in ofc. * Region 1, Ofc of the Director. 88/08/31. 2pp. 46783.284-46783-285.

--8809070348 Insp Rept 50-247/88-23 on 880705 0815. Violations noted. Major areas inspected. routine daily insps, as well as unscheduled backshift insps of onsite activities, including actions on previously identified insp findings, operations & maint. SWETLAND,P. Region 1, Ofc of the Director. 88/08/31. 21pp. 46783-286-46783-306

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880902 request to review hurricane related actions for plants CAPRA,R.A. Project Directorate I-1. 88/09/07 BOGER,B. Project Directorate I-1. 5pp. 46999-252-46999 256

8809230060 Clarifies request for exemption from post-fire reentry requirements previously discussed in 880911 submittal, per 880812 request Previous submittals reevaluated based on Generic Ltr 88-10, "Implementation of Fire Protection." BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/14. Document Control Branch (Document Control Desk). 6pp. 46943 289-46943 304

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001 47065 006.

8808260110 Responds to NRC 880815 request for addl info re application for amend to License DPR 26, permitting operation w/max svc water inlet temp of 90 F. Specific responses to questions encl. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/16. Document Control Branch (Document Control Desk). 6pp. 46653.223 46653.228

8808300031 Notification of 880823 Meeting 88-126 w/util In King of Prussia, PA to discuss operator professionalism. SWETLAND,P. Region 1, Ofc of the Director. 88/08/18 Region 1, Ofc of the Director 2pp. 46691.034 46691.035.

8809010346 Commits to listed actions concurrent w/NRC approval of Tech Spec amend to permit operation w/max svc water inlet temp of 90 F, per 880817 discussion w/NRC. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/18 Document Control Branch (Document Control Desk). 2pp. 46743.339-46743 340

8809020017 Forwards Amend 135 to License DPR-26 & safety evaluation Amend temporarily modifies Tech Spec 5.2.C, "Containment Sys." Tech Specs Basis 3-3-10 & Updated FSAR Table 9.6-1, "Essential Svc Water Requirements at 75 F River Water Temp." LANGFORD,D. Project Directorate I-1. 88/08/19 BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 46746.047-46746 080.

--8809020025 Amend 135 to License DPR 26, temporarily modifying Tech Spec 5.2.C, "Containment Sys." Tech Specs Basis 3-3-10 & Updated FSAR Table 9.6-1, "Essential Svc Water Requirements at 75 F River Water Temp." BOGER,B.A. Assistant Director for Region I Reactors. 88/08/19. 5pp. 46746 049-46746-053.

--8809020031 Safety evaluation supporting Amend 135 to License DPR 26. * Assistant Director for Region I Reactors. 88/08/19. 6pp. 46746 054-46746 060.

8808310148 Notification of 880822 Significant Licensee Mgt Meeting 88-126 In King of Prussia, PA re sys engineer program & design basis documentation. SWETLAND,P. Region 1, Ofc of the Director. 88/08/22. Region 1, Ofc of the Director 2pp. 46726.354-46726-355

8808290047 Forwards summary of 880226 & 0623 meetings In Region I to discuss activities re separation of electric cabling within facility & specifically acceptability of svc water cable installation inside Manhole 21 WENZINGER,E.C. Region 1, Ofc of the Director. 88/08/23. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46668.295 46668.290.

--8808290049 Summary of 880226 & 0623 meetings w/util In Region I re electrical cable separation & qualification problems. SWETLAND,P. D. Region 1, Ofc of the Director. 88/08/22 Region 1, Ofc of the Director 4pp. 46668.287-46668 290.

8809010238 Forwards corrected Amend 135 to License DPR 26 & safety evaluation, correcting administrative errors listed & replacing amend issued on 880819. Corrected ltr forwarding attachments also encl. LANGFORD,D. Project Directorate I-1. 88/08/25 BRAM,S.B. Consolidated Edison Co. of New York, Inc. 1p. 46720-175-46720-186.

--8809010242 Forwards emergency Amend 135 to License DPR-26, changing Tech Specs (TS) 5.2.C, "Containment Sys." TS Basis 3-3-10 & updated FSAR Table 9.6-1, "Essential Svc Water Requirements at 75 F River Water Temp." Ltr corrected LANGFORD,D. Project Directorate I-1. 88/08/19 BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 46720.176-46720-177.

--8809010243 Amend 135 to License DPR-26, temporarily modifying Tech Spec (TS) 5.2.C, "Containment Sys." TS Basis 3-3-10 & updated FSAR Table 9.6-1, "Essential Svc Water Requirements at 75 F River Water Temp." Amend corrected. BOGER,B.A. Assistant Director for Region I Reactors 88/08/19 6pp. 46720.178-46720.182.

--8809010245 Corrected safety evaluation supporting Amend 135 to License DPR-26. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/19 6pp. 46720-183-46720 186.

8809070483 Forwards application for amend to License DPR-26, requesting administrative change to fire protection Tech Spec to correct error Fee paid. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/29. Document Control Branch (Document Control Desk). 2pp. 46781-139-46781-146.

--8809070486 Application for amend to License DPR-26, requesting administrative change to fire protection Tech Spec to correct error. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 88/08/29. 1p. 46781-141-46781-141.

--8809070489 Proposed fire protection Tech Spec, consisting of administrative change to correct error. * Consolidated Edison Co. of New York, Inc. 88/08/29. 5pp. 46781-142-46781-146.

24 DOCKETED ITEMS

8809060273 Summary of 880818 meeting w/ultr status of subcooling margin monitor at plant
LANGFORD,D Project Directorate I-1, 88/09/31 Project Directorate I-1 3pp
46764 279-46764 281

8809140142 Proposes to send procedures Sets E & F of emergency operating procedure by 881017, per 880802 request Procedures will be used by NRC during incident response activation.
BRAM,S.B Consolidated Edison Co of New York, Inc 88/09/02 RUSSELL,W Region 1, Ofc of the Director 1p 46837 342-46837 342

Q. Inspection reports, IE Bulletins & correspondence

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co of New York, Inc 125pp, 46890 054-46890 178.

8809290189 Discusses Safety Insp Rept 50-247/88-24 on 880623 0708 & forwards notice of violation
KANE,W.F. Region 1, Ofc of the Director, 88/09/19 BRAM,S Consolidated Edison Co of New York, Inc 3pp, 46677 226-46677 250

-8808290190 Notice of violation from Insp on 880623 0708 Violation noted,unreviewed safety question created due to 1882 change in facility design through implementation of Mod ESG 82-15043, "MSIV Solenoid Operated Valve Upgrade."
KANE,W.F Region 1, Ofc of the Director, 88/08/19 22pp 46677 229-46677 250

8809300275 Forwards results of Steam Generator 22 tube insp conducted during recently concluded outage Next steam generator tube exam will not be conducted until next refueling outage based on results & corrective actions taken
BRAM,S.B Consolidated Edison Co of New York, Inc, 88/08/19, Document Control Branch (Document Control Desk) 3pp, 46703 277-46703 278.

8809160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co of New York, Inc 121pp 46702 311-46703 070

8809020107 Forwards Safety Insp Rept 50-247/88-22 on 880711-15 No violations noted
BELLAMY,R.R Region 1, Ofc of the Director, 88/08/23, BRAM,S Consolidated Edison Co of New York, Inc 2pp 46746 143-46746 152.

-8809020109 Insp Rept 50-247/88-22 on 880711-15 No violations,deviations or unresolved items noted.Major areas inspected licensee emergency preparedness program & emergency response facilities.
FOX,E.F., LAZARUS,W.J Region 1, Ofc of the Director, 88/08/19, 6pp 46746 145-46746 152

8809160368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co of New York, Inc 122pp 46713 218-46713 219.

8809310131 Responds to Safety Sys Functional Insp Rept 50-247/88-200 re svc water & component cooling water sys including design basis concerning short circuit interrupting capability of 480 volt switchgear buses.
BRAM,S.B, Consolidated Edison Co of New York, Inc, 88/08/24 Document Control Branch (Document Control Desk) 30pp, 46689 093-46689 122

8809020142 Ack receipt of 880805 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-247/88-15.
GALLO,R.M. Region 1, Ofc of the Director, 88/08/24 BRAM,S Consolidated Edison Co of New York, Inc, 2pp 46746 153-46746 157.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/28, Consolidated Edison Co. of New York, Inc 123pp 46713 095-46713 217

8809070219 Forwards Insp Rept 50-247/88-23 on 880705 0815 & notice of violation
WENZINGER,E.C Region 1, Ofc of the Director, 88/08/31 BRAM,S, Consolidated Edison Co of New York, Inc, 2pp 46783 282-46783 306.

-8809070342 Notice of violation from Insp on 880705 0815 Violations noted key left in ignition of unattended vehicle in protected area & QA audit repts containing safeguards info stored on bookshelf in ofc.
Region 1, Ofc of the Director 88/08/31, 2pp, 46783 284-46783 285.

-8809070348 Insp Rept 50-247/88-23 on 880705 0815.Violations noted Major areas inspected routine daily insps,as well as unscheduled backshift insps of onsite activities,including actions on previously identified Insp findings,operations & maint
SWETLAND,P. Region 1, Ofc of the Director, 88/08/31, 21pp 46783 286-46783 306

8809140227 Requests extension of response date for NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Extension necessitated by requirement that Worthington Corp evaluate turbine-driven auxiliary feedwater pump
BRAM,S.B. Consolidated Edison Co of New York, Inc, 88/08/31 Document Control Branch (Document Control Desk) 2pp, 46840 271-46840 272

8809260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co of New York, Inc 121pp 46712 244-46713 004.

8809070357 Ack receipt of 880731 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-247/88-01, 50-247/88-17 & 50 286/88-09.
BELLAMY,R.R. Region 1, Ofc of the Director, 88/09/01, BRAM,S Consolidated Edison Co of New York, Inc 2pp, 46773 183-46773 189.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411), 88/09/02 Consolidated Edison Co. of New York, Inc, 122pp, 46728 001-46728 123.

8809220303 Forwards Safety Insp Rept 50-247/88-25 on 880801-04 No violations noted
BELLAMY,R.R Region 1, Ofc of the Director, 88/09/08 BRAM,S. Consolidated Edison Co of New York, Inc, 2pp, 46930 045-46930 051.

-8809220306 Insp Rept 50-247/88-25 on 880801-04 No violations noted Major areas inspected radioactive gaseous & liquid effluent controls program including discharges,monitoring sys calibra & tests & air cleaning surveillance & tests
PASCIAK,W.J., DAVIDSON,B.S Region 1, Ofc of the Director 88/09/07 5pp, 46930 047-46930 051.

8809190224 Forwards supplemental responses to observations noted in Safety Sys Functional Insp Rept 50-247/88 200 Corrective actions,during next refueling outage,mod will be performed to change power supply for Strainers 21 through 26.
BRAM,S.B. Consolidated Edison Co of New York, Inc 88/09/09 Document Control Branch (Document Control Desk) 43pp, 46895 301-46895 343

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc, 122pp, 46824 215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/16 Consolidated Edison Co of New York, Inc 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc 125pp, 46946 253-46947 013

8809210255 Advises that until 880412 response to NRC Bulletin 88-001 re providing confirmation that Westinghouse DS series circuit breakers are not used in safety related applications at Unit 2 satisfactory
LANGFORD,D Project Directorate I-1, 88/09/19, BRAM,S.B. Consolidated Edison Co of New York, Inc, 4pp 46920 290-46920 293.

R. Periodic operating reports & related correspondence

8809140308 "Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr
Consolidated Edison Co of New York, Inc 88/08/31, 54pp 46837 283-46837 335

S. Reportable occurrences, LERs & related correspondence

8809020029 FO on 880419 & 27, inoperable fire barriers discovered & reported on 880524 Hourly firewatch established & repairs completed on 880812 except fire barrier associated w/ containment spray logic disconnect box
BRAM,S.B. Consolidated Edison Co of New York, Inc, 88/08/19 Document Control Branch (Document Control Desk) 2pp, 46746 061-46746 062.

8809310153 LER 88-009 00 on 880725,loss of all rod position indication occurred.Caused by defective regulator board.Regulator replaced W/880824 ltr.
DAHL,G., BRAM,S.B, Consolidated Edison Co. of New York, Inc 88/08/24 5pp 46699 037-46699 041.

8809140225 LER 88 010 00 on 880803,measured Hudson River water temp at plant inlet exceeded 85 F Caused by above normal temp of river water temps due to extended heat wave.NRC issued temporary amend to permit temp water to 90 F.W/ 880901 ltr.
TESFAYE,G., BRAM,S.B Consolidated Edison Co of New York, Inc, 88/09/01 4pp 46836 026-46836 028.

8809260255 LER 88 007 01 on 880829,inadvertent opening of MSIVs occurred Caused by blown fuse,Blown fuse replaced W/880914 ltr
VASELY,M., BRAM,S.B. Consolidated Edison Co of New York, Inc, 88/09/14 6pp, 46956 141-46956 146.

V. Operator Examinations

8809290128 Advises that License SOP-3554-3 no longer required for W Lang due to resignation as of 880818.
BRAM,S.B. Consolidated Edison Co of New York, Inc, 88/08/16 Document Control Branch (Document Control Desk), 1p 46868 291-46868 291.

8809230247 Forwards response to Generic Ltr 88-13, "Operator Licensing Exams," involving schedules for operator licensing exams & requalification exams Response reflects current best estimates for FY89-92 (Oct 1 to Sept 30)
BRAM,S.B Consolidated Edison Co of New York, Inc, 88/09/14, HANNON,J. Operator Licensing Branch, 5pp, 46844 355-46844 359

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8809160256 Emergency Operating Procedure DEOP 010-400 4, "Flowcharts." W/10 oversize encls.
Commonwealth Edison Co, 88/05/27, 14pp, 46857 083-46857 086.

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable.
SHAHER,W.D Region 3, Ofc of the Director, 88/08/31, REED,C. Commonwealth Edison Co, 2pp 46806 193-46806 194.

8809080225 Forwards safety evaluation re util response to Generic Ltr 82-33 concerning emergency response capability conformance to Reg Guide 1.97,Rev 2,Response acceptable provided that neutron monitoring instrumentation concern addressed.
MULLER,D.R. Project Directorate III-2, 88/09/01 BLISS,H.E. Commonwealth Edison Co, 3pp 46793 057-46793 083.

--8809080227 Safety evaluation supporting util response to Generic Ltr 82-33, demonstrating post-accident monitoring instrumentation conformance w/Reg Guide 1.97, subj to stated conditions. Response detailed in encl EG&G Rept EGG-NTA-7762
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 3pp. 46793.060-46793.083

8809150313 Rev 0 to Emergency Plan Implementing Procedure EPIP 200-T4, "Containment Radiation Time Dependent Correction Factors Graph"
* Commonwealth Edison Co. 88/09/06. 4pp. 46854.290-46854.293

8809260345 Requests relief from commitment to seal ventilation openings in electrical cabinets from water spray since safety significance of openings minimal, per review of fire protection requirements, 10CFR50, App B
SILADY, J.A. Commonwealth Edison Co. 88/09/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46956.207-46956.208.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (rel FOIA Exemption 5). App C documents partially withheld (rel FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR, L. Doc-Search Associates. 5pp. 46770.060-46770.069.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770.211-46770.223.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/19. REED, C. Commonwealth Edison Co. 2pp. 46742.071-46742.072.

8808300272 Requests FR publication of notice of issuance of Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively. Amends eliminate APRM scram requirement & remove bypass permissive on main steam line high radiation scram.
SIEGEL, B. Project Directorate III-2. 88/08/24. NRC - No Detailed Affiliation Given. 7pp. 46682.146-46682.152

8809020164 Forwards Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively & safety evaluation Amends eliminate APRM scram requirement & remove bypass permissive on main steam line high radiation scram.
SIEGEL, B. Project Directorate III-2. 88/08/24. BLISS, H.E. Commonwealth Edison Co. 4pp. 46751.150-46751.171.

--8809020166 Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively, eliminating APRM scram requirement & removing bypass permissive on main steam line high radiation scram.
MULLER, D.R. Project Directorate III-2. 88/08/24. 14pp. 46751.154-46751.167.

--8809020167 Safety evaluation supporting Amends 100 & 96 to Licenses DPR-19 & DPR-25, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. 4pp. 46751.168-46751.171.

8809010237 Confirms 880920 meeting w/util in Rockville, MD to discuss periodic mgmt meeting & update of plant performance.
GREENMAN, E.G. Region 3, Ofc of the Director. 88/08/25. REED, C. Commonwealth Edison Co. 1p. 46743.341-46743.341.

8809120189 Application for amend to License DPR-19, revising Tech Specs to facilitate future reload licensing review per 10CFR50.59. Supporting documents also encl. Fee paid.
JOHNSON, J.M. Commonwealth Edison Co. 88/08/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 46826.085-46826.304.

--8809120201 "Analysis of Dresden Units 2 & 3 Operation W/One Relief Valve Out of Svc."
SWOPE, D.R., COLLINGHAM, R.E., STOUT, R.B. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) XN-NF-84-49. 84/09/28. 24pp. 46826.177-46826.200

--8809120205 "LOCA-ECCS Analysis for Dresden Units During Single Loop Operation W/Advanced Nuclear Fuels Corp Fuel"
SWOPE, D.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) ANF-87-111. 87/09/28. 49pp. 46826.201-46826.251.

--8809120208 "Extended Operating Domain/Equipment Out-of-Svc Analysis for Dresden Units 2 & 3."
KEHELEY, T.H. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 88/07/13. 53pp. 46826.252-46826.304.

8809080342 Application for amends to Licenses DPR-19 & DPR-25, revising Tech Spec 3.5.F.3 to include more prescriptive requirements for ECCS operability during cold shutdown & refueling. Fee paid.
SILADY, J.A. Commonwealth Edison Co. 88/08/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46795.049-46795.069.

--8809080352 Proposed Tech Spec 3.5.F.3, reflecting more prescriptive requirements for ECCS operability during cold shutdown & refueling.
* Commonwealth Edison Co. 88/08/31. 19pp. 46795.051-46795.069.

8809080225 Forwards safety evaluation re util response to Generic Ltr 82-33 concerning emergency response capability conformance to Reg Guide 1.97, Rev 2. Response acceptable provided that neutron monitoring instrumentation concern addressed.
MULLER, D.R. Project Directorate III-2. 88/09/01. BLISS, H.E. Commonwealth Edison Co. 3pp. 46793.057-46793.083.

--8809080227 Safety evaluation supporting util response to Generic Ltr 82-33, demonstrating post-accident monitoring instrumentation conformance w/Reg Guide 1.97, subj to stated conditions. Response detailed in encl EG&G Rept EGG-NTA-7762
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 3pp. 46793.060-46793.083

8809140273 Forwards safety evaluation supporting util 871117 request for relief from certain pump & valve tests in 10 yr interval inservice testing program.
MULLER, D.R. Project Directorate III-2. 88/09/01. BLISS, H.E. Commonwealth Edison Co. 5pp. 46840.244-46840.262

--8809140275 Safety evaluation supporting util request for relief from certain pump & valve tests during second 10-yr interval inservice testing program.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 14pp. 46840.248-46840.262

8809140087 Forwards final "Rept on Potential Drywell Steel Degradation at Sand Pocket at Dresden Units 2 & 3 & Quad Cities 1 & 2," in response to Generic Ltr 87-05
MORGAN, W.E. Commonwealth Edison Co. 88/09/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46842.043-46842.128

--8809140090 "Rept on Potential for Drywell Steel Degradation at Sand Pocket Dresden Units 2 & 3 & Quad Cities Units 1 & 2."
* Commonwealth Edison Co. * Sargent & Lundy, Inc. 88/08/31. 84pp. 46842.044-46842.128

8809150338 Forwards addl info re fluid head assessment program, per 880802 request
JOHNSON, J.M. Commonwealth Edison Co. 88/09/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46891.101-46891.108.

8809140295 Requests FR publication of notice of consideration of issuance of amends to Licenses DPR-19 & DPR-25 & proposed NSHC determination & opportunity for hearing on 880831 request re low pressure ECCS sys
SIEGEL, B. Project Directorate III-2. 88/09/08. NRC - No Detailed Affiliation Given. 8pp. 46838.317-46838.324.

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization
MORGAN, W.E. Commonwealth Edison Co. 88/09/13. Document Control Branch (Document Control Desk). 1p. 46999.322-46999.336

--8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations."
SHEWSKI, W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999.323-46999.336.

8809230191 "Dresden Unit 3 Cycle 11 Startup Testing Summary." W/880814 Ltr.
SILADY, J.A. Commonwealth Edison Co. 88/09/14. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 46945.146-46945.156

8809280099 Forwards recent submittal to State of IL EAP application for renewal of NPDES Permit IL0002224, for use & info
SILADY, J.A. Commonwealth Edison Co. 88/09/15. DAVIS, A.B. Region 3, Ofc of the Director. 62pp. 46957.108-46957.169.

8809230173 Forwards summary of 880707 & 17 telcons re automatic depressurizer sys design basis & cable mod study. Attachment B provides mod conceptual design study initiated to support upgrade
SILADY, J.A. Commonwealth Edison Co. 88/09/16. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 46932.187-46932.188.

Q. Inspection reports, IE Bulletins & correspondence

8809140173 Forwards SALP Repts 50-237/88 01 & 50-249/88-01 for Jan 1987 - Jan 1988, for review prior to 880502 meeting. Category Rating 2 being adjusted to Category 3 w/improved trend.
DAVIS, A.B. Region 3, Ofc of the Director. 88/04/20. REED, C. Commonwealth Edison Co. 3pp. 46845.157-46845.203.

--8809140183 SALP Repts 50-237/88 01 & 50-249/88-01 for Jan 1987 - Jan 1988.
* Region 3, Ofc of the Director. 88/04/20. 43pp. 46845.160-46845.203.

8809080234 Partial response to FOIA request for documents. Forwards App B documents App A documents maintained in PDR. Records also available under listed FOIAs
GRIMSLEY, D. Division of Rules & Records (870413 880514). 88/08/10. UNNERSTALL, K. Newman & Holtzinger. 6pp. 46789.054-46789.059.

--8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/06/21. RUSSELL, W.T. Region 1, Ofc of the Director. 8pp. 46769.148-46769.154.

8808290004 Forwards Emergency Operating Procedure Team Insp Repts 50-237/88-12 & 50-249/88-14 Plans & corrective actions re technical, human factor & mgmt control issues should be provided within 30 days of ltr date.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/18. REED, C. Commonwealth Edison Co. 4pp. 46880.188-46880.248.

--8808290027 Notice of violation from insp on 880531-0808. Violation noted: licensee failed to perform planned & periodic audits of emergency operating procedures between 851031 & 880608.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/18. 1p. 46880.202-46880.202.

--8808290031 Insp Repts 50-237/88-12 & 50-249/88-14 on 880531-0808. Violations noted: Major areas inspected: Dresden emergency operating procedures (DEOPs) including comparison of DEOPs w/BWR Owners Group emergency procedure guidelines.
FLOREK, D.J., GALLO, R.M. Region 3, Ofc of the Director. 88/08/17. 43pp. 46880.203-46880.248.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178

26 DOCKETED ITEMS

8808160451 NRC Info Notice 88-068, "Selfpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808280304 Forwards Safety Insp Repts 50-237/88-19 & 50-249/88-20 on 880725 29 & notice of violation. SHAFER,W.D. Region 3, Ofc of the Director. 88/09/22. REED,C. Commonwealth Edison Co. 2pp. 46686.020-46686.036.

-8808290305 Notice of violation from insp on 880725 0804. Violation noted first two quarters of 1988 licensee analyzed only six airborne particulate samples per wk & analyzed only six airborne radioclorine samples biweekly. SHAFER,W.D. Region 3, Ofc of the Director. 88/08/22. 1p. 46686.022-46686.022.

-8808290309 Insp Repts 50-237/88-19 & 50-249/88-20 on 880725-0804. Violations noted Major areas inspected, confirmatory measurements, including plant chemistry organization, mgf controls, training & qualifications. JANUSKA,A.G., SCHUMACHER,M. Region 3, Ofc of the Director. 88/08/22. 14pp. 46686.023-46686.036.

8808190368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809160243 Responds to NRC 880525 & 0729 ltr re violations noted in Insp Repts 50-237/88-11 & 50-249/88-13. Corrective actions, both chainfalls removed & properly stored & Maint Memo 40 issued. BLISS,H.E. Commonwealth Edison Co. 88/09/02. DAVIS,A.B. Region 3, Ofc of the Director. 6pp. 46864.238-46864.243.

8809130047 Forwards Insp Rept 50-237/88-17 & 50-249/88-18 on 880705 0902 No violations noted. FORNEY,W.L. Region 3, Ofc of the Director. 88/09/07. REED,C. Commonwealth Edison Co. 1p. 46839.160-46839.169.

-8809130052 Insp Repts 50-237/88-17 & 50-249/88-18 on 880705-0902. No violations or deviations noted. Major areas inspected. Response to diagnostic evaluation team findings & review of previous insp items. RING,M.A. Region 3, Ofc of the Director. 88/09/07. 9pp. 46839.161-46839.169.

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies, Inc. & West Jersey Mfg Co. matter complying w/ASME Code requirements. Itemized list of components received encl. MORGAN,W.E. Commonwealth Edison Co. 88/09/08. Document Control Branch (Document Control Desk). 31pp. 46857.021-46857.051.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 216-46824.336.

8809220243 Responds to NRC Bulletin 88-007 dtd 880615 per request that holders of OIs ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation. MORGAN,W.E. Commonwealth Edison Co. 88/09/15. Document Control Branch (Document Control Desk). 11pp. 46927.198-46927.209.

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26. Addl listed info re pumps & valves requested. GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/15. REED,C. Commonwealth Edison Co. 4pp. 46956.055-46956.059.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 126pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809010235 Forwards util summary & work request data for Jul 1988 inadvertently omitted from operating data rept. EENIGENBURG,E. Commonwealth Edison Co. 88/08/19. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46741:273-46741.283.

-8809010288 Revised monthly operating rept for Jul 1988. * Commonwealth Edison Co. 88/07/31. 10pp. 46741:274-46741.283.

8809190351 Monthly operating repts for Aug 1988 for Dresden Nuclear Power Station, Units 2 & 3. W/880901 ltr. MAXWELL,D.C., EENIGENBURG,E. Commonwealth Edison Co. 88/08/31. 56pp. 46898:105-46898:160.

DOCKET 80-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8808290105 Advises that 880623 Rev 14 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable, w/ exception of change discussed w/S Ferrel on 880805. CLINE,W.E. Region 2, Ofc of the Director. 88/08/12. WOODY,C.O. Florida Power & Light Co. 4pp. 46688.292-46688.295.

8808290161 Advises that 880426 Rev 17 to emergency plan meets planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E. Submission of all revs to emergency plan in accordance w/ Section 11.P of NUREG-0854 encouraged. COLLINS,D.M. Region 2, Ofc of the Director. 88/08/15. CONWAY,W.F. Florida Power & Light Co. 2pp. 46688.305-46688.306.

8808290191 Forwards Rev 3 to safeguards contingency plan, per 10CFR50.54(p) Rev withheld (ref 10CFR2 790(d)). CONWAY,W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk). 2pp. 46688.296-46688.297.

8808310127 Nuclear Chemistry Procedure NC-23C, "Operation of Post-Accident Sampling Sys for RCS During Emergency Conditions." W/880825 ltr. CONWAY,W.F. Florida Power & Light Co. 88/08/25. 26pp. 46689.001-46689.026.

8808300191 Forwards Rev 15 to physical security plan Rev incorporates changes made under Rev 14 into NUREG-0908 plan rewrite, includes organizational changes, deletes exemption & makes several other changes. Rev withheld. CONWAY,W.F. Florida Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46693.021-46693.022.

8809020263 Responds to NRC ltr re violations noted in Insp Rept 50-250/88-16 & 50-251/88-16. Corrective actions draft of ltr of instruction for security plan changes prepared for review & comment. CONWAY,W.F. Florida Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46746:126-46746.127.

8809070549 Partially withheld Insp Repts 50-250/88-20 & 50-251/88-20 on 880801-05. One violation noted. Major areas inspected: testing & maint, physical barriers - protected area & vital areas, personnel training & qualification & access controls. TILLMAN,A., MCQUIRE,D.R. Region 2, Ofc of the Director. 88/08/31. 1p. 46779:190-46779.190.

8809080048 Forwards Insp Repts 50-250/88-20 & 50-251/88-20 on 880801-05 & notice of violation insp repts & notice of violation withheld (ref 10CFR2.790 & 73.21). CLINE,W.E. Region 2, Ofc of the Director. 88/09/01. CONWAY,W.F. Florida Power & Light Co. 2pp. 46787.318-46787.319.

8809130153 Forwards Insp Repts 50-250/88-18 & 50-251/88-18 on 880625-0725 & notice of violation. WILSON,B.A. Region 2, Ofc of the Director. 88/09/02. CONWAY,W.F. Florida Power & Light Co. 2pp. 46830:333-46830.351.

-8809130156 Insp Repts 50-250/88-18 & 50-251/88-18 on 880625-0725. Violation noted Major areas inspected: backshift, insp, areas of annual & monthly surveillance, maint observations & reviews, ESFs, facility security & plant events. MCELMINNEY,T.F., SCHNEBLI,G.A., CRLENJAK,R.V. Region 2, Ofc of the Director. 88/08/31. 15pp. 46830.337-46830.351.

8809260091 Advises that 880817 Rev 5 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE,W.E. Region 2, Ofc of the Director. 88/09/12. WOODY,C.O. Florida Power & Light Co. 3pp. 46957:091-46957.093.

8809260144 Forwards SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988. Overall performance of plant satisfactory. Weaknesses identified in areas of plant operations, maint, security & safeguards. GRACE,J.N. Region 2, Ofc of the Director. 88/09/13. CONWAY,W.F. Florida Power & Light Co. 2pp. 46965.109-46965.164.

-8809260148 SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988. * Region 2, Ofc of the Director. 88/09/13. 54pp. 46965.111-46965.164.

8809260252 Advises that 880824 Rev 3 to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE,W.E. Region 2, Ofc of the Director. 88/09/16. WOODY,C.O. Florida Power & Light Co. 3pp. 46965:193-46965.195.

G. Adjudicatory correspondence

8809120043 Order, * Advises that time within which Commission may act to review ALAB 898 extended until 880927. Served on 880906. CHILK,S.J. Office of the Secretary of the Commission. #388 7011. 88/09/06. Commissioners. 1p. 46752:147-46752:147.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808260133 Advises that util will be using discretionary enforcement for extension of action statement time 48 h for Containment Spray Pump 3B pullout assembly. CONWAY,W.F. Florida Power & Light Co. 88/08/10. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 46667:351-46667.353.

8808310217 Forwards results of NRC confirmatory measurements program samples, per 880421 request. CONWAY,W.F. Florida Power & Light Co. 88/08/15. KAHLE,J.B. Region 2, Ofc of the Director. 2pp. 46723:350-46723:351.

DOCKETED ITEMS 27

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates. 5pp 46770.060 46770.089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770.211-46770.223

8809260239 Notification of 880913 meeting w/utl in Rockville, MD to discuss Tech Spec Improvement Proj.
EDISON, G.E. Project Directorate II-2. 88/08/24 BERKOW, H.N. Project Directorate II-2. 3pp. 46889.165 46889.167

8809300265 Summary of 880818 meeting w/utl in Rockville, MD re Tech Specs conversion. List of attendees & agenda encl
EDISON, G.E. Project Directorate II-2. 88/08/25. Project Directorate II-2. 14pp 46891.216-46891.229.

8809080223 Forwards draft generic ltr to clarify status of large number of unreviewed inservice testing programs (IST) re Tech Spec requirements & to remedy variety of generic IST problems
MARSH, L.B. Mechanical Engineering Branch 88/08/28. HOYLE, T.F. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv. HOYLE, T.F. American Society of Mechanical Engineers. 21pp 46815.310 46815.330

8809150323 Forwards summary of Investigation Rept Q2-87-018 re alleged drug abuse at plant investigation concluded that individuals named by allegor were not licensed & that NRC drug testing program revealed no evidence of drug use.
GRACE, J.N. Region 2, Ofc of the Director 88/09/01. CONWAY, W.F. Florida Power & Light Co. 2pp. 46864.299-46864.300

8809130352 Forwards safety evaluation re response to Generic Ltr 83-28, Item 2.1, equipment classification (reactor trip sys) Program for identifying, classifying & treating components, meet requirements of Item 2.1
EDISON, G.E. Project Directorate II-2. 88/09/02. CONWAY, W.F. Florida Power & Light Co. 3pp. 46890.227-46890.234.

8809130354 Safety evaluation re response to Generic Ltr 83-28, Item 2.1, (Part 1) re equipment classification (reactor trip sys components) Program for identifying, classifying & treating components meets requirements of Item 2.1.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 5pp 46850.230-46850.231.

8809300179 Safety evaluation re response to Generic Ltr 83-28, Item 2.1, (Part 2) re vendor interface program (reactor trip sys components) Program meets requirements of Item 2.1 (Part 2) of Generic Ltr 83-28
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 3pp. 46890.232-46890.234.

8809130049 Notification of 880920 meeting w/utl in Juno Beach, FL to discuss status of licensing actions.
EDISON, G.E. Project Directorate II-2. 88/09/07. BERKOW, H.N. Project Directorate II-2. 3pp. 46833.165-46833.167.

8809130109 Summary of 880830 meeting w/utl in Rockville, MD re enhancement of emergency electrical power sys Attendance list, meeting agenda & handouts encl.
EDISON, G.E. Project Directorate II-2. 88/09/07 Project Directorate II-2. 7pp 46833.317-46833.323.

8809190286 Application for amends to Licenses DPR-31 & DPR-41, modifying Tech Specs to require that operations superintendent either hold or have held senior operator license (SRO) on plant or have held SRO license on similar plant Fee paid
CONWAY, W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 6pp. 46899.047-46899.056.

8809190292 Proposed Tech Specs Pages 6-1a & 6-5, involving change that operations superintendent hold or have held senior reactor operator (SRO) license on plant or have held SRO license on similar plant
* Florida Power & Light Co. 88/09/12. 4pp. 46899.053 46899.056

8809190147 Notification of cancelled 880920 meeting w/utl in Juno Beach, FL to discuss licensing actions.
EDISON, G.E. Project Directorate II-2. 88/09/13. BERKOW, H.N. Project Directorate II-2. 3pp. 46884.202-46884.204.

Q. Inspection reports, IE Bulletins & correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C. Documents also available in PDR.
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. UNNERSTALL, K. Newman & Holtzinger 2pp. 46766.272-46766.274

8809090222 Documents agreement re proposed course of action per 810902 memo. Based on DOT Interpretation mail shipped meets DOT requirements.
THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 81/09/14. ALDERSON, C.E. Region 2, Ofc of the Director (810301-820201) 1p. 46766.301-46766.301.

8809090226 Supports utl denial of Severity Level III violation for punctured drums on basis that shipment met requirements for bulk shipment per 49FR173.392(d). Draft response to utl & DOT ltr to utl encl.
ALDERSON, C.E. Region 2, Ofc of the Director (810301-820201). 81/09/02. THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 3pp. 46766.302-46766.304.

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46890.054-46890.178.

8809010038 Forwards Insp Repts 50-250/88-19 & 50-251/88-19 on 880718-22. Violation not cited.
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/19. CONWAY, W.F. Florida Power & Light Co. 2pp. 46743.001-46743.021.

8809010039 Insp Repts 50-250/88-19 & 50-251/88-19 on 880718-22. No violations or deviations noted Major areas inspected employee training & qualifications, external & internal exposure monitoring & controls, ALARA programs & solid waste
KUZQ, G.B., LAUER, M.T., HOSEY, C.M. Region 2, Ofc of the Director. 88/08/19 19pp. 46743.003-46743.021

8809160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8809180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713.218-46713.219.

8809020263 Responds to NRC ltr re violations noted in Insp Rept 50-250/88-16 & 50-251/88-16. Corrective actions draft of ltr of instruction for security plan changes prepared for review & comment.
CONWAY, W.F. Florida Power & Light Co. 88/08/26 Document Control Branch (Document Control Desk) 2pp 46746.126 46746.127.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217.

8809080288 Responds to violations noted in Insp Repts 50-250/88-14 & 50-251/88-14. Corrective action filing that failed on Pump 3A replaced w/stainless steel mat per Class I of piping spec.
CONWAY, W.F. Florida Power & Light Co. 88/08/29. Document Control Branch (Document Control Desk) 3pp 46790.196-46790.198.

8809140475 Confirms 880921 mgt meeting to review results of SALP for regulatory performance for period of June 1987 - June 1988.
GRACE, J.N. Region 2, Ofc of the Director. 88/08/30. CONWAY, W.F. Florida Power & Light Co. 2pp 46845.026-46845.027.

8809070549 Partially withheld Insp Repts 50-250/88-20 & 50-251/88-20 on 880801-05. One violation noted Major areas inspected, testing & maint, physical barriers - protected area & vital areas, personnel training & qualification & access controls.
TILLMAN, A., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/08/31. 1p. 46779.190-46779.190.

8809260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713.004

8809080048 Forwards Insp Repts 50-250/88-20 & 50-251/88-20 on 880801 05 & notice of violation Insp repts & notice of violation withheld (ref 10CFR2.790 & 73.21)
CLINE, W.E. Region 2, Ofc of the Director. 88/09/01. CONWAY, W.F. Florida Power & Light Co. 2pp 46787.318-46787.319.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809070460 Responds to violations noted in Insp Repts 50-250/88-11 & 50-251/88-11. Corrective actions. chemistry dept training program revised to include addl instruction on procedure usage
CONWAY, W.F. Florida Power & Light Co. 88/09/02. Document Control Branch (Document Control Desk). 4pp. 46772.082-46772.085

8809130153 Forwards Insp Repts 50-250/88-18 & 50-251/88-18 on 880825-0725 & notice of violation.
WILSON, B.A. Region 2, Ofc of the Director 88/09/02. CONWAY, W.F. Florida Power & Light Co. 2pp. 46830.333-46830.351.

8809130155 Notice of violation from Insp on 880825-0725 Violation noted: failure by day shift reactor control operator to refer to ONOP-028, "Reactor Control Sys Malfunction," indicating greater than 12 steps misaligned w/other rods in bank
WILSON, B.A. Region 2, Ofc of the Director. 88/09/02. 2pp 46830.335 46830.336.

8809130156 Insp Repts 50-250/88-18 & 50-251/88-18 on 880825-0725 Violation noted Major areas inspected backshift insp. areas of annual & monthly surveillance, maint observations & reviews, ESFs, facility security & plant events
MCELHINNEY, T.F., SCHNEBLI, G.A., CRENJAK, R.V. Region 2, Ofc of the Director. 88/08/31. 15pp 46830.337-46830.351

8809190173 Forwards revised response to NRC 880812 ltr re violations noted in Insp Repts 50-250/88-06 & 50-251/88-06 Corrective actions: Procedure 3/4 OSP 088.2 will be revised to establish requirements for new ref values.
CONWAY, W.F. Florida Power & Light Co. 88/09/12 Document Control Branch (Document Control Desk). 2pp 46899.100-46899.101

8809220299 Ack receipt of 880826 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-250/88-16. Response meets requirements of 10CFR2.201.
CLINE, W.E. Region 2, Ofc of the Director. 88/09/12 CONWAY, W.F. Florida Power & Light Co. 1p. 46927.234-46927.236.

8809260098 Advises that utl verbally granted addl 48 h extension on 880810 re Tech Spec Action Statement 3.4.2.b.2 to allow one containment spray pump to be out of svc provided that pump restored to operable status within 24 h.
GRACE, J.N. Region 2, Ofc of the Director. 88/09/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). TAYLOR, J.M., LIEBERMAN, J. Ofc of Enforcement (Post 870413) 2pp 46865.268-46865.283.

8809260110 Ack receipt of utl 880810 request for 48-h extension of Tech Spec Action Statement 3.4.2.b.2 re containment spray pump out of svc for more than 24 h. Request granted on one-time basis in 880810 telcon
GRACE, J.N. Region 2, Ofc of the Director. 88/09/12. CONWAY, W.F. Florida Power & Light Co. 1p. 46865.283-46865.283.

28 DOCKETED ITEMS

8809260144 Forwards SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988. Overall performance of plant satisfactory. Weaknesses identified in areas of plant operations, maint, security & safeguards.
GRACE, J.N. Region 2, Ofc of the Director. 88/09/13. CONWAY, W.F. Florida Power & Light Co. 2pp. 46965.109-46965.164.

--8809280148 SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988
* Region 2, Ofc of the Director. 88/09/13. 54pp. 46965.111-46965.164

8809270011 Forwards Insp Repts 50-250/88-22 & 50-251/88-22 on 880808-12 No violations or deviations noted. Util basis for denial of violation examined & violation still in effect.
HERDT, A.R. Region 2, Ofc of the Director. 88/09/13. CONWAY, W.F. Florida Power & Light Co. 2pp. 46970.162-46970.173

--8809270022 Insp Repts 50-250/88-22 & 50-251/88-22 on 880808-12. No violations or deviations noted. Major areas inspected. NRC bulletins, infrared thermography, action on previous insp findings & maint.
KLEINSORGE, W.P., BLAKE, J.J. Region 2, Ofc of the Director. 88/09/07. 10pp. 46970.164-46970.173

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46924.215-46924.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809070238 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/
880829 ltr.
STEINKE, R.N., CROSS, J.E., CONWAY, W.F. Florida Power & Light Co. 88/06/30. 25pp. 46783.165-46783.189.

8809080187 "Changes, Tests & Experiments Made W/o Prior Commission Approval for Jul 1987 - June 1988." W/880901 ltr.
CONWAY, W.F. Florida Power & Light Co. 88/06/30. 163pp. 46792.020-46792.182.

8808290144 Forwards mgt-on-shift weekly summary rept for wk starting 880729. Plant supervisor nuclear shift repts also submitted.
CONWAY, W.F. Florida Power & Light Co. 88/08/10. GRACE, J.N. Region 2, Ofc of the Director. 49pp. 46884.269-46884.317

8809090047 Forwards mgt on shift (MOS) weekly rept, per NRC 871019 order. Plant supervisor nuclear shift repts also encl.
CONWAY, W.F. Florida Power & Light Co. 88/08/17. GRACE, J.N. Region 2, Ofc of the Director. 62pp. 46804.018-46804.070

8809010144 Forwards monthly status rept for Turkey Point for 880816-0721, covering recent operating events & performance trends.
GRACE, J.N. Region 2, Ofc of the Director. 88/08/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 46721.306-46721.310.

8808300237 Forwards summary rept of integrated schedule for Aug 1988, reflecting info as of 880819, including new outage completion date for Unit 4, Cycle 12. Next 6-month rept will be issued following Nov 1988 schedule.
CONWAY, W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk). 4pp. 46703.178-46703.181.

8809120144 Forwards summary of mgt-on-shift weekly repts. Supervisor-nuclear shift repts encl.
CONWAY, W.F. Florida Power & Light Co. 88/08/24. GRACE, J.N. Region 2, Ofc of the Director. 37pp. 46813.118-46813.155

8809190171 Forwards summary of mgt-on-shift weekly rept per 871019 order.
CONWAY, W.F. Florida Power & Light Co. 88/08/31. GRACE, J.N. Region 2, Ofc of the Director. 54pp. 46887.306-46887.359.

8809190189 Forwards select sys assessment progress summary for Aug 1988, per 880812 order.
CONWAY, W.F. Florida Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk). 2pp. 46892.357-46892.358.

8809220070 Forwards monthly operating repts for Aug 1988 for St Lucie & Turkey Point & corrected rept of unit shutdown & power reduction for Jul 1988 for St Lucie Unit 1. Method of shutting down reactor incorrectly coded manual scram.
CONWAY, W.F. Florida Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46927.247-46927.265.

--8809220071 Monthly operating repts for Aug 1988 for St Lucie & Turkey Point.
BONETT, D.M. Florida Power & Light Co. 88/08/31. 6pp. 46927.246-46927.264.

--8809220073 Corrected page to Jul 1988 monthly operating rept for St Lucie Unit 1.
BONETT, D.M. Florida Power & Light Co. 88/07/31. 1p. 46927.265-46927.265.

S. Reportable occurrences, LERs & related correspondence

8809070259 LER 88-015-00 on 880729, Tech Spec surveillance requirement 4.18 did not verify three valves on each unit to be in required position. Caused by programmatic deficiency in drawing update process. Procedures revised. W/880829 ltr.
GROSS, K.W., CONWAY, W.F. Florida Power & Light Co. 88/09/29. 4pp. 46778.237-46778.240.

8809070538 Special Rept. on 880828, nonfunctional fire barrier penetration not returned to functional status within 7 days, in accordance w/Tech Spec 3.14.5.b. Addl corrective actions initiated & compensatory measures implemented as applicable.
CONWAY, W.F. Florida Power & Light Co. 88/08/29. Document Control Branch (Document Control Desk). 4pp. 46772.014-46772.017.

8809190175 LER 88-017-00 on 880815, control room ventilation sys out of svc in excess of Tech Spec time limit due to intermittent circuit failure. Caused by procedural deficiency. Bridge circuit replaced & plant mod in effect. W/880914 ltr.
SALAMON, G., CONWAY, W.F. Florida Power & Light Co. 88/09/14. 4pp. 46898.353-46898.356.

8809260179 LER 88-016-00 on 880811, containment spray pump out-of-svc for maint exceeding Tech Specs limits. Caused by lack of knowledge re need for break-in period for new bearings. Training procedures to be revised. W/880919 ltr.
GROSS, K.W., CONWAY, W.F. Florida Power & Light Co. 88/09/19. 5pp. 46950.329-46950.333

V. Operator Examinations

8808310062 Forwards summary of ref matl supplied to Region II for operator exams, per request.
CONWAY, W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk). 17pp. 46899.225-46899.241

8809190286 Application for amends to Licenses DPR-31 & DPR-41, modifying Tech Specs to require that operations superintendent either hold or have held senior operator license (SRO) on plant or have held SRO license on similar plant. Fee paid.
CONWAY, W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 6pp. 46899.047-46899.056

--8809190292 Proposed Tech Specs Pages 6-1a & 6-5, involving change that operations superintendent hold or have held senior reactor operator (SRO) license on plant or have held SRO license on similar plant.
* Florida Power & Light Co. 88/09/12. 4pp. 46899.053-46899.056

8809260211 Forwards estimated operator licensing exam & requalification schedule for FY89 FY92, per Generic Ltr 88-13.
CONWAY, W.F. Florida Power & Light Co. 88/09/13. HANNON, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46965.197-46965.199

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

8808290105 Advises that 880623 Rev 14 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable, w/ exception of change discussed w/S Ferrol on 880805.
CLINE, W.E. Region 2, Ofc of the Director. 88/08/12. WOODY, C.O. Florida Power & Light Co. 4pp. 46668.292-46668.295.

8808290161 Advises that 880426 Rev 17 to emergency plan meets planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E. Submission of all revs to emergency plan in accordance w/ Section 11.P of NUREG 0654 encouraged.
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/15. CONWAY, W.F. Florida Power & Light Co. 2pp. 46668.305-46668.306.

8808290191 Forwards Rev 3 to safeguards contingency plan, per 10CFR50.54(p) Rev withheld (ref 10CFR2.790(d)).
CONWAY, W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk). 2pp. 46668.296-46668.297.

8808310127 Nuclear Chemistry Procedure NC-23C, "Operation of Post-Accident Sampling Sys for RCS During Emergency Conditions." W/880825 ltr.
CONWAY, W.F. Florida Power & Light Co. 88/08/25. 26pp. 46699.001-46699.026.

8808300181 Forwards Rev 15 to physical security plan. Rev incorporates changes made under Rev 14 into NUREG-0906 plan rewrite, includes organizational changes, deletes exemption & makes several other changes. Rev withheld.
CONWAY, W.F. Florida Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46699.021-46699.022

8809020283 Responds to NRC ltr re violations noted in Insp Rept 50-250/88-16 & 50-251/88-16. Corrective actions, draft of ltr of instruction for security plan changes prepared for review & comment.
CONWAY, W.F. Florida Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46746.126-46746.127.

8809070549 Partially withheld Insp Repts 50-250/88-20 & 50-251/88-20 on 880601-05. One violation noted. Major areas inspected: testing & maint, physical barriers - protected area & vital areas, personnel training & qualification & access controls.
TILLMAN, A. Region 2, Ofc of the Director. 88/08/31. 1p. 46779.190-46779.190.

8809080048 Forwards Insp Repts 50-250/88-20 & 50-251/88-20 on 880801-05 & notice of violation. Insp repts & notice of violation withheld (ref 10CFR2.790 & 73.21).
CLINE, W.E. Region 2, Ofc of the Director. 88/09/01. CONWAY, W.F. Florida Power & Light Co. 2pp. 46787.318-46787.319.

8809130153 Forwards Insp Repts 50-250/88-18 & 50-251/88-18 on 880825-0725 & notice of violation.
WILSON, B.A. Region 2, Ofc of the Director. 88/09/02. CONWAY, W.F. Florida Power & Light Co. 2pp. 46830.333-46830.351.

--8809130156 Insp Repts 50-250/88-18 & 50-251/88-18 on 880825-0725. Violation noted. Major areas inspected: backshift insp, areas of annual & monthly surveillance, maint observations & reviews, ESFs, facility security & plant events.
MCLELLINNEY, T.F. Region 2, Ofc of the Director. 88/08/31. 15pp. 46830.337-46830.351.

8809260091 Advises that 880817 Rev 5 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CLINE, W.E. Region 2, Ofc of the Director. 88/09/12. WOODY, C.O. Florida Power & Light Co. 3pp. 46957.091-46957.093.

8809260144 Forwards SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988. Overall performance of plant satisfactory. Weaknesses identified in areas of plant operations, maint, security & safeguards.
GRACE, J.N. Region 2, Ofc of the Director. 88/09/13. CONWAY, W.F. Florida Power & Light Co. 2pp. 46965.109-46965.164

--8809260148 SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988
* Region 2, Ofc of the Director, 88/08/13 54pp. 46965.111-46965.164

8809260252 Advises that 880824 Rev 3 to safeguards contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable
CLINE,W.E Region 2, Ofc of the Director, 88/08/16 WOODY,C.O Florida Power & Light Co 3pp. 46965.193-46965.195.

G. Adjudicatory correspondence

8809120043 Order.* Advises that time within which Commission may act to review ALAB-898 extended until 880927.Served on 880906.
CHILK,S.J. Office of the Secretary of the Commission #368 7011 88/09/06. Commissioners. 1p. 46752.147-46752.147.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006

8808310217 Forwards results of NRC confirmatory measurements program samples,per 880421 request.
CONWAY,W.F. Florida Power & Light Co 88/08/15 KAHLE,J.B. Region 2, Ofc of the Director, 2pp. 46723.350-46723.351.

8808260239 Notification of 880913 meeting w/uttl in Rockville,MD to discuss Tech Spec Improvement proj.
EDISON,G.E. Project Directorate II-2 88/08/24 BERKOW,H.N. Project Directorate II-2. 3pp. 46669.165-46669.167.

8808300265 Summary of 880818 meeting w/uttl in Rockville,MD re Tech Specs conversion.List of attendees & agenda encl.
EDISON,G.E. Project Directorate II-2. 88/08/25. Project Directorate II-2. 14pp. 46691.216-46691.229.

8809080223 Forwards draft generic ltr to clarify status of large number of unreviewed inservice testing programs (IST) re Tech Spec requirements & to remedy variety of generic IST problems
MARSH,L.B. Mechanical Engineering Branch, 88/08/28. HOYLE,T.F. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv. HOYLE,T.F. American Society of Mechanical Engineers. 21pp. 46815.310-46815.330

8809150323 Forwards summary of Investigation Rept Q2-87-018 re alleged drug abuse at plant.Investigation concluded that individuals named by allegor were not licensed & that NRC drug testing program revealed no evidence of drug use.
GRACE,J.N. Region 2, Ofc of the Director, 88/09/01. CONWAY,W.F. Florida Power & Light Co. 2pp. 46864.299-46864.300.

8809130352 Forwards safety evaluation re response to Generic Ltr 83-28, Item 2.1,equipment classification (reactor trip sys) Program for identifying, classifying & treating components,meet requirements of Item 2.1.
EDISON,G.E. Project Directorate II-2, 88/09/02 CONWAY,W.F. Florida Power & Light Co. 3pp. 46950.227-46950.234

--8809130354 Safety evaluation re response to Generic Ltr 83-28,Item 2.1, (Part 1) re equipment classification (reactor trip sys components).Program for identifying, classifying & treating components meets requirements of Item 2.1
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02 5pp. 46950.230-46950.231.

--8809300179 Safety evaluation re response to Generic Ltr 83-28,Item 2.1, (Part 2) re vendor interface program (reactor trip sys components).Program meets requirements of Item 2.1 (Part 2) of Generic Ltr 83-28.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/02 3pp 46950.232-46950.234.

8809130049 Notification of 880820 meeting w/uttl in Juno Beach,FL to discuss status of licensing actions.
EDISON,G.E. Project Directorate II-2. 88/09/07 BERKOW,H.N. Project Directorate II-2. 3pp. 46833.165-46833.167.

8809130109 Summary of 880830 meeting w/uttl in Rockville,MD re enhancement of emergency electrical power sys Attendance list,meeting agenda & handouts encl
EDISON,G.E. Project Directorate II-2. 88/09/07. Project Directorate II-2. 7pp. 46833.317-46833.323.

8809190286 Application for amends to Licenses DPR-31 & DPR-41,modifying Tech Specs to require that operations superintendent either hold or have held senior operator license (SRO) on plant or have held SRO license on similar plant.Fee paid.
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 6pp 46899.047-46899.056

--8809190292 Proposed Tech Specs Pages 6-1a & 6-5,Involving change that operations superintendent hold or have held senior reactor operator (SRO) license on plant or have held SRO license on similar plant
* Florida Power & Light Co. 88/09/12. App. 46899.053-46899.056.

8809160147 Notification of cancelled 880920 meeting w/uttl in Juno Beach,FL to discuss licensing actions.
EDISON,G.E. Project Directorate II-2. 88/09/13. BERKOW,H.N. Project Directorate II-2. 3pp. 46864.202-46864.204.

Q. Inspection reports, IE Bulletins & correspondence

8809090096 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants Forwards documents listed in App C.Documents also available in PDR
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. UNNERSTALL,K. Newman & Holtzinger. 2pp. 46766.272-46766.274

--8809090222 Documents agreement re proposed course of action per 810902 memo.Based on DOT interpretation mail shipped meets DOT requirements.
THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 81/09/14. ALDERSON,C.E. Region 2, Ofc of the Director (810301-820201). 1p 46766.301-46766.301.

--8809090226 Supports uttl denial of Seventy Level III violation for punctured drums on basis that shipment met requirements for bulk shipment per 49FR173.392(d).Draft response to uttl & DOT ltr to uttl encl
ALDERSON,C.E. Region 2, Ofc of the Director (810301-820201) 81/09/02. THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 3pp. 46766.302-46766.304

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co of New York, Inc. 125pp 46890.054-46890.170.

8809010038 Forwards Insp Repts 50 250/88-19 & 50 251/88-19 on 880716 22 Violation not cited.
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/19. CONWAY,W.F. Florida Power & Light Co. 2pp. 46743.001-46743.021

--8809010039 Insp Repts 50-250/88-19 & 50-251/88-19 on 880718-22.No violations or deviations noted.Major areas inspected, employee training & qualifications,external & internal exposure monitoring & controls,ALARA programs & solid waste
KUZO,G.B., LAUER,M.T., HOSEY,C.M. Region 2, Ofc of the Director. 88/08/19 19pp 46743.003-46743.021.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co of New York, Inc. 121pp 46702.311-46703.070.

8808180366 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves". Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co of New York, Inc. 122pp. 46713.218-46713.219.

8809020263 Responds to NRC ltr re violations noted in Insp Rept 50-250/88-16 & 50-251/88-16 Corrective actions.draft of ltr of instruction for security plan changes prepared for review & comment.
CONWAY,W.F. Florida Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46746.126-46746.127

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.085-46713.217.

8809080288 Responds to violations noted in Insp Repts 50-250/88 14 & 50-251/88-14.Corrective action:filling that failed on Pump 3A replaced w/stainless steel matl per Class I of piping spec.
CONWAY,W.F. Florida Power & Light Co. 88/08/29 Document Control Branch (Document Control Desk). 3pp. 46790.196-46790.198.

8809140475 Confirms 880921 mgt meeting to review results of SALP for regulatory performance for period of June 1987 - June 1988.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/30 CONWAY,W.F. Florida Power & Light Co. 2pp. 46845.026-46845.027

8809070549 Partially withheld Insp Repts 50-250/88-20 & 50-251/88-20 on 880801-05.One violation noted.Major areas inspected,testing & maint,physical barriers - protected area & vital areas, personnel training & qualification & access controls.
TILLMAN,A., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/08/31. 1p. 46779.190-46779.190.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co of New York, Inc 121pp 46712.244-46713.004.

8809080048 Forwards Insp Repts 50 250/88-20 & 50-251/88-20 on 880801-05 & notice of violation.Insp repts & notice of violation withheld (ref 10CFR2.790 & 73.21).
CLINE,W.E. Region 2, Ofc of the Director. 88/09/01. CONWAY,W.F. Florida Power & Light Co. 2pp 46787.318-46787.319.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809070480 Responds to violations noted in Insp Repts 50-250/88-11 & 50-251/88-11 Corrective actions:chemistry dept training program revised to include addl instruction on procedure usage.
CONWAY,W.F. Florida Power & Light Co. 88/09/02. Document Control Branch (Document Control Desk). 4pp. 46772.092-46772.095.

8809130153 Forwards Insp Repts 50-250/88-18 & 50-251/88-18 on 880625- 0725 & notice of violation.
WILSON,B.A. Region 2, Ofc of the Director 88/09/02. CONWAY,W.F. Florida Power & Light Co 2pp 46830.333-46830.351.

--8809130155 Notice of violation from Insp on 880625 0725 Violation noted failure by day shift reactor control operator to refer to ONOP-028, "Reactor Control Sys Malfunction," indicating greater than 12 steps misaligned w/other rods in bank.
WILSON,B.A. Region 2, Ofc of the Director. 88/09/02. 2pp. 46830.335-46830.336.

--8809130156 Insp Repts 50-250/88-18 & 50-251/88-18 on 880625 0725. Violation noted.Major areas inspected,backshift insp,areas of annual & monthly surveillance,maint observations & reviews,ESFs,facility security & plant events.
MCELHINNEY,T.F., SCHNEBLI,G.A., CRLENJAK,R.V. Region 2, Ofc of the Director 88/08/31. 15pp. 46830.337-46830.351.

30 DOCKETED ITEMS

8809190173 Forwards revised response to NRC 880812 ltr re violations noted in Insp Repts 50-250/88-06 & 50-251/88-06 Corrective actions Procedure 3/4-OSP-063.2 will be revised to establish requirements for new ref values
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk) 2pp 46899 100-46899 101.

8809220299 Ack receipt of 880826 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-250/88-16 Response meets requirements of 10CFR2.201.
CLINE,W.E. Region 2, Ofc of the Director 88/09/12 CONWAY,W.F. Florida Power & Light Co. 1p 46927 234-46927.236

8809260144 Forwards SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988 Overall performance of plant satisfactory Weaknesses identified in areas of plant operations,maint,security & safeguards
GRACE,J.N. Region 2, Ofc of the Director 88/09/13 CONWAY,W.F. Florida Power & Light Co. 2pp 46965 109-46965 164

8809260148 SALP Repts 50-250/88-15 & 50-251/88-15 for June 1987 - June 1988
Region 2, Ofc of the Director 88/09/13. 54pp 46965 111-46965.164.

8809270011 Forwards Insp Repts 50-250/88-22 & 50-251/88-22 on 880808-12.No violations or deviations noted Util basis for denial of violation examined & violation still in effect.
HERDT,A.R. Region 2, Ofc of the Director. 88/09/13 CONWAY,W.F. Florida Power & Light Co. 2pp 46970 162-46970 173

8809270022 Insp Repts 50-250/88-22 & 50-251/88-22 on 880808 12 No violations or deviations noted Major areas inspected NRC bulletins,infrared thermography,action on previous insp findings & maint.
KLEINSORGE,W.P. BLAKE,J.J. Region 2, Ofc of the Director 88/09/07 10pp. 46970:164-46970 173.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947.013

R. Periodic operating reports & related correspondence

8809070238 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988." W/ 880829 ltr
STEINKE,R.N. CROSS,J.E. CONWAY,W.F. Florida Power & Light Co. 88/06/30 25pp 46783:165-46783 188.

8809080187 "Changes,Tests & Experiments Made W/o Prior Commission Approval for Jul 1987 - June 1988." W/880901 ltr.
CONWAY,W.F. Florida Power & Light Co. 88/06/30. 163pp 46792 020-46792.182.

8808290144 Forwards mgt-on-shift weekly summary rept for wk starting 880729 Plant supervisor nuclear shift repts also submitted.
CONWAY,W.F. Florida Power & Light Co. 88/08/10. GRACE,J.N. Region 2, Ofc of the Director 49pp 46884:269-46884 317.

8809090047 Forwards mgt on shift (MOS) weekly rept,per NRC 871019 order Plant supervisor-nuclear shift repts also encl.
CONWAY,W.F. Florida Power & Light Co. 88/08/17. GRACE,J.N. Region 2, Ofc of the Director. 52pp 46804 019-46804 070

8809010144 Forwards monthly status rept for Turkey Point for 880616- 0721,covering recent operating events & performance trends
GRACE,J.N. Region 2, Ofc of the Director 88/08/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp 46721:306-46721:310

8808300237 Forwards summary rept of integrated schedule for Aug 1988, reflecting info as of 880819,including new outage completion date for Unit 4,Cycle 12,Next 6 month rept will be issued following Nov 1988 schedule.
CONWAY,W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk) 4pp. 46703:178-46703.181

8809120144 Forwards summary of mgt-on-shift weekly repts. Supervisor-nuclear shift repts encl.
CONWAY,W.F. Florida Power & Light Co. 88/08/24. GRACE,J.N. Region 2, Ofc of the Director. 37pp 46813:119-46813.155.

8809190171 Forwards summary of mgt-on shift weekly rept per 871019 order.
CONWAY,W.F. Florida Power & Light Co. 88/08/31 GRACE,J.N. Region 2, Ofc of the Director 54pp. 46867:306-46867.359.

8809190169 Forwards select sys assessment progress summary for Aug 1988,per 880812 order.
CONWAY,W.F. Florida Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk) 2pp. 46892:357-46892 358.

8809220070 Forwards monthly operating repts for Aug 1988 for St Lucie & Turkey Point & corrected rept of unit shutdown & power reduction for Jul 1988 for St Lucie Unit 1.Method of shutting down reactor incorrectly coded manual scram.
CONWAY,W.F. Florida Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46827:247-46827:265.

8809220071 Monthly operating repts for Aug 1988 for St Lucie & Turkey Point
BONETT,D.M. Florida Power & Light Co. 88/08/31. 16pp. 46827:248-46827:264

S. Reportable occurrences, LERs & related correspondence

8808290088 PNO-II 88 050 on 880816,approx 3,100 gallons of slightly radioactive water released from spent fuel pit by vent valve on failed pump.Cause under investigation Hourly sampling underway.Sandbags placed around spill areas.
LEWIS,M. CHRISTENSEN,H. Region 2, Ofc of the Director. 88/08/10. 2pp 46886 046-46886.047.

8808300339 PNO II 88 050A on 880816,spent fuel pit cooling sys pump failed resulting in unplanned spilling of some 3,100 gallons of spent fuel pit water at plant.Backup pump installed till continuing work to decontaminate HX room
LEWIS,M. CHRISTENSEN,H. Region 2, Ofc of the Director. 88/08/17 2pp 46898 301-46898 302.

8809070538 Special Rept on 880826,nonfunctional fire barrier penetration not returned to functional status within 7 days, in accordance w/Tech Spec 3.14.6 b Addl corrective actions initiated & compensatory measures implemented as applicable.
CONWAY,W.F. Florida Power & Light Co. 88/08/29. Document Control Branch (Document Control Desk) 4pp. 46772:014-46772.017.

8809160288 LER 88 007-00:on 880812,while performing corrective maint, subcritical reactor trip occurred.Caused by failure of source range neutron detector N-32.Post-trip review performed & detector replaced.W/880912 ltr.
LYONS,E. CONWAY,W.F. Florida Power & Light Co. 88/09/12. 3pp. 46897:166-46897 168.

8809190129 LER 88 008-00:on 880815,Phase A of containment isolation Train A actuated.Caused by wire bundle bouncing contacts of relay 4-SIA2 Actuation signal reset W/880914 ltr.
SALAMON,G., CONWAY,W.F. Florida Power & Light Co. 88/09/14. 3pp. 46898:004-46898 066.

8809190166 LER 88 009 00:on 880816,steam generator feedwater pump tripped during coating of condensate polisher vessel 4B w/ resin for secondary sys startup Caused by failure of differential pressure switch Switch replaced.W/880915 ltr
LYONS,E. CONWAY,W.F. Florida Power & Light Co. 88/09/15. 4pp 46893 017-46893:020.

8809230295 LER 88 010 00 on 880819,reactor trip occurred due to lo-lo steam generator B level Caused by cognitive personnel error Reactor control operator counseled re procedural compliance & attention to details.W/880919 ltr.
SALAMON,G., CONWAY,W.F. Florida Power & Light Co. 88/09/19. 4pp. 46926:305-46926:308.

V. Operator Examinations

8808310082 Forwards summary of ref mail supplied to Region II for operator exams,per request
CONWAY,W.F. Florida Power & Light Co. 88/08/24. Document Control Branch (Document Control Desk). 17pp. 46899:225-46899:241.

8809190286 Application for amends to Licenses DPR-31 & DPR-41,modifying Tech Specs to require that operations superintendent either hold or have held senior operator license (SRO) on plant or have held SRO license on similar plant.Fee paid.
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk) 6pp 46899:047-46899:056.

8809190292 Proposed Tech Specs Pages 6-1a & 6-5,Involving change that operations superintendent hold or have held senior reactor operator (SRO) license on plant or have held SRO license on similar plant.
* Florida Power & Light Co. 88/09/12. 4pp. 46899:053-46899:056.

8809260211 Forwards estimated operator licensing exam & requalification schedule for FY89-FY92,per Generic Ltr 88-13.
CONWAY,W.F. Florida Power & Light Co. 88/09/13. HANNON,J. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46965:197-46965:199.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809080272 Forwards response to allegations re security activities noted in NRC 880815 ltr Encl withheld.
BLISS,H.E. Commonwealth Edison Co. 88/08/10. DAVIS,A.B. Region 3, Ofc of the Director. 1p 46792:339-46792:339.

8809090046 Forwards response to allegations re security activities,per NRC 880715 request Response withheld (ref 10CFR2 790)
BLISS,H.E. Commonwealth Edison Co. 88/08/19. DAVIS,A.B. Region 3, Ofc of the Director. 1p 46799:173-46799:173.

8809010127 Confirms G Shear site visit on 880908 re emergency response facilities per 880815 telcon between P Skiermont & G Shear Outline of areas for review encl.
SHAFER,W.D. Region 3, Ofc of the Director. 88/08/24. REED,C. Commonwealth Edison Co. 3pp. 46721:359-46721:361.

8808300220 Rev 7b to Pages 6-11 & QCA 6-5 to "Quad Cities Annex Changes."
* Commonwealth Edison Co. 88/08/31. 5pp. 46703:224-46703:228.

8809090048 Advises that 880808 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable.
SHAFER,W.D. Region 3, Ofc of the Director. 88/08/31. REED,C. Commonwealth Edison Co. 2pp 46806 193-46806.194.

8809120223 Rev 2 to QEP 730-T2, "Procedure Distribution Matrix for Emergency Response Manuals" & procedures Index.
* Commonwealth Edison Co. 88/08/31. 6pp. 46815:334-46815.339.

8809130267 Rev 2 to Emergency Plan Implementing Procedures QEP 600-2, "Equipment Inventory."
* Commonwealth Edison Co. 88/08/31. 6pp. 46815:334-46815.339.

8809130284 Revised emergency plan implementing procedures including Rev 5 to QEP 140.0, "Security Director," & Rev 2 to QEP 140-S1, "Security Director Alert Checklist" * Commonwealth Edison Co 88/08/31. 7pp 46836 296 46836 303

P. Operating license stage documents & correspondence

8809080021 "Reactor Containment Bldg Integrated Leak Rate Test" W/880815 ltr. BAX,R.L. Commonwealth Edison Co. 88/08/13 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 82pp 46795 078 46795 159.

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc 41pp. 47065.001-47065 006.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. Doc-Search Associates. 5pp. 46770 060 46770 089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1 A satisfies 10CFR50, App B requirements & acceptable. WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/19. REED,C. Commonwealth Edison Co. 2pp 46742 071-46742 072

8809070461 Describes revised plan for encapsulation of chemical decontamination waste liner. Liner 14-170 will be properly transported in CNS 14-190H cask to burial site where encapsulation performed. JOHNSON,I.M. Commonwealth Edison Co 88/08/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46772 018 46772 019.

8809140087 Forwards final "Rept on Potential Drywell Steel Degradation at Sand Pocket at Dresden Units 2 & 3 & Quad Cities 1 & 2," in response to Generic Ltr 87-05. MORGAN,W.E. Commonwealth Edison Co. 88/09/06 Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46842 043 46842 128

8809140090 "Rept on Potential for Drywell Steel Degradation at Sand Pocket Dresden Units 2 & 3 & Quad Cities Units 1 & 2" * Commonwealth Edison Co. * Sargent & Lundy, Inc. 88/08/31. 84pp 46842 044-46842 128.

8809150338 Forwards addl info re fluid head assessment program, per 880802 request. JOHNSON,I.M. Commonwealth Edison Co. 88/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 9pp 46891 101-46891 108

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization. MORGAN,W.E. Commonwealth Edison Co 88/09/13. Document Control Branch (Document Control Desk). 1p. 46999 322-46999 336.

8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations" SHEWSKI,W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999 323-46999 336

Q. Inspection reports, IE Bulletins & correspondence

8808300195 Responds to NRC 880821 ltr re violations noted in Insp Repts 50-254/88-10 & 50-265/88-11. Extensive review of personnel records showed that 25% rule not applied in certification of any NDE examiners. Adherence to ASME Code requirements met. BLISS,H.E. Commonwealth Edison Co 88/08/15. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 46898 288-46898 291.

8809260018 Confirms plans for 880826 enforcement conference in Glen Ellyn, IL to discuss proper verification of component (MCC 28/29-B) after installation & periodically thereafter. GREENMAN,E.G. Region 3, Ofc of the Director. 88/08/18. REED,C. Commonwealth Edison Co. 1p. 46856 046-46856 046.

8808190195 NRC Info Notice 88 089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co of New York, Inc 125pp. 46890 054-46890 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co of New York, Inc. 121pp. 46702 311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219.

8808290298 Forwards Safety Insp Repts 50-254/88-15 & 50-265/88-15 on 880805-0806 & notice of violation. GREENMAN,E.G. Region 3, Ofc of the Director. 88/08/24 REED,C. Commonwealth Edison Co 2pp. 46886 313-46886 330.

8808290301 Notice of violation from Insp on 880805 0806 Violation noted: temporary procedure change notice sheets not properly disseminated to document procedure changes. GREENMAN,E.G. Region 3, Ofc of the Director. 88/08/24. 1p 46886 315 46886 315.

8808290302 Insp Repts 50-254/88-15 & 50-265/88-15 on 880805-0806. No violations noted. Major areas inspected: resident Insp of operations, maint, surveillance, LER review, routine repts, temporary instructions & radiation control. RING,M.A. Region 3, Ofc of the Director. 88/08/23. 15pp. 46886 316-46886 330.

8808310030 Forwards Exam Rept 50-254/OL 88 01 for exams administered on 880719-22. WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/25 REED,C. Commonwealth Edison Co. 2pp. 46777 110-46777 240

8808310040 Exam Rept 50-254/OL-88 01 on 880719 22 Exam results all candidates passed written exams One reactor operator & five senior reactor operators passed oral exams. KING,M. PARRISH,M. JORDAN,M.J. Region 3, Ofc of the Director 88/08/25 128pp 46777 112-46777 240

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co of New York, Inc. 123pp 46713 095 46713 004.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712 244 46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123.

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co matts complying w/ASME Code requirements. Itemized list of components received encl. MORGAN,W.E. Commonwealth Edison Co 88/09/08 Document Control Branch (Document Control Desk). 31pp. 46857 021-46857 051

8809180400 EN-88 073 on 880915, notice of violation & proposed imposition of civil penalty will be issued, based on inability of shared diesel to respond for approx 2 months & operating ungrounded 125-volt dc battery sys as grounded. LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/12. 1p 46899 247-46899 247

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co of New York, Inc. 122pp. 46824 215 46824 336

8809260277 Forwards corrected pages for Insp Repts 50-254/88-15 & 50 265/88 15. GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/14. REED,C. Commonwealth Edison Co. 1p. 46950 238-46950 242.

8809260286 Corrected Pages 13 & 14 to Insp Repts 50-254/88 15 & 50-265/88-15. * Region 3, Ofc of the Director. 88/09/14. 4pp. 46950 239-46950 242.

8809200346 Forwards Insp Repts 50-254/88-11 & 50-265/88-12 on 880418-26, 880502-06, 11, 31 & 880601 & notice of violation & proposed imposition of civil penalties. DAVIS,A.B. Region 3, Ofc of the Director. 88/09/15 O'CONNOR,J.J. Commonwealth Edison Co 4pp 46913 318 46913 345.

8809200350 Notice of violation & proposed imposition of civil penalty in amount of \$ 50,000 Noncompliance noted: licensee design control program did not assure that design basis correctly translated into drawings. DAVIS,A.B. Region 3, Ofc of the Director. 88/09/15. 5pp. 46913 322-46913 345

8809220243 Responds to NRC Bulletin 88-007 dtd 880815 per request that holders of OLs ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation. MORGAN,W.E. Commonwealth Edison Co 88/09/16. Document Control Branch (Document Control Desk). 11pp. 46927 198-46927 208.

8809260172 Advises of generic inservice testing concerns identified by NRC as result of Insp on 880822-28 Addl listed info re pumps & valves requested. GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/16 REED,C. Commonwealth Edison Co. 4pp 46956 055-46956 058.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co of New York, Inc 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co of New York, Inc 125pp 46946 253-46947 013.

8809260291 Forwards Safety Insp Repts 50-254/88-25 & 50 265/88-26 on 880908-14 No violations noted. HARRISON,J.J. Region 3, Ofc of the Director. 88/09/20. REED,C. Commonwealth Edison Co. 2pp. 46957 278-46957 285.

8809260302 Insp Repts 50-254/88-25 & 50-265/88-26 on 880908-14. No violations noted. Major areas inspected: licensee written practice for nondestructive exam pertaining to 25% rule described in SNT-TC-1A. SCHAPKER,J.F. Region 3, Ofc of the Director. 88/09/20 6pp 46957 280 46957 285

R. Periodic operating reports & related correspondence

8809010081 "Effluent & Waste Disposal Semiannual Rept for Jan-Jun 1988." W/ 880826 ltr. WOTENZA,R.A., BAX,R.L. Commonwealth Edison Co. 88/08/30. 14pp. 46743 107-46743 120.

8809190181 Submits listing of changes, tests & experiments for Aug 1988. ROBEY,R.A. Commonwealth Edison Co. 88/08/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 19pp. 46895 265 46895 283.

32 DOCKETED ITEMS

8809200289 Monthly operating repts for Aug 1988 for Quad Cities Nuclear Station Units 1 & 2 W/880831 ltr.
DEELSNYDER, L., ROBEY, R.A. Commonwealth Edison Co 88/08/31, 23pp
46909 339 46909 361.

S. Reportable occurrences, LERs & related correspondence

8808310085 LER 88-010-00 on 880814, drywell atmosphere thermocouples splices found w/no Raychem heat shrink applied & splices not environmentally qualified. Caused by personnel error. Splices repaired & training session conducted W/880819 ltr.
THOMANN, R.F., BAX, R.L. Commonwealth Edison Co. 88/08/19 5pp. 46699.277-46699.281

8809200253 LER 87-008-01 on 870508, RHR svc water sys operable, but outside plant design specs. Caused by anchor bolt nuts loosening in svc while being subjected to operational vibration. Plate & bolts replaced W/880829 ltr.
CRAVEN, K.B., BAX, R.L. Commonwealth Edison Co 88/08/29, 6pp 46915 038 46915 043.

8809130305 LER 88-012-00 on 880807, standby gas treatment sys flow found outside Tech Spec limit. Caused by personnel error. Item discussed w/individual involved & instrument mechanic dept at weekly tailgate meeting W/880829 ltr.
CASTRO, B., BAX, R.L. Commonwealth Edison Co 88/09/06, 5pp. 46830 063-46830 067.

V. Operator Examinations

8808310030 Forwards Exam Rept 50-254/OL-88-01 for exams administered on 880719-22.
WRIGHT, G.C. Region 3, Ofc of the Director 88/08/25 REED, C. Commonwealth Edison Co 2pp. 46777 110-46777.240

8808310040 Exam Rept 50-254/OL-88-01 on 880719-22 Exam results all candidates passed written exams. One reactor operator & five senior reactor operators passed oral exams.
KING, M., PARRISH, M., JORDAN, M.J. Region 3, Ofc of the Director. 88/08/25, 129pp 46777:112-46777.240

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8809190392 Temporary Change Notice TCN-EI-88-002 to Emergency Implementation Procedure EI-7.1, "Post Accident Sampling PCS Liquid/Gas & Containment Air"
HAGER, J., KOZUP, C.S., BUCHMAN, W.L. Consumers Power Co 88/05/19, 7pp. 46897.353-46897.359.

8808290078 Periodic review of rev & approval summary for Temporary Change Notice TCN-EI-87-003 to Emergency Implementation Procedure EI-4.1, "Technical Support Ctr."
BRUNET, J.R., ROGERS, D.W. Consumers Power Co. 88/08/16, 2pp 46866 041-46866 042.

8808290182 Temporary Change Notice TCN-EI-87-003 to Rev 5 to Emergency Implementation Procedure EI-4.1, "Technical Support Ctr," rev & approval summary sheet
BRUNET, J.R., ROGERS, D.W. Consumers Power Co 88/08/16, 2pp 46868.253-46868 254.

8808290024 Rev & approval summary sheet to Rev 2 to Emergency Implementation Procedure EI-16.1, "Maint of Emergency Equipment"
DAWSON, M., KOZUP, C.S. Consumers Power Co 88/08/17, 2pp. 46868.357-46868 358.

8808290040 Temporary Change Notice TCN-EI-85-007 to Rev 6 to Emergency Implementation Procedure EI-10, "Accident Environ Assessment."
DUQUETTE, J.M., ROGERS, D.W., BRUNET, J.R. Consumers Power Co 88/08/17, 2pp 46868 357-46868 358.

8808300219 Temporary Change Notice TCN EI 85-007 to Rev 6 to Emergency Implementation Procedure EI-10, "Accident Environ Assessment," rev & approval summary sheet.
DUQUETTE, J.M., BURNETT, J.R., ROGERS, D.W. Consumers Power Co. 88/08/17, 2pp. 46703:182-46703 183.

8809020014 Temporary Change Notice TCN-EI-85-028 to Rev 5 to Emergency Plan Implementation Procedure EI-4.3, "Emergency Operations Facility Activation."
BRUNET, J.R. Consumers Power Co. 88/08/16, 2pp. 46746 001-46746:001.

8808300086 Forwards Safety Insp Rept 50-255/88-17 on 880707-0810 No violations noted.
AXELSON, W.L. Region 3, Ofc of the Director. 88/08/19 HOFFMAN, D.P. Consumers Power Co 2pp. 46692.014-46692.021.

8808300091 Insp Rept 50-255/88-17 on 880707-0810. No violations noted. Major areas inspected followup of previous Insp findings, operational safety, maint, surveillance, physical security, radiological protection, LERs & info notice followup.
BURGESS, B.L. Region 3, Ofc of the Director. 88/09/19 6pp. 46892 016-46892.021.

8809070072 Rev 3 to Section 1 of coversheet of site emergency plan
BRUNET, J.R. Consumers Power Co 88/08/29, 2pp. 46779 351-46779.352.

8809070187 Rev 4 to cover sheet to Emergency Implementing Procedure EI 6.2, "Release Rate Determination From Steam Line Monitors for Steam Releases Through Atmospheric Dump Valves."
BRUNET, J.R. Consumers Power Co. 88/08/29 2pp. 46784 044-46784:045.

8809120063 Rev 4 to Section 3 of "Palisades Nuclear Plant Site Emergency Plan."
* Consumers Power Co. 88/08/29, 2pp 46813.328-46813:330.

8809120069 Rev 1 to Section 2 of site emergency plan.
BRUNET, J.R. Consumers Power Co 88/08/29, 2pp. 46826 061-46826.063.

8809120047 Informs that encl FEMA 880801 ltr & associated final exercise evaluation on offsite emergency preparedness exercise conducted on 880217 reviewed. No deficiencies identified W/o encl.
SHAFFER, W.D. Region 3, Ofc of the Director 88/09/01 HOFFMAN, D.P. Consumers Power Co. 2pp 46825.325-46825.326

8809120104 Responds to deviation noted in Insp Rept 50-255/88-12. Corrective actions Fire Protection Implementing Procedure 8 will be revised to include requirement that all fire brigade members participate in at least two drills per yr.
BERRY, K.W. Consumers Power Co. 88/09/07, Document Control Branch (Document Control Desk) 2pp 46826 036-46826 039.

8809190380 Rev 3 to Emergency Implementation Procedure EI 6.6, "Gamma E Determination," rev & approval summary sheet.
BROTT, N. Consumers Power Co 88/09/09, 2pp. 46899 303 46899:304

8809150305 Rev 2 to Emergency Plan Implementing Procedure EI-7.6, "Quantitative Analysis of Chloride in Post Accident Solution," rev & approval summary sheet.
CHARTRAND, T.A., BRUNET, J.R., HILLMAN, C.T. Consumers Power Co. 88/09/10, 2pp 46849:354-46849.355

8809150307 Rev 5 to Section 6 of "Palisades Nuclear Plant Site Emergency Plan," rev & approval summary sheet.
BRUNET, J.R. Consumers Power Co 88/09/10, 2pp. 46856.042-46856.043.

8809260174 Revised general ofc emergency planning procedures, including Rev 8 to GEN-1, "Overview," Rev 6 to GEN-3, "On Shift Sys Power Controller," Rev 4 to GORT-1, "General Ofc Response Team" & Rev 3 to EOF 4, "Communication Support Team."
* Consumers Power Co. 88/09/19, 85pp 46950.243-46950:327

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/00 Consolidated Edison Co of New York, Inc. 41pp. 47085.001-47085.006.

8809060234 Partial response to FOIA request for documents. Forwards App B documents. App A documents maintained in PDR Records also available under listed FOIAs.
GRIMSLEY, D. Division of Rules & Records (870413 880514). 88/08/10, UNNERSTALL, K. Newman & Holtzinger 6pp 46769:054-46769.154.

88103110626 Advises that proposed health physics appraisal violation re inability of personnel to complete radioactivity survey in specified time is invalid. Util had apparently taken more than acceptable corrective measures.
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201). 81/01/20. KEPLER, J.G. Region 3, Ofc of the Director. 2pp. 46769.062-46769.063.

8808290135 Forwards description of allegation received re fitness for duty program at plant for resolution & response. Results of util review & disposition should be submitted within 30 days of ltr receipt. Encl withheld (ref 10CFR2.780).
NORELIUS, C.E. Region 3, Ofc of the Director 88/08/16, HOFFMAN, D.P. Consumers Power Co 2pp. 46690.231-46690.232.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRG - No Detailed Affiliation Given. 88/08/17. CONNOR, L. Doc-Search Associates, 5pp 46770.060-46770:069.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770:211-46770:223.

8808260501 Notification of 880812 meeting w/util in Rockville, MD to discuss util plans for addl spent fuel storage capacity & potential State of MI legislation on fuel storage.
ROBERTS, J.P. Fuel Cycle Safety Branch. 88/08/18 ROUSE, L.C. Fuel Cycle Safety Branch. 12pp. 46655 207-46655:221.

8809010372 Requests assurance from NRC that allowing above ground storage of dry spent fuel would not decrease safety of public.
MIDDAUGH, J.M. Michigan, State of. 88/08/04. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 3pp 46655:219-46655:221.

8809010087 Discusses interpretation of Tech Spec 3.7 re impact of losing power to single performed ac bus. Util evaluating possible mod to power supplies to bypass regulator based on potential benefit gained from changing power sources.
BERRY, K.W. Consumers Power Co. 88/08/24, Document Control Branch (Document Control Desk). 3pp. 46720.066-46720.068.

8809010113 Forwards application for amend to License DPR-20, changing area monitor surveillance method in evaporator control panel area. Fee paid.
BERRY, K.W. Consumers Power Co. 88/08/24, Document Control Branch (Document Control Desk). 1p. 46744 024-46744.026.

8809090054 Application for amend to License DPR-20, changing Tech Spec Table 4.1.3, item 4.c re surveillance method for evaporator control panel area monitor.
ELBERT, P.A. Consumers Power Co 88/08/24, 2pp. 46744:025-46744:026

8809010118 Proposed Tech Spec Table 4.1.3, "Min Frequencies for Checks, Calibrations & Testing of Miscellaneous Instrumentation & Controls."
* Consumers Power Co. 88/08/24, 2pp. 46744 027-46744:028.

8808300007 Informs that 880603 response fulfills requirement of Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." Leakage monitoring program records should be maintained.
WAMBACH, T.V. Project Directorate III-1. 88/08/25, BERRY, K.W. Consumers Power Co. 3pp. 46693.357-46693:359.

8808300296 Forwards Amend 114 to License DPR-20, revising license requirements for receipt, possession & use of byproduct mail per format & content of current NRC licenses. Notice will be included in biweekly FR notice.
WAMBACH, T.V. Project Directorate III-1. 88/08/25. BERRY, K.W. Consumers Power Co. 4pp. 46693:347-46693:354

-8808300303 Amend 114 to License DPR-20, revising license requirements for receipt, possession & use of byproduct mail per format & content of current NRC licenses. No changes to current radiation protection program required.
VIRGILIO, M.J. Project Directorate III-1. 88/08/25. 4pp. 46693:351-46693:354.

8808300314 Requests withdrawal of 880819 Tech Spec change request re primary coolant pump upper flywheel exam due to administrative error & lack of sufficient technical justification.
BERRY, K.W. Consumers Power Co. 88/08/25. Document Control Branch (Document Control Desk). 1p. 46777:103-46777:103

8809080030 Advises that further evaluation has determined that requirements of proposed Tech Spec change request re control room ventilation sys overly restrictive. Administrative controls approved & implemented per Standing Order 54.
KUEMIN, J.L. Consumers Power Co. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46758:360-46758:360.

8809070320 Forwards revised Tech Specs to 871125 application for amend to License DPR-20, per NRC request. Rev includes deletion of alpha-numerical quadrant locations of core exit thermocouples.
BERRY, K.W. Consumers Power Co. 88/09/02. Document Control Branch (Document Control Desk). 6pp. 46779:174-46779:184.

-8809070322 Proposed Tech Specs re core exit thermocouples
* Consumers Power Co. 88/09/02. 5pp. 46779:180-46779:184.

8809140294 Informs of completion of mod to facility capabilities to record control rod position following reactor trip, per Generic Ltr 83-28, item 1 re control rod position indication.
KUEMIN, J.L. Consumers Power Co. 88/09/08. Document Control Branch (Document Control Desk). 1p. 46838:316-46838:316

8809150116 Responds to NRC 880727 Ltr re abbreviated site access training program.
JOHNSON, B.D. Consumers Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46864:109-46864:109.

8809180170 Requests exemption from 10CFR50, App J, III.A.3, "Containment Leakage Rate Data Analysis." Fee encl.
BERRY, K.W. Consumers Power Co. 88/09/09. Document Control Branch (Document Control Desk). 3pp. 46885:231-46885:233.

8809220115 Submits addl info re NUREG-0737, I.L.D.1, "Performance Testing of Relief & Safety Valves." Ltr identifies pressurizer block valves & PORV planned for installation after Sept 1989 & partially responds to item 1.
SMEDLEY, R.W. Consumers Power Co. 88/09/14. Document Control Branch (Document Control Desk). 3pp. 46890:134-46890:136.

8809200072 Forwards application for amend to License DPR-20, incorporating containment isolation valve spec to allow manual operation of Penetration 33 isolation valves at power for sampling safety injection tanks into Tech Spec. Fee paid.
BERRY, K.W. Consumers Power Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46919:090-46919:111.

-8809280003 Application for amend to License DPR-20, incorporating containment isolation valve spec to allow for manual operation of Penetration 33 isolation valves at power for sampling safety injection tanks into Tech Specs.
HOFFMAN, D.P. Consumers Power Co. 88/09/15. 8pp. 46919:091-46919:098.

-8809200079 Proposed Tech Specs, incorporating containment isolation valve spec to allow for manual operation of Penetration 33 isolation valves at power for purpose of sampling safety injection tanks.
* Consumers Power Co. 88/09/15. 15pp. 46919:097-46919:111.

8809220204 Confirms that 24 h hold period will be maintained while performing containment leakage test using mass point method in accordance w/ANSI 45.4, Section 7.3.
BORDINE, T.C. Consumers Power Co. 88/09/16. Document Control Branch (Document Control Desk). 1p. 46927:176-46927:176

8809210223 Forwards Rev 1 to ANF-88-108, "Palisades Cycle 8 Disposition & Analysis of SRP Chapter 15 Events," supporting peaking factors & LOCA limits Tech Specs change request.
KUEMIN, J.L. Consumers Power Co. 88/09/19. Document Control Branch (Document Control Desk). 1p. 46925:337-46925:337.

-8809210221 Forwards application for amend to License DPR-20, allowing increase of 3.5% in radial peaking factors for plants & removal of peaking factor limits for "peak rod" & "narrow gap rod". Fee encl.
BERRY, K.W. Consumers Power Co. 88/09/01. Document Control Branch (Document Control Desk). 2pp. 46925:335-46925:353.

-8809210226 Application for amend to License DPR-20 revising Tech Specs to delete definition of "Total Radial Peaking Factor," delete definition of "Narrow Water Gap Fuel Rod" & change "1500 gpm" to "2810 gpm".
HOFFMAN, D.P. Consumers Power Co. 88/09/01. 12pp. 46925:338-46925:349

-8809210230 Proposed Tech Specs, including Pages 1-2 & 1-2a, increasing radial peaking factors by 3.5%, removing peaking factor limits for peak rod & narrow gap rod & modifying linear heat rate limits to provide only peak rod limit.
* Consumers Power Co. 88/09/01. 21pp. 46925:350-46925:010

-8809210240 "Palisades Large Break LOCA/ECCS Analysis W/Increased Radial Peaking."
GOTTULA, R.C. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). ANF-88-107. 88/09/02. 62pp. 46926:011-46926:062.

-8809210242 "Palisades Cycle 8: Disposition & Analysis of SRP Chapter 15 Events."
LINDQUIST, T.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). ANF-88-108. 88/08/02. 90pp. 46926:063-46926:153.

8809230020 Forwards Rev 1 to ANF-88-108, "Palisades Cycle 8: Disposition & Analysis of SRP Chapter 15 Events." Authorization to disregard "Customer Disclaimer" notice & place in public domain.
KUEMIN, J.L. Consumers Power Co. 88/09/19. Document Control Branch (Document Control Desk). 1p. 46945:029-46945:121.

-8809230026 Rev 1 to "Palisades Cycle 8: Disposition & Analysis of SRP Chapter 15 Events."
LINDQUIST, T.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). ANF-88-108 R01. 88/09/07. 92pp. 46945:030-46945:121.

Q. Inspection reports, IE Bulletins & correspondence

8807130473 Forwards addl info re 10CFR50.49, "Environ Qualification of Electric Equipment Important to Safety for Nuclear Power Plants." Info submitted per 860624 enforcement conference resulting from Insp Rept 50-255/86-32 & Dec 1987 review.
JOHNSON, B.D. Consumers Power Co. 88/07/07. Document Control Branch (Document Control Desk). 25pp. 46694:001-46694:274

-8809060110 Rev A to "Limitorque Valve Actuator Temp re High Superheat Ambient Temps."
DRAB, J.B., DENKOWSKI, W.J., FORMICA, G.D. Limitorque Corp. B-0027 R A 78/10/18. 27pp. 46694:020-46694:055.

-8809060116 "Clarification of Info re Environ Qualification of Limitorque Motorized Valve Operators."
* Nuclear Utility Group on Equipment Qualification. 88/04/30. 60pp. 46694:056-46694:141.

-7903150370 "Qualification Type Test Rept, Limitorque Valve Actuators for PWR Svc."
Tested per IEEE Standard 382-1972. Test performed 740607-1122. Project 600456.
SYKES, W.L., DENKOWSKI, W.J. Tennessee Valley Authority. 75/12/09. 43pp. 46694:142-46694:184.

-8809060150 "Rept of Test on Limitorque Corp SMBO Operator W/Motor (40 Ft Lb) & Motor (25 Ft Lb)."
SOLTI, R.F., BLACK, W.A., JOHNSON, J. Lockheed Electronics Co (subs of Lockheed Corp). 3521-4811. 74/06/17. 20pp. 46694:185-46694:248.

-8809060168 Rev 2 to "Evaluation of Dose Rate & Shielding Requirements for Post-Accident Sample Sys."
GASTON, D.M. Sentry Equipment Corp. 82/09/30. 32pp. 46694:250-46694:282

-8809060192 Rev 0 to "Sys Design Description 0330 1-775 51-01 for Post-Accident Sample Monitoring Sys."
* Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.). 775 R00. 82/06/30. 52pp. 46694:283-46694:334.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690:054-46690:176.

8808300086 Forwards Safety Insp Rept 50-255/88-17 on 880707 0810 No violations noted.
AXELSON, W.L. Region 3, Ofc of the Director. 88/08/19. HOFFMAN, D.P. Consumers Power Co. 2pp. 46692:014-46692:021.

-8808300091 Insp Rept 50-255/88-17 on 880707-0810. No violations noted. Major areas inspected: followup of previous Insp findings, operational safety, maint, surveillance, physical security, radiological protection, LERs & info notice followup.
BURGESS, B.L. Region 3, Ofc of the Director. 88/09/19. 6pp. 46692:016-46692:021

8808160451 NRC Info Notice 88-068, "Satpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702:311-46703:070.

8808160366 Suppl 1 to NRC Info Notice 88-040, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713:210-46713:219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713:095-46713:217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713:004.

8809080047 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re nonconforming metals. Confirmation that actions taken to assure items installed in safety-related applications verified to be in conformance w/requirements or replaced.
BERRY, K.W. Consumers Power Co. 88/09/01. Document Control Branch (Document Control Desk). 11pp. 46789:331-46789:341

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726:001-46726:123.

8809080138 Submits revised response to violation noted in Insp Rept 50-255/88-08. Corrective actions: internal review revised concerning unreviewed safety question not existing due to reduction in margin of safety inherent to Tech Spec 3.6.1.a.
BERRY, K.W. Consumers Power Co. 88/09/02. Document Control Branch (Document Control Desk). 10pp. 46788:173-46788:182.

8809120104 Responds to deviation noted in Insp Rept 50-255/88-12. Corrective actions: Fire Protection Implementing Procedure 6 will be revised to include requirement that all fire brigade members participate in at least two drills per yr.
BERRY, K.W. Consumers Power Co. 88/09/07. Document Control Branch (Document Control Desk). 2pp. 46826:038-46826:039.

34 DOCKETED ITEMS

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA," Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14
Consolidated Edison Co of New York, Inc. 122pp 46824 215 46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry," Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16
Consolidated Edison Co of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19
Consolidated Edison Co of New York, Inc. 125pp. 46946 253 46947 013

8809260051 Advises that pressurizer auxiliary spray line upstream of Check Valve CK-2118 potentially susceptible to temp induced stresses that could be caused by unnoticed seat leakage, per NRC Bulletin 88-008, Evaluation continuing
BERRY,K.W., HOFFMAN,D.P. Consumers Power Co. 88/09/19. Document Control Branch (Document Control Desk) 3pp 46965 264-46965 266

R. Periodic operating reports & related correspondence

8809060276 Forwards "Semiannual Radioactive Effluent Release & Waste Disposal Rept for Jan-June 1988" & revised "Semiannual Radioactive Effluent Release Rept for Jul-Dec 1987"
JOHNSON,B.D. Consumers Power Co. 88/08/31. Document Control Branch (Document Control Desk) 1p 46753 092-46753:112.

-8809060280 "Semiannual Radioactive Effluent Release & Waste Disposal Rept for Jan-June 1988"
* Consumers Power Co. 88/08/30 12pp 46753 093 46753 104

-8809060283 Revised "Semiannual Radioactive Effluent Release Rept for Jul-Dec 1987"
* Consumers Power Co. 87/12/31. 8pp 46753 105-46753:112

8809150169 Monthly operating rept for Aug 1988 for Palsades Nuclear Plant W/880909 ltr.
PACKARD,G.C., GORALSKI,G. Consumers Power Co. 88/08/31. 5pp. 46864.284-46864 288

S. Reportable occurrences, LERs & related correspondence

8809140040 PNO-III-88-077 on 880903, fuel assembly stuck in upper guide structure Containment integrity established by closing personnel & equipment hatches Special tools fabricated & tested to remove assembly & recovery procedures prepared
BURGESS,B.L., AXELSON,W.L. Region 3, Ofc of the Director 88/09/06 2pp. 46844.174 46844.175

8809140150 LER 88-012-00 on 880808, steam generator tube leakage noted Cause undetermined Eddy current testing in progress & supplemental rept discussing test results, cause of failure & all planned corrective actions will be submitted.
KOZUP,C.S., JOHNSON,B.D. Consumers Power Co. 88/09/06 5pp 46840 092-46840.096

V. Operator Examinations

8809080960 Forwards best estimate of util needs for operator licensing & requalification exams for FY89-FY92, per Genenc Ltr 88-13.
COOPER,H.F. Consumers Power Co. 88/09/01. HANNON,J. Operator Licensing Branch 5pp 46788:327-46788 331

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260292 Revised emergency plan implementing procedures, including Rev 1 to EPIP-14, "Radiological Control Procedures" & Rev 1 to EPIP-17, "Emergency Equipment & Supplies"
MARKS,B.K. Tennessee Valley Authority 88/09/03. 41pp 46656:142-46656 182

8808300270 Ack receipt of 880630 ltr transmitting Rev 9 to physical security plan Rev contains issues w/policy implications re existing bullet resisting barriers & requirements of 10CFR73 55(p)(8) & 73.2(e) Rev withheld (ref 10CFR73 21)
MCCOY,F.R. Ofc of Special Projects 88/08/19 WHITE,S.A. Tennessee Valley Authority. 2pp 46697.109 46697 110.

8809080072 Forwards Rev 10 to physical security/contingency plan Rev withheld (ref 10CFR73 21)
GRIDLEY,R.L. Tennessee Valley Authority. 88/08/31 Document Control Branch (Document Control Desk) 2pp. 46798 033-46798 034

8809130313 Rev 3 to Emergency Plan Implementing Procedure EPIP-10, "Medical Emergency Procedures." W/880902 ltr.
GRIDLEY,R. Tennessee Valley Authority. 88/09/02 25pp. 46834.004 46834 026.

8809230104 Ack receipt of scenario & submittal of scope & objectives for plant emergency exercise scheduled on 880921-22.
MCCOY,F.R. Ofc of Special Projects. 88/09/12. WHITE,S.A. Tennessee Valley Authority. 2pp. 46944:360-46944 361.

8809160322 Forwards SER supporting util 880429 ltr describing reorganized fire brigade at plant.
BLACK,S. Ofc of Special Projects. 88/09/13 WHITE,S.A. Tennessee Valley Authority. 1p 46865.014-46865 017.

-8809160324 Safety evaluation supporting util 880429 description of reorganized fire brigade.
* Ofc of Special Projects. 88/09/13. 3pp. 46865 015 46865 017.

8809200231 Immediate temporary change to Rev 1 to Emergency Plan Implementing Procedure EPIP-14, "Radiological Control Procedure" W/880914 ltr.
GRIDLEY,R. Tennessee Valley Authority 88/09/14. 11pp 46899 349-46899:360

H. General correspondence

8808300038 Informs that RA Pedde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn
WHITE,S.A. Tennessee Valley Authority 88/08/19 PARTLOW,J.G. Ofc of Special Projects 4pp 46898 292-46898 294

I. Financial information

8809150188 Forwards financial info for FY ended Sept 1987, per 10CFR140. Util selected alternative five to meet guarantee requirements of retrospective premium sys
GRIDLEY,R.L. Tennessee Valley Authority. 88/09/09 Document Control Branch (Document Control Desk). 56pp 46864 036 46864 090.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809220232 Forwards pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant.
GRIDLEY,R. Tennessee Valley Authority 88/09/19 Document Control Branch (Document Control Desk). 3pp. 46930.026-46930 033

-8809220233 Pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant
* Tennessee Valley Authority 88/09/19. 5pp. 46930.029 46930 033.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065 008

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR. Records also available under listed FOIA
GRIMSLEY,D. Division of Rules & Records (870413 880514). 88/08/10. UNNERSTALL,K. Newman & Holtzinger. 6pp. 46769 054-46769 154

-8804300429 Summarizes results of NRC discussions of 801224 & 29 memos re selection of severity levels concurs w/proposed selection in Caribbean Gulf refining case. Disagrees w/downgrading of security level in Browns Ferry security case.
THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 880201). 81/01/12. O'REILLY,J.P. Region 2, Ofc of the Director. 1p. 46769 060-46769 060.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. Doc-Search Associates 5pp 46770.060 46770 089.

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770-211-46770 223

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN, WP-02-BFN, WP-03-BFN, WP-04 BFN, WP-06-BFN, WP-07 BFN, WP-11-BFN, WP-13 BFN, WP-16 BFN, WP-24-BFN, WP-25-BFN, WP-32-BFN & WP-35 BFN.
GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk) 3pp. 46681.076-46681 219

-8808290132 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-01-BFN, "Control of Welding Filler Mat at Browns Ferry Nuclear Plant"
SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-01-BFN R00 87/04/01. 16pp. 46681.079-46681 094

-8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant"
SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-02-BFN R00. 87/04/04 12pp 46681.095-46681 106.

-8808290139 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-03-BFN, "Welder Qualification & Continuity at Browns Ferry Nuclear Plant"
SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-03-BFN R00 87/04/17. 14pp 46681-107-46681:120

-8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-04-BFN, "Insp Tools, Browns Ferry Nuclear Plant."
PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-04-BFN R00 87/05/11. 7pp 46681:121-46681,127.

-8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-06-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant."
SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-06-BFN R00 87/05/21. 14pp 46681.128-46681:141.

-8808290146 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-07-BFN, "Welder Training & Experience at Browns Ferry Nuclear Plant."
SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-07-BFN R00. 87/04/06 9pp. 46681-142-46681,150.

-8808290147 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-11-BFN, "Surface Grinding of Welds at Browns Ferry Nuclear Plant."
PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-11-BFN R00. 87/04/04. 9pp 46681:151-46681:159.

DOCKETED ITEMS 35

-8808290148 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-13-BFN, "Welding Equipment." PATE,B W, ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-13-BFN R00. 87/04/08. 6pp. 46681.160-46681.165
-8808290149 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-16-BFN, "Structural Steel Preweld Inps at Browns Ferry Nuclear Plant." PATE,B W, ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-16-BFN R00. 87/08/18. 12pp. 46681.166-46681.177
-8808290153 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-24-BFN, "Welder Qualification at Browns Ferry Nuclear Plant." PATE,B W, ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-24-BFN R00. 87/04/16. 8pp. 46681.178-46681.185.
-8808290154 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-25-BFN, "Weld Repairs Not Meeting ASME Code Requirements at Browns Ferry Nuclear Plant." SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-25-BFN R00. 87/05/07. 8pp. 46681.186-46681.193
-8808290156 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-32-BFN, "Adequacy of Structural Support Welds at Browns Ferry Nuclear Plant." SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-32-BFN R00. 87/07/18. 12pp. 46681.194-46681.205
-8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant." SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-35-BFN R00. 87/04/20. 14pp. 46681.206-46681.219.
8808290133 Advises that revised process for review of correspondence to NRC has reduced till requests re extension of response time. GRIDLEY,R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46677.267-46677.268.
8809010181 Responds to Inquiry by NRC re radiograph indications found in Weld Number DSRHR-2-5A,per 880511 meeting,Weld DSRHR-2-5A found to be acceptable for continued operation w/o repair because of nature of indications Related info encl. GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 8pp. 46743.321-46743.326
8809020104 Forwards revised Request for Relief H-12,adding Valve 85-589 to ASME Class 2 pressure test boundary & clarification of request,per 880829 telcon.Addition of NRC-suggested valve would not increase safety margin GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 6pp. 46745.211-46745.215.
8809020257 Forwards PRA summary rept,providing addl info to support conclusion that plant not outlier re severe accident characteristics when compared to plants of similar type & vintage. GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 44pp. 46744.314-46744.357.
8809140253 Corrected notice of consideration of issuance of amends to Licenses DPR-33,DPR-52 & DPR-68 & proposed NSHC determination & opportunity for hearing on 880817 request re control room emergency ventilation sys. BLACK,S.C. Ofc of Special Projects. 88/08/25. 8pp. 46844.322-46844.329.
8809070231 Responds to NRC 880822 request to verify data contained in safety issues mgt sys (SIMS) for plant.SIMS data for units encl. GRIDLEY,R. Tennessee Valley Authority. 88/09/02. Document Control Branch (Document Control Desk). 29pp. 46784.151-46784.179
8809160215 Forwards Amends 154,150 & 125 to Licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation Amends modify Tech Spec 3.4 re standby liquid control sys,allowing use of enriched sodium pentaborate. BLACK,S. Ofc of Special Projects. 88/09/02. WHITE,S.A. Tennessee Valley Authority. 3pp. 46885.165-46885.169
-8809160218 Amends 154,150 & 125 to Licenses DPR-33,DPR-52 & DPR-68, respectively,modifying Tech Spec 3.4 to allow use of enriched sodium pentaborate in standby liquid control sys. BLACK,S. Ofc of Special Projects. 88/09/02. 27pp. 46885.168-46885.194
-8809160219 Safety evaluation supporting Amends 154,150 & 125 to Licenses DPR-33,DPR-52 & DPR-68,respectively * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 5pp. 46885.195-46885.199.
8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors.Investigation revealed that four authorized operators were either coerced, pressured,harassed or intimidated by mgt.W/o encl. PARTLOW,J.G. Ofc of Special Projects. 88/09/09. DOBEL,H.F. Hartford Steam Boiler Inspection & Insurance Co. 1p. 46928.164-46928.164.
8809220088 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors.Investigation revealed that four authorized operators were either coerced, pressured,harassed or threatened by mgt.W/o encl. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09. MIKESILL,W.R. American Society of Mechanical Engineers. 2pp. 46928.158-46928.159
8809210060 Responds to 880810 request for addl info re automatic depressurization sys actuation mod.W/17 oversize drawing change authorizations. GRIDLEY,R. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk). 55pp. 46918.311-46918.349.
8809210009 Documents TVA understanding of agreements reached during 880811 meeting w/NRC & 880831 telcon re control room habitability List of commitments encl. GRIDLEY,R. Tennessee Valley Authority. 88/09/15. Document Control Branch (Document Control Desk). 4pp. 46920.281-46920.284.
8809210174 Notifies that use of sodium nitrite as corrosion inhibitor identified at plant.Ongoing maint identifies possibility that leaks in air conditioning sys will allow discharge of sodium nitrite at low levels.Leaks will be monitored. SCHMIEBACH,M. Tennessee Valley Authority. 88/09/15. HORN,C., PIZNAR,T.G. Alabama, State of. 2pp. 46920.248-46920.249.

8809220224 Provides addl info on human factors program & hardware isolation features associated w/SPDS.Availability of info directly dependent on implementation schedule of SPDS GRIDLEY,R. Tennessee Valley Authority. 88/09/19. Document Control Branch (Document Control Desk). 3pp. 46920.349-46920.351.

8809220332 Responds to 880830 ltr re addl regulations for facilities having landfill disposal permits.Wastes not specified by permit handled in accordance w/encl procedure & managed as hazardous waste W/o encl. SCHIEBACH,M. Tennessee Valley Authority. 88/09/19. HONEYCUTT,J. Alabama, State of. 2pp. 46927.013-46927.014

Q. Inspection reports, IE Bulletins & correspondence

8809090098 Partial response to FOIA request for memos re selection of seventy levels for various violations at nuclear plants. Forwards documents listed in App C.Documents also available in PDR GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. UNNERSTALL,K. Newman & Holtzinger. 2pp. 46766.272-46766.274

-8809090208 Agrees w/regional analysis & conclusion that no civil penalty be issued to till for violations involving excess whole body dose.Draft forwarding ltr,insp rept & notice of violation encl. THOMPSON,D. Enforcement & Investigation Staff, R1. 81/08/14. CARLSON,R. Region 1, Ofc of the Director (810301-820201). ALDERSON,C. Region 2, Ofc of the Director (810301-820201). STREETER,J. Region 3, Ofc of the Director (810301-820201). 6pp. 46766.289-46766.294.

-8809090213 Forwards draft documentation re Severity Level III violation.No civil penalty will be assessed since till taking steps to ensure proper dose limits assigned to workers under age of 18. O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201). 81/08/05. THOMPSON,D. Enforcement & Investigation Staff, R1. 6pp. 46766.295-46766.300

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 126pp. 46690.054-46690.178

8808160451 NRC Info Notice 88-068, "Satpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN,WP-02-BFN,WP-03-BFN,WP-04-BFN, WP-06-BFN,WP-07-BFN,WP-11-BFN,WP-13-BFN,WP-16-BFN,WP-24-BFN, WP-25-BFN,WP-32-BFN & WP-35-BFN. GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46681.076-46681.219

-8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant." SHEVLIN,E. Tennessee Valley Authority. WP-02-BFN R00. 87/04/04. 12pp. 46681.095-46681.108.

-8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-04-BFN, "Insp Tools,Browns Ferry Nuclear Plant." PATE,B.W. Tennessee Valley Authority. WP-04-BFN R00. 87/05/11. 7pp. 46681.121-46681.127.

-8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-08-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant." SHEVLIN,E. Tennessee Valley Authority. WP-08-BFN R00. 87/05/21. 14pp. 46681.128-46681.141

-8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant." SHEVLIN,E. Tennessee Valley Authority. WP-35-BFN R00. 87/04/20. 14pp. 46681.206-46681.219

8809070280 Forwards Exam Rept 50-259/OL-88-01 administered on 880323 & 880502-12 & till comments re written exams JULIAN,C.A. Region 2, Ofc of the Director. 88/08/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 46782.157-46783.048

-8809070283 Exam Rept 50-259/OL-88-01 on 880323 & 0502-12 Exam results: nine reactor operator & seven senior reactor operators passed exams ARILDSEN,J.A. Region 2, Ofc of the Director. 88/08/23. 200pp. 46782.159-46782.364.

-8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions POMREHN,H.P. Tennessee Valley Authority. 88/03/30. BROCKMAN,K. Region 2, Ofc of the Director. 62pp. 46782.355-46783.048.

8808180358 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809010295 Responds to NRC Bulletin 88-005, "Nonconformance Mats Supplied by Piping Supplies,Inc & West Jersey Mgt Co." Plan developed to systematically locate installed Piping Supplies & West Jersey mats. GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 4pp. 46740.168-46740.171.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

36 DOCKETED ITEMS

8809060224 Forwards info re Byron-Jackson Co recirculation pump shaft & cover cracking per 880629 request re relief requests for inservice insp program No maint action should be required before Unit 2 startup.
GRIDLEY,R. Tennessee Valley Authority. 88/08/29 Document Control Branch (Document Control Desk). 15pp 46758 224-46758 238

8809120149 Forwards Insp Repts 50-259/88-18,50-260/88-19 & 50-296/88-19 on 880620 24 No violations or deviations noted
MCCOY,F.R. Ofc of Special Projects MCCOY,F.R. Region 2, Ofc of the Director. 88/08/29 WHITE,S.A. Tennessee Valley Authority 2pp. 46828 051-46828 060

8809120151 Insp Repts 50-259/88-18,50-260/88-19 & 50-296/88-19 on 880620-24 No violations or deviations noted Major areas inspected Mark I containment long term program mod,IE Bulletins 79-02 & 79-14.
CHOU,R.C., CARRION,R.P., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/22. 8pp. 46826 053-46826 060.

8809070456 Forwards safety evaluation accepting util response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants"
BLACK,S. Ofc of Special Projects 88/08/31 WHITE,S.A. Tennessee Valley Authority 2pp 46786 333 46786 340

8809070459 Safety evaluation accepting util response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants." Licensee insp & surveillance program also acceptable
* Ofc of Special Projects 88/08/31 6pp 46786 335-46786 340.

8806260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co of New York, Inc. 121pp. 46712 244 46713 004.

8806300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co of New York, Inc. 122pp 46726 001-46726 123.

8809120225 Ack receipt of 880706 ltr denying violations noted in Insp Repts 50-259/88-10,50-260/88-10 & 50-296/88-10. Based on info provided in response, violations will be deleted from record. Disregards w/util statement on Page 2 of encl to response
RICHARDSON,S.D. Ofc of Special Projects 88/09/08. WHITE,S.A. Tennessee Valley Authority. 2pp 46825 047 46825 048.

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppl 1 & 2.
GRIDLEY,R.L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp. 46886 336 46887 155.

8809260035 Forwards Insp Repts 50-259/88-18,50-260/88-16 & 50-296/88-16 on 880501-0811 & notice of violation.
MCCOY,F.R. Ofc of Special Projects. 88/09/12 WHITE,S.A. Tennessee Valley Authority. 2pp. 46957 301-46957 325.

8809260036 Notice of violation from insp on 880501-0811. Violation noted, three fire brigade members who entered drywell for fire fighting operations not qualified & Q list equipment data package (Sys 1) not in compliance w/nuclear QA manual.
MCCOY,F.R. Ofc of Special Projects. 88/09/12 3pp. 46957 303 46957 305.

8809260043 Insp Repts 50-259/88-16,50-260/88-16 & 50-296/88-16 on 880501-0811. Violations noted Major areas inspected, operational safety, maint observation, surveillance testing observation, restart test program & Q list concerns
PAULK,G.L., LITTLE,W.S. Region 2, Ofc of the Director. 88/09/09 20pp 46957 306-46957 325.

8809060339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co of New York, Inc. 122pp. 46824 215-46824 338.

8809260266 Forwards Insp Repts 50-259/88-23,50-260/88-23 & 50-296/88-23 on 880801-05 No violations or deviations noted
MCCOY,F.R. Region 2, Ofc of the Director. 88/09/14. WHITE,S.A. Tennessee Valley Authority. 2pp. 46985 228-46985 245

8809260272 Insp Repts 50-259/88-23,50-260/88-23 & 50-296/88-23 on 880801-05. No violations or deviations noted Major areas inspected organization & mgt controls in radiation protection & radwaste & control of radioactive matts.
GLOERSON,W.B., COLLINS,T.R., HOSEY,C.M. Region 2, Ofc of the Director. 88/09/02 15pp. 46965 231-46965 245

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co of New York, Inc. 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8808290306 Forwards monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant & revised repts for Sept 1988 - Mar 1988
CAMPBELL,G.G. Tennessee Valley Authority. 88/08/16. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46685 047-46685 194.

8808290312 Monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant.
CAMPBELL,G.G., CRAWFORD,J.D. Tennessee Valley Authority. 88/07/31. 84pp. 46685 049-46685 194

8808290315 Revised monthly operating repts for Apr 1988 for Browns Ferry Nuclear Plant.
* Tennessee Valley Authority. 88/04/30. 1p. 46685 133-46685 133.

8808290317 Revised monthly operating repts for June 1988 for Browns Ferry Nuclear Plant
* Tennessee Valley Authority. 88/06/30 2pp 46685 134-46685 135

8808290318 Revised monthly operating repts for Sept 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 88/08/30. 3pp. 46685 136 46685 138

8808290322 Revised monthly operating repts for Oct 1988 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 88/10/31. 3pp. 46685 139 46685 141

8808290325 Revised monthly operating repts for Nov 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A. Tennessee Valley Authority. 88/11/30. 3pp 46685 142-46685 144.

8808290329 Revised monthly operating repts for Dec 1988 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 88/12/31. 4pp 46685 145 46685 148.

8808290330 Revised monthly operating repts for Jan 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 87/01/31. 3pp. 46685 149 46685 151

8808290331 Revised monthly operating repts for Feb 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 87/02/28 3pp. 46685 152 46685 154.

8808290332 Revised monthly operating repts for Mar 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/03/31. 3pp. 46685 155 46685 157.

8808290334 Revised monthly operating repts for Apr 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/04/30 3pp 46685 158-46685 160.

8808290335 Revised monthly operating repts for May 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority 87/05/31. 3pp 46685 161-46685 163

8808290336 Revised monthly operating repts for June 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/06/30. 3pp 46685 164-46685 166.

8808290337 Revised monthly operating repts for Jul 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/07/31. 3pp. 46685 167-46685 169

8808290338 Revised monthly operating repts for Aug 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/08/31. 3pp 46685 170 46685 172.

8808290339 Revised monthly operating repts for Sept 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/09/30. 3pp. 46685 173 46685 175.

8808290340 Revised monthly operating repts for Oct 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/10/31. 3pp. 46685 176-46685 178.

8808290343 Revised monthly operating repts for Nov 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/11/30 3pp 46685 179-46685 181.

8808290346 Revised monthly operating repts for Dec 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/12/31. 4pp 46685 182-46685 185

8808290347 Revised monthly operating repts for Jan 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 88/01/31. 3pp 46685 186 46685 188

8808290348 Revised monthly operating repts for Feb 1988 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 88/02/29. 3pp. 46685 189-46685 191.

8808290350 Revised monthly operating repts for Mar 1988 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 88/03/31. 3pp. 46685 192-46685 194.

8809140468 Forwards "Effluent & Waste Disposal Semiannual Rept, Jan-June 1988" & "Radiological Impact Assessment Rept Browns Ferry Nuclear Plant, Jan-June 1988."
GRIDLEY,R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 2pp 46786 058-46786 134.

8809080334 "Effluent & Waste Disposal Semiannual Rept, Jan-June 1988."
* Tennessee Valley Authority 88/06/30. 78pp 46786 060-46786 076.

8809140470 "Radiological Impact Assessment Rept Browns Ferry Nuclear Plant, Jan-June 1988"
* Tennessee Valley Authority. 88/06/30 58pp 46796 077-46796 134

8809010312 Forwards weekly schedule of TVA activities for wks of 880829 & 0906
KELLY, J.L. O/c of Special Projects 88/09/01 BLACK, S. O/c of Special Projects. 6pp. 46744.141-46744 146.

S. Reportable occurrences, LERs & related correspondence

8808290120 LER 88-022-00, on 880720, spurious refuel zone hi radiation causing containment isolation occurred Caused by failure of upscale logic relay coil Corrective maint initiated to replace relay & radiation monitor tested W/880822 ltr.
CAMPBELL, G.G., WILLARD, S.C. Tennessee Valley Authority. 88/08/19 4pp 46676-204-46676:207.

8809010333 Forwards list of currently inoperable radioactive effluent instruments & dates for restoration.
GRIDLEY, R. Tennessee Valley Authority 88/08/25 Document Control Branch (Document Control Desk). 4pp 46741:264 46741.267

V. Operator Examinations

8809070280 Forwards Exam Rept 50-259/OL-88-01 administered on 880323 & 880502-12 & util comments re written exams
JULIAN, C.A. Region 2, O/c of the Director. 88/08/23. WHITE, S.A. Tennessee Valley Authority 2pp. 46782:157-46783 046.

8809070283 Exam Rept 50-259/OL-88-01 on 880323 & 0502-12 Exam results nine reactor operator & seven senior reactor operators passed exams
ARLDSEN, J.A., MUNRO, J.F., BROCKMAN, K.E. Region 2, O/c of the Director. 88/08/23. 200pp. 46782:159 46782.354.

8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions
POMREHN, H.P. Tennessee Valley Authority. 88/03/30 BROCKMAN, K. Region 2, O/c of the Director 52pp. 46782:355-46783.046

8809180004 Ack receipt of 880516 ltr re utilization of Group IV operators at facilities Reiterates NRC position that all Group IV operators must pass NRC administered requalification exam prior to performing licensed duties.
RICHARDSON, S.D. O/c of Special Projects 88/08/31. WHITE, S.A. Tennessee Valley Authority. 2pp 46697:241-46697.242.

8809060357 Responds to Generic Ltr 88-13 re operator licensing exams & provides update to earlier response to Generic Ltr 87-14 on NRC licensing exam site visits Updated exam schedules & requalification schedules for facilities encl.
GRIDLEY, R.L. Tennessee Valley Authority. 88/09/01. HANNON, J. NRC - No Detailed Affiliation Given 8pp. 46767:344-46767.351

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260292 Revised emergency plan implementing procedures, including Rev 1 to EPIP-14, "Radiological Control Procedures" & Rev 1 to EPIP-17, "Emergency Equipment & Supplies."
MARKS, B.K. Tennessee Valley Authority. 88/08/03 41pp. 46656:142-46656:182.

8808300270 Ack receipt of 880630 ltr transmitting Rev 9 to physical security plan. Rev contains issues w/policy implications re existing bullet resisting barriers & requirements of 10CFR73.55(c)(8) & 73.2(a). Rev withheld (ref 10CFR73.21).
MCCOY, F.R. O/c of Special Projects. 88/08/19 WHITE, S.A. Tennessee Valley Authority. 2pp 46697:109-46697:110.

8809070466 Forwards SER accepting proposed fire protection improvement program. Continued rigorous implementation of program will increase improvements in overall safety of plant.
BLACK, S. O/c of Special Projects. 88/08/31. WHITE, S.A. Tennessee Valley Authority. 2pp 46767:327-46767:331.

8809070470 SER accepting licensee fire protection improvement program for plant.
* O/c of Special Projects. 88/08/31 3pp. 46767:329-46767:331

8809080072 Forwards Rev 10 to physical security/contingency plan Rev withheld (ref 10CFR73.21).
GRIDLEY, R.L. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 2pp. 46798.033-46798:034.

8809130313 Rev 3 to Emergency Plan Implementing Procedure EPIP-10, "Medical Emergency Procedure." W/880902 ltr.
GRIDLEY, R. Tennessee Valley Authority. 88/09/02. 26pp. 46834:004 46834:026.

8809230104 Ack receipt of scenario & submittal of scope & objectives for plant emergency exercise scheduled on 880921-22.
MCCOY, F.R. O/c of Special Projects. 88/09/12. WHITE, S.A. Tennessee Valley Authority 2pp. 46944.360 46944.361.

8809160322 Forwards SER supporting util 880429 ltr describing reorganized fire brigade at plant.
BLACK, S. O/c of Special Projects. 88/09/13. WHITE, S.A. Tennessee Valley Authority. 1p. 46865:014-46865 017.

8809180324 Safety evaluation supporting util 880429 description of reorganized fire brigade.
* O/c of Special Projects. 88/09/13. 3pp. 46865.015-46865.017.

8809200231 Immediate temporary change to Rev 1 to Emergency Plan Implementing Procedure EPIP-14, "Radiological Control Procedure." W/880914 ltr.
GRIDLEY, R. Tennessee Valley Authority. 88/09/14. 11pp. 46899.349-46899:360

H. General correspondence

8808300038 Informs that RA Pedde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn
WHITE, S.A. Tennessee Valley Authority. 88/08/19 PARTLOW, J.G. O/c of Special Projects 4pp 46698 292-46698.294

I. Financial information

8809150188 Forwards financial info for FY ended Sept 1987, per 10CFR140 Unit selected alternative five to meet guarantee requirements of retrospective premium sys
GRIDLEY, R.L. Tennessee Valley Authority. 88/09/09 Document Control Branch (Document Control Desk). 56pp 46864.036 46864.090.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809220232 Forwards pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant.
GRIDLEY, R. Tennessee Valley Authority 88/09/19. Document Control Branch (Document Control Desk) 3pp. 46930.026 46930 033.

8809220233 Pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant
* Tennessee Valley Authority. 88/09/19 5pp. 46930 029 46930.033

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Sys list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc 41pp. 47065.001-47065 006.

8809080234 Partial response to FOIA request for documents. Forwards App B documents. App A documents maintained in PDR Records also available under listed FOIAs.
GRIMSLEY, D. Division of Rules & Records (870413-880514) 88/08/10. UNNERSTALL, K. Newman & Holtzinger. 8pp. 46769 054-46769.059

88104300429 Summarizes results of NRC discussions of 801224 & 29 memos re selection of severity levels Concurs w/proposed selection in Caribbean Gulf refining case. Disagrees w/downgrading of security level in Browns Ferry security case.
THOMPSON, D. Director's O/c, Enforcement & Investigation Staff, IE (Pre 820201). 81/01/12 O'REILLY, J.P. Region 2, O/c of the Director 1p. 46768.060 46768:060.

8808260495 Summary of 880811 meeting w/util in Rockville, MD re control room ventilation sys List of meeting attendees & viewgraphs encl.
GEARS, G.E. O/c of Special Projects. 88/08/19. O/c of Special Projects 21pp. 46656:116-46656:136.

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN, WP-02-BFN, WP-03-BFN, WP-04-BFN, WP-06-BFN, WP-07-BFN, WP-11-BFN, WP-13-BFN, WP-18-BFN, WP-24-BFN, WP-26-BFN, WP-32-BFN & WP-35-BFN.
GRIDLEY, R. Tennessee Valley Authority 88/08/22. Document Control Branch (Document Control Desk). 3pp 46681.076 46681:219.

8808290132 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-01-BFN, "Control of Welding Filler Metal at Browns Ferry Nuclear Plant."
SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-01-BFN R00. 87/04/01. 16pp. 46681:079 46681.094

8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant."
SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-02-BFN R00. 87/04/04. 12pp. 46681:095 46681:106

8808290139 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-03-BFN, "Welder Qualification & Continuity at Browns Ferry Nuclear Plant."
SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority WP-03-BFN R00. 87/04/17 14pp. 46681:107-46681:120.

8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-04-BFN, "Insp Tools, Browns Ferry Nuclear Plant."
PATE, B.W., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-04-BFN R00. 87/05/11. 7pp. 46681:121-46681:127.

8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-06-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant."
SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-06-BFN R00. 87/05/21. 14pp. 46681:128-46681:141.

8808290146 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-07-BFN, "Welder Training & Experience at Browns Ferry Nuclear Plant."
SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-07-BFN R00. 87/04/06. 9pp. 46681:142-46681:150.

8808290147 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-11-BFN, "Surface Grinding of Welds at Browns Ferry Nuclear Plant."
PATE, B.W., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-11-BFN R00. 87/04/04 9pp. 46681:151-46681:159.

8808290148 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-13-BFN, "Welding Equipment."
PATE, B.W., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-13-BFN R00. 87/04/06. 6pp. 46681:160-46681:165.

8808290149 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-16-BFN, "Structural Steel Preweld Insp at Browns Ferry Nuclear Plant."
PATE, B.W., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-16-BFN R00. 87/08/18. 12pp. 46681:166 46681.177

38 DOCKETED ITEMS

8808290153 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 24-BFN, "Welder Qualification at Browns Ferry Nuclear Plant" PATE,B W, ROSE,J E, LEWIS,J Tennessee Valley Authority. WP 24 BFN R00 87/04/16 6pp 46631 178 46661:185

8808290154 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 25-BFN, "Weld Repairs Not Meeting ASME Code Requirements at Browns Ferry Nuclear Plant" SHEVLIN,E, ROSE,J E, LEWIS,J Tennessee Valley Authority WP-25 BFN R00 87/05/07. 6pp 46681 186-46681 193

8808290156 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 32-BFN, "Adequacy of Structural Support Welds at Browns Ferry Nuclear Plant" SHEVLIN,E, ROSE,J E, LEWIS,J Tennessee Valley Authority WP-32-BFN R00 87/07/18 12pp 46681.194 46681 205.

8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant" SHEVLIN,E, ROSE,J E, LEWIS,J Tennessee Valley Authority WP-35-BFN R00 87/04/20. 14pp 46681 206-46681 219

8808290116 Forwards response to NRC 880726 ltr re open items & concerns noted in safety evaluation concerning seismic program interim operability criteria Procedure 2 GOI 200-2 ensures that trash or tools removed before drywell closure GRIDLEY,R Tennessee Valley Authority 88/08/23 Document Control Branch (Document Control Desk) 7pp 46684:205-46684 211

8808290133 Advises that revised process for review of correspondence to NRC has reduced until requests re extension of response time GRIDLEY,R Tennessee Valley Authority 88/08/23 Document Control Branch (Document Control Desk) 2pp 46677:267-46677:268

8809080395 Forwards "Mgt Self-Assessment (MSA) of Readiness for Restart," validating accomplishment of preparedness & giving independent review & overview of adequacy of preparations WHITE,S A Tennessee Valley Authority. 88/08/24. PARTLOW,J G Ofc of Special Projects 3pp 46800 253-46800 274

8809080398 "Mgt Self-Assessment (MSA) of Readiness for Restart" TOTOG, WHITE,S A. Tennessee Valley Authority 88/08/31 18pp. 46800.256 46800 274.

8809010181 Responds to inquiry by NRC re radiograph indications found in Weld Number DSRHR-2-5A,per 880511 meeting Weld DSRHR-2-5A found to be acceptable for continued operation w/o repair because of nature of indications Related info encl GRIDLEY,R Tennessee Valley Authority 88/08/25 Document Control Branch (Document Control Desk) 6pp 46743 321-46743 326

8809020104 Forwards revised Request for Relief H-12,adding Valve 85 589 to ASME Class 2 pressure test boundary & clarification of request,per 880629 telcon Addition of NRC-suggested valve would not increase safety margin. GRIDLEY,R Tennessee Valley Authority 88/08/25. Document Control Branch (Document Control Desk) 5pp 46745 211-46745 215

8809020257 Forwards PRA summary rept,providing addl info to support conclusion that plant not outlier re severe accident characteristics when compared to plants of similar type & vintage. GRIDLEY,R Tennessee Valley Authority. 88/08/25 Document Control Branch (Document Control Desk) 44pp. 46744 314-46744 357

8809140253 Corrected notice of consideration of issuance of amends to Licenses DPR-33,DPR-52 & DPR-68 & proposed NSHC determination & opportunity for hearing on 880817 request re control room emergency ventilation sys BLACK,S C Ofc of Special Projects 88/08/25 6pp. 46844 322-46844 329

8809080012 Application for amend to License DPR 52,consisting of Tech Spec 254,rev 1, Tech Specs to reflect reactor core operating limits for Cycle 6 operation Rev 2 to TVA-RLR-002, "Reload Licensing Rept" encl.Fee paid RAY,M J Tennessee Valley Authority. 88/08/26 Document Control Branch (Document Control Desk). 4pp 46941 029-46941 070.

8809080020 Rev 2 to "Reload Licensing Rept" Tennessee Valley Authority TVA-RLR-002 R02 88/07/31. 38pp. 46941:033. 46941.070.

8809130086 Summary of 880810 meeting w/utl in Decatur,AL re diesel generator concerns resulting from restart test program List of attendees,agenda & related info encl. MORAND,H. Ofc of Special Projects. 88/09/01 Ofc of Special Projects 14pp 46835:348 46835.361.

8809070231 Responds to NRC 880622 request to verify data contained in safety issues mgt sys (SIMS) for plant SIMS data for units encl. GRIDLEY,R Tennessee Valley Authority 88/09/02 Document Control Branch (Document Control Desk) 28pp 46784.151-46784 179

8809180215 Forwards Amends 154,150 & 125 to Licenses DPR 33,DPR-52 & DPR-68,respectively & safety evaluation Amends modify Tech Spec 3 4 re standby liquid control sys,allowing use of enriched sodium pentaborate BLACK,S Ofc of Special Projects. 88/09/02. WHITE,S A Tennessee Valley Authority 3pp 46885 185 46885.193.

8809180216 Amends 154,150 & 125 to Licenses DPR-33,DPR-52 & DPR-68, respectively,modifying Tech Spec 3 4 to allow use of enriched sodium pentaborate in standby liquid control sys BLACK,S Ofc of Special Projects. 88/09/02 27pp 46885 188-46885.194

8809180219 Safety evaluation supporting Amends 154,150 & 125 to Licenses DPR-33,DPR-52 & DPR-68,respectively. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 5pp. 46885-195-46885 199.

8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors.Investigation revealed that four authorized operators were either coerced, pressured,harassed or intimidated by mgt W/o encl. PARTLOW,J.G. Ofc of Special Projects. 88/09/09 DOBEL,H F. Hartford Steam Boiler Inspection & Insurance Co 1p. 46928:164-46928.164.

8809220086 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors investigation revealed that four authorized operators were either coerced, pressured,harassed or threatened by mgt W/o encl GRIMES,B K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09. MIKESELL,W.R. American Society of Mechanical Engineers 2pp 46928:158-46928 159.

8809210060 Responds to 880810 request for addl info re automatic depressurization sys actuation mod.W/17 oversize drawing change authorizations GRIDLEY,R Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk) 55pp 46918 311 46918:349

8809160318 Requests encl list of addl info re unit startup be submitted within 30 days in order for NRC to resolve technical issues. BLACK,S Ofc of Special Projects 88/09/12 WHITE,S.A. Tennessee Valley Authority 3pp. 46885 200-46885 202

8809210009 Documents TVA understanding of agreements reached during 880811 meeting w/NRC & 880831 telcon re control room habitability.List of commitments encl GRIDLEY,R Tennessee Valley Authority 88/09/15 Document Control Branch (Document Control Desk) 4pp 46920 281 46920 284.

8809210174 Notices that use of sodium nitrate as corrosion inhibitor identified at plant.Ongoing maint identifies possibility that leaks in air conditioning sys will allow discharge of sodium nitrate at low levels.Leaks will be monitored. SCHMIERBACH,M Tennessee Valley Authority 88/09/15. HORN,C, PIZNAR,T.G. Alabama, State of 2pp. 46920 248 46920 248

8809220224 Provides addl info on human factors program & hardware isolation features associated w/SPDS.Availability of info directly dependent on implementation schedule of SPDS GRIDLEY,R Tennessee Valley Authority 88/09/19. Document Control Branch (Document Control Desk) 3pp. 46920 349 46920.351.

8809220332 Responds to 880830 ltr re addl regulations for facilities having landfill disposal permits Wastes not specified by permit handled in accordance w/encl procedure & managed as hazardous waste W/o encl. SCHMIERBACH,M Tennessee Valley Authority 88/09/19. HONEYCUTT,J. Alabama, State of. 2pp 46927.013-46927 014

Q. Inspection reports, IE Bulletins & correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C Documents also available in PDR GRIMSLEY,D H NRC - No Detailed Affiliation Given. 88/08/17. UNNERSTALL,K. Newman & Holtzinger 2pp. 46766:272 46766 274

8809090208 Agrees w/regional analysis & conclusion that no civil penalty be issued to utl for violations involving excess whole body dose.Draft forwarding ltr,insp rept & notice of violation encl THOMPSON,D Enforcement & Investigation Staff, R1. 81/08/14. CARLSON,R Region 1, Ofc of the Director (810301-820201) ALDERSON,C Region 2, Ofc of the Director (810301 820201). STREETER,J Region 3, Ofc of the Director (810301-820201). 6pp 46766 289 46766 294

8809090213 Forwards draft documentation re Severity Level III violation No civil penalty will be assessed since utl taking steps to ensure proper dose limits assigned to workers under age of 18 O'REILLY,J P. Region 2, Ofc of the Director (810301-820201). 81/08/05 THOMPSON,D Enforcement & Investigation Staff, R1 6pp. 46766.295-46766.300.

8809180195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890:178.

8809180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co of New York, Inc 121pp 46702.311-46703:070.

8809260138 Notification of 880830 meeting w/utl in Rockville,MD to discuss resolution of IEB-79 02 & IEB 79-14 restart issues GEARS,G E Ofc of Special Projects 88/08/22. BLACK,S. Ofc of Special Projects 3pp 46856 056 46856 058.

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN,WP 02-BFN,WP-03-BFN,WP-04 BFN WP-06-BFN,WP-07-BFN,WP-11-BFN,WP-13 BFN,WP-16 BFN,WP-24-BFN, WP-25-BFN,WP-32-BFN & WP-35 BFN GRIDLEY,R Tennessee Valley Authority. 88/09/22. Document Control Branch (Document Control Desk). 3pp 46681.076 46681:218.

8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant." SHEVLIN,E Tennessee Valley Authority. WP-02-BFN R00. 87/04/04 12pp. 46681:095-46681.106

8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 04-BFN, "Insp Tools,Browns Ferry Nuclear Plant." PATE,B W, Tennessee Valley Authority WP-04-BFN R00. 87/05/11. 7pp 46681:121-46681:127.

8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-06-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant." SHEVLIN,E Tennessee Valley Authority. WP-06-BFN R00. 87/05/21. 14pp. 46681.128-46681:141.

8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant." SHEVLIN,E Tennessee Valley Authority WP-35-BFN R00 87/04/20. 14pp. 46681 206-46681:218.

8808290320 Notification of canceled 880830 meeting w/uttl in Rockville, MD to discuss resolution of IE Bulletins 79-02 & 79-14 restart issues
GEARS,G.E. Ofc of Special Projects 88/08/22. BLACK,S. Ofc of Special Projects 3pp 46877 339-46877:341

8809070280 Forwards Exam Rept 50-259/OL-88-01 administered on 880323 & 880502-12 & uttl comments re written exams
JULIAN,C.A Region 2, Ofc of the Director 88/08/23. WHITE,S.A Tennessee Valley Authority. 2pp. 46782 157-46783 046

8809070283 Exam Rept 50 259/OL 88 01 on 880323 & 0502-12 Exam results nine reactor operator & seven senior reactor operators passed exams.
ARILDSEN,J.A Region 2, Ofc of the Director 88/08/23 200pp. 46782 159-46782,354

8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions.
POMREHN,H.P Tennessee Valley Authority. 88/03/30. BROCKMAN,K. Region 2, Ofc of the Director. 52pp 46782,355-46783 046.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc. 122pp. 46713,218-46713 218.

8809010295 Responds to NRC Bulletin 88-005, "Nonconformance Mats Supplied by Piping Supplies,Inc & West Jersey Mgt Co." Plan developed to systematically locate installed Piping Supplies & West Jersey mats
GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 4pp. 46740 168-46740,171.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713-095-46713-217.

8809060224 Forwards info re Byron Jackson Co recirculation pump shaft & cover cracking,per 880629 request re relief requests for Inservice insp program.No maint action should be required before Unit 2 startup.
GRIDLEY,R. Tennessee Valley Authority. 88/08/29. Document Control Branch (Document Control Desk). 15pp. 46758,224-46758,238.

8809120149 Forwards Insp Repts 50 259/88-19,50-260/88-19 & 50-296/88 19 on 880620-24.No violations or deviations noted.
MCCOY,F.R. Ofc of Special Projects. MCCOY,F.R. Region 2, Ofc of the Director 88/08/28. WHITE,S.A. Tennessee Valley Authority. 2pp. 46826 051-46826-060.

8809120151 Insp Repts 50-259/88-19,50-260/88-19 & 50 296/88-19 on 880620 24.No violations or deviations noted Major areas inspected Mark I containment long term program mod,IE Bulletins 79-02 & 79-14.
CHOU,R.C., CARRION,R.P., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/22 8pp. 46826 053-46826,060.

8809070456 Forwards safety evaluation accepting uttl response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants".
BLACK,S. Ofc of Special Projects 88/08/31. WHITE,S.A. Tennessee Valley Authority. 2pp 46786,333-46786,340

8809070459 Safety evaluation accepting uttl response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants." Licensee insp & surveillance program also acceptable.
* Ofc of Special Projects. 88/08/31. 6pp 46786-335-46786,340.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244 46713,004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726,001-46726,123

8809120225 Ack receipt of 880706 ltr denying violations noted in Insp Repts 50-259/88-10,50-260/88-10 & 50-296/88-10.Based on info provided in response,violations will be deleted from record. Disagrees w/uttl statement on Page 2 of encl to response.
RICHARDSON,S.D. Ofc of Special Projects 88/09/06. WHITE,S.A. Tennessee Valley Authority. 2pp. 46825:047-46825:048

8809130154 Notification of 880908 meeting w/uttl in Rockville,MD to discuss resolution of IEB-79-02 & IEB-79-14 restart issues for facility.
GEARS,G.E. Ofc of Special Projects 88/09/07. BLACK,S. Ofc of Special Projects 3pp. 46830,216-46830-220.

8809130201 Notification of 880813 meeting w/uttl in Soddy Daisy,TN to discuss shut-down margin insp findings,TVA operational readiness review findings & Unit 1 restart status & definition of operable for fuel load for facility
DONOHEW,J. Ofc of Special Projects 88/09/07. BLACK,S. Ofc of Special Projects. 5pp. 46839,032-46839,036.

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs,in response to NRC Bulletin 87-002,Suppl 1 & 2.
GRIDLEY,R.L Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp 46896 338-46897-165.

8809260035 Forwards Insp Repts 50-259/88-16,50-260/88-16 & 50-296/88-16 on 880501-0611 & notice of violation
MCCOY,F.R. Ofc of Special Projects. 88/09/12. WHITE,S.A Tennessee Valley Authority. 2pp. 46957:301-46957,325

8809260038 Notice of violation from Insp on 880501-0611.Violation noted,three fire brigade members who entered drywell for fire fighting operations not qualified & Q list equipment data package (Sys 1) not in compliance w/nuclear QA manual.
MCCOY,F.R. Ofc of Special Projects. 88/09/12. 3pp. 46957:303-46957:305.

8809260043 Insp Repts 50-259/88-16,50-260/88-16 & 50-296/88-16 on 880501-0611 Violations noted Major areas inspected operational safety,maint observation,surveillance testing observation,restart test program & Q list concerns.
PAULK,G.L., LITTLE,W.S Region 2, Ofc of the Director 88/09/09. 20pp 46957-306 46957-325

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc. 122pp. 46824 215-46824-336

8809260268 Forwards Insp Repts 50-259/88-23,50 260/88 23 & 50 296/88-23 on 880801-05 No violations or deviations noted
MCCOY,F.R. Region 2, Ofc of the Director 88/09/14 WHITE,S.A Tennessee Valley Authority 2pp 46965 228 46965,245

8809260272 Insp Repts 50-259/88 23,50-260/88-23 & 50 296/88 23 on 880801-05.No violations or deviations noted Major areas inspected organization & mgt controls in radiation protection & radwaste & control of radioactive materials
GLOERSON,W.B., COLLINS,T.R., HOSEY,C.M. Region 2, Ofc of the Director 88/09/02. 15pp 46965,231-46965 245.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co of New York, Inc. 124pp 46946-133 46946,252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013

R. Periodic operating reports & related correspondence

8808290306 Forwards monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant & revised repts for Sept 1986 - Mar 1988
CAMPBELL,G.G. Tennessee Valley Authority. 88/08/15. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46685,047-46685 194

8808290312 Monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant
CAMPBELL,G.G., CRAWFORD,J.D. Tennessee Valley Authority. 88/07/31 84pp 46685,048-46685 194

8808290315 Revised monthly operating repts for Apr 1988 for Browns Ferry Nuclear Plant.
* Tennessee Valley Authority 88/04/30. 1p 46685 133-46685-133.

8808290317 Revised monthly operating repts for June 1988 for Browns Ferry Nuclear Plant
* Tennessee Valley Authority. 88/06/30. 2pp. 46685:134-46685:135.

8808290318 Revised monthly operating repts for Sept 1986 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 88/09/30. 3pp 46685:136 46685:138

8808290322 Revised monthly operating repts for Oct 1988 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority 88/10/31. 3pp. 46685:139 46685:141.

8808290325 Revised monthly operating repts for Nov 1986 for Browns Ferry Nuclear Plant
RATLIFF,S.A Tennessee Valley Authority. 88/11/30 3pp 46685,142-46685 144

8808290329 Revised monthly operating repts for Dec 1986 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority. 88/12/31 4pp 46685,145-46685,148.

8808290330 Revised monthly operating repts for Jan 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority 87/01/31. 3pp. 46685:149-46685:151.

8808290331 Revised monthly operating repts for Feb 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CREAMER,K.L. Tennessee Valley Authority 87/02/28. 3pp 46685 152-46685:154.

8808290332 Revised monthly operating repts for Mar 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 87/03/31 3pp. 46685,155-46685:157.

8808290334 Revised monthly operating repts for Apr 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 87/04/30 3pp. 46685,158-46685:160.

8808290335 Revised monthly operating repts for May 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/05/31. 3pp 46685:161-46685:163

8808290336 Revised monthly operating repts for June 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/06/30 3pp. 46685,164-46685:166

8808290337 Revised monthly operating repts for Jul 1987 for Browns Ferry Nuclear Plant.
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/07/31 3pp. 46685:167-46685:169.

40 DOCKETED ITEMS

- 8808290339 Revised monthly operating repls for Aug 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority 87/08/31. 3pp.
46685 174-46685 172
- 8808290339 Revised monthly operating repls for Sept 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 87/09/30 3pp.
46685 173-46685 175.
- 8808290340 Revised monthly operating repls for Oct 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority 87/10/31 3pp
46685 176-46685 178
- 8808290343 Revised monthly operating repls for Nov 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 87/11/30 3pp.
46685 179-46685 181
- 8808290346 Revised monthly operating repls for Dec 1987 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority. 87/12/31. 4pp.
46685 182-46685:185
- 8808290347 Revised monthly operating repls for Jan 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 88/01/31. 3pp.
46685 186-46685 188
- 8808290349 Revised monthly operating repls for Feb 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D Tennessee Valley Authority. 88/02/29. 3pp.
46685,189-46685:191
- 8808290350 Revised monthly operating repls for Mar 1988 for Browns Ferry Nuclear Plant
RATLIFF,S.A., CRAWFORD,J.D. Tennessee Valley Authority 88/03/31. 3pp
46685 192-46685:194
- 8809140466 Forwards "Effluent & Waste Disposal Semiannual Rept,Jan-June 1988" &
"Radiological Impact Assessment Rept Browns Ferry Nuclear Plant,Jan-June 1988"
GRIDLEY,R. Tennessee Valley Authority, 88/09/31. Document Control Branch (Docu-
ment Control Desk) 2pp. 46796 058-46796.134
- 8809080334 "Effluent & Waste Disposal Semiannual Rept,Jan-June 1988 "
* Tennessee Valley Authority 88/06/30 76pp 46796 060-46796 076
- 8809140470, "Radiological Impact Assessment Rept Browns Ferry Nuclear Plant,Jan-
June 1988 "
* Tennessee Valley Authority. 88/06/30 58pp. 46796.077-46796 134
- 8809010312 Forwards weekly schedule of TVA activities for wks of 880829 & 0908
KELLY,J.L. Ofc of Special Projects 88/09/01 BLACK,S Ofc of Special Projects 6pp.
46744:141-46744 146

S. Reportable occurrences, LERs & related correspondence

- 88059010333 Forwards list of currently inoperable radioactive effluent instruments & dates for restoration.
GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk) 4pp 46741/284-46741/287.
- 8809070562 LER 88-005-00 on 880603,unit received spurious low reactor water level signals which completed initiation logic for reactor scram.Caused by procedural inadequacies Workplan procedure will be revised W/880902 lt.
WILLARD,S.C. CAMPBELL,G.G. Tennessee Valley Authority. 88/09/02. 5pp 46767/102-46767/106.

V. Operator Examinations

- 8809070260 Forwards Exam Rept 50 259/OL-88-01 administered on 880323 & 880502-12 & ult comments re written exams
JULIAN,C.A. Region 2, Ofc of the Director, 88/08/23. WHITE,S.A. Tennessee Valley Authority, 2pp. 46782.157-46783.046
- 8809070283 Exam Rept 50-259/OL-88-01 on 880323 & 0502-12 Exam results, nine reactor operator & seven senior reactor operators passed exams
ARILDSEN,J.A., MUNRO,J.F., BROCKMAN,K.E. Region 2, Ofc of the Director, 88/08/23, 200pp. 46782.159-46782.354.
- 8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions.
POMREHN,H.P. Tennessee Valley Authority 86/03/30. BROCKMAN,K Region 2, Ofc of the Director 52pp. 46782.355-46783.048.
- 8809180004 Ack receipt of 880518 ltr re utilization of Group IV operators at facilities.Reiterates NRC position that all Group IV operators must pass NRC administered requalification exam prior to performing licensed duties.
RICHARDSON,S.D. Ofc of Special Projects 88/08/31. WHITE,S.A. Tennessee Valley Authority, 2pp. 46697.241-46897.242.
- 8809060357 Responds to Genenc Ltr 88-13 re operator licensing exams & provides update to earlier response to Genenc Ltr 87-14 on NRC licensing exam site visits Updated exam schedules & requalification schedules for facilities encl.
GRIDLEY,R.L. Tennessee Valley Authority, 88/09/01. HANNON,J. NRC - No Detailed Attribution Given. 8pp 46757.344-46767.351.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

- 8808260340 Revised emergency plan procedures,including Rev 2 to PEP-652, "Emergency Facilities & Equipment" & Rev 5 to PEP 653, "Performance of Training,Drills & Exercises." W/ 880818 ltr.
MORROW,M C, JOHNSON,R, MORGAN,R.E. Carolina Power & Light Co 88/08/18 27pp 46653.319 46653.345.
- 8809130228 Forwards Insp Rept 50-261/88-19 on 880711-0810.No violations or deviations noted
VERRELLI,D.M. Region 2, Ofc of the Director, 88/09/29 UTLEY,E E. Carolina Power & Light Co 2pp 46833.352-46833.360.
- 8809130232 Insp Rept 50 261/88-19 on 880711-0820.No violations noted Major areas inspected followup on previous Insp items, operational safety verification,physical protection, surveillance observation & maint observation.
GARNER,L.V., LATTA,R M, FREDRICKSON,P, Region 2, Ofc of the Director, 88/09/29 7pp 46833 354-46833 360.
- 8809130159 Forwards Insp Rept 50 261/88-20 on 880801 03.No violations or deviations noted
COLLINS,D M Region 2, Ofc of the Director, 88/09/02. UTLEY,E E. Carolina Power & Light Co, 2pp. 46830 313-46830 332.
- 8809130160 Insp Rept 50 261/88-20 on 880801-03 No violations or deviations noted Major areas inspected observation & evaluation of key emergency & organizational functions during partial-participation exercise.Related Info encl.
SARTOR,W.M., DECKER,T.R Region 2, Ofc of the Director 88/08/31 18pp. 46830.315-46830 332.
- 8809220168 Forwards payment of civil penalty in amount of \$50,000,per 871113 notice of violation re 10CFR50,App R (fire protection).
UTLEY,E E. Carolina Power & Light Co. 88/09/09 Ofc of Enforcement (Post 870413). 1p 46920.340-46920.340.
- 8809190128 Rev 19 to Emergency Plan Implementing Procedure PEP-301, "Initial Dose Projections." W/880912 ltr
JOHNSON,R., MORGAN,R.E. Carolina Power & Light Co. 88/09/12. 7pp. 46000 001-46899.007.

P. Operating license stage documents & correspondence

- 8809120294 Generic LR 88-14 to all holders of OLE or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment.Svc ltr encl, MIRAGLIA,F J Associate Director for Projects (Post 870411). 88/08/08 Consolidated Ed. Miraglia Co. of New York, Inc 41pp. 47065-001-47065-006
- 8808260389 Notification of 880906 meeting w/util in Rockville,MD to review licensing activities
L.O.R.H. Project Directorate II-1, 88/08/24, ADENSAM,E.G. Project Directorate II 1.
3pp. 48666 359-48668,361.
- 8809060390 Forwards plots of MONBR vs time for three transients identified in revised analysis (ANF-88-034),per 880727 meeting w/NRC.
LOFLIN,L.I. Carolina Power & Light Co 88/08/28 Document Control Branch (Docu-ment Control Desk). 4pp. 46767,316-46767,319.
- 8809080203 Confirms 880826 telcon concerning rescheduling of mgmt meeting at Region II o/c from 880831 to 880920 Util requested meeting to discuss status of plant design basis reconstitution program
REYES,L.A. Region 2, O/c of the Director, 88/08/28. UTLEY,E.E. Carolina Power & Light Co, 1p 46791-263-46791-263.
- 8809060405 Requests resubmittal of safety evaluation & significant hazards analysis adequately discussing three stds per 10CFR50 92(c) re 880809 request to change Tech Specs to add requirements for core exit thermocouples.
L.O.R.H. Project Directorate II-1, 88/08/31, UTLEY,E.E. Carolina Power & Light Co 2pp. 46759,035 46759,036
- 8809070121 Advises that util 880527 response to Generic LR 88 05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" acceptable
L.O.R. Project Directorate II-1, 88/09/01, UTLEY,E.E. Carolina Power & Light Co 2pp 46779:195-46779:186.
- 8809260164 Requests NRC to extend interim relief from flow rate monitoring of contain-ment spray & component cooling water spray pumps until Refueling Outage 12 since actual testing scheduled.Proposed plan & schedule & options re valves encl.
RICHEY,R.B. Carolina Power & Light Co 88/09/16, Document Control Branch (Docu-ment Control Desk). 5pp. 46986-260 46986,284.

Q. Inspection reports, IE Bulletins & correspondence

- 880280135 Requests that due date for response to NRC 880618 notice of violation & proposed civil penalty for environ qualification deficiencies be further extended until 880801.
EURY,L.W. Carolina Power & Light Co 88/08/08. GRACE,J.N. Region 2, Ofo of the Director, 1p 46858:049-46858:049
- 8809080234 Partial response to FOIA request for documents,Forwards App B documents App A documents maintained in PDR.Records also available under later FOIAs.
GRIMSLEY,D. Division of Rules & Records (870413-880514), 88/08/10 UNNERSTAD,K Newman & Hoftzinger, 6pp. 46769.054-46769:059,
- 8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN,J., Ofo of Enforcement (Post 870413), 88/06/21. RUSSELL,W.T. Region 1, Ofo of the Director, 9pp 46769:146-46769:164.

DOCKETED ITEMS 41

8808260427 Forwards Insp Rept 50-261/88-08 on 880516-20 & notice of violation Encl notice inadvertently omitted from Insp Rept 50-261/87-06 sent on 871113 No new violations noted.
JULIAN,C.A. Region 2, Ofc of the Director 88/08/12 UTLEY,E.E. Carolina Power & Light Co 2pp. 46656.097-46656.115.

-8808260432 Notice of violation from insp on 870309-0415. Violations noted, failure to take prompt corrective action to determine cause of significant conditions adverse to quality, assure correction & preclude repetition of listed events
JULIAN,C.A. Region 2, Ofc of the Director 88/08/12. 2pp. 46656.099-46656.100

-8808260436 Insp Rept 50-261/88-08 on 880516-20. No new violations noted. Major areas inspected corrective actions for previously identified violations & Insp followup items.
DEGRAFF,M.I., SHYMLOCK,M.B. Region 2, Ofc of the Director 88/08/11 15pp. 46656.101-46656.115.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.176.

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8809070015 Ack receipt of revised 880812 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 281/88-07.
VERRELLI,D.M. Region 2, Ofc of the Director. 88/08/23. UTLEY,E.E. Carolina Power & Light Co. 1p. 46788.083-46788.083.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218 46713.219.

8809070078 Confirms that that Region II will conduct second program review of ALARA program during wk of 880919 at sites, per 880815 telcon info on encl list should be available to insp team at sites by 880929.
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/24. UTLEY,E.E. Carolina Power & Light Co. 1p. 46783.359-46783.359.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809130229 Forwards Insp Rept 50 261/88-19 on 880711 0810. No violations or deviations noted.
VERRELLI,D.M. Region 2, Ofc of the Director. 88/08/29. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46833.352-46833.360.

-8809130232 Insp Rept 50 261/88-19 on 880711-0820 No violations noted. Major areas inspected, followup on previous Insp items, operational safety verification, physical protection, surveillance observation & maint observation.
GARNER,L.W., LATTI,R.M., FREDRICKSON,P. Region 2, Ofc of the Director 88/08/29 7pp. 46833.354 46833.360.

8809060373 Suppl uill 880513 response to Insp Rept 50-261/88 01. Review & subsequent revs to Vol 4 of plant operating manual scheduled to be completed by 891231 as part of ongoing procedure enhancement program
MORGAN,R.E. Carolina Power & Light Co. 88/08/31. Document Control Branch (Document Control Desk). 1p. 46783.340-46783.340

8809140335 Forwards Insp Rept 50-261/88-21 on 880801-05. No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 88/08/31. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46838.198 46838.204.

-8809140336 Insp Rept 50-261/88-21 on 880809. No violations or deviations noted. Major areas inspected IE Bulletin 79-02 re pipe support base plate design using concrete expansion anchor bolts & IE Bulletin 79-14
CARRION,R.P., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/26 5pp. 46838.200-46838.204.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004

8809090140 Responds to 880616 notice of violation & proposed imposition of civil penalty for alleged deficiencies re environ qualification of electrical equipment at plant. Violations insufficiently significant to merit civil penalty.
UTLEY,E.E. Carolina Power & Light Co. 88/09/01. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 35pp. 46813.053-46813.165

-8809090141 Affidavit of VS Noonan, PA DiBenedetto & RG Lagrange re evolution of issue of instrument loop accuracy.
NOONAN,V.S., DIBENEDETTO,P., LAGRANGE,R.G. Carolina Power & Light Co 88/08/29, 19pp 46813.088-46813.106.

-8809090144 Affidavit of GJ Crane & GJ Toman re instrument loop accuracy calculations.
CRANE,C.J., TOMAN,G.J. Carolina Power & Light Co. CRANE,C.J. Main Line Engineering Associates 88/08/29, 12pp 46813.107-46813.118

8808300019 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809130159 Forwards Insp Rept 50-261/88-20 on 880801-03. No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/02. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46830.313-46830.332.

-8809130160 Insp Rept 50-261/88 20 on 880801-03 No violations or deviations noted. Major areas inspected observation & evaluation of key emergency & organizational functions during partial participation exercise. Related info encl.
SARTOR,W.M., DECKER,T.R. Region 2, Ofc of the Director 88/08/31 18pp 46830.315-46830.332

8809140422 Forwards response to NRC Bulletin 88-005 & Suppl 1 & 2, "Nonconforming Matt Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Manufacturing Co at Williamstown, NJ."
MCDUFFIE,M.A. Carolina Power & Light Co 88/09/07 Document Control Branch (Document Control Desk). 19pp. 46837.233-46837.251.

8809220158 Forwards payment of civil penalty in amount of \$50,000, per 871113 notice of violation re 10CFR50, App R (fire protection).
UTLEY,E.E. Carolina Power & Light Co. 88/09/09. Ofc of Enforcement (Post 870413) 1p. 46920.340 46920.340

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824.215 46824.336.

8809230159 Responds to NRC 880808 ltr re violations noted in Insp Rept 50-261/88-10 Corrective actions, turbine redundant overspeed trip sys being evaluated to determine if sys required & permanent at-power surveillance test procedure developed.
DIETZ,C.R. Carolina Power & Light Co. 88/09/15 Document Control Branch (Document Control Desk). 4pp. 46945.277-46945.280

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946.133 46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253 46947.013.

R. Periodic operating reports & related correspondence

8809060127 "Semiannual Radioactive Effluent Release Rept, Jan June 1988." W/ 880828 ltr.
MORGAN,R.E. Carolina Power & Light Co. 88/06/30, 26pp. 46753.300-46753.325.

8809140300 Monthly operating rept for Aug 1988 for Robinson Unit 2 W/880909 ltr HAYNESWORTH,V.
MORGAN,R.E. Carolina Power & Light Co. 88/08/31, 4pp. 46837.354-46837.357.

8809140301 Forwards "Personnel Exposure & Monitoring Rept HB Robinson ISFSI, Jan-June 1988." Rept for 1987 personnel exposures will be submitted by 880930.
MORGAN,R.E. Carolina Power & Light Co. 88/09/06. Document Control Branch (Document Control Desk). 1p. 46840.278-46840.279

-8809140317 "Personnel Exposure & Monitoring Rept HB Robinson ISFSI, Jan- Dec 1988."
Carolina Power & Light Co 88/12/31, 1p. 46840.279-46840.279

8809230215 Submits rept of individual whole body exposures for FY87 in compliance w/ License SNM-2502 & 880816 ltr. Submittals RNP/88-0347 & RNP/88-0348 to be supplemented to provide corrected whole body exposure data for License DPR-23
MORGAN,R.E. Carolina Power & Light Co. 88/09/19. Document Control Branch (Document Control Desk). 3pp 46945.001-46945.003.

S. Reportable occurrences, LERs & related correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C Documents also available in PDR
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. UNNERSTALL,K. Newman & Holtzinger 2pp. 46768.272-46768.274

-8809090108 Discusses selection of Severity Level IV for 810114 loss of heat tracing at Robinson 2 Mitigating circumstances listed.
O'REILLY,J.P. Region 2, Ofc of the Director. 81/02/19 THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 3pp. 46768.276-46768.278.

8809130130 PNO-II-88-053 on 880830, licensee commenced orderly shutdown in order to facilitate testing of svc water (SW) sys associated w/containment fan coolers. Results of SW testing last wk indicated negative pressures. Addl pump maint needed.
CARROLL,R.E. Region 2, Ofc of the Director. 88/09/01, 1p. 46833.350 46833.350.

8809200103 LER 88-017-00 on 880812, containment vessel spray isolation valves adjusted w/o post-maint testing condition & requirements. Caused by personnel error. Operations procedures being revised to require post-maint testing. W/880908 ltr.
LEGETTE,F.L., MORGAN,R.E. Carolina Power & Light Co 88/09/09 5pp. 46900.170-46900.174.

8809190134 LER 88-011-01 on 880512, plant experienced automatic turbine trip/raactor trip while surveillance testing of turbine redundant overspeed trip sys (TROTS) was in progress. Caused by 2 out of 3 TROTS logic. W/880913 ltr
LEGETTE,F.L., MORGAN,R.E. Carolina Power & Light Co. 88/09/13 5pp 46888.001-46888.005.

Y. Dry Cask Independent Spent Fuel Storage Installations

8809120138 Application for amend to License SNM-2502, raising Tech Spec 2.4.1 beta & gamma contamination on surface of dry shielded canister from current limit to 2,200 dis/min/100 cm2 & raise limit to current limit of 2,200 dis/min/100 cm2 Fee paid.
UTLEY,E.E. Carolina Power & Light Co. 88/08/11. ROUSE Division of Industrial & Medical Nuclear Safety (Post 870729) 5pp. 46811.315-46812.241.

42 DOCKETED ITEMS

- 8809120139 Proposed Tech Specs raising limits in beta & gamma contamination on surface of dry shielded canister from current limit to 220,000 dis/min/100 cm² & raising alpha limit to 2,200 dis/min/100 cm²
* Carolina Power & Light Co 88/08/11 216pp 46811320-46812 241
- 8809060206 Forwards Amend 4 to "ISFSI SAR for HB Robinson Plant"
LOFLIN,L.I. Carolina Power & Light Co 88/08/15 ROBERTS,J.P. NRC - No Detailed Affiliation Given 4pp 46762 079-46762.103
- 8809120127 Amend 4 to ISFSI SAR
* Carolina Power & Light Co 88/08/15. 18pp 46762 083-46762 103
- 8809140453 Notification of 880824 meeting w/utl in Rockville,MD to discuss license amend application for plant ISFSI
STURZ,F. Fuel Cycle Safety Branch 88/09/08 ROUSE,L.C. Fuel Cycle Safety Branch 3pp 46837 227-46837 229

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

- 8808260317 Rev 11 to Emergency Plan Implementing Procedure A-2-101, "Classification of Emergencies" & Rev 19 to list of pages
HAMMER, FEY,F.L. Northern States Power Co 88/08/16 49pp 46853 270 46853 318.
- 8808290289 Forwards Safety Insp Rept 50-263/88-14 on 880808-12 No violations noted
SHAFFER,W.D. Region 3, Ofc of the Director. 88/08/24 LARSON,C.E. Northern States Power Co 2pp 46886 333-46886 345
- 8808290293 Insp Rept 50-263/88-14 on 880808-12 No violations or deviations noted Major areas inspected action on previously identified items, emergency plan activations, LER review & operational status of emergency preparedness program
SMITH,M.J., PLOSKI,T.J., SNELL,W. Region 3, Ofc of the Director 88/08/23 11pp. 46886 335-46886 345
- 8809060040 Forwards response to 880729 ltr re violations noted in Insp of License DPR 22 Response withheld (ref 10CFR73)
LARSON,C.E. Northern States Power Co. 88/08/26 NORELIUS,C.E. Region 3, Ofc of the Director 1p 46753 326-46753 326
- 8809070496 Rev 4 to Emergency Plan Implementing Procedure A-2-424, "Emergency Operations Facility Count Room Procedures" W/880830 ltr & list of current pages.
FEY,F.L. Northern States Power Co 88/08/30 14pp 46784 281-46784 294
- 8809140109 Rev 3 to 870814 application for amend to License DPR 22 re senior reactor operator license requirements for mgt & support staff
MUSOLF,D. Northern States Power Co 88/08/31. Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp 46844 063-46844 084
- 8809140117 Proposed Tech Specs Pages 232,234 & 235 re replacement of organizational charts w/appropriate administrative control requirements
MUSOLF,D. Northern States Power Co 88/08/31 Document Control Branch (Document Control Desk) 15pp. 46844 070-46844 084
- 8809140442 Advises that 880812 Rev 25 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
MALLET,B.S. Region 3, Ofc of the Director 88/08/31 LARSON,C.E. Northern States Power Co 1p 46838.188-46838 188.
- 8809140446 Advises that 880812 Rev 3 to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encls withheld.
MALLET,B.S. Region 3, Ofc of the Director. 88/08/31 LARSON,C.E. Northern States Power Co 1p 46840 308-46840 308.

P. Operating license stage documents & correspondence

- 8808120294 Geneno Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006
- 8809010279 Forwards Rev 1 to 870216 application for amend to License DPR-22, incorporating addl info re radiation environ monitoring program sample location & withdrawing revs to organizational diagram
MUSOLF,D. Northern States Power Co 88/08/17. Document Control Branch (Document Control Desk) 3pp 46895:342-46895 347
- 8808260094 Rev 1 to 880216 application for amend to License DPR-22, withdrawing rev to organizational charts & providing addl info re radiation environ monitoring program sample location
MUSOLF,D. Northern States Power Co 88/08/17 4pp 46895 345 46895 345
- 8808260098 Proposed Tech Specs re radiation environ monitoring program sampling locations.
* Northern States Power Co. 88/08/17. 2pp 46895 346 46895:347.
- 8808310036 Requests 880801 request for exemption from 10CFR50, App J, Section III A 3 be supplemented w/commitment of min test duration of 24 h whenever mass point used.
MUSOLF,D. Northern States Power Co 88/08/23 Document Control Branch (Document Control Desk). 2pp. 46786 326-46786 327.
- 8809010185 Forwards addl info re progress in resolving Priority 1 human engineering discrepancies described in licensee 861230 "DCRDR Summary Rept," per JJ Stefano request
MUSOLF,D. Northern States Power Co 88/08/25 Document Control Branch (Document Control Desk) 11pp. 46742 273-46742 283.
- 8809010282 Forwards Topical Rept NSPNAD-8808, Rev 1, "Reload Safety Evaluation Methods"
MUSOLF,D. Northern States Power Co. 88/08/25 Document Control Branch (Document Control Desk) 1p 46718 036-46718 292.

- 8809010267 Rev 1 to, "Reload Safety Evaluation Methods."
RIEDEL,C.J., BONNEAU,C., ANDERSON,R.O. Northern States Power Co. NSPNAD 8808 R01 88/08/17. 100pp 46718 037-46718.292

8808310215 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988," Rev 6 to "Offsite Dose Calculation Manual," amend to effluent & waste disposal semiannual rpt for 1987 & Rev 7 to process control program
FEY,F.L. Northern States Power Co 88/08/26 Document Control Branch (Document Control Desk) 1p 46724 018-46725.050

- 8808310222 Rev 6 to "Monticello Nuclear Generating Plant Offsite Dose Calculation Manual"
PETERSEN,J.B. Northern States Power Co. 88/02/15 340pp 46724.040 46725 050

8809080356 Forwards application for amend to License DPR-22, revising Tech Specs to reflect administrative changes
MUSOLF,D. Northern States Power Co 88/08/31 Document Control Branch (Document Control Desk). 1p. 46788-340 46788 356

- 8809080372 Application for amend to License DPR 22, revising Tech Specs to reflect administrative changes. Fee paid
MUSOLF,D. Northern States Power Co 88/08/31 3pp 46788 341-46788 343

- 8809080380 Proposed Tech Specs reflecting administrative changes
* Northern States Power Co. 88/08/31. 13pp. 46788 344-46788.356.

8809090022 Advises that Rev 6 updating Monticello SAR & Rev 12 to operation (JA plan for both plants acceptable.
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/31. LARSON,C.E. Northern States Power Co 1p. 46803 355 46803.355

8809140109 Rev 3 to 870814 application for amend to License DPR-22 re senior reactor operator license requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 88/08/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46844.063-46844 084.

- 8809140117 Proposed Tech Specs Pages 232,234 & 235 re replacement of organizational charts w/appropriate administrative control requirements.
MUSOLF,D. Northern States Power Co 88/08/31. Document Control Branch (Document Control Desk). 15pp. 46844 070 46844 084.

8809200338 Notification of 880922 meeting w/utl & Science Applications Intl Corp at site in Monticello, MN to discuss categorization of human engineering discrepancies & schedule for resolving discrepancies, per utl DCRDR
STEFANO,J.J. Project Directorate III-1 88/09/16 MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given 2pp 46918-067-46918.060.

Q. Inspection reports, IE Bulletins & correspondence

8808290115 Suppls response to NRC Bulletin 85-003, Suppl 1, Item (a). Further switch adjustments to four of five valves listed in encl not required, but further tooling to ensure valve recovery after inadvertent valve mispositioning required
LARSON,C.E. Northern States Power Co 88/08/12. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp 46888.037-46888.040.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in IIFFA Relays Mfg by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc 126pp 46690.054-46690.178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702-311-46703-070.

8808180365 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc 122pp 46713.218-46713.219.

8808290289 Forwards Safety Insp Rept 50-263/88-14 on 880808-12. No violations noted.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/08/24 LARSON,C.E. Northern States Power Co. 2pp 46886 333-46886 345.

- 8808290293 Insp Rept 50 263/88-14 on 880808-12 No violations or deviations noted Major areas inspected action on previously identified items, emergency plan activations, LER review & operational status of emergency preparedness program
SMITH,M.J., PLOSKI,T.J., SNELL,W. Region 3, Ofc of the Director 88/08/23. 11pp 46886-335 46886.345

8809010211 Informs that licensee 880318 response to NRC Bulletin 88-001 re defects in Westinghouse circuit breakers, found satisfactory & TAG 87690 considered closed
STEFANO,J.J. Project Directorate III-1. 88/08/28. MUSOLF,D.M. Northern States Power Co 4pp. 46740.329 46740 332

8809060040 Forwards response to 880729 ltr re violations noted in Insp of License DPR-22 Response withheld (ref 10CFR73).
LARSON,C.E. Northern States Power Co. 88/08/26. NORELIUS,C.E. Region 3, Ofc of the Director. 1p. 46753 326 46753:326

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713-217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713-004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726.123

8809140094 Responds to NRC Bulletin 88-008 re thermal stresses in piping connected to RCS. Pipe thermal stress analysis showed temp differences not large enough to cause excessive thermal stresses in RCS unisolable piping
LARSON,C.E. Northern States Power Co. 88/09/02 Document Control Branch (Document Control Desk) 3pp. 46840 309 46840 311.

8809150303 Responds to NRC Bulletin 88-005, "Nonconforming Mats Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." Computerized database created to track all known procurement via other suppliers
LARSON,C.E. Northern States Power Co. 88/09/08. Document Control Branch (Document Control Desk). 8pp. 46850 001-46850.008

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824:338

8809190216 Informs of completion of requested Action 2 of NRC Bulletin 88-007 re power oscillations in BWR.
LARSON,C.E. Northern States Power Co. 88/09/15. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp. 46897.301-46897.304.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946.252.

8809260346 Forwards Insp Rept 50-263/88-16 on 880822-26. No violations noted.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/09/16 LARSON,C.E. Northern States Power Co. 2pp. 46957.035 46957.045

--8809260350 Insp Rept 50-263/88-16 on 880822-26 No violations noted. Major areas inspected: plant chemistry organization, mgt controls, training & qualifications, QA, confirmatory measurements for in-plant radiochemical analysis.
JANUSKA,A., SCHUMACHER,M.C. Region 3, Ofc of the Director. 88/09/16 9pp. 46957.037-46957.045.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947.013

R. Periodic operating reports & related correspondence

8808310215 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan June 1988," Rev 6 to "Offsite Dose Calculation Manual," amend to effluent & waste disposal semiannual rpt for 1987 & Rev 7 to process control program.
FEY,F.L. Northern States Power Co. 88/08/28 Document Control Branch (Document Control Desk). 1p. 46724:018 46725.050

--8808310216 "Effluent & Waste Disposal Semiannual Rept for Jan June 1988."
* Northern States Power Co. 88/06/30. 17pp. 46724 019 46724:035.

--8809070525 "Amend to Monticello Effluent & Waste Disposal Semiannual Rept for Second Half of 1987."
* Northern States Power Co. 87/12/31 4pp. 46724.038-46724.039

--8808310222 Rev 6 to "Monticello Nuclear Generating Plant Offsite Dose Calculation Manual."
PETERSEN,J.B. Northern States Power Co. 88/02/15 340pp. 46724 040-46725.050

8809220085 Monthly operating rpt for Aug 1988 for Monticello Nuclear Generating Plant. W/880913 ltr.
MYRABO,A.L., MUSOLF,D. Northern States Power Co. 88/08/31. 5pp. 46926.324-46926:328

V. Operator Examinations

8809140109 Rev 3 to 870814 application for amend to License DPR-22 re senior reactor operator license requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 88/08/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46844.083-46844 084.

--8809140117 Proposed Tech Specs Pages 232,234 & 235 re replacement of organizational charts w/appropriate administrative control requirements
MUSOLF,D. Northern States Power Co. 88/08/31. Document Control Branch (Document Control Desk) 15pp. 46844.070-46844 084.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809080272 Forwards response to allegations re security activities noted in NRC 880615 ltr Encl withheld.
BLISS,H.E. Commonwealth Edison Co. 88/08/10. DAVIS,A.B. Region 3, Ofc of the Director. 1p. 46792.339-46792:339.

8809090046 Forwards response to allegations re security activities per NRC 880715 request. Response withheld (ref 10CFR2.790).
BLISS,H.E. Commonwealth Edison Co. 88/08/19. DAVIS,A.B. Region 3, Ofc of the Director 1p. 46799.173-46799.173.

8809010127 Confirms G Shear site visit on 880906 re emergency response facilities per 880815 telcon between P Skiermont & G Shear. Outline of areas for review encl.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/08/24. REED,C. Commonwealth Edison Co. 3pp. 46721:359-46721.361.

8808300220 Rev 7b to Pages 6-11 & QCA 6-5 to "Quad Cities Annex Changes."
* Commonwealth Edison Co. 88/08/31 5pp. 46703:224-46703.228

8809090046 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable
SHAFFER,W.D. Region 3, Ofc of the Director. 88/08/31 REED,C. Commonwealth Edison Co. 2pp. 46806.183 46806 194

8809120223 Rev 2 to QEP 730-T2, "Procedure Distribution Matrix for Emergency Response Manuals" & procedures index
* Commonwealth Edison Co. 88/08/31 6pp. 46815 334-46815 338

8809130267 Rev 2 to Emergency Plan Implementing Procedures QEP 600 2, "Equipment Inventory"
* Commonwealth Edison Co. 88/08/31 20pp. 46830.152-46830 171

8809130284 Revised emergency plan implementing procedures including Rev 5 to QEP 140 0, "Security Director" & Rev 2 to QEP 140-51, "Security Director Alert Checklist"
* Commonwealth Edison Co. 88/08/31. 7pp. 46836 296-46836 303

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065.006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR,L. Doc-Search Associates 5pp. 46770 060-46770.088.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770.211-46770 223.

8809103346 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50 App B requirements & acceptable.
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/19 REED,C. Commonwealth Edison Co. 2pp. 46742 071-46742.072.

8809070461 Describes revised plan for encapsulation of chemical decontamination waste liner. Liner 14-170 will be properly transported in CNS 14-190H cask to burial site where encapsulation performed.
JOHNSON,I.M. Commonwealth Edison Co. 88/08/25 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46772 018-46772.019

8809140087 Forwards final "Rept on Potential Drywell Steel Degradation at Sand Pocket at Dresden Units 2 & 3 & Quad Cities 1 & 2," in response to Generic Ltr 87-05.
MORGAN,W.E. Commonwealth Edison Co. 88/08/06. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 46842:043 46842:128.

--8809140090 "Rept on Potential for Drywell Steel Degradation at Sand Pocket Dresden Units 2 & 3 & Quad Cities Units 1 & 2."
* Commonwealth Edison Co. 88/08/31. 84pp. 46842:044-46842 128.

8809150338 Forwards addl info re flued head assessment program per 880802 request.
JOHNSON,I.M. Commonwealth Edison Co. 88/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 46891:101-46891:108.

8809290085 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization.
MORGAN,W.E. Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk). 1p. 46909:322-46909.336.

--8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations"
SHEWSKI,W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999:323 46999:336

Q. Inspection reports, IE Bulletins & correspondence

8808300195 Responds to NRC 880621 ltr re violations noted in Insp Repts 50-254/88-10 & 50-265/88-11. Extensive review of personnel records showed that 25% rule not applied in certification of any NDE examiners. Adherence to ASME Code requirements met.
BLISS,H.E. Commonwealth Edison Co. 88/08/15 DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 46698:288-46698:291

8808260019 Confirms plans for 880826 enforcement conference in Glen Ellyn, IL to discuss proper verification of component (MCC 28/29 5) after installation & periodically thereafter
GREENMAN,E.G. Region 3, Ofc of the Director. 88/08/18 REED,C. Commonwealth Edison Co. 1p. 46856 048 46856.048.

8808190185 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054 46690.178.

8808160451 NRC Info Notice 88-068, "Satpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713:219

44 DOCKETED ITEMS

8808290298 Forwards Safety Insp Repts 50-254/88-15 & 50-265/88-15 on 880805-0806 & notice of violation
GREENMAN,E.G Region 3, Ofc of the Director 88/08/24 REED,C Commonwealth Edison Co 2pp 46686 313-46686 330

-8808290301 Notice of violation from insp on 880805-0806 Violation noted temporary procedure change notice sheets not properly disseminated to document procedure changes.
GREENMAN,E.G Region 3, Ofc of the Director 88/08/24 1p 46686 315 46686 315.

-8808290302 Insp Repts 50-254/88-15 & 50 265/88 15 on 880805-0806 No violations noted Major areas inspected resident insp of operations,maint,surveillance,LER review,routine repts, temporary instructions & radiation control
RING,M.A Region 3, Ofc of the Director 88/08/23 15pp 46686 316-46686 330

8808310030 Forwards Exam Rept 50-254/OL-88-01 for exams administered on 880719 22
WRIGHT,G.C Region 3, Ofc of the Director 88/08/25 REED,C Commonwealth Edison Co 2pp 46777 110 46777 240

-8808310040 Exam Rept 50-254/OL-88-01 on 880719-22 Exam results all candidates passed written exams One reactor operator & five senior reactor operators passed oral exams
KING,M Region 3, Ofc of the Director. 88/08/25, 129pp. 46777,112-46777-240.

8808300112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/28 Consolidated Edison Co. of New York, Inc 123pp. 46713 095-46713 217

8808260482 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co of New York, Inc 122pp. 46726 001-46726,123.

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies,Inc & West Jersey Mfg Co matts complying w/ASME Code requirements Itemized list of components received encl
MORGAN,W.E. Commonwealth Edison Co 88/09/08 Document Control Branch (Document Control Desk) 31pp 46857,021-46857 051.

8809190400 EN-88-073 on 880915,notice of violation & proposed imposition of civil penalty will be issued,based on inability of shared diesel to respond for approx 2 months & operating ungrounded 125-volt dc battery sys as grounded
LUEHMAN,J. Ofc of Enforcement (Post 870413). 88/09/12 1p 46899 247-46899 247.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc. 122pp. 46824 215 46824 336

8809260277 Forwards corrected pages for Insp Repts 50-254/88-15 & 50-265/88-15
GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/14 REED,C. Commonwealth Edison Co. 1p. 46950 238-46950,242.

-8809260286 Corrected Pages 13 & 14 to Insp Repts 50-254/88-15 & 50-265/88-15, * Region 3, Ofc of the Director 88/09/14. 4pp. 46950 239-46950 242

8809200348 Forwards Insp Repts 50-254/88-11 & 50-265/88-12 on 880418 26,880502-06,11,31 & 880601 & notice of violation & proposed imposition of civil penalties
DAVIS,A.B Region 3, Ofc of the Director. 88/09/15. O'CONNOR,J.J Commonwealth Edison Co 4pp. 46913 318 46913 345

-8809200350 Notice of violation & proposed imposition of civil penalty in amount of \$ 50,000.Noncompliance noted licensee design control program did not assure that design basis correctly translated into drawings.
DAVIS,A.B Region 3, Ofc of the Director. 88/09/15 5pp 46913,322-46913,345

8809220243 Responds to NRC Bulletin 88-007 dtd 880615 per request that holders of OLS ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation
MORGAN,W.E. Commonwealth Edison Co 88/09/15 Document Control Branch (Document Control Desk) 11pp 46927,198 46927:208

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-28 Add listed info re pumps & valves requested.
GREENMAN,E.G Region 3, Ofc of the Director. 88/09/15. REED,C. Commonwealth Edison Co 4pp. 46956,055-46956 058.

8809260351 Forwards Enforcement Conference Rept 50-265/88-24 on 880826.
PAPERIELLO,C.J. Region 3, Ofc of the Director. 88/09/15. REED,C Commonwealth Edison Co 1p 46957,244-46957-266.

-8809260352 Insp Rept 50-265/88-24 on 880826.No violations noted. Major areas inspected weakness identified in verification of component operability as documented in Insp Repts 50-254/88-15 & 50-265/88-15.
RING,M.A. Region 3, Ofc of the Director. 88/09/14. 22pp. 46957 245-46957,268

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co of New York, Inc. 124pp 46948,133-46948 262.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46948 253-46947 013.

8809260291 Forwards Safety Insp Repts 50-254/88-25 & 50-265/88-26 on 880906-14.No violations noted
HARRISON,J.J. Region 3, Ofc of the Director. 88/09/20 REED,C. Commonwealth Edison Co. 2pp. 46957,278-46957,285.

-8809260302 Insp Repts 50 254/88-25 & 50-265/88-26 on 880908-14.No violations noted Major areas inspected licensee written practice for nondestructive exam pertaining to 25% rule described in SNT-TC-1A.
SCHAPKER,J.F. Region 3, Ofc of the Director 88/09/20. 6pp. 46957,280 46957,285.

R. Periodic operating reports & related correspondence

8809010081 "Effluent & Waste Disposal Semiannual Rept for Jan-Jun 1988." W/ 880826 ltr.
WOTENZA,R.A., BAX,R.L Commonwealth Edison Co 88/08/30 14pp. 46743 107-46743 120.

8809190181 Submits listing of changes,tests & experiments for Aug 1988.
ROBEY,R.A Commonwealth Edison Co 88/08/31 Office of Nuclear Reactor Regulation, Director (Post 870411) 18pp 46895,285-46895,283

8809200289 Monthly operating repts for Aug 1988 for Quad-Cities Nuclear Station Units 1 & 2 W/880831 ltr.
DEELSNYDER,L., ROBEY,R.A Commonwealth Edison Co. 88/08/31. 23pp 46809 339-46809,361.

V. Operator Examinations

8808310030 Forwards Exam Rept 50-254/OL-88-01 for exams administered on 880719-22
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/25. REED,C. Commonwealth Edison Co 2pp 46777 110 46777:240.

-8808310040 Exam Rept 50-254/OL-88-01 on 880719-22 Exam results all candidates passed written exams One reactor operator & five senior reactor operators passed oral exams.
KING,M., PARRISH,M., JORDAN,M.J Region 3, Ofc of the Director 88/08/25. 120pp 46777:112-46777-240.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8809020284 Forwards public version of revised emergency plan implementing procedures,including Rev 12 to EPIP 4.1, "Technical Support Cir Activation" & Rev 11 to EPIP 7.3.1, "Airborne Sampling & Direct ." W/880831 release memo.
FAY,C.W. Wisconsin Electric Power Co. 88/08/18. Document Control Branch (Document Control Desk). 4pp 46745,227-46745,288.

-8809020287 Public version of revised plan implementing procedures, including Rev 12 to EPIP 4.1, "Technical Support Cir Activation" & Rev 11 to EPIP 7.3.1, "Airborne Sampling & Direct Dose Rate Survey Guidelines."
* Wisconsin Electric Power Co. 88/08/15. 38pp 46745:231-46745-288.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc 41pp. 47065 001-47065,008.

8808290296 Confirms that util will accommodate non-Region III personnel in abbreviated site access training program if individuals listed on Region III access list have appropriate personal identification,per NRC 880727 request.
FAY,C.W. Wisconsin Electric Power Co. 88/08/11. DAVIS,A.B. Region 3, Ofc of the Director. 1p 46677:251-46677:251.

8808310145 Forwards "Semiannual Monitoring Rept,Jan-June 1988" & Rev 2 to "On-site Dose Calculation Manual."
FAY,C.W. Wisconsin Electric Power Co. 88/08/23. Document Control Branch (Document Control Desk) 1p. 46723:137-46723,285.

-8808310180 Rev 2 to "Offsite Dose Calculation Manual."
* Wisconsin Electric Power Co. 88/02/29. 138pp. 46723:155-46723:285.

8809080355 Application for amends to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 127,increasing allowable core power peaking factors Too paid
FAY,C.W. Wisconsin Electric Power Co. 88/08/26. Document Control Branch (Document Control Desk). 4pp. 46800:304-46801:005.

-8809080381 "Safety Evaluation for Increased Peaking Factors & Fuel Upgrade at Point Beach Nuclear Plant Units 1 & 2."
* Wisconsin Electric Power Co 88/08/31. 22pp. 46800:308 46800:320.

-8809080388 Proposed Tech Specs,increasing allowable core power peaking factors
* Wisconsin Electric Power Co. 88/08/26. 36pp. 46800:330-46801:006

8809080177 Advises that 880613 & 23 revs to QA program Section 1.8 consistent w/ provisions of 10CFR50.54(a) & 10CFR50,App B & acceptable.
WRIGHT,G.C Region 3, Ofc of the Director. 88/09/02. FAY,C.W. Wisconsin Electric Power Co. 1p. 46790,209-46790,209.

8809210288 Application for amend to License DPR-24 & DPR-27, revising Tech Spec 15.3.8, "Refueling," to provide more specific & precise requirements.Fee paid.
FAY,C.W. Wisconsin Electric Power Co. 88/09/08. Document Control Branch (Document Control Desk). 3pp 46928:200-46928,207.

-8809220001 Proposed Tech Specs 15.3.8,providing more specific & precise refueling requirements
* Wisconsin Electric Power Co. 88/09/09. 5pp. 46928:203-46928:207.

8809220044 Advises that insufficient data exists to demonstrate that leak chase channels can be qualified as integral part of containment liner plate. Comparison w/ ASME Boiler & Pressure Vessel Code, Section III suggested SWENSON, W.H. Project Directorate III-3 88/09/15 FAY, C.W. Wisconsin Electric Power Co. 2pp. 46928, 141-46928, 142.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690, 054-46690, 178.

8808160451 NRC Info Notice 88 066, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703-070

8808160366 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713:218 46713:219.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713:217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713:004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726:123.

8809120160 Responds to IE Bulletin 88 005 & Suppl 1, "Nonconforming Mats Supplied by Piping Supplies, Inc." Attached listing consists of mats supplied by contractor & results of testing & disposition of mat. FAY, C.W. Wisconsin Electric Power Co. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46813, 160-46813:163.

8809190301 Submits suppl response to IE Bulletin 88 04 re main steam line break scenario. Concludes core damage would not occur for accident in present cycles of operation. FAY, C.W. Wisconsin Electric Power Co. 88/09/07 Document Control Branch (Document Control Desk). 4pp. 46896-024 46896:027.

8809140439 Forwards Safety Insp Repts 50-266/88-18 & 50-301/88-16 on 880815-19. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 88/09/08. FAY, C.W. Wisconsin Electric Power Co. 2pp. 46838:210-46838:223.

--8809140441 Insp Repts 50-266/88-18 & 50-301/88-16 on 880815-19. No violations noted. Major areas inspected. Activities w/ respect to NRC Bulletin 88 003 & Suppl 1, "Motor Operated Valve Common Mode Failures During Plant Transients Due to" HUBER, M.P., SMITH, J.F., DANIELSON, D.H. Region 3, Ofc of the Director. 88/09/08 12pp. 46838:212-46838:223.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824, 215 46824 338

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946:252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946:253 46947:013.

R. Periodic operating reports & related correspondence

8808310145 Forwards "Semiannual Monitoring Rept, Jan-June 1988" & Rev 2 to "Off-site Dose Calculation Manual." FAY, C.W. Wisconsin Electric Power Co. 88/08/23. Document Control Branch (Document Control Desk). 1p 46723:137-46723:285.

--8808310151 "Semiannual Monitoring Rept, Jan-June 1988." Wisconsin Electric Power Co. 88/06/30. 17pp 46723:138 46723:164.

--8808310180 Rev 2 to "Off-site Dose Calculation Manual." Wisconsin Electric Power Co. 88/02/28. 138pp 46723:155-46723:285.

8809140248 Monthly operating repts for Aug 1988 for Point Beach Nuclear Plant Units 1 & 2. W/880908 ltr. KRAUSE, C.W., FAY, C.W. Wisconsin Electric Power Co. 88/09/31 10pp 46840:316-46840:325.

S. Reportable occurrences, LERs & related correspondence

8809160059 Summarizes corrective action update for LER 88-003 00 on 880328. Revised procedures re undervoltage relays, contacts & operating coils for associated relays relays Channel design reviewed. Refueling test procedure modified. FAY, C.W. Wisconsin Electric Power Co. 88/09/06. Document Control Branch (Document Control Desk). 2pp. 46846:244-46846:245.

8809140390 LER 88 008-00 on 880812, discovered that continued addition of feedwater while main feedwater pumps discharge valves cycle shut would result in exceeding containment design pressure. Caused by design inadequacy. W/880912 ltr FAY, C.W. Wisconsin Electric Power Co. 88/09/12 8pp 46842 022-46842 029

8809200123 LER 88-007-00, on 880819, suspected safety injection (SI) block circuitry design deficiency revealed potential SI inoperability. Design changed to separate SI block by train & installation planned on next refueling outage. W/880916 ltr FAY, C.W. Wisconsin Electric Power Co. 88/09/16 7pp 46900 080 46900 086

V. Operator Examinations

8809140145 Forwards proposed operator licensing & requalification exam schedule format in response to NRC request for estimates of needed operator licensing exams per Generic Ltr 88-13 BRUND, R.J., ZACH, J.J. Wisconsin Electric Power Co. 88/09/06. HANNON, J. Operator Licensing Branch 3pp 46837, 259 46837:261

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

8809070265 Forwards Insp Rept 50-267/88-16 on 880701-31. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/29 WILLIAMS, R.O. Public Service Co. of Colorado 2pp 46783:347-46783:358

--8809070274 Insp Rept 50-267/88-16 on 880701-31. No violations or deviations noted. Major areas inspected. Operational safety verification, LER review, monthly maint observation, monthly surveillance & monthly security observation. FARRELL, R.E., MICHAUD, P.W., WESTERMAN, T.F. Region 4, Ofc of the Director 88/08/26 10pp 46783 349-46783 358.

8809130050 Concurs w/ util 880818 ltr that requirements for 4-h rating unnecessary & potentially difficult to implement. Util commitment to 3-h fire rating for structure, doors, frames & hardware acceptable. HEITNER, K.L. Project Directorate IV 88/09/02. WILLIAMS, R.O. Public Service Co. of Colorado. 4pp. 46839 175-46839:178

8809160314 Summary of 880831 meeting w/ util re fire protection issues at plant. Meeting attendees encl. HEITNER, K.L. Project Directorate IV. 88/09/09 CALVO, J.A. Project Directorate IV 13pp. 46894 331-46894:343.

8809200075 Forwards Insp Rept 50-267/88-19 on 880810-11. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director 88/09/13 WILLIAMS, R.O. Public Service Co. of Colorado. 2pp 46905:295 46905 297

--8809200078 Partially withheld Insp Rept 50-267/88-19 on 880810 11 (ref 10CFR73.21) No violations or deviations noted. Major areas inspected. Licensee safeguards contingency plan implementation & physical protection of safeguards info. EARNEST, A.B., EVERETT, R.J. Region 4, Ofc of the Director. 88/08/30. 1p. 46905, 297-46905:297

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065, 001-47065 006

8809190193 "Fort St Vrain Initial Approach to Power (B-Series)." Interim Rept 48 for period ending 880808 W/880915 ltr FULLER, C.H. Public Service Co. of Colorado 88/08/08 3pp. 46898, 350 46898 352

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates. 5pp 46770, 060 46770 089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985 AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223

8809160206 Forwards "PCRV Tendon Interim Surveillance Rept." WAREMBOURG, D.W. Public Service Co. of Colorado 88/08/19 CALVO, J.A. Project Directorate IV 2pp. 46885, 265 46885:304

--8809160208 Forwards "PCRV Tendon Interim Surveillance Rept." dtd Jul 1988. WAREMBOURG, D.W. Public Service Co. of Colorado. 88/07/20 CALVO, J.A. Standardization & Non-Power Reactor Project Directorate 9pp. 46885:267-46885 304.

--8809160212 "PCRV Tendon Interim Surveillance Rept." W/ four oversize drawings Public Service Co. of Colorado. 88/08/31. 29pp. 46885:276-46885 304

8808310087 Requests extension to respond to NRC 880824 ltr re role of operators in mitigating high energy line breaks until temp profile issue adequately completed WILLIAMS, R.O. Public Service Co. of Colorado 88/08/22 Document Control Branch (Document Control Desk). 1p. 46717, 359 46717:359.

8809020092 Requests plant configuration be reviewed for possible impact of prolonged low power operation on reliability of check valves HEITNER, K.L. Project Directorate IV 88/08/25. WILLIAMS, R.O. Public Service Co. of Colorado. 4pp 46745, 194-46745:197.

46 DOCKETED ITEMS

- 8809130004** Requests addl info re Rev 7 to schedule commitment items on PCRV tendon surveillance involving provision of schedule for conducting evaluation within 45 days for PCRV tendon degradation.
HEITNER, K.L. Project Directorate IV, 88/08/30, WILLIAMS, R.O. Public Service Co. of Colorado 7pp. 46830 238 46830 244
- 8809070465** Discusses how util resolved issues associated w/OAL parts issue for NRC info as committed in 880512 ltr Attachment 1 documents results of util actions discussed in Attachment 2 of 880512 ltr.
WILLIAMS, R.O. Public Service Co. of Colorado 88/08/31, Document Control Branch (Document Control Desk) 8pp 46781.147-46781.154.
- 8809150213** Forwards schedule for completion of action items addressed in util 880620 ltr re plant protective sys setpoint reevaluation
BREY, H.L. Public Service Co. of Colorado 88/09/02 CALVO, J.A. Project Directorate IV 4pp 46848.213 46848 216
- 8809230027** Forwards Amend 63 to License DPR-34 & safety evaluation Amend changes Tech Spec Section 7 re administrative controls
HEITNER, K.L. Project Directorate IV, 88/09/15, WILLIAMS, R.O. Public Service Co. of Colorado 3pp. 46942 024 46942 044
- 8809230030** Amend 63 to License DPR-34, changing Tech Spec Section 7 re administrative controls
CALVO, J.A. Project Directorate IV, 88/09/15 14pp 46942 027-46942 040
- 8809230032** Safety evaluation supporting Amend 63 to License DPR-34.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/15, 4pp. 46942 041-46942 044
- 8809230055** Forwards correct version of Encl 1 to 880830 ltr, correcting facility schedule commitment items
HEITNER, K.L. Project Directorate IV, 88/09/15 WILLIAMS, R.O. Public Service Co. of Colorado 6pp. 46932 270 46932 275
- 8809230131** Forwards Amend 64 to License DPR 34 & safety evaluation Amend changes Tech Specs for plant DC power sys & allows for future changes to station batteries
HEITNER, K.L. Project Directorate IV, 88/09/15 WILLIAMS, R.O. Public Service Co. of Colorado 3pp. 46943 200 46943 211
- 8809230138** Amend 64 to License DPR 34, changing Tech Specs for plant DC power sys & allowing for future changes to station batteries
CALVO, J.A. Project Directorate IV, 88/09/15 6pp 46943.203 46943 208
- 8809230141** Safety evaluation supporting Amend 64 to License DPR-34
* Project Directorate IV, 88/09/15 3pp 46943 209-46943 211
- 8809270045** Forwards info on assessment of station battery load profile & interim response to loss of ac power event Util position that svc demand on batteries need only satisfy 1 h load profile described in original FSAR.
WILLIAMS, R.O. Public Service Co. of Colorado 88/09/18 Document Control Branch (Document Control Desk), 6pp 46870:147-46870.152

Q. Inspection reports, IE Bulletins & correspondence

- 8809290255** Responds to NRC 880708 ltr re deviations noted in Insp Rept 50-267/88-12 Corrective actions, new quarterly preventive maint item will be created to periodically monitor & correlate flow readings of FIC-11265
WILLIAMS, R.O. Public Service Co. of Colorado 88/08/11, Document Control Branch (Document Control Desk), 7pp 46686 013 46686 018
- 8809290042** Requests concurrence w/util proposal to revise FSAR Section B.5.19.0 to explicitly exempt records ctr from recommended 4 h min rating & Class A designation in order to resolve deviation noted in Insp Rept 50-267/85-16
WILLIAMS, R.O. Public Service Co. of Colorado 88/08/18 Document Control Branch (Document Control Desk) 8pp. 46653 194 46653 201.
- 8809190195** NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054 46690 178
- 8809160451** NRC Info Notice 88-068, "Selfpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070
- 8809300271** Ack receipt of 880708 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 267/88 10
CALLAN, L.J. Region 4, Ofc of the Director, 88/08/23 WILLIAMS, R.O. Public Service Co. of Colorado 1p 46777 092 46777 092
- 8809300297** Ack receipt of 880617 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 267/88-07.
CALLAN, L.J. Region 4, Ofc of the Director, 88/08/23, WILLIAMS, R.O. Public Service Co. of Colorado 1p 46786 284-46786 284
- 8809180368** Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713-216-46713-219
- 8809230112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217
- 8809070265** Forwards Insp Rept 50-267/88 16 on 880701-31. No violations or deviations noted
CALLAN, L.J. Region 4, Ofc of the Director, 88/08/29, WILLIAMS, R.O. Public Service Co. of Colorado 2pp 46783 347 46783 358.
- 8809070274** Insp Rept 50-267/88-16 on 880701-31. No violations or deviations noted Major areas inspected operational safety verification, LER review, monthly maint observation, monthly surveillance & monthly security observation.
FARRELL, R.E., MICHAUD, P.W., WESTERMAN, T.F. Region 4, Ofc of the Director 88/08/26, 10pp 46783:349-46783:358.

8809260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713.004.

8809130139 Responds to NRC Bulletin 88 005, Suppls 1 & 2 No evidence found to indicate that Piping Supplies, Inc or West Jersey Mfg Co supplied safety-related fittings or flanges to util within time frame examined
WILLIAMS, R.O. Public Service Co. of Colorado, 88/09/01 Document Control Branch (Document Control Desk), 3pp. 46830 149 46830.151

8809300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809140318 Forwards Insp Rept 50-267/88 14 on 880725 0805 & notices of violation & deviation
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 WILLIAMS, R.O. Public Service Co. of Colorado 2pp. 46845 211-46845.239

-8809140321 Notice of violation from Insp on 880725-0805 Violation noted Surveillance Procedures SR 5.2 15 M, SR 5 4.1.1.8 b M & SR 5 4 1.3 2.c-M failed to have independent verification steps
* Region 4, Ofc of the Director 88/09/02 1p 46845 213 46845 213.

-8809140325 Notice of deviation from Insp on 880725-0805. Deviation noted licensee, in Oct 1988, indefinitely postponed const of new records storage facility & failed to inform NRC of change in commitment
* Region 4, Ofc of the Director, 88/09/02 1p. 46845.214-46845 214

-8809140327 Insp Rept 50-267/88-14 on 880725 0805 Violations & deviations noted Major areas inspected followup of previous Insp findings, status of Reg Guide 1.97 implementation, status of Generic Ltr 83-28 implementation & followup of LERs
MILHOAN, J.L. Region 4, Ofc of the Director 88/09/02 25pp 46845 215-46845 239

8809190135 Forwards response to NRC Bulletin 88-004, "Potential Safety Related Pump Loss." Sufficient justification exists to warrant continued operation of plant w/ existing pump design configurations
WILLIAMS, R.O. Public Service Co. of Colorado, 88/09/08, Document Control Branch (Document Control Desk) 12pp. 46895 083 46895.094.

8809160317 Forwards Insp Rept 50 267/88 15 on 880711-0805 & notices of violation & deviation
CALLAN, L.J. Region 4, Ofc of the Director 88/09/13, WILLIAMS, R.O. Public Service Co. of Colorado, 3pp 46895.026 46895.046.

-8809160319 Notice of violation from Insp on 880711 0805. Violation noted charts generated by control room recorders not stored in facility described in Administrative Procedures Manual C-17, Issue 11.
* Region 4, Ofc of the Director, 88/09/13, 2pp 46895 029 46895 030.

-8809160321 Notice of deviation from Insp on 880711-0805. Deviation noted failure to obtain chemical & mechanical certified mill test repts & heat treat furnace charts for Helium circulator Part C2101-300-95 spring plungers.
* Region 4, Ofc of the Director 88/09/08 1p. 46895 031-46895.031.

-8809160326 Insp Rept 50-267/88-15 on 880711-0805. Violation & deviation noted Major areas inspected previous Insp findings, LER followup, control of design changes & mods & activities re refurbishment of reactor helium circulators
BARNES, J., TAYLOR, R.G., BARNES, J. Region 4, Ofc of the Director, 88/09/08 16pp 46895 032-46895 046

8809200075 Forwards Insp Rept 50 267/88-19 on 880810-11. No violations or deviations noted.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/13, WILLIAMS, R.O. Public Service Co. of Colorado 2pp. 46905 295 46905 297.

-8809200078 Partially withheld Insp Rept 50-267/88-19 on 880810-11 (of 10 CFR 73.21) No violations or deviations noted Major areas inspected licensee safeguards contingency plan implementation & physical protection of safeguards info
EARNEST, A.B., EVERETT, R.J. Region 4, Ofc of the Director 88/08/30, 1p 46905 297-46905 297.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336.

8809260323 Ack receipt of 880811 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-267/88-12.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/14, WILLIAMS, R.O. Public Service Co. of Colorado 2pp. 46950 341-46950 349.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/10 Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/10 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809010060 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880825 ltr.
WILLIAMS, R.O. Public Service Co. of Colorado 88/08/30 51pp. 46722.071-46722.121

8808290264 Forwards amended page to 880229 semiannual radioactive effluent rept for Jul-Dec 1987. Amended page contains corrected value for average stream flow during period of rept.
WILLIAMS, R.O. Public Service Co. of Colorado, 88/08/08 Document Control Branch (Document Control Desk) 4pp, 46677 252-46677 255.

--8808290269 Amended Page 14 to semiannual radioactive effluent release rept for Jul-Dec 1987, correcting value for average stream flow.
* Public Service Co. of Colorado, 87/12/31, 1p 46677 255-46677 255

8809220041 Monthly operating rept for Aug 1988 for Fort St Vrain W/ 880915 ltr
BLOCK, M.L., FULLER, C.H. Public Service Co. of Colorado 88/08/31, 8pp
46927 074-46927 082.

S. Reportable occurrences, LERs & related correspondence

8809260120 LER 88-012-00 on 880816, error discovered in open bldg CONTEMPT-G program used in developing environ qualification temp profiles. Caused by inappropriate assumptions made in CONTEMPT-G program. Program error corrected. W/880915 ltr.
GRAMLING, J.M., FULLER, C.H. Public Service Co. of Colorado, 88/09/15 9pp
46957.202-46957.210.

8809260037 Requests results of review of potential interaction of plant protective sys & control sys against FSAR Criteria 19-22 within 60 days as followup to LER 87-020 HEITNER, K.L. Project Directorate IV 88/09/20, WILLIAMS, R.O. Public Service Co. of Colorado, 5pp, 46957-336-46957.340.

V. Operator Examinations

8809230135 Discusses NRC 880908 meeting w/licensee in Arlington, TX re operator licensing requalification program at plant. Util agreed to submit ltr outlining planned transition from previous program to new requalification exam methodology.
CALLAN, J. Region 4, Ofc of the Director, 88/09/19, WILLIAMS, R.O. Public Service Co. of Colorado, 2pp, 46932.305-46932.306

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809070075 Forwards Insp Repts 50-269/88-20, 50-270/88-20 & 50-287/88-20 on 880718 0815 No violations or deviations noted.
BROWNLEE, V.L. Region 2, Ofc of the Director, 88/08/23, TUCKER, H.B. Duke Power Co, 2pp 46784.328 46784.338.

--8809070077 Insp Repts 50-269/88-20, 50-270/88-20 & 50-287/88-20 on 880718-0815. No violations noted. Major areas inspected: operations, surveillance testing, maintenance activities, safeguards, radiation protection & open items. Weaknesses noted.
SKINNER, P.H. Region 2, Ofc of the Director, 88/08/23, 9pp, 46784.330 46784.338.

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant Encl withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co, 88/08/26, Document Control Branch (Document Control Desk), 2pp, 46751.176-46751.178.

8809060257 Forwards Safeguards Insp Repts 50-269/88-21, 50-270/88-21 & 50-287/88-21 on 880725-29 No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director, 88/08/29 TUCKER, H.B. Duke Power Co, 2pp, 46759.001-46759.003.

--8809060262 Partially withheld Insp Repts 50-269/88-21, 50-270/88-21 & 50-287/88-21 on 880725-29 (ref 10CFR2.780(d) & 73.21). No violations noted. Major areas inspected: security program audit, vital area barriers & detection aids & communications.
MASNYK, O.M. Region 2, Ofc of the Director, 88/08/29, 1p 46759.003-46759.003.

8809020147 Forwards Rev 25 to security plan. Rev withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co, 88/08/30, Document Control Branch (Document Control Desk), 2pp, 46751.172-46751.173.

8809020152 Forwards Rev 26 to plant security plan. Rev withheld
TUCKER, H.B. Duke Power Co, 88/08/30, Document Control Branch (Document Control Desk), 2pp, 46750.280-46750.281.

8809070326 Rev 88-06 to Emergency Plan Implementing Procedure RP/O/B/1000/012, "Determination of Protective Action Guides by Control Room Personnel or Emergency Coordinator During Radiological Accident."
DAVIS, J.M., TUCKER, H.B., MCINTOSH, J.T. Duke Power Co, 88/08/30, 50pp, 46788-084-46788-133.

8809140482 Forwards Insp Repts 50-269/88-22, 50-270/88-22 & 50-287/88-22 on 880801-05 No violations or deviations noted.
COLLINS, D.M. Region 2, Ofc of the Director, 88/08/31 TUCKER, H.B. Duke Power Co, 2pp, 46837.346 46837.353.

--8809140463 Insp Repts 50-269/88-22, 50-270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted. Major areas inspected: emergency preparedness, including emergency plan implementing procedures & organization & mgt control.
KREH, J.L. Region 2, Ofc of the Director, 88/08/29, 6pp 46837.348-46837.353.

K. Utility Final Safety Analysis Report (FSAR) & amends

8808260256 Forwards master table of contents inadvertently omitted from 1987 FSAR update.
REAVIS, J. Duke Power Co, 88/08/16, NRC - No Detailed Affiliation Given 1p, 46658.207-46658.224.

--8808260351 Master table of contents to 1987 FSAR update.
* Duke Power Co, 88/08/16 17pp, 46658-208-46658.224.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J., Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8808260318 Advises that provision of submittal addressing unreviewed safety question re mod to install cavitation venturis will not be submitted by 880815. Provision of submittal by 880915 anticipated.
TUCKER, H.B. Duke Power Co, 88/08/15 Document Control Branch (Document Control Desk) 1p 46653.192 46653 192

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given, 88/08/17, CONNOR, L. Doc Search Associates, 5pp, 46770.060 46770 089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413), 88/12/13, BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413), 13pp, 46770 211-46770 223

8808260383 Requests clarification of proposed rev. deleting numerical values of certain cycle-dependent core operating limits from Tech Specs to be placed in core operating limits rept.
MATTHEWS, D.B. Project Directorate II-3, 88/08/23 TUCKER, H.B. Duke Power Co, 5pp 46669.065 46669 070.

8808310086 Forwards Request for Relief 88-07 from Section XI of ASME Boiler & Pressure Code (w/addenda through Winter 1980) requirements re pressure testing specific welds during inservice insp at Unit 3 W/one oversize drawing.
TUCKER, H.B. Duke Power Co, 88/08/23, Document Control Branch (Document Control Desk), 5pp, 46703.131-46703.135.

8808310110 Forwards Request for Relief 88-06 from requirements of Section XI of ASME Boiler & Pressure Vessel Code (w/addenda through Winter 1980). Requests concern inservice insp at Unit 3 during second 10 yr interval W/one oversize drawing.
TUCKER, H.B. Duke Power Co, 88/08/23, Document Control Branch (Document Control Desk), 5pp, 46703.136 46703.140

8809160238 Forwards Request for Relief 88-08 from requirements of Section XI of ASME Code (w/Addenda through Winter 1980) due to impracticality of pressure testing specific welds required by code following repair. W/one oversize drawing.
TUCKER, H.B. Duke Power Co, 88/08/24 Document Control Branch (Document Control Desk), 5pp 46857.067-46857.071.

8809010203 Notification of 880908 meeting w/util in Seneca, SC to discuss cause & correction actions of degraded post accident performance of reactor bldg cooling units as indicated by test results.
PASTIS, H.N. Project Directorate II-3, 88/08/29, MATTHEWS, D.B. Project Directorate II-3 3pp 46740.341 46740 343

8809060384 Forwards proprietary Topical Rept DPC NE-2003, "Oconee Nuclear Station Core Thermal-Hydraulic Methodology Using VIPRE-01." Rept withheld (ref 10CFR2.780).
TUCKER, H.B. Duke Power Co, 88/08/31 Document Control Branch (Document Control Desk), 5pp 46807.005 46807.009.

8809190324 Revised application for amends to Licenses DPR-38, DPR-47 & DPR-55, detailing cycle-dependent core operating limits from Tech Specs & facilitating 10CFR50.59 reviews for future core reloads. Proposed amend supersedes 870903 & 880227 requests.
TUCKER, H.B. Duke Power Co, 88/09/09 Document Control Branch (Document Control Desk), 4pp 46895.344 46895 013.

--8809190330 Proposed Tech Specs, detailing cycle dependent core operating limits & facilitating 10CFR50.59 reviews for future core reloads.
* Duke Power Co, 88/09/09 26pp, 46895.348-46895 013

8809220129 Forwards environ assessment & finding of no significant impact re 880518 request for amends to Licenses DPR-38, DPR-47 & DPR-55. Amends support Cycle 11 operation at full rated power.
PASTIS, H.N. Project Directorate II-3, 88/08/12 TUCKER, H.B. Duke Power Co, 3pp 46942.010-46942.016.

--8809220132 Environ assessment & finding of no significant impact re 880518 application for amends to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs to support Cycle 11 operation at full rated power.
MATTHEWS, D.B. Project Directorate II-3, 88/09/12, 4pp, 46942.013 46942 016

8809160216 Notification of 881028 meeting w/util in Rockville, MD to discuss util corporate approach re QA surveillance & audit techniques.
HOOD, D. Project Directorate II-3, 88/09/14, MATTHEWS, D.B. Project Directorate II-3, 5pp, 46884.175 46884.179

8809230065 Forwards request for addl info re Tech Specs for safe shutdown facility. Request include rationale for not providing compensatory measures in proposed Tech Specs as provided in previous Tech Spec proposal.
MATTHEWS, D.B. Project Directorate II-3, 88/09/20, TUCKER, H.B. Duke Power Co, 3pp 46944.336-46944.338.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp, 46690.054-46690.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp, 46702.311-46703 070.

48 DOCKETED ITEMS

8809010152 Forwards Insp Repts 50-289/88-25,50-270/88-25 & 50-287/88-25 on 880801-15 Violation under consideration for escalated enforcement action Enforcement conference will be scheduled GRACE,J.N. Region 2, Ofc of the Director 88/08/22 TUCKER,H.B. Duke Power Co. 2pp. 46720 124 46720.129.

8809010155 Insp Repts 50-269/88-25,50-270/88-25 & 50-287/88-25 on 880801-15. One violation noted Major areas inspected inadequate design analysis of high pressure injection sys recirculation mode of operation SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director. 88/08/18. 4pp. 46720 126-46720.129.

8809070075 Forwards Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815 No violations or deviations noted BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/23 TUCKER,H.B. Duke Power Co. 2pp. 46784 328-46784 338.

8809070077 Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815 No violations noted Major areas inspected, operations, surveillance testing, maint activities, safeguards, radiation protection & open items Weaknesses noted SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director. 88/08/23 9pp 46784 330-46784 338.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

8809080167 Discusses Insp Repts 50-269/88-03,50-270/88-03 & 50-287/88-03 on 880222 26 & forwards notice of violation. Info utl provided at enforcement conference showed that item re documentation of cable similarity is not violation. GRACE,J.N. Region 2, Ofc of the Director 88/08/26. TUCKER,H.B. Duke Power Co. 2pp 46786 308 46786.309.

8809080168 Notice of violation from Insp on 880222 26. Violations noted: file did not document performance characteristics for Victoreen high range radiation monitor sys & reactor bldg level transmitter junction box not filled w/oil GRACE,J.N. Region 2, Ofc of the Director. 88/08/26. 2pp. 46786 308-46786.309.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713.217

8809060257 Forwards Safeguards Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725 29 No violations or deviations noted. CLINE,W.E. Region 2, Ofc of the Director. 88/08/28. TUCKER,H.B. Duke Power Co. 2pp. 46759 001-46759.003

8809080262 Partially withheld Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725 29 (ref 10CFR2.790(d) & 73.21) No violations noted. Major areas inspected security program audit, vital area barriers & detection aids & communications. MASNYK,O.M., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/08/29 1p. 46759.003 46759.003

8809120067 Confirms 880818 telcon re 880912 enforcement conference on inadequate design analysis of HPI sys in ECCS sump recirculation mode GRACE,J.N. Region 2, Ofc of the Director. 88/08/29. TUCKER,H.B. Duke Power Co. 1p 46824-358-46824.358

8809080417 Forwards Interim response to NRC Bulletin 88-004 re potential safety related pump loss Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk). 33pp 46793 087-46793 119

8809140462 Forwards Insp Repts 50-289/88-22,50-270/88-22 & 50-287/88-22 on 880801-05 No violations or deviations noted. COLLINS,D.M. Region 2, Ofc of the Director 88/08/31. TUCKER,H.B. Duke Power Co 2pp. 46837.346-46837.353.

8809140463 Insp Repts 50-289/88-22,50-270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted Major areas inspected emergency preparedness, including emergency plan implementing procedures & organization & mgmt control KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director. 88/08/29. 8pp. 46837 348-46837-353.

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726.123.

8809080114 Responds to NRC 880803 ltr re violations noted in Insp Repts 50-269/88-13,50-270/88-13 & 50-287/88-13. Corrective actions. Inservice program being revised to require timing actuation to light for valve stroke timing test. TUCKER,H.B. Duke Power Co. 88/09/02 Document Control Branch (Document Control Desk). 10pp. 46798 246 46798 254.

8809220178 Forwards Insp Repts 50-269/88-23,50-270/88-23 & 50-287/88-23 on 880801-05. No violations or deviations noted. HERDT,A.R. Region 2, Ofc of the Director. 88/09/08. TUCKER,H.B. Duke Power Co. 2pp. 46928 089-46928.100

8809220182 Insp Repts 50-289/88-23,50-270/88-23 & 50-287/88-23 on 880801-05 No violations noted. Major areas inspected pipe support base plate designs using concrete expansion anchor bolts & seismic analysis for as-built piping sys. CHOU,R.C., BLAKE,J.J. Region 2, Ofc of the Director. 88/09/08 10pp. 46928:091-46928.100.

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88-005, 'Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ,' for Oconee Nuclear Station, McGuire Nuclear Station..." TUCKER,H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk). 1p 46915 124-46915.330.

8809230251 Rev 0 to "Response to NRC Bulletin 88-005, 'Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co. ' Proprietary Procedure 1404.1, 'LEES Hardness Testing (Equotip) ' encl Procedure withheld " Duke Power Co. 88/09/09 250pp 46915 125 46915-330.

8809160234 Responds to followup items noted in Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11. Corrective actions App D under evaluation to correct labeling discrepancies between emergency operating procedures & panel indication. TUCKER,H.B. Duke Power Co. 88/09/08. Document Control Branch (Document Control Desk). 17pp. 46885 062 46885.078

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA " Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215 46824-336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control " Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946-253-46947 013

R. Periodic operating reports & related correspondence

8809070054 "Radioactive Effluent Release & Solid Waste Disposal Rept for Jan June 1988 " W/880929 ltr. TUCKER,H.B. Duke Power Co. 88/06/30 32pp. 46774.289-46774 319.

8809200293 Monthly operating repts for Aug 1988 for Oconee Nuclear Station Units 1,2 & 3. W/880915 ltr. REAVIS,J.A., TUCKER,H.B. Duke Power Co. 88/08/31 17pp. 46911 303 46911.319

S. Reportable occurrences, LERs & related correspondence

8809080934 Informs of postponement of self-initiated internal QA Audit during third & fourth quarter 1988 per 880406 LER commitment. Postponement due to numerous insps & audits conducted during 1988. TUCKER,H.B. Duke Power Co. 88/08/29. Document Control Branch (Document Control Desk). 1p 46782.184-46782 184.

8809160240 LER 88-006-01 on 880519, design deficiency re operation of HPIS & LPIs in ECCS sump recirculation mode discovered. Caused by inadequate design documentation. Addl operational guidance written & distributed W/880909 ltr. NORTH,P.J., TUCKER,H.B. Duke Power Co. 88/09/08. 14pp. 46897-165 46897.178

8809230036 Forwards request for addl info to complete review of LER 269/87-05 re potential tripping of HPI pump motors on overcurrent for pump starting during LOCA. Info requested within 45 days of date of ltr. MATTHEWS,D.B. Project Directorate II-3 88/09/20 TUCKER,H.B. Duke Power Co 3pp 46942 021-46942 023.

V. Operator Examinations

8809070173 Forwards utl best estimate of operator licensing & requalification exam requirements for FY89-FY92. TUCKER,H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk). 8pp 46784 046-46784.053.

Y. Dry Cask Independent Spent Fuel Storage Installations

8808290098 Forwards responses to NRC 880824 questions re utl license application for plant ISFSI. Responses concern ISFSI environ rept Site preparation & earth removal will begin on 881001 w/first design concrete pours scheduled for Apr 1989. TUCKER,H.B. Duke Power Co. 88/08/16. Document Control Branch (Document Control Desk). 60pp 46681-251-46682.128.

8809060288 Summary of 880722 meeting w/licenses re current status of sys wido spent fuel storage & plans for dry cask storage. BELL,M.J. Regulatory Branch 88/08/30. Regulatory Branch. 3pp. 46755 037-46755-039

8809070043 Forwards request for info for NRC review of NUTECH Topical Rept, NUH 002, Rev 1. Some calculations provided do not appear to correspond to NUTECH design. ROBERTS,J.P. Fuel Cycle Safety Branch. 88/08/31. MCCONAGHY,W.J. NUTECH Engineers, Inc. 4pp. 46777.342-46777.346.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809070075 Forwards Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815. No violations or deviations noted BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/23. TUCKER,H.B. Duke Power Co. 2pp. 46784:328-46784:338.

--8809070077 Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815.No violations noted.Major areas inspected operations,surveillance testing,maint activities,safeguards, radiation protection & open items Weaknesses noted SKINNER,P.H. Region 2, Ofc of the Director 88/08/23. 9pp. 46784 330-46784.338

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant Encl withheld (ref 10CFR73.21) TUCKER,H.B. Duke Power Co 88/08/26 Document Control Branch (Document Control Desk) 3pp. 46751-176 46751-178.

8809060257 Forwards Safeguards Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725-29 No violations or deviations noted. CLINE,W.E. Region 2, Ofc of the Director 88/08/29 TUCKER,H.B. Duke Power Co 2pp. 46759 001-46759 003

--8809060262 Partially withheld Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725-29 (ref 10CFR2790(d) & 73.21).No violations noted.Major areas inspected,security program audit,vital area barriers & detection aids & communications. MASNYK,O.M. Region 2, Ofc of the Director 88/08/29. 1p 46759 003-46759 003.

8809020147 Forwards Rev 25 to security plan Rev withheld (ref 10CFR73.21). TUCKER,H.B. Duke Power Co 88/08/30 Document Control Branch (Document Control Desk) 2pp. 46751-172-46751-173.

8809020162 Forwards Rev 26 to plant security plan Rev withheld. TUCKER,H.B. Duke Power Co 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46750-280-46750-281.

8809070326 Rev 88-06 to Emergency Plan Implementing Procedure RP/O/B/1000/012, "Determination of Protective Action Guides by Control Room Personnel or Emergency Coordinator During Radiological Accident." DAVIS,J.M., TUCKER,H.B., MCINTOSH,J.T. Duke Power Co. 88/08/30. 50pp. 46788-084-46788-193

8809140462 Forwards Insp Repts 50-269/88-22,50-270/88-22 & 50-287/88-22 on 880801-05.No violations or deviations noted. COLLINS,D.M. Region 2, Ofc of the Director. 88/08/31. TUCKER,H.B. Duke Power Co. 2pp. 46837.346 46837.353.

--8809140463 Insp Repts 50-269/88-22,50-270/88-22 & 50-287/88-22 on 880801-05 No violations or deviations noted.Major areas inspected emergency preparedness,including emergency plan implementing procedures & organization & mgmt control. KREH,J.L. Region 2, Ofc of the Director. 88/08/29. 6pp. 46837.346-46837-353.

K. Utility Final Safety Analysis Report (FSAR) & amends

8808260256 Forwards master table of contents inadvertently omitted from 1987 FSAR update. REAVIS,J. Duke Power Co 88/08/16. NRC - No Detailed Affiliation Given. 1p 46858-207-46858-224.

--8808260351 Master table of contents to 1987 FSAR update. * Duke Power Co. 88/08/16 17pp. 46858.208-46858.224.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLRs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.008.

8808260318 Advises that provision of submittal addressing unreviewed safety question re mod to install cavitating venturis will not be submitted by 880815 Provision of submittal by 880815 anticipated TUCKER,H.B. Duke Power Co 88/08/15. Document Control Branch (Document Control Desk). 1p 46853-192-46853-192

8808260383 Requests clarification of proposed rev.deleting numerical values of certain cycle-dependent core operating limits from Tech Specs to be placed in core operating limits rept. MATTHEWS,D.B. Project Directorate II-3. 88/08/23 TUCKER,H.B. Duke Power Co. 6pp. 46869 065-46869-070.

8808310086 Forwards Request for Relief 88-07 from Section XI of ASME Boiler & Pressure Code (w/addenda through Winter 1980) requirements re pressure testing specific welds during inservice insp at Unit 3.W/one oversize drawings TUCKER,H.B. Duke Power Co. 88/08/23. Document Control Branch (Document Control Desk) 5pp. 46703.131-46703.135.

8808310110 Forwards Request for Relief 88-08 from requirements of Section XI of ASME Boiler & Pressure Vessel Code (w/addenda through Winter 1980).Requests concern inservice insp at Unit 3 during second 10-yr interval.W/one oversize drawing. TUCKER,H.B. Duke Power Co. 88/08/23. Document Control Branch (Document Control Desk) 5pp. 46703.136-46703.140.

8809160238 Forwards Request for Relief 88-08 from requirements of Section XI of ASME Code (w/Addenda through Winter 1980) due to impracticability of pressure testing specific welds required by code following repair.W/one oversize drawing. TUCKER,H.B. Duke Power Co. 88/08/24. Document Control Branch (Document Control Desk). 5pp. 46857-067-46857-071.

8809010203 Notification of 880908 meeting w/util in Seneca,SC to discuss cause & correction actions of degraded post-accident performance of reactor bldg cooling units as indicated by test results PASTIS,H.N. Project Directorate II-3. 88/08/29. MATTHEWS,D.B. Project Directorate II-3. 3pp. 46740.341-46740-343.

8809060384 Forwards proprietary Topical Rept DPC-NE-2003, "Oconee Nuclear Station Core Thermal-Hydraulic Methodology Using VIPRE-01." Rept withheld (ref 10CFR2790). TUCKER,H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk). 5pp. 46807.005-46807-009.

8809190324 Revised application for amends to Licenses DPR-38,DPR-47 & DPR-55,deleting cycle dependent core operating limits from Tech Specs & facilitating 10CFR50.59 reviews for future core reloads Proposed amend supersedes 870903 & 880227 requests TUCKER,H.B. Duke Power Co 88/09/09 Document Control Branch (Document Control Desk) 4pp. 46895.344 46896 013

--8809190330 Proposed Tech Specs,deleting cycle-dependent core operating limits & facilitating 10CFR50.59 reviews for future core reloads * Duke Power Co 88/09/09 26pp. 46895 348-46896 013

8809220129 Forwards environ assessment & finding of no significant impact re 880516 request for amends to Licenses DPR-38, DPR 47 & DPR-55 Amends support Cycle 11 operation at full rated power. PASTIS,H.N. Project Directorate II-3 88/09/12. TUCKER,H.B. Duke Power Co 3pp 46942.010-46942.016.

--8809220132 Environ assessment & finding of no significant impact re 880516 application for amends to Licenses DPR-38,DPR-47 & DPR-55,revising Tech Specs to support Cycle 11 operation at full rated power. MATTHEWS,D.B. Project Directorate II-3 88/09/12 4pp. 46942 013 46942.016.

8809160216 Notification of 881028 meeting w/util in Rockville,MD to discuss util corporate approach re QA surveillance & audit techniques. HOOD,D. Project Directorate II-3. 88/09/14. MATTHEWS,D.B. Project Directorate II-3 5pp. 46864-175-46864-178.

8809230065 Forwards request for addl info re Tech Specs for safe shutdown facility.Request include rationale for not providing compensatory measures in proposed Tech Specs as provided in previous Tech Spec proposal MATTHEWS,D.B. Project Directorate II-3 88/09/20 TUCKER,H.B. Duke Power Co 3pp. 46844 338-46844-338

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054 46690.178

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703 070.

8809010152 Forwards Insp Repts 50-269/88-25,50-270/88-25 & 50-287/88-25 on 880801-15 Violation under consideration for escalated enforcement action.Enforcement conference will be scheduled. GRACE,J.N. Region 2, Ofc of the Director. 88/08/22. TUCKER,H.B. Duke Power Co. 2pp 46720-124-46720-129

--8809010155 Insp Repts 50-269/88-25,50-270/88-25 & 50-287/88-25 on 880801-15.One violation noted Major areas inspected. Inadequate design analysis of high pressure injection sys recirculation mode of operation. SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director. 88/08/18. 4pp 46720 126-46720-129.

8809070075 Forwards Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815.No violations or deviations noted. BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/23 TUCKER,H.B. Duke Power Co. 2pp. 46784.328-46784.338.

--8809070077 Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718-0815.No violations noted.Major areas inspected: operations,surveillance testing,maint activities,safeguards, radiation protection & open items Weaknesses noted. SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director. 88/08/23. 8pp. 46784-330 46784-338.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713-216-46713-219

8809080167 Discusses Insp Repts 50-269/88-03,50-270/88-03 & 50-287/88-03 on 880222-26 & forwards notice of violation. Info util provided at enforcement conference showed that item re documentation of cable similarity is not violation. GRACE,J.N. Region 2, Ofc of the Director. 88/08/28 TUCKER,H.B. Duke Power Co. 2pp. 46796-308 46796-309.

--8809080168 Notice of violation from insp on 880222-26.Violations noted: file did not document performance characteristics for Victoreen high range radiation monitor sys & reactor bldg level transmitter junction box not filled w/oil. GRACE,J.N. Region 2, Ofc of the Director 88/08/28. 2pp. 46796-308 46796-309.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713-217.

8809060257 Forwards Safeguards Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725-29 No violations or deviations noted. CLINE,W.E. Region 2, Ofc of the Director 88/08/29. TUCKER,H.B. Duke Power Co 2pp 46759-001-46759-003.

--8809060262 Partially withheld Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725-29 (ref 10CFR2790(d) & 73.21).No violations noted.Major areas inspected,security program audit,vital area barriers & detection aids & communications. MASNYK,O.M., MCQUIRE,D.R. Region 2, Ofc of the Director. 88/08/29 1p. 46759.003-46759.003.

8809120067 Confirms 880818 telcon re 880912 enforcement conference on inadequate design analysis of HPI sys in ECCS sump recirculation mode GRACE,J.N. Region 2, Ofc of the Director 88/08/29. TUCKER,H.B. Duke Power Co. 1p. 46824-358-46824-358

50 DOCKETED ITEMS

8809080417 Forwards interim response to NRC Bulletin 88-004 re potential safety related pump loss. Pump interaction not expected to affect individual performance. Flow limited in each min flow line upstream of common min flow return line. TUCKER, H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk) 33pp. 46793 087-46793 119

8809140462 Forwards Insp Repts 50-269/88-22, 50-270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted. COLLINS, D.M. Region 2, Ofc of the Director. 88/08/31. TUCKER, H.B. Duke Power Co. 2pp. 46837 346-46837 353.

--8809140463 Insp Repts 50-269/88-22, 50-270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted. Major areas inspected emergency preparedness, including emergency plan implementing procedures & organization & mgmt control. KREH, J.L., DECKER, T.A. Region 2, Ofc of the Director. 88/08/29 6pp. 46837 346-46837 353

8809280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809080114 Responds to NRC 880803 fir re violations noted in Insp Repts 50-269/88-13, 50-270/88-13 & 50-287/88-13. Corrective actions: Inservice program being revised to require timing actuation-to-light for valve stroke timing test. TUCKER, H.B. Duke Power Co. 88/09/02. Document Control Branch (Document Control Desk) 10pp. 46786 245-46786 254

8809220176 Forwards Insp Repts 50-269/88-23, 50-270/88-23 & 50-287/88-23 on 880801-05. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 88/09/08. TUCKER, H.B. Duke Power Co. 2pp. 46928 089-46928 100.

--8809220182 Insp Repts 50-269/88-23, 50-270/88-23 & 50-287/88-23 on 880801-05. No violations noted. Major areas inspected pipe support base plate designs using concrete expansion anchor bolts & seismic analysis for as built piping sys. CHOU, R.C., BLAKE, J.J. Region 2, Ofc of the Director. 88/09/06 10pp. 46928 081-46928 100.

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88-005, 'Nonconforming Mails Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ,' for Oconee Nuclear Station, McGuire Nuclear Station." TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46915 124-46915 330.

--8809230251 Rev 0 to "Response to NRC Bulletin 88-005, Nonconforming Mails Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co..." Proprietary Procedure 1404.1, "LEEB Hardness Testing (Eqvotip)..." encl. Procedure withheld. Duke Power Co. 88/09/09. 250pp. 46915 125-46915 330.

8809180234 Responds to followup items noted in Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11. Corrective actions App D under evaluation to correct labeling discrepancies between emergency operating procedures & panel indication. TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk) 17pp. 46885 062-46885 078

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 48824 215-48824 338

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp. 48946 133-48948 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 125pp. 48946 253-48947 013.

R. Periodic operating reports & related correspondence

8809070064 "Radioactive Effluent Release & Solid Waste Disposal Rept for Jan-June 1988." W/880829 ltr. TUCKER, H.B. Duke Power Co. 88/08/20 32pp. 46774 289-46774 319

8809200293 Monthly operating repts for Aug 1988 for Oconee Nuclear Station Units 1, 2 & 3 W/880915 ltr. REAVIS, J.A., TUCKER, H.B. Duke Power Co. 88/08/31. 17pp. 46911 303-46911 319

S. Reportable occurrences, LERs & related correspondence

8809080034 Informs of postponement of self-initiated internal QA Audit during third & fourth quarter 1988 per 880406 LER commitment. Postponement due to numerous insps & audits conducted during 1988. TUCKER, H.B. Duke Power Co. 88/08/28. Document Control Branch (Document Control Desk). 1p. 46782 184-46782 184

8809230036 Forwards request for addl info to complete review of LER 269/87-05 re potential tripping of HPI pump motors on overcurrent for pump starting during LOCA info requested within 45 days of date of ltr. MATTHEWS, O.B. Project Directorate II-3. 88/09/20. TUCKER, H.B. Duke Power Co. 3pp. 46942 021-46942 023

V. Operator Examinations

8809070173 Forwards util best estimate of operator licensing & requalification exam requirements for FY89-FY92. TUCKER, H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk) 8pp. 46784 046-46784 053

Y. Dry Cask Independent Spent Fuel Storage Installations

8809290098 Forwards responses to NRC 880824 questions re util license application for plant ISFSI. Responses concern ISFSI environ rept. Site preparation & earth removal will begin on 881001 w/first design concrete pours scheduled for Apr 1989. TUCKER, H.B. Duke Power Co. 88/08/16. Document Control Branch (Document Control Desk). 60pp. 46681 281-46682 129.

8809080288 Summary of 880722 meeting w/licensee re current status of sys wide spent fuel storage & plans for dry cask storage. BELL, M.J. Regulatory Branch 88/08/30. Regulatory Branch 3pp. 46755 037-46755 039.

8809070043 Forwards request for info for NRC review of NUTECH Topical Rept. NUH-002, Rev 1. Some calculations provided do not appear to correspond to NUTECH design. ROBERTS, J.P. Fuel Cycle Safety Branch 88/08/31. MCCONAGHY, W.J. NUTECH Engineers, Inc. 4pp. 46777 342-46777 345

DOCKET 60-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8809260464 Public version of revised emergency plan implementing procedures, including Rev 7 to AP 3125, "Emergency Plan Classification & Action Level Scheme" & Rev 9 to OP 3530, "Post Accident Sampling." W/880824 release memo. Vermont Yankee Nuclear Power Corp. 88/08/03. 24pp. 46669 101-46669 124.

8809290117 Change 16 to Vermont Yankee emergency plan. PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 88/08/10. 50pp. 46668 307-46668 356.

8809010359 Rev 19 to Emergency Plan Implementing Procedure OP 3504, "Emergency Communications." PORTER, S.C. Vermont Yankee Nuclear Power Corp. 88/08/22. 45pp. 46741 293-46741 338.

8809150265 Partial response to FOIA request for documents. Forwards App T documents. Apps S & T documents available in PDR. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/08/22. JONES, C. Affiliation Not Assigned. 3pp. 46815 087-46815 131.

--8809150288 Discusses Insp Rept 50-271/83-26 on 830819 0802 & forwards notice of violation. RUSSELL, W.T. Region 1, Ofc of the Director. 87/08/15. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 46815 102-46815 104.

--8809150292 Notice of violation from Insp on 830829 0802. Violation noted: fire protection features not provided for certain redundant trains of equipment &/or cabling necessary to achieve & maintain hot shutdown conditions. RUSSELL, W.T. Region 1, Ofc of the Director. 87/08/15. 25pp. 46815 105-46815 131

8809150009 "Vermont Yankee Nuclear Power Station Emergency Response Exercise Manual," for exercise on 880831. Vermont Yankee Nuclear Power Corp. 88/08/31. 325pp. 46851 083-46852 017.

8809190219 Forwards Rev 16 to physical security plan Rev withheld. Vermont Yankee Nuclear Power Corp. 88/08/12. Document Control Branch (Document Control Desk). 1p. 46889 093-46889 083

G. Adjudicatory correspondence

8809020106 Advises of official hours of NRC for persons to serve pleadings, papers or documents on NRC attys in Hearing Div of Ofc of General Counsel. SCINTO, J.F. Assistant General Counsel for Hearings. #388 8894. 88/08/24. AHRENS, P., AMIRIAN, A.N., AMSTRONG, W. Affiliation Not Assigned. 3pp. 46667 077-46667 079.

8809020066 Response of State of VT to joint motion of New England Coalition on Nuclear Pollution & Commonwealth of MA for leave to file late filed contentions. ASLB urged to grant motion & admit contentions Certificate of Svc encl. MULLETT, D.J. Vermont, State of. #388 7000. 88/08/29. Atomic Safety and Licensing Board Panel. 4pp. 46666 280-46666 283

8809120031 Licensee response to joint motion of New England Coalition on Nuclear Pollution & Commonwealth of MA for leave to file late filed contentions. Three proposed late filed contentions should be excluded. W/Certificate of Svc GAD, R.K. Vermont Yankee Nuclear Power Corp. GAD, R.K. Ropes & Gray. #388 7019. 88/08/29. Atomic Safety and Licensing Board Panel. 17pp. 46752 278-46752 284.

8809120011 Notice of appearance. Author enters appearance in proceeding on behalf of State of VT. Notice of withdrawal of DJ Mullett in proceeding & Certificate of Svc encl. PRESS, S.H. Vermont, State of. #388 7024. 88/08/31. 6pp. 46752 181-46752 186.

8809120013 Notice of withdrawal. Author withdraws appearance in proceeding. W/Certificate of Svc MULLETT, D.J. Vermont, State of. #388 7025. 88/08/31. 6pp. 46752 193-46752 198.

DOCKETED ITEMS 51

8809120022 New England Coalition on Nuclear Pollution (NECNP) motion to compel applicant to respond to NECNP third set of Interrogatories & request for production of documents * Certificate of Svc encl.
FERSTER,A New England Coalition on Nuclear Pollution, FERSTER,A, Harmon & Weiss #388 7017, 88/08/31 Vermont Yankee Nuclear Power Corp. 13pp 46752 259 46752-271.

8809120007 State of VT first set of Interrogatories & requests for production of documents to Vermont Yankee Nuclear Power Corp.* Certificate of Svc encl.Related correspondence
PRESS,S.H. Vermont, State of. #388 7013 88/09/08. Vermont Yankee Nuclear Power Corp. 19pp. 46752 148-46752,166

8809120121 Joint motion of New England Coalition on Nuclear Pollution & Commonwealth of MA for leave to reply to licensee response to joint motion for leave to file late-filed contentions.* W/Certificate of Svc.
WEISS,E.R. New England Coalition on Nuclear Pollution, WEISS,E.R. Massachusetts, Commonwealth of. WEISS,E.R. Harmon & Weiss. #388 7032 88/09/08. Atomic Safety and Licensing Board Panel. 4pp 46752:187-46752,190.

8809140119 NRC Staff response to joint motion of New England Coalition on Nuclear Pollution & Commonwealth of MA for leave to file late filed contentions * Joint contentions should be rejected Certificate of Svc encl
HODGDON,A P Assistant General Counsel for Hearings. #388 7049, 88/09/06. Atomic Safety and Licensing Board Panel 15pp. 46786:111-46786,125.

8809160057 Memorandum & order (reply re proposed contentions). * Commonwealth of MA & New England Coalition on Nuclear Pollution 880915 motion for leave to reply to applicant & NRC responses to contentions permitted Served on 880914
BECHHOEFER,C Atomic Safety and Licensing Board Panel. #388 7064, 88/09/13 Office of the General Counsel. 3pp. 46813 010 46813,012.

8809190081 Joint reply of New England Coalition on Nuclear Pollution & Commonwealth of MA to Staff & licensee objections to late filed contentions.* Acceptance of proffered late-filed contentions urged.W/Certificate of Svc
WEISS,E.R. New England Coalition on Nuclear Pollution WEISS,E.R. Massachusetts, Commonwealth of. WEISS,E.R. Harmon & Weiss #388 7077, 88/09/14. Atomic Safety and Licensing Board Panel. 14pp 46829:211-46829 224.

8809210028 Licensee response to New England Coalition on Nuclear Pollution (NECNP) motion to compel * NECNP 880831 motion to compel should be denied Certificate of Svc encl.
GAD,R.K. Vermont Yankee Nuclear Power Corp. GAD,R.K. Ropes & Gray. #388 7084, 88/09/15. Atomic Safety and Licensing Board Panel. 10pp. 46843:109-46843,118.

8809260143 Applicant answers to State of VT first set of interrogatories & requests for production of documents to util.* Supporting documentation & Certificate of Svc encl. Related correspondence.
REID,D.A. GAD,R.K. Vermont Yankee Nuclear Power Corp. GAD,R.K. Ropes & Gray. #388 7130, 88/09/19. Vermont, State of 54pp. 46908:013-46908,066.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065,001-47065,006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A.Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. DocSearch Associates. 6pp. 46770,080-46770,089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 88/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770:211-46770,223

8808260441 Ack receipt of rept on containment safety at facility.No changes identified which would reduce overall degradation
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 88/08/24. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 4pp. 46658,273-46658,276

8808260446 Discusses util rept, "Rept on Containment Safety at Vermont Yankee." Based on review,rept appears systematic,thorough evaluation of potential safety improvements to facility.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. KUNIN,M. Vermont, State of. 7pp. 46658,236-46658,242.

8809080334 Forwards replacement Pages 63 & 67 Issued w/Amend 106 to License DPR-28 to correct inadvertently deleted changes in Amend 105.
ROONEY,V.L. Project Directorate I-3, 88/09/01. CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 4pp. 46758,026-46758,031.

8809120213 Errata to Amend 106 to License DPR-28,correcting Tech Spec Pages 53 & 67.
* Project Directorate I-3, 88/09/01, 2pp. 46758:030-46758,031.

8809150308 Responds to 880802 request for submittal of plant-specific emergency operating procedures for use during incident response ctr activation.R Gallo placed on distribution list for procedures
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 88/09/09. RUSSELL,W.J. Region 1, Ofc of the Director. 1p. 46864:301-46864,301.

8809190225 Forwards Amend 108 to License DPR-28 & safety evaluation. Amend revises Tech Specs to permit use of GE 8X8EB fuel type in response to util 880523 application & 880815 clarification.
ROONEY,V.L. Project Directorate I-3 88/09/09 CPASTICK,R.W. Vermont Yankee Nuclear Power Corp. 5pp. 46898:054-46898,070.

8809190232 Amend 108 to License DPR-28,revising Tech Specs to permit use of GE 8X8EB fuel type.
WESSMAN,R.H. Project Directorate I-3, 88/09/09. 9pp 46898,059-46898,067.

8809190235 Safety evaluation supporting Amend 108 to License DPR-28.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/09. 3pp 46898 088-46898 070.

8809210125 Forwards proprietary YAE 1638 P, "Vermont Yankee LOCA Licensing Application Method" (ref 10CFR2 790) Approval for plant LOCA licensing application method for use in cycle-independent LOCA-ECCS requested
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp 88/09/12 Document Control Branch (Document Control Desk) 3pp 46920,311-46920 313

8809270098 Forwards "Simulate-3 Validation & Verification," per 880411 commitment Fee paid
PAPANIC,G. Yankee Atomic Electric Co. 88/09/12 Document Control Branch (Document Control Desk) 2pp 46968 259-46969 005

8809260189 Requests exemption from 10CFR50,App J, Paragraph,III A 3, "Test Methods." Fee paid.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 88/09/16 Document Control Branch (Document Control Desk) 4pp 46957 173-46957,176.

8809260195 Requests exemption from certain requirements of 10CFR50.54(w).Fee paid.
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 88/09/16. Document Control Branch (Document Control Desk) 4pp. 46945 349 46945,352

Q. Inspection reports, IE Bulletins & correspondence

8808300267 Notification of 880816 Board Meeting 88 124 w/utl in King of Prussia,PA to discuss regional evaluation phase of SALP.
HAVERKAMP,D.R. Region 1, Ofc of the Director. 88/08/10 Region 1, Ofc of the Director. 2pp. 46887:111-46887,112

8808300099 Requests addl info re potential improper disposal of licensed matl,per listed questions & Insp Rept 50 271/88-09, specifically NRC recommendations re disposal of estimated 13,500 cubic ft of sludge
MCCANDLES,R.N. Vermont, State of. 88/08/15. RUSSELL,W.T. Region 1, Ofc of the Director 1p. 46777:089 46777,089

8808300350 Ack receipt of 880328 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 271/87-18 Agrees certificate of compliance acceptable basis for demonstrating qualifications provided under listed conditions
JOHNSTON,W.V. Region 1, Ofc of the Director 88/08/18. MURPHY,W.P. Vermont Yankee Nuclear Power Corp 3pp. 46777:085 46777-102

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46890,064-46890,178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc 121pp 46702,311-46703,070.

8809150265 Partial response to FOIA request for documents.Forwards App T documents,Apps S & T documents available in PDR.
GRIMSLEY,D. NRC - No Detailed Affiliation Given. 88/08/22 JONES,C. Affiliation Not Assigned 3pp 46815,087-46815,131.

8809150288 Discusses Insp Rept 50-271/83-26 on 830819-0802 & forwards notice of violation.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/06/15. MURPHY,W.P. Vermont Yankee Nuclear Power Corp 3pp. 46815:102-46815,104.

8809150292 Notice of violation from Insp on 830829-0802.Violation noted,fire protection features not provided for certain redundant trains of equipment &/or cabling necessary to achieve & maintain hot shutdown conditions.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/06/15. 25pp. 46815:105 46815,131

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713,216 46713,219.

8809070447 Responds to NRC 880621 ltr re violations noted in Insp Rept 50-271/88-05 Corrective actions,clarifications of Plant Procedure AP 0505, "Respiratory Protection," revised.
MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 88/08/26 Document Control Branch (Document Control Desk). 3pp. 46784:322-46784,324

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc 123pp. 46713:095-46713,217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713,004.

8808300018 NRC Info Notice 88 072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726,123

8809190357 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-271/88-09.Rationale for not issuing notice of violation detailed.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/07. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 2pp. 46893:002-46893,006.

52 DOCKETED ITEMS

9809140151 Responds to NRC Bulletin 88-005 re safety-related flanges or fittings from either Piping Supplies, Inc or West Jersey Manufacturing. Four flanges found in plant inventory & sent to offsite lab for tests & found acceptable.
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 88/09/09 Document Control Branch (Document Control Desk). 3pp. 46837.258-46837.258

8809160235 Advises that 880406 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.
ROONEY,V.L Project Directorate I-3 88/09/09 CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp 3pp 46884 357-46884 359.

8909080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Sys list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14.
Consolidated Edison Co. of New York, Inc 122pp 46824 215 46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" See list encl
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/09/18.
Consolidated Edison Co. of New York, Inc. 124pp. 46946.133 46946.252.

8909210014 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs" All active licensed operators & shift engineers required to read pertinent documents describing LaSalle event & stability zones established MURPHY, W. P. Vermont Yankee Nuclear Power Corp 88/09/16 Document Control Branch (Document Control Desk). 4pp 46920 258 46920,261

8809230180 Ack receipt of 880826 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-271/88-05.
MARTIN,T.T. Region 1, Ofc of the Director, 88/09/16 MURPHY,W.P. Vermont
Yankee Nuclear Power Corp. 2pp. 46943305 46943309.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" See list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp. 46948 253 46947.013

R. Periodic operating reports & related correspondence

8608310077 "Effluent & Waste Disposal Semiannual Rept for First & Second Quarters
1988" W/860826 1tr.
CAPSTICK, R W. Vermont Yankee Nuclear Power Corp. 88/06/30 34pp. 46899 050
46899 075.

8809140158 Monthly Statistical Rept 88-08 for Aug 1988 for Vermont Yankee/W/ 880910 W/ WALLIN,G.A., MURPHY,W.P, Vermont Yankee Nuclear Power Corp. 88/08/31 6pp 46837.326 46837.341.

S. Reportable occurrences, LERs & related correspondence

8000970329 LEA 88-010-00 on 800802,cable penetration area sys control valve failed to automatically operate upon receipt of trip signal Caused by personnel error Personnel counselled in determining equipment operability & control.W/800901
lr
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp 88/09/01. 4pp. 46779 197-46779-200.

W. Decommissioning Stage Documents & Correspondence

8809090062 Forwards NUREG/CR-0672, Addendum 3, "Technology, Safety & Costs of Decommissioning Ref BWR Power Station," estimating decommission costs for plant, per 880706 meeting w/o NUREG/CR-0672, Addendum 3. STELLO, V. Ofc of the Executive Director for Operations 68/08/28, STERZINGER, G. Vermont, State of 3pp. 46808 322-46809.188

-8809090069 Annotated memo responding to 880706 request for comments on and State of VT Technical Rept 12, "Shutdown Assessment," especially re decommissioning data & risk factors associated w/accidents Author believes that NRC should not comment.
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/28. STELLO, V. Ofc of the Executive Director for Operations. 4pp 48808 325-48808 328.

* Vermont, State of. 12 67/12/31. 199pp. 46808:329 46809:168

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809150265 Partial response to FOIA request for documents Forwards App T documents Apps S & T documents available in PDF GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/22 JONES,C. Affiliation Not Assigned. 3pp. 46815.087-46815.131.

~~8809150271~~ Ack receipt of 870715 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-272/83-37. Violations occurred as stated in notice of violation & appropriately classified in aggregate at Severity Level III.
RUSSELL, W.T. Region 1, Ofc of the Director, 88/03/21, MILTENBERGER, S Public Service Electric & Gas Co. of New Jersey, bpp 46815 090 46815 095.

-8809150274 Discusses Insp Rept 50-272/83-37 on 831205 06 & forwards notice of violation.
RUSSELL, W.T. Region 1, Ofc of the Director, 87/06/15, MCNEILL, G.A. Public Service Electric & Gas Co. of New Jersey, 8pp, 46815 098-46815 098.

-8809150284 Notice of violation from Insp on 831205-08 & 840116-20 Violations noted fire protection features not provided for certain redundant trains of equipment and/or cabling located outside primary containment.
RUSSELL, W.T. Region 1, Ofc of the Director, 87/08/15 3pm. 46815.088, 46815.101

8809090137 Forwards FEMA 880729 ltr & "FEMA Evaluation Rpt of Mott & Mott
tion Sys for Artificial Island Nuclear Generating Stations," stating that sys meets
NUREG 0654/FEMA-REP-1, Rev 1 & FEMA-REP-10 requirements. Causal of
44CFR350 removed.
BELLAMY, R R Region 1, Ofc of the Director 88/08/30 MILTENBERGER, S Public
Service Electric & Gas Co of New Jersey 2pp. 46807 043 46807:321

8809230177 Revised emergency plan implementing procedures, including Flow 4 to 1 PIP 103S, "Site Area Emergency," Rev 6 to EPIP 202S, "Operations Support Air Activation & Operations" & Rev 5 to EPIP 302S, "TSC-Radiation Protection/Chemistry Response"
* Public Service Electric & Gas Co. of New Jersey. 88/09/02 100pp 46044 014
48944:183

8809230209 Revised emergency plan implementing procedures, including Rev 6 to 1119
901, "Opening of Technical Support Ctr," Rev 3 to EPIP 902, "Accountability/Valuation
ation," & Rev 2 to EPIP 903, "Opening of Emergency Operations Facility/Emergen
cy."
* Public Service Electric & Gas Co of New Jersey 88/09/02, 30pp 40942 (R)
46942:128

8909200224 Rev 5 to Emergency Operations Facility Procedure EPIP 002, "Hazardous Waste Dose Assessment" & Rev 5 to EPIP 603, "Field Monitoring."
* Public Service Electric & Gas Co. of New Jersey, 86/09/14, 110pp. 489061ed
48908316.

H. General correspondence

8909070559 Comment opposing proposed rule 10CFR50 re license flexibility during
nuclear crisis. Deferral of issuance of final rule until proper implementation guidelines are
mutated encouraged.

4809260242 Submits listed svc list revs to util to incorporate changes in reg
organization. Marked copy of each svc list encl
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey, 88/00714 1b
ment Control Branch (Document Control Desk) Sop 48958-153-48958 157

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power re: 1) a re instrument air supply sys problems affecting safety-related equipment; 2) info re 1) MIRAGLIA, F.J. Associate Director for Projects (Ext 870411). 88/08/08. (C)regulation Edison Co. of New York, Inc. 41pp. 47085 001-47085:008

8809120091 Final response to FOIA request for documents Forwards documents in App A Documents also available in PDR, App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given, 88/08/17. CONNELL, Search Associates, 5pp, 46770.060 46770.089.

-8809/10137 Forwards assessments by Enforcement Staff of regional performance in the enforcement area from Jul-Nov 1985
AXELRAD, J A Enforcement Staff, IE (Pre 870413). 86/12/13 BLAH, J M 11/12/86
Support & Analysis Staff, IE (Pre 870413) 13pp. 46770:211-46770:223

9809120236 Requests that NRC reinstate formal Section 7 consultation on List 1-1-11
include effect of Impingements of endangered or threatened marine species
CRESTIN,D.C. Commerce, Dept. of, National Oceanic & Atmospheric Administration
88/08/19 FISCHER,D.C. NRC - No Detailed Affiliation Given, Opp 468118 and
468119 293

8808290266 Forwards request for addl info re 880227 request for exemption to allow us
 to take credit for respirators fitted w/serbot cartridges for protection against
 airborne radioliodine Response requested within 30 days,
 RIVENBARK, G. Project Directorate I-2 88/08/25, MILTENBERGER, S Public Health
 Electric & Gas Co. of New Jersey, 3pp, 46677.315-46677.318.

8809020238 Forwards Amends 88 & 61 to Licenses DPR-70 & DPR-76, respectvely. A safety evaluation Amends revise Tech Specs to change testing requirements in 18.1.1.1. Very surveillance during plant shutdowns. FISCHER,D.C. Project Directorate I-2. 88/08/29 MILTENBERGER,S Public Health & Electric & Gas Co. of New Jersey. 3pp 46745-176-46745-180.

8809020242 Amends 88 & 81 to Licenses DPR-70 & DPR-75, respectively, re: Tech Specs to change testing requirements re battery surveillance during certain shutdowns.
BUTLER, W.R. Project Directorate I-2, 88/08/29, 10pp, 48745:179 48745:188

-8809020244 Safety evaluation supporting Amends 88 & 81 to Licenses DPH 70 & DPR-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/20 P-1
48745 189-46745:190

8609070200 Forwards "Semiannual Radioactive Effluent Release Rpt for Jan. June
1988" & Rev 4 to "Offsite Dose Calculation Manual."
MILTENBERGER, S Public Service Electric & Gas Co, of New Jersey 80/00/31 (33p,
ument Control Branch (Document Control Desk) App. 46776.003-46778.162.

-8809070210 Rev 4 to "Offsite Dose Calculation Manual,"
* Public Service Electric & Gas Co. of New Jersey 88/05/17. 91pp 10770 (61)
46776;152.

8809130064 Informs that J Stone assigned as senior project manager of Salem A
back up project manager of Susquehanna.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411), 88/09/02 Office of Re-
clear Reactor Regulation, Director (Post 870411) 3pp 46827-007-46827-009.

8809210159 Requests NRC approval for utli to prepare biological assessment re revivd
tion of Endangered Species Act, Section 7 pertaining to sea turtle occurrences in cr
lating water intake at facility.
PRESTON, B. A. Public Service Electric & Gas Co. of New Jersey. 88/09/08. STONE,
NRC - No Detailed Application Given 2pp. 46920:304-46920:305.

8809190282 Lists personnel authorized as representatives to sign all State of NJ PDES related correspondence & repts
MILTENBERGER,S Public Service Electric & Gas Co of New Jersey 88/09/12. CAPOALE,G New Jersey, State of 1p. 46898.331-46898.331.

8809190383 Application for amends to Licenses DPR-70 & DPR-75, Incorporating Tech Specs for reactor head vents per Generic Ltr 83-37 & NUREG 0737,Item II B 1 requirements Fee paid
MILTENBERGER,S Public Service Electric & Gas Co of New Jersey. 88/09/12 Document Control Branch (Document Control Desk). 6pp. 46898.071-46898.080

8809190385 Proposed Tech Specs,Incorporating info for reactor head vents per Generic Ltr 83-27 & NUREG 0737,Item II B 1 requirements.
* Public Service Electric & Gas Co. of New Jersey 88/09/12 4pp. 46898.077-46898.080

8809260058 Forwards Attachment A to "Salem Offsite Dose Calculation Manual Rev 4 Highlights" omitted from 880931 submittal
PRESTON,B.A. Public Service Electric & Gas Co of New Jersey 88/09/16. Document Control Branch (Document Control Desk) 1p. 46957.348-46957.350.

8809260175 Attachment A to "Salem Offsite Dose Calculation Manual Rev 4 Highlights."
* Public Service Electric & Gas Co. of New Jersey 88/09/16. 2pp. 46957.348-46957.350.

8809270037 Submits comments on packaging & transportation of radioactive mail Need to conform to IAEA stds not justified based on arguments presented.
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/16. Document Control Branch (Document Control Desk). 2pp. 46967.342-46967.343.

8809230031 Requests proposed schedule for preparation of biological assessment re increase in number of sea turtles impinged on trash bars,In response to 880908 ltr per Section 402.16 of Endangered Species Act,Interagency Cooperation regulation.
STONE,J.C. Project Directorate I-2. 88/09/20. MILTENBERG,S E. Public Service Electric & Gas Co of New Jersey. 3pp. 46945.293-46945.295.

Q. Inspection reports, IE Bulletins & correspondence

8809260402 Forwards results of field voltage measurements performed to verify calculated values,per 871215 request re special electrical Insp.
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/15. ANDERSON,C. Region 1, Ofc of the Director. 1p. 46854.054-46854.057.

8809260414 Submits comparison of field measured voltage drops against calculated values.
HAJOS,L.G. Public Service Electric & Gas Co. of New Jersey. 88/06/21. MYERS,J.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 46854.055-46854.057

8809190195 NRC Info Notice 88-088, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178.

8809300066 Advises that NRC planning enforcement conference within 30 days to discuss listed equipment qualification deficiencies noted in Insp 80 272/86-23 & 50-311/86-23 on 880811-15.
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/19. MILTENBERGER,S Public Service Electric & Gas Co. of New Jersey. 3pp. 46893.095-46893.097.

8809180451 NRC Info Notice 88-086, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8809150285 Partial response to FOIA request for documents.Forwards App T documents Apps S & T documents available in PDR
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/22. JONES,C. Affiliation Not Assigned. 3pp. 46815.087-46815.131.

8809150271 Ack receipt of 870715 ltr Informing NRC of steps taken to correct violations noted in Insp Rept 50-272/83-37 Violations occurred as stated in notice of violation & appropriately classified in aggregate at Severity Level III.
RUSSELL,W.T. Region 1, Ofc of the Director. 88/03/21. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 6pp. 46815.090-46815.095

8809150274 Discusses Insp Rept 50-272/83-37 on 831205-06 & forwards notice of violation.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/08/15. MCNEILL,C.A. Public Service Electric & Gas Co. of New Jersey. 3pp. 46815.096-46815.098.

8809150284 Notice of violation from Insp on 831205 06 & 840116-20. Violations noted:fire protection features not provided for certain redundant trains of equipment &/or cabling located outside primary containment
RUSSELL,W.T. Region 1, Ofc of the Director. 87/08/15 3pp. 46815.099-46815.101

8809180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004

8809190140 Forwards Requalification Exam Repts 50-272/89-07OL & 50-311/88-07OL of exam conducted during wk of 880613. Requalification program deficiencies noted.
MARTIN,T.T. Region 1, Ofc of the Director. 88/09/01. MILTENBERGER,S. Public Service Electric & Gas Co of New Jersey. 3pp. 46898.088-46898.282.

8809190147 Requalification Exam Repts 50-272/88-07OL & 50-311/88-07OL on 880813-17.Exam results of eight senior reactor operators & four reactor operators,one reactor operator failed simulator test & one senior operator failed written test.
NORRIS,B S., ESELGROTH,P.W. Region 1, Ofc of the Director 88/08/29. 175pp. 46888.091-46888.262.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809080073 Responds to NRC 880727 ltr re violations noted in Insp Repts 50-272/88-14 & 50-311/88-14,Corrective actions,complete review of operation dept procedures file performed to ensure all surveillance files are in order
MILTENBERGER,S Public Service Electric & Gas Co. of New Jersey. 88/09/02. Document Control Branch (Document Control Desk). 5pp. 46783.320-46783.324

8809140289 Notification of 880929 significant licensee meeting w/utl in King of Prussia,PA re equipment environ qualification issues
SWETLAND,P. Region 1, Ofc of the Director 88/09/07 Region 1, Ofc of the Director 2pp. 46840.109-46840.110.

8809160108 Advises that util 880331 response to NRC Bulletin 88 001 re defects in Westinghouse circuit breakers satisfactory.
STONE,J.C. Project Directorate I-2 88/09/09. MILTENBERGER,S Public Service Electric & Gas Co of New Jersey. 2pp. 46908.341-46908.343

8809190272 Responds to NRC Bulletin 88 005 re potentially nonconforming mats supplied by Piping Supplies,Inc & West Jersey Mfg Co. Util identified 2,692 flanges/fittings as being received from companies.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 88/09/12. Document Control Branch (Document Control Desk) 5pp. 46898.012-46898.016.

8809220313 Forwards Safety Insp Repts 50-272/88-16 & 50-311/88-16 on 880712-0822 & notice of violation
WENZINGER,E.C. Region 1, Ofc of the Director 88/09/12. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46930.137-46930.158.

8809220314 Notice of violation from Insp on 880712 0822.Violation noted post-accident sampling sys sampling & analysis equipment not properly maintained & procedures not properly implemented.
* Region 1, Ofc of the Director. 88/09/12. 1p. 46930.139-46930.139

8809220315 Insp Repts 50-272/88-16 & 50-311/88-16 on 880712-0822 Violations noted.Major areas inspected plant operations, including operational safety verification,surveillance, maint,radiological controls & overtime policy
SWETLAND,P.D. Region 1, Ofc of the Director. 88/09/09. 19pp. 46930.140-46930.168.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336

8809120187 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46846.253-46847.013.

R. Periodic operating reports & related correspondence

8809010309 "NPDES Discharge Monitoring Rept for Jul 1988." W/880819 ltr.
TREJO,J. Public Service Electric & Gas Co. of New Jersey. 88/07/31. CAPOALE,G. New Jersey, State of. 25pp. 46742.012-46742.037.

8809070200 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual."
MILTENBERGER,S Public Service Electric & Gas Co of New Jersey. 88/09/31. Document Control Branch (Document Control Desk) 4pp. 46778.003-46778.162.

8809070202 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988."
* Public Service Electric & Gas Co. of New Jersey. SGS RERR-24. 88/06/30. 48pp. 46776.007-46776.082.

8809070210 Rev 4 to "Offsite Dose Calculation Manual"
* Public Service Electric & Gas Co. of New Jersey. 88/05/17. 91pp. 46776.063-46776.162.

S. Reportable occurrences, LERs & related correspondence

8809070355 PNO-I-88 091,on 880831,Unit 1 tripped from full power as result of main turbine trip Cause unknown Unit 2 tripped from full power due to high steam generator (SG) level resulting from SG feed regulating valve failing open.
BORCHARDT,W. SWETLAND,P. Region 1, Ofc of the Director. 88/09/01. 1p. 46779.144-46779.144.

8809140180 LER 88-013-00,on 880812,several penetration seals did not conform to correct color or cell structure as recommended by silicone foam mfg to provide necessary fire protection. Caused by inadequate procedural guidance.W/880905 ltr
POLLACK,M.J., MILLER,L.K. Public Service Electric & Gas Co. of New Jersey. 88/09/08. 5pp. 46836.328-46836.332.

8809140459 Supplemental Special Rept 88-3-1'on 880720 & 0809,fire barriers impaired for greater than 7 days Cause unknown. Hourly watch continued until concerns w/ area resolved. Penetrations sealed.
MILLER,L.K. Public Service Electric & Gas Co. of New Jersey. 88/09/08. Document Control Branch (Document Control Desk). 5pp. 46845.001-46845.005.

54 DOCKETED ITEMS

V. Operator Examinations

- 8809190140** Forwards Requalification Exam Repts 50-272/88-07OL & 50-311/88 07OL of exam conducted during wk of 880613. Requalification program deficiencies noted of MARTIN T.T. Region 1, Ofc of the Director. 88/09/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 3pp. 46888 088-46888 262.
- 8809190147** Requalification Exam Repts 50-272/88-07OL & 50-311/88 07OL on 880613 17 Exam results of eight senior reactor operators & four reactor operators, one reactor operator failed simulator test & one senior operator failed written test. MORRIS B.S., ESELGROTH, P.W. Region 1, Ofc of the Director. 88/08/29 175pp. 46888 091-46888 262.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8809140249** Forwards public version of Rev 8 to Emergency Plan Implementing Procedures EP OR 1, "Offsite Support & Assistance." SHIFFER, J.D. Pacific Gas & Electric Co. 88/08/29 Document Control Branch (Document Control Desk) 1p. 46841 172-46841 196.
- 8809140259** Public version of Rev 8 to Emergency Plan Implementing Procedure EP OR 1, "Offsite Support & Assistance," & updated table of contents. TOWNSEND, J.D. Pacific Gas & Electric Co. 88/07/29 24pp. 46841 173 46841:196.

I. Financial Information

- 8809090269** Final response to FOIA request Forwards App E documents Apps D & E documents available in PDR Charges for search, duplication & postage listed. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/18. MCMILLAN, J.A. O'Mahony & Myers 11pp. 46766 248 46766 271.
- 8809090276** Forwards testimony of CA Lovejoy re financial qualifications of applicant CONNER, T.B. Atomic Energy Commission. 88/01/30. WELLS, A.A. Atomic Energy Commission. PAXTON, H.C. Los Alamos National Laboratory. PIGFORD, T.M. California, Univ of, Berkeley, CA 1p. 46766 261-46766 261.
- 8809090281** Testimony of CA Lovejoy on financial qualification of util re design & const of plant. LOVEJOY, C.A. Pacific Gas & Electric Co. LOVEJOY, C.A. Atomic Energy Commission 88/01/30 6pp. 46766 262 46766 267.

P. Operating license stage documents & correspondence

- 8809090095** Appeals denial of FOIA request for release of documents listed in Apps E & F, originally withheld. HAMLIN, J.B. Shaw, Pitman, Potts & Trowbridge. 88/05/05. CHILK, S.J. Office of the Secretary of the Commission 3pp. 46769 275-46769 298.
- 8808120294** Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.
- 8809090111** Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87-444. Documents or portions of documents continue to be withheld (ref FOIA Exemption 5). CHILK, S.J. Office of the Secretary of the Commission. 88/08/12. HAMLIN, J.B. Shaw, Pitman, Potts & Trowbridge 11pp. 46769 300-46769 326.
- 8809090119** Requests that Committee review disagreement between NRC & NRC Inspector I Yin over technical issues arising from licensee design control measures for small & large bore piping sys & advise Commission on resolution. PALLADINO, N.J. Commissioners. 84/04/04. EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46769 314-46769 314.
- 8809090123** Requests comments on listed issues prior to Commission action on full power license for plant. PALLADINO, N.J. Commissioners. 84/04/13. EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46769 315-46769 321.
- 8809090128** Forwards for review, revised order Changes based on suggestions made by Roberts & Bernthal. W/o encl. PALLADINO, N.J. Commissioners. 83/11/07. GILINSKY, ROBERTS, ASSELSTINE. Commissioners 1p. 46769 322-46769 322.
- 8809090131** Comments on 10CFR55.25 re administration of operating test prior to initial criticality, per NRC brief in plant case. PALLADINO, N.J. Commissioners. 84/11/02. BRIGGS, W.H. Solicitor. 2pp. 46769 323-46769 324.
- 8809090135** Approves SECY-81-115A re preheating conference order, as modified by attached page W/o encl. AHEARNE, J. Commissioners. 81/03/09. HENDRIE, GILINSKY, BRADFORD Commissioners. 1p. 46769 325-46769 325.
- 8809090044** Partial response to FOIA request for documents Forwards App C document. Documents available in PDR. GRIMSLEY, D.H. Office of Administration & Resources Management, Director (Post 870413). 88/08/15. WEISSMAN, S. California, State of 2pp. 46769 005-46769 019.
- 8802120088** Board Notification 82-04 forwarding info re pressurized thermal shock. EISENHUT, D.G. Division of Licensing (800428-851124). 82/01/20. PALLADINO, N., GILINSKY, BRADFORD Commissioners. 2pp. 46769 007-46769 019.
- 8809090269** Final response to FOIA request. Forwards App E documents. Apps D & E documents available in PDR Charges for search, duplication & postage listed. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/18. MCMILLAN, J.A. O'Mahony & Myers. 11pp. 46766 248 46766 271.
- 8809090283** Forwards "Preliminary Aspects of PG&E Application for CP at Nuclear Power Plant at Proposed Diablo Canyon Site," for review by committee. MORRIS, P.A. Atomic Energy Commission. 87/04/14. PALLADINO, N.J. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46766 268-46766 268.

- 8809120128** "Preliminary Aspects of PG&E Application for CP for Nuclear Power Plant at Proposed Diablo Canyon Site." Atomic Energy Commission. 87/04/14 3pp. 46766 269 46766 271.

- 8809010227** Forwards Amends 30 & 29 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends allow initiation value of reactor trip on turbine trip to be changed from thermal power greater than 10% to greater than 50%. ROOD, H. Project Directorate V. 88/08/26. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 46740 077-46740 094.

- 8809010232** Amends 30 & 29 to Licenses DPR 80 & DPR-82, respectively, allowing initiation value of reactor trip on turbine trip to be changed from thermal power greater than 10% to greater than 50%. KNIGHTON, G.W. Project Directorate V. 88/09/26 10pp. 46740 081-46740 089.

- 8809010234** Safety evaluation supporting Amends 30 & 29 to Licenses DPR 80 & DPR 82, respectively. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/20 4pp. 46740 091-46740 094.

- 8809130240** Notification of contract execution, Mod 8, to "Earthquake Potential & Max Credible Earthquake for Diablo Canyon Power Plant." Contractor, Univ of Nevada Reno, Mackay School of Mines. BELL, S. Contract Administration Branch. FIN D 1325 88/08/20. BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). POSLUSNY, C. NRC - No Detailed Affiliation Given. 1p. 46833 231-46833 234.

- 8809190022** Forwards Amends 31 & 30 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s. ROOD, H. Project Directorate V. 88/08/29. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 46693 093-46693 105.

- 8809070448** Summary of 880912-15 meetings w/util in Rockville, MD re overview of PHA for seismic reevaluation program. ROOD, H. Project Directorate V. 88/08/30. KNIGHTON, G.W. Project Directorate V. 5pp. 46772 119 46772 123.

- 8809260310** "Reactor Containment Bldg Integrated Leak Rate Test." W/ 880910 ltr. SHIFFER, J.D. Pacific Gas & Electric Co. 88/08/31 59pp. 46956 324-46956 022.

- 8809060338** Redistributed ltr forwarding Amends 31 & 30 to Licenses DPR 80 & DPR 82, respectively & safety evaluation Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s. ROOD, H. Project Directorate V. 88/09/01. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 46768 162-46768 161.

- 8809060341** Amends 31 & 30 to Licenses DPR 80 & DPR-82, respectively, decreasing max closure time for containment vacuum/pressure relief valves from 10 s to 5 s. KNIGHTON, G.W. Project Directorate V. 88/08/29 6pp. 46768 166 46768 171.

- 8809060343** Safety evaluation supporting Amends 31 & 30 to Licenses DPR 80 & DPR-82, respectively. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/20 3pp. 46768 172 46768 174.

- 8710150112** "Demonstration of Containment Vacuum/Overpressure Relief Valve Capability for Diablo Canyon Power Plant Units 1 & 2," technical evaluation report. KIDG, EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6415. EGG-NTA-7841. 88/08/30. NRC - No Detailed Affiliation Given. 18pp. 46769 175 46769 181.

- 8809070101** Forwards util 880401 ltr re plant wastewater holding pond. Pond will be closed in compliance w/Resource Conservation & Recovery Act of 1970, as amended. ROOD, H. Project Directorate V. 88/09/01. Advisory Council on Historic Preservation. 12pp. 46784 054-46784 073.

- 8809130043** Advises that WCAP-11723, "LOFTTR2 Analysis for Steam Generator Tube Rupture Event Units 1 & 2," marked as proprietary, will be withheld from public distribution (ref 10CFR2.790 & Section 103(b) of Atomic Energy Act). ROOD, H. Project Directorate V. 88/09/01. WIESEMANN, R.A. Westinghouse Electric Corp. 5pp. 46833 168 46833 172.

Q. Inspection reports, IE Bulletins & correspondence

- 8809090111** Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87-444. Documents or portions of documents continue to be withheld (ref FOIA Exemption 5). CHILK, S.J. Office of the Secretary of the Commission. 88/08/12. HAMLIN, J.B. Shaw, Pitman, Potts & Trowbridge 11pp. 46769 300-46769 326.

- 8809090139** Forwards draft of dissenting views re notice of violation. W/o encl. AHEARNE, J. Commissioners. 82/02/08. PALLADINO, GILINSKY, BRADFORD Commissioners. 1p. 46769 326-46769 326.

- 8808190195** NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 12pp. 46690 054-46690 178.

- 8808160451** NRC Info Notice 88-085, "Selfpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

- 8808180368** Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Notar bished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219.

- 8808230112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219.

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004

8809080097 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2 re nonconforming matts supplied by Piping Supplies, Inc & West Jersey Mfg Co. Twelve flanges identified as installed in plant & determined adequate for intended svc
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/01. Document Control Branch (Document Control Desk). 4pp. 46800.246-46800.249.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809150106 Forwards response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS."
SHIFFER,J.D., LOCKE,H.V. Pacific Gas & Electric Co. 88/09/06. Document Control Branch (Document Control Desk). 5pp. 46847.140-46847.144

8809190227 Forwards Insp Repts 50-275/88-15 & 50-323/88-14 on 880711-22 & notice of violation Objectives for maint program insp listed.
MARTIN,J.B. Region 5, Ofc of the Director. 88/09/06. SHIFFER,J.D. Pacific Gas & Electric Co. 6pp. 46907.069-46907.150

-8809190233 Notice of violation from insp on 880711-22 Violations noted. test program not established & implemented to assure listed check valves will perform satisfactorily in svc & test procedures did not provide for testing of dump valves
MARTIN,J.B. Region 5, Ofc of the Director. 88/09/06. 5pp. 46907.075-46907.079.

-8809190240 Insp Repts 50-275/88-15 & 50-323/88-14 on 880711-22 Violations noted Major areas inspected,maint program & implementation of related activities
HUEY,F.R., CREWS,J.L., TOTHA,D. Region 5, Ofc of the Director. 88/09/05. 70pp. 46907.080-46907.150

8809220282 Forwards written analysis of auxiliary saltwater sys operability relationship between instrument setpoints & design basis,per Insp Repts 50-275/88-11 & 50-323/88-10.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/13. Document Control Branch (Document Control Desk). 18pp. 46927.215-46927.232.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809080142 "Rept on Discharge Monitoring at Diablo Canyon Power Plant During Month of Jul 1988." W/880819 ltr.
TOWNSEND,J.D. Pacific Gas & Electric Co. 88/07/31. LEONARD,W. California, State of. 31pp. 46788.057-46788.087.

8809080029 Forwards "Diablo Canyon Power Plant,Semiannual Radioactive Effluent Rept,Jan-June 1988"
SHIFFER,J.D. Pacific Gas & Electric Co. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46793.133-46793.280.

-8809080130 "Diablo Canyon Power Plant,Semiannual Radioactive Effluent Rept,Jan-June 1988"
* Pacific Gas & Electric Co. 88/06/30. 37pp. 46793.134-46793.170.

-8809080132 Rev 2 to Administrative Procedure AP C-253S1, "Dewatering Control Program."
* Pacific Gas & Electric Co. 88/06/23. 6pp. 46793.171-46793.177

-8809080133 Rev 11 to Administrative Procedure AP C-253, "Process Control Program."
* Pacific Gas & Electric Co. 88/04/05. 13pp. 46793.178-46793.197.

-8809080136 Rev 6 to Chemical Analysis Procedure CAP A-8, "Offsite Dose Calculations."
* Pacific Gas & Electric Co. 88/04/22. 87pp. 46793.198-46793.280.

8809260128 Monthly operating repts for Aug 1988.W/880914 ltr.
BEDESEM,P., TOWNSEND,J.D. Pacific Gas & Electric Co. 88/08/31. 11pp. 46957.094-46957.104

S. Reportable occurrences, LERs & related correspondence

8809010334 LER 88-024-00 on 880707,8 h allowed by Tech Specs to place inoperable overpower differential temp channel in tripped condition exceeded.Caused by personnel error.Modules properly adjusted & instrument returned to svc.W/880829 ltr.
KELLY,W.J., SHIFFER,J.D. Pacific Gas & Electric Co. 88/08/29. 5pp. 46720.300-46720.304.

8809140148 PNO-V-88 056;on 880830,Unit 1 experienced reactor trip from 99% power due to main feed pump trip.Also, on 880901,Unit 2 experienced reactor trip from 100% power due to seismic trip signal.Incidents under investigation
NARBUT,P., MENDOZA,M. Region 5, Ofc of the Director. 88/09/02. 4pp. 46839.272-46839.275.

T. Hearing transcripts on non-antitrust matters

8809090289 Final response to FOIA request Forwards App E documents.Apps D & E documents available in PDR.Charges for search, duplication & postage listed.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/18. MCMILLAN,J.A. O'Melveny & Myers 11pp. 46766.248-46766.271.

-8809090281 Testimony of CA Lovejoy on financial qualification of util re design & const of plant
LOVEJOY,C.A. Pacific Gas & Electric Co. LOVEJOY,C.A. Atomic Energy Commission 88/01/30. 6pp. 46766.262-46766.267

V. Operator Examinations

8809080282 Forwards schedule for conducting operator licensing exams through FY92,per Generic Ltr 88-13
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/01. HANNON,J. Operator Licensing Branch. 3pp. 46800.250-46800.252

DOCKET 50-276 AGR-201

G. Inspection reports, IE Bulletins & correspondence

8809260025 Responds to 880919 ltr requesting resumption of reactor operation & forwards resumption of reactor operation issues. Most important factor to be assessed prior to restart is question of adequate mgt control.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/13. CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 3pp. 46957.105-46957.107

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260280 Forwards Safety Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04.No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/17. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46658.295-46658.292.

-8808260308 Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04.No violations noted.Major areas inspected emergency response facilities,public info program,changes to emergency preparedness program & followup of previously noted issues.
CONKLIN,C., LAZARUS,W.J. Region 1, Ofc of the Director. 88/08/15. 6pp. 46658.267-46658.272.

8808260460 Advises that Region 1 plans to participate in full-scale, unannounced off-hour emergency preparedness exercise scheduled during wk of 880925 Requests that util provide briefing session on 880916 at Region 1 ofc.Apps encl.
EBNETER,S.D. Region 1, Ofc of the Director. 88/08/18. MCNEILL,C.A. Philadelphia Electric Co. 4pp. 46653.353-46653.358.

8809010380 Forwards Special Insp Repts 50-277/88-23 & 50-278/88-23 on 880827-30 No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46743.246-46743.255

-8809010381 Physical Security Insp Repts 50-277/88-23 & 50-278/88-23 on 880827-30 No violations observed.Major areas inspected, followup on licensee implementation of commitments identified in util 880803.13,17 & 24 ltrs.
BAILEY,R.J., MADDEN,J., KEIMIG,R.R. Region 1, Ofc of the Director. 88/08/23. 9pp. 46743.247-46743.255

8809020247 Forwards Amends 135 & 138 to Licenses DPR-44 & DPR-56, respectively & safeguards evaluation Amends modify & combine stated paragraphs of licenses for compliance w/amended physical security plan
MARTIN,R.E. Project Directorate I-2. 88/08/25. ALDEN,W.A. Philadelphia Electric Co. 4pp. 46746.287-46746.309.

-8809020249 Amends 135 & 138 to Licenses DPR-44 & DPR-56,respectively, modifying & combining Paragraphs 2.C.(4) & 2.C.(4)(c) of License DPR 44 & Paragraphs 2.C.(3) & 2.C.(3)(c) of License DPR-56 for compliance w/amended physical security plan
BUTLER,W.R. Project Directorate I-2. 88/08/25. 6pp. 46746.301-46746.306

-8809020250 Safeguards evaluation rept concluding that proposed revs to physical security plan meet requirements of miscellaneous amends & search requirements rev to 10CFR73.55 & record reporting requirements of 10CFR73.70.
* NRC - No Detailed Affiliation Given. 88/08/26. 3p. 46746.307-46746.309

8809010140 Forwards application for amend to Licenses DPR 44 & DPR-56, removing carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co. 88/08/26. MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46721.342-46721.358.

-8809010143 Application for amends to Licenses DPR-44 & DPR-56,changing Tech Specs to reflect proposed removal of carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.
GALLAGHER,J.W. Philadelphia Electric Co. 88/08/24. 13pp. 46721.343-46721.355

-8809010187 Proposed Tech Specs re CO2 fire protection sys.
* Philadelphia Electric Co. 88/08/26. 3pp. 46721.356-46721.358

8809090224 Forwards application for amends to Licenses DPR-44 & DPR 56, reflecting mod to diesel generator bldg CO2 fire suppression sys.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co. 88/09/07. MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46803.235-46803.253.

-8809090232 Application for amends to Licenses DPR-44 & DPR-56,changing Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys.
GALLAGHER,J.W. Philadelphia Electric Co. 88/09/07. 14pp. 46803.236-46803.249.

56 DOCKETED ITEMS

~8809090234 Proposed Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys
* Philadelphia Electric Co 88/09/07 4pp 46803 250-46803 253

8809230101 Forwards util 880727 ltr providing corrective action plan & root cause assessment addressing security problems Executive summary of root cause assessment not included in initial submission
SMITH,D M Philadelphia Electric Co 88/09/07 BELLAMY,R R Region 1, Ofc of the Director 1p 46932.221 46932 242

8809190366 Informs that plant specific emergency operating procedures will be provided by 880930, per WT Russell 880602 request.
FOGARTY,E P Philadelphia Electric Co 88/09/12 GALLO,R M, Region 1, Ofc of the Director 1p 46998 039 46998 039

8809260111 Forwards Combined Insp Rpts 50-277/88-26,50-278/88-26, 50-277/88-31 & 50-278/88-31 on 880725 29 & 0827-29
EBNETER,S D Region 1, Ofc of the Director 88/09/12 MCNEILL,C A Philadelphia Electric Co 3pp 46966 045-46966 070

~8809260116 Partially deleted Insp Rpts 50-277/88 26 & 50-278/88-26 on 880725-29 (ref 10CFR73.21) No violations noted Major areas inspected assessment aids - protected areas & access control - personnel & mgt effectiveness
LANCASTER,W K, MADDEN,J A, KEIMIG,R R Region 1, Ofc of the Director 88/09/08 17pp 46966 048-46966 064

~8809260118 Partially deleted Insp Rpts 50-277/88-31 & 50-278/88-31 on 880827-29 (ref 10CFR73.21) Violation noted Major areas inspected mgt effectiveness, assessment aids - protected areas & access control - personnel
LANCASTER,W K, CAMERON,D F, KEIMIG,R R Region 1, Ofc of the Director 88/09/08 6pp 46966 065-46966 070

G. Adjudicatory correspondence

8809080261 Expresses concerns about future operation of facility in York County, PA for reply Served on 880822
RHODES,J Pennsylvania, Commonwealth of. #388 6944 88/08/16 PAQUETTE,J F Philadelphia Electric Co 2pp 46740,143-46740 144.

8809090168 Discusses concerns about future operation of plant in York County, PA for response Served on 880818
RHODES,J Pennsylvania, Commonwealth of. #388 6941 88/08/16. ZECHL,W Commissioners 2pp 46750 103-46750 104

8809020012 Forwards Commonwealth of PA suppl to petition & statement of contentions re facilities.
MATHER,R P Pennsylvania, Commonwealth of. #388 6969 88/08/24 CHILK,S J. Office of the Secretary of the Commission 1p 46666 140 46666 156

~8809020022 Supplement to petition & statement of contentions of Commonwealth of PA. Requests that board grant petition to intervene & request for hearing on contentions Certificate of Svc encl.
MATHER,R P Pennsylvania, Commonwealth of 88/08/24 Atomic Safety and Licensing Board Panel 16pp 46666 141-46666 156

8809120009 Philadelphia Electric Co consented to motion for 60 day extension to respond to Commonwealth of PA contentions "Certificate of Svc encl"
IRWIN,D P Philadelphia Electric Co IRWIN,D P Hunton & Williams #388 7014 88/09/01 Atomic Safety and Licensing Board Panel. 4pp 46752 178-46752 179

8809120006 Order * Grants applicant unopposed motion for 60-day extension of time to respond to Commonwealth of PA contentions NRC also granted extension of time Served on 880806.
FRYE,J H Atomic Safety and Licensing Board Panel. #388 7012 88/09/02, Philadel. Pha Electric Co 1p 46752 126-46752 126

P. Operating license stage documents & correspondence

8808120294 Genenc Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc 41pp. 47065 001-47065 006.

8808260404 Forwards mail presented at 880805 meeting re util self- assessment restart program. Findings planned to be compiled in rpt on 880923
MCNEILL,C.A. Philadelphia Electric Co 88/08/15. RUSSELL,W.T Region 1, Ofc of the Director 7pp 46655 341-46655 347.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A. Documents also available in POR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates 5pp 46770 060-46770 089.

~8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223

8808310150 Forwards response to 880817 telcon requesting addl info re plant response concerning restart plan submitted on 880722 Firm date for fully staffing work control group cannot be firmly established presently
BASILIO,J.A. Philadelphia Electric Co 88/08/22. MARTIN,R. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp 46699 076-46699 079

8809020243 Forwards "Restart Power Testing Program (Power Ascension)" Program description augments Sections I & II of plant plan for restart by further defining logic plan, mgt assessment points & performance assessment process.
GALLAGHER,J.W Philadelphia Electric Co 88/08/23. RUSSELL,W.T Region 1, Ofc of the Director. 1p 46683 270-46683 290

~8808290314 "Restart Power Testing Program (Power Ascension)"
GALLAGHER,J.W. Philadelphia Electric Co 88/08/23 21pp 46683 271-46683 290.

8809020247 Forwards Amends 135 & 138 to Licenses DPR 44 & DPR-56, respectively & safeguards evaluation Amends modify & combine stated paragraphs of licenses for compliance w/amended physical security plan
MARTIN,R E Project Directorate I-2 88/08/25. ALDEN,W A Philadelphia Electric Co. 4pp 46746 297-46746 309.

~8809020249 Amends 135 & 138 to Licenses DPR-44 & DPR-56, respectively, modifying & combining Paragraphs 2 C (4) & 2.C (4)(c) of License DPR 44 & Paragraphs 2 C (3) & 2 C (3)(c) of License DPR-56 for compliance w/amended physical security plan.
BUTLER,W R Project Directorate I-2. 88/08/25 6pp. 46746 301-46746 306.

~8809020250 Safeguards evaluation rept concluding that proposed revs to physical security plan meet requirements of miscellaneous amends & search requirements rev to 10CFR73.55 & record reporting requirements of 10CFR73.70.
* NRC - No Detailed Affiliation Given 88/08/26. 3p 46746 307-46746 300.

8809010140 Forwards application for amend to Licenses DPR 44 & DPR-56, removing carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel Fee paid.
BRADLEY,E J. Philadelphia Electric Co. 88/08/26 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46721 342-46721 358.

~8809010143 Application for amends to Licenses DPR-44 & DPR-56, changing Tech Specs to reflect proposed removal of carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.
GALLAGHER,J.W Philadelphia Electric Co. 88/08/24 13pp 46721 343-46721 355

~8809010187 Proposed Tech Specs re CO2 fire protection sys.
* Philadelphia Electric Co 88/08/26 3pp 46721 358-46721 358.

8809010267 Forwards application for amends to Licenses DPR-44 & DPR 50, revising requirements for containment cooling to address sys which perform containment cooling function. Fee paid.
BRADLEY,E J. Philadelphia Electric Co. 88/08/26 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46743 258-46743 300.

~8809010294 Application for amends to Licenses DPR-44 & DPR-56, revising requirements for containment cooling to address, as integrated sys, those sys which perform containment cooling function
GALLAGHER,J.W. Philadelphia Electric Co. 88/08/18. NRC - No Detailed Affiliation Given. 34pp 46743 288 46743 292.

~8809010302 Proposed Tech Specs re containment cooling sys.
* Philadelphia Electric Co. 88/08/26. 8pp 46743 293-46743 300.

8809080022 Forwards "Semiannual Effluent Releases Rept 25, Jan-June 1988" & Rev 2 to "Offsite Dose Calculation Manual"
ALDEN,W.M. Philadelphia Electric Co. 88/08/29 RUSSELL,W.T. Region 1, Ofc of the Director. 1p 46790 306-46791 010.

~8809080025 Rev 2 to "Offsite Dose Calculation Manual."
COTTON,J B. Philadelphia Electric Co. 88/08/28. 50pp. 46790 323-46791 010

8809080019 Provides status of util activities re Items 3.1.2 & 3.2.2 of Genenc Ltr 83-28 Based on completed review of vendor manual updates against plant procedures, all procedures under consideration for revs.
GALLAGHER,J.W Philadelphia Electric Co 88/09/01. VARGA,S.A. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp 46801 022-46801 023.

8809140298 Notification of Significant Licensee Meeting 88-144 on 880907 in King of Prussia, PA re engineering risk items.
LINVILLE,J C. Region 1, Ofc of the Director 88/09/08 Region 1, Ofc of the Director 2pp 46844 330-46844 331.

8809090224 Forwards application for amends to Licenses DPR-44 & DPR-56, reflecting mod to diesel generator bldg CO2 fire suppression sys. Fee paid.
BRADLEY,E J. Philadelphia Electric Co. 88/09/07 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46803 235 46803 263.

~8809090232 Application for amends to Licenses DPR-44 & DPR-56, changing Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys.
GALLAGHER,J.W Philadelphia Electric Co 88/09/07 14pp 46803 236-46803 249

~8809090234 Proposed Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys.
* Philadelphia Electric Co. 88/09/07. 4pp. 46803 250-46803 253.

8809120051 Forwards application for amends to Licenses DPR-44 & DPR-56, changing Tech Specs re protection from potential degraded voltage conditions at plant Fee paid.
BRADLEY,E J. Philadelphia Electric Co 88/09/07. MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46825 327-46826 025

~8809120059 Application for amends to Licenses DPR-44 & DPR 56, changing Tech Specs re protection from potential degraded voltage conditions at plant.
GALLAGHER,J.W. Philadelphia Electric Co 88/08/30. 22pp. 46825 328-46825 349

~8809120061 Proposed Tech Specs re degraded voltage conditions.
* Philadelphia Electric Co 88/08/30 36pp 46825 350-46826 025

8809140207 Forwards application for amends to Licenses DPR-44 & DPR-56, reflecting addition of restrictions on use of overtime for plant personnel performing safety related functions Fee paid.
BRADLEY,E J. Philadelphia Electric Co 88/09/07. MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46840 178-46840 194.

~8809140211 Application for amends to Licenses DPR-44 & DPR-56, revising Tech Specs to reflect addition of restrictions on use of overtime for plant personnel performing safety-related functions. Fee paid
GALLAGHER,J.W Philadelphia Electric Co 88/09/07 12pp. 46840 179-46840 190

~8809140213 Proposed Tech Specs reflecting addition of restrictions on use of overtime for plant personnel performing safety-related functions
* Philadelphia Electric Co. 88/09/07. 4pp. 46840 191-46840 194.

8809140219 Forwards application for amends to Licenses DPR-44 & DPR-56, revising required source range monitor min count rate requirements & correcting inadvertent omission from Unit 2 Tech Specs Fee paid
BRADLEY,E.J. Philadelphia Electric Co. 88/09/07. MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46838 325 46838 341.

--**8809140226** Application for amends to Licenses DPR 44 & DPR-56, revising required source range monitor min count rate requirements & correcting inadvertent omission from Unit 2 Tech Specs
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07. 12pp 46838 326 46838 337.

--**8809140229** Proposed Tech Specs re resource range monitor min count rate requirements
* Philadelphia Electric Co 88/09/07. 4pp 46838 338-46838 341

8809140431 Forwards complete "Peach Bottom Atomic Power Station Restart Power Testing Program," dtd 880823
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07. RUSSELL,W.T. Region 1, Ofc of the Director 1p 46840 067-46840 091.

Q. Inspection reports, IE Bulletins & correspondence

8808260280 Forwards Safety Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04. No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/08/17 MCNEILL,C.A. Philadelphia Electric Co 2pp 46658 285-46658 272

--**8808260308** Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04. No violations noted. Major areas inspected: emergency response facilities, public info program, changes to emergency preparedness program & followup of previously noted issues
CONKLIN,C. LAZARUS,W.J. Region 1, Ofc of the Director 88/08/15 6pp 46658:287-46658 272.

8809010380 Advises that rev to inservice insp interval dates for plant is needed to effectively implement requirements of Section XI of ASME Boiler & Pressure Vessel Code Current interval dates listed.
GALLAGHER,J.W. Philadelphia Electric Co. 88/08/17 RUSSELL,W.T. Region 1, Ofc of the Director 2pp 46743 319-46743 320

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703.070.

8809220237 Forwards LT White application for withholding under 10CFR2 790. Application should be incorporated into record compiled as part of enforcement conference Affidavit also encl.
MALATESTA,J.P. Killian & Gophart. 88/08/22 RUSSELL,W.T. Region 1, Ofc of the Director. 6pp 46930 058-46930 062

8809010380 Forwards Special Insp Repts 50-277/88-23 & 50-278/88-23 on 880627-30. No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/08/23. MCNEILL,C.A. Philadelphia Electric Co 2pp 46743 245-46743 255

--**8809010381** Physical Security Insp Repts 50-277/88-23 & 50-278/88-23 on 880627-30. No violations observed. Major areas inspected: followup on licensee implementation of commitments identified in unit 880803, 13, 17 & 24 ltrs.
BAILEY,R.J., MADDEN,J., KEIMIG,R.R. Region 1, Ofc of the Director 88/08/23. 9pp. 46743:247-46743 255

8809020258 Responds to 880809 notice of violation re AT Winter reading of nontechnical reading mat, frequently sitting in relaxed position w/eyes closed at times during shift & failure to replot or stop playing of video games by others.
WINTERS,T.A. Philadelphia Electric Co 88/08/23. Ofc of Enforcement (Post 870413). 3pp. 46750.252-46750 254

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

8809020023 Forwards Insp Repts 50-277/88-30 & 50-278/88-30 on 880815-19 & notice of violation Program of wall mods not conducted in compliance w/NRC requirements. Util should submit schedule for implementing control program
DURR,J.P. Region 1, Ofc of the Director 88/08/26 MCNEILL,C.A. Philadelphia Electric Co 2pp. 46746 317-46746 328

--**8809020030** Notice of violation from insp on 880815-19. Violations noted. out of sample of 47 concrete expansion anchors, 22 failed to indicate specified min torque value for size of anchor bolts tested.
* Region 1, Ofc of the Director. 88/08/26. 2pp 46746:319-46746 320

--**8809020032** Insp Repts 50 277/88-30 & 50-278/88-30 on 880815-19. Violations noted. Major areas inspected: adequacy of licensee actions in response to IE Bulletin 80-11 & adequacy of corrective actions in response to Violation 87-16-01.
CHAUDHARY,S.K., CARRASCO,J.E., STROSNER,J. Region 1, Ofc of the Director 88/08/26. 8pp. 46746.321-46746 328.

8809120140 Responds to NRC 880809 ltr re violation of plant Administrative Procedure A-7, "Shift Operations." Corrective actions, author assumes responsibility for violation & conducts weekly shift meetings w/other operators
HART,R.S. Philadelphia Electric Co. 88/08/28. Ofc of Enforcement (Post 870413). 4pp. 46813.348-46813 351.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095 46713:217

8809080134 Notification of 880915 SALP Board Meeting 88-140 in King of Prussia, PA for regional evaluation phase of SALP
LINVILLE,J.C. Region 1, Ofc of the Director 88/08/31 Region 1, Ofc of the Director 2pp 46800 183-46800 184

8809090125 Forwards payment in amount of \$500 on behalf of BA Stambaugh reply to notice of violation re License OP-4257-5
UHLER,J.C. Uhler, J.C. STAMBAUGH,B.A. Affiliation Not Assigned. 88/08/31. Ofc of Enforcement (Post 870413) 1p. 46803 358 46803 358

--**8809090149** Responds to notice of violation on behalf of BA Stambaugh re License OP-4527-5. Corrective action personal non technical reading habits corrected on or about Aug 1984 & reading limited to company publications & technical reading
STAMBAUGH,B.A. Philadelphia Electric Co 88/08/31. Ofc of Enforcement (Post 870413) 2pp. 46803 357-46803 358

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244 46713 004

8809130072 Responds to violation noted in activities under License SOP-2321. Admits to some allegations, including being inattentive to instrumentation & controls. Denies accuracy of each allegation in conference w/util & NRC
METZ,H.L. Affiliation Not Assigned. 88/09/01. Document Control Branch (Document Control Desk) 2pp 46830 054 46830 055

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809130081 Forwards Exam Repts 50 277/88-16(OL) & 50 278/88-16(OL) administered during wk of 880718. Written exam questions & preliminary findings discussed w/those members identified in rept.
GALLO,R.M. Region 1, Ofc of the Director 88/09/02. MCNEILL,C.A. Philadelphia Electric Co 3pp 46828.249-46830.038

--**8809130100** Exam Repts 50-277/88-16OL & 50-278/88-16OL on 880718 21 Exam results, one senior reactor operator candidate & seven reactor operator candidates passed exams. One candidate failed written exam & one candidate failed operating test
HOWE,A.G., LANGE,D.J. Region 1, Ofc of the Director 88/09/02. 147pp 46829:252-46830 038

8809130206 Responds to NRC 880809 ltr re violations noted against License SOP-1011-1 concerning inattentiveness to instrumentation & controls
SHEETZ,R.E. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 4pp. 46830.172 46830.175.

8809130210 Responds to NRC 880809 ltr re violations noted for License SOP-3937-3. Explains unprofessional behavior as result of hard time adjusting to overtime worked & indifference to procedural compliance because of personnel grievances.
CHROMWELL,E.S. Philadelphia Electric Co 88/09/06 Document Control Branch (Document Control Desk) 4pp. 46830.234-46830 237

8809130237 Responds to NRC 880908 ltr re violation & proposed civil penalty in amount of \$1,000. Corrective actions: electrical equipment will not be permitted to deteriorate & electrical operating group will be created for dedication to problems
PFENDER,F.J. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 4pp 46835.320 46835 323.

8809140291 Responds to NRC notice of violation & proposed civil penalty of \$500, admitting violation of Administrative Procedure A-7 Payment paid. Corrective action volunteer to redesign control room.
MALDONADO,R.A. Philadelphia Electric Co 88/09/06 Ofc of Enforcement (Post 870413). 4pp. 46844 181-46844:184

8809140313 Responds to notice of violation & proposed civil penalty in amount of \$1,000, resulting from enforcement conference conducted w/author on 880329. Author charged w/implementation of human performance evaluation sys program
ALWOOD,E.G. Philadelphia Electric Co. 88/09/06 Ofc of Enforcement (Post 870413). 3pp 46840:140 46840:142

8809150154 Responds to NRC ltr re violations noted against License OP-10493. Admits violation of Administrative Procedure A-7. Corrective actions relinquished license & involved w/ procedural upgrade.
SWAYNE,G.L. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 3pp. 46849 338-46849 341.

8809130185 Responds to NRC 880809 ltr re violations noted in insp of License OP-10227-1. Corrective actions: Administrative Procedure A-7 has been reviewed, retraining administered & 880208 enforcement attended.
MAGENTEE,L.E. Philadelphia Electric Co. 88/09/07 Ofc of Enforcement (Post 870413). 4pp. 46828:306 46828 308

8809130197 Responds to NRC 880809 ltr re violations noted against License SOP-2191 8. Corrective actions: retraining initiated to make sure procedures followed
WARGO,A.R. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46830.352-46830:355.

8809130199 Responds to NRC 880809 ltr re violation noted against License SOP-3622-3. Admits violation of Administrative Procedure A-7 over extended period of time & failure to exercise control & command responsibility as supervisor.
WOODROW,D.S. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 5pp. 46830.245-46830 249.

8809130218 Forwards payment for NRC 880809 notice of violation & proposed imposition of civil penalty in amount of \$1,000.
PIEPER,W.O. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 2pp. 46836:290 46836 291

58 DOCKETED ITEMS

8809140204 Responds to violations of Senior Operator License SOP-10608 involving failure to adhere to Administrative Procedure A-7 Civil penalty in amount of \$500 paid Corrective actions adequate rest on days off & work minimal overtime
MCROBERTS,D.C. Philadelphia Electric Co 88/09/07, Ofc of Enforcement (Post 870413). 4pp. 46840.147-46840.150

8809140251 Responds to NRC 880809 ltr re notice of violation & proposed civil penalty against License OP-10031-2 re failure to properly discharge duties & responsibilities. Corrective actions addl rest prior to shift work
WEAVER,J.M. Philadelphia Electric Co 88/09/07, Ofc of Enforcement (Post 870413) 5pp. 46841.167-46841.171.

8809140261 Responds to NRC notice of violation & proposed civil penalty of \$500 against License OP-10420 resulting from failure to comply w/Administrative Procedure A-7, "Shift Operation" Corrective action, satisfactory completion of stated course
THARPE,G.W. Philadelphia Electric Co, 88/09/07 Ofc of Enforcement (Post 870413) 4pp. 46844.318-46844.321.

8809140263 Responds to NRC 880809 ltr re violations noted against License OP-10135-1. Author admits to violations.
EAGLES,W.M. Philadelphia Electric Co 88/09/07 Ofc of Enforcement (Post 870413). 4pp. 46844.353-46844.358.

8809140266 Responds to NRC 880216 ltr re notice of violation & proposed imposition of civil penalty in amount of \$500.00 re failure to adequately perform duties Corrective actions effort made to design projects that promote healthier work attitude
BALLANTYNE,J.W. Philadelphia Electric Co. 88/09/07, Ofc of Enforcement (Post 870413). 4pp. 46837.019-46837.022

8809140280 Responds to NRC 880216 ltr re violations of Operator License OP 6208-2. Payment of Seventy Level III civil penalty in amount of \$500 paid Corrective actions procedures & Tech Specs will be followed accurately.
CROMWELL,P.B. Philadelphia Electric Co. 88/09/07 Ofc of Enforcement (Post 870413). 4pp. 46840.143-46840.146.

8809140283 Responds to 880809 notice of violation from Insp of License SOP-10609. Corrective actions author participated in six-wk PFE course & have committed to higher std of professionalism
YOST,N.D. Philadelphia Electric Co 88/09/07, Ofc of Enforcement (Post 870413) 5pp. 46844.332-46844.336.

8809140319 Responds to notice of violation & proposed civil penalty in amount of \$1,000 Corrective actions "S" procedures in process of being re written
BLASY,R.A. Philadelphia Electric Co 88/09/07, Ofc of Enforcement (Post 870413) 3pp. 46840.137-46840.138.

8809150062 Requests extension for listed licensees re response to 880809 notice of violation.
GEPHART,S.B. Killian & Gephart 88/09/07, TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 3pp. 46864.033-46864.035.

8809130057 Responds to NRC 880810 ltr re notice of violation & proposed imposition of civil penalty in amount of \$1,250,000. Corrective actions licensed duties in control room being conducted Payment of civil penalty encl.
PAQUETTE,J.F. Philadelphia Electric Co. 88/09/08 LIEBERMAN,J. Ofc of Enforcement (Post 870413). 15pp. 46834.120-46834.134

8809260111 Forwards Combined Insp Repts 50-277/88-26, 50-278/88-26, 50-277/88-31 & 50-278/88-31 on 880725-29 & 0827-20.
EBNETER,S.D. Region 1, Ofc of the Director, 88/09/12 MCNEILL,C.A. Philadelphia Electric Co 3pp. 46966.045-46966.070

8809260116 Partially deleted Insp Repts 50-277/88-26 & 50-278/88-26 on 880725-29 (ref 10CFR73.21) No violations noted Major areas inspected/assessment aids - protected area & access control - personnel & mgt effectiveness.
LANCASTER,W.K., MADSEN,J.A., KEIMIG,R.R. Region 1, Ofc of the Director. 88/09/08, 17pp. 46966.048-46966.064

8809260118 Partially deleted Insp Repts 50-277/88-31 & 50-278/88-31 on 880827-29 (ref 10CFR73.21). Violation noted Major areas inspected, mgt effectiveness, assessment aids - protected area & access control - personnel
LANCASTER,W.K., CAMERON,D.F., KEIMIG,R.R. Region 1, Ofc of the Director. 88/09/08 6pp. 46966.065-46966.070

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336

8809180207 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." All reactor operators & shift technical advisors thoroughly briefed on event described in bulletin.
GALLAGHER,J.W. Philadelphia Electric Co. 88/09/15 ROSSI,C.E. Document Control Branch (Document Control Desk) 10pp. 46899.076-46899.084.

8809200358 Responds to NRC Bulletin 88-005, "Nonconforming Mail Supplied by Piping Supplier, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ" & Suppl 1. Encl rept comprises complete response to bulletin.
GALLAGHER,J.W. Philadelphia Electric Co. 88/09/15 ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 15pp. 46913.001-46913.015.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809210182 Forwards response to Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." BWR designs of plants do not contain unsolvable sections of piping subj to thermal cycling fatigue from cold water leaks into RCS.
GALLAGHER,J.W. Philadelphia Electric Co. 88/09/16, Document Control Branch (Document Control Desk). ROSSI,C.E. NRC - No Detailed Affiliation Given 6pp. 46920.265-46920.270

8809230040 Responds to 880816 & 0818 ltrs re NRC recent decision to impose civil penalties on util & util employees & manner in which Commission exercised regulatory oversight responsibility for facility
ZECH,L.W. Commissioners 88/09/16, RHODES,J. Pennsylvania, Commonwealth of. 1p. 46944.185-46944.193.

8809230045 Discusses recent set of fines imposed on util & certain personnel at facility due to util poor record of running plant in recent yrs & alleged misconduct
RHODES,J. Pennsylvania, Commonwealth of 88/09/13, ZECH,L.W. Commissioners 2pp. 46944.186-46944.187.

8809230053 Request response to 880816 ltr re full disclosure of all meetings & tel-cons between util senior mgt & senior officials at NRC re restart of plant & impositions of fines
RHODES,J. Pennsylvania, Commonwealth of 88/09/13, ZECH,L.W. Commissioners. 2pp. 46944.188-46944.189

8809230080 Requests disclosure of listed records, per FOIA, re restart investigation & mismanagement investigation.
RHODES,J. Pennsylvania, Commonwealth of 88/09/13 NRC - No Detailed Affiliation Given. 4pp. 46944.190-46944.193.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

8809260165 Responds to NRC 880728 ltr re violations noted in Insp Repts 50-277/88-18 & 50-278/88-18 Corrective actions general employee training lesson plan revised on 880816 to address each identified item.
KANE,W.F. Philadelphia Electric Co 88/09/20 Document Control Branch (Document Control Desk). 2pp. 46957.057-46957.058.

R. Periodic operating reports & related correspondence

8809080022 Forwards "Semiannual Effluent Releases Rept 25, Jan-June 1988" & Rev 2 to "Offsite Dose Calculation Manual"
ALDEN,W.M. Philadelphia Electric Co. 88/08/29 RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 46790.306-46791.010

8809080023 "Semiannual Effluent Releases Rept 25 for Jan-June 1988"
* Philadelphia Electric Co. 88/06/30. 17pp. 46790.307-46790.322

8809080025 Rev 2 to "Offsite Dose Calculation Manual"
COTTON,J.B. Philadelphia Electric Co 88/06/28 50pp. 46790.323-46791.010

8809080257 Forwards plant status rept for period 880808-29.
LINVILLE,J.C. Region 1, Ofc of the Director 88/08/30, KANE,W.F. Region 1, Ofc of the Director. 5pp. 46800.277-46800.281.

8809200095 Monthly operating rapts for Aug 1988 for Peach Bottom Units 2 & 3.W/ 880915 ltr.
MIDDLETON,L.L., ALDEN,W.M. Philadelphia Electric Co. 88/08/31. 14pp. 46916.084-46918.097.

S. Reportable occurrences, LERs & related correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App G Documents also available in PDR
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 UNNERSTALL,K. Newman & Holzinger. 2pp. 46766.272-46766.309

8809090113 Discusses process for selection of severity level for drywell pressure sensor isolation at Peach Bottom 2
MCCABE,E.C. Reactor Projects Sec 2B, Projects Br 2, Div of Resident & Project Inspection, R2. 81/07/14 GRIER,B.H. Region 1, Ofc of the Director (810301-820201). 2pp. 46766.279-46766.280.

8808290093 LER 88-001-01 on 880428, blown fuses rendered independent train of ESF inoperable. Caused by personnel error. Fuses replaced, event discussed w/assistant plant operator & operator manual written. W/880818 ltr
BIRELY,W.C., FOGARTY,E.P. Philadelphia Electric Co 88/08/18. 6pp. 46803.333-46803.338.

8809010336 LER 88-020-00 on 880729, capacitors which connect 500 kV bus lie to Phase A potential transformer failed, resulting in fire in North Substation & voltage disturbance resulting in ESF actuations Caused by capacitor failure. W/880328 ltr
BIRELY,W.C., FOGARTY,E.P. Philadelphia Electric Co. 88/08/26 10pp. 46721.218-46721.225.

8809130150 Special rept on 880822, discharge pressure lost while motor driven fire pump in operation. Caused by crack that formed in column pipe flange area where it bolts to pump. Motor driven pump removed from pump structure, disassembled & inspected
SMITH,D.M. Philadelphia Electric Co. 88/09/01, RUSSELL,W.T. Document Control Branch (Document Control Desk) 2pp. 46827.031-46827.032.

8809130086 Special rept on 880726, motor-driven fire pump out of svc for more than 7 days. Caused by action taken to allow cleaning & Insp of of E-42 4 kV bus. Motor-driven fire pump restored to operable status on 880821.
FOGARTY,E.P. Philadelphia Electric Co. 88/09/02, Document Control Branch (Document Control Desk). 2pp. 46830.087-46830.088.

8809190132 LER 88-019-00 on 880729, primary containment isolation sys group II activation of shutdown cooling occurred as result of false high reactor pressure signal. Caused by procedural deficiency. Isolation reset W/880915 ltr
BIRELY,W.C., FOGARTY,E.P. Philadelphia Electric Co. 88/09/15. 8pp. 46886.006-46886.013.

8809230149 LER 88-018-00 on 880727, determined that Surveillance Test ST-105, "Rod Worth Minimizer (RWM) Operability Check," did not verify rod block function of RWM. On 880819, determined that no other procedures verified function W/880919 ltr.
CRIBBE,T.E., SMITH,D.M. Philadelphia Electric Co. 88/09/19. 4pp. 46945.281-46945.284

V. Operator Examinations

8808310150 Forwards response to 880817 telcon requesting addl info re plant response concerning restart plan submitted on 880722. Firm date for fully staffing work control group cannot be firmly established presently.
BASILIO, J.A. Philadelphia Electric Co. 88/08/22. MARTIN, R. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 46699.076-46699.079

8809020258 Responds to 880809 notice of violation re AT Winter reading of nontechnical reading matl, frequently sitting in relaxed position w/eyes closed at times during shift & failure to rept or stop playing of video games by others.
WINTERS, T.A. Philadelphia Electric Co. 88/08/23. O/c of Enforcement (Post 870413). 3pp. 46750.252-46750.254

8809090125 Forwards payment in amount of \$500 on behalf of BA Stambaugh reply to notice of violation re License OP-4257-5.
UHLER, J.C. Uhler, J.C. STAMBAUGH, B.A. Affiliation Not Assigned. 88/08/31. O/c of Enforcement (Post 870413). 1p. 46803.356-46803.358

-8809090149 Responds to notice of violation on behalf of BA Stambaugh re License OP-4527-5. Corrective action/personal non-technical reading habits corrected on or about Aug 1984 & reading limited to company publications & technical reading.
STAMBAUGH, B.A. Philadelphia Electric Co. 88/08/31. O/c of Enforcement (Post 870413). 2pp. 46803.357-46803.358

8809130138 Forwards proposed operator licensing exam schedule format, per Generic Ltr 88-13.
GALLAGHER, J.W. Philadelphia Electric Co. 88/08/31. HANNON, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46830.221-46830.225

8809130072 Responds to violation noted in activities under License SOP-2321. Admits to some allegations, including being inattentive to instrumentation & controls. Denies accuracy of each allegation in conference w/util & NRC.
METZ, H.L. Affiliation Not Assigned. 88/09/01. Document Control Branch (Document Control Desk). 2pp. 46830.054-46830.055

8809130081 Forwards Exam Repts 50-277/88-16(OL) & 50-278/88-16(OL) administered during wk of 880718. Written exam questions & preliminary findings discussed w/those members identified in rept.
GALLO, R.M. Region 1, O/c of the Director. 88/09/02. MCNEILL, C.A. Philadelphia Electric Co. 3pp. 46828.249-46830.038

-8809130100 Exam Repts 50-277/88-16OL & 50-278/88-16OL on 880719-21. Exam results: one senior reactor operator candidate & seven reactor operator candidates passed exams. One candidate failed written exam & one candidate failed operating test.
HOWE, A.G., LANGE, D.J. Region 1, O/c of the Director. 88/09/02. 147pp. 46828.252-46830.038

8809130206 Responds to NRC 880809 ltr re violations noted against License SOP-1011-1 concerning inattentiveness to instrumentation & controls.
SHEETZ, R.E. Philadelphia Electric Co. 88/09/06. O/c of Enforcement (Post 870413). 4pp. 46830.172-46830.175

8809130210 Responds to NRC 880809 ltr re violations noted for License SOP-3037-3. Explains unprofessional behavior as result of hard time adjusting to overtime worked & indifference to procedural compliance because of personnel grievances.
CROMWELL, E.S. Philadelphia Electric Co. 88/09/06. Document Control Branch (Document Control Desk). 4pp. 46830.234-46830.237

8809140291 Responds to NRC notice of violation & proposed civil penalty of \$500, admitting violation of Administrative Procedure A-7. Payment paid. Corrective action/volunteer to redesign control room.
MALDONADO, R.A. Philadelphia Electric Co. 88/09/06. O/c of Enforcement (Post 870413). 4pp. 46844.181-46844.184

8809150154 Responds to NRC ltr re violations noted against License OP-10493. Admits violation of Administrative Procedure A-7. Corrective actions: relinquished license & involved w/ procedural upgrade.
SWAYNE, G.L. Philadelphia Electric Co. 88/09/06. O/c of Enforcement (Post 870413). 3pp. 46849.338-46849.341

8809130185 Responds to NRC 880809 ltr re violations noted in insp of License OP-10227-1. Corrective actions: Administrative Procedure A-7 has been reviewed, retraining administered & 880208 enforcement attended.
MACENTEE, L.E. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46828.306-46828.309

8809130197 Responds to NRC 880809 ltr re violations noted against License SOP-2191-6. Corrective actions: retraining initiated to make sure procedures followed.
WARGO, A.R. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46830.352-46830.355

8809130199 Responds to NRC 880809 ltr re violation noted against License SOP-3822-3. Admits violation of Administrative Procedure A-7 over extended period of time & failure to exercise control & command responsibility as supervisor.
WOODROW, D.S. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 6pp. 46830.245-46830.249

8809140204 Responds to violations of Senior Operator License SOP-10608 involving failure to adhere to Administrative Procedure A-7. Civil penalty in amount of \$500 paid. Corrective actions: adequate rest on days off & work minimal overtime.
MCROBERTS, D.C. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46840.147-46840.150

8809140251 Responds to NRC 880809 ltr re notice of violation & proposed civil penalty against License OP-10031-2 re failure to properly discharge duties & responsibilities. Corrective actions: add rest prior to shift work.
WEAVER, J.M. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 5pp. 46841.167-46841.171

8809140281 Responds to NRC notice of violation & proposed civil penalty of \$500 against License OP-10420 resulting from failure to comply w/Administrative Procedure A-7. "Shift Operation." Corrective action: satisfactory completion of stated course.
THARPE, G.W. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46844.318-46844.321

8809140266 Responds to NRC 880216 ltr re notice of violation & proposed imposition of civil penalty in amount of \$500.00 re failure to adequately perform duties. Corrective actions: effort made to design projects that promote healthier work attitude.
BALLANTYNE, J.W. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46837.019-46837.022

8809140280 Responds to NRC 880216 ltr re violations of Operator License OP 8208-2. Payment of Severity Level III civil penalty in amount of \$500 paid. Corrective actions: procedures & Tech Specs will be followed accurately.
CROMWELL, P.B. Philadelphia Electric Co. 88/09/07. O/c of Enforcement (Post 870413). 4pp. 46840.143-46840.146

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8808260280 Forwards Safety Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04. No violations noted.
BELLAMY, R.R. Region 1, O/c of the Director. 88/08/17. MCNEILL, C.A. Philadelphia Electric Co. 2pp. 46658.265-46658.272

-8808260308 Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04. No violations noted. Major areas inspected: emergency response facilities, public info program, changes to emergency preparedness program & followup of previously noted issues.
CONKLIN, C. Region 1, O/c of the Director. 88/08/15. 6pp. 46658.267-46658.272

8808260460 Advises that Region I plans to participate in full scale, unannounced off-hours emergency preparedness exercise scheduled during wk of 880925. Requests that util provide briefing session on 880915 at Region I c/o Agenda encl.
EBNETER, S.D. Region 1, O/c of the Director. 88/08/18. MCNEILL, C.A. Philadelphia Electric Co. 4pp. 46653.353-46653.358

8809010380 Forwards Special Insp Repts 50-277/88-23 & 50-278/88-23 on 880627-30. No violations noted.
BELLAMY, R.R. Region 1, O/c of the Director. 88/08/23. MCNEILL, C.A. Philadelphia Electric Co. 2pp. 46743.245-46743.255

-8809010381 Physical Security Insp Repts 50-277/88-23 & 50-278/88-23 on 880627-30. No violations observed. Major areas inspected, followup on licensee implementation of commitments identified in util 880503, 13, 17 & 24 ltrs.
BAILEY, R.J. Region 1, O/c of the Director. 88/08/23. 8pp. 46743.247-46743.255

8809020247 Forwards Amends 135 & 138 to Licenses DPR-44 & DPR-56, respectively & safeguards evaluation. Amends modify & combine stated paragraphs of licenses for compliance w/amended physical security plan.
MARTIN, R.E. Project Directorate I-2. 88/08/25. ALDEN, W.A. Philadelphia Electric Co. 4pp. 46746.287-46746.309

-8809020249 Amends 135 & 138 to Licenses DPR-44 & DPR 56, respectively, modifying & combining Paragraphs 2 C.(4) & 2 C.(4)(c) of License DPR-44 & Paragraphs 2 C.(3) & 2 C.(3)(c) of License DPR-56 for compliance w/amended physical security plan.
BUTLER, W.R. Project Directorate I-2. 88/08/25. 6pp. 46746.301-46746.306

-8809020250 Safeguards evaluation rept concluding that proposed revs to physical security plan meet requirements of miscellaneous amends & search requirements rev to 10CFR73.55 & record reporting requirements of 10CFR73.70.
* NRC - No Detailed Affiliation Given. 88/08/25. 3p. 46746.307-46746.309

8809010140 Forwards application for amend to Licenses DPR 44 & DPR-56, removing carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel. Fee paid.
BRADLEY, E.J. Philadelphia Electric Co. 88/08/26. MURLEY, T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46721.342-46721.358

-8809010143 Application for amends to Licenses DPR-44 & DPR-56, changing Tech Specs to reflect proposed removal of carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.
GALLAGHER, J.W. Philadelphia Electric Co. 88/08/24. 13pp. 46721.343-46721.355

-8809010187 Proposed Tech Specs re CO2 fire protection sys.
* Philadelphia Electric Co. 88/08/26. 3pp. 46721.356-46721.358

8809090224 Forwards application for amends to Licenses DPR-44 & DPR-56, reflecting mod to diesel generator bldg CO2 fire suppression sys. Fee paid.
BRADLEY, E.J. Philadelphia Electric Co. 88/08/07. MURLEY, T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46803.235-46803.253

-8809090232 Application for amends to Licenses DPR 44 & DPR 56, changing Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys.
GALLAGHER, J.W. Philadelphia Electric Co. 88/09/07. 14pp. 46803.236-46803.249

-8809090234 Proposed Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys.
* Philadelphia Electric Co. 88/09/07. 4pp. 46803.250-46803.253

8809230101 Forwards util 880727 ltr providing corrective action plan & root cause assessment addressing security problems. Executive summary of root cause assessment not included in initial submission.
SMITH, D.M. Philadelphia Electric Co. 88/09/07. BELLAMY, R.R. Region 1, O/c of the Director. 1p. 46932.221-46932.242

8809190366 Informs that plant-specific emergency operating procedures will be provided by 880930, per WT Russell 880802 request.
FOGARTY, E.P. Philadelphia Electric Co. 88/09/12. GALLO, R.M. Region 1, O/c of the Director. 1p. 46898.039-46898.039

8809260111 Forwards Combined Insp Repts 50-277/88-26, 50-278/88-26, 50-277/88-31 & 50-278/88-31 on 880725-29 & 8827-29.
EBNETER, S.D. Region 1, O/c of the Director. 88/09/12. MCNEILL, C.A. Philadelphia Electric Co. 3pp. 46966.045-46966.070

60 DOCKETED ITEMS

--8809260116 Partially deleted Insp Repts 50-277/88-26 & 50-278/88-26 on 880925-29 (ref 10CFR73.21) No violations noted Major areas inspected assessment aids - protected area & access control - personnel & mgt effectiveness
LANCASTER,W.K. Region 1, Ofc of the Director 88/09/08 17pp 46966 048-46966 064

--8809260118 Partially deleted Insp Repts 50-277/88-31 & 50-278/88-31 on 880827-29 (ref 10CFR73.21) Violation noted Major areas inspected mgt effectiveness,assessment aids - protected area & access control - personnel
LANCASTER,W.K. Region 1, Ofc of the Director 88/09/08 6pp 46966 065-46966 070

G. Adjudicatory correspondence

8809080261 Expresses concerns about future operation of facility in York County,PA for reply Served on 880822
RHODES,J Pennsylvania, Commonwealth of #388 6944 88/08/16 PAQUETTE,J F Philadelphia Electric Co 2pp 46740 143-46740 144

8809090168 Discusses concerns about future operation of plant in York County,PA for response Served on 880818
RHODES,J Pennsylvania, Commonwealth of #388 6941 88/08/16 ZECH,L.W. Commissioners 2pp 46750 103-46750 104

8809020012 Forwards Commonwealth of PA suppl to petition & statement of contentions re facilities
MATHER,R.P. Pennsylvania, Commonwealth of #388 6969 88/08/24 CHILK,S.J. Office of the Secretary of the Commission 1p 46666 140-46666 156

--8809020022 Supplement to petition & statement of contentions of Commonwealth of PA. Requests that board grant petition to intervene & request for hearing on contentions.Certificate of Svc encl
MATHER,R.P. Pennsylvania, Commonwealth of 88/08/24 Atomic Safety and Licensing Board Panel 16pp 46666,141-46666 156

8809120009 Philadelphia Electric Co consented to motion for 60 day extension to respond to Commonwealth of PA contentions * Certificate of Svc encl
IRWIN,D.P. Philadelphia Electric Co IRWIN,D.P. Hutton & Williams #388 7014 88/09/01 Atomic Safety and Licensing Board Panel 4pp 46752 176-46752 178

8809120006 Order * Grants applicant unopposed motion for 60-day extension of time to respond to Commonwealth of PA contentions NRC also granted extension of time Served on 880906
FYE,J.H. Atomic Safety and Licensing Board Panel #388 7012 88/09/02 Philadelphia Electric Co 1p 46752 126-46752 126

P. Operating license stage documents & correspondence

8808120294 General Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc first encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc 41pp 47065 001-47065 006

8808260404 Forwards mail presented at 880805 meeting re util self-assessment restart program Findings planned to be compiled in rept on 880923
MCNEILL,C.A. Philadelphia Electric Co 88/08/15 RUSSELL,W.T. Region 1, Ofc of the Director 7pp 46655 341-46655 347

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates 5pp 46770 060-46770 069

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223

8808310150 Forwards response to 880817 telcon requesting add info re plant response concerning restart plan submitted on 880722 Firm date for fully staffing work control group cannot be firmly established presently
BASILIO,J.A. Philadelphia Electric Co 88/08/22 MARTIN,R. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp 46699 076-46699 078

8809020243 Forwards "Restart Power Testing Program (Power Ascension)" Program description augments Sections I & II of plant plan for restart by further defining logic plan,mt assessment points & performance assessment process
GALLAGHER,J.W. Philadelphia Electric Co 88/08/23 RUSSELL,W.T. Region 1, Ofc of the Director 1p 46693 270-46693 290

--8808290314 "Restart Power Testing Program (Power Ascension)"
GALLAGHER,J.W. Philadelphia Electric Co 88/08/23 21pp 46683 271-46683 290

8809020247 Forwards Amends 135 & 138 to Licenses DPR-44 & DPR-56, respectively & safeguards evaluation Amends modify & combine stated paragraphs of licenses for compliance w/amended physical security plan.
MARTIN,R.E. Project Directorate I-2 88/08/25 ALDEN,W.A. Philadelphia Electric Co 4pp 46746 297-46746 309

--8809020249 Amends 135 & 138 to Licenses DPR-44 & DPR-56, respectively, modifying & combining Paragraphs 2.C.(4) & 2.C.(4)(c) of License DPR-44 & Paragraphs 2.C.(3) & 2.C.(3)(c) of License DPR-56 for compliance w/amended physical security plan.
BUTLER,W.R. Project Directorate I-2 88/08/25 6pp 46746 301-46746 306

--8809020250 Safeguards evaluation rept concluding that proposed revs to physical security plan meet requirements of miscellaneous amends & search requirements rev to 10CFR73.55 & record reporting requirements of 10CFR73.70.
* NRC - No Detailed Affiliation Given 88/08/25 3p 46746 307-46746 309

8809010140 Forwards application for amend to Licenses DPR-44 & DPR-56, removing carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co 88/08/26 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46721 342-46721 358

--8809010143 Application for amends to Licenses DPR-44 & DPR-56,changing Tech Specs to reflect proposed removal of carbon dioxide hose sys from control room to eliminate potential hazard to control room personnel.
GALLAGHER,J.W. Philadelphia Electric Co 88/08/24 13pp 46721 343-46721 355

--8809010187 Proposed Tech Specs re CO2 fire protection sys
* Philadelphia Electric Co 88/08/26 3pp 46721 356-46721 358

8809010287 Forwards application for amends to Licenses DPR-44 & DPR 56, revising requirements for containment cooling to address sys which perform containment cooling function.Fee paid
BRADLEY,E.J. Philadelphia Electric Co 88/08/28 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46743 258-46743 300

--8809010294 Application for amends to Licenses DPR-44 & DPR-56, revising requirements for containment cooling to address,as integrated sys,those sys which perform containment cooling function.
GALLAGHER,J.W. Philadelphia Electric Co 88/08/18 NRC - No Detailed Affiliation Given 34pp 46743 259-46743 292

--8809010302 Proposed Tech Specs re containment cooling sys.
* Philadelphia Electric Co 88/08/26 6pp 46743 293-46743 300

8809080022 Forwards "Semiannual Effluent Releases Rept 25,Jan-June 1988" & Rev 2 to "Offsite Dose Calculation Manual."
ALDEN,W.M. Philadelphia Electric Co 88/08/28 RUSSELL,W.T. Region 1, Ofc of the Director 1p 46790 306-46790 310

--8809080025 Rev 2 to "Offsite Dose Calculation Manual."
COTTON,J.B. Philadelphia Electric Co 88/08/28 50pp 46790 323-46790 310

8809080019 Provides status of util activities re Items 3.1.2 & 3.2.2 of Generic Ltr 88-28 Based on completed review of vendor manual updates against plant procedures,4/8 procedures under consideration for revs.
GALLAGHER,J.W. Philadelphia Electric Co 88/09/01 VARGAS,A. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46801 022-46801 023

8809140298 Notification of Significant Licensee Meeting 88-144 on 880907 in King of Prussia,PA re engineering risk items.
LINVILLE,J.C. Region 1, Ofc of the Director 88/09/06 Region 1, Ofc of the Director 2pp 46844 330-46844 331

88090800224 Forwards application for amends to Licenses DPR-44 & DPR 56, reflecting mod to diesel generator bldg CO2 fire suppression sys.Fee paid
BRADLEY,E.J. Philadelphia Electric Co 88/09/07 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46803 235-46803 253

--8809090232 Application for amends to Licenses DPR-44 & DPR-56,changing Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07 14pp 46803 230-46803 249

--8809090234 Proposed Tech Specs to reflect mod to diesel generator bldg carbon dioxide fire suppression sys
* Philadelphia Electric Co 88/09/07 4pp 46803 250-46803 253

8809120051 Forwards application for amends to Licenses DPR-44 & DPR-56, changing Tech Specs re protection from potential degraded voltage conditions at plant.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co 88/09/07 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46825 327-46825 026

--8809120059 Application for amends to Licenses DPR-44 & DPR 56,changing Tech Specs re protection from potential degraded voltage conditions at plant.
GALLAGHER,J.W. Philadelphia Electric Co 88/08/30 22pp 46825 328-46825 149

--8809120061 Proposed Tech Specs re degraded voltage conditions.
* Philadelphia Electric Co 88/08/30 36pp 46825 350-46825 026

8809140207 Forwards application for amends to Licenses DPR-44 & DPR 56, reflecting addition of restrictions on use of overtime for plant personnel performing safety related functions.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co 88/09/07 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46840 178-46840 194

--8809140211 Application for amends to Licenses DPR-44 & DPR-56, revising Tech Specs to reflect addition of restrictions on use of overtime for plant personnel performing safety related functions.Fee paid.
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07 12pp 46840 179-46840 190

--8809140213 Proposed Tech Specs reflecting addition of restrictions on use of overtime for plant personnel performing safety-related functions.
* Philadelphia Electric Co 88/09/07 4pp 46840 191-46840 194

8809140219 Forwards application for amends to Licenses DPR-44 & DPR-56, revising required source range monitor min count rate requirements & correcting inadvertent omission from Unit 2 Tech Specs.Fee paid.
BRADLEY,E.J. Philadelphia Electric Co 88/09/07 MURLEY,T.W. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46838 325-46838 341

--8809140226 Application for amends to Licenses DPR-44 & DPR-56, revising required source range monitor min count rate requirements & correcting inadvertent omission from Unit 2 Tech Specs.
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07 12pp 46838 326-46838 337

--8809140229 Proposed Tech Specs re resource range monitor min count rate requirements.
* Philadelphia Electric Co 88/09/07 4pp 46838 338-46838 341

8809140431 Forwards complete "Peach Bottom Atomic Power Station Restart Power Testing Program," dtd 880823.
GALLAGHER,J.W. Philadelphia Electric Co 88/09/07 RUSSELL,W.T. Region 1, Ofc of the Director 1p 46840 067-46840 091

Q. Inspection reports, IE Bulletins & correspondence

8808260280 Forwards Safety Insp Repts 50-277/88-27 & 50-278/88-27 on 880802-04 No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director, 88/08/17. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46658,265-46658 272.

--8808260308 Insp Repts 50 277/88-27 & 50-278/88-27 on 880802 04 No violations noted Major areas inspected emergency response facilities,public info program,changes to emergency preparedness program & followup of previously noted issues.
CONKLIN,C., LAZARUS,W.J. Region 1, Ofc of the Director 88/08/15. 6pp 46658,267-46658 272

8809010360 Advises that rev to inservice insp interval dates for plant is needed to effectively implement requirements of Section XI of ASME Boiler & Pressure Vessel Code.Current interval dates listed.
GALLAGHER,J.W. Philadelphia Electric Co. 88/08/17 RUSSELL,W.T. Region 1, Ofc of the Director, 2pp. 46743,319 46743-320.

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690,054-46690,178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8809220237 Forwards LT White application for withholding under 10CFR2.790 Application should be incorporated into record compiled as part of enforcement conference Affidavit also encl
MALATESTA,J.P. Kilian & Gephart. 88/08/22 RUSSELL,W.T. Region 1, Ofc of the Director. 6pp. 46930 058 46930 062.

8809010380 Forwards Special Insp Repts 50 277/88 23 & 50-278/88-23 on 880627-30 No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46743,245-46743,255

--8809010381 Physical Security Insp Repts 50-277/88-23 & 50-278/88-23 on 880627-30.No violations observed.Major areas inspected, followup on licensee implementation of commitments identified in util 880603,13,17 & 24 ltrs.
BAILEY,R.J., MADDEN,J., KEIMIG,R.R. Region 1, Ofc of the Director. 88/08/23. 9pp. 46743,247-46743,255

8809020258 Responds to 880809 notice of violation re AT Winter reading of nontechnical reading mat,frequently sitting in relaxed position w/eyes closed at times during shift & failure to rept or stop playing of video games by others.
WINTERS,T.A. Philadelphia Electric Co. 88/08/23 Ofc of Enforcement (Post 870413). 3pp. 46750,252-46750 254.

8808180368 Suppl 1 to NRC Info Notice 88 046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713-218 46713,219.

8809020023 Forwards Insp Repts 50 277/88-30 & 50 278/88-30 on 880815-19 & notice of violation Program of wall mods not conducted in compliance w/NRC requirements.Util should submit schedule for implementing control program.
DURR,J.P. Region 1, Ofc of the Director, 88/08/26. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46746 317-46746,328.

--8809020030 Notice of violation from Insp on 880815-19 Violations noted: out of sample of 47 concrete expansion anchors,22 failed to indicate specified min torque value for size of anchor bolts tested
* Region 1, Ofc of the Director. 88/08/28. 2pp. 46746-319-46746,320.

--8809020032 Insp Repts 50-277/88-30 & 50-278/88-30 on 880815-19. Violations noted.Major areas inspected:adequacy of licensee actions in response to IE Bulletin 80-11 & adequacy of corrective actions in response to Violation 87-16-01
CHAUDHARY,S.K., CARRASCO,J.E., STROSNIDER,J. Region 1, Ofc of the Director. 88/08/26. 8pp. 46746-321-46746,328.

8809120140 Responds to NRC 880809 ltr re violation of plant Administrative Procedure A-7, "Shift Operations." Corrective actions:author assumes responsibility for violation & conducts weekly shift meetings w/other operators.
HART,R.S. Philadelphia Electric Co. 88/08/28 Ofc of Enforcement (Post 870413). 4pp. 46813,348-46813,351.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficient class " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713,085-46713,217

8809080134 Notification of 880915 SALP Board Meeting 88-140 in King of Prussia,PA for regional evaluation phase of SALP.
LINVILLE,J.C. Region 1, Ofc of the Director. 88/08/31. Region 1, Ofc of the Director. 2pp. 46800,183-46800,184.

8809090125 Forwards payment in amount of \$500 on behalf of BA Stambaugh reply to notice of violation re License OP 4257-5.
UHLER,J.C. Uhler, J.C. STAMBAUGH,B.A. Affiliation Not Assigned. 88/08/31, Ofc of Enforcement (Post 870413). 1p. 46803,356-46803,358.

--8809090149 Responds to notice of violation on behalf of BA Stambaugh re License OP-4527-5 Corrective action:personal non technical reading habits corrected on or about Aug 1984 & reading limited to company publications & technical reading.
STAMBAUGH,B.A. Philadelphia Electric Co. 88/08/31, Ofc of Enforcement (Post 870413). 2pp. 46803,357-46803,358.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712-244-46713,004.

8809130072 Responds to violation noted in activities under License SOP-2321 Admits to some allegations,including being inattentive to instrumentation & controls Denies accuracy of each allegation in conference w/util & NRC
METZ,H.L. Affiliation Not Assigned. 88/09/01 Document Control Branch (Document Control Desk) 2pp. 46830 054-46830 055

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726,123

8809130081 Forwards Exam Repts 50-277/88-16(OL) & 50-278/88-16(OL) administered during wk of 880718.Written exam questions & preliminary findings discussed w/those members identified in rept.
GALLO,R.M. Region 1, Ofc of the Director. 88/09/02. MCNEILL,C.A. Philadelphia Electric Co. 3pp. 46828,249-46830 038.

8809130208 Responds to NRC 880809 ltr re violations noted against License SOP-1011-1 concerning inattentiveness to instrumentation & controls.
SHEETZ,R.E. Philadelphia Electric Co. 88/09/08 Ofc of Enforcement (Post 870413). 4pp. 46830 172-46830,175

8809130210 Responds to NRC 880809 ltr re violations noted for License SOP-3937-3.Explains unprofessional behavior as result of hard time adjusting to overtime worked & indifference to procedural compliance because of personnel grievances
CROMWELL,E.S. Philadelphia Electric Co. 88/09/06. Document Control Branch (Document Control Desk). 4pp. 46830,234-46830,237.

8809130237 Responds to NRC 880908 ltr re violation & proposed civil penalty in amount of \$1,000.Corrective actions electrical equipment will not be permitted to deteriorate & electrical operating group will be created for dedication to problems:
PFENDER,F.J. Philadelphia Electric Co. 88/09/06 Ofc of Enforcement (Post 870413) 4pp. 46835 320 46835,323.

8809140291 Responds to NRC notice of violation & proposed civil penalty of \$500,admitting violation of Administrative Procedure A-7.Payment paid Corrective action volunteer to redesign control room.
MALDONADO,R.A. Philadelphia Electric Co. 88/09/08. Ofc of Enforcement (Post 870413). 4pp. 46844,181-46844 184.

8809140313 Responds to notice of violation & proposed civil penalty in amount of \$1,000,resulting from enforcement conference conducted w/author on 880329.Author charged w/implementaiton of human performance evaluation sys program
ALWOOD,E.G. Philadelphia Electric Co. 88/09/08. Ofc of Enforcement (Post 870413). 3pp. 46840,140-46840,142.

8809150154 Responds to NRC ltr re violations noted against License OP-10493.Admits violation of Administrative Procedure A-7 Corrective actions:relinquished license & involved w/ procedural upgrade.
SWAYNE,G.L. Philadelphia Electric Co. 88/09/08. Ofc of Enforcement (Post 870413). 3pp. 46849,338-46849,341

8809130185 Responds to NRC 880809 ltr re violations noted in insp of License OP-10227-1.Corrective actions Administrative Procedure A-7 has been reviewed,retaining administered & 880208 enforcement attended.
MACENTEE,L.E. Philadelphia Electric Co. 88/09/07 Ofc of Enforcement (Post 870413) 4pp. 46828,306-46828 309.

8809130197 Responds to NRC 880809 ltr re violations noted against License SOP-2191-8 Corrective actions:retraining initiated to make sure procedures followed.
WARGO,A.R. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46830,352-46830,355.

8809130199 Responds to NRC 880809 ltr re violation noted against License SOP-3622-3.Admits violation of Administrative Procedure A-7 over extended period of time & failure to exercise control & command responsibility as supervisor
WOODROW,D.S. Philadelphia Electric Co. 88/08/07. Ofc of Enforcement (Post 870413) 5pp. 46830-245 46830,249.

8809130218 Forwards payment for NRC 880809 notice of violation & proposed imposition of civil penalty in amount of \$1,000.
PIEPER,W.O. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 2pp. 46836,290-46836,291.

8809140204 Responds to violations of Senior Operator License SOP-10608 Involving failure to adhere to Administrative Procedure A-7. Civil penalty in amount of \$500 paid.Corrective actions: adequate rest on days off & work minimal overtime.
MCROBERTS,D.C. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46840,147-46840,150.

8809140251 Responds to NRC 880809 ltr re notice of violation & proposed civil penalty against License OP-10031-2 re failure to properly discharge duties & responsibilities.Corrective actions:adl rest prior to shift work
WEAVER,J.M. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 5pp. 46841,167-46841,171.

8809140261 Responds to NRC notice of violation & proposed civil penalty of \$500 against License OP-10420 resulting from failure to comply w/Administrative Procedure A-7. "Shift Operation." Corrective action:satisfactory completion of stated course.
THARPE,G.W. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46844,318-46844,321.

8809140263 Responds to NRC 880809 ltr re violations noted against License OP-10135-1.Author admits to violations
EAGLES,W.M. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413) 4pp. 46844,353 46844,356.

8809140266 Responds to NRC 880216 ltr re notice of violation & proposed imposition of civil penalty in amount of \$500.00 re failure to adequately perform duties.Corrective actions:effort made to design projects that promote healthier work attitude.
BALLANTYNE,J.W. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46837-019-46837-022.

62 DOCKETED ITEMS

- 8809140280** Responds to NRC 880216 ltr re violations of Operator License OP 6208-2 Payment of Seventy Level III civil penalty in amount of \$500 paid Corrective actions procedures & Tech Specs will be followed accurately
CROWWELL, P.B. Philadelphia Electric Co 88/09/07. Ofc of Enforcement (Post 870413) 4pp 46840 143-46840 146
- 8809140283** Responds to 880809 notice of violation from Insp of License SOP 10609 Corrective actions author participated in six wk PFE course & have committed to higher std of professionalism
YOST, N.D. Philadelphia Electric Co 88/09/07. Ofc of Enforcement (Post 870413) 5pp 46844 332-46844 336
- 8809140319** Responds to notice of violation & proposed civil penalty in amount of \$1000 Corrective actions "S" procedures in process of being re written
BLASY, R.A. Philadelphia Electric Co 88/09/07 Ofc of Enforcement (Post 870413) 3pp 46840 137-46840 139.
- 8809150062** Requests extension for listed licensees re response to 880809 notice of violation
GEPHART, S.B. Kuhn & Gephart. 88/09/07. TAYLOR, J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413) 3pp 46864 033 46864 035
- 8809130057** Responds to NRC 880810 ltr re notice of violation & proposed imposition of civil penalty in amount of \$1,250,000 Corrective actions licensed duties in control room being conducted Payment of civil penalty encl
PAQUETTE, J.F. Philadelphia Electric Co 88/09/08 LIEBERMAN, J. Ofc of Enforcement (Post 870413) 15pp 46834 120-46834 134.
- 8809260111** Forwards Combined Insp Repts 50 277/88 26, 50 278/88 26, 50-277/88-31 & 50 278/88 31 on 880725-29 & 0827 29
EBNETER, S.D. Region 1, Ofc of the Director. 88/09/12 MCNEILL, C.A. Philadelphia Electric Co 3pp 46966 045 46966 070
- 8809260116** Partially deleted Insp Repts 50 277/88-26 & 50-278/88 26 on 880725-29 (ref 10CFR73.21) No violations noted Major areas inspected assessment aids - protected area & access control - personnel & mgt effectiveness
LANCASTER, W.K., MADDEN, J.A., KEIMIG, R.R. Region 1, Ofc of the Director 88/09/08 17pp 46966 048-46966 064.
- 8809260118** Partially deleted Insp Repts 50 277/88-31 & 50-278/88-31 on 880827-29 (ref 10CFR73.21) Violation noted Major areas inspected mgt effectiveness, assessment aids - protected area & access control - personnel
LANCASTER, W.K., CAMERON, D.F., KEIMIG, R.R. Region 1, Ofc of the Director. 88/09/08 6pp 46966 065-46966 070
- 8809080339** NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA," Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215 46824.336.
- 8809190207** Responds to NRC Bulletin 88 007, "Power Oscillations in BWRs." All reactor operators & shift technical advisors thoroughly briefed on event described in bulletin
GALLAGHER, J.W. Philadelphia Electric Co 88/09/16. ROSSI, C.E. Document Control Branch (Document Control Desk). 10pp 46899 075-46899 084.
- 8809200358** Responds to NRC Bulletin 88 005, "Nonconforming Mail Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." Suppl 1 Encl rept comprises complete response to bulletin
GALLAGHER, J.W. Philadelphia Electric Co 88/09/16 ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 15pp 46913.001-46913 015
- 8809120197** NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946-133 46946.252.
- 8809210192** Forwards response to Bulletin 88 008, "Thermal Stresses in Piping Connected to RCS." BWR designs of plants do not contain unisolable sections of piping subj to thermal cycling fatigue from cold water leaks into RCS.
GALLAGHER, J.W. Philadelphia Electric Co 88/09/16 Document Control Branch (Document Control Desk) ROSSI, C.E. NRC - No Detailed Affiliation Given. 6pp 46920 265-46920 270
- 8809230040** Responds to 880816 & 0913 ltrs re NRC recent decision to impose civil penalties on util & util employees & manner in which Commission exercised regulatory oversight responsibility for facility.
ZECH, L.W. Commissioners 88/09/16 RHODES, J. Pennsylvania, Commonwealth of 1p 46944 185-46944 193
- 8809230045** Discusses recent set of fines imposed on util & certain personnel at facility due to util poor record of running plant in recent yrs & alleged misconduct
RHODES, J. Pennsylvania, Commonwealth of 88/09/13. ZECH, L.W. Commissioners. 2pp. 46944 186-46944 187
- 8809230053** Request response to 880816 ltr re full disclosure of all meetings & telcons between util senior mgt & senior officials at NRC re restart of plant & impositions of fines
RHODES, J. Pennsylvania, Commonwealth of 88/09/13 ZECH, L.W. Commissioners 2pp. 46944 188-46944 189
- 8809230080** Requests disclosure of listed records, per FOIA, re restart investigation & mismanagement investigation
RHODES, J. Pennsylvania, Commonwealth of 88/09/13. NRC - No Detailed Affiliation Given. 4pp. 46944 190-46944 193
- 8809130350** NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46846.253 46847.013.
- 8809260165** Responds to NRC 880728 ltr re violations noted in Insp Repts 50 277/88-18 & 50-278/88-18 Corrective actions general employee training lesson plan revised
KANE, W.F. Philadelphia Electric Co 88/09/20. Document Control Branch (Document Control Desk) 2pp 46957.057-46957.058

R. Periodic operating reports & related correspondence

- 8809080022** Forwards "Semiannual Effluent Releases Rept 25, Jan-June 1988" & flow 2 to "Offsite Dose Calculation Manual."
ALDEN, W.M. Philadelphia Electric Co 88/08/29 RUSSELL, W.T. Region 1, Ofc of the Director 1p. 46790.306 46791.010

--8809080023 "Semiannual Effluent Releases Rept 25 for Jan-June 1988."
* Philadelphia Electric Co 88/08/30. 17pp 46790 307-46790 322

- 88090800257** Forwards plant status rept for period 880808-29
LINVILLE, J.C. Region 1, Ofc of the Director 88/08/30 KANE, W.F. Region 1, Ofc of the Director 5pp. 46900.277 46900 281

- 8809200095** Monthly operating repts for Aug 1988 for Peach Bottom Units 2 & 3 W/
880915 ltr
MIDDLETON, L.L., ALDEN, W.M. Philadelphia Electric Co 88/08/31. 14pp. 46918 084-46918 097

S. Reportable occurrences, LERs & related correspondence

- 8809070236** LER 88 005 01: on 880613, RWCU outboard isolation valve logic activation occurred on false sys high flow signal Caused by small piece of insulation on differential pressure indicating switch cable missing W/880830 ltr.
BIRELY, W.C., FOGARTY, E.P. Philadelphia Electric Co. 88/08/30. 5pp. 46780 357-46780 361

- 8809130150** Special rept on 880822, discharge pressure lost while motor driven fire pump in operation Caused by crack that formed in column pipe flange area where it bolts to pump Motor driven pump removed from pump structure, disassembled & inspected
SMITH, D.M. Philadelphia Electric Co 88/09/01. RUSSELL, W.T. Document Control Branch (Document Control Desk) 2pp 46827.031-46827.032.

- 8809080202** PNO-1-88 082, on 880901, injured contaminated contractor employee removed from site after falling 20 ft from platform. Worker suffered broken wrist & lacerated w/ 800 dpm contamination Worker successfully decontaminated
JOHNSON, T., LINVILLE, J. Region 1, Ofc of the Director. 88/09/02. 2pp. 46781 359-46781 369.

- 8809130068** Special rept on 880728, motor driven fire pump out of svc for more than 7 days Caused by action taken to allow cleaning & Insp of of E-42 4 kV bus motor driven fire pump restored to operable status on 880821.
FOGARTY, E.P. Philadelphia Electric Co. 88/09/02. Document Control Branch (Document Control Desk). 2pp 46830 087-46830 088

- 8809260247** LER 88 002-01 on 880507, primary containment isolation sys (irradiated) RWCU isolation signal generated as result of loss of power to temp switch Caused by tie breaker malfunction Tie breaker removed from svc & inspected W/880011 ltr
BIRELY, W.C., FOGARTY, E.P. Philadelphia Electric Co. 88/09/10. 6pp. 46889 317-46889 322

V. Operator Examinations

- 8808310150** Forwards response to 880817 telcon requesting addl info re plant restart concerning restart plan submitted on 880722. Firm date for fully staffing work center group cannot be firmly established presently.
BASILE, J.A. Philadelphia Electric Co 88/08/22. MARTIN, R. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp 46899 078-46899 079

- 8809020258** Responds to 880808 notice of violation re AT Winter loading of nuclear fuel cal reading mail, frequently sitting in relaxed position w/eyes closed at times during shift & failure to rept or stop playing of video games by others.
WINTERS, T.A. Philadelphia Electric Co. 88/08/23. Ofc of Enforcement (Post 870413) 3pp. 46750 252-46750 254

- 8809090125** Forwards payment in amount of \$500 on behalf of BA Stambaugh re notice of violation re License OP-4257-5.
UHLER, J.C. Uhler, J.C. 88/08/31. Ofc of Enforcement (Post 870413). 1p. 46803 358-46803 358

- 8809090149 Responds to notice of violation on behalf of BA Stambaugh re License OP 4527-5. Corrective action: personal non-technical reading habits corrected on 10/10/88 about Aug 1984 & reading limited to company publications & technical reading
STAMBAUGH, B.A. Philadelphia Electric Co 88/09/31 Ofc of Enforcement (Post 870413) 2pp 46803.357-46803.358.

- 8809130138** Forwards proposed operator licensing exam schedule format, per Genesis ltr 88-13.
GALLAGHER, J.W. Philadelphia Electric Co. 88/08/31. HANNON, J. Office of Nuclear Reactor Regulation, Director (Post 870411) 5pp. 46830.221-46830.225.

- 8809130072** Responds to violation noted in activities under License SOP-2321 Accuracy to some allegations, including being inattentive to instrumentation & controls During accuracy of each allegation in conference w/util & NRC
METZ, H.L. Affiliation Not Assigned. 88/09/01. Document Control Branch (Document Control Desk) 2pp 46830.054 46830.055.

- 8809130081** Forwards Exam Repts 50-277/88-16(OL) & 50-278/88-16(OL) administered during wk of 880718. Written exam questions & preliminary findings discussed w/Union members identified in rept.
GALLOR, M. Region 1, Ofc of the Director. 88/09/02 MCNEILL, C.A. Philadelphia Electric Co. 3pp 46828.249-46830 038

- 8809130100 Exam Repts 50-277/88-16OL & 50-278/88-16OL on 880718-21 Exam results: one senior reactor operator candidate & seven reactor operator candidates passed exams One candidate failed written exam & one candidate failed operating test
HOWE, A.G., LANGE, D.J. Region 1, Ofc of the Director. 88/09/02. 147pp. 46820 252-46830 038

8809130208 Responds to NRC 880809 ltr re violations noted against License SOP-1011-1 concerning inattentiveness to instrumentation & controls, SHEETZ, R.E. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 4pp. 46830.172-46830.176.

8809130210 Responds to NRC 880809 ltr re violations noted for License SOP-3937-3. Explains unprofessional behavior as result of hard time adjusting to overtime worked & indifference to procedural compliance because of personnel grievances. CROMWELL, E.S. Philadelphia Electric Co. 88/09/06. Document Control Branch (Document Control Desk). 4pp. 46830.234-46830.237.

8809140291 Responds to NRC notice of violation & proposed civil penalty of \$500, admitting violation of Administrative Procedure A-7, Payment paid. Corrective action volunteer to redesign control room. MALDONADO, R.A. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 4pp. 46844.181-46844.184.

8809150154 Responds to NRC ltr re violations noted against License OP-10493 Admits violation of Administrative Procedure A-7. Corrective actions relinquished license & involved w/ procedural upgrade. SWAYNE, G.L. Philadelphia Electric Co. 88/09/06. Ofc of Enforcement (Post 870413). 3pp. 46848.338-46849.341.

8809130185 Responds to NRC 880809 ltr re violations noted in insp of License OP-10227-1. Corrective actions. Administrative Procedure A-7 has been reviewed, retraining administered & 880208 enforcement attended. MACENTEE, L.E. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46828.306-46828.309.

8809130197 Responds to NRC 880809 ltr re violations noted against License SOP-2191-6 Corrective actions. retraining initiated to make sure procedures followed. WARGO, A.R. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46830.352-46830.355.

8809130199 Responds to NRC 880809 ltr re violation noted against License SOP-3822-3 Admits violation of Administrative Procedure A-7 over extended period of time & fail ure to exercise control & command responsibility as supervisor. WOODROW, D.S. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46830.245-46830.248.

8809140204 Responds to violations of Senior Operator License SOP-10608 involving failure to adhere to Administrative Procedure A-7 Civil penalty in amount of \$500 paid. Corrective actions. adequate rest on days off & work minimal overtime. MCROBERTS, D.C. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46840.147-46840.150.

8809140251 Responds to NRC 880809 ltr re notice of violation & proposed civil penalty against License OP-10031-2 re failure to properly discharge duties & responsibilities. Corrective actions: addl rest prior to shift work. WEAVER, J.M. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 5pp. 46841.167-46841.171.

8809140281 Responds to NRC notice of violation & proposed civil penalty of \$500 against License OP-10420 resulting from failure to comply w/Administrative Procedure A-7. "Shift Operation." Corrective action. satisfactory completion of stated course. THARPE, G.W. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46844.316-46844.321.

8809140286 Responds to NRC 880216 ltr re notice of violation & proposed imposition of civil penalty in amount of \$500.00 re failure to adequately perform duties. Corrective actions. effort made to design projects that promote healthier work attitude. BALLANTYNE, J.W. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46837.019-46837.022.

8809140280 Responds to NRC 880216 ltr re violations of Operator License OP 6208-2. Payment of Severely Level III civil penalty in amount of \$500 paid. Corrective actions: procedures & Tech Specs will be followed accurately. CROMWELL, P.B. Philadelphia Electric Co. 88/09/07. Ofc of Enforcement (Post 870413). 4pp. 46840.143-46840.146.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290015 Forwards Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02 No violations or deviations noted. Details withheld (ref 10CFR2.790 & 73.21). CLINE, W.E. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46716.354-46716.356.

8808290016 Partially withheld Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02 (ref 10CFR2.790 & 73.21). No violations noted. Major areas inspected maint, physical barriers protected area, assessment aids & detection aids protected area. ENNIS, J.D., MCQUIRE, D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46716.356-46716.356.

8809120103 Forwards scope & objectives of 881101 plant annual emergency exercise. Packages will be made available per 870108 ltr titled, "Submittal of Annual Emergency Exercise Objective, Detailed Scenarios & Controller Packages." CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/17. DECKER, T.R. Region 2, Ofc of the Director. 7pp. 46813.321-46813.327.

8808300113 Advises that 880618 rev to physical security plan consistent w/provisions of 10CFR50.64(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 46693.065-46693.066.

8808300081 EN-88-069, notice of violation & proposed imposition of civil penalty in amount of \$100,000 on or about 880825 Action based on violations involving overexposure of individual during refueling outage. FLACK, E. Ofc of Enforcement (Post 870413). 88/08/22. 1p. 46693.094-46693.094.

8809190200 Forwards Rev 13 to security personnel training & qualification plan Rev withheld (ref 10CFR73.21). CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/14. Document Control Branch (Document Control Desk). 1p. 46898.240-46898.240.

8808200104 Revised emergency plan implementing procedures, including Rev 7 to EPIP-3 04, "Activation of Local Emergency Operations Facility," Rev 12 to EPIP-5 03, "Personnel Accountability" & Rev 3 to EPIP-5 04, "Access Control." W/880915 ltr BENSON, D.L., COSTELLO, J., CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/15. 35pp. 46905.260-46905.294.

8809220185 Forwards scenario & controller data for 1988 plant emergency exercise, per NRC 870108 ltr. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/16. Document Control Branch (Document Control Desk). 1p. 46928.176-46928.176.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809160156 Rev 7 to updated FSAR for Surry Station Units 1 & 2 W/880826 ltr CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/26. 112pp. 46891.262-46892.115.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. See list encl MIRAGLIA, F.J., Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808260384 Forwards results of analysis of spiked liquid samples per confirmatory measurements program. All samples analyzed for H-3, Fe-55, Sr 89 & Sr 90, per NRC 880422 instructions. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/08. KAHLE, J.B. Region 2, Ofc of the Director. 3pp. 46854.332-46854.334.

8809010135 Forwards application fee for 880707 request for relief from ASME Section XI inservice pump testing inside spray pumps. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/25. Document Control Branch (Document Control Desk). 1p. 46718.358-46718.358.

8809020227 Forwards supplemental info re 880229 & 0815 evaluation of containment penetrations that excluded Type C leakage results from overall as-found containment leakage rate, per request. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/31. Document Control Branch (Document Control Desk). 28pp. 46747.036-46747.064.

8809160029 Confirms 880810 telcon re mgt meeting on 881102 at plant to discuss status of radiation protection upgraded program. Proposed meeting agenda encl. GRACE, J.N. Region 2, Ofc of the Director. 88/09/02. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46808.321-46808.324.

8809160031 Notification of 881102 meeting w/ull in Richmond, VA to discuss & review status of radiation protection upgrade program. CANTRELL, F.S. Region 2, Ofc of the Director. 88/09/02. Region 2, Ofc of the Director. 2pp. 46808.323-46808.324.

8809190174 Discusses action taken in accordance w/Generic Ltr 87-11, "Relaxation in Arbitrary Intermediate Pipe Rupture Requirements." Two snubbers eliminated from each steam generator that served solely as pipe whip restraints. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/12. Document Control Branch (Document Control Desk). 2pp. 46898.021-46898.022.

Q. Inspection reports, IE Bulletins & correspondence

8808290065 Forwards Insp Repts 50-280/88-26 & 50-281/88-26 on 880605 0702 & notice of violation. WILSON, B.A. Region 2, Ofc of the Director. 88/08/12. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46883.352-46884.007.

8808290070 Notice of violation from insp on 880605 0702. Violation noted, appropriate instructions not provided for assembly of flanges containing non reversible orifices used for flow indication. WILSON, B.A. Region 2, Ofc of the Director. 88/08/12. 1p. 46883.354-46883.354.

8808290073 Insp Repts 50-280/88-26 & 50-281/88-26 on 880605 0702. One violation noted. Major areas inspected licensee action on previous enforcement matters, plant operations, plant maint & surveillance & LER closeout. HOLLAND, W.E., NICHOLSON, L.E., CANTRELL, F.S. Region 2, Ofc of the Director. 88/08/11. 13pp. 46883.355-46884.007.

8808290015 Forwards Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02. No violations or deviations noted. Details withheld (ref 10CFR2.790 & 73.21). CLINE, W.E. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46716.354-46716.356.

8808290016 Partially withheld Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02 (ref 10CFR2.790 & 73.21). No violations noted. Major areas inspected maint, physical barriers protected area, assessment aids & detection aids protected area. ENNIS, J.D., MCQUIRE, D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46716.356-46716.356.

8808300319 Forwards Insp Repts 50-280/88-27 & 50-281/88-27 on 880705 08. No violations or deviations noted. Invitation invited to unresolved item identified in Insp rept. HERDT, A.R. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46891.194-46891.205.

8808300322 Insp Repts 50-280/88-27 & 50-281/88-27 on 880705 05. No violations or deviations noted. Major areas inspected design review of reactor bldg recirculation spray HXs & review of FSAR design requirements. BERNHARD, R.H., JAPE, F. Region 2, Ofc of the Director. 88/08/12. 10pp. 46891.196-46891.205.

8809080024 Forwards Team Insp Repts 50-280/88-03, 50-281/88-03, 50-338/88-03 & 50-339/88-03 on 880314-18 & 0404 08. No violations or deviations noted. Written assessment of program to keep radiation ALARA requested within 30 days. GRACE, J.N. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 4pp. 46789.261-46789.307.

64 DOCKETED ITEMS

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311 46703 070

8808300081 EN 88-069 notice of violation & proposed imposition of civil penalty in amount of \$100,000 on or about 880825 Action based on violations involving overexposure of individual during refueling outage
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413) 88/08/22 1p 46693.094 46693.094

8809070005 Informs that safety sys functional Insp will be conducted by Region II Insp team at facilities on 880912-16 & 26-30 Insp effort will be focused on svc water sys & associated sys served by svc water
REYES,L.A. Region 2, Ofc of the Director. 88/08/23 CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 1p. 46783 310-46783 310

8808180368 Suppl. 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713 218.

8809070148 Forwards Insp Repts 50 280/88-29 & 50-281/88-29 on 880718 22 & notice of violation.
HERDT,A.R. Region 2, Ofc of the Director. 88/08/24 CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp 46777.346-46777.357.

--8809070161 Notice of violation from Insp on 880718-22. Violation noted Procedure 1 & 2 PT-10, "Reactor Coolant Leakage," issued for use in Oct 1987, contained errors in constants used to correct changes in pressurizer level & RCS temp during test.
HERDT,A.R. Region 2, Ofc of the Director. 88/08/24, 2pp. 46777.348 46777 351

--8809070170 Insp Repts 50 280/88-29 & 50-281/88-29 on 880718-22. Violations noted. Major areas inspected. post refueling startup tests, thermal power monitoring, post trip reviews & surveillance of RCS leakage.
BURNETT,P.T., JAPPE,F. Region 2, Ofc of the Director. 88/08/24, 6pp 46777 352-46777 357.

8809080354 Discusses Insp on 880502 06 & 0531-0603 & forwards notice of violation & proposed imposition of civil penalty.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/25, CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 3pp 46783.120-46783.127.

--8809080357 Notice of violation & proposed imposition of civil penalty in amount of \$100,000 Noncompliance noted. Individual received 2,527 rem to whole body while performing work in Unit 1 reactor cavity.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/25 5pp 46793.123-46793.127.

8809150328 Informs that SAMP Repts for Sept 1986 - Apr 1988 reviewed & acceptable
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/26. Region 2, Ofc of the Director. 2pp. 46848 208 46848 209.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713 217.

8809140373 Forwards Insp Repts 50 280/88-28 & 50 281/88-28 on 880703-30 Enforcement conference scheduled for 880916 re violations indicated in repts
GRACE,J.N. Region 2, Ofc of the Director. 88/08/30, CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46842.298 46842 314.

--8809140384 Resident Insp Repts 50 280/88-28 & 50-281/88-28 on 880703-30 Violations noted. Major areas inspected. licensee action on previous enforcement matters, plant operations, plant maint., plant surveillance & plant startup from refueling
HOLLAND,W.E., NICHOLSON,L.E., CANTRELL,F.S. Region 2, Ofc of the Director. 88/08/25, 17pp 46842.298-46842.314.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp 46726 001 46726 123

8809160033 Confirms 880818 enforcement conference re safety-related cleanliness problems, per 880811 telcon. Proposed meeting agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/02, CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46908.344 46908.347.

--8809160037 Notification of 880916 enforcement conference in Atlanta, GA to discuss safety related cleanliness problems.
CANTRELL,F.S. Region 2, Ofc of the Director. 88/09/02, Region 2, Ofc of the Director. 2pp. 46908.346 46908.347.

8809150295 Responds to NRC Bulletin 88-005, including suppl 1 & 2 re review of mails procured from Piping Supplies, Inc. & West New Jersey Mfg Co Results of review for possible indirect purchases & results of testing & analysis discussed.
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/09, Document Control Branch (Document Control Desk) 3pp. 46884 023 46884 025.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824 336

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946 252.

8809270131 Responds to NRC 880817 ltr re violations noted in Insp Repts 50-338/88 03, 50-339/88 03, 50 280/88 03 & 50 281/88-03. Corrective actions policy to establish contractor dose goals during work planning process re emphasized.
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/08/16, Document Control Branch (Document Control Desk) 5pp 46971 266 46971 270

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013

R. Periodic operating reports & related correspondence

8809070541 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880829 ltr.
BLOUNT,P.F., CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/30 28pp. 46773.101-46773 128

8809200124 Monthly operating repts for Aug 1988 for Surry Power Station. W/880914 ltr.
WARREN,L.A., CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/08/31, 25pp. 46900 117-46900 141.

S. Reportable occurrences, LERs & related correspondence

8809070419 LER 88-011-01 on 880415, PORVs PCV-1455C & PCV-1456 failed to manually open when selector switches placed in open position from auto position. Caused by procedural inadequacy. Valve actuator bolts & screws torqued W/880826 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/08/26, 4pp 46777 003-46777 006.

8809120147 PNO-II 88-051 on 880826, plant personnel were moving spent fuel cask using transporter to remote dry cask storage area on site & transporter tilted about six degrees. Licensee used steel bed plates to jack up & support transporter
SCOTT,M. Region 2, Ofc of the Director. 88/08/29, 2pp. 46815 340 46815 341.

8809060236 LER 88-023-00 on 880802, C steam generator Channel IV steam flow failed to low flow indication. Caused by failed multiplier/divider unit power supply transformer. Technicians called in & placed channels in trip mode W/880830 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/08/30, 4pp. 46765 243 46765 246.

8809060240 LER 88-028-00 on 880801, spent fuel assembly placed in wrong location due to inadequate procedure. Fuel assembly was transferred to Region II Other assemblies reviewed to verify compliance w/Tech Specs W/880830 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/08/30, 4pp 46763.346 46763.349.

8809140330 PNO II 88-052 on 880517, partial loss of water in refueling cavity occurred due to seal failure during refueling outage. Review of circumstances planned.
SCOTT,M. Region 2, Ofc of the Director. 88/08/31, 1p. 46837 005-46837 005.

8809130288 PNO II-88-052A on 880831, augmented Insp team dispatched to investigate partial loss of water from refueling cavity. Licensee submits justification for continued operation. NRC plans to meet w/licensee to discuss actions.
SCOTT,M. Region 2, Ofc of the Director. 88/09/02, 1p. 46830 069 46830 069.

8809140353 Forwards Technical Rept PE-0005, Rev 1, "Evaluation of Flooding of Incore Instrumentation Room Surry Power Station Unit 1," as result of 880517 leak from refueling cavity. Rept identifies potential effects of boric acid water flooding.
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/02 Document Control Branch (Document Control Desk), 1p 46846.154-46846 160.

--8809140358 Rev 1, "Evaluation of Flooding of Incore Instrumentation Room Surry Power Station Unit 1."
WOODY,C.E. Virginia Power (Virginia Electric & Power Co.) PE-0005 R01 88/09/01, 6pp. 46846.155-46846 160.

8809190389 Confirmation of action ltr re NRC understanding that util will meet w/NRC in Atlanta, GA to discuss root causes of 880517 partial loss of water from Unit 1, mode to equipment, add training for Unit 2 & corrective actions
GRACE,J.N. Region 2, Ofc of the Director. 88/09/06, CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 2pp. 46898 010-46898 011

8809260146 Confirms 880907 telcon re 880916 mtg meeting in Region II ofc to discuss Unit 1 partial loss of level in refueling cavity on 880517. Proposed meeting agenda & notification of meeting encl.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/13 CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 2pp 46957 213-46957 216.

--8809300016 Notification of 880916 significant licensee meeting in Region II ofc in Atlanta, GA to discuss circumstance re partial loss of level in Unit 1 refueling cavity on 880517.
CANTRELL,F.S. Region 2, Ofc of the Director. 88/09/13, Region 2, Ofc of the Director. 2pp 46957.215-46957 216.

8809200219 LER 88-025-00 on 880815, control/relay room chillers inoperable. Caused by inadequate svc water flow to chiller condensers as result of method to start/stop chillers. Add procedure will be developed. W/880914 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/09/14, 4pp 46913.314-46913 317.

8809200227 LER 88-029-00 on 880815, reactor trip & safety injection occurred. Caused by spurious initiation of train A high consequence limiting safeguard. Relay replaced & limit switch on steam dump valve adjusted. W/880914 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/09/14, 6pp. 46915.058 46915 060.

8809260282 PNO II-88-056 on 880914, Unit 1 shut down. Caused by determination that both emergency diesel generators would be overloaded if loss of offsite power occurred between 5 & 60 minutes after LOCA. Condition exists for both units.
CANTRELL,F.S. Region 2, Ofc of the Director. 88/09/14, 1p 46956.206-46956 206

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808290015 Forwards Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02. No violations or deviations noted. Details withheld (ref 10CFR2 790 & 73 21). CLINE, W.E. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.), 2pp. 46716.354-46716.356

--8808290018 Partially withheld Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02 (ref 10CFR2.790 & 73 21). No violations noted. Major areas inspected: maint, physical barriers protected area, assessment aids & detection aids protected area. ENNIS, J.D. Region 2, Ofc of the Director. 88/08/17. 1p. 46716.356-46716.356.

8809120103 Forwards scope & objectives of 881101 plant annual emergency exercise. Package will be made available per 870108 ltr titled, "Submittal of Annual Emergency Exercise Objective, Detailed Scenarios & Controller Packages." CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/17. DECKER, T.R. Region 2, Ofc of the Director. 7pp. 46813.321-46813.327

8809300113 Advises that 880616 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/08/18. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.) 2pp. 46693.065-46693.066.

8809300081 EN-88-089, notice of violation & proposed imposition of civil penalty in amount of \$100,000 on or about 880825. Action based on violations involving overexposure of individual during refueling outage. FLACK, E. Ofc of Enforcement (Post 870413). 88/08/22. 1p. 46693.094-46693.094.

8809190200 Forwards Rev 13 to security personnel training & qualification plan. Rev withheld (ref 10CFR73 21). CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/14. Document Control Branch (Document Control Desk). 1p. 46898.240-46898.240.

8809200104 Revised emergency plan implementing procedures, including Rev 7 to EPIP-3 04, "Activation of Local Emergency Operations Facility," Rev 12 to EPIP-5 03, "Personnel Accountability" & Rev 3 to EPIP-5 04, "Access Control." W/880915 ltr. BENSON, D.L., COSTELLO, J., CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/15. 35pp. 46905.260-46905.294.

8809220185 Forwards scenario & controller data for 1988 plant emergency exercise, per NRC 870108 ltr. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/16. Document Control Branch (Document Control Desk). 1p. 46928.176-46928.176.

K. Utility Final Safety Analysis Report (FSAR) & amendments

8809160156 Rev 7 to updated FSAR for Surry Station Units 1 & 2. W/880826 ltr. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/28. 112pp. 46891.282-46892.115.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808260384 Forwards results of analysis of spiked liquid samples per confirmatory measurements program. All samples analyzed for H-3, Fe-55, Sr-89 & Sr-90, per NRC 880422 instructions. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/08. KAHLE, J.B. Region 2, Ofc of the Director. 3pp. 46854.332-46854.334.

8808290287 Requests exemption from 10CFR50, App J, Paragraph III.A.6(b) requirement to perform Type A test every outage until two consecutive tests meet acceptance criteria & resume normal test schedule in accordance, per Paragraph III.D. Fee paid. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/12. Document Control Branch (Document Control Desk). 7pp. 46890.224-46890.230

8809020227 Forwards supplemental info re 880229 & 0815 evaluation of containment penetrations that excluded Type C leakage results from overall as-found containment leakage rate, per request. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/31. Document Control Branch (Document Control Desk). 29pp. 46747.036-46747.084.

8809160029 Confirms 880810 telcon re mgt meeting on 881102 at plant to discuss status of radiation protection upgraded program. Proposed meeting agenda encl. GRACE, J.N. Region 2, Ofc of the Director. 88/09/02. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46908.321-46908.324.

--8809160031 Notification of 881102 meeting w/util in Richmond, VA to discuss & review status of radiation protection upgrade program. CANTRELL, F.S. Region 2, Ofc of the Director. 88/09/02. Region 2, Ofc of the Director. 2pp. 46908.323-46908.324.

8808190174 Discusses action taken in accordance w/Generic Ltr 87-11, "Relaxation in Arbitrary Intermediate Pipe Rupture Requirements." Two snubbers eliminated from each steam generator that served solely as pipe whip restraints. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/12. Document Control Branch (Document Control Desk). 2pp. 46898.021-46898.022.

Q. Inspection reports, IE Bulletins & correspondence

8808290085 Forwards Insp Repts 50-280/88-28 & 50-281/88-28 on 880605-0702 & notice of violation. WILSON, B.A. Region 2, Ofc of the Director. 88/08/12. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46693.352-46694.007.

--8808290070 Notice of violation from Insp on 880605-0702. Violation noted, appropriate instructions not provided for assembly of flanges containing non-reversible orifices used for flow indication. WILSON, B.A. Region 2, Ofc of the Director. 88/08/12. 1p. 46693.354-46693.354.

--8808290073 Insp Repts 50-280/88-26 & 50-281/88-26 on 880605-0702. One violation noted. Major areas inspected: licensee action on previous enforcement matters, plant operations, plant maint & surveillance & LER closeout. HOLLAND, W.E., NICHOLSON, L.E., CANTRELL, F.S. Region 2, Ofc of the Director. 88/08/11. 13pp. 46683.355-46684.007.

8808290015 Forwards Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02. No violations or deviations noted. Details withheld (ref 10CFR2 790 & 73 21). CLINE, W.E. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46716.354-46716.356

--8808290018 Partially withheld Insp Repts 50-280/88-31 & 50-281/88-31 on 880801-02 (ref 10CFR2.790 & 73.21). No violations noted. Major areas inspected: maint, physical barriers-protected area, assessment aids & detection aids protected area. ENNIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46716.356-46716.356

8808300319 Forwards Insp Repts 50-280/88-27 & 50-281/88-27 on 880705-08. No violations or deviations noted. Invitation invited to unresolved item identified in insp rpt. HERDT, A.R. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46691.194-46691.205.

--8808300322 Insp Repts 50-280/88-27 & 50-281/88-27 on 880705-05. No violations or deviations noted. Major areas inspected: design review of reactor bldg recirculation spray HXs & review of FSAR design requirements. BERNHARD, R.H., JAPE, F. Region 2, Ofc of the Director. 88/08/12. 10pp. 46691.196-46691.205.

8809080024 Forwards Team Insp Repts 50-280/88-03, 50-281/88-03, 50-338/88-03 & 50-339/88-03 on 880314-18 & 0404-08. No violations or deviations noted. Written assessment of program to keep radiation ALARA requested within 30 days. GRACE, J.N. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 4pp. 46789.261-46789.307.

8808190195 NRC Info Notice 88-058, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808300081 EN-88-089, notice of violation & proposed imposition of civil penalty in amount of \$100,000 on or about 880825. Action based on violations involving overexposure of individual during refueling outage. FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/08/22. 1p. 46693.094-46693.094.

8809070005 Informs that safety sys functional Insp will be conducted by Region II Insp team at facilities on 880812-16 & 28-30. Insp effort will be focused on svc water sys & associated sys served by svc water. REYES, L.A. Region 2, Ofc of the Director. 88/08/23. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 1p. 46783.310-46783.310.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219

8809070148 Forwards Insp Repts 50-280/88-29 & 50-281/88-29 on 880718-22 & notice of violation. HERDT, A.R. Region 2, Ofc of the Director. 88/08/24. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46777.346-46777.357

--8809070181 Notice of violation from Insp on 880718-22. Violation noted: Procedure 1 & 2-PT-10, "Reactor Coolant Leakage," issued for use in Oct 1987, contained errors in constants used to correct changes in pressurizer level & RCS temp during test. HERDT, A.R. Region 2, Ofc of the Director. 88/08/24. 2pp. 46777.348-46777.351.

--8809070170 Insp Repts 50-280/88-29 & 50-281/88-29 on 880718-22. Violations noted. Major areas inspected: post-refueling startup tests, thermal power monitoring, post-trip reviews & surveillance of RCS leakage. BURNETT, P.T., JAPE, F. Region 2, Ofc of the Director. 88/08/24. 6pp. 46777.352-46777.357.

8809080354 Discusses Insp on 880502-06 & 0531-0603 & forwards notice of violation & proposed imposition of civil penalty. GRACE, J.N. Region 2, Ofc of the Director. 88/08/25. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 3pp. 46793.120-46793.127

--8809080357 Notice of violation & proposed imposition of civil penalty in amount of \$100,000. Noncompliance noted. Individual received 2 527 rem to whole body while performing work in Unit 1 reactor cavity. GRACE, J.N. Region 2, Ofc of the Director. 88/08/25. 5pp. 46793.123-46793.127.

8809150328 Informs that SALP Repts for Sept 1988 - Apr 1988 reviewed & acceptable. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/28. Region 2, Ofc of the Director. 2pp. 46848.208-46848.209.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/28. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809140373 Forwards Insp Repts 50-280/88-28 & 50-281/88-28 on 880703-30. Enforcement conference scheduled for 880918 re violations indicated in repts. GRACE, J.N. Region 2, Ofc of the Director. 88/08/30. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46842.296-46842.314

--8809140384 Resident Insp Repts 50-280/88-28 & 50-281/88-28 on 880703-30. Violations noted. Major areas inspected: licensee action on previous enforcement matters, plant operations, plant maint, plant surveillance & plant startup from refueling. HOLLAND, W.E., NICHOLSON, L.E., CANTRELL, F.S. Region 2, Ofc of the Director. 88/08/25. 17pp. 46842.298-46842.314.

66 DOCKETED ITEMS

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244 46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809160033 Confirms 880916 enforcement conference re safety-related cleanliness problems, per 880811 telcon Proposed meeting agenda encl.
GRACE,J.N. Region 2, Ofc of the Director 88/09/02 CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp 46908.344 46908 347

8809160037 Notification of 880916 enforcement conference in Atlanta, GA to discuss safety related cleanliness problems
CANTRELL,F.S. Region 2, Ofc of the Director 88/09/02, Region 2, Ofc of the Director 2pp 46908 346-46908 347

8809160295 Responds to NRC Bulletin 88-005, including suppls 1 & 2 re review of mails procured from Piping Supplies, Inc. & West New Jersey Mfg Co Results of review for possible indirect purchases & results of testing & analysis discussed
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/09, Document Control Branch (Document Control Desk) 3pp 46864 023 46864 025.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252.

8809270131 Responds to NRC 880917 ltr re violations noted in Insp Repts 50-338/88-03, 50-339/88-03, 50-280/88-03 & 50-291/88-03. Corrective actions policy to establish contractor dose goals during work planning process re-emphasized
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/16, Document Control Branch (Document Control Desk) 5pp 46971 266 46971 270

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013

R. Periodic operating reports & related correspondence

8809070541 "Semiannual Radioactive Effluent Release Rept, Jan June 1988." W/
880828 ltr
BLOUNT,P.F., CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 88/06/30 28pp 46773 101-46773.128.

8809200124 Monthly operating repts for Aug 1988 for Surry Power Station W/880914 ltr.
WARREN,L.A., CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/08/31 25pp 46900 117-46900 141.

S. Reportable occurrences, LERs & related correspondence

8809070438 LER 88-018-00 on 880731, discovered that individual rod position indicators (IRPIs) differed from group step demand counter by greater than 12 steps. Caused by drift in IRPI indication. IRPIs adjusted W/880826 ltr
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.) 88/08/26 4pp 46773 017-46773 020

8809120147 PNO-II-88-051 on 880826, plant personnel were moving spent fuel cask using transporter to remote dry cask storage area on site & transporter tilted about six degrees. Licensee used steel bed plates to jack up & support transporter.
SCOTT,M. Region 2, Ofc of the Director 88/08/29, 2pp 46815 340 46815 341.

8809020131 LER 88-017-00 on 880730, failure of recirculation spray svc water MOVs due to premature actuation of torque switch. Both valves declared inoperable & Tech Spec 3.0.1 entered on basis that both subsystems were inoperable W/880829 ltr
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.) 88/08/29, 5pp 46745 353-46745:357

8809140161 LER 88-018-00 on 880811, steam generator B Channel III steam flow failed to high flow indication. Failed multiplier/divider replaced. Affected channels placed in trip mode. W/880906 ltr.
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.) 88/09/06 4pp 46844:357-46844 380

8809190389 Confirmation of action ltr re NRC understanding that unit will meet w/NRC in Atlanta, GA to discuss root causes of 880517 partial loss of water from Unit 1, mode to equipment, add'l training for Unit 2 & corrective actions.
GRACE,J.N. Region 2, Ofc of the Director 88/09/08, CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 2pp 46898 010 46898 011.

8809260146 Confirms 880907 telcon re 880916 mgt meeting in Region II ofc to discuss Unit 1 partial loss of level in refueling cavity on 880517. Proposed meeting agenda & notification of meeting encl.
GRACE,J.N. Region 2, Ofc of the Director 88/09/13, CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 2pp 46957.213 46957.216

8809300016 Notification of 880918 significant licensee meeting in Region II ofc in Atlanta, GA to discuss circumstance re partial loss of level in Unit 1 refueling cavity on 880517.
CANTRELL,F.S. Region 2, Ofc of the Director 88/09/13, Region 2, Ofc of the Director 2pp 46957.215-46957.216

8809260262 PNO-II-88-056 on 880914, Unit 1 shut down. Caused by determination that both emergency diesel generators would be overloaded if loss of offsite power occurred between 5 & 60 minutes after LOCA Condition exists for both units
CANTRELL,F.S. Region 2, Ofc of the Director 88/09/14 1p 46956 206-46956 206.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809260378 Forwards Safety Insp Repts 50-282/88-13 & 50-306/88-13 on 880718 22 No violations noted
HARRISON,J.J. Region 3, Ofc of the Director 88/08/19, LARSON,C.E. Northern States Power Co. 2pp 46654 011 46654 025

8809260387 Insp Repts 50-282/88-13 & 50-306/88-13 on 880718-22 No violations or deviations noted. Major areas inspected. Licensee action on previous insp findings re App R & fire brigade annual training program
BUTLER,D.S., HODOR,R.S., PARKINSON,K.L. Region 3, Ofc of the Director 88/08/19 13pp 46654 013 46654 025

8809260328 Advises that Rev 9 to emergency plan, transmitted by 880718 ltr, consistent w/provisions of 10CFR50.54(p) & acceptable
SHAFER,W.D. Region 3, Ofc of the Director 88/08/22, LARSON,C.E. Northern States Power Co. 2pp 46677 319 46677 320.

8809140455 Advises that 880812 Rev 19 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable
MALLET,T.B.S. Region 3, Ofc of the Director 88/08/31, LARSON,C.E. Northern States Power Co. 1p 46837 009 46837 009.

8809160132 Advises that 880812 Rev 3 to safeguards contingency plan meets provisions of 10CFR50.54(p) & acceptable
MALLET,T.B.S. Region 3, Ofc of the Director 88/08/31, LARSON,C.E. Northern States Power Co. 1p 46885 237-46885 237

8809150302 Rev 9 to Emergency Plan Implementation Procedure F3-2, "Classifications of Emergencies." W/880802 ltr.
FEY,F.L. Northern States Power Co. 88/09/02 66pp 46856 256 46856.321

8809270113 Revised emergency plan implementing procedures, including Rev 6 to Procedure F3 B, "Recommendations for Offsite Protective Actions" & Rev 2 to Procedure F3 B.1, "Recommendations for Offsite Protective Actions for On Shift..." W/880921 ltr
FEY,F.L. Northern States Power Co. 88/09/21 60pp 46869 332-46870 031

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp 47065 001 47065.006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDF. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17, CONNOR,L. Doc-Search Associates 5pp 46770.050-46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13, BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223

8808260131 Advises that until 880525 response to Generic Ltr 88-05 re boric acid corrosion of carbon steel reactor boundary components in PWR plants acceptable. UM should maintain records of program & results obtained from program
DIANNI,D.C. Project Directorate III-1 88/08/23, MUSOLF,D.M. Northern States Power Co. 3pp 46658 332-46658.334

8808310036 Requests 880801 request for exemption from 10CFR50, App J, Section III A.3 be supplemented w/commitment of min test duration of 24 h whenever mass point used.
MUSOLF,D. Northern States Power Co. 88/08/23, Document Control Branch (Document Control Desk), 2pp 46786 326 46786.327

8808260481 Advises that 880513 response to Generic Ltr 88-03 re steam binding of auxiliary feedwater pumps acceptable. Agrees w/ unit that improved maint & testing will help prevent any increase in check valve failure due to plant age
DIANNI,D.C. Project Directorate III-1, 88/08/25, MUSOLF,D.M. Northern States Power Co. 2pp 46649 069 46649 070.

8808310136 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan June 1988" & amend to rept for Jul-Dec 1987
FEY,F.L. Northern States Power Co. 88/08/26, Document Control Branch (Document Control Desk), 1p 46700 027-46700 072.

8808310182 Rev 2 to D59, "Process Control Program for Solidification/ Dewatering of Radwaste from Liquid Sys."
Northern States Power Co. 88/04/15 23pp 46700 050-46700 072

8809060360 Forwards environ assessment & finding of no significant impact re 880705 request for amends to Licenses DPR-42 & DPR 60.
DIANNI,D.C. Project Directorate III-1, 88/08/31, MUSOLF,D.M. Northern States Power Co. 3pp 46764 349-46764 355.

8809060364 Notice of environ assessment re issuance of amends to Licenses DPR 42 & DPR 60 revising Tech Specs to change values of nuclear hot channel factor & nuclear enthalpy rise in hot channel factor on power distribution limits in DNB
VIRGILIO,M.J. Project Directorate III-1, 88/08/31 4pp 46764.352 46764.355.

8809090022 Advises that Rev 6 updating Monticello SAR & Rev 12 to operation QA plan for both plants acceptable
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/31, LARSON,C.E. Northern States Power Co. 1p 46803 355-46803.355

8809260231 Forwards nonproprietary WCAP-11932 & proprietary WCAP-11931, respectively, "Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2" Proprietary rept withheld (ref 10CFR 2.790). MUSOLF,D Northern States Power Co. 88/09/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 46952.054-46952.099

--**8809260269** Requests that Proprietary WCAP-11931, "Advanced Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2," be withheld (ref 10CFR2.790). Affidavit encl. WIESEMANN,R.A. Northern States Power Co. 88/09/09. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 46952.056-46952.064

--**8809260238** Nonproprietary, "Advanced Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2" ERIN,L.E., ADAMS,J.M., MORRIS,P.L. Westinghouse Electric Corp. WCAP-11932. 88/09/30. 35pp. 46952.065-46952.099.

8809210271 Grants 880726 exemption from provisions of Sections 1.D.3 & 1.D.5 of App K to 10CFR50 re injection of low pressure ECCS. Exemption encl. DIANNI,D. Project Directorate III-1. 88/09/16. MUSOLF,D.M. Northern States Power Co. 5pp. 46928.234-46928.245.

--**8809210274** Exemption from requirements of Sections 1.D.3 & 1.D.5 of App K of 10CFR50 re use of ratio of total fluid flow at core exit plane to total liquid flow at core inlet plane to determine core exit flow. HOLAHAN,G.M. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411). 88/09/16. Northern States Power Co. 7pp. 46928.239-46928.245

8809270001 Forwards environ assessment & finding of no significant impact re request for exemption from 10CFR50, App J. DIANNI,D.C. Project Directorate III-1. 88/09/21. MUSOLF,D.M. Northern States Power Co. 3pp. 46971.259-46971.265.

--**8809270002** Environ assessment & finding of no significant impact re request for exemption from requirements of 10CFR50, App J. WAMBACH,T.V. Project Directorate III-1. 88/09/21. 4pp. 46971.262-46971.265

Q. Inspection reports, IE Bulletins & correspondence

8809270016 Responds to NRC 880707 request for addl info re 880525 substation breaker actuation & status of substation work control process. LARSON,C.E. Northern States Power Co. 88/08/12. AXELSON,W.L. Region 3, Ofc of the Director. 2pp. 46971.255-46971.256

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178.

8808260376 Forwards Safety Insp Repts 50-282/88-13 & 50-306/88-13 on 880718-22. No violations noted. HARRISON,J.J. Region 3, Ofc of the Director. 88/08/19. LARSON,C.E. Northern States Power Co. 2pp. 46654.011-46654.025.

--**8808260387** Insp Repts 50-282/88-13 & 50-306/88-13 on 880718-22. No violations or deviations noted. Major areas inspected: licensee action on previous insp findings re App R & fire brigade annual training program. BUTLER,D.S., HODOR,R.S., PARKINSON,K.L. Region 3, Ofc of the Director. 88/08/19. 13pp. 46654.013-46654.025

8808160451 NRC Info Notice 88-066, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8809020176 Forwards Safety Insp Repts 50-282/88-12 & 50-306/88-12 on 880626-0806 & notice of violation. AXELSON,W.L. Region 3, Ofc of the Director. 88/08/22. LARSON,C.E. Northern States Power Co. 2pp. 46750.264-46750.279

--**8809020177** Notice of violation from Insp on 880626 0806. Violation noted, three of four reactor protection sys channels for overtemp Delta T & overpressure Delta T inoperable since 1974 & failure to stroke time test pressurizer PORVs. AXELSON,W.L. Region 3, Ofc of the Director. 88/08/22. 1p. 46750.266-46750.266.

--**8809020178** Insp Repts 50-282/88-12 & 50-306/88-12 on 880625 0806. Violations noted. Major areas inspected: previous insp findings, plant operational safety, maint, surveillances, ESF sys, LER followup & preparation for refueling. BURGESS,B. Region 3, Ofc of the Director. 88/08/22. 13pp. 46750.267-46750.279.

8808180368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809150301 Responds to NRC Bulletin 88-005, "Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co. at Williamstown, NJ." LARSON,C.E. Northern States Power Co. 88/09/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46864.294-46864.300.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809200188 Provides steam generator tube plugging & sleeving info per Tech Spec 4.12.E.1. Detailed info will be provided in inservice inspection summary rept to be submitted within 90 days of refueling outage. MUSOLF,D. Northern States Power Co. 88/09/16. Document Control Branch (Document Control Desk). 1p. 46900.001-46900.001

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

8809260233 Forwards Insp Rept 50.262/88-15 on 880901-02 & 15-16. No violations noted. HARRISON,J.J. Region 3, Ofc of the Director. 88/09/19. LARSON,C.E. Northern States Power Co. 2pp. 46957.351-46957.356

--**8809260235** Insp Rept 50.282/88-15 on 880901-02 & 15-16. No violations noted. Major areas inspected: inservice insp activities. WARD,K.D., DANIELSON,D.H. Region 3, Ofc of the Director. 88/09/19. 4pp. 46957.353-46957.356

R. Periodic operating reports & related correspondence

8808310136 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988" & amend to rept for Jul-Dec 1987. FEY,F.L. Northern States Power Co. 88/08/26. Document Control Branch (Document Control Desk). 1p. 46700.027-46700.072.

--**8808310160** "Effluent Semiannual Rept for Jan-June 1988" Northern States Power Co. 88/06/30. 14pp. 46700.028-46700.041.

--**8808310161** Amend to "Effluent & Waste Disposal Semiannual Rept for Second Half of 1987." Northern States Power Co. 87/12/31. 8pp. 46700.042-46700.049.

--**8808310162** Rev 2 to D50, "Process Control Program for Solidification/ Dewatering of Radwaste from Liquid Sys." Northern States Power Co. 88/04/15. 23pp. 46700.050-46700.072

8809220079 Forwards monthly operating repts for Aug 1988 for Prairie Island Units 1 & 2 & corrected monthly operating rept for Prairie Island Unit 1. MUSOLF,D. Northern States Power Co. 88/09/13. Document Control Branch (Document Control Desk). 1p. 46926.335-46926.344.

--**8809220107** Monthly operating repts for Aug 1988 for Prairie Island Units 1 & 2. DUGSTAD,D. Northern States Power Co. 88/08/31. 8pp. 46926.336-46926.343.

--**8809220108** Corrected monthly operating data rept for Jul 1988 for Prairie Island Unit 1. DUGSTAD,D. Northern States Power Co. 88/07/31. 1p. 46926.344-46926.344

V. Operator Examinations

8808260075 Ack receipt of 880809 ltr providing current status of test item development to support NRC administered requalification exam during wk of 881024. Request to delay exam scheduled for wk of 881024 acceptable due to insufficient test items. WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/22. LARSON,C.E. Northern States Power Co. 2pp. 46669.178-46669.179

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809160174 Rev 5 to App C of radiological emergency response plan. W/880901 ltr. MORRIS,K.J. Omaha Public Power District. 88/08/07. 14pp. 46894.306-46894.319

8808300003 Forwards Insp Rept 50-285/88-23 on 880701-31 & notice of violation. Actions taken re previously identified insp findings also examined & discussed in rept Paragraph 3. CALLAN,L.J. Region 4, Ofc of the Director. 88/08/19. MORRIS,K.J. Omaha Public Power District. 2pp. 46893.287-46893.328

--**8808300008** Insp Rept 50-285/88-23 on 880701-31. Violations noted. Major areas inspected: previously identified items, operational safety verification, plant tours, safety-related sys walkdown & monthly maint, surveillance & security observations. HARRELL,P.H., REIS,T., WESTERMAN,T.F. Region 4, Ofc of the Director. 88/08/19. 38pp. 46893.291-46893.328

8808300021 Responds to NRC 880721 ltr re deficiencies noted in Insp Rept 50.285/88-20. Corrective actions since exercise, addl training provided for site directors in form of training workbook requiring classification of emergency conditions. MORRIS,K.J. Omaha Public Power District. 88/08/24. Document Control Branch (Document Control Desk). 51pp. 46897.023-46897.073.

8809020144 Forwards Rev 23 to plant site security plan. Rev withheld. MORRIS,K.J. Omaha Public Power District. 88/08/31. Document Control Branch (Document Control Desk). 1p. 46751.174-46751.174

68 DOCKETED ITEMS

8809080218 Forwards nonprivacy Rev 8 to EPIP RR 25, "Emergency Recovery Organization Dose Assessment Coordinator" & privacy Rev 13 to EPIP EOF-6, "Onsite/Off-site Dose Assessment." Privacy procedure withheld
MORRIS,K.J. Omaha Public Power District. 88/08/31 Document Control Branch (Document Control Desk) 1p 46796 135-46796 244

8809080219 Revised emergency plan implementing procedures,including Rev 8 to nonprivacy EPIP RR 25, "Emergency Recovery Organization Dose Assessment Coordinator"
* Omaha Public Power District. 88/08/31 102pp 46796 136-46796 244.

8809140027 Forwards response to NRC 880729 ltr re violations noted in Insp Rept 50-285/88 17 Response withheld
MORRIS,K.J. Omaha Public Power District 88/09/06 Document Control Branch (Document Control Desk) 1p 46844 158 46844 158

8809200169 Advises that changes to emergency plan sent by util 880901 ltr acceptable,per 10CFR50.54(g)
CALLAN,L.J. Region 4, Ofc of the Director 88/09/13. MORRIS,K.J. Omaha Public Power District 2pp 46919 290-46919 291.

8809270073 Revised Sections H,P & App D to radiological emergency response plan W/880914 ltr
FRANCO,F.F., MORRIS,K.J. Omaha Public Power District. 88/09/14, 32pp. 46967 304 46967 336

8809210181 Revised radiological emergency response plan,including Rev 5 to "Assignment of Responsibility (Organizational Control)," Rev 6 to "Emergency Classification Sys" & Rev 12 to "Emergency Facilities & Equipment" W/880916 ltr.
MORRIS,K.J. Omaha Public Power District 88/09/16 74pp. 46920 157-46920 230.

8809230059 Notification of 880922 meeting w/licensee in Arlington,TX to discuss planned improvements for radiation protection & physical security programs Proposed agenda encl
MURRAY,B. Region 4, Ofc of the Director 88/09/16. Region 4, Ofc of the Director. 3pp 46932 302-46932 304

8809220333 Confirms arrangements made on 880915 for meeting in Region IV on 880922 to discuss proposed improvement items for facility radiation protection & physical security programs
CALLAN,L.J. Region 4, Ofc of the Director 88/09/19 MORRIS,K.J. Omaha Public Power District. 2pp 46930 083-46930 064

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065,001-47065,008.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates 5pp. 46770 060-46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770.211-46770 223

8809060203 Summary of 880825 meeting w/util re independent mgt analysis of plant operation.All phases of program discussed including identification of problems,improvement programs,response to appraisal & actions to address problem root causes
HEITNER,K.L. Project Directorate IV. 88/08/29 CALVO,J.A. Project Directorate IV 40pp 46758 082 46758 121.

8809060226 Forwards nonproprietary & proprietary OPPD NA-8301 NP & OPPD NA-8302-P, respectively Util will now utilize MC code consistent w/methods currently being used by C.E.Application for withholding info from public disclosure encl.
MORRIS,K.J. Omaha Public Power District. 88/08/30 Document Control Branch (Document Control Desk) 4pp 46863.053-46863 289

8809060230 Rev 3 to "Nuclear Analysis Reload Core Analysis Methodology Overview."
* Omaha Public Power District. OPPD-NA-8301-NP R03. 88/04/30. 27pp 46863 057-46863 082

8809220078 Rev 2 to nuclear analysis reload core analysis methodology, "Neutronic Design Methods & Verification."
* Omaha Public Power District. OPPD-NA-8302-NP R02 88/04/30 73pp. 46863 083-46863 152.

8809220087 Rev 2 to nuclear analysis reload core analysis methodology, "Transient & Accident Methods & Verification."
* Omaha Public Power District. OPPD-NA-8303-NP R02. 88/04/30. 137pp 46863-153-46863 289.

8809060393 Provides status of implementation of commitment tracking sys & discusses updated plans superseding 870410 & 1223 ltrs.
MORRIS,K.J. Omaha Public Power District. 88/08/30. Document Control Branch (Document Control Desk). 2pp 46763.338-46763 338.

8809060398 Requests info on status of implementation for proposed mods listed in safety issues mgt sys (SIMS) to assist NRC in updating SIMS data base for facility.
MILANO,P.D. Project Directorate IV. 88/08/30. FISICARO,J. Omaha Public Power District. 10pp. 46753.119-46753 126.

8809070010 Submits add info to util 880606 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Pressure Boundary Components in PWR Plants."
Special Procedure SP-CSF-1 will be reviewed.
MORRIS,K.J. Omaha Public Power District. 88/08/31. Document Control Branch (Document Control Desk) 3pp. 46776 244-46776 246.

8809130035 Forwards application for amend to License DPR-40 to reflect changes necessary to support Cycle 12 operation Fee paid
MORRIS,K.J. Omaha Public Power District 88/09/02. Document Control Branch (Document Control Desk). 1p. 46839 068-46839 151.

8809130042 Application for amend to License DPR-40,reflecting changes necessary to support Cycle 12 operation.
MORRIS,K.J. Omaha Public Power District 88/09/02. 1p. 46839 069 46839 089

8809130048 Tech Spec,reflecting changes necessary to support Cycle 12 operation
* Omaha Public Power District 88/09/02. 82pp. 46839 070-46839 151

8809150172 Forwards application for amend to License DPR-40,revising basis of facility Tech Spec Section 2.7, "Electrical Sys."
MORRIS,K.J. Omaha Public Power District. 88/09/08 Document Control Branch (Document Control Desk) 1p 46848.337 46848 342.

8809150176 Application for amend to License DPR 40,revising basis to Tech Spec 2.7 to provide for changes resulting from calculations performed to support design basis reconstitution effort
MORRIS,K.J. Omaha Public Power District 88/09/09. 2pp. 46848 336-46848 339.

8809150179 Proposed Tech Specs,providing changes resulting from calculations performed to support design basis reconstitution effort
* Omaha Public Power District. 88/09/09. 3pp. 46848.340-46848 342.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890.054-46890 178

8808300003 Forwards Insp Rept 50-285/88 23 on 880701-31 & notice of violation Actions taken re previously identified insp findings also examined & discussed in repl Paragraph 3.
CALLAN,L.J. Region 4, Ofc of the Director 88/08/19 MORRIS,K.J. Omaha Public Power District. 2pp. 46893 287-46893 328.

8808300005 Notice of violation from Insp on 880701-31.Violations noted: licensee stored eight barrels of unused ion exchange resins in Room 68 which does not have sprinkler sys installed & adequate instructions not provided for startup of air sys.
* Region 4, Ofc of the Director. 88/08/19. 2pp. 46893 288-46893 289

8808300008 Insp Rept 50-285/88-23 on 880701-31 Violations noted Major areas inspected previously identified items,operational safety verification,plant tours,safety-related sys walkdown & monthly maint,surveillance & security observations.
HARRELL,P.H., REIS,T., WESTERMAN,T.F. Region 4, Ofc of the Director. 88/08/19. 38pp 46893 291-46893 328.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808300311 Forwards meeting summary of 880811 enforcement conference re findings in Insp Repts 50-285/88-22 on 880629 0718 List of attendees encl.
CALLAN,L.J. Region 4, Ofc of the Director. 88/08/24. MORRIS,K.J. Omaha Public Power District 26pp. 46897-113-46897 137.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 216-46713 219.

8808300321 Responds to NRC 880721 ltr re deficiencies noted in Insp Rept 50-285/88 20 Corrective actions,since exercise,addl training provided for site directors in form of training workbook requiring classification of emergency conditions.
MORRIS,K.J. Omaha Public Power District. 88/08/24. Document Control Branch (Document Control Desk) 51pp. 46897-023-46897 073.

8808300260 Submits updated response to notice of violation re safety sys outage mod Insp,per Insp rept 50-285/88-25 Dye penetrant procedure revised to require recording of actual surface temp of parts being tested.
MORRIS,K.J. Omaha Public Power District. 88/08/25. Document Control Branch (Document Control Desk). 2pp 46701.007-46701 008.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8809130003 Ack receipt of 880725 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-285/88-12. Understands that training dept will verify attendance at required training at end of each rotation.
CALLAN,L.J. Region 4, Ofc of the Director 88/08/31. MORRIS,K.J. Omaha Public Power District. 2pp. 46839.051-46839 052.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300016 NRC Info Notice 88-072, "Inadequacies In Design of DG Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726 123.

8809140027 Forwards response to NRC 880729 ltr re violations noted in Insp Rept 50-285/88-17.Response withheld
MORRIS,K.J. Omaha Public Power District. 88/09/06. Document Control Branch (Document Control Desk). 1p 46844:158-46844:158.

8809140074 Forwards 120-day rept in response to NRC Bulletin 88 005, requesting review of purchasing records to determine if suspect matl had been received, to perform hardness test on suspect matl & to assure conformance w/ASME Code. MORRIS, K.J. Omaha Public Power District 88/09/09 Document Control Branch (Document Control Desk). 2pp. 46838 001-46838 029.

~**8809140078** "120 Day NRC Rept as Required by NRC Bulletin 88 005" DOUIN, D.S., SKILES, J.L. Sargent & Lundy, Inc. EIDEM, M.E. Omaha Public Power District 88/09/09 28pp 46838-003 46838 029

8809190222 Forwards Exam Rept 50 285/OL88-03 on 880726 CALLAN, L.J. Region 4, Ofc of the Director 88/09/09 MORRIS, K.J. Omaha Public Power District 4pp. 46890 313-46891 052

~**8809190226** Exam Rept 50 285/OL88-03 on 880726 Exam results, all applicants passed all portions of exam & have been issued appropriate license MCCORMY, S.L., PELLET, J.L. Region 4, Ofc of the Director 88/08/31. 150pp 46890:317-46891:052

8809130024 Responds to NRC 880727 ltr re violations noted in Insp Rept 50-285/88-21 Corrective actions consultant retained to restructure nonconformance program & technical justification for use of nonconforming items documented to ensure safety MORRIS, K.J. Omaha Public Power District 88/09/13 Document Control Branch (Document Control Desk) 3pp. 46834 356 46834 358

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824:215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46816 133 46816 252.

8809220290 Forwards Insp Rept 50-285/88-26 on 880725 29 & 0815-19 & forwards notice of violation. CALLAN, L.J. Region 4, Ofc of the Director 88/09/16 MORRIS, K.J. Omaha Public Power District 2pp. 46827-297-46827 308.

~**8809220291** Notice of violation from Insp on 880725-29. Violation noted: no markings on component cooling water pump bearing housing indicating requirements of IWPP-5420 complied with & valve stopwatches lacked evidence of calibr * Region 3, Ofc of the Director 88/09/16 1p. 46927-299-46927 289

~**8809220294** Insp Rept 50-285/88-26 on 880725-29. No violations noted. Major areas inspected, actions on previous Insp findings, implementation of inservice testing program for valves & pumps, procedures, results, training, witnessing & maint. STEWART, R.C., BARNES, I. Region 4, Ofc of the Director 88/09/14 7pp. 46927-300-46927 306

8809230224 Forwards Reinsp Rept 50-285/88 200 on 880218, 0321-25 & 0404- 08 re safety sys outage mod. Corrective action review found 39 of original 47 findings closed. One new issue identified. Enhancements to design process noted. HOLAHAN, G.M. Assistant Director for Region IV Reactors & Special Projects 88/09/16 PETERSEN, F.M. Omaha Public Power District. 5pp. 46942 252 46942 337

~**8809230229** Insp Rept 50 285/88-200 on 880218, 0321-25 & 0404-08 Violations noted. Major areas inspected, adequacy of corrective actions initiated by licensee in response to 47 design findings identified in Insp Rept 50-285/85-22 PARKHILL, R.W., MBRO, E.V. Special Inspection Branch 88/08/19, 73pp. 46942 257-46942 337.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19, Consolidated Edison Co. of New York, Inc 125pp 46846-253 46847 013.

8809230281 Ack receipt of 880824 response to violations noted in Insp Rept 50-285/88-20. CALLAN, L.J. Region 4, Ofc of the Director 88/09/18. MORRIS, K.J. Omaha Public Power District 2pp. 46942-138 46942 190

8809260137 Forwards Insp Rept 50-285/88-25 on 880808-19 & notice of violation CALLAN, L.J. Region 4, Ofc of the Director 88/09/19 MORRIS, K.J. Omaha Public Power District. 2pp. 46968-246-46968 279.

~**8809260138** Notice of violation from Insp on 880808-19 Violation noted, records of visual Insp performed as part of safety sys outage mod for safety Insp Tank B union weld & T18 3B & 3C transformers base welds not prepared. * Region 4, Ofc of the Director. 88/09/19 1p. 46968-248-46968 248.

~**8809260141** Insp Rept 50-285/88-25 on 880808-19. Violation noted. Major areas inspected, followup to previous Insp findings, followup to LERs, temporary instructions & 10CFR Part 21 repts. SEIDLE, W.C. Region 4, Ofc of the Director. 88/09/19. 31pp. 46968:249 46968:279

R. Periodic operating reports & related correspondence

8809080017 "Fort Calhoun Station Unit 1 Semiannual Rept for Tech Spec Section 5.9.4 Jan-June 1988." W/880830 ltr. GATES, W.G., MORRIS, K.J. Omaha Public Power District 88/08/30. 75pp. 46795:160-46795:335

8809200237 Monthly operating rept for Aug 1988 for Fort Calhoun Station. W/880915 ltr. BLESSIE, W.J., MORRIS, K.J., GATES, W.G. Omaha Public Power District 88/08/31. 10pp. 46900.018-46900.027.

S. Reportable occurrences, LERs & related correspondence

8808300308 LER 88-017-00 on 880708, discovered that special rept on fire barrier inoperability required by Tech Spec 5.9.3, not submitted. Caused by lack of procedural responsibilities & controls for fire protection. W/880825 ltr. LEHMAN, L.L., MORRIS, K.J. Omaha Public Power District 88/08/25. 3pp. 46696:358-46696:360.

8809070318 Advises that expected date of submittal for LERs & supp's will be considered firm commitment, although not considering dates still consistent w/NUREG 1022 Submittal dates for stated LERs discussed. MORRIS, K.J. Omaha Public Power District 88/08/30 Document Control Branch (Document Control Desk). 1p 46784 146 46784 146.

8809080193 Special rept on 880729, fire barrier penetration seals inoperable for more than 7 days during plant mod. Fire watch patrol initiated within 1 h after discovery of inoperable barrier. MORRIS, K.J. Omaha Public Power District 88/09/02. Document Control Branch (Document Control Desk) 2pp 46791.360-46791 361.

8809150044 LER 88 018 00 on 880704, failure to conduct surveillance test within prescribed interval occurred. Test performed on 880711. Cause to be investigated. Procedure will be revised. W/880908 ltr. FRIEDRICHSEN, J., MORRIS, K.J. Omaha Public Power District. 88/09/08. 3pp 46848.356 46848.358

8809210145 Special rept on 880815, B channel reactor vessel level instrumentation inoperable due to junction thermocouple probe failure. Replacement sensors to be purchased. MORRIS, K.J. Omaha Public Power District. 88/09/14 Document Control Branch (Document Control Desk) 2pp 46928-246-46928-247

8809210140 Special rept on 880809 & 0815, fire barrier penetration seals inoperable for more than 7 days due to unavailable seal matl. Fire detector operability verified, hourly watch initiated & seals restored to operable status. MORRIS, K.J. Omaha Public Power District. 88/09/15. Document Control Branch (Document Control Desk) 2pp. 46920 302-46920 303

8809260348 LER 88 019 00 on 880816, analysis of design basis of diesel generator revealed circuitry could not be isolated. Power breaker to damper circuitry opened & emergency control room evacuation procedure changed. W/880915 ltr. LEHMAN, L.L., MORRIS, K.J. Omaha Public Power District 88/09/15 3pp. 46956:218-46956:220.

V. Operator Examinations

8809070505 Forwards estimate of licensee operator licensing exam requirements for FY89 through FY92 in response to Generic Ltr 88-13. MORRIS, K.J. Omaha Public Power District. 88/08/31. HANNON, J. NRC - No Detailed Affiliation Given 2pp. 46833 149 46833 150

8809190222 Forwards Exam Rept 50-285/OL88 03 on 880726. CALLAN, L.J. Region 4, Ofc of the Director 88/09/09. MORRIS, K.J. Omaha Public Power District 4pp. 46890 313 46891 052.

~**8809190226** Exam Rept 50-285/OL88 03 on 880726 Exam results all applicants passed all portions of exam & have been issued appropriate license. MCCORMY, S.L., PELLET, J.L. Region 4, Ofc of the Director 88/08/31 150pp 46890.317-46891:052

DOCKET 60-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8809020075 Forwards Safety Insp Rept 50-286/88-13 on 880711-15 No violations noted. BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/23 JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46745.198-46745 208.

~**8809020089** Safety Insp Rept 50 286/88-13 on 880711-15 No violations, deviations or unresolved items noted. Major areas inspected, emergency preparedness program & emergency response facilities. FOX, E.F., LAZARUS, W.J. Region 1, Ofc of the Director 88/08/19 9pp. 46745.200-46745 208.

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880902 request to review hurricane-related actions for plants. CAPRA, R.A. Project Directorate I-1 88/09/07 BOGER, B. Project Directorate I-1 5pp. 46999:262-46999 256

8809150139 Forwards safety evaluation accepting ull submittal re design for alternate shutdown capability for control room fire, per Sections III G.3 & III L of App R to 10CFR50. NEIGHBORS, J.D. Project Directorate I-1. 88/09/08. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 3pp 46873.316-46873 322

~**8809150145** Safety evaluation accepting ull reevaluation of alternative shutdown capability in accordance w/requirements of App R to 10CFR50, Section III G.3 & III L. Design meets performance goals, inventory & pressure control * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/09 5pp 46873:318-46873:322.

8809200348 Partially deleted Rev 14 to Emergency Plan Procedure IP-1050, "Accountability," Rev 2 to IP-1052, "Hazardous Waste Emergency," & Rev 10 to IP-1076, "Beekeepers." Rev 24 to emergency plan Vol II, "Emergency Response..." encl. CHAUBALD, M., BELL, D.D. New York Power Authority (formerly Power Authority of the State of New York). 88/09/14 28pp. 46913.254-46913 305

~**8809260347** Rev 24 to emergency plan, Vol II, "Emergency Response Activation." CHAUBALD, M., BELL, D.D., QUINN, D. New York Power Authority (formerly Power Authority of the State of New York). 88/09/14. 25pp 46913:282-46913:306.

70 DOCKETED ITEMS

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLS or GPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809060213 Forwards application for amend to License DPR 64 consisting of temporary waiver of compliance from Tech Spec Paragraph 3 until 881001 to permit 7 h before requiring plant to be in hot shutdown when svc water temp exceeds 90 F Fee paid BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/16 Document Control Branch (Document Control Desk) 2pp 46764 152-46764 190

8809060219 Proposed emergency Tech Spec change to Paragraph 3, to permit 7 h before requiring plant to be in hot shutdown when svc water temp exceeds 90 F BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/16 1p 46764 154-46764 154

8809060277 Proposed emergency Tech Spec change to Paragraph 3, to permit 7 h before requiring plant to be in hot shutdown condition when svc water temp exceeds 90 F * New York Power Authority (formerly Power Authority of the State of New York) 88/08/16 34pp 46764 155-46764 190

8808290235 Forwards WCAP-11815, "Analysis of Capsule Z From New York Power Authority Indian Point Unit 3 Reactor Vessel Radiation Surveillance Program" BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/19 Document Control Branch (Document Control Desk) 1p 46682 130 46682 212

8808290242 "Analysis of Capsule Z from New York Power Authority Indian Point Unit 3 Reactor Vessel Radiation Surveillance Program." YANICHKO, S.E., ANDERSON, S.L., ALBERTIN, L. New York Power Authority (formerly Power Authority of the State of New York) WCAP-11815 88/08/31, 84pp 46682 131-46682 212

8809010101 Forwards corrected Amend 82 to License DPR-64 Amend revises Tech Spec 3 to permit operation w/svc water temp above 90 F up to 7 h before reaching hot shutdown condition via normal operating procedures NEIGHBORS, J.D. Project Directorate I-1 88/08/19 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 4pp 46720 109-46720 123

8809010102 Corrected Amend 82 to License DPR 64, revising Tech Spec 3 to permit plant to operate w/svc water temp above 90 F for up to 7 h before reaching hot shutdown condition via normal operating procedures BOGER, B.A. Assistant Director for Region I Reactors. 88/08/19 5pp 46720, 113 46720 117

8809010105 Safety evaluation supporting Amend 82 to License DPR 64, * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/19, 6pp 46720 118-46720 123

8809010276 Requests discretionary enforcement for plant TS 3.7.B.1 to allow one of three EDGs to remain inoperable up to 72 h JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/08/19 RUSSELL, W.A. Region 1, Ofc of the Director 3pp 46695 359-46695 361

8809120231 Forwards Amend 82 to License DPR-64 & safety evaluation Amend revises Tech Spec 3 to permit plant to operate w/svc water temp above 90 F for up to 7 h before reaching hot shutdown condition via normal operating procedures NEIGHBORS, J.D. Project Directorate I-1 88/08/19 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 3pp 46813 299 46813 312

8809120232 Amend 82 to License DPR-64, revising Tech Spec 3 to permit plant to operate w/svc water temp above 90 F for up to 7 h before reaching hot shutdown condition via normal operating procedures BOGER, B.A. Assistant Director for Region I Reactors 88/08/19 5pp 46813 302-46813 312

8808300169 Forwards application to amend License DPR 64, deleting list of safety related snubbers in Tech Spec Table 3.13-1 while maintaining operability & surveillance requirements Fee paid. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/23 Document Control Branch (Document Control Desk) 2pp 46703 184-46703 223

8808300172 Application for amend to License DPR 64, deleting Tech Spec Table 3.13.1 & amending Tech Specs 3.13.4.11 & 6.10.2 to reflect deletion. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/23 1p 46703 186-46703 186

8808300176 Proposed Tech Specs, deleting snubber listing * New York Power Authority (formerly Power Authority of the State of New York) 88/08/23, 14pp 46703 187-46703 203

8808300182 Forwards application for amend to License DPR-64, deleting safety-related snubber listing in Tech Spec Table 3.13-1 Fee paid. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/08/24, Document Control Branch (Document Control Desk), 2pp, 46703 204-46703 223

8809020122 Responds to util 880819 ltr requesting that NRC exercise discretionary enforcement in case of Tech Spec 3.7.B.1. Addl 96 h period granted for Tech Spec 3.7.B.1 re Number 32 emergency diesel generator. RUSSELL, W.T. Region 1, Ofc of the Director 88/08/24, JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York) 2pp 46746 251-46746 255.

8809010357 Forwards corrected Amend 82 to License DPR-64 & safety evaluation, adding TAC number & correcting typos NEIGHBORS, J.D. Project Directorate I-1, 88/08/25 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 4pp 46740 200 46740 217.

8809140293 Notification of Significant Licensee Meeting 88-141 on 880908 in King of Prussia, PA re facility self assessment. JOHNSON, J. Region 1, Ofc of the Director 88/08/31 Region 1, Ofc of the Director 2pp 46845 053-46845 054

8809150139 Forwards safety evaluation accepting util submittal re design for alternate shutdown capability for control room fire, per Sections II.G.3 & III.L. of App R to 10CFR50 NEIGHBORS, J.D. Project Directorate I-1 88/09/09 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 3pp 46873 315 46873 322

8809150145 Safety evaluation accepting util reevaluation of alternative shutdown capability in accordance w/requirements of App R to 10CFR50, Section III.G.3 & III.L. Design meets performance goals, inventory & pressure control. * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/09 5pp, 46873 318-46873 322

8809160171 Forwards request for addl info re spent fuel pool expansion. Response or schedule for response requested within 30 days. NEIGHBORS, J.D. Project Directorate I-1, 88/09/12 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 6pp 46894 325 46894 330

8809160186 Notification of 880921 meeting w/util in Rockville, MD to discuss status of facility licensing actions NEIGHBORS, J.D. Project Directorate I-1 88/09/12 CAPRA, R.A. Project Directorate I 1 4pp 46895 017-46895 020.

8809190343 Advises that 880601 response to Generic Ltr 88 05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants," acceptable. NEIGHBORS, J.D. Project Directorate I-1, 88/09/14 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 3pp, 46899 289-46899 291.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp, 46690 054-46690 178.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46702 070

8809020075 Forwards Safety Insp Rept 50-286/88 13 on 880711-15. No violations noted BELLAMY, R.R. Region 1, Ofc of the Director 88/08/23 JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York) 2pp, 46745 188 46745 208.

8809020089 Safety Insp Rept 50-286/88-13 on 880711-15 No violations, deviations or unresolved items noted. Major areas inspected: emergency preparedness program & emergency response facilities FOX, E.F., LAZARUS, W.J. Region 1, Ofc of the Director. 88/08/19, 8pp 46745 200 46745 208.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp, 46713 218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8809090024 Responds to NRC 880801 ltr re violations noted in Insp Rept 50 286/88 12 Corrective actions procedure revised to describe channel check program JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/08/30 WENZINGER, E.C. Region 1, Ofc of the Director 4pp 46806 203 46806 206

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46712 004

8809070357 Ack receipt of 880731 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 247/88-01, 50-247/88-17 & 50-286/88 09. BELLAMY, R.R. Region 1, Ofc of the Director. 88/09/01. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp 46773 183-46773 189.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp, 46726 001-46726 123.

8809140454 Submits for Commission review & approval, licensee revised methodology for postulating single passive failures of svc water sys piping during post-LOCA recirculation. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/09/07 Document Control Branch (Document Control Desk) 4pp, 46843 227-46843 248

8809210039 "Evaluation of Svc Water Sys Pipe Break Criteria & Analysis for Indian Point 3 Nuclear Power Plant." * New York Power Authority (formerly Power Authority of the State of New York) 88/09/07, 18pp, 46843 231-46843 248.

8809150205 Responds to NRC Bulletin 88-005, including Suppls 1 & 2 re nonconforming mats supplied by Piping Supplies, Inc & West Jersey Mfg Co (WJMC) Twenty four (lamps received from WJMC but not installed)
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/09/09, RUSSELL, W.T. Region 1, Ofc of the Director 4pp 46849 342-46849 345

8809200330 Forwards Environ Qualification Enforcement Conference Rept 50-286/87-22 on 880719 Util will be notified in writing re decision on enforcement following evaluation of info provided
MARTIN, T.T. Region 1, Ofc of the Director. 88/09/13 JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York) 2pp 46906 317-46907 043

8809200334 Equipment Qualification Enforcement Conference Rept 50 286/87-22 on 880719. Major areas inspected, environ qualification of facility containment high range radiation monitor cable connector & addl equipment.
DURR, J. Region 1, Ofc of the Director. 88/09/07. 85pp 46906 319 46907 043

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI, G.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, G.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946.133-46946 252.

8809270065 EN-88 078 on 880921, notice of violation & proposed imposition of civil penalty in amount of \$78,000 issued to licensee based on violation of equipment qualification requirements of 10CFR50.48.
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413) 88/09/18. 1p 46971.248-46971.248.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI, G.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809070328 "Effluent & Waste Disposal Semiannual Rept, Jan June 1988." W/880830 ltr
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/08/30 RUSSELL, W.T. Region 1, Ofc of the Director. 18pp. 46776 279-46776 297

8809260184 Monthly operating rept for Aug 1988 for Indian Point Unit 3 W/880914 ltr
KELLY, L., JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/08/31. 11pp 46857:288 46857 288.

V. Operator Examinations

8809140363 Forwards estimated operator licensing exam requirements for FY89 92, per Generic Ltr 88-13.
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/09/12. HANNON, J. Operator Licensing Branch. 3pp 46842.352-46842.354

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8809070075 Forwards Insp Repts 50-269/88-20, 50-270/88-20 & 50-287/88-20 on 880718-0815. No violations or deviations noted.
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/23. TUCKER, H.B. Duke Power Co 2pp 46784 328-46784 338.

8809070077 Insp Repts 50-269/88-20, 50-270/88-20 & 50-287/88-20 on 880718-0815 No violations noted. Major areas inspected, operations, surveillance testing, maint activities, safeguards, radiation protection & open items Weaknesses noted
SKINNER, P.H. Region 2, Ofc of the Director 88/08/23. 9pp. 46784 330-46784 338.

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant Encl withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/08/26. Document Control Branch (Document Control Desk) 3pp 46751 176-46751 178.

8809060257 Forwards Safeguards Insp Repts 50 269/88-21, 50-270/88-21 & 50-287/88-21 on 880725 29. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 88/08/29. TUCKER, H.B. Duke Power Co. 2pp. 46759 001-46759 003

8809060262 Partially withheld Insp Repts 50 269/88-21, 50-270/88-21 & 50-287/88-21 on 880725-29 (ref 10CFR2.790(d) & 73.21). No violations noted Major areas inspected, security program audit, vital area barriers & detection aids & communications.
MASNYK, O.M. Region 2, Ofc of the Director. 88/08/29. 1p 46759 003-46759 003.

8809020147 Forwards Rev 25 to security plan. Rev withheld (ref 10CFR73.21)
TUCKER, H.B. Duke Power Co. 88/08/30. Document Control Branch (Document Control Desk) 2pp 46751 172-46751 173.

8809020152 Forwards Rev 26 to plant security plan. Rev withheld.
TUCKER, H.B. Duke Power Co. 88/08/30 Document Control Branch (Document Control Desk) 2pp 46750 280 46750 281.

8809070326 Rev 88-06 to Emergency Plan Implementing Procedure RP/O/B/1000/012, "Determination of Protective Action Guides by Control Room Personnel or Emergency Coordinator During Radiological Accident."
DAVIS, J.M., TUCKER, H.B., MCINTOSH, J.T. Duke Power Co. 88/08/30. 50pp 46788 084 46788 133.

8809140462 Forwards Insp Repts 50 269/88-22, 50 270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/31. TUCKER, H.B. Duke Power Co. 2pp 46837 345-46837 353

8809140463 Insp Repts 50-269/88-22, 50-270/88-22 & 50-287/88-22 on 880801-05. No violations or deviations noted Major areas inspected emergency preparedness, including emergency plan implementing procedures & organization & mgmt control
KREH, J.L. Region 2, Ofc of the Director. 88/08/29. 6pp. 46837 348-46837 353.

K. Utility Final Safety Analysis Report (FSAR) & amends

8808260256 Forwards master table of contents inadvertently omitted from 1987 FSAR update
REAVIS, J. Duke Power Co. 88/08/16 NRC - No Detailed Affiliation Given. 1p 46658 207-46658 224

8808260351 Master table of contents to 1987 FSAR update
* Duke Power Co. 88/08/16. 17pp 46658 208-46658 224

P. Operating licensee stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8808260318 Advises that provision of submittal addressing unreviewed safety question re mod to install cavitating venturis will not be submitted by 880815 Provision of submittal by 880815 anticipated.
TUCKER, H.B. Duke Power Co. 88/08/16. Document Control Branch (Document Control Desk). 1p 46653.192-46653 192

8808260383 Requests clarification of proposed rev, deleting numerical values of certain cycle-dependent core operating limits from Tech Specs to be placed in core operating limits rept
MATTHEWS, D.B. Project Directorate II-3 88/08/23. TUCKER, H.B. Duke Power Co 6pp. 46659 065 46659 070

8808310086 Forwards Request for Relief 88-07 from Section XI of ASME Boiler & Pressure Code (w/addenda through Winter 1980) requirements re pressure testing specific welds during inservice insp at Unit 3 w/one oversize drawings.
TUCKER, H.B. Duke Power Co. 88/08/23 Document Control Branch (Document Control Desk). 5pp. 46703.131-46703 135

8808310110 Forwards Request for Relief 88 06 from requirements of Section XI of ASME Boiler & Pressure Vessel Code (w/addenda through Winter 1980). Requests concern inservice insp at Unit 3 during second 10 yr interval W/one oversize drawing
TUCKER, H.B. Duke Power Co. 88/08/23. Document Control Branch (Document Control Desk). 5pp. 46703.136 46703 140.

8809160238 Forwards Request for Relief 88-08 from requirements of Section XI of ASME Code (w/Addenda through Winter 1980) due to impracticality of pressure testing specific welds required by code following repair W/one oversize drawing.
TUCKER, H.B. Duke Power Co. 88/08/24. Document Control Branch (Document Control Desk) 5pp. 46857.067-46857 071.

8809010203 Notification of 880908 meeting w/util in Seneca, SC to discuss cause & correction actions of degraded post-accident performance of reactor bldg cooling units as indicated by test results
PASTIS, H.N. Project Directorate II-3 88/08/29. MATTHEWS, D.B. Project Directorate II-3. 3pp. 46740 341-46740 343.

8809070311 Provides info to assist NRC review of unit Cycle II reload, per 880819 telcon re ability of HPIS to meet 10CFR50.48 requirement for maintaining long-term cooling Procedures revised to correct two deficiencies
TUCKER, H.B. Duke Power Co. 88/08/29 Document Control Branch (Document Control Desk). 2pp. 46783 311-46783 312

8809060384 Forwards proprietary Topical Rept DPC-NE-2003, "Oconee Nuclear Station Core Thermal Hydraulic Methodology Using VIPRE-01." Rept withheld (ref 10CFR2.790).
TUCKER, H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk). 5pp. 46807.005-46807 009

8809190324 Revised application for amends to Licenses DPR-38, DPR 47 & DPR-55, deleting cycle-dependent core operating limits from Tech Specs & facilitating 10CFR50.59 reviews for future core reloads. Proposed amend supersedes 870803 & 880227 requests.
TUCKER, H.B. Duke Power Co. 88/09/08. Document Control Branch (Document Control Desk). 4pp. 46895.344-46895 013.

8809190330 Proposed Tech Specs, deleting cycle-dependent core operating limits & facilitating 10CFR50.59 reviews for future core reloads
* Duke Power Co. 88/09/09. 26pp 46895 348-46895 013.

8809220129 Forwards environ assessment & finding of no significant impact re 880516 request for amends to Licenses DPR-38, DPR-47 & DPR-55 Amends support Cycle 11 operation at full rated power
PASTIS, H.N. Project Directorate II-3. 88/09/12. TUCKER, H.B. Duke Power Co. 3pp 46942.010 46942 016.

8809220132 Environ assessment & finding of no significant impact re 880516 application for amends to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs to support Cycle 11 operation at full rated power.
MATTHEWS, D.B. Project Directorate II-3. 88/09/12. 4pp. 46942.013-46942 016.

8809180216 Notification of 881028 meeting w/util in Rockville, MD to discuss util corporate approach re QA surveillance & audit techniques.
HOOD, D. Project Directorate II-3. 88/09/14. MATTHEWS, D.B. Project Directorate II-3. 5pp. 46864.175-46864 179

72 DOCKETED ITEMS

8809230065 Forwards request for addl info re Tech Specs for safe shutdown facility Request include rationale for not providing compensatory measures in proposed Tech Specs as provided in previous Tech Spec proposal
MATTHEWS,D.B. Project Directorate II-3 88/09/20 TUCKER,H.B. Duke Power Co. 3pp 46944 336-46944 338

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, 'Movable Contact Finger Binding in HFA Relays Mfg by GE' Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc 121pp 46702 311-46703 070

8809010152 Forwards Insp Repts 50-269/88-25,50-270/88-25 & 50-287/88-25 on 880801-15 Violation noted Major areas inspected, inadequate design analysis of high pressure injection sys recirculation mode of operation
GRACE,J.N. Region 2, Ofc of the Director 88/08/22. TUCKER,H.B. Duke Power Co. 2pp 46720 124 46720 129

-8809010155 Insp Repts 50-269/88-25,50-270/88-25 & 50-287/88-25 on 880801-15 One violation noted Major areas inspected, inadequate design analysis of high pressure injection sys recirculation mode of operation
SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director 88/08/18 4pp 46720 126-46720 129

8808310086 Forwards Request for Relief 88-07 from Section XI of ASME Boiler & Pressure Code (w/addenda through Winter 1980) requirements re pressure testing specific welds during inservice insp at Unit 3 during second 10-yr interval.W/one oversize drawing
TUCKER,H.B. Duke Power Co. 88/08/23. Document Control Branch (Document Control Desk) 5pp 46703 131-46703 135

8808310110 Forwards Request for Relief 88-06 from requirements of Section XI of ASME Boiler & Pressure Vessel Code (w/addenda through Winter 1980) Requests concern inservice insp at Unit 3 during second 10-yr interval.W/one oversize drawing
TUCKER,H.B. Duke Power Co. 88/08/23. Document Control Branch (Document Control Desk) 5pp 46703 136-46703 140

8809070075 Forwards Insp Repts 50-269/88-20,50-270/88-20 & 50-287/88-20 on 880718 0815 No violations or deviations noted
BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/23. TUCKER,H.B. Duke Power Co. 2pp 46784 328-46784 338.

-8809070077 Insp Repts 50-269/88 20,50-270/88-20 & 50-287/88-20 on 880718 0815 No violations noted Major areas inspected, operations,surveillance testing,maint activities,safeguards, radiation protection & open items Weaknesses noted.
SKINNER,P.H., WERT,L.D., PEEBLES,T.A. Region 2, Ofc of the Director. 88/08/23, 9pp 46784 330-46784 338.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp. 46713 218-46713 219

8809080167 Discusses Insp Repts 50-269/88-03,50-270/88-03 & 50-287/88-03 on 880222 26 & forwards notice of violation info utl provided at enforcement conference showed that item re documentation of cable simlantly is not violation
GRACE,J.N. Region 2, Ofc of the Director 88/08/26 TUCKER,H.B. Duke Power Co. 2pp 46796 306-46796 309

-8809080168 Notice of violation from insp on 880222-26 Violations noted, file did not document performance characteristics for Victoreen high range radiation monitor sys & reactor bldg level transmitter junction box not filled w/oil.
GRACE,J.N. Region 2, Ofc of the Director 88/08/26 2pp 46796 308-46796 309

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp. 46713 095 46713 217.

8809060257 Forwards Safeguards Insp Repts 50-269/88 21,50-270/88 21 & 50-287/88-21 on 880725-29 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director. 88/08/29 TUCKER,H.B. Duke Power Co. 2pp. 46759 001 46759 003

-8809060262 Partially withheld Insp Repts 50-269/88-21,50-270/88-21 & 50-287/88-21 on 880725-29 (ref 10CFR2 790(d) & 73 21) No violations noted Major areas inspected security program audit,vital area barriers & detection aids & communications.
MASNYK,O.M., MCGUIRE,D.R. Region 2, Ofc of the Director 88/08/29. 1p. 46759 003-46759 003.

8809120067 Confirms 880818 telcon re 880812 enforcement conference on inadequate design analysis of HPI sys in ECCS sump recirculation mode
GRACE,J.N. Region 2, Ofc of the Director 88/08/29. TUCKER,H.B. Duke Power Co 1p 46824 358-46824 358.

8809080417 Forwards interim response to NRC Bulletin 88-004 re potential safety-related pump loss Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line
TUCKER,H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk) 33pp 46793 087-46793 116

8809140482 Forwards Insp Repts 50-269/88-22,50-270/88-22 & 50-287/88-22 on 880801-05 No violations or deviations noted
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/31. TUCKER,H.B. Duke Power Co 2pp 46837 346-46837 353.

-8809140483 Insp Repts 50-269/88-22,50-270/88-22 & 50-287/88-22 on 880801-05 No violations or deviations noted Major areas inspected emergency preparedness,including emergency plan implementing procedures & organization & mgt control
KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director. 88/08/29 6pp. 46837 348-46837 353

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712 244 46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123.

8809080114 Responds to NRC 880803 ltr re violations noted in Insp Repts 50-269/88 13,50-270/88-13 & 50-287/88-13 Corrective actions: inservice program being revised to require timing actuation-to-light for valve stroke timing test
TUCKER,H.B. Duke Power Co. 88/09/02. Document Control Branch (Document Control Desk) 10pp. 46796 245-46796 254.

8809220178 Forwards Insp Repts 50-269/88-23,50-270/88 23 & 50-287/88-23 on 880801-05.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director 88/09/08. TUCKER,H.B. Duke Power Co. 2pp. 46928 089 46928 100

-8809220182 Insp Repts 50-269/88 23,50-270/88 23 & 50-287/88-23 on 880801-05 No violations noted Major areas inspected pipe support base plate designs using concrete expansion anchor bolts & seismic analysis for as-built piping sys.
CHOU,R.C., BLAKE,J.J. Region 2, Ofc of the Director. 88/09/06. 10pp. 46928 091 46928 100.

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88 005, 'Nonconforming Malls Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co at Williamstown,NJ,' for Oconee Nuclear Station,McGuire Nuclear Station,..."
TUCKER,H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46915 124 46915 330.

-8809230251 Rev 0 to "Response to NRC Bulletin 88 005,Nonconforming Malls Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co...." Proprietary Procedure 1404.1, "LEEB Hardness Testing (Equotip) ..." encl Procedure withheld.
Duke Power Co. 88/09/09 250pp 46915 125-46915 330.

8809160234 Responds to followup items noted in Insp Repts 50-269/88-11, 50-270/88 11 & 50-287/88-11.Corrective actions:App D under evaluation to correct labeling discrepancies between emergency operating procedures & panel indication.
TUCKER,H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 17pp. 46885 062-46885 078

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 338.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809070064 "Radioactive Effluent Release & Solid Waste Disposal Rept for Jan-June 1988." W/880829 ltr.
TUCKER,H.B. Duke Power Co. 88/06/30. 32pp. 46774 289 46774 319.

8809200293 Monthly operating repts for Aug 1988 for Oconee Nuclear Station Units 1,2 & 3.W/880815 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 88/08/31. 17pp 46911 303 46911 319

S. Reportable occurrences, LERs & related correspondence

8809080034 Informs of postponement of self-initiated Internal QA Audit during third & fourth quarter 1988 per 880406 LER commitment Postponement due to numerous insps & audits conducted during 1988.
TUCKER,H.B. Duke Power Co. 88/08/29. Document Control Branch (Document Control Desk) 1p. 46792 184-46792 184.

8809230115 PNO II 88-055 on 880811,unit declared alert due to loss of all AC power.Caused by personnel error.Power restored by closure of standby breakers State of SG & county agencies informed.
BONSER,B., PEEBLES,T. Region 2, Ofc of the Director. 88/09/12 1p. 46932 299-46932 299.

8809230036 Forwards request for addl info to complete review of LER 269/87-05 re potential tripping of HPI pump motors on overcurrent for pump starting during LOCA,info requested within 45 days of date of ltr.
MATTHEWS,D.B. Project Directorate II-3, 88/09/20. TUCKER,H.B. Duke Power Co 3pp 46942 021-46942 023.

V. Operator Examinations

8809070173 Forwards utli best estimate of operator licensing & requalification exam requirements for FY89-FY92
TUCKER,H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk). 8pp. 46784 046-46784 053.

Y. Dry Cask Independent Spent Fuel Storage Installations

8808290098 Forwards responses to NRC 880824 questions re util license application for plant ISFSI Responses concern ISFSI environ rept Site preparation & earth removal will begin on 881001 w/first design concrete pours scheduled for Apr 1989 TUCKER,H.B. Duke Power Co 88/08/16 Document Control Branch (Document Control Desk) 80pp, 46681.261-46682.129

8809060288 Summary of 880722 meeting w/ licensee re current status of sys wide spent fuel storage & plans for dry cask storage. BELL,M.J. Regulatory Branch 88/08/30. Regulatory Branch 3pp 46755 037-46755.039.

8809070043 Forwards request for info for NRC review of NUTECH Topical Rept, NUH-002, Rev 1. Some calculations provided do not appear to correspond to NUTECH design ROBERTS,J.P. Fuel Cycle Safety Branch. 88/08/31. MCCONAGHY,W.J. NUTECH Engineers, Inc. 4pp. 46777.342-46777-345.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

R. Periodic operating reports & related correspondence

8809140258 "Model State Info Sys Bacteriological or Turbidity Summary Analysis Input." W/880808 ltr. SEXTON,G.H. Pennsylvania Power & Light Co WAQC 402. 88/08/31 2pp. 46841.053-46841 054

V. Operator Examinations

8809080016 Forwards operators license certificates for listed licensed reactor operators & senior reactor operators. W/o encls KIRSCH,D.F. Region 5, Ofc of the Director. 88/08/30 BRAGDON,P. Reed College, Portland, OR. 1p 46791.264-46791.264.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809070306 Forwards Safety Insp Rept 50 289/88-13 on 880612-0715 & notice of violation. BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/08/26 HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 46783.201-46783.226.

8809070314 Safety Insp Rept 50-289/88-13 on 880612-0715. Violations noted. Major areas inspected: power operations, outage activities & transition from one mode to another, including plant operations, equipment operability & security program. COWGILL,C. Region 1, Ofc of the Director. 88/08/23 26pp 46783.204 46783.229.

8809160020 Rev 2 01 to EPIP 5000-ADM-3054 01 (EP-033), "Operation of Parsippany Technical Functions Ctr." * General Public Utilities Corp - GPU Service Corp. 88/08/26 17pp 46897.222-46897.238.

8809070174 Rev 1 to Emergency Plan Implementing Procedure 1000-PLN-1300 01, "GPU Nuclear Corp Emergency Plan for TMI & Oyster Creek Nuclear Generating Station." NEVLING,R.E. General Public Utilities Corp. - GPU Service Corp. 88/09/02 300pp 46778.001-46778.340.

8809090060 Revised emergency plan implementing procedures, including Rev 0 to 9471-IMP-1300 03, "Emergency Offsite Notification," Rev 0 to 9471-IMP-1300.04, "Contact/Callout of Emergency Personnel" & Rev 0 to 9471-IMP-1300.05, "Communications" * General Public Utilities Corp - GPU Service Corp. 88/09/02. 650pp 46804 163-46806.078.

8809150128 Forwards Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively & SER Amends modify Paragraphs 2.c.(3) & 2.D of Licenses DPR-50 & DPR-73, respectively, to require compliance w/amended physical security plan. STOLZ,J.F. Project Directorate I-4. 88/09/02. HUKILL,H.D., STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp 6pp. 46874.051-46874.065

8809150129 Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively, modifying Paragraphs 2.c.(3) & 2.D to Licenses DPR-50 & DPR-73, respectively, requiring compliance w/amended physical security plan. STOLZ,J.F. Project Directorate I-4. 88/09/02. 5pp. 46874.057-46874.061

8809150130 Safety evaluation supporting Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 4pp. 46874.062-46874.065.

8809150222 Forwards safety evaluation accepting Rev 9 to TMI-1, "Fire Hazards Analysis Rept," & requests addl info re 10CFR50, App R issues. HERNAN,R.W. Project Directorate I-4. 88/09/07. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 46856.014-46856.041.

8809150224 Safety evaluation re Rev 9 to fire hazard analysis rept. * Project Directorate I-4. 88/09/07. 3pp. 46856.018-46856.018.

8807270214 "Review of Fire Hazards Analysis Rept, Rev 9, TMI-1," technical evaluation rept * Science Applications International Corp. (formerly Science Applications, Inc.), NRC-03-87-028. SAIC-88/3013. 88/07/19. NRC - No Detailed Affiliation Given. App. 46856.019-46856.022.

8809020073 "TMI-1 Evaluation of Fire-Related Loss of HVAC & Exemption Request From 10CFR50 App R," technical evaluation rept. * Science Applications International Corp. (formerly Science Applications, Inc.). NRC-03-87-028. SAIC-88/1810 88/08/24 19pp. 46856.023-46856.041.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or GPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Sys list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc 41pp. 47065 001-47065 006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (rel FOIA Exemption 5). App C documents partially withheld (rel FOIA Exemption 5) GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates. 5pp. 46770 080-46770 089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770 211-46770 223.

8809070330 Discusses mod to borated water storage tank for ECCS injection to recirculation from reactor bldg sump following large break LOCA HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 88/08/26 Document Control Branch (Document Control Desk) 3pp 46779.194-46779.196.

8809010273 Notification of 880901 meeting w/util in Rockville, MD to discuss Rev 2 to util operational QA plan for plants. SPRAUL,J. Quality Assurance Branch. 88/08/29. WEISS,S.H. Quality Assurance Branch 3pp. 46743 198-46743.200

8809080049 Forwards "Effluent & Offsite Dose Rept for Jan-June 1988" & Rev 10 to Operating Procedure 1104-281, "Waste Solidification Process Control Program." HUKILL,H.D. General Public Utilities Corp - GPU Service Corp. 88/08/29. Document Control Branch (Document Control Desk). 2pp 46797.325-46798.032.

8809140468 Rev 10 to Operating Procedure 1104-281, "Waste Solidification Process Control Program." * General Public Utilities Corp - GPU Service Corp 88/08/03. 55pp. 46797-338-46798.032.

8809190367 Forwards corrected 880815 ltr re safety & performance improvement program implementation schedule submittals, reflecting appropriate Ref 4. WILSON,R.F. General Public Utilities Corp - GPU Service Corp. 88/09/01. Document Control Branch (Document Control Desk). 1p. 46895.194-46895.196.

8809190386 Corrected ltr clarifying intent re submittal of TMI-1 implementation schedules for safety & performance improvement program recommendations Appropriate Ref 4 reflected. WILSON,R.F. General Public Utilities Corp - GPU Service Corp. 88/08/15. Document Control Branch (Document Control Desk). 2pp. 46895.195 46895.196.

8809150128 Forwards Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively & SER Amends modify Paragraphs 2.c.(3) & 2.D of Licenses DPR-50 & DPR-73, respectively, to require compliance w/amended physical security plan. STOLZ,J.F. Project Directorate I-4. 88/09/02 HUKILL,H.D., STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 6pp 46874.051-46874.065.

8809150129 Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively, modifying Paragraphs 2.c.(3) & 2.D to Licenses DPR-50 & DPR-73, respectively, requiring compliance w/amended physical security plan. STOLZ,J.F. Project Directorate I-4. 88/09/02. 5pp. 46874 057-46874.081.

8809150130 Safety evaluation supporting Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02 4pp. 46874.062-46874.065.

8809080320 Notifies of issue re potential impact of pressurized thermal shock temp ref in BAW-1975 & BAW-1920P. Use of 0 F may not be conservative to use as initial temp points for WF-70 B&W Owners Group & NRC evaluating issue. HERNAN,W.R. Project Directorate I-4 88/09/06. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 6pp 46800.237-46800.242

8809200136 Summary of 880901 QA meeting w/util in Rockville, MD to discuss Rev 2 of util operational QA plan for plants Agenda & list of participants encl. SPRAUL,J.G. Quality Assurance Branch.. 88/09/16. WEISS,S.H. Quality Assurance Branch 5pp. 46900.009-46900.013.

Q. Inspection reports, IE Bulletins & correspondence

8808290287 Notification of 880824 Significant Licensee Meeting 88-130 w/util in King of Prussia, PA to discuss enforcement conference re equipment environ qualification issues. COWGILL,C.J. Region 1, Ofc of the Director. 88/08/15 Region 1, Ofc of the Director. 2pp. 46880.196-46880.197.

8808260231 Forwards safety Insp Rept 50-289/88-19 on 880725-29. No violations noted. BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/17. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp 3pp. 46656.225-46656.234.

8808260247 Insp Rept 50-289/88-19 on 880725-29. No violations noted. Major areas inspected: licensee radiological controls program, including outage related radiological controls, outage work scope & ALARA & previous identified items. SHERBINI,S., SHANBAKY,M.M. Region 1, Ofc of the Director. 88/08/17. 7pp 46658-228-46658-234.

8808290052 Forwards Insp Rept 50-289/88-20 on 880725-29. No violations noted. DUNN,J.P. Region 1, Ofc of the Director. 88/08/18. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 46684.078-46684.091

8808290057 Insp Rept 50-289/88-20 on 880725-29. No violations or deviations noted. Major areas inspected: steam generator eddy current insp results & secondary side water chemistry WINTERS,R.W., STROSNIDER,J. Region 1, Ofc of the Director. 88/08/12. 12pp. 46684.080-46684.091

74 DOCKETED ITEMS

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/19
Consolidated Edison Co of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Fixed Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/22
Consolidated Edison Co of New York, Inc 121pp 46702 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/24
Consolidated Edison Co of New York, Inc 122pp 46713 218-46713 219

8809070306 Forwards Safety Insp Rept 50-289/88 13 on 880612-0715 & notice of violation
BETTENHAUSEN,L Region 1, Ofc of the Director 88/08/26 HUKILL,H.D General Public Utilities Corp - GPU Service Corp 2pp 46783 201-46783 229

8809070312 Notice of violation from insp on 880612 0715 Violation noted below-noted plant const activity conducted w/o use of controlled copy of Vendor Manual VM-TM-1024 in work package
* Region 1, Ofc of the Director 88/08/26 1p 46783 203 46783 203

8809070314 Safety Insp Rept 50-289/88 13 on 880612 0715 Violations noted Major areas inspected power operations,outage activities & transition from one mode to another,including plant operations,equipment operability & security program
COWGILL,C Region 1, Ofc of the Director 88/08/23 26pp 46783 204-46783 229.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/28
Consolidated Edison Co of New York, Inc. 123pp 46713 095-46713 217

8809070325 Revises commitment from 870825 ltr in response to Violation B noted in Insp Rept 50 289/87-09 re long-term makeup filter cubicle contamination actions Makeup Filter 2A/B cubicle interior will not be repainted.
HUKILL,H.D General Public Utilities Corp - GPU Service Corp 88/08/29. Document Control Branch (Document Control Desk) 1p 46784 145-46784 145

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/01.
Consolidated Edison Co. of New York, Inc 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/02
Consolidated Edison Co of New York, Inc 122pp 46726 001-46726 123.

8809160295 Forwards Safety Insp Rept 50-289/88-21 on 880801-05 No violations noted
DURR,J.P Region 1, Ofc of the Director 88/09/06 HUKILL,H.D. General Public Utilities Corp - GPU Service Corp 2pp 46864,244-46864 253

8809160296 Insp Rept 50-289/88 21 on 880801-05 No violations or deviations noted Major areas inspected test witnessing & administration of control of local leak rate testing & followup of previously identified open items
GOLLA,J.A., EAPEN,P.K Region 1, Ofc of the Director 88/08/30 8pp 46864,246-46864 253

8809150007 Provides summary of actions taken in response to NRC Bulletin 88-005 re nonconforming mail supplied by PSI & WJM No mail procured subj to bulletin as of 880803
HUKILL,H.D General Public Utilities Corp - GPU Service Corp 88/09/09 Document Control Branch (Document Control Desk) 3pp. 46863 323-46863 325

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/14
Consolidated Edison Co of New York, Inc 122pp 46824 215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/16.
Consolidated Edison Co of New York, Inc 124pp 46946,133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/18.
Consolidated Edison Co of New York, Inc 125pp 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8808290307 Forwards "TMI Aquatic Study Monthly Progress Rept for Jul 1988," by RMC Environ Svcs
RESSLER,W.C General Public Utilities Corp - GPU Service Corp 88/08/19.
MASNIK,M. NRC - No Detailed Affiliation Given. 1p 46884 189 46884 204.

8808300033 "TMI Aquatic Study Monthly Progress Rept for Jul 1988"
* RMC Environmental Services 88/07/31 15pp 46684 190-46684 204

8809080048 Forwards "Effluent & Offsite Dose Rept for Jan-June 1988" & Rev 10 to Operating Procedure 1104-281, "Waste Solidification Process Control Program."
HUKILL,H.D General Public Utilities Corp. - GPU Service Corp. 88/08/29 Document Control Branch (Document Control Desk). 2pp 46797,325 46798,032

8809080051 "Effluent & Offsite Dose Rept,Jan-June 1988"
* General Public Utilities Corp - GPU Service Corp 88/06/30 11pp 46797:327-46797:337.

8809140468 Rev 10 to Operating Procedure 1104-281, "Waste Solidification Process Control Program"
* General Public Utilities Corp - GPU Service Corp 88/06/03 55pp. 46797:338-46798 032

8809200154 Monthly operating rept for Aug 1988 for TMI-1 W/880915 ltr
SMYTH,C.W., HUKILL,H.D General Public Utilities Corp - GPU Service Corp 88/08/31 6pp 46911 048 46911 053

S. Reportable occurrences, LERs & related correspondence

8809070339 LER 88-003 00 on 880728,chlorine detector sys inoperable causing nuisance alarm Caused by personnel error by shift supervisor individual counselling of all shift supervisors re verification of channels performed W/880829 ltr
HASSLER,D.V., HUKILL,H.D General Public Utilities Corp - GPU Service Corp 88/08/29. 4pp 46776 169 46776 172

8809200047 LER 88-004-00 on 880813,reactor coolant pump tripped & heat seek protection sys activated to start emergency feedwater pumps Caused by inadequate procedural guidance Test procedure changed & test completed W/880912 ltr
KNIGHT,M.R., HUKILL,H.D General Public Utilities Corp - GPU Service Corp 88/09/12. 7pp 46915 099-46915 105

8809230119 PNO 1-88-096 on 880917,licensee shut down unit to troubleshoot &/or repair cause of high flow in seal leak off line 1 for reactor coolant pump D
CONTER,R., COWGILL,C Region 1, Ofc of the Director 88/09/19 1p 46932 298 46932 298

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809190160 Forwards plant evacuation time estimate & traffic mgt plan. No state comments until review w/local officials completed. FEMA comments requested.
BOULAY,R.J Massachusetts, Commonwealth of 88/03/10 THOMAS,E.A. Federal Emergency Management Agency 1p 46889 026 46889 088

8809190167 "Pilgrim Station Evacuation Time Estimates & Traffic Mgt Plan Update," final draft for review
* KLD Associates, Inc TR-203. 88/08/18 250pp 46889:027-46890 088

8808260046 Forwards Safety Insp Rept 50 293/88-25 on 880601 0717. Evaluation of significance,root cause & corrective actions taken in response to high number of ESF actuations requested
COLLINS,S.J Region 1, Ofc of the Director. 88/08/17. BIRD,R.G. Boston Edison Co 2pp. 46656,257 46656 278

8808260047 Insp Rept 50 293/88-25 on 880601-0717 No violations noted. Major areas inspected plant operations,radiation protection, physical security,plant events,maint,surveillance,outage activities & trips to NRC
BLOUGH,A.R Region 1, Ofc of the Director 88/08/15. 20pp 46656 259 46656 278

8809160085 Partial response to FOIA request for documents re plant. Forwards App C documents Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth,MA
GRIMSLEY,D NRC - No Detailed Affiliation Given 88/08/23. JOHNSON,G.E Swidler & Berlin 3pp 46814 001-46814 026

8809160091 Forwards package on FEMA self initiated review & interim finding on off site emergency planning at plant. Commonwealth of MA planning found inadequate to protect health & safety of public W/o encl.
IGNE,E ACRS - Advisory Committee on Reactor Safeguards 87/08/27 MOELLER,D. ACRS - Advisory Committee on Reactor Safeguards 1p 46814 004-46814 004.

8809160248 Discusses restart of plant,per NRC 870427 confirmation of action ltr ordering continued shutdown until problems identified in SALP reviews resolved EDO scheduled to address Commission in Aug 1988 on licensee readiness for restart.
BOEHNER,T.P. ACRS - Advisory Committee on Reactor Safeguards 88/03/23 ACRS - Advisory Committee on Reactor Safeguards 1p 46814,310 46814 310

8809160168 Partial response to FOIA request for documents Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth,MA.
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/25 JOHNSON,G.E. Swidler & Berlin 4pp 46831,033-46832 075

8809180173 Advises that encl Investigation Rept 50 293/81-37 re mail false state ment incident scheduled for issuance on 820318. Incident does not appear to involve deliberateness on part of util nor employees Supporting documentation encl
HAYNES,R.C. Region 1, Ofc of the Director 82/03/10 DEYOUNG,R.C Ofc of Inspection & Enforcement, Director (820201-870413). CUMMINGS,J.M Office of Inspector & Auditor 133pp 46831,040 46831 247.

8809160191 Summary of 870814 meeting w/util,FEMA & Commonwealth of MA in FEMA Region 1 Ofc re FEMA Region 1 self-initiated review & interim finding dtd 870804
LAZARUS,W.J Region 1, Ofc of the Director. 87/08/17. Region 1, Ofc of the Director 2pp 46831 299-46831 300

8809160199 Proposes listed agenda items for 871008 meeting in King of Prussia,PA,including status of NRC review of security violations reported by util & allegations of excessive overtime,per 870930 telcon.
AGNES,P.W Massachusetts, Commonwealth of. 87/10/01 MILLER,M. NRC - No Detailed Affiliation Given 10pp 46831 303 46831 312.

8809160201 Summarizes 871008 meeting w/Commonwealth of MA re concerns & status of NRC position on emergency planning,safety enhancements & mgt deficiencies re plant Meeting agenda & list of attendees encl
MILLER,M.T. Region 1, Ofc of the Director. 87/12/04 DEAN,G. Massachusetts, Commonwealth of. 4pp. 46831 313-46831 316.

8809160205 Forwards info re allegation process,OL amend process,NRC policy on overtime at plant & generic emergency procedures for containment venting,per 871008 request W/o stated encls Related info encl
MILLER,M.T. Region 1, Ofc of the Director 87/11/10. BARRY,C.V Massachusetts, Commonwealth of 8pp. 46831 317-46831 325

--8809160207 Responds to 871112 request for comments on util restart plan for plant & on results at plant to date
BARRY,C.V. Massachusetts, Commonwealth of 88/01/04 RUSSELL,W.T Region 1, Ofc of the Director 4pp. 46831 326 46831.329

--8809160239 "Rept on Emergency Preparedness for Incident at Pilgrim Nuclear Power Station,"
BARRY,C.V. Massachusetts, Commonwealth of 87/12/16 37pp. 46831 330-46832 048

--8809160244 Confirms discussions re 880209 informational meeting between Region I staff & representatives of local & state govts & certain residents living in area of plant
AGNES,P.W. Massachusetts, Commonwealth of 88/02/05 MILLER,M. Region 1, Ofc of the Director 2pp. 46832.056-46832 057

--8809160251 Forwards transcripts of oral statements made during public meetings held by NRC on 880218 in Plymouth,MA, to receive public comments on plant restart plan
RUSSELL,W.T. Region 1, Ofc of the Director 88/04/05. BARRY,C.V. Massachusetts, Commonwealth of. 1p 46832.058 46832 058

--8809160255 "Emergency Preparedness."
BELLAMY,R.R. Region 1, Ofc of the Director 88/05/11. 10pp. 46832 059 46832 068

8809140303 Forwards Integrated Assessment Team Insp Rept 50-293/88-21 on 880808-24 No fundamental flaws in mgt structure, mgt performance, programs or program implementation noted Results will be considered in decision re restart.
COLLINS,S.J. Region 1, Ofc of the Director 88/09/07 BIRD,R.G. Boston Edison Co 3pp 46843 257-46844 062.

--8809140304 Integrated Assessment Team Insp Rept 50-293/88-21 on 880808-24 No violations noted Major areas inspected degree of readiness of licensee mgt controls, programs & personnel to support safe restart & plant operation
BLOUGH,A.R. Region 1, Ofc of the Director 88/09/07 158pp 46843 260 46844.060

Q. Advisory Committee on Reactor Safeguards reports & correspondence

8809160065 Partial response to FOIA request for documents re plant. Forwards App C documents Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth,MA.
GRIMSLEY,D NRC - No Detailed Affiliation Given. 88/08/23. JOHNSON,G.E. Swidler & Berlin. 3pp. 46814-001-46814-026

--8809160091 Forwards package on FEMA self-initiated review & interim finding on off-site emergency planning at plant. Commonwealth of MA planning found inadequate to protect health & safety of public W/o encl
IGNE,E. ACRS - Advisory Committee on Reactor Safeguards. 87/08/27 MOELLER,D ACRS - Advisory Committee on Reactor Safeguards. 1p 46814.004-46814-004.

--8809160248 Discusses restart of plant, per NRC 870427 confirmation of action for ordering continued shutdown until problems identified in SALP reviews resolved EDO scheduled to address Commission in Aug 1988 on licensee readiness for restart
BOEHNERT,P ACRS - Advisory Committee on Reactor Safeguards 88/03/23 ACRS - Advisory Committee on Reactor Safeguards. 1p 46814-310-46814-310.

P. Operating license stage documents & correspondence

8809120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Sys list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065.006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates. 5pp 46770-060-46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770-211-46770.223.

8809280140 Forwards TE Murley 880826 ltr to Ohio Citizens for Responsible Energy (OCRE) ack receipt of petition filed under 10CFR2.206 of Commission regulation & responds in negative re all BWRs
MCDONALD,D.G. Project Directorate I-3. 88/08/19 BIRD,R.G. Boston Edison Co. 2pp. 46965.223-46965-226.

8809160085 Partial response to FOIA request for documents re plant Forwards App C documents. Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth,MA
GRIMSLEY,D NRC - No Detailed Affiliation Given. 88/08/23 JOHNSON,G.E. Swidler & Berlin. 3pp 46814.001-46815.086.

--8702030158 Confirms that final response to 10CFR2.206 petition re restart date for plant will be submitted by 870331, per discussion Related Info encl
JORDAN,E.L. Div of Emergency Preparedness & Engineering Response, IE(850212-870413). 87/01/28 KRIMM,R.W. Federal Emergency Management Agency. 240pp. 46814-027-46814-309.

--8809160102 Summary of 820209 meeting w/util re current status of util response to NRC order. List of attendees & description of changes in util organization encl
ORRIG,J. Enforcement Staff, IE (Pre 870413) 82/02/09. Enforcement Staff, IE (Pre 870413). 13pp. 46814.005-46814-017.

--8809160123 Requests submittal of schedule for installation & testing of containment atmospheric dilution sys within 60 days, per Rev 2 to Reg Guide 1.7.
IPPOLITO,T.A. Atomic Energy Commission - Deputy Director for Reactor Projects 78/03/14. ANDOGNINI,G.C. Boston Edison Co 2pp. 46814.025 46814.026.

--8809160270 Advises of suspension of work on containment atmospheric dilution sys described in Amend 35 to FSAR Action taken pending rev to Reg Guide 1.7.
FELDMANN,M.J. Boston Edison Co. 74/06/13 Atomic Energy Commission, Directorate of Licensing 1p 46814.313-46815 086.

8809160168 Partial response to FOIA request for documents Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth,MA
GRIMSLEY,D NRC - No Detailed Affiliation Given 88/08/25 JOHNSON,G.E. Swidler & Berlin 4pp 46831 033 46831 247

--8702190275 Requests review of encl info re safety classification of refueling interlocks at facility & assistance in resolving matter prior to restart.
KANE,W.F. Region 1, Ofc of the Director 87/01/06 BERNERO,R. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). 9pp 46831 246-46831 260

--8809160186 Expresses appreciation for repts submitted to NRC by Commonwealth of MA Dept of Public Health & S Cobb re results of epidemiological studies in communities around plant Commonwealth of MA responsible for reviewing concerns
KANE,W.F. Region 1, Ofc of the Director 87/09/17 ALEXANDER,L.R. Massachusetts, Commonwealth of. 2pp 46831 301-46831 302

--8809160199 Proposes listed agenda items for 871008 meeting in King of Prussia,PA, including status of NRC review of security violations reported by util & allegations of excessive overtime, per 870930 telcon
AGNES,P.W. Massachusetts, Commonwealth of 87/10/01. MILLER,M. NRC - No Detailed Affiliation Given 10pp 46831.303-46831 312

--8809160201 Summarizes 871008 meeting w/Commonwealth of MA re concerns & status of NRC position on emergency planning, safety enhancements & mgt deficiencies re plant. Meeting agenda & list of attendees encl
MILLER,M.T. Region 1, Ofc of the Director 87/12/04 DEAN,G. Massachusetts, Commonwealth of 4pp 46831.313-46831 316

--8809160205 Forwards info re allegation process, OL amend process, NRC policy on overtime at plant & generic emergency procedures for containment venting, per 871008 request W/o stated encls Related Info encl
MILLER,M.T. Region 1, Ofc of the Director. 87/11/10. BARRY,C.V. Massachusetts, Commonwealth of. 9pp 46831 317-46831-325

--8809160207 Responds to 871112 request for comments on util restart plan for plant & on results at plant to date.
BARRY,C.V. Massachusetts, Commonwealth of 88/01/04 RUSSELL,W.T. Region 1, Ofc of the Director. 4pp 46831 326 46831-329

8809080115 Notification of 880831 Licensee Meeting 88-139 in King of Prussia,PA to discuss Rosemount transmitter testing
BLOUGH,A.R. Region 1, Ofc of the Director. 88/08/30 Region 1, Ofc of the Director. 2pp. 46788 324-46788 325.

8809090272 Forwards revised "Power Ascension Program," for NRC review & approval Rev adds four periods of normal operation/ observation during power ascension program for new operator required training & enhancing operational proficiency
BIRD,R.G. Boston Edison Co. 88/08/31 Document Control Branch (Document Control Desk) 2pp 46788 076 46788.117

--8809090279 "Pilgrim Nuclear Power Station Power Ascension Program."
* Boston Edison Co 88/08/31. 41pp. 46799 077-46799-117.

8809140200 Responds to 880829 request for addl info re backup nitrogen supply & drywell spray sys portions of safety enhancement program
BIRD,R.G. Boston Edison Co. 88/08/07. Document Control Branch (Document Control Desk) 10pp 46836 081-46836.090

8809190388 Advises that NRC review of power ascension program ended Program provides adequate plan which satisfies NRC request for formal restart program & schedule, per 880827 update to Confirmatory Action Ltr CAL-88 10.
MARTIN,T.T. Region 1, Ofc of the Director. 88/09/07. BIRD,R.G. Boston Edison Co 3pp. 46898 359 46898-361

8809140345 Forwards Amend 121 to License DPR-35 & safety evaluation Amend consists of changes to Tech Specs re surveillance test frequency for ATWS recirculation pump trip/alternate rod insertion instruments.
MCDONALD,D.G. Project Directorate I-3. 88/09/08. BIRD,R.G. Boston Edison Co 5pp. 46838 131-46838-141.

--8809140348 Amend 121 to License DPR-35, revising Tech Specs re surveillance test frequency for ATWS recirculation pump trip/alternate rod insertion instruments
WEISSMAN,R.H. Project Directorate I-3. 88/09/08. 5pp 46838-135-46838-139.

--8809140349 Safety evaluation supporting Amend 121 to License DPR-35.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/08. 2pp. 46838-140 46838 141.

8809140404 Forwards Amend 120 to License DPR-35 & safety evaluation Amend changes degraded voltage trip & alarm setpoints.
MCDONALD,D.G. Project Directorate I-3. 88/09/08 BIRD,R.G. Boston Edison Co 4pp. 46844-135 46844 147.

--8809140416 Amend 120 to License DPR-35, changing degraded voltage trip & alarm setpoints
WEISSMAN,R.H. Project Directorate I-3. 88/09/08 7pp 46844-139-46844-145.

--8809140424 Safety evaluation supporting Amend 120 to License DPR-35
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/08. 2pp 46844-146-46844-147

Q. Inspection reports, IE Bulletins & correspondence

8808260046 Forwards Safety Insp Rept 50-293/88-25 on 880601-0717 Evaluation of significance, root cause & corrective actions taken in response to high number of ESF actuations requested
COLLINS,S.J. Region 1, Ofc of the Director 88/08/17. BIRD,R.G. Boston Edison Co. 2pp. 46656-257-46656 278

--8808260047 Insp Rept 50-293/88-25 on 880601-0717. No violations noted. Major areas inspected: plant operations, radiation protection, physical security, plant events, maint, surveillance, outage activities & repts to NRC
BLOUGH,A.R. Region 1, Ofc of the Director. 88/08/16. 20pp. 46656-259 46656.278.

76 DOCKETED ITEMS

8809010229 Forwards most recent NRC outstanding items list per request. Documentation of open NRC insp findings, including violations & unresolved items will be considered for review by NRC.
MILLER, M. Region 1, Ofc of the Director 88/08/17 AGNES, P. Massachusetts, Commonwealth of 7pp 46744 120-46744 126.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc 125pp. 46690 054 46690 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc 121pp. 46702 311-46703 070.

8809160085 Partial response to FOIA request for documents re plant. Forwards App C documents. Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth, MA.
GRIMSLEY, D. NRC - No Detailed Affiliation Given 88/08/23 JOHNSON, G.E. Swidler & Berlin 3pp. 46814 001-46815 086.

8809160104 Discusses Commonwealth of MA proposal for alternative to imposition of civil penalty in amount of \$450,000.
PARRISH, R. Office of the General Counsel 82/03/02. Office of the General Counsel 1p 46814 016-46814 016.

8809160116 Forwards documents re background info on util violation of 10CFR50.44, per request.
CARLSON, R.T. Enforcement & Investigation Staff, R1 81/07/24. WESSMAN, R. Enforcement & Investigation Staff, IE (Pre 820201) 6pp 46814 019-46814 024.

8809160248 Discusses restart of plant per NRC 870427 confirmation of action for ordering continued shutdown until problems identified in SALP reviews resolved EDO scheduled to address Commission in Aug 1988 on licensee readiness for restart.
BOEHNER, P. ACRS - Advisory Committee on Reactor Safeguards. 88/03/23 ACRS - Advisory Committee on Reactor Safeguards 1p 46814 310 46814 310.

8809160254 Requests that further processing of payment of civil penalty by util & deposit of payment in US Treasury be stayed until deposition of Commonwealth of MA petition.
KENNY, P.J. Massachusetts, Commonwealth of 82/03/19 HAYNES, R.C. Region 1, Ofc of the Director. 1p. 46814 311 46814 311.

8809160255 Requests that further processing of payment of civil penalty in amount of \$550,000 by util be stayed until deposition of Commonwealth of MA petition.
KENNY, P.J. Massachusetts, Commonwealth of 82/03/22. DEYOUNG, R.C. Ofc of Inspection & Enforcement, Director (820201 870413). 1p. 46814 312-46814 312.

8808160368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp. 46713 218-46713 218.

8809020162 Forwards Insp Rept 50-293/88-23 on 880820-30 No violations noted.
DURR, J.P. Region 1, Ofc of the Director. 88/08/25. BIRD, R.G. Boston Edison Co. 2pp 46750 235-46750 251.

8809020163 Insp Rept 50-293/88-23 on 880820 30 No violations noted. Major areas inspected licensee corrective actions in response to NRC Info Notices 88-003 & 053 re Limitorque valves & Raychem heat shrink tubing, respectively.
KOSHY, T. Region 1, Ofc of the Director 88/08/23 15pp 46750 237-46750 251.

8809160168 Partial response to FOIA request for documents Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth, MA.
GRIMSLEY, D. NRC - No Detailed Affiliation Given 88/08/25 JOHNSON, G.E. Swidler & Berlin 4pp. 46831.033-46832.075.

8803300047 Forwards Augmented Insp Team outstanding issues re improvement of plant ability to cope w/future similar event, for tracking & followup.
DURR, J.P. NRC - No Detailed Affiliation Given 88/01/20. WIGGINS, J.T. NRC - No Detailed Affiliation Given. 7pp 46832.049-46832 055.

8809160173 Advises that encl Investigation Rept 50 293/81-37 re mail false statement incident scheduled for issuance on 820318 Incident does not appear to involve deliberateness on part of util nor employees Supporting documentation encl.
HAYNES, R.C. Region 1, Ofc of the Director. 82/03/10. DEYOUNG, R.C. Ofc of Inspection & Enforcement, Director (820201 870413) CUMMINGS, J.M. Office of Inspector & Auditor 133pp 46831.040 46831 247.

8809160199 Proposes listed agenda items for 871008 meeting in King of Prussia, PA, including status of NRC review of security violations reported by util & allegations of excessive overtime, per 870930 telcon.
AGNES, P.W. Massachusetts, Commonwealth of 87/10/01 MILLER, M. NRC - No Detailed Affiliation Given. 10pp. 46831.303-46831.312.

8809160261 Requests right to participate as observer in augmented team Insp scheduled for 880606 & to designate addl associate observers to assist G Minor in selected phases of insp.
BARRY, C.V. Massachusetts, Commonwealth of 88/05/27. RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 46832 069 46832 071.

8809160268 Informs that Governor Dukakis & Atty General Shannon agree to abide by "Guidelines for Accompaniment on Integrated Assessment Team Insp." subj to resolution of encl items brought to Zech attention W/o encl.
BARRY, C.V. Massachusetts, Commonwealth of 88/07/08 RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 46832 072-46832 075.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712-244-46713 004.

8809090103 Requests Commonwealth of MA observations & conclusions different from NRC inspectors w/respect to insp so that NRC can take necessary actions meet regulatory responsibilities. Response required by 880906.
COLLINS, S.J. Region 1, Ofc of the Director 88/09/01 BARRY, C.V. Massachusetts, Commonwealth of 3pp 46806 200 46806 202.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123.

8809150335 Provides details for safety-related relays & Insp results in response to NRC Bulletin 88 003, "Inadequate Latch Engagement in HFA Type Latching Relays Mig by GE."
BIRD, R.G. Boston Edison Co 88/09/06 Document Control Branch (Document Control Desk). 3pp 46848 358-46848 360.

8809140303 Forwards Integrated Assessment Team Insp Rept 50 293/88 21 on 880808 24 No fundamental flaws in mgt structure, mgt performance, programs or program implementation noted. Results will be considered in decision re restart.
COLLINS, S.J. Region 1, Ofc of the Director 88/09/07. BIRD, R.G. Boston Edison Co 3pp 46843 257-46844 062.

8809140304 Integrated Assessment Team Insp Rept 50-293/88-21 on 880808 -24 No violations noted. Major areas inspected degree of readiness of licensee mgt controls, programs & personnel to support safe restart & plant operation.
BLOUGH, A.R. Region 1, Ofc of the Director 88/09/07 158pp 46843 260 46844 060.

8809140306 Responds to 880901 ltr re Commonwealth of MA participation in Integrated Assessment Team Insp at facility. Mediocre scores during last SALP period, coupled w/poor performance, should be addressed by NRC in decision re restart.
AGNES, P.W. Massachusetts, Commonwealth of 88/09/06. COLLINS, S.J. Region 1, Ofc of the Director 2pp 46844 061-46844 062.

8809260223 Forwards Meeting Rept 50-293/M88-312 on 880831 to discuss NRC concerns re Rosemount 1153 transmitter ringing problems.
MARTIN, T.T. Region 1, Ofc of the Director 88/09/07 BIRD, R.G. Boston Edison Co 2pp. 46956.022 46956.046.

8809260225 Meeting Rept 50-293/M88-312 on 880831 Discusses NRC concerns re Rosemount 1153 transmitter ringing problem & util approach to resolving issue.
CHEUNG, L. ANDERSON, C. Region 1, Ofc of the Director 88/09/06. 23pp. 46956 024-46956 046.

8809220321 Forwards Insp Rept 50-293/88 29 on 880818-20 No violations noted.
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/08 BIRD, R.G. Boston Edison Co. 2pp. 46927 026 46927 033.

8809220322 Insp Rept 50-293/88 29 on 880818-20 No violations or deviations noted. Major areas inspected use of NRC mobile radioanalytical lab to perform independent measurements of soil to determine existence & level of contamination.
BELLAMY, R.R. KOTTAN, J.J., PASCIAK, W.J. Region 1, Ofc of the Director 88/09/07 6pp. 46927 028-46927 033.

8809200277 Forwards "Response to NRC Bulletin 88 05 & Suppl 1 & 2, Nonconforming Malls," supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ.
BIRD, R.G. Boston Edison Co 88/09/09 Document Control Branch (Document Control Desk). 2pp 46912 001-46912 262.

8809200278 "Response to NRC Bulletin 88 05 & Suppl 1 & 2, Nonconforming Malls." Boston Edison Co 88/09/30 200pp. 46912 003 46912 262.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRS During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp. 46946.133-46946 252.

8809230110 Responds to NRC Bulletin 88 003, Suppl 1 requesting reexam & possible expansion of licensee valve testing programs to verify torque switch settings on safety-related motor operated valves.
BIRD, R.G. Boston Edison Co. 88/09/17. Document Control Branch (Document Control Desk). 5pp. 46843 310-46843 314.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co. of New York, Inc 125pp. 46946.253 46947 013.

8809260145 Forwards util response to SALP Rept 50-293/87-89 for 870201-880515 Util ability to self assess & to set & meet rising stds of excellence proven.
BIRD, R.G. Boston Edison Co. 88/09/19 Document Control Branch (Document Control Desk). 6pp. 46957 046-46957 051.

R. Periodic operating reports & related correspondence

8808300160 Forwards resident inspector biweekly status rept of monitored activities for period 880730-0812. NRC began Integrated Assessment Team Insp at facility on 880808. Onsite Insp will continue through 880818.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/08/18 WIGGINS, J.T. Region 1, Ofc of the Director. 5pp. 46693 043-46693 047.

8809190291 Monthly operating rept for Aug 1988 for Pilgrim W/880913 ltr.
HAMILTON, P., BIRD, R.G. Boston Edison Co. 88/08/31. 7pp. 46895 197-46895 203.

8809190355 Forwards plant biweekly status rept for 880813 28 Rept intended to provide NRC & public w/overview of plant activities & NRC Insp activities.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/09/08 WIGGINS, J.T. Region 1, Ofc of the Director 5pp. 46899 042-46899 046.

DOCKETED ITEMS 77

8809260009 Forwards biweekly status rept for 880827-0909
BLOUGH, A.R. Region 1, Ofc of the Director 88/09/20 WIGGINS, J.T. Region 1, Ofc of the Director 6pp. 46956 253-46956 258.

S. Reportable occurrences, LERs & related correspondence

8809160168 Partial response to FOIA request for documents. Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth, MA
GRIMSLEY, D. NRC - No Detailed Affiliation Given 88/08/25 JOHNSON, G.E. Swidler & Berlin. 4pp. 46831 033-46831 247

--8809160189 Transcript of WF Kane testimony before Special Joint Committee on Investigation & Study of Pilgrim Station re 860412 shutdown & deficiencies identified incomplete rept of committee on plant encl.
KANE, W.F. Region 1, Ofc of the Director. 87/04/27 37pp. 46831 262-46831 208

T. Hearing transcripts on non-antitrust matters

8809160168 Partial response to FOIA request for documents. Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth, MA
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/08/25 JOHNSON, G.E. Swidler & Berlin. 4pp. 46831 033-46831 247

--8809160184 Forwards transcript of testimony presented to Special Joint Committee on 870427.
KANE, W.F. Region 1, Ofc of the Director 87/05/01 FORMAN, P.V. Massachusetts, Commonwealth of 1p. 46831.261-46831.261.

--8809160189 Transcript of WF Kane testimony before Special Joint Committee on Investigation & Study of Pilgrim Station re 860412 shutdown & deficiencies identified incomplete rept of committee on plant encl.
KANE, W.F. Region 1, Ofc of the Director. 87/04/27 37pp. 46831.262-46831 208.

8809090070 Transcript of ACRS Ad Hoc Subcommittee on Pilgrim Restart 880826 meeting in Plymouth, MA Pp 1-232. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards 88/08/26 307pp. 46768.058-46768 004.

U. Congressional/Executive Correspondence

8808260157 Responds to 880629 ltr expressing concerns re restart of facility. Emergency plans in place that include measures for evacuation of plume exposure pathway EP2.
ZECH, L.W. Commissioners. 88/08/18 DWIGHT, G.E. Scituate, MA 4pp. 46689 242-46689 254.

--8808260158 Expresses concerns re reopening facility. Evacuation plan not in place & leukemia study results should be in hand before restart.
DWIGHT, G.E. Scituate, MA. 88/08/28. ZECH, L.W. Commissioners. 1p. 46689.254-46689 254.

V. Operator Examinations

8809140305 Forwards proposed operator licensing & requalification exam schedule format in response to Generic Ltr 88-13, "Operator Licensing Exams."
BIRD, R.G. Boston Edison Co. 88/09/07. Document Control Branch (Document Control Desk) 3pp. 46837.218-46837 220.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260473 Forwards FEMA analysis of "Zion Nuclear Power Station Site-Specific Off-site Radiological Emergency Alert & Notification Sys QA Verification." Alert & notification sys installed around facility satisfies NUREG 0654 requirements
PETERSON, G.C. Federal Emergency Management Agency. 88/08/08 STELLO, V. Ofc of the Executive Director for Operations. 1p. 46657.001-46658 101.

--8808260480 "Zion Nuclear Power Station Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
* Federal Emergency Management Agency. 88/08/20. 200pp. 46657 002-46658 101

8808290034 Index to emergency plan implementing procedures
* Commonwealth Edison Co. 88/08/10. 4pp. 46683 266-46683 269

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control.
FORNEY, W.L. Region 3, Ofc of the Director. 88/08/22. HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698 241.

8809260219 Procedure Change Request A-88-393 to EPIP 440-1, "Emergency Communications Sys & Operational Tests."
NYKEIL, A.W. Commonwealth Edison Co. 88/08/24. 18pp. 46956.111-46956 128.

8809120133 Revised Emergency Plan Implementing Procedure EPIP 170 1, "Security Director."
RIECK, T.A. Commonwealth Edison Co. 88/08/25. 11pp. 46815.342-46815 352

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/31. REED, C. Commonwealth Edison Co. 2pp. 46808.193-46808 194

8809260067 Procedure Change Request A-88-383 to EPIP 320-1, "Activation of Generating Station Emergency Plan Station Group."
* Commonwealth Edison Co. 88/08/31. 10pp. 46956 243-46956 252.

8809260212 Rev 1 to Emergency Plan Implementing Procedure EPIP 370-2, "First Aid & Decontamination"
* Commonwealth Edison Co. 88/08/31. 12pp. 46955 205-46955 216

8809190031 Forwards FEMA 880806 ltr & evaluation stating that alert & notification sys installed around plant satisfies NUREG 0654 FEMA REP-1, Rev 1 & FEMA-43 requirements
SHAFFER, W.D. Region 3, Ofc of the Director 88/08/08 REED, C. Commonwealth Edison Co. 2pp. 46808 014-46808 122

8809260199 Procedure Change Request A-88-399 to EPIP 550 5, "Technical Support Ctr, Operational Support Ctr & Main Assembly Area Radiological Supplies"
* Commonwealth Edison Co. 88/09/08 6pp. 46950 350-46950 356.

8809260204 Procedure Change Request A-88-398 to EPIP 550-2, "Environ Emergency Kit, GSEP Van & Emergency Operations Facility Radiological Equipment"
* Commonwealth Edison Co. 88/09/08 6pp. 46950 056-46950 061

8809260130 Forwards functional area/evaluation criteria matrix & compilation of SALP strengths & weaknesses, per recent SALP meeting request. Strengths & weaknesses listed correspond to statements in rept & not weighted equally
GREENMAN, E.G. Region 3, Ofc of the Director 88/09/14 REED, C. Commonwealth Edison Co. 9pp. 46956 186-46956 194.

8809260121 Procedure Change Request A-88-400 to Emergency Plan Implementing Procedure EPIP 550-6, "Monthly Radiological Equipment"
* Commonwealth Edison Co. 88/09/16. 5pp. 46956 136-46956 140.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065 006

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/19 REED, C. Commonwealth Edison Co. 2pp. 46742.071-46742 072.

8808260343 Responds to 880323 request for addl info re Generic Ltr 83-28. Description of how program assures that all relevant mail received, properly evaluated, implemented & maintained during plant life provided.
TRZYNA, G.E. Commonwealth Edison Co. 88/08/22 Document Control Branch (Document Control Desk). 3pp. 46656.043-46656 045

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control
FORNEY, W.L. Region 3, Ofc of the Director. 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698 241.

8808290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization
MORGAN, W.E. Commonwealth Edison Co. 88/09/13. Document Control Branch (Document Control Desk) 1p. 46998 322-46998 336

--8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations"
SHEWSKI, W. Commonwealth Edison Co. CE-1-A R52. 88/09/13 12pp. 46998 323-46998 336.

Q. Inspection reports, IE Bulletins & correspondence

8808310214 Responds to NRC 880624 ltr re violations noted in Insp Repts 50 295/88 12 & 50-304/88-13 on 880414 0603. Corrective actions, temporary procedure rev implemented to P/M003-5N to correct setpoint discrepancy.
BLISS, H.E. Commonwealth Edison Co. 88/08/05. DAVIS, A.B. Region 3, Ofc of the Director. 15pp. 46727 010-46727 024

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 126pp. 46690 054-46690 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808300313 Forwards SALP 7 Board Repts 50 295/88-01 & 50-304/88 01 for Dec 1986 - May 1988. Rating in training & qualification area declined from Category 1 to Category 2 classification
DAVIS, A.B. Region 3, Ofc of the Director 88/08/23. REED, C. Commonwealth Edison Co. 3pp. 46695.281-46695 329

--8808300317 SALP Repts 50-295/88-01 & 50-304/88-01 for Dec 1986 to May 1988 Overall improvement in performance noted
* Region 3, Ofc of the Director 88/08/23 46pp. 46695 284-46695 329.

8808180368 Suppl. 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 216-46713 219.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

78 DOCKETED ITEMS

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co. matls complying w/ASME Code requirements Itemized list of components received encl. MORGAN, W.E. Commonwealth Edison Co. 88/09/08 Document Control Branch (Document Control Desk) 31pp. 46857 021-46857 051

8809160166 Forwards Safety Insp Repts 50-295/88-16 & 50-304/88-16 on 880720 0923 No violations noted. FORNEY, W.L. Region 3, Ofc of the Director 88/09/09 REED, C. Commonwealth Edison Co. 2pp. 46895 050-46895 065

--8809160169 Insp Repts 50-295/88-16 & 50-304/88-16 on 880720 0923 No violations noted Major areas inspected operational safety verification & engineered safety feature sys walkdown, surveillance observation & maint observation. HINDS, J.M. Region 3, Ofc of the Director. 88/09/09 14pp. 46895 052-46895 065

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336

8809260130 Forwards functional area/evaluation criteria matrix & compilation of SALP strengths & weaknesses, per recent SALP meeting request Strengths & weaknesses listed correspond to statements in rept & not weighted equally. GREENMAN, E.G. Region 3, Ofc of the Director 88/09/14. REED, C. Commonwealth Edison Co. 9pp. 46958 186-46958 194.

8809260172 Advises of genenc inservice testing concerns identified by NRC as result of insp on 880822-26 Addl listed info re pumps & valves requested. GREENMAN, E.G. Region 3, Ofc of the Director. 88/09/15. REED, C. Commonwealth Edison Co. 4pp. 46958 055-46958 059

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130360 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46946 013.

R. Periodic operating reports & related correspondence

8808310003 "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988" W/ 880818 ltr. PLIML, G.J. Commonwealth Edison Co. 88/08/30. 23pp. 46782 097-46782 119

8808300049 Forwards errata data re radioactive effluent rept for Jan-Dec 1987 for plant PLIML, G.J. Commonwealth Edison Co. 88/08/18 Document Control Branch (Document Control Desk) 1p. 46683 181-46683 193

--8808300082 Errata to "Effluent & Waste Disposal Semiannual Rept for 1987" * Commonwealth Edison Co. 87/12/31. 12pp. 46683 182-46683 193

8809140069 Monthly operating repts for Aug 1988 for Zion Generating Station W/ 880907 ltr. AUSTIN, G., PLIML, G.J. Commonwealth Edison Co. 88/08/31. 12pp. 46841 200-46841 211

S. Reportable occurrences, LERs & related correspondence

8809010008 Summary of Operating Reactors Events Meeting 88-34 on 880823. JAUDON, J.P. Events Assessment Branch 88/08/23. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 15pp. 46722 340-46722 354

8808310159 LER 88-016-00 on 880726, samples used for quantification of containment vent violated Table 4.12-1 Caused by lack of communications between chemists Chemistry group meeting held re correct samples in preparing vent forms W/ 880819 ltr. MIEDLAR, K., PLIML, G.J. Commonwealth Edison Co. 88/08/25. 5pp. 46726 344-46726 348

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8808260292 Revised emergency plan implementing procedures, including Rev 1 to EPIP-14, "Radiological Control Procedures" & Rev 1 to EPIP-17, "Emergency Equipment & Supplies" MARKS, B.K. Tennessee Valley Authority 88/08/03 41pp. 46658 142-46658 182

8808300270 Ack receipt of 880630 ltr transmitting Rev 9 to physical security plan Rev contains issues w/policy implications re existing bulat resisting barriers & requirements of 10CFR73.55(c)(6) & 73.2(a). Rev withheld (ref 10CFR73.21) MCCOY, F.R. Ofc of Special Projects. 88/08/19. WHITE, S.A. Tennessee Valley Authority 2pp. 46697 109-46697 110.

8809080072 Forwards Rev 10 to physical security/contingency plan Rev withheld (ref 10CFR73.21). GRIDLEY, R.L. Tennessee Valley Authority 88/08/31 Document Control Branch (Document Control Desk) 2pp. 46798 033-46798 034.

8809130313 Rev 3 to Emergency Plan Implementing Procedure EPIP-10, "Medical Emergency Procedure." W/880902 ltr. GRIDLEY, R. Tennessee Valley Authority 88/09/02 25pp. 46834 004-46834 028.

8809230104 Ack receipt of scenario & submittal of scope & objectives for plant emergency exercise scheduled on 880921-22. MCCOY, F.R. Ofc of Special Projects 88/09/12 WHITE, S.A. Tennessee Valley Authority 2pp. 46944 360-46944 361.

8809160322 Forwards SER supporting util 880429 ltr describing reorganized fire brigade at plant. BLACK, S. Ofc of Special Projects 88/09/13 WHITE, S.A. Tennessee Valley Authority 1p. 46865 014-46865 017

--8809160324 Safety evaluation supporting util 880429 description of reorganized fire brigade * Ofc of Special Projects 88/09/13 3pp. 46865 015-46865 017

8809200231 Immediate temporary change to Rev 1 to Emergency Plan Implementing Procedure EPIP-14, "Radiological Control Procedure" W/880914 ltr. GRIDLEY, R. Tennessee Valley Authority 88/09/14. 11pp. 46899 349-46899 360

H. General correspondence

8808300038 Informs that RA Pedde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn. WHITE, S.A. Tennessee Valley Authority. 88/08/19. PARTLOW, J.G. Ofc of Special Projects 4pp. 46698 292-46698 294

I. Financial information

8809150188 Forwards financial info for FY ended Sept 1987, per 10CFR140 Util select- ed alternative five to meet guarantee requirements of retrospective premium sys. GRIDLEY, R.L. Tennessee Valley Authority. 88/09/09. Document Control Branch (Document Control Desk) 56pp. 46664 036-46664 090

K. Utility Final Safety Analysis Report (FSAR) & amends

8809220232 Forwards pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant. GRIDLEY, R. Tennessee Valley Authority. 88/09/19 Document Control Branch (Document Control Desk) 3pp. 46930 026-46930 033.

--8809220233 Pages inadvertently omitted from Amend 6 to updated FSAR for Browns Ferry Nuclear Plant * Tennessee Valley Authority. 88/09/19 5pp. 46930 029-46930 033

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR Records also available under listed FOIs. GRIMSLEY, D. Division of Rules & Records (870413 880514). 88/08/10 UNNERSTALL, K. Newman & Holtzinger. 6pp. 46769 054-46769 059.

--8804300429 Summarizes results of NRC discussions of 801224 & 28 memos re selection of severity levels Concurs w/proposed selection in Caribbean Gulf rollover case Disagrees w/downgrading of security level in Browns Ferry security case. THOMPSON, D. Director's Ofc. Enforcement & Investigation Staff, IE (Pre 880201) 81/01/12 O'REILLY, J.P. Region 2, Ofc of the Director. 1p. 46768 060-46768 060.

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN, WP-02-BFN, WP-03 BFN, WP-04-BFN. WP-06-BFN, WP-07-BFN, WP-11-BFN, WP-13-BFN, WP-16-BFN, WP-24-BFN, WP-25-BFN, WP-32-BFN & WP-35 BFN. GRIDLEY, R. Tennessee Valley Authority 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46681 076-46681 219.

--8808290132 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 01-BFN, "Control of Welding Filler Matl at Browns Ferry Nuclear Plant." SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority WP-01-BFN R00 87/04/01. 16pp. 46681 079-46681 094.

--8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant." SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-02-BFN R00 87/04/04. 12pp. 46681 095-46681 106

--8808290139 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 03-BFN, "Welder Qualification & Continuity at Browns Ferry Nuclear Plant." SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-03 BFN R00 87/04/17. 14pp. 46681 107-46681 120.

--8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-04-BFN, "Insp Tools, Browns Ferry Nuclear Plant." PATE, B.W., ROSE, J.E., LEWIS, J. Tennessee Valley Authority WP-04-BFN R00 87/05/11. 7pp. 46681 121-46681 127.

--8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP 06-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant." SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority WP-06-BFN R00 87/05/21. 14pp. 46681 128-46681 141

--8808290146 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-07-BFN, "Welder Training & Experience at Browns Ferry Nuclear Plant." SHEVLIN, E., ROSE, J.E., LEWIS, J. Tennessee Valley Authority. WP-07-BFN R00 87/04/06. 9pp. 46681 142-46681 150.

DOCKETED ITEMS 79

-8808290147 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-11-BFN, "Surface Grinding of Welds at Browns Ferry Nuclear Plant" PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-11-BFN R00. 87/04/04. 9pp. 46681.151-46681.159

-8808290148 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-13-BFN, "Welding Equipment" PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-13-BFN R00. 87/04/06. 6pp. 46681.160-46681.165

-8808290149 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-16-BFN, "Structural Steel Proweld Insps at Browns Ferry Nuclear Plant" PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-16-BFN R00. 87/08/18. 12pp. 46681.166-46681.177.

-8808290153 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-24-BFN, "Welder Qualification at Browns Ferry Nuclear Plant." PATE,B.W., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-24-BFN R00. 87/04/16. 8pp. 46681.178-46681.185

-8808290154 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-25-BFN, "Weld Repairs Not Meeting ASME Code Requirements at Browns Ferry Nuclear Plant" SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority WP-25-BFN R00. 87/05/07. 8pp. 46681.186-46681.193

-8808290156 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-32-BFN, "Adequacy of Structural Support Welds at Browns Ferry Nuclear Plant" SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-32-BFN R00. 87/07/18. 12pp. 46681.194-46681.205.

-8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant." SHEVLIN,E., ROSE,J.E., LEWIS,J. Tennessee Valley Authority. WP-35-BFN R00. 87/04/20. 14pp. 46681.206-46681.219.

8808290133 Advises that revised process for review of correspondence to NRC has reduced until requests re extension of response time GRIDLEY,R. Tennessee Valley Authority 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46677.267-46677.268

8809010181 Responds to inquiry by NRC re radiograph indications found in Weld Number DSRHR-2-5A, per 880511 meeting Weld DSRHR-2-5A found to be acceptable for continued operation w/o repair because of nature of indications. Related info encl. GRIDLEY,R. Tennessee Valley Authority 88/08/25. Document Control Branch (Document Control Desk). 6pp. 46743.321-46743.326

8809020104 Forwards revised Request for Relief H-12, adding Valve 85-589 to ASME Class 2 pressure test boundary & clarification of request, per 880829 telcon. Addition of NRC-suggested valve would not increase safety margin GRIDLEY,R. Tennessee Valley Authority 88/08/25. Document Control Branch (Document Control Desk). 5pp. 46745.211-46745.215.

8809140263 Corrected notice of consideration of issuance of amends to Licenses DPR-33, DPR-52 & DPR-68 & proposed NSHC determination & opportunity for hearing on 880817 request re control room emergency ventilation sys BLACK,S.C. Ofc of Special Projects. 88/08/25. 8pp. 46844.322-46844.329

8809070231 Responds to NRC 880522 request to verify data contained in safety issues mgt sys (SIMS) for plant. SIMS data for units encl GRIDLEY,R. Tennessee Valley Authority 88/09/02. Document Control Branch (Document Control Desk). 29pp. 46784.151-46784.179

8809160215 Forwards Amends 154,150 & 125 to Licenses DPR-33, DPR-52 & DPR-68, respectively & safety evaluation Amends modify Tech Spec 3.4 re standby liquid control sys, allowing use of enriched sodium pentaborate BLACK,S.C. Ofc of Special Projects. 88/09/02. WHITE,S.A. Tennessee Valley Authority. 3pp. 46885.165-46885.169.

-8809180218 Amends 154,150 & 125 to Licenses DPR-33, DPR-52 & DPR-68, respectively, modifying Tech Spec 3.4 to allow use of enriched sodium pentaborate in standby liquid control sys. BLACK,S.C. Ofc of Special Projects. 88/09/02. 27pp. 46885.168-46885.194

-8809160219 Safety evaluation supporting Amends 154,150 & 125 to Licenses DPR-33, DPR-52 & DPR-68, respectively. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/02. 5pp. 46885.195-46885.199.

8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors. Investigation revealed that four authorized operators were either coerced, pressured, harassed or intimidated by mgt W/o encl. PARTLOW,J.G. Ofc of Special Projects. 88/09/09. DOBEL,H.F. Hartford Steam Boiler Inspection & Insurance Co. 1p. 46928.164-46928.164.

8809220086 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors. Investigation revealed that four authorized operators were either coerced, pressured, harassed or threatened by mgt W/o encl. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09. MIKESSELL,W.R. American Society of Mechanical Engineers 2pp. 46928.158-46928.159

8809210060 Responds to 880810 request for addl info re automatic depressurization sys actuation mod W/17 oversize drawing change authorizations GRIDLEY,R. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk). 55pp. 46918.311-46918.349.

8809210009 Documents TVA understanding of agreements reached during 880811 meeting w/NRC & 880831 telcon re control room habitability List of commitments encl. GRIDLEY,R. Tennessee Valley Authority. 88/09/15. Document Control Branch (Document Control Desk). 4pp. 46920.281-46920.284.

8809210174 Notifies that use of sodium nitrite as corrosion inhibitor identified at plant Ongoing maint identifies possibility that leaks in air conditioning sys will allow discharge of sodium nitrite at low levels. Leaks will be monitored. SCHMIERBACH,M. Tennessee Valley Authority. 88/09/15. HORN,C., PIZNAR,T.G. Alabama, State of. 2pp. 46920.248-46920.249

8809220224 Provides addl info on human factors program & hardware isolation features associated w/SPDS Availability of info directly dependent on implementation schedule of SPDS GRIDLEY,R. Tennessee Valley Authority. 88/09/19. Document Control Branch (Document Control Desk). 3pp. 46920.349-46920.351

8809220332 Responds to 880830 ltr re addl regulations for facilities having landfill disposal permits. Wastes not specified by permit handled in accordance w/encl procedure & managed as hazardous waste W/o encl SCHIERBACH,M. Tennessee Valley Authority 88/09/19. HONEYCUTT,J. Alabama, State of. 2pp. 46927.013-46927.014

8809020257 Forwards PRA summary rept, providing addl info to support conclusion that plant not outlier re severe accident characteristics when compared to plants of similar type & vintage GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 44pp. 46744.314-46744.357

Q. Inspection reports, IE Bulletins & correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C Documents also available in PDR GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. UNNERSTALL,K. Newman & Holtzinger 2pp. 46766.272-46766.274.

-8809090206 Agrees w/regional analysis & conclusion that no civil penalty be issued to util for violations involving excess whole body dose. Draft forwarding ltr, insp rept & notice of violation encl THOMPSON,D. Enforcement & Investigation Staff, R1. 81/08/14. CARLSON,R. Region 1, Ofc of the Director (810301-820201) GAGLIARDI,J. Region 3, Ofc of the Director (810301-820201) JOHNSON,A. Region 4, Ofc of the Director (810301-820201). 6pp. 46766.289-46766.294.

-8809090213 Forwards draft documentation re Severity Level III violation. No civil penalty will be assessed since util taking steps to ensure proper dose limits assigned to workers under age of 18. O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201) 81/08/05. THOMPSON,D. Enforcement & Investigation Staff, R1. 6pp. 46766.295-46766.300

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46680.054-46680.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808290125 Forwards welding project employee concern evaluation repts, including Rev 0 to WP-01-BFN, WP-02-BFN, WP-03-BFN, WP-04-BFN, WP-06-BFN, WP-07-BFN, WP-11-BFN, WP-13-BFN, WP-16-BFN, WP-24-BFN, WP-25-BFN, WP-32-BFN & WP-35-BFN. GRIDLEY,R. Tennessee Valley Authority. 88/09/22. Document Control Branch (Document Control Desk). 3pp. 46681.076-46681.218.

-8808290137 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-02-BFN, "Insp of Welds Through Carbo-Zinc Primer at Browns Ferry Nuclear Plant" SHEVLIN,E. Tennessee Valley Authority WP-02-BFN R00. 87/04/04. 12pp. 46681.095-46681.106.

-8808290140 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-04-BFN, "Insp Tools, Browns Ferry Nuclear Plant" PATE,B.W. Tennessee Valley Authority. WP-04-BFN R00. 87/05/11. 7pp. 46681.121-46681.127.

-8808290143 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-06-BFN, "Inspector Training & Certification at Browns Ferry Nuclear Plant." SHEVLIN,E. Tennessee Valley Authority WP-06-BFN R00. 87/05/21. 14pp. 46681.128-46681.141.

-8808290158 Rev 0 to Welding Project Employee Concern Evaluation Rept WP-35-BFN, "Weld Insp Procedures at Browns Ferry Nuclear Plant" SHEVLIN,E. Tennessee Valley Authority WP-35-BFN R00. 87/04/20. 14pp. 46681.206-46681.219.

8809070280 Forwards Exam Rept 50-259/OL-88 01 administered on 880323 & 880502-12 & util comments re written exams. JULIAN,C.A. Region 2, Ofc of the Director. 88/08/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 46782.167-46783.046.

-8809070283 Exam Rept 50-259/OL-88-01 on 880323 & 0502-12. Exam results, nine reactor operator & seven senior reactor operators passed exams. ARILDSEN,J.A. Region 2, Ofc of the Director 88/08/23. 200pp. 46782.159-46782.354.

-8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions POMREHN,H.P. Tennessee Valley Authority. 88/03/30. BROCKMAN,K. Region 2, Ofc of the Director. 52pp. 46782.355-46783.046

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809010295 Responds to NRC Bulletin 88-005, "Nonconformance Malls Supplied by Piping Supplies, Inc & West Jersey Mgt Co." Plan developed to systematically locate installed Piping Supplies & West Jersey malls. GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 4pp. 46740.168-46740.171.

80 DOCKETED ITEMS

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713.217

8809060224 Forwards info re Byron-Jackson Co recirculation pump shaft & cover cracking, per 880629 request re relief requests for inservice insp program No main action should be required before Unit 2 startup
GRIDLEY, R. Tennessee Valley Authority 88/08/29 Document Control Branch (Document Control Desk) 15pp. 46758 224-46758 236

8809120149 Forwards Insp Repts 50-259/88-19, 50-260/88-19 & 50-286/88-19 on 880620-24 No violations or deviations noted
MCCOY, F.R. Oic of Special Projects MCCOY, F.R. Region 2, Oic of the Director 88/08/29 WHITE, S.A. Tennessee Valley Authority. 2pp. 46826 051-46826 060.

8809120151 Insp Repts 50-259/88-19, 50-260/88-19 & 50-296/88-19 on 880620-24 No violations or deviations noted Major areas inspected Mark 1 containment long term program mod, IE Bulletins 79 02 & 79-14.
CHOU, R.C., GARRION, R.P., BLAKE, J.J. Region 2, Oic of the Director 88/08/22 8pp. 46826 053 46826 060.

8809070456 Forwards safety evaluation accepting util response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants."
BLACK, S. Oic of Special Projects 88/08/31 WHITE, S.A. Tennessee Valley Authority. 2pp. 46786 333-46786 340.

8809070459 Safety evaluation accepting util response to IE Bulletin 87-001, "Thinning of Pipe Walls in Nuclear Power Plants." Licensee insp & surveillance program also acceptable
Oic of Special Projects 88/08/31 8pp. 46786 335-46786 340.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809120225 Ack receipt of 880705 ltr denying violations noted in Insp Repts 50-259/88-10, 50-260/88-10 & 50-296/88-10 Based on info provided in response, violations will be deleted from record Disagrees w/util statement on Page 2 of encl to response
RICHARDSON, S.D. Oic of Special Projects 88/09/06 WHITE, S.A. Tennessee Valley Authority 2pp. 46825 047 46825 048

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2
GRIDLEY, R.L. Tennessee Valley Authority 88/09/12 Document Control Branch (Document Control Desk). 180pp. 46895 336-46897 155

8809260035 Forwards Insp Repts 50-259/88-16, 50-260/88-16 & 50-286/88-16 on 880501 0611 & notice of violation.
MCCOY, F.R. Oic of Special Projects 88/09/12. WHITE, S.A. Tennessee Valley Authority. 2pp. 46957 301-46957 325

8809260038 Notice of violation from insp on 880501-0611, Violation noted three fire brigade members who entered drywell for fire fighting operations not qualified & Q-list equipment data package (Sys 1) not in compliance w/nuclear QA manual
MCCOY, F.R. Oic of Special Projects 88/09/12. 3pp. 46957 303-46957 305.

8809260043 Insp Repts 50-259/88-16, 50-260/88-16 & 50-296/88-16 on 880501-0611, Violations noted Major areas inspected, operational safety, maint observation, surveillance testing observation, restart test program & Q-list concerns
PAULK, G.L., LITTLE, W.S. Region 2, Oic of the Director. 88/09/09. 20pp. 46957 306-46957 325

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 336.

8809260268 Forwards Insp Repts 50-259/88-23, 50-260/88-23 & 50-296/88-23 on 880801-05 No violations or deviations noted
MCCOY, F.R. Region 2, Oic of the Director. 88/09/14. WHITE, S.A. Tennessee Valley Authority 2pp. 46965 229-46965 245

8809260272 Insp Repts 50-259/88-23, 50-260/88-23 & 50-296/88-23 on 880801-05 No violations or deviations noted Major areas inspected organization & mgt controls in radiation protection & redwaste & control of radioactive mails.
GLOERSON, W.B., COLLINS, T.R., HOSEY, C.M. Region 2, Oic of the Director 88/09/02. 15pp. 46965 231-46965 245

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013

R. Periodic operating reports & related correspondence

8808290306 Forwards monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant & revised repts for Sept 1988 - Mar 1988
CAMPBELL, G.G. Tennessee Valley Authority. 88/08/15 Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46685 047-46685 194.

8808290312 Monthly operating repts for Jul 1988 for Browns Ferry Nuclear Plant
CAMPBELL, G.G., CRAWFORD, J.D. Tennessee Valley Authority. 88/07/31. 84pp. 46685 049 46685 184.

8808290315 Revised monthly operating repts for Apr 1988 for Browns Ferry Nuclear Plant
Tennessee Valley Authority. 88/04/30 1p. 46685 133-46685 133

8808290317 Revised monthly operating repts for June 1988 for Browns Ferry Nuclear Plant
Tennessee Valley Authority 88/06/30. 2pp. 46685 134 46685 135.

8808290318 Revised monthly operating repts for Sept 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CREAMER, K.L. Tennessee Valley Authority. 88/09/30 3pp. 46685 136-46685 138.

8808290322 Revised monthly operating repts for Oct 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CREAMER, K.L. Tennessee Valley Authority. 88/10/31 3pp. 46685 139 46685 141.

8808290325 Revised monthly operating repts for Nov 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A. Tennessee Valley Authority. 88/11/30 3pp. 46685 142-46685 144

8808290329 Revised monthly operating repts for Dec 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CREAMER, K.L. Tennessee Valley Authority 88/12/31. 4pp. 46685 145 46685 146

8808290330 Revised monthly operating repts for Jan 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CREAMER, K.L. Tennessee Valley Authority 87/01/31. 3pp. 46685 149 46685 151.

8808290331 Revised monthly operating repts for Feb 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CREAMER, K.L. Tennessee Valley Authority 87/02/28. 3pp. 46685 152 46685 154.

8808290332 Revised monthly operating repts for Mar 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/03/31. 3pp. 46685 155 46685 157.

8808290334 Revised monthly operating repts for Apr 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority 87/04/30. 3pp. 46685 158 46685 160

8808290335 Revised monthly operating repts for May 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority 87/05/31. 3pp. 46685 161-46685 163

8808290336 Revised monthly operating repts for June 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/06/30 3pp. 46685 164 46685 166.

8808290337 Revised monthly operating repts for Jul 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/07/31. 3pp. 46685 167-46685 169.

8808290338 Revised monthly operating repts for Aug 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority 87/08/31. 3pp. 46685 170 46685 172

8808290339 Revised monthly operating repts for Sept 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/09/30 3pp. 46685 173-46685 175.

8808290340 Revised monthly operating repts for Oct 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority 87/10/31 3pp. 46685 176 46685 178

8808290343 Revised monthly operating repts for Nov 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/11/30 3pp. 46685 179-46685 181

8808290346 Revised monthly operating repts for Dec 1987 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 87/12/31. 4pp. 46685 182-46685 185

8808290347 Revised monthly operating repts for Jan 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority 88/01/31. 3pp. 46685 186 46685 188.

8808290349 Revised monthly operating repts for Feb 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 88/02/29. 3pp. 46685 189 46685 191.

8808290350 Revised monthly operating repts for Mar 1988 for Browns Ferry Nuclear Plant
RATLIFF, S.A., CRAWFORD, J.D. Tennessee Valley Authority. 88/03/31. 3pp. 46685 192-46685 194.

8808140466 Forwards "Effluent & Waste Disposal Semiannual Rept, Jan-June 1988" & "Radiological Impact Assessment Rept Browns Ferry Nuclear Plant, Jan-June 1988"
GRIDLEY, R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk) 2pp. 46798 058-46798 134.

DOCKETED ITEMS 81

--8809060334 "Effluent & Waste Disposal Semiannual Rept, Jan-June 1988"
* Tennessee Valley Authority 88/06/30 78pp 46796 060-46796 076

--8809140470 "Radiological Impact Assessment Rept Browns Ferry Nuclear Plant, Jan-June 1988."
* Tennessee Valley Authority 88/06/30 58pp 46796 077-46796 134

8809010312 Forwards weekly schedule of TVA activities for wks of 880829 & 0906
KELLY, J. L. Ofc of Special Projects 88/09/01 BLACK, S. Ofc of Special Projects. 6pp
46744:141 46744:148

S. Reportable occurrences, LERs & related correspondence

8809010333 Forwards list of currently inoperable radioactive effluent instruments & dates for restoration
GRIDLEY, R. Tennessee Valley Authority. 88/09/25. Document Control Branch (Document Control Desk). 4pp 46741:284-46741:287

8809150012 LER 88-002 00 on 880811, unplanned RWC isolation occurred. Caused by personnel error Temp indicating switch recalibr & sys returned to svc. W/880909 ltr
BAKER, R. L., CAMPBELL, G. Tennessee Valley Authority. 88/09/09. 4pp.
46864:319 46864:322.

V. Operator Examinations

8809070280 Forwards Exam Rept 50-259/OL 88 01 administered on 880323 & 880502-12 & *util comments re written exams*
JULIAN, C. A. Region 2, Ofc of the Director 88/08/23 WHITE, S. A. Tennessee Valley Authority. 2pp. 46782 167-46783 046.

--8809070283 Exam Rept 50-259/OL-88-01 on 880323 & 0502-12. Exam results. nine reactor operator & seven senior reactor operators passed exams.
ARILDSEN, J. A., MUNRO, J. F., BROCKMAN, K. E. Region 2, Ofc of the Director 88/08/23. 200pp. 46782 159 46782:354

--8809140021 Forwards comments on written exams administered on 880323, providing assistance to NRC examiners in establishing appropriateness of exam questions
POMREHN, H. P. Tennessee Valley Authority 88/03/30 BROCKMAN, K. Region 2, Ofc of the Director. 52pp. 46782 355-46783 046.

8809180004 Ack receipt of 880518 ltr re utilization of Group IV operators at facilities Reiterates NRC position that all Group IV operators must pass NRC administered requalification exam prior to performing licensed duties
RICHARDSON, S. D. Ofc of Special Projects. 88/08/31. WHITE, S. A. Tennessee Valley Authority. 2pp 46897:241-46897:242.

8809080357 Responds to Generic Ltr 88-13 re operator licensing exams & provides update to earlier response to Generic Ltr 87-14 on NRC licensing exam site visits Updated exam schedules & requalification schedules for facilities encl.
GRIDLEY, R. L. Tennessee Valley Authority. 88/09/01. HANNON, J. NRC - No Detailed Affiliation Given. 8pp 46757:344-46757 351.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

P. Operating license stage documents & correspondence

8809010214 Application for amend to License R-120, renewing license for addl period of 20 yrs
POULTON, B. R. North Carolina State Univ., Raleigh, NC. 88/08/19. Document Control Branch (Document Control Desk). 3pp 46738:010-46738:230.

--8809010219 Rev 3 to Procedure SP 2.6, "PULSTAR Operator Requalification Program."
* North Carolina State Univ., Raleigh, NC 88/08/19 11p. 46738 013-46738 023

--8809010224 Amend 9 to Tech Specs for PULSTAR reactor.
* North Carolina State Univ., Raleigh, NC. 88/08/01. 45pp 46738:024-46738 067.

--8809010228 Environ rept for PULSTAR nuclear reactor
* North Carolina State Univ., Raleigh, NC 88/08/01 80pp 46738 068-46738 124

--8809010230 Vols I & II to "PULSTAR Reactor SAR"
* North Carolina State Univ., Raleigh, NC 88/08/01. 800pp. 46738:125-46739:230.

R. Periodic operating reports & related correspondence

8809060229 "Pulstar Annual Rept to NRC for Jul 1987 - June 1988." W/880630 ltr.
BRAC, T. C., MILLER, G. D. North Carolina State Univ., Raleigh, NC. 88/06/30 11pp. 46759 004-46759:014.

V. Operator Examinations

8809010214 Application for amend to License R-120, renewing license for addl period of 20 yrs
POULTON, B. R. North Carolina State Univ., Raleigh, NC. 88/08/19. Document Control Branch (Document Control Desk). 3pp. 46738:010-46738:230.

--8809010219 Rev 3 to Procedure S.P.2.6, "PULSTAR Operator Requalification Program"
* North Carolina State Univ., Raleigh, NC 88/08/19. 11p. 46738:013-46738 023

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

8808300214 Revised emergency plan implementing procedures, including Rev 7 to 5.7.2, "Notification of Unusual Event," Rev 8 to 5.7.3, "Alerting Implementing Procedure" & Rev 8 to 5.7.4, "Site Area Emergency Implementing Procedure." W/880824 ltr.
MERRILL, C., MEACHAM, J., TREVORS, G. A. Nebraska Public Power District 88/08/24. 37pp. 46887:144-46887:180.

8809060004 Forwards Rev 23 to safeguards plan, per 10CFR50 54(p) Rev withheld (ref 10CFR73 21)
TREVORS, G. A. Nebraska Public Power District 88/08/28 Document Control Branch (Document Control Desk) 2pp 46747 161-46747 162

8809080056 Requests reduction in frequency of mobile siren surveillance testing since mobile sirens no longer primary means of notification of public in event of emergency.
TREVORS, G. A. Nebraska Public Power District 88/08/29 Document Control Branch (Document Control Desk) 2pp 46791:265 46791 266

8809150097 Rev 12 to Emergency Plan Implementing Procedure 5.7.7, "Activation of Technical Support Cir." W/880908 ltr
MERRILL, C., MEACHAM, J., TREVORS, G. A. Nebraska Public Power District. 88/09/08 15pp 46846 285-46846 299

8809190152 Forwards Insp Rept 50-298/88 25 on 880801-31. No violations or deviations noted.
CALLAN, L. J. Region 4, Ofc of the Director. 88/09/13. TREVORS, G. A. Nebraska Public Power District. 2pp 46899:121-46899 130

--8809190152 Insp Rept 50 298/88-25 on 880801-31 No violations noted. Major areas inspected info notices followup, operational safety verification, monthly surveillance & maint, observations, ESF walkdown & security
BENNETT, W. R., MADSEN, G. L., CONSTABLE, G. L. Region 4, Ofc of the Director. 88/09/12 8pp. 46899:123-46899 130

8809260094 Forwards Emergency Operating Procedure Insp Rept 50-298/88-200 on 880627 0715. Weaknesses involving adequacy of containment venting procedures, ability to reenter reactor bldg to perform procedures during accident identified.
HOLAHAN, G. M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/09/21. TREVORS, G. A. Nebraska Public Power District 8pp 46956 059-46956 084.

--8809260095 Insp Rept 50-298/88-200 on 880627-0715 No violations noted Major areas inspected, review of emergency operating procedures validation & verification program, training program & walk down in control room & plant
CUMMINS, J. E. Office of Nuclear Reactor Regulation, Director (Post 870411)
NORRHOLOM, J. Division of Reactor Inspection & Safeguards (Post 870411).
HAUGHNEY, G. J. Special Inspection Branch 88/09/06 30pp. 46956 065-46956 094

P. Operating license stage documents & correspondence

8809080026 "Reactor Containment Bldg Integrated Leak Rate Test" W/880901 ltr
TREVORS, G. A. Nebraska Public Power District 88/05/31. 147pp. 46791:011-46791:148

8809120284 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA, F. J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47085 001-47085 006.

8809260344 Forwards response to Section 4 of INEL technical evaluation rept of offsite dose assessment manual, per WO Long request indicated changes to manual will be incorporated by 881231 & submitted in next semiannual radioactive mail rept.
TREVORS, G. A. Nebraska Public Power District. 88/08/17. Document Control Branch (Document Control Desk). 8pp. 46863:231-46863 239

8809120091 Final response to FOIA request for documents Forwards documents listed in App A. Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D. H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR, L. Doc-Search Associates. 5pp 46770:060-46770 088

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD, J. A. Enforcement Staff, IE (Pre 870413) 86/12/13. BLAHA, J. L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770:211-46770 223

8809020124 Application for amend to License DPR-46, revising Tech Spec Change Request 34 to increase surveillance frequencies for alternate shutdown instruments & change "Channel Check" to "Instrument Check."
TREVORS, G. A. Nebraska Public Power District 88/08/26 Document Control Branch (Document Control Desk). 2pp. 46746:247 46746:250.

--8809020126 Proposed Tech Spec Change Request 34, revising surveillance frequencies for alternate shutdown instruments & changing "Channel Check" to "Instrument Check."
* Nebraska Public Power District. 88/08/26. 2pp. 46746:249-46746:250.

8809070502 Ack receipt of 880815 ltr providing proposed schedule for updating inservice testing (IST) procedures re Rev 5 of IST program plan Procedure updates & implementation will be reviewed during future Insp.
CALLAN, L. J. Region 4, Ofc of the Director. 88/08/30 TREVORS, G. A. Nebraska Public Power District 1p. 46779:143 46779:143.

8809080117 Forwards Design Calculation NED 84-055, "Standby Gas Treatment Sys LOCA Flow Analysis." Evaluation revised to determine effects on standby gas treatment sys from design basis LOCA gas flow through two bypass valves
TREVORS, G. A. Nebraska Public Power District. 88/09/02. Document Control Branch (Document Control Desk). 1p. 46788 064-46788 083.

--8809080151 Rev 1 to Calculation NED 84-055, "Standby Gas Treatment Sys LOCA Flow Analysis"
* Nebraska Public Power District. NED 84-055 R01. 88/08/17. 18pp. 46789:085-46789:083.

8809130106 Discusses impact of prolonged low power operation on reliability of check valves. Accelerated wear & failure of certain check valves could occur due to continuous undesirable flow operations.
O'CONNOR, P. W. Project Directorate IV. 88/09/06. TREVORS, G. A. Nebraska Public Power District. 4pp. 46833:324-46833 327.

82 DOCKETED ITEMS

8809220235 Informs that acceptance criteria for Reload 11, Cycle 12 startup physics testing met
TREVORS, G.A. Nebraska Public Power District. 88/09/15 Document Control Branch (Document Control Desk). 4pp. 46927,177-46927 180

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690.178

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703.070

8808310200 Discusses schedule re pilot study for HPCI sys design basis document, per 871125 response to Insp Rept 50-298/87-10
TREVORS, G.A. Nebraska Public Power District. 88/08/22 Document Control Branch (Document Control Desk). 1p. 46723 349-46723.349

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808300239 Ack receipt of 880817 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/88-20.
CALLAN, L.J. Region 4, Ofc of the Director. 88/08/24 TREVORS, G.A. Nebraska Public Power District. 1p. 46777,088-46777 088.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8809070502 Ack receipt of 880815 ltr providing proposed schedule for updating inservice testing (IST) procedures re Rev 5 of IST program plan Procedure updates & implementation will be reviewed during future insp
CALLAN, L.J. Region 4, Ofc of the Director. 88/08/30. TREVORS, G.A. Nebraska Public Power District. 1p. 46779,143-46779 143.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713.004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809080165 Forwards "Owner Rept for Inservice Insp." & repair & replacement rept, documenting inservice insp activities conducted during refueling Outage 11 (880308-0525).
TREVORS, G.A. Nebraska Public Power District. 88/09/02 Document Control Branch (Document Control Desk). 2pp. 46798 088-46798 207.

8809150072 "Owners Data Rept for Inservice Insp." documenting inservice insp activities conducted during refueling Outage 11 (880308 0525) Spring 1988 refueling outage.
* Nebraska Public Power District. 88/08/24. 116pp. 46798 090-46798 207.

8809150031 Forwards summary of action taken in response to NRC Bulletin 88-005, Suppls 1 & 2, "Nonconforming Malle Supplied by Piping Supplies, Inc & West Jersey Mig Co." Util believes that rel WJM valves adequate for nonsafety related use
KUNCL, L.G. Nebraska Public Power District. 88/09/08. Document Control Branch (Document Control Desk). 8pp. 46884 015-46884.022

8809190152 Forwards Insp Rept 50-298/88-25 on 880801-31. No violations or deviations noted.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/13 TREVORS, G.A. Nebraska Public Power District. 2pp. 46899,121-46899,130.

8808190182 Insp Rept 50-298/88-25 on 880801-31 No violations noted. Major areas inspected info notices followup, operational safety verification, monthly surveillance & maint, observations, ESF walkdown & security
BENNETT, W.R., MADSEN, G.L., CONSTABLE, G.L. Region 4, Ofc of the Director. 88/09/12. 8pp. 46899,123-46899,130

8809200116 Ack receipt of 880816 ltr informing NRC of steps taken to correct deviations noted in Insp Rept 50-298/88-18
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/13. TREVORS, G.A. Nebraska Public Power District. 2pp. 46918 036-46918 041

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824,215-46824 336.

8809220016 Forwards response to NRC Bulletin 88-007 re power oscillations in BWRs addressing LaSalle Unit 2 events. Computer Program "NOISE" developed & incorporated into station procedures to monitor peak-to-peak oscillations
KUNCL, L.G. Nebraska Public Power District. 88/09/15. Document Control Branch (Document Control Desk). 7pp. 46928,150-46928,156.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46948 253-46947,013.

8809260094 Forwards Emergency Operating Procedure Insp Rept 50 298/88 200 on 880827 0715 Weaknesses involving adequacy of containment venting procedures, ability to reenter reactor bldg to perform procedures during accident identified
HOLAHAN, G.M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/09/21 TREVORS, G.A. Nebraska Public Power District. 6pp. 46956 059-46956 094

8809260095 Insp Rept 50-298/88 200 on 880827-0715 No violations noted. Major areas inspected review of emergency operating procedures validation & verification program, training program & walk down in control room & plant.
CUMMINS, J.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NORRHOLM, L.J. Division of Reactor Inspection & Safeguards (Post 870411). HAUGHNEY, C.J. Special Inspection Branch. 88/09/06. 30pp. 46956 065-46956 094

R. Periodic operating reports & related correspondence

8809060337 "Cooper Nuclear Station Semiannual Operating Rept Radioactive Effluents, Jan-June 1988." W/880631 ltr
TREVORS, G.A. Nebraska Public Power District. 88/08/30. 220pp. 46751 224-46752 082

8809150171 Monthly operating rept for Aug 1988 for Cooper Nuclear Station W/880903 ltr.
SCHEUERMAN, J.T., HORN, G.R. Nebraska Public Power District. 88/08/31. 5pp. 46856 357-46856.361

S. Reportable occurrences, LERs & related correspondence

8808290005 LER 88-003-01 on 880128, RHR pump B motor ground resulting from worn stator field coil insulation discovered. Caused by worn insulation in bottom surge ring/stator field coil assembly. Motor removed & taken for repairs W/880819 ltr.
REEVES, D.L., HORN, G.R. Nebraska Public Power District. 88/08/19. 6pp. 46684 318-46684 323.

8809080088 LER 88-020-00 on 880801, discovered that surveillance procedure for HPCI pump low suction pressure calibr & functional test not performed within required surveillance interval. Caused by personnel error W/880831 ltr.
KRAUSE, R.W., HORN, G.R. Nebraska Public Power District. 88/08/31. 4pp. 46789,084-46789 087

V. Operator Examinations

8809070319 Forwards proposed operator licensing & requalification exam schedule format for plant, per Generic Ltr 88-13.
TREVORS, G.A. Nebraska Public Power District. 88/08/31 HANNON, J. NRC - No Detailed Affiliation Given. 3pp. 46783,153-46783,155

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809020264 Forwards public version of revised emergency plan implementing procedures, including Rev 12 to EPIP 4.1, "Technical Support Ctr Activation" & Rev 11 to EPIP 7.3.1, "Airborne Sampling & Direct..." W/880831 release memo.
FAY, C.W. Wisconsin Electric Power Co. 88/08/16 Document Control Branch (Document Control Desk). 4pp. 46745,227-46745 268

8809020267 Public version of revised plan implementing procedures, including Rev 12 to EPIP 4.1, "Technical Support Ctr Activation" & Rev 11 to EPIP 7.3.1, "Airborne Sampling & Direct Dose Rate Survey Guidelines."
* Wisconsin Electric Power Co. 88/08/15. 38pp. 46745 231-46745 268.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8808290296 Confirms that util will accommodate non-Region III personnel in abbreviated site access training program if individuals listed on Region III access list have appropriate personal identification, per NRC 880727 request
FAY, C.W. Wisconsin Electric Power Co. 88/08/11 DAVIS, A.B. Region 3, Ofc of the Director. 1p. 46677 251-46677 251.

8808310145 Forwards "Semiannual Monitoring Rept, Jan-June 1988" & Rev 2 to "Off-site Dose Calculation Manual"
FAY, C.W. Wisconsin Electric Power Co. 88/08/23. Document Control Branch (Document Control Desk). 1p. 46723 137-46723 285.

8808310180 Rev 2 to "Off-site Dose Calculation Manual"
* Wisconsin Electric Power Co. 88/02/29. 138pp. 46723 155-46723 285.

8809080355 Application for amendments to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 127, increasing allowable core power peaking factors. Fee paid.
FAY, C.W. Wisconsin Electric Power Co. 88/08/26 Document Control Branch (Document Control Desk). 4pp. 46800 304-46801 005.

8809080381 "Safety Evaluation for Increased Peaking Factors & Fuel Upgrade at Point Beach Nuclear Plant Units 1 & 2"
* Wisconsin Electric Power Co. 88/08/31. 22pp. 46800 308-46800 329

8809080386 Proposed Tech Specs, increasing allowable core power peaking factors
* Wisconsin Electric Power Co. 88/08/26. 36pp. 46800 330-46801 005.

8809080177 Advises that 880613 & 23 revs to QA program Section 1.8 consistent w/ provisions of 10CFR50.54(a) & 10CFR50, App B & acceptable. WRIGHT, G.C. Region 3, Ofc of the Director. 88/09/02. FAY, C.W. Wisconsin Electric Power Co. 1p. 46790.209-46790.209.

8809150252 Informs of util plans to repair limited number of steam generator tubes by sleeving during Fall 1988 refueling outage. Scheduled sleeving will begin Oct-Nov 1988. Selection of tubes to be sleeved based on eddy current testing. FAY, C.W. Wisconsin Electric Power Co. 88/09/08. Document Control Branch (Document Control Desk). 2pp. 46874.066-46874.067.

8809210268 Application for amend to License DPR-24 & DPR-27, revising Tech Spec 15.3.8, "Refueling," to provide more specific & precise requirements. Fee paid. FAY, C.W. Wisconsin Electric Power Co. 88/09/09. Document Control Branch (Document Control Desk). 3pp. 46928.200-46928.207.

8809220001 Proposed Tech Specs 15.3.8, providing more specific & precise refueling requirements. * Wisconsin Electric Power Co. 88/09/09. 5pp. 46928.203-46928.207.

8809220044 Advises that insufficient data exists to demonstrate that leak chase channel sys can be qualified as integral part of containment liner plate. Comparison w/ ASME Boiler & Pressure Vessel Code, Section III suggested. SWENSON, W.H. Project Directorate III-3. 88/09/15. FAY, C.W. Wisconsin Electric Power Co. 2pp. 46928.141-46928.142.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/18. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178.

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809120160 Responds to IE Bulletin 88-005 & Suppl 1, "Nonconforming Mails Supplied by Piping Supplies, Inc." Attached listing consists of mails supplied by contractor & results of testing & disposition of mail. FAY, C.W. Wisconsin Electric Power Co. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46813.160-46813.163.

8809190301 Submits suppl response to IE Bulletin 88-004 re main steam line break scenario. Concludes core damage would not occur for accident in present cycles of operation. FAY, C.W. Wisconsin Electric Power Co. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46898.024-46898.027.

8809140439 Forwards Safety Insp Repts 88-266/88-18 & 50-301/88-16 on 880815-19. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 88/09/08. FAY, C.W. Wisconsin Electric Power Co. 2pp. 46838.210-46838.223.

8809140441 Insp Repts 88-266/88-18 & 50-301/88-16 on 880815-19. No violations noted. Major areas inspected: activities w/ respect to NRC Bulletin 85-003 & Suppl 1, "Motor Operated Valve Common Mode Failures During Plant Transients Due to..." HUBER, M.P., SMITH, J.F., DANIELSON, D.H. Region 3, Ofc of the Director. 88/09/08. 12pp. 46838.212-46838.223.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8808310145 Forwards "Semiannual Monitoring Rept, Jan-June 1988" & Rev 2 to "Off-site Dose Calculation Manual." FAY, C.W. Wisconsin Electric Power Co. 88/08/23. Document Control Branch (Document Control Desk). 1p. 46723.137-46723.285.

8808310151 "Semiannual Monitoring Rept, Jan-June 1988." * Wisconsin Electric Power Co. 88/08/30. 17pp. 46723.138-46723.154.

8809140248 Monthly operating repts for Aug 1988 for Point Beach Nuclear Plant Units 1 & 2 W/880908 ltr. KRAUSE, C.W., FAY, C.W. Wisconsin Electric Power Co. 88/08/31. 10pp. 46840.316-46840.325.

S. Reportable occurrences, LERs & related correspondence

8809150059 Summarizes corrective action update for LER 88-003.00 on 880328. Revised procedures re undervoltage relays, contacts & operating coils for associated slave relays. Channel design reviewed. Refueling test procedure modified. FAY, C.W. Wisconsin Electric Power Co. 88/09/06. Document Control Branch (Document Control Desk). 2pp. 46846.244-46846.245.

V. Operator Examinations

8809140145 Forwards proposed operator licensing & requalification exam schedule format in response to NRC request for estimates of needed operator licensing exams per Generic Ltr 88-13. BRUNO, R.J., ZACH, J.J. Wisconsin Electric Power Co. 88/09/08. HANNO, J. Operator Licensing Branch. 3pp. 46837.259-46837.261.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8809010300 Rev 8 to Emergency Plan Implementing Procedure AR-402, "PSA G Annunciator Response." * Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/10. 11pp. 46742.038-46742.047.

8808290072 Advises that Rev 4-23 to plant physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/08/12. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 46886.043-46886.045.

8809010093 Revised emergency plan implementing procedures, including Rev 4 to AP-330, "Loss of Nuclear Svc Water," Rev 5 to AP-513, "Toxic Gas," Rev 1 to AP-525, "Continuous Control Rod Motion" & Rev 2 to AP-545, "Plant Runback." * Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/12. 56pp. 46718.293-46718.348.

8809010288 Rev 2 to Emergency Plan Implementing Procedure VP-640, "Runback Verification Procedure." BANDHAVEN, W.K. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/12. 7pp. 46720.168-46720.174.

8809010042 Rev 10 to Emergency Plan Implementing Procedure AP-1076, "Violent Weather." BENDHAM, W.K. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/16. 46pp. 46722.010-46722.055.

8809010146 Confirms 880816 verbal notification of 880824 meeting to discuss plant emergency procedures that have been canceled. GRACE, J.N. Region 2, Ofc of the Director. 88/08/22. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 1p. 46740.328-46740.328.

8809010323 Revised emergency plan implementing procedures, including Rev 2 to AP-380, "Loss of DHR" & Rev 5 to EP-140, "Emergency Reactivity Control." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/22. 25pp. 46721.231-46721.255.

8809010368 Rev 9 to Emergency Plan Implementing Procedure AP-580, "Reactor Trip." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/24. 23pp. 46721.001-46721.022.

8809260257 Rev 3 to Emergency Plan Implementing Procedure AP-890, "Shutdown From Outside Control Room." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/25. 22pp. 46856.158-46856.178.

8809080056 Forwards Rev 4 to "Fire Protection Plan." WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/26. Document Control Branch (Document Control Desk). 1p. 46792.187-46792.311.

8809080162 Rev 4 to "Crystal River Unit 3 Fire Protection Plan." RUSSELL, J.L. Florida Power Corp. (subs. of Florida Progress Corp.). 88/07/31. 102pp. 46792.198-46792.311.

8809230159 Rev 7 to Emergency Plan Implementing Procedure EM-211, "Duties of Crystal River 3 Security Organization." STEPHENSON, J.D. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/30. 7pp. 46943.021-46943.027.

8809270070 Forwards NPDES Permit FL0000159, effective 881001, per Tech Specs App B, Part II, "Environ Protection Plan" & related info. WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/09/14. Document Control Branch (Document Control Desk). 108pp. 46871.354-46872.103.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809020059 Forwards errata to FSAR due to errors found in list of effective pages submitted in util 880701 annual FSAR update. WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/08/11. Document Control Branch (Document Control Desk). 1p. 46745.049-46745.072.

8809020089 Errata to Rev 10 to updated FSAR for Crystal River Unit 3, consisting of list of effective pages. * Florida Power Corp. (subs. of Florida Progress Corp.). 88/07/01. 23pp. 46745.050-46745.072.

DOCKETED ITEMS

Operating license stage documents & correspondence

- 120294** Genenc Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors instrument air supply sys problems affecting safety related equipment Svc list encl. RAGLIA F J Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006
- 260153** Clarifies justification for continued operation re environ qualification of feedwater isolation valves per util 880805 ltr & 880808 telcon Nonconforming operations it encl. LSON K R Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/08. YACE J N Region 2, Ofc of the Director 8pp. 46656 026-46656 033
- 120091** Final response to FOIA request for documents Forwards documents listed App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY D H NRC - No Detailed Affiliation Given 88/08/17 CONNOR L Doc-Search Associates 5pp. 46770 060-46770 089
- 8809120137** Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD J A Enforcement Staff, IE (Pre 870413) 88/12/13 BLAHA J L Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770 211-46770 223
- 8809070256** Forwards suppl to 880808 justification for continued operation of feedwater isolation valves including description of present valve configuration. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/19. GRACE J N Region 2, Ofc of the Director 2pp. 46783 199-46783 200
- 8808310004** Application for amend to License DPR-72, consisting of Tech Change Request 158 Rev 1 changing Tech Specs to reflect accurate design basis for max seawater temp for UHS. WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/25 Document Control Branch (Document Control Desk) 6pp. 46726 183-46726 324.
- 8808310005** Proposed Tech Specs, reflecting original design basis for UHS max seawater temp. * Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/25 1p. 46726 194-46726 194
- 8808310020** Rev 1 to "Nuclear Svcs Closed Cycle Cooling (SW), Decay Heat Closed Cycle Cooling (DC) & Nuclear Svcs & Decay Heat Sea Water (RW) Sys Thermal & Hydraulic Analysis." * Gilbert/Commonwealth, Inc. (formerly Gilbert Associates, Inc.) 88/08/12 200pp. 46726 195-46726 324
- 8809090118** Forwards safety evaluation concluding that DCRDR program meets requirements of Item I D 1, per NUREG-0650, as clarified by Suppl 1 to NUREG 0737. SILVER H Project Directorate II-2 88/08/29 WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 6pp. 46747 257-46747 284
- 8807220128** "Technical Evaluation Rept of DCRDR for Florida Power Corp Crystal River 3 Generating Station." * Science Applications International Corp. (formerly Science Applications, Inc.) NRC-03-82-096 SAIC/87-3103 88/07/12 NRC - No Detailed Affiliation Given. 22pp. 46747 283-46747 284
- 8809150047** Responds to 880328 request for addl info re reactor coolant pump trip issue per NUREG-0737, Item II K.3.5. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/01 Document Control Branch (Document Control Desk) 12pp. 46846 302-46846 313.
- 8809130304** Forwards response to NRC 880805 request for addl info re emergency diesel generator voltage dips Encl info provided for review. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/02 Document Control Branch (Document Control Desk) 3pp. 46828 277-46828 279
- 8809260228** Forwards summary of long term emergency diesel generator loading under post-accident conditions Long term emergency diesel generator loads for all accident conditions within 2,000 h rating of 3,000 kw. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/15 YARGA S A Document Control Branch (Document Control Desk) 6pp. 46965 103-46965 108.
- 8809260084** Summarizes 880817 meeting w/B&W Owners Group re NRC position on issues covered in NRC generic B&W safety evaluation re ATWS ISSUE. SILVER H Project Directorate II-2 88/09/19 WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 3pp. 46965 181-46965 186
- 8809140356** Summarizes major points addressed during 880817 meeting w/ B&W Owners Group re ATWS rule requirements, including power supply independence. HOLAHAN G Division of Reactor Projects - III, IV & Special Projects (Post 870411) 88/09/07 STALTER J L C Babcock & Wilcox Operating Plants Owners Group 3pp. 46965 184-46965 186.

Q. Inspection reports, IE Bulletins & correspondence

- 8808290084** Confirms plans for mgt meeting scheduled for 880824 to discuss corrective actions re insp on 880328-0408. Advises discussion should address development of abnormal transient operating guidelines & abnormal/emergency procedures. GRACE J N Region 2, Ofc of the Director. 88/08/15 WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 1p. 46677 216-46677 216.
- 8808310067** Forwards Insp Rept 50-302/88-23 on 880718-21 No violations or deviations noted. HERDT A R Region 2, Ofc of the Director. 88/08/18 WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46726 124-46726 132
- 8808310117** Insp Rept 50-302/88-23 on 880718-21. No violations or deviations noted. Major areas inspected: LEHs, IE bulletins, inservice testing of valves & maint of ECONOMOS II, BLAKE J L Region 2, Ofc of the Director. 88/08/17 7pp. 46726 126-46726 132.
- 8808190195** NRC Info Notice 88-069, "Moveable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 005-46713 217.

8809080028 Forwards revised response to violations noted in Insp Rept 50-302/88-09. Corrective action permanent book marks placed in control room emergency operating procedure. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/29 Document Control Branch (Document Control Desk). 4pp. 46700 210-46700 213.

8809080185 Responds to NRC Bulletin 88-008 re thermal stresses in piping connected to RCS. Testing & analysis performed on dual function HPI nozzle to be more than sufficient to qualify HPI "only" nozzles for any minor valve leakage. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/30 Document Control Branch (Document Control Desk) 3pp. 46792 187-46792 189.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46712 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809080088 Responds to exercise weaknesses identified in Insp Rept 50-302/88-15. Corrective actions, until training dept will stress understanding of all emergency action levels during annual emergency coordinator training. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/02 Document Control Branch (Document Control Desk). 2pp. 46792 349-46792 350

8809130148 Ack receipt of 880808 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-302/88-16. Agrees that Violation A should be withdrawn. Records will be adjusted accordingly. WILSON B A Region 2, Ofc of the Director. 88/09/02. WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 1p. 46833 351-46833 351.

8809140163 Forwards info in response to NRC Bulletin 88-005 requiring that all Piping Supplies, Inc. & West Jersey Mfg Co. supplied mats be identified & determination made as to suitability for intended or actual applications. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/02 Document Control Branch (Document Control Desk). 16pp. 46846 189-46846 204

8809190061 Forwards Rev 1 to environ qualification of Reg Guide 1.97 re neutron flux monitors, as result of concerns expressed by NRC in Insp Rept 50-302/88 27. Equipment qualification master list now being controlled as quality record. WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/09 Document Control Branch (Document Control Desk). 3pp. 46893 080-46893 082

8809260200 Forwards Insp Rept 50-302/88-20 on 880620 24 No violations or deviations noted. HERDT A R Region 2, Ofc of the Director. 88/09/10 WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46947 014-46947 028.

-8809260207 Insp Rept 50-302/88-20 on 880620-24. No violations or deviations noted. Major areas inspected: complex surveillance testing & IE bulletin followup. TINGEN S J APE, F. Region 2, Ofc of the Director. 88/09/07. 13pp. 46947 016-46947 028

8809190258 Requests that date for response to Insp Rept 50-302/88-18, did 880912, be extended to 880916. Delay necessary due to inclement weather conditions. WILSON W R Florida Power Corp. (subs. of Florida Progress Corp.) 88/09/12 Document Control Branch (Document Control Desk). 1p. 46899 038-46899 038.

8809230079 Ack receipt of 880114 & 0812 responses to violations noted in Insp Rept 50-302/87-59. Responses evaluated & meet requirements of 10CFR2.201. COLLINS D M Region 2, Ofc of the Director. 88/09/12. WILGUS W S Florida Power Corp. (subs. of Florida Progress Corp.) 1p. 46944 334-46944 334.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 216-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI C E Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

- 8809080041** "Semiannual Radioactive Effluent Release Rept for Jan-June 1988." W/ 880828 ltr. JOHNSON S G, WIDELL R C Florida Power Corp. (subs. of Florida Progress Corp.) 88/08/30. 48pp. 46795 001-46795 048.

8809190307 Monthly operating rept for Aug 1988 for Crystal River Unit 3,W/880913 ltr. BINKOWSKI,J., WILSON,K.R. Florida Power Corp (subs of Florida Progress Corp) 88/08/31. 5pp. 46911 006-46911 010

S. Reportable occurrences, LERs & related correspondence

8808310042 LER 88 008 01 on 880104,as-found setpoints of three of four low level transmitters found to be sufficiently out of tolerance to have prevented emergency feedwater actuation. Caused by refueling activities.W/880824 ltr. MOFFATT,L.W., WIDELL,R.C. Florida Power Corp. (subs of Florida Progress Corp) 88/08/24. 2pp. 46777 108-46777 108

8809020234 Requests addl info re emergency feedwater sys overtemp due to check valve leaks noted in 880708 confirmatory action ltr,by 880923,in order to permit review prior to scheduled restart date 88/08/30 WILGUS,W.S. Florida Power Corp (subs of Florida Progress Corp) 4pp. 46744 300-46744-303.

8809080099 LER 88 006 01 on 880228,unit experienced reactor trip during power decrease from 98% to approx 40% power Caused by broken stem nut in yoke of feedwater B main block valve Stem nut, turbine trip solenoid & circuit fuse replaced W/ 880831 ltr. MOFFATT,L.W., WILSON,K.R. Florida Power Corp (subs of Florida Progress Corp.). 88/08/31 9pp. 46789-103-46789-111

8809080078 LER 88 015 01 on 880805,discovered that components associated w/main feedwater startup block valves not environ qualified Caused by incorrect removal from list. Qualification determination guidance improved W/880902 ltr. MOFFATT,L.W., WIDELL,R.C. Florida Power Corp. (subs of Florida Progress Corp.) 88/09/02 6pp. 46797-165-46797-170.

8809230107 LER 88 015 01 on 880805,components associated w/main feedwater startup block valves found not environ qualified. Caused by incorrect design input & misapplication of qualification requirements Components replaced.W/880919 ltr. MOFFATT,L.W., WIDELL,R.C. Florida Power Corp. (subs of Florida Progress Corp.). 88/09/19. 8pp. 46942,346-46942-353.

V. Operator Examinations

8809010088 Provides notice of MA Barber permanent reassignment from position for which License QP-20135-1 certified,effective 880815,in response to NRC 880721 correspondence. WILGUS,W.S. Florida Power Corp. (subs of Florida Progress Corp.). 88/08/24. Document Control Branch (Document Control Desk) 1p. 46720,069-46720-069.

DOCKET 60-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260473 Forwards FEMA analysis of "Zion Nuclear Power Station Site-Specific Off-site Radiological Emergency Alert & Notification Sys QA Verification." Alert & notification sys installed around facility satisfies NUREG 0654 requirements. PETERSON,G.C. Federal Emergency Management Agency. 88/08/08 STELLO,V. Ofc of the Executive Director for Operations 1p. 46657 001-46658 101

-8808260480 "Zion Nuclear Power Station Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification." Federal Emergency Management Agency. 88/08/20 200pp. 46657.002-46658.101.

8808290034 Index to emergency plan implementing procedures
* Commonwealth Edison Co. 88/08/10. 4pp. 46683 266-46683-269

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989,including insps,security & radiation control. FORNEY,W.L. Region 3, Ofc of the Director. 88/08/22. HAGUE,R.L. Region 3, Ofc of the Director. 11pp. 46698-231-46698-241.

8809260219 Procedure Change Request A-88-393 to EPIP 440-1,"Emergency Communications Sys & Operational Tests." NYKEL,A.W. Commonwealth Edison Co. 88/08/24 18pp. 46956:111-46956 128.

8809120133 Revised Emergency Plan Implementing Procedure EPIP 170-1, "Security Director." RIECK,T.A. Commonwealth Edison Co. 88/08/25 11pp. 46815,342-46815:352.

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable SHAFER,W.D. Region 3, Ofc of the Director. 88/08/31. REED,C. Commonwealth Edison Co. 2pp. 46806:193-46806:194.

8809260067 Procedure Change Request A-88-383 to EPIP 320 1, "Activation of Generating Station Emergency Plan Station Group." Commonwealth Edison Co. 88/08/31 10pp. 46956:243-46956:252

8809260212 Rev 1 to Emergency Plan Implementing Procedure EPIP 370-2, "First Aid & Decontamination." Commonwealth Edison Co. 88/08/31. 12pp. 46965,205-46965:216.

8809190031 Forwards FEMA 880808 ltr & evaluation stating that alert & notification sys installed around plant satisfies NUREG 0654 FEMA-REP-1,Rev 1 & FEMA-43 requirements SHAFER,W.D. Region 3, Ofc of the Director. 88/08/08. REED,C. Commonwealth Edison Co. 2pp. 46886:014-46887:122

8809260196 Procedure Change Request A-88-399 to EPIP 550-5, "Technical Support Ctr,Operational Support Ctr & Main Assembly Area Radiological Supplies." Commonwealth Edison Co. 88/09/08. 6pp. 46950:350-46950:356.

8809260204 Procedure Change Request A-88-398 to EPIP 550-2, "Environ Emergency Kit,GSEP Van & Emergency Operations Facility Radiological Equipment." Commonwealth Edison Co. 88/09/08. 6pp. 46950,056-46950,061.

8809260130 Forwards functional area/evaluation criteria matrix & compilation of SALP strengths & weaknesses,per recent SALP meeting request Strengths & weaknesses listed correspond to statements in rept & not weighted equally GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/14 REED,C. Commonwealth Edison Co. 9pp. 46955 186-46956 194

8809260121 Procedure Change Request A-88 400 to Emergency Plan Implementing Procedure EPIP 550 6, "Monthly Radiological Equipment" Commonwealth Edison Co. 88/09/16 5pp. 46956,136-46956,140

P. Operating license stage documents & correspondence

8809120294 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065.006

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50,App B requirements & acceptable WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/19 REED,C. Commonwealth Edison Co. 2pp. 46742 071-46742 072

8808260343 Responds to 880323 request for addl info re Generic Ltr 83-28,Description of how program assures that all relevant mail received,properly evaluated,implemented & maintained during plant life provided. TRZYNA,G.E. Commonwealth Edison Co. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46856,043-46856 045.

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989,including insps,security & radiation control. FORNEY,W.L. Region 3, Ofc of the Director. 88/08/22 HAGUE,R.L. Region 3, Ofc of the Director. 11pp. 46698,231-46698 241.

8809290085 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization MORGAN,W.E. Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk) 1p. 46988,322-46988,336

-8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations." SHEWSKI,W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999 323-46999,336

Q. inspection reports, IE Bulletins & correspondence

8808310214 Responds to NRC 880824 ltr re violations noted in Insp Repts 50-285/88-12 & 50-304/88-13 on 880414 0603 Corrective actions,temporary procedure rev implemented to P/M003 5N to correct setpoint discrepancy. BLISS,H.E. Commonwealth Edison Co. 88/08/05 DAVIS,A.B. Region 3, Ofc of the Director. 15pp. 46727,010-46727-024.

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690,054-46690 178.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702,311-46703,070.

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989,including insps,security & radiation control. FORNEY,W.L. Region 3, Ofc of the Director. 88/08/22 HAGUE,R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698-241.

8808300313 Forwards SALP 7 Board Repts 50-295/88-01 & 50-304/88 01 for Dec 1986 - May 1988,Rating in training & qualification area declined from Category 1 to Category 2 classification. DAVIS,A.B. Region 3, Ofc of the Director. 88/08/23. REED,C. Commonwealth Edison Co. 3pp. 46695:281-46695-329

-8808300317 SALP Repts 50-295/88 01 & 50-304/88-01 for Dec 1986 to May 1988,Overall improvement in performance noted. Region 3, Ofc of the Director. 88/08/23. 46pp. 46695-284-46695 329

8808160368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713,218-46713 218.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713,095-46713,217

8808260482 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712,244-46713,004.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726,001-46726,123

8809150223 Responds to NRC Bulletin 88-005 & Suppl 1 & 2 re Piping Supplies,Inc & West Jersey Mfg Co mats complying w/ASME Code requirements,Itemized list of components received encl. MORGAN,W.E. Commonwealth Edison Co. 88/09/08 Document Control Branch (Document Control Desk). 31pp. 46857:021-46857,051.

86 DOCKETED ITEMS

8809160166 Forwards Safety Insp Repts 50-295/88-16 & 50-304/88-16 on 880720 0823 No violations noted
FORNEY,W.L. Region 3, Ofc of the Director 88/09/09. REED,C Commonwealth Edison Co 2pp 46895 050-46895 065

-8809160169 Insp Repts 50-295/88-16 & 50-304/88-16 on 880720-0823 No violations noted Major areas inspected operational safety verification & engineered safety feature sys walkdown, surveillance observation & maint observation
HINDS,J.M. Region 3, Ofc of the Director. 88/09/09 14pp 46895 052-46895 065

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc 122pp 46824-215-46824 336

8809260130 Forwards functional area/evaluation criteria matrix & compilation of SALP strengths & weaknesses per recent SALP meeting request Strengths & weaknesses listed correspond to statements in rept & not weighted equally
GREENMAN,E.G. Region 3, Ofc of the Director 88/09/14. REED,C Commonwealth Edison Co 9pp 46956 186-46956 184.

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26 Addl listed info re pumps & valves requested
GREENMAN,E.G. Region 3, Ofc of the Director 88/09/15 REED,C Commonwealth Edison Co 4pp 46956 055-46956 058

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc 124pp 46946-133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 125pp 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8808310003 "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988 " W/ 880819 ltr
PLIML,G.J. Commonwealth Edison Co 88/08/30. 23pp. 46782 097-46782 119.

8808300049 Forwards errata data re radioactive effluent rept for Jan Dec 1987 for plant PLIML,G.J. Commonwealth Edison Co 88/08/18 Document Control Branch (Document Control Desk). 1p. 46693-161-46693 193.

-8808300082 Errata to "Effluent & Waste Disposal Semiannual Rept for 1987 "
* Commonwealth Edison Co. 87/12/31 12pp 46693-182-46693 193.

8809140069 Monthly operating repts for Aug 1988 for Zion Generating Station.W/ 880907 ltr.
AUSTIN,G., PLIML,G.J. Commonwealth Edison Co. 88/08/31. 12pp 46841 200-46841 211.

S. Reportable occurrences, LERs & related correspondence

8809140376 LER 88-001-01 on 880408, nuclear station operator failed to log delta I w/ nuclear instrumentation channel in test Caused by personnel error Calibr procedure revised & operator training conducted W/880721 ltr.
STEVENSON,E., PLIML,G.J. Commonwealth Edison Co 88/07/15. 4pp 46838 205-46838 209.

8809010008 Summary of Operating Reactors Events Meeting 88-34 on 880823.
JAUDON,J.P. Events Assessment Branch 88/08/23. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 16pp. 46722 340-46722 354.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8809140195 Revised radiological emergency plan implementing procedures, including Rev P to EP-AD-8, "Notification of Alert, Site Emergency or General Emergency" & Rev R to "Corporate Staff Emergency Response Organization" W/880906 ltr.
STEINHARDT,C.R. Wisconsin Public Service Corp 88/09/06. 84pp 46540 328-46540 052

8809210037 Revised emergency plan implementing procedures, including Rev L to EP-AD-1, "Plant Emergency Organization," Rev G to EP-OSF-2, "Operational Support Facility Operations" & Rev D to EP-TSC-1, "Technical Support Ctr..." W/880912 ltr.
STEINHARDT,C.R. Wisconsin Public Service Corp 88/09/12 59pp. 46928-258-46928-314

H. General correspondence

8809300085 Comment on proposed rule 10CFR50 & 51 re property insurance for NRC licensed power plants. NRC urged to accept petition & grant relief requested
GEHL,E.O. Wisconsin Power & Light Co. 88/08/22 CHILK,S.J. Office of the Secretary of the Commission 1p. 46965 078-46965 078.

8809300124 Comment opposing proposed rules 10CFR50 & 51 re property insurance for NRC licensed power plants
MEBANE,D.C. Madison Gas & Electric Co. 88/09/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46978-336-46978-336

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc 41pp 47065 001-47065 006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR,L. Doc-Search Associates 5pp 46770 060-46770 089

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770 211-46770 223

8809010246 Forwards safety evaluation supporting util ATWS mitigating sys actuation circuitry design to meet requirements of 10CFR50.62
GLITTER,J.G. Project Directorate III-3 88/08/25. HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 46744-110-46744 119.

-8809010251 Safety evaluation supporting proposed ATWS mitigating sys actuation circuitry design to meet requirements of 10CFR50.62
* Project Directorate III 3. 88/08/25 8pp 46744 112-46744 119

8809020232 Advises that 880803 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" acceptable UMI should maintain auditable records of program & results from implementation of program.
GLITTER,J.G. Project Directorate III-3 88/08/30 HINTZ,D.C. Wisconsin Public Service Corp 2pp. 46750 130-46750 131

8809060383 Summary of 880824 meeting w/util re discussion & resolution of outstanding issues re accident monitoring instrumentation & conformance w/Reg Guide 1.87 List of attendees encl.
GLITTER,J.G. Project Directorate III-3. 88/08/30 Project Directorate III-3 26pp 46758 186-46758 211

8809080150 Advises that listed P&IDs sent to Region III, per 880320 request
STEINHARDT,C.R. Wisconsin Public Service Corp 88/09/01 Document Control Branch (Document Control Desk) 1p 46792-333-46792 333

8809150235 Forwards graphical summary of temp vs time heat strip chart records in response to 880803 request.
STEINHARDT,C.R. Wisconsin Public Service Corp 88/09/08. Document Control Branch (Document Control Desk). 3pp. 46849 347-46849 349

O. Inspection reports, IE Bulletins & correspondence

8809140025 Forwards SALP Rept 50-305/87-01 for Jan 1986 - June 1987, for review prior to 870825 meeting Performance found to be commendable
DAVIS,B.A. Region 3, Ofc of the Director 87/09/18 HINTZ,D.C. Wisconsin Public Service Corp. 3pp 46845-127-46845 156

-8809140029 SALP Rept 50-305/87-01 for Jan 1986 - June-1987
* Region 3, Ofc of the Director. 87/09/18. 27pp 46845-130-46845 156

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/22 Consolidated Edison Co. of New York, Inc 121pp 46702-311-46703 070

8808180358 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc 122pp 46713 218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712-244-46713 004

8808300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809090187 Advises that util 880813 response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings" acceptable
GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/02 HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 46806 341-46806 342.

8808150065 Responds to NRC Bulletin 88-005, including Suppls 1 & 2, "Nonconforming Matis Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamsstown, NJ."
HINTZ,D.C. Wisconsin Public Service Corp. 88/09/09. Document Control Branch (Document Control Desk). 10pp. 46846-273-46846 282

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824-215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc 124pp. 46946-133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp 46846 253-46847 013

R. Periodic operating reports & related correspondence

8809080107 "Semiannual Effluent Release Rept, Jan-June 1988" W/880929 ltr STEINHARDT, C.R. Wisconsin Public Service Corp 88/06/30 38pp. 46788.183 46788:220.

8809150183 Monthly operating rept for Aug 1988 for Kewaunee Nuclear Plant W/ 880909 ltr. RUITER, G.H., STEINHARDT, C.R. Wisconsin Public Service Corp 88/08/31 5pp. 46847 103 46847:107

S. Reportable occurrences, LERs & related correspondence

8809090182 LER 88-006-00 on 880502, plant experienced reactor/turbine trip, while operating. Caused by equipment failure Wires identified as faulty replaced & setpoint calculator reinstalled. W/880601 ltr LOHMAN, D.C. Wisconsin Public Service Corp 88/06/01 5pp 45766 273-45766 277.

8809310186 LER 88 010-00 on 880726, actuation of B train of auxiliary bldg special ventilation sys occurred Caused by spurious radiation spike Cause of spike undetermined. No specific corrective action planned. NALEPKA, D.S., STEINHARDT, C.R. Wisconsin Public Service Corp 88/08/25 4pp 46717 318-46717:321.

8809310196 LER 88-009-00 on 880726, automatic isolation of steam generator blow-down & sampling occurred Caused by improper procedure performance & electrical spike of indeterminant origin. Incident reviewed w/technicians. W/880825 ltr. BERNHOF, S.L., STEINHARDT, C.R. Wisconsin Public Service Corp 88/08/25 6pp. 46725-315-46725:320.

V. Operator Examinations

8809070241 Forwards tentative schedule for operator licensing exams through 1992, per Generic Ltr 88-13. Schedule based on listed fiscal yrs. STEINHARDT, C.R. Wisconsin Public Service Corp. 88/09/01. HANNON, J. NRC - No Detailed Affiliation Given. 3pp 46780 354 46780 356.

DOCKET 50-308 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809260376 Forwards Safety Insp Repts 50-282/88-13 & 50-306/88-13 on 880718-22. No violations noted HARRISON, J.J. Region 3, Ofc of the Director. 88/08/19. LARSON, C.E. Northern States Power Co. 2pp 46654-011-46654-025.

--8809260387 Insp Repts 50 282/88-13 & 50-306/88-13 on 880718-22. No violations or deviations noted. Major areas inspected, licensee action on previous Insp findings re App R & fire brigade annual training program BUTLER, D.S., ULIE, J.M., GARDNER, R.N. Region 3, Ofc of the Director 88/08/19, 13pp 46654-013-46654-025

8809290328 Advises that Rev 9 to emergency plan, transmitted by 880718 ltr, consistent w/provisions of 10CFR50.54(g) & acceptable SHAFER, W.D. Region 3, Ofc of the Director 88/08/22. LARSON, C.E. Northern States Power Co. 2pp. 46677:319-46677:320.

8809140455 Advises that 880812 Rev 19 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable MALLET, B.S. Region 3, Ofc of the Director. 88/08/31. LARSON, C.E. Northern States Power Co. 1p 46837-009 46837:009

8809180132 Advises that 880812 Rev 3 to safeguards contingency plan meets provisions of 10CFR50.54(p) & acceptable MALLET, B.S. Region 3, Ofc of the Director. 88/08/31. LARSON, C.E. Northern States Power Co. 1p. 46885:237-46885:237

8809150302 Rev 9 to Emergency Plan Implementation Procedure F3-2, "Classifications of Emergencies." W/880902 ltr FEY, F.L. Northern States Power Co 88/09/02. 66pp 46856:256 46856:321.

8809270113 Revised emergency plan implementing procedures, including Rev 6 to Procedure F3-6, "Recommendations for Offsite Protective Actions" & Rev 2 to Procedure F3-6.1, "Recommendations for Offsite Protective Actions for On Shift" W/880921 ltr. FEY, F.L. Northern States Power Co. 88/09/21. 60pp. 46869:332 46870:031.

P. Operating license stage documents & correspondence

8809120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc. 41pp. 47065:001-47065:006

8809260131 Advises that until 880526 response to Generic Ltr 88 05 re boric acid corrosion of carbon steel reactor boundary components in PWR plants acceptable. Util should maintain records of program & results obtained from program DIANNI, D.C. Project Directorate III-1 88/08/23. MUSOLF, D.M. Northern States Power Co 3pp. 46658:332-46658:334

8809310036 Requests 880801 request for exemption from 10CFR50, App J, Section III A.3 be supplemented w/commitment of min test duration of 24 h whenever mass point used. MUSOLF, D. Northern States Power Co 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46786 326-46786 327.

8809260481 Advises that 880513 response to Generic Ltr 88 03 re steam binding of auxiliary feedwater pumps acceptable. Agrees w/ util that improved maint & testing will help prevent any increase in check valve failure due to plant age DIANNI, D.C. Project Directorate III-1 88/08/25 MUSOLF, D.M. Northern States Power Co 2pp 46649 069-46649 070

8809310136 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988" & amend to rept for Jul-Dec 1987 FEY, F.L. Northern States Power Co 88/08/26 Document Control Branch (Document Control Desk) 1p 46700 027-46700:072

--8809310162 Rev 2 to D59, "Process Control Program for Solidification/ Dewatering of Radwaste from Liquid Sys" Northern States Power Co 88/04/15 23pp 46700 050-46700:072

8809060360 Forwards environ assessment & finding of no significant impact re 880705 request for amends to Licenses DPR-42 & DPR 60 DIANNI, D.C. Project Directorate III-1 88/08/31 MUSOLF, D.M. Northern States Power Co 3pp 46764 349 46764 355

--8809060364 Notice of environ assessment re issuance of amends to Licenses DPR-42 & DPR-60 revising Tech Specs to change values of nuclear hot channel factor & nuclear enthalpy rise in hot channel factor on power distribution limits in DNB VIRGILIO, M.J. Project Directorate III-1 88/08/31 4pp 46764:352 46764 355

8809090022 Advises that Rev 6 updating Monticello SAR & Rev 12 to operation QA plan for both plants acceptable WRIGHT, G.C. Region 3, Ofc of the Director 88/08/31 LARSON, C.E. Northern States Power Co. 1p. 46803 355 46803:355

8809260231 Forwards nonproprietary WCAP-11932 & proprietary WCAP-11931, respectively, "Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2" Proprietary rept withheld (ref 10CFR 2.790) MUSOLF, D. Northern States Power Co 88/09/15. Office of Nuclear Reactor Regulation, Director (Post 870411) 11pp 46952 054-46952:099

--8809260269 Requests that Proprietary WCAP-11931, "Advanced Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2," be withheld (ref 10CFR2.790) Affidavit encl WIESEMANN, R.A. Northern States Power Co. 88/09/09 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) 9pp. 46952 056 46952 064.

--8809260238 Nonproprietary, "Advanced Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2" ERIN, L.E., ADAMS, J.M., MORRIS, P.L. Westinghouse Electric Corp WCAP-11932 88/09/30. 35pp 46952:065-46952 099.

8809210271 Grants 880728 exemption from provisions of Sections I.D.3 & I.D.5 of App K to 10CFR50 re injection of low pressure ECCS. Exemption encl DIANNI, D. Project Directorate III-1. 88/09/16 MUSOLF, D.M. Northern States Power Co. 5pp. 46928 234 46928 245

--8809210274 Exemption from requirements of Sections I.D.3 & I.D.5 of App K to 10CFR50 re use of ratio of total fluid flow at core exit plane to total liquid flow at core inlet plane to determine core exit flow. HOLAHAN, G.M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/08/16 Northern States Power Co 7pp. 46928 239 46928 245

8809270001 Forwards environ assessment & finding of no significant impact re request for exemption from 10CFR50, App J DIANNI, D.C. Project Directorate III-1. 88/09/21. MUSOLF, D.M. Northern States Power Co 3pp 46971:259 46971 265

--8809270002 Environ assessment & finding of no significant impact re request for exemption from requirements of 10CFR50, App J. WAMBACH, T.V. Project Directorate III-1. 88/09/21 4pp. 46971 262-46971:265.

G. Inspection reports, IE Bulletins & correspondence

8809270016 Responds to NRC 880707 request for addl info re 880525 substation breaker actuation & status of substation work control process LARSON, C.E. Northern States Power Co 88/08/12 AXELSON, W.L. Region 3, Ofc of the Director. 2pp 46971:255-46971:256

8809190195 NRC Info Notice 88 069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp. 46890:054 46890 178.

8809260376 Forwards Safety Insp Repts 50-282/88-13 & 50 306/88 13 on 880718-22 No violations noted HARRISON, J.J. Region 3, Ofc of the Director 88/08/19 LARSON, C.E. Northern States Power Co. 2pp 46654 011 46654 026

--8809260387 Insp Repts 50-282/88-13 & 50-306/88-13 on 880718-22. No violations or deviations noted. Major areas inspected: licensee action on previous Insp findings re App R & fire brigade annual training program BUTLER, D.S., HODOR, R.S., PARKINSON, K.L. Region 3, Ofc of the Director. 88/08/19. 13pp 46654:013 46654:026

8809180451 NRC Info Notice 88-066, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc 121pp. 46702:311-46703:070.

8809020176 Forwards Safety Insp Repts 50-282/88-12 & 50-306/88-12 on 880826-0806 & notice of violation. AXELSON, W.L. Region 3, Ofc of the Director. 88/08/22 LARSON, C.E. Northern States Power Co. 2pp 46750:264-46750:279.

--8809020177 Notice of violation from Insp on 880826-0806. Violation noted, three of four reactor protection sys channels for overtemp Delta T & overpressure Delta T inoperable since 1974 & failure to stroke time test pressurizer PORVs AXELSON, W.L. Region 3, Ofc of the Director 88/08/22 1p 46750:266-46750:266.

88 DOCKETED ITEMS

--8809020178 Insp Repts 50-282/88-12 & 50 308/88-12 on 880625 0806 Violations noted Major areas inspected previous insp findings,plant operational safety,maint,surveillance,ESF sys,LER followup & preparation for refueling BURGESS,B Region 3, Ofc of the Director 88/08/22 13pp 46750 267-46750 279

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809150301 Responds to NRC Bulletin 88-005, "Nonconforming Malls Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamsstown, NJ." LARSON,C.E. Northern States Power Co. 88/09/08, Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp 46854 294-46854 300

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252

8809200168 Provides steam generator tube plugging & sleeving info per Tech Spec 4.12 E 1 Detailed info will be provided in inservice inspection summary rept to be submitted within 90 days of refueling outage. MUSOLF,D Northern States Power Co. 88/09/16, Document Control Branch (Document Control Desk) 1p. 46900 001-46900 001

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8808310136 Forwards "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988" & amend to rept for Jul-Dec 1987. FEY,F.L. Northern States Power Co. 88/08/26 Document Control Branch (Document Control Desk) 1p. 46700 027-46700 072

--8808310160 "Effluent Semiannual Rept for Jan-June 1988" * Northern States Power Co. 88/08/30, 14pp 46700 028 46700 041

--8808310161 Amend to "Effluent & Waste Disposal Semiannual Rept for Second Half of 1987." * Northern States Power Co. 87/12/31. 8pp. 46700 042-46700 049

8809220079 Forwards monthly operating repts for Aug 1988 for Prairie Island Units 1 & 2 & corrected monthly operating rept for Prairie Island Unit 1. MUSOLF,D Northern States Power Co. 88/09/13 Document Control Branch (Document Control Desk) 1p. 46926 335-46926 344

--8809220107 Monthly operating repts for Aug 1988 for Prairie Island Units 1 & 2. DUGSTAD,D Northern States Power Co. 88/08/31. 8pp 46926 336-46926 343

V. Operator Examinations

8808260075 Ack receipt of 880809 ltr providing current status of test item development to support NRC administered requalification exam during wk of 881024 Request to delay exam scheduled for wk of 881024 acceptable due to insufficient test items. WRIGHT,G.C. Region 3, Ofc of the Director 88/08/22 LARSON,C.E. Northern States Power Co. 2pp. 46669 178-46669 179

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

8809070222 Revised emergency plan implementing procedures,including Rev 25 to 2 50.6, "Emergency Equipment Readiness Check" & Rev 12 to 2.50.10, "Evaluation of Radiological Data." * Maine Yankee Atomic Power Co. 88/08/29. 94pp. 46777 244-46777 337.

8809150310 Rev 5 to Emergency Plan Implementing Procedure 2 50.8, "Medical Emergency Plan." * Maine Yankee Atomic Power Co. 88/09/06 10pp. 46848 343-46848 352.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp. 47085 001-47085 006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDF App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 6) GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates 5pp 46770 060 46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985. AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770 211-46770 223

8809120075 Forwards Amend 106 to License DPR-36 & safety evaluation. Amend modifies Tech Spec 3.12 re station svc power by prohibiting reliance on 115 kV surowiec line unless addl justification provided to NRC. SEARS,P.M. Project Directorate I-3 88/09/07 RANDAZZA,J.B. Maine Yankee Atomic Power Co. 4pp. 46826 026 46826 037

--8809120082 Amend 106 to License DPR-36,modifying Tech Spec 3.12 re station svc power by prohibiting reliance on 115 kV surowiec line unless addl justification provided to NRC. WEISSMAN,R.H. Project Directorate I-3 88/09/07. 5pp. 46826 030-46826 034.

--8809120084 Safety evaluation supporting Amend 106 to License DPR-36. * Project Directorate I-3. 88/09/07. 3pp 46826 035-46826 037

8809270098 Forwards "Simulate 3 Validation & Verification," per 880411 commitment,fee paid PAPANIC,G. Yankee Atomic Electric Co. 88/09/12 Document Control Branch (Document Control Desk). 2pp 46966 259-46969 005

Q. Inspection reports, IE Bulletins & correspondence

8808290297 Responds to NRC 880707 ltr re violations noted in Insp Rept 50-309/88-10 re failure to transfer radioactive mail to Agreement State licensee,Corrective action procedures revised for shipping radwaste WHITTIER,G.D. Maine Yankee Atomic Power Co. 88/08/11 RUSSELL,W.T. Region 1, Ofc of the Director 2pp 46677 346-46677 347

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Retays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8809010382 Forwards Radiological Controls Insp Rept 50-309/88-12 on 880718-22 No violations identified insp findings indicate weaknesses in corrective action process for radiological controls deficiencies & in area of contamination control. BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23. RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 46743 327-46743 338.

8809010383 Radiological Controls Insp Rept 50-309/88-12 on 880718-22. No violations identified Major areas inspected radiological controls organization,staffing & qualifications,audits,ALARA & corrective action sys. NIMITZ,R.L. SHANBAKY,M. Region 1, Ofc of the Director 88/08/23. 10pp 46743 329-46743 338.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809140252 Responds to NRC Bulletin 88-05, "Nonconforming Malls Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamsburg, NJ." & Suppl 1 & 2 Review of appropriate records & testing conducted,per requests. FRIZZLE,G.D. Maine Yankee Atomic Power Co. 88/09/08 Document Control Branch (Document Control Desk) 10pp. 46842 203-46842 212.

8809150206 Ack receipt of response to NRC Bulletin 88-001 re certain defective models of Westinghouse circuit breakers in nuclear power reactors.No further action required SEARS,P.M. Project Directorate I-3. 88/09/09 RANDAZZA,J.B. Maine Yankee Atomic Power Co. 2pp. 46856 235-46856 236

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809280002 Forwards Enforcement Conference Rept 50-309/87-18 on 880823. MARTIN,T.T. Region 1, Ofc of the Director 88/09/16. RANDAZZA,J.B. Maine Yankee Atomic Power Co 2pp 46956 259-46956 283.

--8809260003 Enforcement Conference Rept 50-309/87-16 re environ qualification of terminal blocks for containment sump level instrument circuits, cable for reactor cool ant hot & cold leg resistance temp device & solenoid operated valves in HPSI
CHEUNG, L., ANDERSON, C. Region 1, Ofc of the Director 88/09/08 3pp
46956 261-46956 263

--8809260006 "Environ Qualification Enforcement Conference"
* Maine Yankee Atomic Power Co. 88/09/23 31pp. 46956 264-46956 293.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809190228 Monthly operating rept for Aug 1988 for Maine Yankee W/880912 ltr
TAYLOR, J.M., WHITTIER, G.D. Maine Yankee Atomic Power Co. 88/09/31 6pp
46987,295-46987 300

S. Reportable occurrences, LERs & related correspondence

8809010008 Summary of Operating Reactors Events Meeting 88-34 on 880823
JAUDON, J.P. Events Assessment Branch 88/08/23. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 15pp 46722-340-46722 354

8809190315 LER 88 006-00 on 880813, unscheduled reactor trip due to main turbine trip caused by electrical fault in one output transformer Root cause of short remains indeterminate pending further insp W/880912 ltr
BRAND, E.B., WHITTIER, G.D. Maine Yankee Atomic Power Co 88/09/12 4pp
46898-327-46898 330.

V. Operator Examinations

8809200073 Forwards info requested in Generic Ltr 88-13 re proposed operator licensing/requalification exam schedule
WHITTIER, G.D. Maine Yankee Atomic Power Co. 88/09/02. HANNON, J. NRC - No Detailed Affiliation Given. 3pp. 46911-086-46911 088

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809090137 Forwards FEMA 880728 ltr & "FEMA Evaluation Rept of Alert & Notification Sys for Artificial Island Nuclear Generating Stations," stating that sys meets NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10 requirements, Caveat of 44CFR350 removed.
BELLAMY, R.R. Region 1, Ofc of the Director, 88/08/30. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp 46807-043-46807 321.

8809230177 Revised emergency plan implementing procedures, including Rev 4 to EPIP 103S, "Site Area Emergency," Rev 5 to EPIP 202S, "Operations Support Cir Activation & Operations" & Rev 5 to EPIP 302S, "TSC Radiation Protection/Chemistry Response"
* Public Service Electric & Gas Co. of New Jersey. 88/09/02. 100pp 46944-019 46944, 163

8809230209 Revised emergency plan implementing procedures, including Rev 5 to EPIP 801, "Opening of Technical Support Cir," Rev 5 to EPIP 802, "Accountability/Evacuation" & Rev 2 to EPIP 803, "Opening of Emergency Operations Facility/Emergency"
* Public Service Electric & Gas Co. of New Jersey 88/09/02 38pp 46942,089-46942-126.

8809200224 Rev 5 to Emergency Operations Facility Procedure EPIP 802, "Radiological Dose Assessment" & Rev 5 to EPIP 803, "Field Monitoring"
* Public Service Electric & Gas Co. of New Jersey 88/09/14 119pp. 46908,108-46908-316.

H. General correspondence

8809070559 Comment opposing proposed rule 10CFR50 re licensee flexibility during mall crisis Deferral of issuance of final rule until proper implementation guidance formulated encouraged
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 88/08/17. CHILK, S.J. Office of the Secretary of the Commission 3pp 46713-344-46713 346.

8809260242 Submits listed svc list revs to util to incorporate changes in mgt organization. Marked copy of each svc list encl.
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/14. Document Control Branch (Document Control Desk). 5pp. 46956;153-46956-157.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065-008.

8809120236 Requests that NRC reinstate formal Section 7 consultation on Unit 1 to include effect of impingements of endangered or threatened marine species.
CRESTIN, D.C. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 88/08/19 FISCHER, D.C. NRC - No Detailed Affiliation Given. 8pp. 46813-286-46813-293.

8808290256 Forwards request for addl info re 880227 request for exemptions to allow util to take credit for respirators fitted w/sorbent canisters for protection against airborne radiolindane Response requested within 30 days
RIVENBARK, G. Project Directorate I-2 88/08/25. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 3pp. 46677-315-46677-316.

8809020238 Forwards Amends 88 & 61 to Licenses DPR 70 & DPR-75, respectively & safety evaluation Amends revise Tech Specs to change testing requirements re battery surveillance during plant shutdowns.
FISCHER, D.C. Project Directorate I-2 88/08/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 3pp 46745 176 46745 190

--8809020242 Amends 88 & 61 to Licenses DPR-70 & DPR-75, respectively, revising Tech Specs to change testing requirements re battery surveillance during certain plant shutdowns.
BUTLER, W.R. Project Directorate I-2 88/08/29 10pp 46745,179-46745,188.

--8809020244 Safety evaluation supporting Amends 88 & 61 to Licenses DPR-70 & DPR-75, respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/29 2pp 46745,189 46745 190

8809070200 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual"
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/09/31 Document Control Branch (Document Control Desk) 4pp 46776 003-46776 152

--8809070210 Rev 4 to "Offsite Dose Calculation Manual"
* Public Service Electric & Gas Co. of New Jersey 88/05/17 81pp 46776,063-46776,152.

8809130064 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411) 88/09/02. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp. 46827,007-46827-009.

8809210159 Requests NRC approval for util to prepare biological assessment re reinitiation of Endangered Species Act, Section 7 pertaining to sea turtle occurrences in circulating water intake at facility.
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/08 STONE, J. NRC - No Detailed Affiliation Given 2pp. 46920 304-46920 305

8809190282 Lists personnel authorized as representatives to sign all State of NJ PDES related correspondence & repts
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 88/09/12 CAPORALE, G. New Jersey, State of 1p 46898,331-46898-331.

8809190363 Application for amends to Licenses DPR-70 & DPR-75, incorporating Tech Specs for reactor head vents per Generic Ltr 83-37 & NUREG 0737, Item II B 1 requirements Fee paid.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/09/12 Document Control Branch (Document Control Desk) 6pp 46898;071-46898 080.

--8809190385 Proposed Tech Specs, incorporating info for reactor head vents per Generic Ltr 83-27 & NUREG 0737, Item II B 1 requirements
* Public Service Electric & Gas Co. of New Jersey. 88/09/12 4pp. 46898,077-46898,080.

8809260058 Forwards Attachment A to "Salem Offsite Dose Calculation Manual Rev 4 Highlights" omitted from 880831 submittal.
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/16 Document Control Branch (Document Control Desk) 1p. 46957,348-46957 350.

--8809260175 Attachment A to "Salem Offsite Dose Calculation Manual Rev 4 Highlights"
* Public Service Electric & Gas Co. of New Jersey 88/09/16 2pp 46957,349-46957 350

8809270037 Submits comments on packaging & transportation of radioactive mail. Need to conform to IAEA stds not justified based on arguments presented
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 88/09/16 Document Control Branch (Document Control Desk) 2pp 46987,342-46987 343.

8809230031 Requests proposed schedule for preparation of biological assessment re increase in number of sea turtles impinged on trash bars. In response to 880908 ltr per Section 402 16 of Endangered Species Act, Interagency Cooperation regulation.
STONE, J.C. Project Directorate I-2 88/09/20. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46945-293-46945 295

Q. Inspection reports, IE Bulletins & correspondence

8808260402 Forwards results of field voltage measurements performed to verify calculated values, per 871215 request re special electrical insp.
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey 88/08/15. ANDERSON, C. Region 1, Ofc of the Director. 1p 46654,054-46654 057.

--8808260414 Submits comparison of field measured voltage drops against calculated values
HAJOS, L.G. Public Service Electric & Gas Co. of New Jersey. 88/08/21. MYERS, J.R. Public Service Electric & Gas Co. of New Jersey. 2pp 46654,055 46654,057.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690-178.

8808300066 Advises that NRC planning enforcement conference within 30 days to discuss listed equipment qualification deficiencies noted in Insp 50 272/86-23 & 50-311/86-23 on 880811-15.
JOHNSTON, W.V. Region 1, Ofc of the Director, 88/08/19. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46693,095-46693-097.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703,070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713,218-46713,219

90 DOCKETED ITEMS

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8809190140 Forwards Requalification Exam Repts 50-272/88-07OL & 50-311/88 07OL of exam conducted during wk of 880813. Requalification program deficiencies noted MARTIN,T.T. Region 1, Ofc of the Director 88/09/01. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46888 088-46888 262

--8809190147 Requalification Exam Repts 50-272/88-07OL & 50-311/88 07OL on 880813-17. Exam results of eight senior reactor operators & four reactor operators, one reactor operator failed simulator test & one senior operator failed written test. NORRIS,B.S. Region 1, Ofc of the Director 88/08/29. 175pp. 46888 091-46888 262

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809080073 Responds to NRC 880727 ltr re violations noted in Insp Repts 50-272/88-14 & 50-311/88-14. Corrective actions complete review of operation dept procedures file performed to ensure all surveillance files are in order.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 88/09/02 Document Control Branch (Document Control Desk). 5pp. 46793 320-46793 324.

8809140269 Notification of 880929 significant licensee meeting w/util in King of Prussia, PA re equipment environ qualification issues.
SWETLAND,P. Region 1, Ofc of the Director. 88/09/07. Region 1, Ofc of the Director 2pp. 46840:109 46840 110

8809160108 Advises that util 880331 response to NRC Bulletin 88-001 re defects in Westinghouse circuit breakers satisfactory.
STONE,J.C. Project Directorate I-2. 88/09/09. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46908 341-46908 343

8809190272 Responds to NRC Bulletin 88-005 re potentially nonconforming matts supplied by Piping Supplies, Inc & West Jersey Mfg Co. Util identified 2,692 flanges/fittings as being received from companies.
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 88/09/12. Document Control Branch (Document Control Desk). 5pp. 46898 012 46898 016.

8809220313 Forwards Safety Insp Repts 50-272/88-16 & 50-311/88 16 on 880712-0822 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/09/12. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46930 137-46930 158.

--8809220315 Insp Repts 50-272/88-16 & 50-311/88-16 on 880712 0822. Violations noted. Major areas inspected plant operations, including operational safety verification, surveillance, maint, radiological controls & overtime policy.
SWETLAND,P.D. Region 1, Ofc of the Director. 88/09/08. 19pp. 46930 140-46930 158

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 338

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809010309 "NPDES Discharge Monitoring Rept for Jul 1988" W/880819 ltr.
TREJO,J. Public Service Electric & Gas Co. of New Jersey. 88/07/31. CAPORALE,G. New Jersey, State of. 25pp. 46742 012-46742 037.

8809070200 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual".
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 88/08/31 Document Control Branch (Document Control Desk). 4pp. 46776 003-46776 152

--8809070202 "Semiannual Radioactive Effluent Release Rept Jan-June 1988"
Public Service Electric & Gas Co. of New Jersey. SGS RERR-24 88/06/30. 46pp. 46776 007-46776 052

--8809070210 Rev 4 to "Offsite Dose Calculation Manual"
Public Service Electric & Gas Co. of New Jersey. 88/05/17. 91pp. 46776 063-46776 152

S. Reportable occurrences, LERs & related correspondence

8808300112 LER 88-016-00 on 880730, reactor trip occurred caused by equipment problems associated w/vital instrument bus C inverter Design change to delete specified reactor trip logic initiated W/880818 ltr.
POLLACK,M.J., ZUPKO,J.M. Public Service Electric & Gas Co. of New Jersey. 88/08/18. 4pp. 46898 295-46898 298.

8809140112 Special Rept 88-4 on 880808, diesel generator 2A failed to achieve rated output. Caused by equipment malfunction. Defective governor replaced & Surveillance Procedure 4.8.1.1.2 successfully performed.
MILLER,L.K. Public Service Electric & Gas Co. of New Jersey. 88/08/31 Document Control Branch (Document Control Desk). 3pp. 46838 031-46838 033

8809070355 PNO 188 091 on 880831, Unit 1 tripped from full power as result of main turbine trip Cause unknown Unit 2 tripped from full power due to high steam generator (SG) level resulting from SG feed regulating valve failing open.
BORCHARDT,W., SWETLAND,P. Region 1, Ofc of the Director 88/09/01 1p. 46779 144 46779 144

8809140243 Special Rept 88-5 on 880817, several fire barrier penetrations in support of design mode during current refueling outage impaired for greater than 7 days. Hourly fire watches will continue until concerns resolved.
MILLER,L.K. Public Service Electric & Gas Co. of New Jersey. 88/09/06 Document Control Branch (Document Control Desk). 4pp. 46842 214-46842 217

8809160202 Special Rept 88-6 on 880811, fire pump 2 inoperable for greater than 7 days due to a design/equipment problem. Tank filled w/fuel oil to appropriate level upon discovery low level.
MILLER,L.K. Public Service Electric & Gas Co. of New Jersey. 88/09/09 Document Control Branch (Document Control Desk). 3pp. 46885 262 46885 264

V. Operator Examinations

8809190140 Forwards Requalification Exam Repts 50-272/88-07OL & 50-311/88 07OL of exam conducted during wk of 880813. Requalification program deficiencies noted MARTIN,T.T. Region 1, Ofc of the Director 88/09/01 MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46888 088-46888 262

--8809190147 Requalification Exam Repts 50-272/88 07OL & 50-311/88 07OL on 880813 17. Exam results of eight senior reactor operators & four reactor operators, one reactor operator failed simulator test & one senior operator failed written test.
NORRIS,B.S., ESELGROTH,P.W. Region 1, Ofc of the Director 88/08/29 175pp. 46888 091-46888 262

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

8808260136 Rev 1 to Emergency Plan Implementing Procedure EPIP-5001, "Recognition & Classification of Emergencies"
Sacramento Municipal Utility District 88/08/22 60pp. 46667 255 46667 322.

8808310074 Rev 1 to Emergency Plan Implementing Procedure EPIP-5800, "Training"
Sacramento Municipal Utility District 88/08/26 22pp. 46699 282 46699 303

8809080210 Revised emergency plan implementing procedures, including Rev 2 to EPIP 5002, "Control Room Staff Emergency Actions," Rev 2 to EPIP-5200, "Activation & Operation of Technical Support Ctr" & Rev 2 to EPIP-5460, "Protective Action Guidance."
Sacramento Municipal Utility District 88/08/26 135pp. 46790 001-46790 135

8809070327 Revised Vol 1 to emergency plan manual
Sacramento Municipal Utility District 88/08/30. 200pp. 46772 165-46773 016

8809080207 Revised Manual 1 to emergency plan
Sacramento Municipal Utility District 88/08/30 213pp. 46794 001-46794 210.

8809220131 Forwards Insp Rept 50-312/88 25 on 880719 21 & notice of violation YUHAS,G.P. Region 5, Ofc of the Director 88/09/01. FURLIT,J. Sacramento Municipal Utility District 2pp. 46920 341-46920 348

--8809220133 Notice of violation from Insp on 880719 21. Violation noted failure to maintain calibr of dedicated emergency equipment.
YUHAS,G.P. Region 5, Ofc of the Director 88/09/01 1p. 46920:343 46920:343

--8809220136 Insp Rept 50-312/88-25 on 880719-21. No violations noted. Major areas inspected exam of emergency facilities, equipment & emergency preparedness training.
PRENDERGAST,K., FISH,R.F. Region 5, Ofc of the Director. 88/09/01 5pp. 46920 344-46920 348

8809140228 Ack receipt of 880817 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-312/88-05.
ZIMMERMAN,R.P. Region 5, Ofc of the Director 88/09/06 FURLIT,J.F. Sacramento Municipal Utility District 1p. 46836 203 46836 206

--8809140231 Forwards supplemental response supporting util denial of notice of violation from Insp Rept 50-312/88 05. Addl discussion re actions taken by util during TDI diesel generator testing also provided.
FURLIT,J.F. Sacramento Municipal Utility District 88/08/17 ZIMMERMAN,R. Region 5, Ofc of the Director 3pp. 46836:204-46836 206

8809160042 Revised emergency plan
Sacramento Municipal Utility District 88/09/06 200pp. 46855 001-46855 214

8809200204 Responds to NRC 880511 request for addl info re fire hazards analysis. Fire areas created since 1977 (w/exception of TDI bldg) provided.
CROLEY,B.G. Sacramento Municipal Utility District 88/09/16. Document Control Branch (Document Control Desk). 49pp. 46911 254 46911 302.

H. General correspondence

8809150185 Requests util be taken off distribution list for all documents transmitted to & from NRC to plant.
LOCKE,R.F. Pacific Gas & Electric Co. 88/09/01. PARLER,W.C. Office of the General Counsel 1p. 46848 189-46848 190.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8809060348 Responds to NRC 871022 request for addl info re proposed Amend 111, Rev 1 to License DPR-54 concerning Tech Spec Table 3.6-1, adding 16 valves & increasing max closure time of valves in direct flow path from containment to environ
KEUTER, D.R. Sacramento Municipal Utility District 88/08/31 Document Control Branch (Document Control Desk) 10pp 46764 035-46764 048

8809060378 Proposed Tech Specs on limiting condition for operation re containment isolation valves.
* Sacramento Municipal Utility District 88/08/31. 4pp 46764 045-46764 048

8809070452 Discusses 880826 decision to open Valve HV-20578 & place associated flow control Valve FV-20528 in closed position, returning redundant flow path to steam generator to svc
KEUTER, D.R. Sacramento Municipal Utility District 88/09/02 KNIGHTON, G. Document Control Branch (Document Control Desk) 3pp. 46764 041-46764 043

8809160092 Application for amend to License DPR-54, consisting of Rev 1 to Amend 168, replacing organization charts w/more general administrative controls
KEUTER, D.R. Sacramento Municipal Utility District 88/09/08 Document Control Branch (Document Control Desk). 7pp 46897 249 46897 264.

8809160094 Proposed Tech Specs re administrative controls, onsite & offsite organizations & facility staff
* Sacramento Municipal Utility District 88/09/08 8pp 46897 256-46897 264

8809200239 Responds to DG Eisenhower 800107 ltr to all power reactors re QA requirements for diesel generator fuel oil Surveillance requirement added to Tech Spec 4.6.3, per Amend 94, to require that listed tests be performed
FIRLIT, J.F. Sacramento Municipal Utility District 88/09/14 Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp 46900 031-46900 032

8809260029 Responds to D Crutchfield 880620 request for comment on regulatory effectiveness review Part III, Section 5.4 re vital area definition & comparison w/existing security plan.
FIRLIT, J.F. Sacramento Municipal Utility District 88/09/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46965 167-46965 176.

8809260030 "Evaluation of Double Steam Line Break at Rancho Seco."
PARECE, M.V. Babcock & Wilcox Co 51-1172953 00 88/08/24 11pp 46965 168 46965 176.

8809230063 Application for amend to License DPR-54, consisting of proposed Amend 172, changing local leak rate test requirements for containment penetrations. Fee paid
KEUTER, D.R. Sacramento Municipal Utility District 88/09/19 Document Control Branch (Document Control Desk) KNIGHTON, G. NRC - No Detailed Affiliation Given 10pp. 46945 124-46945 137

8809230068 Proposed Tech Specs, changing local leak rate test requirements for containment penetrations
* Sacramento Municipal Utility District 88/09/19 4pp 46945 134-46945 137

Q. Inspection reports, IE Bulletins & correspondence

8809060311 Forwards Insp Rept 50 312/88-24 on 880719-22 & notice of violation.
YUHAS, G.P. Region 5, Ofc of the Director 88/08/16. FIRLIT, J.F. Sacramento Municipal Utility District 2pp. 46767 333-46767 347

8809060328 Notice of violation from Insp on 880719-22 Violation noted individual did not wear TLD badge as required while working in grade level decon room.
YUHAS, G.P. Region 5, Ofc of the Director 88/08/16. 2pp. 46767 335-46767 336

8809060336 Insp Rept 50-312/88-24 on 880719-22 Violation noted Major areas inspected/ licensee actions on previous Insp findings & LERs, external exposure control & internal exposure control
HOOKER, C.A., YUHAS, G.P. Region 5, Ofc of the Director 88/08/16. 11pp. 46767 337-46767 347.

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890 178

8809180451 NRC Info Notice 88 068, "Seioint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8809180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 216-46713 210.

8809310038 Responds to NRC 880729 ltr re violations noted in Insp Rept Corrective actions: particle isolated & sent to BNWL, whole body count of welder performed & contamination surveys of areas traveled by welder conducted
FIRLIT, J.F. Sacramento Municipal Utility District 88/09/26 Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46899 246 46899 252.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 085-46713 217.

8809080156 Suppl response to violations noted in Insp Rept 50-312/88-04 Addl funding & contract assistance required to implement revised access authorization program.
FIRLIT, J.F. Sacramento Municipal Utility District 88/08/30. Document Control Branch (Document Control Desk). 1p. 46789 308-46789 308.

8809260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8809220131 Forwards Insp Rept 50-312/88-25 on 880719-21 & notice of violation.
YUHAS, G.P. Region 5, Ofc of the Director 88/09/01 FIRLIT, J. Sacramento Municipal Utility District. 2pp 46920 341-46920 348.

8809220133 Notice of violation from Insp on 880719 21 Violation noted failure to maintain caliber of dedicated emergency equipment.
YUHAS, G.P. Region 5, Ofc of the Director 88/09/01 1p 46920 343-46920 343.

8809220136 Insp Rept 50-312/88-25 on 880719-21 No violations noted Major areas inspected exam of emergency facilities, equipment & emergency preparedness training
PRENDERGAST, K., FISH, R.F. Region 5, Ofc of the Director 88/09/01 5pp 46920 344-46920 348

8809300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809140228 Ack receipt of 880817 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 312/88 05
ZIMMERMAN, R.P. Region 5, Ofc of the Director 88/09/08 FIRLIT, J.F. Sacramento Municipal Utility District 1p 46836 203 46836 206

8809140231 Forwards supplemental response supporting util denial of notice of violation from Insp Rept 50 312/88 05 Addl discussion re actions taken by util during TDI diesel generator testing also provided
FIRLIT, J.F. Sacramento Municipal Utility District 88/08/17. ZIMMERMAN, R. Region 5, Ofc of the Director 3pp. 46836 204-46836 208

8809150200 Ack receipt of 880722 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 312/88-17.
YUHAS, G.P. Region 5, Ofc of the Director 88/09/08 FIRLIT, J.F. Sacramento Municipal Utility District 1p. 46849 322-46849 325.

8809150331 Responds to NRC 880816 ltr re violations noted in Insp Rept 50-312/88-24. Corrective actions: radiation protection technician escorted individual to whole body locker & individual locker to retrieve security badge & TLD
FIRLIT, J.F. Sacramento Municipal Utility District 88/09/08. KNIGHTON, G. Document Control Branch (Document Control Desk). 3pp. 46856 354-46856 358

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809190261 Forwards response to NRC Bulletin 88 005 re results of investigation concerning mail supplied by Piping Supplies, Inc or West Jersey Mfg. Description of investigation performed & test results encl.
CHOLEY, B.G. Sacramento Municipal Utility District 88/09/14 Document Control Branch (Document Control Desk) 16pp. 46893 021-46893 036.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809220325 "Semiannual Radioactive Effluent Release Rept, Jan June 1988, Rancho Seco Nuclear Generating Station." W/880831 ltr.
KEUTER, D.R. Sacramento Municipal Utility District. 88/08/30. MARTIN, J.B. Region 5, Ofc of the Director. 200pp. 46933 306-46934 160.

8809300101 Discharger self-monitoring rept for Jul 1988 W/880818 ltr
KEUTER, D.R. Sacramento Municipal Utility District 88/07/31 MARTIN, J.B. Region 5, Ofc of the Director. 4pp 46893 085 46893 088

8809020035 Forwards corrected pages of App B, "Average Daily Unit Power Level," to listed monthly operating plant status rept.
CRUNK, S.L. Sacramento Municipal Utility District. 88/08/25. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46744 308-46744 313.

8809020157 Rev 1 to monthly operating rept for Jan 1984 for Rancho Seco Unit 1
CRUNK, S.L. Sacramento Municipal Utility District. 84/01/31 1p 46744 309 46744 309.

8809020159 Rev 1 to monthly operating rept for Feb 1984 for Rancho Seco Unit 1.
CRUNK, S.L. Sacramento Municipal Utility District. 84/02/29. 1p. 46744 310-46744 310.

8809020160 Rev 1 to monthly operating rept for Feb 1985 for Rancho Seco Unit 1.
CRUNK, S.L. Sacramento Municipal Utility District. 85/02/28 1p 46744 311-46744 311

8809020174 Rev 1 to monthly operating rept for Mar 1985 for Rancho Seco Unit 1.
CRUNK, S.L. Sacramento Municipal Utility District. 85/03/31. 1p. 46744 312-46744 312.

8809020175 Rev 1 to monthly operating rept for Jan 1985 for Rancho Seco Unit 1
CRUNK, S.L. Sacramento Municipal Utility District 85/01/31. 1p. 46744 313-46744 313

8809130213 Forwards util monthly performance data for Jul 1988 per Stern request Corrective maint mail adjusted to conform w/ new priority & plant status defined in Procedure MAP-0006, "Work Request Planning"
KEUTER, D.R. Sacramento Municipal Utility District 88/08/31. Document Control Branch (Document Control Desk). 26pp. 46834 029 46834 059.

8809200134 Monthly operating rept for Aug 1988 for Rancho Seco Unit 1 W/880915 ltr.
CRUNK, S.L. Sacramento Municipal Utility District. 88/08/31 8pp. 46899 330-46899 337

92 DOCKETED ITEMS

S. Reportable occurrences, LERs & related correspondence

8808260006 LER 88-009-00 on 880721 & 25, penetrations failed acceptance criteria & did not receive hourly fire watch & penetrations breached, respectively. Caused by personnel error & procedure complexity. Procedure to be replaced W/880819 Ltr, RUTTER, S.W., FURLIT, J.F. Sacramento Municipal Utility District 88/08/19 5pp 46667 357-46667 360.

8809070557 Suppl to Special Rept 88-07 fire sys changed from deluge sys to spray type sys. Auxiliary feedwater pump motors will only be sprayed during actual fire situation. Shrouding on motor vents modified for addl protection against water spray. KEUTER, D.R. Sacramento Municipal Utility District 88/08/23 MARTIN, J.B. Region 5, Ofc of the Director 1p 46779 191-46779 191

8809140147 Corrected Page 2 of 3 to 10CFR21 Rept 86-04, correcting date of receipt of info re mfg defect w/Gould PD3200 pressure transmitters. FURLIT, J.F. Sacramento Municipal Utility District 88/08/30, MARTIN, J.B. Region 5, Ofc of the Director 1p 46838 030-46838 031

--8809210045 Corrected Part 21 rept re mfg defect w/Statham/Gould PD3200 differential pressure transmitters. Transmitters replaced w/ two like units during May outage. Three failed units returned to Statham/Gould for insp & identification. * Sacramento Municipal Utility District 88/08/30, 1p. 46838 031 46838 031.

8809140223 Special Rept 88-12 on 880801, fire barrier penetration seals for penetrations 2041 & 2044 breached for more than 7 days during power escalation on 880729. Hourly fire watch provided in auxiliary bldg within 1 h of discovery. KEUTER, D.R. Sacramento Municipal Utility District 88/08/30, MARTIN, J.B. Region 5, Ofc of the Director 2pp. 46840:263 46840 266.

8809150100 Suppl to Special Rept 88-03 re removal of CO2 fire suppression sys from Zones 76-80 bringing nuclear svc electric bldg into compliance w/10CFR50, App R requirements. KEUTER, D.R. Sacramento Municipal Utility District 88/09/06 MARTIN, J.B. Region 5, Ofc of the Director, 1p. 46854:150 46854:150.

8809140260 LER 88-010 00 on 880810, missed fire watches for inoperable fire rated assemblies due to personnel error. Fire zones to be reevaluated. Individual zones no longer divided into clean & controlled sections. W/880907 Ltr, RUTTER, S., FURLIT, J.F. Sacramento Municipal Utility District 88/09/07, 6pp 46845 020 46845 025

V. Operator Examinations

8809130157 Forwards proposed OL & requalification exam schedule format, per Generic Ltr 88-13. SHETLER, J.R. Sacramento Municipal Utility District 88/09/01, HANNON, J. Office of Nuclear Reactor Regulation, Director (Post 870411), 3pp 46830:215 46830 217.

8809140262 Requests for ref matl requirements for reactor/senior reactor operator licensing exams scheduled on 881208 08. Encl listed requirements should be submitted by 881007 in order for NRC to meet schedule. PATE, R.J. Region 5, Ofc of the Director, 88/09/06, FURLIT, J.F. Sacramento Municipal Utility District 3pp 46836:117 46836:126.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260066 Revised emergency plan implementing procedures, including Rev 4 to 1903 20, "Toxic Gas Release" & Rev 3 to 1903.21, "ARKLA Natural Gas Line Rupture". * Arkansas Power & Light Co 88/08/20 10pp. 46658:335-46658:344.

8809150140 Rev 4 to Emergency Plan Implementing Procedure 1903 62, "Communications Sys Operating Procedure". * Arkansas Power & Light Co 88/08/20, 24pp. 46894 347-46895 010

8809150063 Revised emergency plan implementing procedures, including Rev 8 to 1903 01, "Organization & Use of Emergency Plan Implementing Procedures" & Rev 4 to 1903 40, "Doses of Dose Assessment Team". * Arkansas Power & Light Co 88/08/10 108pp. 46856 044 46856:163.

8809190191 Rev 15 to Emergency Plan Implementing Procedure 1903 50, "Emergency Response Organization". * Arkansas Power & Light Co 88/08/31, 80pp 46896:161-46896 239

8809140360 Revised emergency plan implementing procedures, including Rev 5 to 1903 04, "Administration & Maint of Emergency Plan & Implementing Procedures" & Rev 24 to 1903.10, "Emergency Action Level Classification". * Arkansas Power & Light Co. 88/09/01, 29pp. 46846 099-46846 127.

8809140368 Rev 23 to Emergency Plan Implementing Procedure 1903.10, "Emergency Action Level Classification". * Arkansas Power & Light Co. 88/09/01, 128pp 46837 081-46837:208.

8809130164 Notification of significant licensee meeting on 880908 in Arlington, TX to discuss backfit concerns re contingency responses to safeguard events. CALLAN, L.J. Region 2, Ofc of the Director, 88/08/02 Region 2, Ofc of the Director, 2pp. 46830 059-46830 060.

8809130196 Confirms 880908 mgt meeting to discuss backfit concerns re contingency responses to safeguards events per 880831 telcon. Proposed meeting agenda encl W/o agenda. CALLAN, L.J. Region 4, Ofc of the Director, 88/09/02, CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46828 280 46828 281.

8809150146 Revised emergency plan implementing procedures, including Rev 6 to 1904 01, "Offsite Dose Projections - GEMS Computer Graphics Method" & Rev 5 to 1904 08, "Use of WSI Weather Info Sys.". * Arkansas Power & Light Co. 88/09/07, 24pp. 46864:350-46865:013

8809230125 Forwards SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed. Mgt meeting scheduled for 881021. MARTIN, R.D. Region 4, Ofc of the Director 88/09/16 CAMPBELL, G. Arkansas Power & Light Co 3pp 46943 315 46943 349.

--8809230126 SALP Repts 50-313/87-41 & 50 368/87-41 for Jan 1987 - June 1988 * Region 4, Ofc of the Director 88/09/16, 32pp 46943 318-46943 349.

G. Adjudicatory correspondence

8809120036 Requests that svc lists be amended accordingly to reflect deletion of Liber man from firm name. REAP, M.E. Bishop, Cook, Purcell & Reynolds #388 7021 88/09/01, Docketing & Services Branch 1p. 46752 296-46752 298.

I. Financial Information

8808310060 Forwards executive summary of US Supreme Court decision on Mississippi Power & Light Grand Gulf Unit 1 rate litigation. Federally mandated wholesale rates through retail rate structure upheld. KINGSLEY, O.D. System Energy Resources, Inc 88/08/28 Document Control Branch (Document Control Desk) 5pp 46723 354-46723 358.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc 41pp 47065:001-47065 008

8808260008 Forwards Amend 110 to License DPR-51, correcting typo in Tech Spec Table 4.1-1, Item 43.a re test frequency for engineered safety actuation sys manual trip switches & logic. HARBUCK, C.C. Project Directorate IV 88/08/17 CAMPBELL, T.G. Arkansas Power & Light Co 4pp. 46669:228 46669 235.

--8808260010 Amend 110 to License DPR-51, correcting typo in Tech Spec Table 4.1-1, Item 43.a. CALVO, J.A. Project Directorate IV 88/08/17 4pp 46669:232-46669 235.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (rel FOIA Exemption 5). App C documents partially withheld (rel FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given, 88/08/17, CONNOR, L. Doc Search Associates 5pp. 46770:080 46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413), 88/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770:211-46770 223.

8808260077 Forwards Amend 112 to License DPR-51 & safety evaluation. Amend deletes Tech Spec Figures 6 2-1 & 6 2-2, "Mgt Organization Chart," (offsite) & Figure 6 2-2, "Functional Organization for Plant Operations." HARBUCK, C.C. Project Directorate IV 88/08/18, CAMPBELL, T.G. Arkansas Power & Light Co 4pp. 46658:186 46658 200.

--8808260079 Amend 112 to License DPR-51, deleting Tech Spec Figure 6 2-1, "Mgt Organization Chart," (offsite) & Figure 6 2-2, "Functional Organization for Plant Operations." CALVO, J.A. Project Directorate IV 88/08/18, 8pp. 46656:190-46656 197

--8808260084 Safety evaluation supporting Amend 112 to License DPR-51 * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/18, 3pp 46656:198-46656 200

8808300188 Discusses resolution of Generic Issue 124 re auxiliary feedwater sys reliability. Resolution relied on audit of several parameters that effect availability & reliability of auxiliary feedwater sys. HARBUCK, C.C. Project Directorate IV 88/08/24 CAMPBELL, T.G. Arkansas Power & Light Co 11pp 46691:023 46691 033.

8809020194 Informs that 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants," acceptable. HARBUCK, C.C. Project Directorate IV 88/08/25 CAMPBELL, T.G. Arkansas Power & Light Co 4pp. 46746:101-46746 104

8809010363 Forwards exemption & safety evaluation re 880513 & 0719 requests for one-time exemption from FSAR annual rev due date of 880722 required by 10CFR50.71(e). Exemption granted. HARBUCK, C.C. Project Directorate IV 88/08/26, CAMPBELL, T.G. Arkansas Power & Light Co. 3pp 46742:001-46742 009.

--8809010364 Exemption from scheduler requirement of 10CFR50.71(a)(4) re FSAR annual rev. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/08/28, Arkansas Power & Light Co. 4pp. 46742:004-46742 007.

--8809010366 Safety evaluation granting licensee request for exemption from requirements of 10CFR50.71(e) to extend annual FSAR rev filing date for plant from 880722 to 881020 * Office of Nuclear Reactor Regulation, Director (Post 870411), 88/08/26, 2pp 46742 008-46742 009.

8809070378 Application for amend to License DPR-51, revising variable low pressure trip setpoint for reactor protection sys. Fee paid. CAMPBELL, T.G. Arkansas Power & Light Co. 88/08/31, CALVO, J.A. Project Directorate IV, 5pp 46783 063 46783:148.

--8809070379 Proposed Tech Specs re variable low pressure trip setpoint of reactor protection sys. * Arkansas Power & Light Co 88/08/31, 3pp. 46783:071-46783:148.

8809220046 EVALUATION OF RISKS ASSOCIATED WITH AOT AND STI REQUIREMENTS AT THE ANO-1 NUCLEAR POWER PLANT
SAMANTA,P.K., WONG,S.M., CARBONARO,J. Brookhaven National Laboratory FIN A-3230, NUREG/CR-5200, 88/08/31, Division of Reactor & Plant Systems (870413 880716) 76pp 46883-082 46883,169

8809220174 Forwards followup to 870827 reactor bldg temp justification for operation submittal, per NRC telcon request for addl info on error calculations used to access effects of elevated temps on protection sys setpoints
HOWARD,D.R. Arkansas Power & Light Co 88/09/06 HARBURCK,C. Office of Nuclear Reactor Regulation, Director (Post 870411), 2pp 46927,245 46927 246

8809140082 Provides response to NRC 880726,29 & 0818 ltrs & schedule for addl info re transfer of mgt/operating responsibilities. News releases will be utilized to assure public & applicable local & state agencies kept informed re consolidation
KINGSLEY,O.D. System Energy Resources, Inc 88/09/09 Document Control Branch (Document Control Desk) 5pp. 46836 062-46836 066

8809160293 Forwards notice of consideration of issuance of amend to License DPR-51 & opportunity for hearing re util 880720 & 0801 applications to revise Tech Spec Sections 2.1,2.3,3.5.2 & 5.3.1 to reflect Cycle 9 core reload & change setpoint
HARBURCK,C. Project Directorate IV 88/09/09 CAMPBELL,T.G. Arkansas Power & Light Co 3pp. 46864-254-46864-260

8809160297 Notice of consideration of issuance of amend to License DPR-51 & proposed NSHC determination & opportunity for hearing on 880720 & 0801 requests to revise Tech Spec Sections 2.1,2.3,3.5.2 & 5.3.1 for Cycle 9 core reload
CALVO,J.A. Project Directorate IV 88/09/09 5pp. 46864-257-46864-260

8809220305 Responds to NRC 880729 ltr re interpretation of util commitments made in 880701 amend request & provides schedule for submittal of remaining info requested.
CAMPBELL,T.G. Arkansas Power & Light Co 88/09/09, Document Control Branch (Document Control Desk) 4pp 46927,015-46927,023

8809280132 Forwards Rev 10 to QA Manual Operations.
HOWARD,D.R. Arkansas Power & Light Co. 88/09/09, Document Control Branch (Document Control Desk) 2pp. 46914,029 46914,218

8809200008 Rev 10 to "QA Manual Operations"
GREENE,H.T., HUMPHREY,L.W., CAMPBELL, Arkansas Power & Light Co. 88/08/31, 200pp 46914 031-46914,218.

8809200233 Requests meeting in Rockville,MD to discuss longstanding safety issues for closure. Formal closure to be documented in meeting minutes. Specific issues & associated concerns encl.
CALVO,J.A. Project Directorate IV, 88/09/12, CAMPBELL,T.G. Arkansas Power & Light Co 6pp 46915,044 46915,049

Q. Inspection reports, IE Bulletins & correspondence

8808310187 Responds to violations noted in Insp Repts 50-313/88-15 & 50-368/88-15. Corrective actions, combustibles removed from area. Maint manager issued memo to all maint personnel indicating disciplinary action for violation of procedures.
LEVINE,J.M. Arkansas Power & Light Co. 88/07/27, CALLAN,L.J. Region 4, Ofc of the Director, 5pp 46700,352-46700,356.

8808190185 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co. of New York, Inc 125pp. 46890,054-46890,178.

8809200220 Forwards addl info on potential enforcement items re environ qualification of equipment, per commitment made during 880815 enforcement conference.
CAMPBELL,T.G. Arkansas Power & Light Co. 88/08/19 MARTIN,R.D. Region 4, Ofc of the Director 129pp. 46901-001-46901-170.

8809200230 "Aging Evaluation of Electrical Cables."
MURPHY,J.A., DEPSON,K.J. Schneider Consulting Engineers, SCE-ANO-06, 84/11/15, 40pp 46901-131-46901-170.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/22, Consolidated Edison Co. of New York, Inc 121pp. 46702-311-46703,070

8808300027 Forwards Insp Repts 50-313/88-24 & 50-368/88-24 on 880718- 22 No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director, 88/08/22 CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46703,231-46703,242

8808300030 Insp Repts 50-313/88-24 & 50-368/88-24 on 880718-22. No violations or deviations noted. Major areas inspected: liquid & gaseous radwaste mgt programs.
NICHOLAS,J.B., RICKETSON,L.T., BAER,R.E. Region 4, Ofc of the Director, 88/08/17 10pp. 46703,233-46703,242.

8808180368 Suppl 1 to NRC Info Notice 88-040, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/24, Consolidated Edison Co. of New York, Inc 122pp. 46713,218 46713,219.

8808310032 Ack receipt of 880727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-15 & 50-368/88-15.
CALLAN,L.J. Region 4, Ofc of the Director, 88/08/26, CAMPBELL,G. Arkansas Power & Light Co. 1p 46699,304-46699,304.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/29, Consolidated Edison Co. of New York, Inc 123pp. 46713,095-46713,217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp. 46712,244-46713,004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726,123

8809220301 Responds to NRC Bulletin 88-004, "Potential Safety Related Pump Loss." Submits response to Questions 1 & 2. Evaluation of Question 3 underway, requires addl data from mfg re min flow for pump protection. Response expected in Feb 1989.
HOWARD,D.R. Arkansas Power & Light Co 88/09/06 Document Control Branch (Document Control Desk), 5pp. 46926 168-46926 192.

8809200031 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-05 & 50-368/88-05
CALLAN,L.J. Region 4, Ofc of the Director 88/09/12, CAMPBELL,G. Arkansas Power & Light Co 1p. 46915 050-46915 055.

8809200037 Responds to NRC 880713 ltr re violations noted in Insp Repts 50-313/88-05 & 50-368/88-05. Corrective actions: capscrews replaced w/ capscrews to meet or exceed properties specified in ASTM, A-193 Grade B 7, specified in design calculation.
LEVINE,J.M. Arkansas Power & Light Co. 88/08/12 CALLAN,L.J. Region 4, Ofc of the Director, 5pp. 46915,051-46915 055

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824 215 46824 336

8809190203 Responds to NRC Bulletin 88-005, Suppl 2 re mats supplied by Piping Supplies, Inc & West Jersey Mfg Co. Results of actions taken to assure that mats conform w/ ASME Code encl.
HOWARD,D.R. Arkansas Power & Light Co 88/09/15 Document Control Branch (Document Control Desk) 3pp 46899 033 46899,035

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946,133 46946,252

8809230125 Forwards SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed. Mgt meeting scheduled for 881021.
MARTIN,R.D. Region 4, Ofc of the Director 88/09/16, CAMPBELL,G. Arkansas Power & Light Co. 3pp. 46943 315-46943 349.

8809230126 SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988
* Region 4, Ofc of the Director 88/09/16 32pp 46943-318-46943,349.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46846 253-46846 013.

R. Periodic operating reports & related correspondence

8809140101 "Summary of Quantities of Radioactive Liquid & Gaseous Effluents & Solid Waste Release for First & Second Quarters of 1988." W/880829 ltr
HOWARD,D.R. Arkansas Power & Light Co 88/08/30 23pp 46839-333 46836 355

8808290323 Monthly operating rept for Jul 1988 for Arkansas Nuclear One Unit 1 W/ 880815 ltr.
WHITT,M.S., SCHAUBROECK,D., HOWARD,D.R. Arkansas Power & Light Co 88/07/31, 6pp 46684-066 46684,071

8809200328 Monthly operating rept for Aug 1988 for Arkansas Nuclear One Unit 1 W/ 880815 ltr.
SCHAUBROECK,D., WHITT,M.S., HOWARD,D.R. Arkansas Power & Light Co 88/08/31, 6pp. 46918,073-46918,078

S. Reportable occurrences, LERs & related correspondence

8809060403 PNO IV-88 073 on 880830, personnel heat exhaustion occurred due to physical exertion while wearing anticontamination clothing in high temp environ. Personnel treated in hosp. Restrictions placed on future work activities.
HAAG,B. Region 4, Ofc of the Director, 88/08/30 1p 46758,124-46758,124.

8809060377 PNO-IV-88 074 on 880901, addl case of personnel heat exhaustion & transport of contaminated individual occurred. Individual became ill after 25 minutes in area w/ WGBT of 88.6 F. Program to reduce risk of exhaustion instituted.
HAAG,B. Region 4, Ofc of the Director, 88/09/01, 2pp 46764 292 46764,293.

V. Operator Examinations

8809010374 Forwards list of ref mats required for operator licensing exams scheduled for wk of 880926. Reactor operator & senior reactor operator license applications should be submitted 30 days prior to exam date.
CALLAN,L.J. Region 4, Ofc of the Director, 88/08/24 CAMPBELL,G. Arkansas Power & Light Co. 9pp. 46741,264-46741,272

8809220293 Forwards response to Generic Ltr 88-13 re proposed operator licensing exam schedule format through FY92.
HOWARD,D.R. Arkansas Power & Light Co 88/09/01, HANNON,J. NRC - No Detailed Affiliation Given 3pp. 46927,184 46927,186.

8809230125 Forwards SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed. Mgt meeting scheduled for 881021.
MARTIN,R.D. Region 4, Ofc of the Director, 88/09/16, CAMPBELL,G. Arkansas Power & Light Co. 3pp 46943,315-46943,349.

8809230126 SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988
* Region 4, Ofc of the Director 88/09/16, 32pp. 46943-318-46943 349.

94 DOCKETED ITEMS

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290119 Forwards partially withheld Safeguards Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21). Insp also identified three concerns requiring attention. Separate notice of violation will be issued.
MALLETT,B.S. Region 3, Ofc of the Director. 88/08/19. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 46681-220-46681-223

-8808290124 Partially withheld Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21) Noncompliances noted. Major areas inspected mgt effectiveness, records & repts, testing & maint, power supply, lighting, compensatory measures & vital areas.
GALANTI,D.M., FUNK,D.E., CREED,J.R. Region 3, Ofc of the Director. 88/08/19. 2pp. 46681-222-46681-223

8809010352 Rev 0 to Change Sheet 2 to Emergency Plan Procedure PMP 2081 EPP 302, "EOF Communications." Gives description, reason & instructions for incorporating changes to various attachments to procedure Changes end.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 23pp. 46743-216-46743-240

8809010371 Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 102, "Technical Support Ctr Emergency Communication."
KRIEGLER,R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 5pp. 46719-101-46719-109

8809020007 Rev 0 to Change Sheet 2 to Emergency Plan Implementing Procedure PMP 2081 EPP 106, "Onsite Radiological Assessment." List of effective pages encl.
KRIEGLER,R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 5pp. 46746-274-46746-282

8809020018 Rev 1 to Change Sheet 2 to Emergency Plan Implementing Procedure PMP 2081 EPP 304, "Offsite Dose Projection." List of effective pages encl.
KRIEGLER,R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22. 11pp. 46746-263-46746-273

8809150073 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 102, "TSC Emergency Communication."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01. 3pp. 46846-266-46846-268.

8809150079 Change Sheet 1 to Rev 0 to Emergency Plan Implementing Procedure PMP 2080 EPP 104, "Site Area Emergency."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01. 9pp. 46863-311-46863-318.

8809150126 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 302, "Emergency Operating Facility Communications."
KRIEGER,R., GIBSON,M., HUENTES,R.T. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01. 3pp. 46863-326-46863-328.

8809150134 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 106, "Onsite Radiological Assessment."
CONRAD,J.T. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01. 3pp. 46837-011-46837-013

8809190270 Forwards public version of revised emergency response procedures, including Rev 1 to ERP 1.01, "Emergency Response Manual Overview" & Rev 2 to ERP 1.02, "Preparation of AEPSC Emergency Response Procedures."
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/02. Document Control Branch (Document Control Desk) 1p. 46893-121-46893-124.

-8809190279 Revise emergency response procedures, including Rev 1 to ERP 1.01, "Emergency Response Manual Overview" & Rev 2 to ERP 1.02, "Preparation of AEPSC Emergency Response Procedures" & Rev 2 to ERP 2.01, "IAG Organization & Function."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/02 36pp. 46893-123-46893-248

8809190302 Responds to NRC 880727 ltr detailing new Site Access Training Program for NRC personnel & contractors Procedures 12 PMP 2070 TRN 113 & SAO 024 revised to assist timely orientation & access to plant.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/09. DAVIS,A.B. NRC - No Detailed Affiliation Given. 2pp. 46836-288-46836-289.

8809190347 Forwards Safety Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-28 No violations noted. Weakness identified.
SHAFER,W.D. Region 3, Ofc of the Director. 88/09/12. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp. 46895-128-46895-154

-8809190352 Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-28 No violations noted. Major areas inspected emergency preparedness exercise involving NRC observations of key functions & locations during exercise.
SNELL,W., FOSTER,J., PATTERSON,J. Region 3, Ofc of the Director. 88/09/12 24pp. 46895-131-46895-154

8809270035 Forwards response to Security Insp Repts 50-315/88-18 & 50-316/88-21 Encl withheld (ref 10CFR73.21).
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/27. DAVIS,A.B. Document Control Branch (Document Control Desk) 3pp. 46867-174-46867-176.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065-006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. Doc-Search Associates. 5pp. 46770-060-46770-089

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770-211-46770-223

8808290252 Forwards WCAP-11908, "Containment Integrity Analysis for Donald C Cook Nuclear Plant Units 1 & 2."
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46877-350-46878-044.

-8808290261 "Containment Integrity Analysis for Donald C Cook Nuclear Plant Units 1 & 2."
WELLS,M.E. Westinghouse Electric Corp. WCAP-11908. 88/07/31. 48pp. 46677-357-46678-044.

8809020001 Forwards safety evaluation re compatibility of greases in Limitorque valve operator limit switches. Regreasing of limit switches in eight Limitorque motor operated valves in auxiliary feedwater sys of Unit 1 can be postponed to 1989.
HOLAHAN,G.M. Project Directorate III-3. 88/08/26. MILLER,H.J. Region 3, Ofc of the Director. 4pp. 46746-137-46746-142

-8809020003 Safety evaluation re compatibility of greases in Limitorque valve limit switches.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/26. 2pp. 46746-141-46746-142

8809080289 Advises that 880229 request to retain contaminated concrete onsite at plant acceptable. Environ assessment & finding of no significant impact encl.
STANG,J.F. Project Directorate III-1. 88/08/30. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) ALEXICH,M.P. American Electric Power Service Corp. 4pp. 46791-345-46791-357

-8809080294 Environ assessment & finding of no significant impact re 880229 request for onsite disposal of contaminated concrete slabs.
VIRGILIO,M.J. Project Directorate III-1. 88/08/23. 9pp. 46791-349-46791-357

8809070507 Forwards revised Tech Spec pages to 870326 application for amends to Licenses DPR-58 & DPR-74, per NRC 880809 request. Revised pages provide greater detail on interlock functions.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/31. MURLEY,T.E. Document Control Branch (Document Control Desk) 4pp. 46772-109-46772-118.

-8809070510 Revised Tech Specs re reactor trip sys instrumentation surveillance requirements.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/31. 6pp. 46772-113-46772-118.

8809190098 Application for amends to Licenses DPR-58 & DPR-74, proposing to delete organizational charts from Section 6.0. Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/06. MURLEY,T.E. Document Control Branch (Document Control Desk) 6pp. 46893-268-46893-281

-8809190100 Proposed Tech Specs Section 6.0, "Administrative Controls," deleting organizational charts.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/06 8pp. 46893-274-46893-281.

8809160225 Notification of 880912 meeting w/util in Rockville, MD to discuss welding program & insp findings for steam generator repair project.
STANG,J.F. Project Directorate III-1. 88/09/12. DIANNI,D. Project Directorate III-1. 3pp. 46885-234-46885-236

8809230204 Application for amends to Licenses DPR-58 & DPR-74, deleting Tech Spec footnotes re surveillance interval extensions. Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/16. MURLEY,T.E. Document Control Branch (Document Control Desk). 16pp. 46943-028-46943-122

-8809230206 Proposed Tech Specs deleting footnotes re surveillance interval extensions.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/16 78pp. 46943-044-46943-122

8809220258 Forwards notice of withdrawal of application for amends to Licenses DPR-58 & DPR-74 re control room habitability concerns of NUREG-0737, Item III.D.3.4 & requirements of Generic Ltr 83-37.
STANG,J.F. Project Directorate III-1. 88/09/20. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp. 46928-133-46928-137.

-8809220261 Notice of withdrawal of application for amends to Licenses DPR-58 & DPR-74 re control room habitability concerns of NUREG-0737, Item III.D.3.4 & requirements of Generic Ltr 83-37.
STANG,J.F. Project Directorate III-1. 88/09/20. 2pp. 46928-136-46928-137.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Retays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46680-054-46680-178.

8808290119 Forwards partially withheld Safeguards Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21). Insp also identified three concerns requiring attention. Separate notice of violation will be issued.
MALLETT,B.S. Region 3, Ofc of the Director. 88/08/19. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 46681-220-46681-223

8809290124 Partially withheld Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21) Noncompliances noted Major areas inspected mgt effectiveness, records & repts, testing & maint, power supply, lighting, compensatory measures & vital areas GALANTI, D.M., FUNK, D.E., CREED, J.R. Region 3, Ofc of the Director 88/08/19 2pp 46681.222-46681.223

8809160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703.070

8809300196 Forwards Safety Insp Repts 50-315/88-16 & 50-316/88-18 on 880711-0808 & notice of violation HARRISON, J.J. Region 3, Ofc of the Director 88/08/23 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46698.341-46698.354

8809300206 Notice of violation from insp on 880711-0808 Violation noted negative dc ground existed on dc ungrounded battery since 880102 HARRISON, J.J. Region 3, Ofc of the Director 88/08/23 1p 46698.343-46698.343

8809300212 Insp Repts 50-315/88-18 & 50-316/88-18 on 880711-0808 Violations noted Major areas inspected maint activities using selected portions of Insp Procedures 62700, 62702, 62704, 62705 & 62720 CHOULES, N.C., CARTER, T.H., EICK, S.D. Region 3, Ofc of the Director 88/08/23 11pp 46698.344-46698.354

8809180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713.218-46713.218

8809010130 Forwards Safety Insp Repts 50-315/88-19 & 50-316/88-22 on 880725-0816 No violations noted SHAFER, W.D. Region 3, Ofc of the Director 88/08/26 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46739.303-46739.316

8809010131 Insp Repts 50-315/88-19 & 50-316/88-22 on 880725-0816 No violations noted Major areas inspected radiation protection program, organization & mgt controls, audits & appraisals, program changes, planning & preparation & training. KUNOWSKI, M.A., GREGER, L.H. Region 3, Ofc of the Director 88/08/25 12pp 46739.305-46739.316

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217

8809020217 Forwards Safety Insp Repts 50-315/88-15 & 50-316/88-17 on 880705-15 No violations noted Rept identifies findings & observations on emergency operating procedures re technical issue & human factor issues WRIGHT, G.C. Region 3, Ofc of the Director 88/08/30 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46750.182-46750.232

8809020223 Safety Insp Repts 50-315/88-15 & 50-316/88-17 on 880705-15. No violations or deviations noted Major areas inspected: adequacy of emergency operating procedures, per Temporary Instruction 2515/82. LAVYER, L., JULIAN, C.A. Region 3, Ofc of the Director 88/08/29 40pp 46750.184-46750.223

8809060012 Volded Insp Repts 50-315/88-15 & 50-316/88-17 on 880705-15. LAVYER, L., JULIAN, C.A. Region 2, Ofc of the Director 88/08/12 9pp 46750.224-46750.232

8809260482 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712.244-46713.004

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46728.001-46728.123

8809140113 Responds to NRC Bulletin 88-005 re nonconforming piping mats supplied by Piping Supplies, Inc. Field hardness testing of installed flanges by Equotip method performed Flanges acceptable for continued svc. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/09 MURLEY, T.E. Document Control Branch (Document Control Desk) 5pp 46838.352-46838.356

8809160225 Notification of 880912 meeting w/util in Rockville, MD to discuss welding program & Insp findings for steam generator repair project. STANG, J.F. Project Directorate III-1, 88/09/12 DIANNI, D. Project Directorate III-1 3pp 46885.234-46885.236

8809190347 Forwards Safety Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-26 No violations noted Weakness identified. SHAFER, W.D. Region 3, Ofc of the Director 88/09/12 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp 46895.128-46895.154

8809190352 Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-26 No violations noted Major areas inspected emergency preparedness exercise involving NRC observations of key functions & locations during exercise. SNELL, W., FOSTER, J., PATTERSON, J. Region 3, Ofc of the Director 88/09/12 24pp 46895.131-46895.154

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824.215-46824.336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946.253-46947.013

8809270035 Forwards response to Security Insp Repts 50-315/88-18 & 50-316/88-21 Encl withheld (ref 10CFR73.21) ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/27 DAVIS, A.B. Document Control Branch (Document Control Desk) 3pp 46967.174-46967.176

R. Periodic operating reports & related correspondence

8809070360 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988" W/ 880829 ltr ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/30 MURLEY, T.E. Document Control Branch (Document Control Desk) 350pp 46770.323-46771.345

8809010186 Monthly operating rept for Jul 1988 for Donald C Cook Unit 1 W/880805 ltr GAUSDEN, M., SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/07/31 8pp 46722.334-46722.339

S. Reportable occurrences, LERs & related correspondence

8809080369 LER 88-006.00 on 880803, Isolation of CO2 fire protection sys, w/o compensatory action occurred Caused by personnel error Appropriate administrative action taken w/individuals involved W/880902 ltr HODGE, W.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) SMITH, W.G. Midwest Electric Cooperative 88/08/02 5pp 46789.347-46789.351

8809140314 PNO-III-88-079 on 880907, unidentified primary coolant sys leakage ap proached Tech Spec limit of 1 gpm. Caused by leak from 3/8 inch instrument line on reactor coolant pump HX due to vibration/rubbing. Shutdown initiated for maint & repairs BURGESS, B., AXELSON, W. Region 3, Ofc of the Director 88/09/08 1p 46837.211-46837.211

V. Operator Examinations

8809140160 Ack receipt of util 880901 ltr providing current status of test item development for requalification exams Test items requiring attention listed Overall items of good quality & comprehensive. WRIGHT, G.C. Region 3, Ofc of the Director 88/09/09 SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46846.176-46846.177

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809290119 Forwards partially withheld Safeguards Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21). Insp also identified three concerns requiring attention. Separate notice of violation will be issued. MALLETT, B.S. Region 3, Ofc of the Director 88/08/19 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46681.220-46681.223

8809290124 Partially withheld Insp Repts 50-315/88-18 & 50-316/88-21 on 880705-21 (ref 10CFR73.21). Noncompliances noted Major areas inspected mgt effectiveness, records & repts, testing & maint, power supply, lighting, compensatory measures & vital areas GALANTI, D.M., MALLETT, B.S. Region 3, Ofc of the Director 88/08/19 2pp 46681.222-46681.223

8809010352 Rev 0 to Change Sheet 2 to Emergency Plan Procedure PMP 2081 EPP 302, "EOF Communications" Gives description, reason & instructions for incorporating changes to various attachments to procedure. Changes encl. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 23pp 46743.218-46743.240

8809010371 Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 102, "Technical Support Ctr Emergency Communication" KRIEGLER, R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 5pp 46719.101-46719.109

8809020007 Rev 0 to Change Sheet 2 to Emergency Plan Implementing Procedure PMP 2081 EPP 106, "Onsite Radiological Assessment" List of effective pages encl. KRIEGLER, R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 5pp 46746.274-46746.282

8809020018 Rev 1 to Change Sheet 2 to Emergency Plan Implementing Procedure PMP 2081 EPP 304, "Offsite Dose Projection" List of effective pages encl. KRIEGLER, R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22 11pp 46746.263-46746.273

8809150073 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 102, "TSC Emergency Communication" Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01 3pp 46846.266-46846.268

8809150079 Change Sheet 1 to Rev 0 to Emergency Plan Implementing Procedure PMP 2080 EPP 104, "Site Area Emergency" Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01 9pp 46863.311-46863.319

8809150126 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 302, "Emergency Operating Facility Communications" KRIEGLER, R., GIBSON, M., HUENTES, R.T. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/01 3pp 46863.326-46863.328

96 DOCKETED ITEMS

8809150134 Change Sheet 2 to Rev 0 to Emergency Plan Implementing Procedure PMP 2081 EPP 106, "Onsite Radiological Assessment."
CONRAD,J.T. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/09/01 3pp 46857 011-46857 013

8809190270 Forwards public version of revised emergency response procedures,including Rev 1 to ERP 101, "Emergency Response Manual Overview" & Rev 2 to ERP 102, "Preparation of AEPSC Emergency Response Procedures."
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/02 Document Control Branch (Document Control Desk) 1p 46893 121-46893 248

8809190279 Revise emergency response procedures,including Rev 1 to ERP 101, "Emergency Response Manual Overview," Rev 2 to ERP 102, "Preparation of AEPSC Emergency Response Procedures," & Rev 2 to ERP 201, "IAG Organization & Function."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/02 385pp 46893 123-46893 248

8809130302 Responds to NRC 880727 ltr detailing new Site Access Training Program for NRC personnel & contractors Procedures 12 PMP 2070 TRN 113 & SAO 024 re vided to assist timely orientation & access to plant.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/09 DAVIS,A.B. NRC - No Detailed Affiliation Given. 2pp. 46836 268-46836 289

8809190347 Forwards Safety Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-26 No violations noted Weakness identified
SHAFER,W.D. Region 3, Ofc of the Director. 88/09/12 ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp 46895 128-46895 154.

8809190352 Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-26 No violations noted Major areas inspected emergency preparedness exercise involving NRC observations of key functions & locations during exercise.
SNELL,W. Region 3, Ofc of the Director 88/09/12 24pp 46895 131 46895 154

8809270035 Forwards response to Security Insp Repts 50-315/88-18 & 50-316/88-21 Encl withheld (ref 10CFR73.21).
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/27 DAVIS,A.B. Document Control Branch (Document Control Desk). 3pp 46967 174-46967 176

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/09/08. Consolidated Edison Co. of New York, Inc. 41pp 47085 001-47085 008

8809120091 Final response to FOIA request for documents Forwards documents listed in App A.Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates. 5pp 46770 080 46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 88/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770 211 46770 223.

8808290252 Forwards WCAP-11908, "Containment Integrity Analysis for Donald C. Cook Nuclear Plant Units 1 & 2."
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 6pp 46877.350-46878 044.

8808290261 "Containment Integrity Analysis for Donald C Cook Nuclear Plant Units 1 & 2."
WELLS,M.E. Westinghouse Electric Corp WCAP-11908. 88/07/31 48pp. 46877-357-46878 044.

8809020001 Forwards safety evaluation re compatibility of greases in Limitorque valve operator limit switches Regreasing of limit switches in eight Limitorque motor operated valves in auxiliary feedwater sys of Unit 1 can be postponed to 1989
HOLAHAN,G.M. Project Directorate III-3. 88/08/26. MILLER,H.J. Region 3, Ofc of the Director 4pp 46746 137-46746 142

8809020003 Safety evaluation re compatibility of greases in Limitorque valve limit switches.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/26 2pp 46746 141-46746 142

8809080289 Advises that 880229 request to retain contaminated concrete onsite at plant acceptable Environ assessment & finding of no significant impact encl.
STANG,J.F. Project Directorate III-1. 88/08/30 ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). ALEXICH,M.P. American Electric Power Service Corp 4pp. 46791 345 46791 357.

8809080294 Environ assessment & finding of no significant impact re 880229 request for onsite disposal of contaminated concrete slabs.
VIRGILIO,M.J. Project Directorate III-1. 88/08/23. 6pp 46791-349-46791 357.

8809070507 Forwards revised Tech Spec pages to 870326 application for amends to Licenses DPR-58 & DPR-74,per NRC 880809 request. Revised pages provide greater detail on interlock functions.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/31. MURLEY,T.E. Document Control Branch (Document Control Desk) 4pp. 46772.108-46772.118

8809070510 Revised Tech Specs re reactor trip sys instrumentation surveillance requirements
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/31 6pp 46772:113-46772.118

8809080281 Forwards notice of withdrawal of parts of util 880111 application for amend to License DPR-74 filed w/Ofc of FR
STANG,J.F. Project Directorate III-1. 88/09/06. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). ALEXICH,M.P. American Electric Power Service Corp 4pp 46800 282-46800 288.

8809080283 Notice of withdrawal of portions of util 880111 application for amend to License DPR-74.
STANG,J.F. Project Directorate III-1. 88/09/06. 3pp. 46800 288 46800 288

8809190098 Application for amends to Licenses DPR-58 & DPR-74,proposing to delete organizational charts from Section 6 O.Fee paid
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/06. MURLEY,T.E. Document Control Branch (Document Control Desk) 6pp 46893.268-46893 281

8809190100 Proposed Tech Specs Section 6 O, "Administrative Controls," deleting or ganizational charts.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/06 8pp. 46893 274-46893 281

8809160225 Notification of 880912 meeting w/util in Rockville,MD to discuss welding program & insp findings for steam generator repair project.
STANG,J.F. Project Directorate III-1 88/09/12. DIANNI,D. Project Directorate III 1 3pp 46885 234-46885 236.

8809230204 Application for amends to Licenses DPR-58 & DPR 74,deleting Tech Spec footnotes re surveillance interval extensions.Fee paid.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/15 MURLEY,T.E. Document Control Branch (Document Control Desk) 16pp 46843.028-46843 122

8809230206 Proposed Tech Specs deleting footnotes re surveillance interval extensions.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/09/15 79pp. 46843.044-46843 122.

8809220258 Forwards notice of withdrawal of application for amends to Licenses DPR 58 & DPR-74 re control room habitability concerns of NUREG 0737,Item III.D.3.4 & requirements of Generic Ltr 83-37.
STANG,J.F. Project Directorate III-1 88/09/20. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 46928.133-46928 137.

8809220261 Notice of withdrawal of application for amends to Licenses DPR 58 & DPR-74 re control room habitability concerns of NUREG 0737,Item III.D.3 4 & requirements of Generic Ltr 83-37.
STANG,J.F. Project Directorate III 1. 88/09/20. 2pp. 46928.136-46928 137.

Q. Inspection reports, IE Bulletins & correspondence

8808260032 Forwards supplemental info to util 880824 response to violations noted in Insp Rept 50-316/88-12.Corrective actions,procedures implemented which require maint personnel to obtain approval for design changes.
ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/17. DAVIS,A.B. Document Control Branch (Document Control Desk). 6pp 46869 092-46869 097

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46890.054-46890 178

8808290119 Forwards partially withheld Safeguards Insp Repts 50-315/88-18 & 50-316/88-21 on 880705 21 (ref 10CFR73.21) Insp also identified three concerns requiring attention Separate notice of violation will be issued.
MALLET,B.S. Region 3, Ofc of the Director. 88/08/19. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 46881-220-46881 223

8808290124 Partially withheld Insp Repts 50-315/88-18 & 50-316/88-21 on 880705 21 (ref 10CFR73.21) Noncompliances noted Major areas inspected mgt effectiveness,records & repts,testing & maint, power supply,lighting,compensatory measures & vital areas
GALANTI,D.M., FUNK,D.E., CREED,J.R. Region 3, Ofc of the Director 88/08/19. 2pp 46881-222-46881 223.

8808160451 NRC Info Notice 88 068, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702:311-46703 070.

8808300196 Forwards Safety Insp Repts 50-315/88-18 & 50-316/88-18 on 880711-0808 & notice of violation.
HARRISON,J.J. Region 3, Ofc of the Director. 88/08/23 ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 46898.341-46898 354

8808300212 Insp Repts 50-315/88-18 & 50-316/88-18 on 880711-0808. Violations noted Major areas inspected,maint activities using selected portions of Insp Proce dures 62700,62702, 62704,62705 & 62720.
CHOULES,N.C., CARTER,T.H., EICK,S.D. Region 3, Ofc of the Director. 88/08/23 11pp. 46698-344-46698 354.

8808180388 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713:218-46713 219.

8809010130 Forwards Safety Insp Repts 50-315/88-19 & 50-316/88-22 on 880725-0816.No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 88/08/26. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 46738.303-46739 318

--8809010131 Insp Repts 50-315/88-19 & 50-316/88-22 on 880725-0816 No violations noted Major areas inspected radiation protection program, organization & mgmt controls, audits & appraisals, program changes, planning & preparation & training. KUNOWSKI, M.A., GREGER, L.R. Region 3, Ofc of the Director 88/08/25 12pp 46739 305 46739.316

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8809020217 Forwards Safety Insp Repts 50-315/88-15 & 50-316/88-17 on 880705-15 No violations noted Rept identifies findings & observations on emergency operating procedures re technical issue & human factor issues. WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/30. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 46750.182-46750 232

--8809020223 Safety Insp Repts 50 315/88-15 & 50 316/88-17 on 880705-15. No violations or deviations noted Major areas inspected adequacy of emergency operating procedures, per Temporary Instruction 2515/92. LAWYER, L., JULIAN, C.A. Region 3, Ofc of the Director. 88/08/29 40pp. 46750.184-46750 223.

--8809060012 Voided Insp Repts 50-315/88-15 & 50 316/88-17 on 880705-15. LAWYER, L., JULIAN, C.A. Region 2, Ofc of the Director. 88/08/12 9pp. 46750.224-46750 232

8808280492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713.004

8809070473 Forwards Safety Insp Rept 50 316/88-19 on 880621-0825. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 88/09/01. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 46778-341-46778 351

--8809070478 Safety Insp Rept 50-316/88-19 on 880621-0825. No violations noted Major areas inspected design control & welding, review of inservice insp program, procedures, results for reactor vessel UT exam & activities re generator replacement. JACOBSON, J.M., GAVULA, J.A., SCHAPKER, J.F. Region 3, Ofc of the Director. 88/09/01. 8pp 46778 343 46778 351.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp. 46726-001-46726-123

8809140113 Responds to NRC Bulletin 88 005 re nonconforming piping mats supplied by Piping Supplies, Inc. Field hardness testing of installed flanges by Equotip method performed. Flanges acceptable for continued svc. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/09/09. MURLEY, T.E. Document Control Branch (Document Control Desk). 5pp 46838.352-46838-356

8809160225 Notification of 880912 meeting w/util in Rockville, MD to discuss welding program & insp findings for steam generator repair project. STANG, J.F. Project Directorate III-1 88/09/12. DIANNI, D. Project Directorate III 1. 3pp. 46885 234 46885.236

8809190347 Forwards Safety Insp Repts 50 315/88-22 & 50-316/88-25 on 880822-26 No violations noted. Weakness identified. SHAFER, W.D. Region 3, Ofc of the Director. 88/09/12. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp 46885-128-46885-154.

--8809190352 Insp Repts 50-315/88-22 & 50-316/88-25 on 880822-26 No violations noted Major areas inspected emergency preparedness exercise involving NRC observations of key functions & locations during exercise. SNELL, W., FOSTER, J., PATTERSON, J. Region 3, Ofc of the Director. 88/09/12. 24pp. 46885-131-46885-154

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824.215-46824.336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946-133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46846-253-46847-013.

8809270035 Forwards response to Security Insp Repts 50-315/88-18 & 50 316/88-21 Encl withheld (ref 10CFR73.21). ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/27. DAVIS, A.B. Document Control Branch (Document Control Desk). 3pp 46887-174 46887-176.

R. Periodic operating reports & related correspondence

8809070360 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880828 ltr. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/08/30. MURLEY, T.E. Document Control Branch (Document Control Desk). 350pp. 46776 323-46771-345.

8809010184 Monthly operating rept for Jul 1988 for Donald C Cook Unit 2 W/880805 ltr. GAUSDEN, M., SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/07/31. 6pp. 46722.324-46722.329.

8809260251 Forwards steam generator repair project radiation protection 80-day interim Rept 2 Rept summarizes activities of project radiation protection/ALARA Group for 880517 0818. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/09/16. MURLEY, T.E. Document Control Branch (Document Control Desk) 9pp 46865 267-46865.275

V. Operator Examinations

8809140180 Ack receipt of util 880901 ltr providing current status of test item development for requalification exams Test items requiring attention listed Overall items of good quality & comprehensive. WRIGHT, G.C. Region 3, Ofc of the Director. 88/09/09. SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 46846-176-46846 177

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8809090173 Change 14 to Rev 10 to Emergency Response Plan Implementing Procedure ERPIP 4 1 3, "Technical Support Cir Roster." Baltimore Gas & Electric Co 88/08/10 5pp 46804 077-46804.081

8809020039 Forwards Insp Repts 50 317/88-16 & 50-318/88-16 on 880701-0808 No violations noted. WIGGINS, J.T. Region 1, Ofc of the Director. 88/08/26. TIERNAN, J.A. Baltimore Gas & Electric Co 2pp 46750.147-46750.168

--8809020043 Insp Repts 50-317/88-16 & 50 318/88-16 on 880701-0808. No violations noted. Major areas inspected facility activities, routine insps, operational events, Temp Instruction 88-02, maint, radiological controls, physical security & LERs. TRIPP, L.E. Region 1, Ofc of the Director. 88/08/24 18pp 46750 149-46750.166

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880902 request to review hurricane-related actions for plants. CAPRA, R.A. Project Directorate I-1 88/09/07. BOGER, B. Project Directorate I-1. 5pp 46899.252-46899 256

8809220329 Forwards Rev 8 to safeguards contingency plan Rev withheld (ref 10CFR73.21). COSS, H.D. Baltimore Gas & Electric Co 88/09/16. Document Control Branch (Document Control Desk) 3pp 46927.295 46927-288

H. General correspondence

8809200001 Notification of 880920 meeting w/util in Rockville, MD to discuss 880901 mgmt reorganization & util responsiveness to NRC requests. MCNEIL, S.A. Project Directorate I-1 88/09/15. CAPRA, R.A. Project Directorate I-1. 2pp 46911-099 46911.100

K. Utility Final Safety Analysis Report (FSAR) & amends

8808260466 Rev 8 to updated FSAR for Calvert Cliffs, Units 1 & 2 W/ 880824 ltr. TIERNAN, J.A. Baltimore Gas & Electric Co 88/08/24. 175pp 46670-130 46671.078.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47085 001-47085 008.

8808300066 Forwards "Calvert Cliffs Nuclear Power Plant Unit 1 Primary Reactor Containment Integrated Leakage Rate Test." TIERNAN, J.A. Baltimore Gas & Electric Co. 88/08/26. Document Control Branch (Document Control Desk) 2pp 46708.129 46708-289.

--8808300069 "Calvert Cliffs Nuclear Power Plant Unit 1 Primary Reactor Containment Integrated Leakage Rate Test." Bechtel Group, Inc 88/05/31. 159pp 46708-131-46708 289

8809150157 Forwards request for addl info re proposed increase in U-235 enrichment limits for new & spent fuel pools. MCNEIL, S.A. Project Directorate I-1 88/09/09. TIERNAN, J.A. Baltimore Gas & Electric Co. 6pp 46864.272-46864.277.

8809150251 "Calvert Cliffs Nuclear Power Plant Unit 1 Summary of Startup Testing for Cycle 10." W/880909 ltr. TIERNAN, J.A. Baltimore Gas & Electric Co. 88/09/08. 11pp 46856 343-46856 353.

8809220286 Forwards "Calvert Cliffs Operating Manual; Emergency Operating Procedures." per WT Russell 880802 request. TIERNAN, J.A. Baltimore Gas & Electric Co. 88/09/09. GALLO, R. Region 1, Ofc of the Director. 1p. 46921.183-46923-089.

--8809220245 "Calvert Cliffs Operating Manual; Emergency Operating Procedures." GROOMS, J.V. Baltimore Gas & Electric Co. 88/02/10 329pp 46921-194-46923-089

8809210183 Requests relief from ASME Code Section XI requirements for extension until 881101 to submit Form NIS-2 summary rept after completion of outage. Fee paid. CRUSE, C.H. Baltimore Gas & Electric Co. 88/09/15. Document Control Branch (Document Control Desk). 3pp 46920.262-46920-264.

8809200331 Notification of 880926 meeting w/util in Rockville, MD to discuss current status of licensing issues. MCNEIL, S.A. Project Directorate I-1. 88/09/16. CAPRA, R.A. Project Directorate I-1. 2pp. 46916-170 46916-171.

98 DOCKETED ITEMS

8809210007 Notification of cancelled 880920 meeting w/util in Rockville, MD to discuss plant mgt reorganization which occurred on 880901
MCNEIL, S.A. Project Directorate I 1 88/09/19 CAPRA, R.A. Project Directorate I 1
1p 46919 334 46919 334

Q Inspection reports, IE Bulletins & correspondence

8808310233 Forwards add info re second 10-yr inservice insp program plan, per 880525 request, including boundary diagrams which define ASME Code Class 1, 2 & 3 boundaries
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/07/22 Document Control Branch (Document Control Desk) 40pp 46728 008 46731 163

--8808310235 Vols I & II to "Long-Term Plan for Calvert Cliffs Nuclear Power Plant Unit 1, Second Insp Interval"
* Southwest Research Institute, 88/07/31 1,400pp 46728 046 46731 163

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDF Records also available under listed FOIAs
GRIMSLEY, D. Division of Rules & Records (870413 880514), 88/08/10 UNNERSTALL, K. Newman & Holzinger 6pp 46769 054 46769 059

--8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN, J. Ofc of Enforcement (Post 870413) 88/08/21 RUSSELL, W.T. Region 1, Ofc of the Director 9pp 46769 146 46769 154

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mtg by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054 46890 178

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311 46703 070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219

8809080340 Forwards Exam Repts 50-317/88-18OL & 50-318/88-18OL of exams administered on 880622
GALLO, R.M. Region 1, Ofc of the Director, 88/08/25 TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp 46791 285 46791 344

--8809080344 Exam Repts 50-317/88-18OL & 50-318/88-18OL on 880622 Exam results single candidate passed written exam. No strengths or weaknesses in training program identified
SILK, D.M., ESELGROTH, P.W. Region 1, Ofc of the Director 88/08/24 58pp 46791 287 46791 344

8809020039 Forwards Insp Repts 50-317/88-16 & 50-318/88-16 on 880701-0808 No violations noted
WIGGINS, J.T. Region 1, Ofc of the Director, 88/08/26 TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp 46750 147 46750 166

--8809020043 Insp Repts 50-317/88-16 & 50-318/88-16 on 880701-0808 No violations noted Major areas inspected facility activities, routine insps, operational events, Temp Instruction 88-02, maintenance, radiological controls, physical security & LERs
TRIPP, L.E. Region 1, Ofc of the Director, 88/08/24 18pp 46750 149 46750 166

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244 46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001 46726 123

8809140221 Forwards response to NRC Bulletin 88-005, "Nonconforming Metals Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mtg Co (WJM) at Williamsburg, NJ" Test results for installed, nonconforming WJM flanges encl.
CREEL, G.C. Baltimore Gas & Electric Co. 88/09/08 Document Control Branch (Document Control Desk) 7pp 46836 126 46836 132

8809190278 Forwards Insp Repts 50-317/88-20 & 50-318/88-20 on 880817-19 & notice of violation.
BELLAMY, R.R. Region 1, Ofc of the Director, 88/09/09 TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp 46896 028 46896 036

--8809190283 Notice of violation from Insp on 880817-19. Violation noted survey performed in location not representative of work area resulting in workers entering area w/radiation dose rates 15-40 times higher than anticipated
* Region 1, Ofc of the Director, 88/09/09 1p 46896 030 46896 030

--8809190284 Insp Repts 50-317/88-20 & 50-318/88-20 on 880817-19 Violations noted Major areas inspected events associated w/ higher than anticipated worker exposure on 880821.
WEADOCK, A., LOESCH, R., SHANBAKY, M. Region 1, Ofc of the Director, 88/09/08, 8pp 46896 031 46896 036

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 216 46824 336

8809210197 EN 88-076 on 880920, notice of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued to licensee based on two events violating limiting conditions for operation.
LUEHMANN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413) 88/09/14 1p 46920 310 46920 310

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 193 46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013

R. Periodic operating reports & related correspondence

8809020211 "Semiannual Effluent Release Rept, Calvert Cliffs Nuclear Power Plant, First Half 1988" W/880826 ltr.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/08/30, 21pp 46746 105 46746 125

8808260002 Monthly operating repts for Jul 1988 for Calvert Cliffs Units 1 & 2 W/ 880816 ltr.
BEHNKE, C., RUSSELL, L.B. Baltimore Gas & Electric Co. 88/07/31, 12pp 46867 323 46867 334

8809130014 Forwards updated Table 1A for Second Half 1987 for Inclusion in First Half 1988 semiannual effluent release rept. Table inadvertently omitted.
CRINIGAN, P.T. Baltimore Gas & Electric Co. 88/09/06 Document Control Branch (Document Control Desk), 2pp 46830 172 46839 174

--8809130045 "Table 1A, Reg Guide 1.21, 'Effluent & Waste Disposal Semiannual Rept, Second Half 1987'."
* Baltimore Gas & Electric Co. 88/08/30, 1p 46830 174 46839 174

8809210165 Submits annual rept of failures & challenges to PORVs & safety valves for period Apr 1980 - Dec 1982, per Tech Spec 6.9.1.6 c.
RUSSELL, L.B. Baltimore Gas & Electric Co. 88/09/19 Document Control Branch (Document Control Desk) 2pp 46920 289 46920 300

S. Reportable occurrences, LERs & related correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C. Documents also available in PDF.
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 UNNERSTALL, K. Newman & Holzinger, 2pp 46768 272 46768 274

--8809090118 Discusses severity of violation of auxiliary feedwater flow restriction at Calvert Cliffs, Unit 1 from 881217-881012. Severity Level IV classification recommended.
MCCABE, E.C. Reactor Projects Sec 2B, Projects Br 2, Div of Resident & Project Inspection, R2 81/07/15, GRIER, B.H. Region 1, Ofc of the Director (810301-820201) 2pp 46766 281 46766 282

8809150071 Closes LER 87-002 (Ref 4) re main steam pipe flaw. Results of review of several analyses & other info transmitted in several ref ltrs being awaited.
GAHAN, M.J. Baltimore Gas & Electric Co. 88/03/07 Document Control Branch (Document Control Desk) 2pp 46848 211 46848 212

8809190151 PNO 1 88-095 on 880915, licensee employee died from apparent anoxia or drowning Victim jumped into condensate storage tank in effort to assist diver fallen from internal ladder before having donned breathing apparatus
LIMROTH, D. Region 1, Ofc of the Director, 88/08/15, 1p 46896 328 46896 328

8809200266 LER 88-010 00: on 880628, containment personnel air lock interlock inoperable Caused by improper use of procedure & lack of clarity. Procedure revised to clearly require defeating both door interlocks W/880816 ltr.
LARRAGOTTE, L.S., RUSSELL, L.B. Baltimore Gas & Electric Co. 88/09/16, 8pp 46905 247 46905 254

V. Operator Examinations

8809080340 Forwards Exam Repts 50-317/88-18OL & 50-318/88-18OL of exams administered on 880622
GALLO, R.M. Region 1, Ofc of the Director, 88/08/25 TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp 46791 285 46791 344

--8809080344 Exam Repts 50-317/88-18OL & 50-318/88-18OL on 880622 Exam results: single candidate passed written exam No strengths or weaknesses in training program identified
SILK, D.M., ESELGROTH, P.W. Region 1, Ofc of the Director, 88/08/24, 58pp 46791 287 46791 344

8809080303 Forwards operator licensing exam needs for FY89-92 & dates of scheduled requalification exams per Generic Ltr 88-13.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/08/31 Document Control Branch (Document Control Desk), 3pp 46755 213 46755 215

8809230174 Informs that written & operating exams scheduled for wk of 881205. Facility training staff should retain simulator exam scenario info until candidates pass operating exam or appeals filed for failed candidates W/encl ref matls.
ESELGROTH, P.W. Region 1, Ofc of the Director, 88/09/16 TIERNAN, J.A. Baltimore Gas & Electric Co. 10pp 46945 004 46945 013

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

8809090173 Change 14 to Rev 10 to Emergency Response Plan Implementing Procedure EAPIP 4.1.3, "Technical Support Ctr Roster,"
* Baltimore Gas & Electric Co 88/08/10, 5pp 46804 077-46804 081.

8809020039 Forwards Insp Repts 50-317/88-16 & 50-318/88-16 on 880701 0808.No violations noted
WIGGINS,J.T. Region 1, Ofc of the Director 88/08/26 TIERNAN,J.A. Baltimore Gas & Electric Co 2pp 46750,147-46750 166.

--8809020043 Insp Repts 50-317/88-16 & 50-318/88-16 on 880701 0808.No violations noted.Major areas inspected facility activities, routine insps,operational events,Temp Instruction 88-02, maint,radiological controls,physical security & LERs,
TRIPP,L.E Region 1, Ofc of the Director, 88/08/24 18pp 46750-149-46750.166.

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels,per 880902 request to review hurricane related actions for plants.
CAPRA,R.A Project Directorate I-1 88/09/07. BOGER,B Project Directorate I-1, 5pp. 46999,252-46999 256.

8809220329 Forwards Rev 8 to safeguards contingency plan.Rev withheld (ref 10CFR73.21).
COSS,H.D Baltimore Gas & Electric Co. 88/09/18 Document Control Branch (Document Control Desk), 3pp 46927,295-46927-296.

H. General correspondence

8809200001 Notification of 880920 meeting w/util in Rockville,MD to discuss 880901 mgt reorganization & util responsiveness to NRC requests.
MCNEIL,S.A Project Directorate I-1, 88/09/15. CAPRA,R.A. Project Directorate I-1 2pp. 46911,099 46911:100

K. Utility Final Safety Analysis Report (FSAR) & amends

8809260466 Rev 8 to updated FSAR for Calvert Cliffs,Units 1 & 2.W/ 880824 ltr.
TIERNAN,J.A. Baltimore Gas & Electric Co 88/08/24. 175pp 46670.130-46671-078

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F J Associate Director for Projects (Post 870411), 88/08/08, Consolidated Edison Co of New York, Inc. 41pp 47065,001-47065,006

8809150157 Forwards request for addl info re proposed increase in U-235 enrichment limits for new & spent fuel pools
MCNEIL,S.A. Project Directorate I-1, 88/09/09. TIERNAN,J.A. Baltimore Gas & Electric Co. 6pp. 46864,272-46864,277

8809220286 Forwards "Calvert Cliffs Operating Manual,Emergency Operating Procedures," per WT Russell 880802 request.
TIERNAN,J.A. Baltimore Gas & Electric Co 88/09/09, GALLO,R. Region 1, Ofc of the Director 1p 46921,193-46923,089.

--8809220245 "Calvert Cliffs Operating Manual,Emergency Operating Procedures,"
GROCHS,J.V Baltimore Gas & Electric Co. 88/02/10, 329pp. 46921,194-46923-089.

8809200331 Notification of 880928 meeting w/util in Rockville,MD to discuss current status of licensing issues.
MCNEIL,S.A Project Directorate I-1, 88/09/18. CAPRA,R.A. Project Directorate I-1. 2pp. 46916:170-46916-171

8809210007 Notification of cancelled 880920 meeting w/util in Rockville,MD to discuss plant mgt reorganization which occurred on 880901.
MCNEIL,S.A. Project Directorate I-1, 88/09/19. CAPRA,R.A. Project Directorate I-1. 1p. 46919,334 46919:334.

Q. Inspection reports, IE Bulletins & correspondence

8808310233 Forwards addl info re second 10-yr inservice insp program plan,per 880525 request,including boundary diagrams which define ASME Code Class 1,2 & 3 boundaries
TIERNAN,J.A. Baltimore Gas & Electric Co 88/07/22. Document Control Branch (Document Control Desk) 40pp. 46728-008-46731-163.

8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR Records also available under listed FOIAs.
GRIMSLEY,D. Division of Rules & Records (870413-880514), 88/08/10. UNNERSTALL,K. Newman & Holtzinger, 6pp. 46769 054-46769-059.

--8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN,J. Ofc of Enforcement (Post 870413) 88/06/21 RUSSELL,W.T. Region 1, Ofc of the Director, 9pp 46769:146-46769:154.

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE," Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co. of New York, Inc. 125pp. 46690-054-46690:178.

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices," Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411), 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp. 46702-311-46703,070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc. 122pp. 46713 218 46713,219.

8809080340 Forwards Exam Repts 50-317/88-18OL & 50-318/88-18OL of exams administered on 880822
GALLO,R.M Region 1, Ofc of the Director 88/08/25 TIERNAN,J.A Baltimore Gas & Electric Co 2pp 46791 285-46791 344.

--8809080344 Exam Repts 50-317/88-18OL & 50-318/88-18OL on 880622 Exam results single candidate passed written exam No strengths or weaknesses in training program identified.
SILK,D.M Region 1, Ofc of the Director 88/08/24 58pp 46791 287-46791 344

8809020039 Forwards Insp Repts 50-317/88-16 & 50-318/88-16 on 880701 0808 No violations noted
WIGGINS,J.T Region 1, Ofc of the Director 88/08/26 TIERNAN,J.A Baltimore Gas & Electric Co. 2pp 46750,147-46750,166.

--8809020043 Insp Repts 50-317/88-16 & 50-318/88-16 on 880701 0808 No violations noted.Major areas inspected facility activities, routine insps,operational events,Temp Instruction 88-02, maint,radiological controls,physical security & LERs
TRIPP,L.E Region 1, Ofc of the Director 88/08/24 18pp 46750 149 46750 166

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/29, Consolidated Edison Co of New York, Inc 123pp 46713-095-46713-217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event," Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/01, Consolidated Edison Co of New York, Inc. 121pp. 46712 244 46713,004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co of New York, Inc. 122pp 46726,001-46726 123

8809140221 Forwards response to NRC Bulletin 88-005, "Nonconforming Malls Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co (WJM) at Williamsburg,NJ." Test results for installed,nonconforming WJM flanges encl.
CREEL,G.C Baltimore Gas & Electric Co 88/09/08. Document Control Branch (Document Control Desk) 7pp. 46836 126-46836:132

8809190278 Forwards Insp Repts 50-317/88-20 & 50-318/88-20 on 880817-19 & notice of violation.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/09, TIERNAN,J.A Baltimore Gas & Electric Co. 2pp 46898,028-46898,036.

--8809190284 Insp Repts 50-317/88-20 & 50-318/88-20 on 880817-19. Violations noted.Major areas inspected:events associated w/ higher than anticipated worker exposure on 880621.
WEADOCK,A., LOESCH,R., SHANBAKY,M. Region 1, Ofc of the Director, 88/09/08 6pp. 46898-031-46898,036.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp 46824:215-46824,336.

8809210187 EN 88-076, on 880920, notice of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued to licensee based on two events violating limiting conditions for operation
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413) 88/09/14 1p. 46920,310-46920-310.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16, Consolidated Edison Co of New York, Inc. 124pp 46946:133 46946,252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19, Consolidated Edison Co. of New York, Inc 125pp. 46946,253 46947 013

R. Periodic operating reports & related correspondence

8809020211 "Semiannual Effluent Release Rept,Calvert Cliffs Nuclear Power Plant,First Half 1988." W/880826 ltr.
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/06/30, 21pp. 46746-105-46746-125

8808260002 Monthly operating repts for Jul 1988 for Calvert Cliffs Units 1 & 2 W/ 880816 ltr.
BEHNKE,C., RUSSELL,L.B Baltimore Gas & Electric Co. 88/07/31. 12pp. 46667:323-46667,334.

8809130014 Forwards updated Table 1A for Second Half 1987 for inclusion in First Half 1988 semiannual effluent release rpt,Table inadvertently omitted
CRINIGAN,P.T. Baltimore Gas & Electric Co. 88/09/06, Document Control Branch (Document Control Desk) 2pp. 46839:172-46839:174.

--8809130045 "Table 1A,Reg Guide 1.21, 'Effluent & Waste Disposal Semiannual Rept,Second Half 1987'"
* Baltimore Gas & Electric Co 88/06/30, 1p 46839-174-46839-174.

8809210165 Submits annual rept of failures & challenges to PORVs & safety valves for period Apr 1980 - Dec 1982,per Tech Spec 6.9.1.5.c.
RUSSELL,L.B. Baltimore Gas & Electric Co. 88/09/19. Document Control Branch (Document Control Desk), 2pp 46920-299-46920,300.

100 DOCKETED ITEMS

V. Operator Examinations

- 8809080340** Forwards Exam Repts 50-317/88-18OL & 50-318/88-18OL of exams administered on 880622
GALLO,R.M. Region 1, Ofc of the Director 88/08/25, TIERNAN,J.A. Baltimore Gas & Electric Co 2pp 46791 285-46791 344
- 8809080344** Exam Repts 50-317/88-18OL & 50-318/88-18OL on 880622 Exam results single candidate passed written exam No strengths or weaknesses in training program identified
SILK,D.M., ESELGROTH,P.W. Region 1, Ofc of the Director. 88/08/24. 58pp 46791 287-46791 344
- 8809060303** Forwards operator licensing exam needs for FY89-92 & dates of scheduled requalification exams per Genenc Ltr 88-13
TIERNAN,J.A. Baltimore Gas & Electric Co 88/08/31 Document Control Branch (Document Control Desk) 3pp 46755 213-46755 215
- 8809230174** Informs that written & operating exams scheduled for wk of 881205 Facility training staff should retain simulator exam scenario info until candidates pass operating exam or appeals filed for failed candidates W/encl ref matts
ESELGROTH,P.W. Region 1, Ofc of the Director 88/09/16 TIERNAN,J.A. Baltimore Gas & Electric Co 10pp 48945 004-46945 013.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 8809160020** Rev 2-01 to EPIP 5000-ADM-3054 01 (EP-033), "Operation of Parsippany Technical Functions Ctr"
* General Public Utilities Corp - GPU Service Corp. 88/08/26. 17pp 46897 222-46897 238
- 8809070174** Rev 1 to Emergency Plan Implementing Procedure 1000 PLN-1300 01, "GPU Nuclear Corp Emergency Plan for TMI & Oyster Creek Nuclear Generating Station"
NEVLING,R.E. General Public Utilities Corp - GPU Service Corp. 88/09/02. 300pp. 46778 001-46778 340.
- 8809090060** Revised emergency plan implementing procedures,including Rev 0 to 9471-IMP-1300 03, "Emergency Offsite Notification," Rev 0 to 9471-IMP-1300.04, "Contact/Callout of Emergency Personnel" & Rev 0 to 9471-IMP-1300.05, "Communications"
* General Public Utilities Corp - GPU Service Corp 88/09/02 850pp. 46804-168-46806,078
- 8809150128** Forwards Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively & SER Amends modify Paragraphs 2.c.(3) & 2.D of Licenses DPR-50 & DPR-73,respectively,to require compliance w/amended physical security plan
STOLZ,J.F. Project Directorate I-4. 88/09/02. HUKILL,H.D. General Public Utilities Corp - GPU Service Corp 6pp 46874 051-46874 065
- 8809150129** Amends 145 & 31 to Licenses DPR-50 & DPR-73,respectively, modifying Paragraphs 2.c.(3) & 2.D to Licenses DPR 50 & DPR-73,respectively requiring compliance w/amended physical security plan
STOLZ,J.F. Project Directorate I-4 88/09/02. 5pp 46874 057-46874 061.
- 8809150130** Safety evaluation supporting Amends 145 & 31 to Licenses DPR-50 & DPR-73,respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/02 4pp 46874.062-46874 065
- 8809150225** Rev 0 to Emergency Plan Implementing Procedure 9472-ADM-1300.01, "Administration of TMI 2 Initial Response/ Watch List & Emergency Support Organization Duty Roster"
* General Public Utilities Corp. - GPU Service Corp. 88/09/02. 15pp. 46848 302-46848,315
- 8809130290** Forwards Safety Insp Rept 50-320/88-12 on 880708 0805.No unacceptable conditions noted
BETTENHAUSEN,L. Region 1, Ofc of the Director 88/09/08, STANDERFER,F.R. General Public Utilities Corp - GPU Service Corp. 2pp 46826,072-46826 082.
- 8809130293** Insp Rept 50-320/88-12 on 880708-0805 No unacceptable conditions noted.Major areas inspected defueling & decontamination activities,including proper implementation of radiological controls & fire protection measures
COWGILL,C. Region 1, Ofc of the Director 88/09/02 9pp 46826 074-46826 082

G. Adjudicatory correspondence

- 8809020027** Requests hearing date for wk of 881114 instead of 881031 to suit author witnesses
SKOLNICK,F. Susquehanna Valley Alliance, Lancaster, PA. SKOLNICK,F. Three Mile Island Alert. #388 8875 88/08/24. Atomic Safety and Licensing Board Panel 1p. 46868,189-46868,199
- 8809020086** Memorandum & order (rulings on motions for summary disposition) * Grants licensee motion re Contentions 1,3 in part,4b in part,4c,4d,5 & 6 & Contentions 2,3 in part,4b in part & 5d shall be litigated.Served on 880829.
BLOCH,P.B., BRIGHT,G.O., PARIS,O.H. Atomic Safety and Licensing Board Panel. #388 8886 88/08/25 Office of the General Counsel. 92pp. 46668 333-46667,064.
- 8809260089** Provides response to TMI Alert,Inc./Susquehanna Valley Alliance Interrogatory 31(ii) re NRC experience &/or tests performed on moisture separators & vapor superheaters. Related correspondence.
WOODHEAD,C.P. Assistant General Counsel for Hearings. #388 7125. 88/08/20. SKOLNICK,F. Three Mile Island Alert. 2pp 46908 242-46908,243.

P. Operating license stage documents & correspondence

- 8808120284** Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47085 001-47085 008.

- 8808300262** Requests exemption from 10CFR171 annual fee assessment for facility justification encl.
KINTNER,E.E. General Public Utilities Corp - GPU Service Corp 88/08/25
STELLO,V. Ofc of the Executive Director for Operations 4pp. 46692-153 46692-156

- 8808300285** Discusses annual update of sys description & technical evaluation rept for submerged demineralizer sys (SDS) Annual review determined rev not required SDS taken out of-svc & will no longer process/filter contaminated liquids
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp 88/08/25 Document Control Branch (Document Control Desk). 1p 46777-087-46777,087

- 8808310065** Forwards QA plan re post defueling monitored storage condition.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/08/25 Document Control Branch (Document Control Desk). 1p. 46701.009 46701,049.

- 8808310066** Rev 0 to "Post-Defueling Monitored Storage,QA Plan."
* General Public Utilities Corp. - GPU Service Corp. 88/08/25. 40pp 46701 010-46701-049.

- 8809070032** Forwards safety evaluation approving util request for mod of recovery operations plan Table 4.3.3 Changes effective on date of installation of new monitoring instrumentation.
STOLZ,J.F. Project Directorate I-4 88/08/30. STANDERFER,F.R. General Public Utilities Corp - GPU Service Corp. 3pp. 46787-320 46787,326

- 8809070035** Safety evaluation approving request for mod of recovery operations plan Table 4.3.3.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/30. 4pp 46787-323 46787,326.

- 8809150128** Forwards Amends 145 & 31 to Licenses DPR-50 & DPR-73, respectively & SER Amends modify Paragraphs 2.c.(3) & 2.D of Licenses DPR-50 & DPR-73,respectively,to require compliance w/amended physical security plan.
STOLZ,J.F. Project Directorate I-4 88/09/02 HUKILL,H.D., STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 6pp. 46874:051-46874:065.

- 8809150129** Amends 145 & 31 to Licenses DPR-50 & DPR-73,respectively, modifying Paragraphs 2.c.(3) & 2.D to Licenses DPR-50 & DPR-73,respectively,requiring compliance w/amended physical security plan.
STOLZ,J.F. Project Directorate I-4. 88/09/02. 5pp 46874.057-46874.061.

- 8809150130** Safety evaluation supporting Amends 145 & 31 to Licenses DPR-50 & DPR-73,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/02. 4pp 46874.062-46874.065

- 8809190083** Restates NRC comment & provides response to NRC 880811 SER re completion of lower core support assembly/lower head defueling.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/09 Document Control Branch (Document Control Desk). 4pp 46893-110 46893-113.

- 8809160099** Ack receipt of 880825 request for exemption from FY 1989 annual fee requirements of 10CFR171 for plant.
HOLLOWAY,C.J. License Fee Management Branch 88/09/12 KINTNER,E.E. General Public Utilities Corp. - GPU Service Corp. 1p. 46896 014-46896 014.

- 8809190194** Informs that Generic Ltr 88 14 re Instrument air supply sys problems affecting safety related equipment not applicable to TMI-2 in current recovery mode
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp 88/09/12. Document Control Branch (Document Control Desk) 2pp. 46893:091-46893:092

- 8809200085** Forwards SER for completion of upper core support assembly (UCSA) defueling SER intended to demonstrate activities associated w/cutting & moving baffle plates to defuel UCSA accomplished w/o jeopardizing health & safety of public
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/15. Document Control Branch (Document Control Desk). 2pp. 46819:189 46819:222.

- 8809200090** Rev 0 to "SER for Completion of Upper Core Support Assembly Defueling."
WELLS,D.M., RYAN,R.F., KOCHIS,P.J. General Public Utilities Corp. - GPU Service Corp. 4710-3221-88 03 R00 88/09/09. 22pp. 46919 201-46919-222

- 8809270152** Forwards environ assessment & finding of no significant impact re util 871228 request for exemption from requirements of 10CFR55.
MASNIK,M.T. Project Directorate I-4. 88/09/20 STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp 3pp. 46969 021-46969,028.

- 8809270154** Environ assessment & finding of no significant impact re exemption from requirements of 10CFR55.
STOLZ,J.F. Project Directorate I-4. 88/09/20. 5pp. 46969 024-46969,028.

Q. Inspection reports, IE Bulletins & correspondence

- 8808190195** NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc 125pp. 46690,054-46690,178.

- 8808160451** NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc 121pp. 46702:311-46703:070

- 8808180366** Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp. 46713 218-46713,219.

- 8808230112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713,095-46713:217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01
Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02
Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809130290 Forwards Safety Insp Rept 50 320/88-12 on 880708 0805 No unacceptable conditions noted
BETTENHAUSEN,L. Region 1, Ofc of the Director, 88/09/08, STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 2pp. 46826 072-46826 082

--**8809130293** Insp Rept 50-320/88-12 on 880708 0805 No unacceptable conditions noted. Major areas inspected: defueling & decontamination activities, including proper implementation of radiological controls & fire protection measures
COWGILL,C. Region 1, Ofc of the Director, 88/09/02. 9pp. 46826.074-46826.082

8809160210 Provides summary of actions taken in response to NRC Bulletin 88 005 & Suppls 1 & 2 addressing nonconforming materials supplied by Piping Supplies, Inc. of Folsom & West Jersey Mfg Co of Williamstown, NJ
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/09 Document Control Branch (Document Control Desk) 3pp. 46895 047-46895 049.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/14.
Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.338

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/18
Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946.252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19.
Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947-013.

R. Periodic operating reports & related correspondence

8808290307 Forwards "TMI Aquatic Study Monthly Progress Rept for Jul 1988," by FMC Environ Svcs.
FESSLER,W.G. General Public Utilities Corp. - GPU Service Corp. 88/08/19.
MASNIK,M. NRC - No Detailed Affiliation Given. 1p. 46884:189 46884-204.

--**8808300033** "TMI Aquatic Study Monthly Progress Rept for Jul 1988."
* RMC Environmental Services. 88/07/31. 15pp. 46884-190 46884-204.

8809060022 Forwards "Effluent & Offsite Dose Rept for Apr-June 1988" & "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988."
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/08/29. Document Control Branch (Document Control Desk) 2pp. 46754.027-46754-048.

--**8809060024** "Effluent & Offsite Dose Rept for Apr-June 1988"
* General Public Utilities Corp. - GPU Service Corp. 88/08/30 9pp. 46754.029-46754 037.

--**8809060026** "Effluent & Waste Disposal Semiannual Rept, Jan-June 1988"
* General Public Utilities Corp. - GPU Service Corp. 88/08/30. 11pp. 46754:038-46754.048.

8809200137 Forwards annual update to "Technical Evaluation Rept for Interim Solid Waste Staging Facility," per NRC 820204 ltr.
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/15. Document Control Branch (Document Control Desk) 1p. 46907.044-46907:068

--**8809200143** "Interim Solid Waste Staging Facility"
SCHIEFER,E.S., SIEGLEF,R.E. General Public Utilities Corp. - GPU Service Corp. 88/08/16 24pp. 46907:045-46907 068.

S. Reportable occurrences, LERs & related correspondence

8809010044 PNO-I-88-084, on 880818, TMI-2 control room altercation occurred, Licensee operator protected area access suspended pending investigation of accident & resident inspectors closely following licensee actions re event
CONTER,R., COWGILL,C. Region 1, Ofc of the Director, 88/08/18. 1p. 46740:344-46740.344.

8809020245 PNO-I 88-084A on 880829, resident inspectors informed of results of drug testing on licensee reactor operator involved in altercation described in PNO-I-88-084. Licensee terminated employee on basis of positive test results.
CONTER,R., COWGILL,C. Region 1, Ofc of the Director, 88/08/30. 1p. 46745:277-46745.277.

8809130324 LER 88-011-00, on 880807, control room personnel failed to recognize requirements to enter action statement. Caused by misunderstanding of requirements of Tech Spec 3.8.1.1. Event discussed w/operators. W/880908 ltr.
WELLS,R.D., STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/08. Document Control Branch (Document Control Desk), 8pp. 46830.274-46830:281

T. Hearing transcripts on non-antitrust matters

8809150306 Transcript of Advisory Panel for Decontamination of TMI-2 880907 meeting in Harrisburg, PA. Pp 1-108. Supporting documentation encl.
* Advisory Council for Decontamination of TMI Unit 2. 88/09/07. 127pp. 46850:009-46850.120.

V. Operator Examinations

8808290003 Forwards environ assessment & findings of no significant impact re 871228 request for exemption from 10CFR55.59 to eliminate requirement that operator requalification program cover plant protection sys & ESFs.
MASNIK,M.T. Project Directorate I-4, 88/08/23. STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 3pp. 46683 345-46683 351.

--**8808290022** Environ assessment & finding of no significant impact re util 871228 request for exemption from 10CFR55.59 to eliminate requirement that operator requalification program cover plant protection sys & ESFs
STOLZ,J.F. Project Directorate I-4 88/08/23 4pp. 46683 348-46683.351

8809060369 Determines that exemption to 10CFR55.57 unwarranted since no requalification exam prior to completion of defueling scheduled
STOLZ,J.F. Project Directorate I 4 88/08/29 STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 4pp. 46764:308 46764-311

8809080381 Grants exemptions to 10CFR55.59(c)(2) subsections (iv) & (v) & 10CFR55.59(c)(3)(i) items A through AA, eliminating requirement for certain lecture subls & requirement for specific manipulation exercises, respectively.
MASNIK,M.T. Project Directorate I 4 88/08/31 STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 4pp. 46755.023-46755 036.

--**8809080385** Exemption from requirements of 10CFR55.59(c)(2), subsections (iv) & (v), & 10CFR55.59(c)(3)(i) items A through AA, eliminating requirements for certain lecture subls & manipulation exercises.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 88/08/31. General Public Utilities Corp. - GPU Service Corp. 5pp. 46755 027-46755.031

--**8809080389** Safety evaluation accepting request for exemption from lecture requirements of 10CFR55.59(c)(2) & for exceptions to control manipulations required by 10CFR55.59(c)(3)(i), Subsections (A) to (AA).
* Division of Reactor Projects - I/II (Post 870411), 88/08/31. 5pp. 46755.032-46755.036.

8809080164 Forwards estimate of operator licensing exam requirements for FY89 through FY92, per Generic Ltr 88-13
STANDERFER,F.R. General Public Utilities Corp. - GPU Service Corp. 88/09/01.
HANNON,J. Operator Licensing Branch. 3pp. 46788 332-46788:334

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290299 Rev 3 to Emergency Plan Implementing Procedure EPII-04, "Duties of Nuclear Operations Duty Officer."
MCDONALD,R.P., MCHENRY,T.J. Georgia Power Co. 88/08/22. 7pp. 46884:059-46884.065

8809070152 Forwards Insp Repts 50-321/88 21 & 50 366/88-21 on 880820 24 & notice of violation. More aggressive mgt attention to site fire brigade performance encouraged
GRACE,J.N. Region 2, Ofc of the Director, 88/08/23. HAIRSTON,W.G. Georgia Power Co. 2pp. 46783.285 46783 281.

--**8809070159** Insp Repts 50-321/88-21 & 50 366/88-21 on 880820-24. Violations noted. Major areas inspected. fire protection/ prevention & followup on previously identified Insp findings
WISEMAN,G.R., WARD,D.C., CONLON,T.E. Region 2, Ofc of the Director, 88/07/22. 13pp. 46783.289-46783:281.

8809120141 Forwards 881116 emergency preparedness exercise objectives, per IE Info Notice 85-055
HAIRSTON,W.G. Georgia Power Co. 88/08/28 GRACE,J.N. Region 2, Ofc of the Director. 6pp. 46826.018-46825 023

8809140272 Forwards Insp Repts 50-321/88-22 & 50-366/88-22 on 880825-0722. Certain activities appear to violate NRC requirements but violations not being cited.
BROWNLEE,V.L. Region 2, Ofc of the Director, 88/08/30 HAIRSTON,W.G. Georgia Power Co. 2pp. 46842:274-46842 291

--**8809140276** Insp Repts 50-321/88-22 & 50-366/88-22 on 880825-0722. No violations noted. Major areas inspected. operational safety verification, maint observations, surveillance testing observations, radiological protection & physical security.
MENNING,J.E., SINKULE,M.V. Region 2, Ofc of the Director, 88/08/30. 16pp. 46842:276 46842 291.

8809090035 Revised emergency plan implementing procedures, including Rev 1 to 83EP-INS-002-05, "Emergency Response Facilities Supplies Inventory" & Rev 0 to 73EP-INS-002-05, "Emergency Response Facilities Supplies Inventory." W/880931 ltr.
MCDONALD,R.P. Georgia Power Co. 88/08/31. 43pp. 46806 145-46806.187.

8809140197 Forwards summary of 880729 mgt meeting re status of emergency operating procedures & procedures upgrade program. List of attendees & viewgraphs encl.
GRACE,J.N. Region 2, Ofc of the Director, 88/08/31. HAIRSTON,W.G. Georgia Power Co. 20pp. 46836:034-46836.053.

8809160028 Advises that submittal of scope & objectives for scheduled 881111 radiological emergency preparedness exercise appears to fulfill requirements for annual onsite emergency exercise.
COLLINS,D.M. Region 2, Ofc of the Director, 88/08/01. HAIRSTON,W.G. Georgia Power Co. 1p. 46898:335-46898:335.

8809140181 Requests exemption from plant emergency plan requirement to conduct after hours exercise until 1989. Exemption would allow one exercise to be conducted which satisfies both util & state plan requirements.
HAIRSTON,W.G. Georgia Power Co. 88/09/08. Document Control Branch (Document Control Desk). 2pp. 46839 270 46839.271.

102 DOCKETED ITEMS

K. Utility Final Safety Analysis Report (FSAR) & amends

8809060209 Revised instruction pages to Jul 1988 updated FSAR for Edwin I Hatch Nuclear Plant Units 1 & 2.
* Georgia Power Co. 88/07/31 194pp 46766 012-46766.204

P. Operating license stage documents & correspondence

8808120294 Genenc Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR, L. Doc-Search Associates 5pp 46770 060-46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1988
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413), 86/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223.

8809150141 Application for amend to License DPR-57, revising Tech Spec to redefine definitions of hot & cold shutdown so changing operational condition modes when test being performed above 212 F will be unnecessary Fee paid
HAIRSTON, W.G. Georgia Power Co. 88/09/06 Document Control Branch (Document Control Desk) 9pp 46847 085-46847 102

--8809150143 Proposed Tech Specs, redefining definitions of hot & cold shutdown, so changing operational condition modes when test being performed & coolant temp above 212 F will be unnecessary
* Georgia Power Co. 88/09/06 9pp 46847 094 46847-102.

8809150319 Application for amends to Licenses DPR-57 & NPF-5, revising Tech Specs suppression pool temp limit Fee paid.
HAIRSTON, W.G. Georgia Power Co. 88/09/06 Document Control Branch (Document Control Desk) 5pp 46854 306-46854 318

--8809150326 Proposed Tech Specs, revising suppression pool temp limit.
* Georgia Power Co. 88/09/06 8pp 46854 311-46854 318.

8809140361 Forwards response to request for addl info re Genenc Ltr 83-28, info concern development, maint & use of equipment location index & sys evaluation documents.
HAIRSTON, W.G. Georgia Power Co. 88/09/06. Document Control Branch (Document Control Desk), 8pp 46838 224-46838 311

--8809140372 "Sys Evaluation Document for Georgia Power Co for El Hatch Unit 1 for Reactor Recirculation Sys (B31)"
* Georgia Power Co. 88/08/26. 80pp 46838 232-46838 311.

8809160134 Notification of 880920 meeting w/util in Atlanta, GA to discuss status of licensing actions
HOPKINS, J.B. Project Directorate III-3 88/09/12 MATTHEWS, D.B. Project Directorate III-3 2pp 46864 236-46864 237.

8809160275 Forwards Amends 156 & 96 to Licenses DPR-57 & NPF-5, respectively & safety evaluation Amends revise Tech Spec to delete all refs to main control room chlorine detectors & to automatic isolation of main control room environ
CROCKER, L.P. Project Directorate II-3 88/09/12. HAIRSTON, W.G. Georgia Power Co. 2pp 46864 151-46864 174.

--8809160276 Amends 156 & 96 to Licenses DPR-57 & NPF-5, respectively, revising Tech Specs to delete all refs to main control room chlorine detectors & to automatic isolation of main control room environ control sys on high chlorine level.
MATTHEWS, D.B. Project Directorate II-3 88/09/12 22pp 46864 153 46864 172

--8809160277 Safety evaluation supporting Amends 156 & 96 to Licenses DPR 57 & NPF-5, respectively.
* Project Directorate II-3 88/09/12. 2pp 46864 173 46864 174.

8809160281 Forwards Amend 157 to License DPR-57 & safety evaluation Amend revises Tech Spec to allow use of GE 8X8EB fuel & lead fuel assemblies produced by Advanced Nuclear Fuels
CROCKER, L.P. Project Directorate II-3 88/09/12. HAIRSTON, W.G. Georgia Power Co. 3pp 46864 205-46864 229.

--8809160283 Amend 157 to License DPR 57, revising Tech Spec to allow use of GE 8X8EB fuel & lead fuel assemblies produced by Advanced Nuclear Fuels
MATTHEWS, D.B. Project Directorate II-3 88/09/12 17pp 46864 208 46864 224

--8809160286 Safety evaluation supporting Amend 157 to License DPR 57.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/12 5pp 46864 225-46864 229

Q. Inspection reports, IE Bulletins & correspondence

8808260465 Ack receipt of 880718 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88-15 & 50-366/88-15 on 880817.
GRACE, J.N. Region 2, Ofc of the Director, 88/08/12. HAIRSTON, W.G. Georgia Power Co. 1p 46858 356 46858 356.

8808260471 Ack receipt of 880705 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/87-31 & 50-366/87-31 Response to Violation A clarifies concerns & will be deleted from NRC records.
GIBSON, A.F. Region 2, Ofc of the Director, 88/08/12. HAIRSTON, W.G. Georgia Power Co. 2pp 46854 306-46854 307.

8808300326 Forwards Insp Repts 50-321/88-23 & 50-366/88-23 on 880801-05. No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director, 88/08/17. HAIRSTON, W.G. Georgia Power Co. 2pp 46891 206-46891 215.

--8808300331 Insp Repts 50-321/88-23 & 50-366/88-23 on 880801-05 No violations noted Major areas inspected, review of completed post-refueling startup tests, thermal limits monitoring, thermal power monitoring & nuclear instrument calibrations
BURNETT, P.T., JAFPE, Region 2, Ofc of the Director 88/08/16, 8pp 46891 215 46891 215

8808310075 Forwards Insp Repts 50-321/88-20 & 50-366/88-20 on 880820-24 No violations or deviations noted
HERDT, A.R. Region 2, Ofc of the Director 88/08/18 HAIRSTON, W.G. Georgia Power Co. 2pp 46899 183-46899 192.

--8808310106 Insp Repts 50-321/88-20 & 50-366/88-20 on 880820-24. No violations noted Major areas inspected environ qualification of electrical equipment to determine adequacy of licensee corrective actions on previous insp findings
SMITH, C., CONLON, T. Region 2, Ofc of the Director 88/08/11 8pp 46899 146899 192

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Ref Mfg by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/ Consolidated Edison Co. of New York, Inc. 126pp 46890 054-46890 178

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves 1 Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/ Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

8808300120 Responds to NRC 880721 ltr re violations noted in Insp Repts 50-321/87-12 & 50-366/88-17, Corrective actions As-Built Notice 88-372 issued against pit Drawing H-12619 to correct required thermostat settings
MCDONALD, R.P. Georgia Power Co. 88/08/22. Document Control Branch (Document Control Desk), 14pp 46888 327 46888 340

8809010221 Confirms 880713 telcon re mgt meeting to be held on 880930. Meeting requested to review results of SALP program for plant for Jan 1987 - June 1988.
GRACE, J.N. Region 2, Ofc of the Director, 88/08/22 HAIRSTON, W.G. Georgia Power Co. 2pp 46718 358 46718 357

8809070152 Forwards Insp Repts 50-321/88-21 & 50-366/88-21 on 880620 24 & note of violation. More aggressive mgt attention to site fire brigade performance encouraged.
GRACE, J.N. Region 2, Ofc of the Director, 88/08/23 HAIRSTON, W.G. Georgia Power Co. 2pp 46783 265 46783 281.

--8809070155 Notice of violation from Insp on 880620-24. Violation noted: Insp of H&T sys protecting remote shutdown panel not conducted between 870819 & 1120
GRACE, J.N. Region 2, Ofc of the Director, 88/08/23 2pp 46783 287-46783 288.

--8809070159 Insp Repts 50-321/88-21 & 50-366/88-21 on 880620-24. Violation noted Major areas inspected fire protection/ prevention & followup on previously identified insp findings.
WISEMAN, G.R., WARD, D.C., CONLON, T.E. Region 2, Ofc of the Director 88/07/2 13pp 46783 269-46783 281

8808180368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Rebuilt Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/2 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219.

8808310146 Responds to NRC 880708 ltr re violations noted in Insp Repts 50-321/87-12 & 50-366/88-12 Corrective actions emergency operating procedure flow chart production quality improved & human factors guidelines incorporated into charts.
MCDONALD, R.P. Georgia Power Co. 88/08/25. Document Control Branch (Document Control Desk) 6pp 46898 144-46898 149

8809120141 Forwards 881116 emergency preparedness exercise objectives, per IE Info Notice 88-055
HAIRSTON, W.G. Georgia Power Co. 88/08/28 GRACE, J.N. Region 2, Ofc of the Director, 6pp 46825 018 46825 023

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217.

8809140272 Forwards Insp Repts 50-321/88-22 & 50-366/88-22 on 880625 0722. Certain activities appear to violate NRC requirements but violations not being cited
BROWNLEE, V.L. Region 2, Ofc of the Director, 88/08/30. HAIRSTON, W.G. Georgia Power Co. 2pp 46842 274-46842 291

--8809140276 Insp Repts 50-321/88-22 & 50-366/88-22 on 880625-0722. No violations noted Major areas inspected, operational safety verification, main observations, surveillance testing observations, radiological protection & physical security.
MENNING, J.E., SINKULE, M.V. Region 2, Ofc of the Director 88/08/30 18pp 46842 276 46842 291.

8809080075 Submits summary of procedure upgrade program portion of 880729 meeting w/NRC at Region II ofc, as result of NRC operational performance assessment Insp performed at site on 880508-20.
MCDONALD, R.P. Georgia Power Co. 88/08/31. Document Control Branch (Document Control Desk) 2pp 46789 095-46789 096.

8809140311 Ack receipt of 880822 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88-17 & 50-366/88-17.
BROWNLEE, V.L. Region 2, Ofc of the Director, 88/08/31. HAIRSTON, W.G. Georgia Power Co. 1p 46837 006-46837 006.

8808260482 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

DOCKETED ITEMS 103

8809070030 Forwards request for addl info re util 880630 response to Generic Ltr 88 01 & plan for IGSCC Insp of austenitic stainless steel piping during fail of 1988 refueling outage
CROCKER,L.P. Project Directorate II-3 88/09/01 HAIRSTON,W.G. Georgia Power Co. 3pp. 46783.156 46783.158.

8809160015 Ack receipt of util 880725 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88 09 & 50 366/88 08 First example of Violation 88 09 05 re inadequate bullet resistant barriers occurred as stated
GRACE,J.N. Region 2, Ofc of the Director. 88/09/01 HAIRSTON,W.G. Georgia Power Co. 2pp 46808.348-46808 349

8809300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123

8809140092 Forwards info requested by Suppl 1 to NRC Bulletin 85-003 on nine addl valves,including applicability to plant program. HPCI & RCIC turbine exhaust valves not motor operated valves & will not be considered in determining operator setpoints
HAIRSTON,W.G. Georgia Power Co 88/09/06 Document Control Branch (Document Control Desk) 15pp 46837:081-46837-075.

8809140098 Forwards response to NRC Bulletin 88-005, "Nonconforming Mail Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co at Williamstown,NJ." No evidence of nonconforming mails being supplied to plant
HAIRSTON,W.G. Georgia Power Co. 88/09/08 Document Control Branch (Document Control Desk) 10pp. 46841.101-46841.110

8809140187 Responds to NRC Bulletin 88 008, "Thermal Stresses in Piping Connected to RCS," did 880622.HPCI sys at pressure lower than RCS so leakage past injection valves will not occur
HAIRSTON,W.G. Georgia Power Co. 88/09/08 Document Control Branch (Document Control Desk). 4pp. 46844.170-46844.173

8809190259 Notification of 880821 meeting w/util in Atlanta,GA to discuss util response to NRC Bulletin 85 003 re motor-operated valve common mode failures due to improper switch settings
CROCKER,L.P. Project Directorate II-3. 88/09/13. MATTHEWS,D.B. Project Directorate II-3. 2pp. 46909-001-46909.002.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824.216-46824-336

8809260246 Forwards Insp Repts 50 321/88-26 & 50 366/88-26 on 880816-19.No violations or deviations noted.
COLLINS,D.M. Region 2, Ofc of the Director 88/09/14 HAIRSTON,W.G. Georgia Power Co 2pp 46866:289 46866.296

8809260248 Insp Repts 50 321/88-26 & 50 366/88-26 on 880816-19.No violations or deviations noted.Major areas inspected:solid radwaste,transportation of radioactive mail,followup on previous insp items & selected NRC info notices.
HOSEY,C.M., SHORTBRIDGE,R.B. Region 2, Ofc of the Director. 88/09/09. 6pp 46866:291-46866 296.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Ant Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc 124pp. 46946.133-46946 252

8809130350 NRC Info Notice 88-078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/18. Consolidated Edison Co. of New York, Inc 125pp 46946.253-46947 013.

R. Periodic operating reports & related correspondence

8809010216 "Semiannual Rept Plant Radioactive Effluent Releases Jan June 1988" W/880828 ltr.
HAIRSTON,W.G. Georgia Power Co 88/06/30. 70pp 46743-022-46743 091

8809140054 Monthly operating repts for Aug 1988 for Hatch Units 1 & 2 W/880908 ltr
TUCKER,J.E., HAIRSTON,W.G. Georgia Power Co 88/08/31. 13pp 46841-273-46841.285

S. Reportable occurrences, LERs & related correspondence

8809130343 LER 88-006-00,on 880809,RWCU primary containment isolation sys valves closed on isolation signal due to rapidly degraded oil RWCU pump repaired & suspect oil sent for analysis & oil in other equipment replaced W/880806 ltr.
TIPPS,S.B., HAIRSTON,W.G. Georgia Power Co. 88/09/06. 7pp 46830.250-46830.256.

8809140274 LER 88 008-00:on 880817,frequency for operability testing of two HPCI valves reported not in compliance w/Tech Spec 4.5.D 1.a.Caused by procedure deficiency Procedure 345V-E41-001-1S upgraded W/880908 ltr.
TIPPS,S.B., HAIRSTON,W.G. Georgia Power Co 88/09/08. 7pp. 46842.030-46842.036.

V. Operator Examinations

8809080015 Requests that NRC conduct operator licensing exam through Sept 1992,as indicated on encl schedules,in response to Generic Ltr 88-13.
MCDONALD,R.P. Georgia Power Co. 88/08/31 HANNON,J. Operator Licensing Branch. 6pp. 46789.097-46789-102.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8809090037 Final response to FOIA request for records re Shoreham offsite emergency plan App G documents available in PDR App H documents withheld (raf FOIA Exemption 5) No further action being taken on appeal ltr dtd 880613.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/11. BELAIR,R.R. Kirkpatrick & Lockhart 4pp 46766 310 46766.325

8805040309 Requests regional ofcs,except Region I,to provide staff necessary to support FEMA exercises at Shoreham on 880607 09 & at Seabrook on 880628 29 Nominations requested by 880509 Guidance encl
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 88/04/27 GRACE,J.N. Region 2, Ofc of the Director DAVIS,A.B. Region 3, Ofc of the Director. MARTIN,R.D. Region 4, Ofc of the Director 3pp 46766.314 46766 318

8809090049 Advises that Region III employees J Foster & M Smith will attend 880607-09 exercises at plant
SHAFFER,W.D. Region 3, Ofc of the Director 88/05/11 ZECH,G.G. Incident Response Branch 1p 46766 319 46766-319.

8809090051 Advises that Region IV employees,C Hackney & G Bates will be available to assist FEMA during plant exercises
KNAPP,M.R. Region 4, Ofc of the Director 88/05/10, WEISS,B. Incident Response Branch 1p. 46766 320 46766 320

8809090053 Designates A Bolland & W Gloersen to participate in plant 880607-09 exercises,per 880427 memo Milestones for exercise evaluation & plan review encl.
GRACE,J.N. Region 2, Ofc of the Director 88/05/10. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 5pp. 46766.321-46766 325.

8809020026 Forwards State of NY decision finding that LILCO plan to use certain property in Baltimore,NY as reception ctr violates local zoning laws Reversal of Board ruling that LILCO reception ctrs deemed adequate required
CASE,D.T. Suffolk County, NY. CASE,D.T. Kirkpatrick & Lockhart #388 6976 88/08/25. MOORE,T.S., ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Board Panel. 24pp 46666 175 46666.180.

8809020102 Forwards Nassau County,NY decision re LILCO plan to use Boilmore operation ctr as reception ctr for evacuees in plant emergency,for info.
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams. #388 7001. 88/08/25 MOORE,T.S., ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Board Panel 7pp 46667.070 46667.078

8809010136 Forwards updated ltrs of agreement for FEMA use during local emergency response organization plan review LILCO requests that NRC forward ltrs to FEMA in accordance w/NRC/FEMA MOU
LEONARD,J.D. Long Island Lighting Co 88/08/30 Document Control Branch (Document Control Desk) 45pp. 46740.264 46740.308.

8809190080 Forwards FEMA 880531 ltr & rept on review of Rev 9 of licensee offsite emergency plan Recommends exercise proceed as planned.
BROWN,S. Project Directorate I-2. 88/09/09. LEONARD,J.D. Long Island Lighting Co. 114pp 46889-289 46889.025

8809260338 Forwards "Post-Exercise Assessment for 880607 09 Exercise of Local Emergency Response Organization (LERO),Shoreham Nuclear Power Station"
PETERSON,G.C. Federal Emergency Management Agency 88/09/09 STELLO,V. Ofc of the Executive Director for Operations. 29pp 46949-020 46949-210.

8809230022 LILCO response to NRC Staff motion for schedule for litigation of June 1988 exercise.* Board should grant motion as modified to take into account stated proposals.Supporting documentation & Certificate of Svc encl
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 7116 88/09/16. Atomic Safety and Licensing Board Panel. 29pp. 46894-034-46894-062.

8809230011 Suffolk County,State of NY & town of Southampton response to NRC Staff motion for schedule for litigation of June 1988 exercise.* Reasonable schedule for contention phase of proceeding should be established.Certificate of Svc encl.
MCMURRAY,C.M. Suffolk County, NY. MCMURRAY,C.M. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of #388 7113. 88/09/19. Atomic Safety and Licensing Board Panel 15pp 46894-001-46894 016

8809230071 Advises that Rev 8 to emergency preparedness plan consistent w/requirements of 10CFR50 54.(q) & changes will not decrease effectiveness of emergency plan
BROWN,S. Project Directorate I-2 88/09/19. LEONARD,J.D. Long Island Lighting Co 4pp. 46942.053-46942.056.

8809260073 Requests util provide schedule for resolution of issues noted in encl FEMA review of offsite emergency plan to ensure that plan inadequacies & areas requiring corrective action corrected.
BROWN,S.W. Project Directorate I-2. 88/09/19. LEONARD,J.D. Long Island Lighting Co. 4pp. 46949.211-46949.216

8809260075 Forwards regional assistance committee review comments for util local offsite radiological emergency response plan & post-exercise assessment for 880607-09 exercise.
SABLE,J.M. Federal Emergency Management Agency 88/09/08. PETERSON,G. Federal Emergency Management Agency 27pp. 46949-217-46950-044.

8809260076 "Post-Exercise Assessment for 880607-09 Exercise of Local Emergency Response Organization (LERO) for Shoreham Nuclear Power Station."
* Federal Emergency Management Agency. 88/09/02. 61pp. 46950:001-46950 044.

G. Adjudicatory correspondence

8809190183 Forwards calculations of LG Hulman requested during 870310 deposition Related correspondence.
BACHMANN,R.G. Assistant General Counsel for Hearings. #388 7082. 87/04/10. CASE,D.T. Kirkpatrick & Lockhart. 13pp. 46829.148-46829-180.

104 DOCKETED ITEMS

8809090016 Forwards Rev 1 to "Shoreham Nuclear Power Station Prompt Notification Sys Repl," to conform w/FEMA REP-10 guidance Rev made to change radio station WPLR to WCBS as lead broadcast sys in emergency plan Related correspondence. LEONARD,J.D Long Island Lighting Co #388 6931 88/08/10 Document Control Branch (Document Control Desk) 6pp 46748 161-46749 222

--8809090021 Rev 1 to "Shoreham Nuclear Power Station Prompt Notification Sys Repl"
* Long Island Lighting Co 88/08/31 400pp 46748 167-46749 222

8809020077 Advises of NRC official hours for persons wishing to serve pleadings,papers or documents on NRC attys in Hearing Div of Ofc of General Counsel
SCINTO,J.F Assistant General Counsel for Hearings #388 6992 88/08/24
AHRENS,P. AMIRIAN,A.N. ARMSTRONG,W Affiliation Not Assigned 3pp 46656 327-46666 329

8809020026 Forwards State of NY decision finding that LILCO plan to use certain property in Bellmore,NY as reception ctr violates local zoning laws Reversal of Board ruling that LILCO reception ctrs deemed adequate required
CASE,D.T Suffolk County, NY, CASE,D.T Kirkpatrick & Lockhart #388 6976 88/08/25, MOORE,T.S. ROSENTHAL,A.S. WILBER,H.A Atomic Safety and Licensing Board Panel 24pp 46666 175-46666 198

8809020102 Forwards Nassau County,NY decision re LILCO plan to use Bellmore operation ctr as reception ctr for evacuees in plant emergency,for info
CHRISTMAN,J.N. Long Island Lighting Co CHRISTMAN,J.N. Hutton & Williams. #388 7001 88/08/25, MOORE,T.S. ROSENTHAL,A.S. WILBER,H.A. Atomic Safety and Licensing Board Panel. 7pp 46667 070 46667 076

8809020050 Informs that author will present oral argument on behalf of util on 880914 re appeal from Board 880509 decision on suitability of reception ctrs
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams #388 6987 88/08/26 SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel 1p 46666 224-46666 224.

8809120037 Requests that ASLAB be notified that author will be representing LILCO at 880914 oral argument on appeal from Board 880201 Initial Decision LBP-88-2.
MCCLESKEY,K.E Long Island Lighting Co MCCLESKEY,K.E Hutton & Williams #388 7007 88/08/29 SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel. 1p 46752 297-46752 297

8809120030 LILCO answer to Suffolk County ltr motion of 880925.* Motion to vacate Board decision to hold proceeding in abeyance, opposed Oral argument should take place on 880914 as scheduled w/Certificate of Svc
CHRISTMAN,J.N. Long Island Lighting Co CHRISTMAN,J.N. Hutton & Williams. #388 7005 88/08/30 Atomic Safety and Licensing Appeal Panel. 6pp 46752 272-46752 277

8809120055 Advises that author will present oral argument re LILCO appeal from Board 880201 Partial Initial Decision LBP-88-2 on behalf of Suffolk County,State of NY & town of Southampton.
MILLER,M.S Suffolk County, NY, MILLER,M.S. New York, State of. MILLER,M.S. Southampton, NY #388 7009 88/08/31 SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel 1p 46752 180 46752:180.

8809140155 Advises that intervenors should not be permitted to invoke adjudicatory process w/o complying w/provisions of 10CFR2 734 for reopening record,per intervenors 880625 ltr stating that use of Bellmore as reception ctr violates laws
BACHMANN,R.G Assistant General Counsel for Hearings #388 7051. 88/08/31 MOORE,T.S. ROSENTHAL,A.S. WILBER,H.A. Atomic Safety and Licensing Appeal Panel 2pp 46786 144-46786 145.

8809140051 Forwards assessment of 880607-09 exercise W/o encl
REIS,E.J Assistant General Counsel for Hearings #388 7040 88/09/09, KOHL,C.N., JOHNSON,W.R. ROSENTHAL,A.A Atomic Safety and Licensing Appeal Panel 1p 46786 280 46786 280

8809140073 Forwards FEMA 880902 post-exercise assessment re exercise conducted on 880607-09,for info W/o encl
YOUNG,M.A Assistant General Counsel for Hearings #388 7052 88/09/09, GLEASON,J.P., KLINE,J.R., SHON,F.J Atomic Safety and Licensing Board Panel 1p 46786 283-46786 283.

8809140152 Forwards decision of US Court of Appeals for First Circuit in Commonwealth of MA vs US Decision may be relevant to proceedings
REIS,E.J Deputy General Counsel #388 7054 88/09/09 MOORE,T.S., WILBER,H.A., JOHNSON,W.R Atomic Safety and Licensing Appeal Panel 18pp 46786 225-46786 242.

8809140159 NRC Staff motion for schedule for litigation of June 1988 exercise.* Certificate of Svc encl.
YOUNG,M.A. Assistant General Counsel for Hearings #388 7053 88/09/09 Atomic Safety and Licensing Board Panel. 5pp 46786 220-46786 224

8809190087 Forwards Suffolk County,State of NY & town of Southampton motion for appointment of Board w/jurisdiction to hear exercise issues,Board may not consider litigation on June 1988 exercise unless Board receives jurisdiction
MCMURRAY,C.M. Suffolk County, NY MCMURRAY,C.M. Kirkpatrick & Lockhart #388 7076 88/09/13 GLEASON,J.P., KLINE,J.R., SHON,F.J Atomic Safety and Licensing Board Panel 1p 46829 194-46829 210.

--8809190094 Suffolk County,State of NY & town of Southampton motion for appointment of Board w/jurisdiction to hear exercise issues.* Appeal Board should order designation of Hearing Board to hear issues Certificate of Svc encl.
MCMURRAY,C.M Suffolk County, NY ZAHNLEUTER,R.J. New York, State of. LATHAM,S.B. Southampton, NY 88/09/13 Atomic Safety and Licensing Appeal Panel. 16pp. 46829:195-46829-210.

8809160064 Order * Applicant & NRC responses to Suffolk County, State of NY & town of Southampton 880913 motion for appointment of ASLB to hear issues re June 1988 exercise should be submitted by 880918 Served on 880914.
SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel #388 7085 88/09/14, Office of the General Counsel. 1p. 46813:001-46813 001.

8809190210 Forwards NRC motion for schedule for litigation of June 1988 exercise.
SCINTO,J.F. Assistant General Counsel for Hearings #388 7084. 88/09/14 GLEASON,J.P. Atomic Safety and Licensing Board Panel 1p. 46829,140-46829,145.

8809210011 Advises that util intends to respond to NRC 880909 motion re scheduling of litigation of 1988 exercise ahead of deadline set in rules,so that intervenors will be on notice of util views & can respond in timely fashion
IRWIN,D.P Long Island Lighting Co IRWIN,D.P. Hutton & Williams. #388 7081 88/09/14. GLEASON,J.P., KLINE,J.R., SHON,F.J Atomic Safety and Licensing Board Panel 2pp 46843 026-46843 027

8809230017 LILCO response to intervenors motion for appointment of Licensing Board w/jurisdiction to hear 1988 exercise issues * Intervenor 880913 motion invalid & should be summarily dismissed Certificate of Svc encl
IRWIN,D.P. Long Island Lighting Co IRWIN,D.P. Hutton & Williams #388 7114 88/09/16 Atomic Safety and Licensing Appeal Panel 11pp 46894 023 46894 033

8809230022 LILCO response to NRC Staff motion for schedule for litigation of June 1988 exercise * Board should grant motion as modified to take into account stated proposals Supporting documentation & Certificate of Svc encl.
IRWIN,D.P Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 7115 88/09/16 Atomic Safety and Licensing Board Panel. 29pp. 46894,034-46894 062

8809260061 Forwards Pages 3 & 5 to NRC response to intervenors motion for appointment of Licensing Board to hear 1988 exercise results,correcting dates.
YOUNG,M.A. Assistant General Counsel for Hearings #388 7122. 88/09/16 KOHL,C.N., JOHNSON,W.R., ROSENTHAL,A.A Atomic Safety and Licensing Appeal Panel 3pp. 46908 237-46908 239.

8809260065 Forwards NRC response to intervenors motion for appointment of Licensing Board to hear exercise results & regional assistance committee review of Rev 10 to plant local offsite radiological emergency plan W/o encl.
YOUNG,M.A Assistant General Counsel for Hearings #388 7123. 88/09/16 GLEASON,J.P., KLINE,J.R., SHON,F.J Atomic Safety and Licensing Board Panel 1p 46908,240-46908,240.

8809260126 NRC Staff response to intervenors motion for appointment to hear 1988 exercise results * Motion should be denied since under 830511 designation,Licensing Board has jurisdiction to hear matters re 880607-09 exercise.Certificate of Svc encl
YOUNG,M.A Assistant General Counsel for Hearings #388 7127 88/09/16 Atomic Safety and Licensing Appeal Panel. 19pp 46908,288-46908,304.

8809230011 Suffolk County,State of NY & town of Southampton response to NRC Staff motion for schedule for litigation of June 1988 exercise * Reasonable schedule for contention phase of proceeding should be established Certificate of Svc encl.
MCMURRAY,C.M Suffolk County, NY MCMURRAY,C.M. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #388 7113. 88/09/19 Atomic Safety and Licensing Board Panel 15pp. 46894:001-46894,015

8809230082 Decision * ALAB-000,affirming LBP-87-32 on basis that 880213 emergency preparedness exercise at plant was not inclusive enough to meet Commission regulatory requirements. Served on 880921
SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel #388 7110 88/09/20 43pp 46894:101-46894:143.

8809230099 Memorandum & order * Govts 880913 motion for appointment of Board w/ jurisdiction to hear issues re June 1988 emergency planning exercise granted & denied in part Served on 880921.
SHOEMAKER,C.J Atomic Safety and Licensing Appeal Panel. #388 7111 88/09/20 Suffolk County, NY. 10pp. 46894,144-46894:153.

P. Operating license stage documents & correspondence

8809090152 Appeals denial of FOIA request for documents re plant. Requests that NRC response be as detailed as possible in order to better enable client to determine need for further legal action
BELAIR,R.R Kirkpatrick & Lockhart. 88/08/23 Ofc of the Executive Director for Operations 6pp 46768 020-46768,025.

8808120294 Generic Ltr 88-14 to all holders of OLEs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47085:001-47085:008.

8809090156 Responds to portion of 880623 ltr appealing DH Grimsley 880526 response to FOIA request.Denied portions of record can now be released
STELLO,V. Ofc of the Executive Director for Operations 88/08/17. BELAIR,R.R. Kirkpatrick & Lockhart 2pp 46768,026 46768,052.

--8809090169 Confirms content of 880303 telcon re numbered Paragraph 2 of FOIA Request 88 03 Paragraph clarified to read as stated NRC response to request due on 880317.Task action plan for evaluation of request to operate plant at 25% power encl.
GIBSON,L.C. Kirkpatrick & Lockhart. 88/03/16 BROWN,N. NRC - No Detailed Affiliation Given 16pp 46769:033-46769,052.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A.Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5).App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc Search Associates 5pp. 46770:060-46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770:211-46770:223.

8809190373 Recommends early NRR mgt review of encl safety evaluation re plant 25% license.
VARGA,S.A Project Directorate I-2. 88/09/14. CRUTCHFIELD,D. Associate Director for Projects (Post 870411). 9pp 46898,089 46898 202.

--8809190374 Safety evaluation supporting request to operate facility at 25% power re sys & procedures for accident mitigation.
* NRC - No Detailed Affiliation Given. 88/09/14. 8pp 46898:088-46898:105.

--8809190375 Safety evaluation supporting request to operate facility at 25% power re accident evaluation.
* NRC - No Detailed Affiliation Given 88/09/14. 93pp. 46896,106-46896 198.

DOCKETED ITEMS 105

--8809190378 Safety evaluation supporting request to operate facility at 25% power re safety of prolonged operation at 25% power
* NRC - No Detailed Affiliation Given 88/09/14 4pp 46896 199 46896.202

8809230194 Forwards safety evaluation supporting until 840309,850621 & 860606 responses to Generic Ltr 83-28, "Required Actions Based on Generic Implication of Salem ATWS Events," Items 3 1 1, 3 1 2, 3 2 1, 3, 2 2 & 4 5 1
BROWN, S. Project Directorate I-2 88/09/19 LEONARD, J.D. Long Island Lighting Co 4pp 46945, 189-46945-197.

--8809230197 Safety evaluation supporting until 840309,850621 & 860606 responses to Generic Ltr 83-28, "Required Actions Based on Generic Implication of Salem ATWS Events," Items 3 1 1, 3 1 2, 3 2 1, 3, 2 2 & 4 5 1
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/19 5pp 46945, 193 46945, 197

Q. Inspection reports, IE Bulletins & correspondence

8808260100 Forwards Exam Rept 50-322/88 03OL administered during wk of 880516 GALLO, R.M. Region 1, Ofc of the Director 88/08/10 LEONARD, J.D. Long Island Lighting Co. 4pp 46667-116-46667.254

--8808260102 Exam Rept 50-322/88-03OL on 880516-20 Exam results, two out of three senior reactor operator & seven out of nine reactor operator candidates passed exams
HOWE, A.G., LANGE, D.J. Region 1, Ofc of the Director. 88/08/05. 104pp. 46667-120-46667-254.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46690-054-46690-178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702-311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713-218-46713.219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713-095-46713 217.

8809070455 Lists actions taken in response to NRC Bulletin 88-007, "Power Oscillations in BWRs." Personnel in ofc of training informed of need to incorporate procedure changes into reactor operator & shift technical advisor training.
LEONARD, J.D. Long Island Lighting Co 88/08/31. Document Control Branch (Document Control Desk). 3pp 46776-224-46776 226

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712-244-46713.004

8808300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726-001-46726-123.

8809150231 Responds to NRC Bulletin 88-005, including Suppls 1 & 2 re nonconforming mats supplied by Piping Supplies, Inc & West Jersey Mfg Co Advises that ASME Section III & ANSI B31.1 mat installed in safety-related sys acceptable for use.
LEONARD, J.D. Long Island Lighting Co 88/09/09 Document Control Branch (Document Control Desk). 24pp. 46663-329-46663.362.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in FWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824-215-46824-336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946, 133-46946-252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947-013.

R. Periodic operating reports & related correspondence

8809020272 "Semiannual Radioactive Effluent Release Rept, First & Second Quarters of 1988." W/880824 ltr.
LEONARD, J.D. Long Island Lighting Co. 88/06/30. 15pp 46750, 132-46750, 146.

8809010198 Monthly operating rept for Jul 1988 for Shoreham Nuclear Power Station W/880801 ltr.
POLIS, T., STEIGER, W.E. Long Island Lighting Co 88/07/31. 4pp 46740, 260-46740-263

8809190299 Monthly operating rept for Aug 1988 for Shoreham W/880912 ltr.
POLIS, T., STEIGER, W.E. Long Island Lighting Co. 88/08/31. 4pp. 46896, 060-46896 063.

S. Reportable occurrences, LERs & related correspondence

8808310181 LER 88-011-00, on 880727, discovered that primary containment atmosphere purged prior to receiving complete analysis results of air sample caused by inadequate procedural guidance. Authorization form will be modified W/880823 ltr.
GRUNSEICH, R.W., STEIGER, W.E. Long Island Lighting Co 88/09/23. 5pp 46726-349 46726 353

8809010063 LER 88-012 00 on 880728, unplanned activation of nuclear steam supply shutoff sys & reactor protection sys trip occurred. Caused by rel leg valving operations during instrumentation & control preventive maint activity W/880825 ltr.
GRUNSEICH, R.W., STEIGER, W.E. Long Island Lighting Co 88/08/25 8pp. 46740 333-46740 340.

8809230274 LER 88 013-00 on 880810, seismic monitoring instrumentation inoperable for more than 30 days due to calibr. Replacement parts unavailable during calibr. New parts expected to be onsite by 880930 W/880919 ltr.
GRUNSEICH, R.W., STEIGER, W.E. Long Island Lighting Co 88/09/19. 2pp 46942-051-46942-052

T. Hearing transcripts on non-antitrust matters

8809150156 Transcript of FEMA 880615 public meeting in Patchogue, NY re util! Pp 1-131.
* Federal Emergency Management Agency. 88/08/15. 131pp 46846-314-46847-084.

8809190006 Transcript of 880814 hearing in Bethesda, MD re util reception ctrs that will be used in event of radiological emergency. Pp 1-88.
* Atomic Safety and Licensing Appeal Panel 88/09/14 100pp 46827.209 46827 309

8809190011 Transcript of 880914 hearing in Bethesda, MD re appeal of initial decision concerning emergency exercise. Pp 1-81.
* Atomic Safety and Licensing Appeal Panel 88/09/14 93pp. 46827, 116-46827.208.

U. Congressional/Executive Correspondence

8808280348 Forwards quarterly rept for second quarter of CY88, per H.R. 97-850
ROGERS, K.C. Commissioners. 88/08/23. BEVILL, T. House of Rep., Appropriations. 11pp. 46929, 339 46929, 349

V. Operator Examinations

8808260100 Forwards Exam Rept 50-322/88 03OL administered during wk of 880516, GALLO, R.M. Region 1, Ofc of the Director. 88/08/10 LEONARD, J.D. Long Island Lighting Co. 4pp. 46667-116-46667.254.

--8808260102 Exam Rept 50-322/88 03OL on 880516-20 Exam results, two out of three senior reactor operator & seven out of nine reactor operator candidates passed exams.
HOWE, A.G., LANGE, D.J. Region 1, Ofc of the Director. 88/08/05. 104pp. 46667-120-46667-254.

--8809010340 Forwards comments w/supporting documentation re post-NRC written operator exams, to assist in evaluating responses to exam questions.
LEONARD, J.D. Long Island Lighting Co 88/05/20. RUSSELL, W.T. Region 1, Ofc of the Director. 32pp 46667, 223-46667-254.

8809070455 Lists actions taken in response to NRC Bulletin 88-007, "Power Oscillations in BWRs." Personnel in ofc of training informed of need to incorporate procedure changes into reactor operator & shift technical advisor training.
LEONARD, J.D. Long Island Lighting Co 88/08/31 Document Control Branch (Document Control Desk). 3pp. 46776-224 46776-226.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809140249 Forwards public version of Rev 8 to Emergency Plan Implementing Procedures EP OR-1, "Offsite Support & Assistance."
SHIFFER, J.D. Pacific Gas & Electric Co. 88/08/29. Document Control Branch (Document Control Desk). 1p. 46841-172-46841-196.

--8809140259 Public version of Rev 8 to Emergency Plan Implementing Procedure EP OR-1, "Offsite Support & Assistance," & updated table of contents
TOWNSEND, J.D. Pacific Gas & Electric Co. 88/07/29. 24pp 46841 173 46841-196.

P. Operating license stage documents & correspondence

8809090095 Appeals denial of FOIA request for release of documents listed in Apps E & F, originally withheld.
HAMLIN, J.B. Shaw, Pittman, Potts & Trowbridge. 88/05/05. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46769, 275-46769-299.

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065-006.

8809090111 Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87 444. Documents or portions of documents continue to be withheld (ref FOIA Exemption 5).
CHILK, S.J. Office of the Secretary of the Commission 88/08/12. HAMLIN, J.B. Shaw, Pittman, Potts & Trowbridge. 11pp. 46769-300 46769-326

--8809090119 Requests that Committee review disagreement between NRC & NRC Inspector I Yin over technical issues arising from licensee design control measures for small & large bore piping sys & advise Commission on resolution.
PALLADINO, N.J. Commissioners. 84/04/04. EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p 46769, 314-46769-314.

106 DOCKETED ITEMS

- 8809090123 Requests comments on listed issues prior to Commission action on full power license for plant.
PALLADINO,N J Commissioners 84/04/13 EBERSOLE,J.C ACRS - Advisory Committee on Reactor Safeguards 1p 46769 315-46769 321
- 8809090128 Forwards for review, revised order Changes based on suggestions made by Roberts & Bernthal W/o encl
PALLADINO,N J Commissioners 83/11/07 GILINSKY Commissioners 1p 46769 322 46769 322.
- 8809090131 Comments on 10CFR55.25 re administration of operating test prior to initial criticality, per NRC brief in plant case
PALLADINO,N J Commissioners 84/11/02 BRIGGS,W.H Solicitor 2pp 46769 323 46769 324
- 8809090135 Approves SECY-81-115A re prehearing conference order, as modified by attached page W/o encl
AHEARNE,J Commissioners 81/03/09 HENDRIE Commissioners 1p 46769 325-46769 325
- 8809290260 Requests NRC staff concurrence w/util plan to install AMSAC at facility during third refueling outage, scheduled for spring of 1990
SHIFFER,J.D Pacific Gas & Electric Co 88/08/15 Document Control Branch (Document Control Desk) 2pp 46686 355 46686 356
- 8809090044 Partial response to FOIA request for documents Forwards App C document, Documents available in PDR
GRIMSLEY,D.H Office of Administration & Resources Management, Director (Post 870413) 88/08/15 WEISSMAN,S California, State of 2pp 46769 005-46769 019
- 8202120089 Board Notification 82-04 forwarding info re pressurized thermal shock
EISENHUT,D.G Division of Licensing (600428 851124) 82/01/20 PALLADINO,N, GILINSKY, BRADFORD Commissioners 2pp 46769 007-46769 019
- 8809010227 Forwards Amends 30 & 29 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends allow initiation value of reactor trip on turbine trip to be changed from thermal power greater than 10% to greater than 50%
ROOD,H Project Directorate V 88/08/26 SHIFFER,J.D Pacific Gas & Electric Co 4pp 46740 077 46740 094
- 8809010232 Amends 30 & 29 to Licenses DPR 80 & DPR-82, respectively, allowing initiation value of reactor trip on turbine trip to be changed from thermal power greater than 10% to greater than 50%
KNIGHTON,G.W Project Directorate V 88/08/26 10pp 46740 081-46740 090.
- 8809010234 Safety evaluation supporting Amends 30 & 29 to Licenses DPR-80 & DPR 82, respectively
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/26 4pp 46740 081-46740 094
- 8809130240 Notification of contract execution, Mod 8, to "Earthquake Potential & Max Credible Earthquake for Diablo Canyon Power Plant" Contractor Univ of Nevada Reno, Mackay School of Mines
BELL,S Contract Administration Branch FIN D-1325 88/08/28 BAJWA,S.S Office of Nuclear Reactor Regulation, Director (Post 870411). POSLUSNY,C NRC - No Detailed Affiliation Given 1p 46833 231-46833 234.
- 8809190022 Forwards Amends 31 & 30 to Licenses DPR 80 & DPR-82, respectively & safety evaluation Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s
ROOD,H Project Directorate V 88/08/29 SHIFFER,J.D Pacific Gas & Electric Co 4pp 46893 093-46893 105
- 8809070448 Summary of 880912-15 meetings w/util in Rockville, MD re overview of PRA for seismic reevaluation program
ROOD,H Project Directorate V. 88/08/30 KNIGHTON,G.W Project Directorate V 5pp 46772 119-46772 123
- 8809060336 Redistributed ltr forwarding Amends 31 & 30 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s.
ROOD,H Project Directorate V 88/09/01 SHIFFER,J.D. Pacific Gas & Electric Co 4pp 46758 162 46758 181
- 8809060341 Amends 31 & 30 to Licenses DPR 80 & DPR 82, respectively, decreasing max closure time for containment vacuum/pressure relief valves from 10 s to 5 s
KNIGHTON,G.W. Project Directorate V. 88/08/29 6pp 46758 166 46758 171
- 8809060343 Safety evaluation supporting Amends 31 & 30 to Licenses DPR 80 & DPR 82, respectively
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/29 3pp 46758 172-46758 174
- 8710150112 "Demonstration of Containment Vacuum/Overpressure Relief Valve Operability for Diablo Canyon Power Plant Units 1 & 2," technical evaluation rpt.
KIDCO, EGG Idaho, Inc (subs of EGG&G, Inc.), FIN A-6415 EGG-N7A-7841, 87/09/30. NRC - No Detailed Affiliation Given 18pp. 46758 175 46758 181.
- 8809070101 Forwards util 880401 ltr re plant wastewater holding pond. Pond will be closed in compliance w/Resource Conservation & Recovery Act of 1976, as amended.
ROOD,H Project Directorate V 88/09/01. Advisory Council on Historic Preservation, 12pp 46784 054-46784 073
- 8809130043 Advises that WCAP-11723, "LOFTTR2 Analysis for Steam Generator Tube Rupture Event, Units 1 & 2," marked as proprietary, will be withheld from public disclosure (ref 10CFR2790 & Section 103(b) of Atomic Energy Act).
ROOD,H Project Directorate V 88/09/01. WIESEMANN,R.A Westinghouse Electric Corp 5pp. 46833 168-46833 172.

Q. Inspection reports, IE Bulletins & correspondence

- 8708290077 Summary of CRGR Meeting 116 on 870610 re final rule amends to 10CFR30.40, 50.51, 70 & 72 concerning requirements for decommissioning facility List of attendees encl.
JORDAN,E.L. Committee to Review Genenc Requirements 87/08/07 STELLO,V. Ofc of the Executive Director for Operations. 37pp. 46894 159 46894 305.

- 8706180366 Discusses plans for response to lessons learned from plant 870410 loss of RHR event. CRGR review of 50 54(f) ltr providing addl info requested at earliest opportunity
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 87/06/02 JORDAN,E Office for Analysis & Evaluation of Operational Data, Director 14pp 46894 201-46894 220

- 8809090111 Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87-444 Documents or portions of documents continue to be withheld (ref FOIA Exemption 5)
CHILK,S J Office of the Secretary of the Commission 88/08/12. HAMLIN,J.B Shaw, Pittman, Potts & Trowbridge 11pp 46769 300-46769 326

- 8809090139 Forwards draft of dissenting views re notice of violation W/o encl
AHEARNE,J Commissioners. 82/02/08. PALLADINO Commissioners 1p. 46769 326 46769 326

- 8809190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46690 054 46690 178

- 8809160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

- 8809180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219.

- 8809010223 Requests concurrence w/util plan to implement thimble tube insp program after completion of refueling outage, per NRC Bulletin 88-009, "Thimble Tube Thinning in Westinghouse Reactors."
SHIFFER,J.D Pacific Gas & Electric Co. 88/08/26 Document Control Branch (Document Control Desk) 2pp 46743.141-46743.142.

- 8809230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713 095 46713 217.

- 8809260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713:004.

- 8809080097 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2 re nonconform insp mails supplied by Piping Supplies, Inc & West Jersey Mfg Co. Twelve flanges identified as installed in plant & determined adequate for intended svc
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/01. Document Control Branch (Document Control Desk) 4pp. 46800-246 46800-249.

- 8809300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726.001-46726-123.

- 8809150106 Forwards response to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS."
SHIFFER,J.D., LOCKE,H.V. Pacific Gas & Electric Co 88/09/08. Document Control Branch (Document Control Desk) 5pp. 46847.140 46847:144

- 8809150112 Forwards description of Class 1, 2 & 3 components scheduled for inservice insp during second refueling outage.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/08. Document Control Branch (Document Control Desk). 29pp. 46846.213-46846.243

- 8809190227 Forwards Insp Repts 50-275/88-15 & 50-323/88-14 on 880711-22 & notice of violation Objectives for maint program insp listed.
MARTIN,J.B. Region 5, Ofc of the Director. 88/09/06 SHIFFER,J.D. Pacific Gas & Electric Co 6pp. 46907.068-46907.150

- 8809190233 Notice of violation from insp on 880711-22. Violations noted test program not established & implemented to assure listed check valves will perform satisfactorily in svc & test procedures did not provide for testing of dump valves
MARTIN,J.B Region 5, Ofc of the Director 88/09/06. 6pp. 46907.075 46907.079

- 8809190240 Insp Repts 50 275/88-15 & 50-323/88-14 on 880711-22. Violations noted Major areas inspected maint program & implementation of related activities
HUEY,F.R., CREWS,J.L., TOTHA,A.D. Region 5, Ofc of the Director 88/09/05 70pp 46907.080 46907.150.

- 8809220282 Forwards written analysis of auxiliary saltwater sys operability relationship between instrument setpoints & design basis, per Insp Repts 50 275/88-11 & 50-323/88-10.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/13 Document Control Branch (Document Control Desk). 18pp. 46927.215-46927.232.

- 8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824-336.

- 8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46948-133-46948.252

- 8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946.253-46947-013

R. Periodic operating reports & related correspondence

8809080142 "Rept on Discharge Monitoring at Diablo Canyon Power Plant During Month of Jul 1988" W/880819 ltr
TOWNSEND,J.D. Pacific Gas & Electric Co. 88/07/31, LEONARD,W. California, State of 31pp. 46798 057-46798 087.

8809080029 Forwards "Diablo Canyon Power Plant,Semiannual Radioactive Effluent Rept,Jan-June 1988."
SHIFFER,J.D. Pacific Gas & Electric Co. 88/08/30 Document Control Branch (Document Control Desk). 1p 46793.133-46793 280

-8809080130 "Diablo Canyon Power Plant,Semiannual Radioactive Effluent Rept,Jan-June 1988."
* Pacific Gas & Electric Co. 88/06/30 37pp. 46793 134-46793 170

-8809080132 Rev 2 to Administrative Procedure AP C-253S1, "Dewatering Control Program"
* Pacific Gas & Electric Co. 88/08/23. 6pp 46793 171-46793 177.

-8809080133 Rev 11 to Administrative Procedure AP C 253, "Process Control Program."
* Pacific Gas & Electric Co. 88/04/05 13pp. 46793.178 46793 197.

-8809080136 Rev 6 to Chemical Analysis Procedure CAP A 8, "Offsite Dose Calculations"
* Pacific Gas & Electric Co. 88/04/22 87pp 46793 198-46793 280

8809260128 Monthly operating repts for Aug 1988,W/880914 ltr.
BEDESEM,P. TOWNSEND,J.D. Pacific Gas & Electric Co. 88/08/31. 11pp 46957.094-46957 104.

S. Reportable occurrences, LERs & related correspondence

8809140148 PNO-V-88 056, on 880830, Unit 1 experienced reactor trip from 99% power due to main feed pump trip Also, on 880901, Unit 2 experienced reactor trip from 100% power due to seismic trip signal. Incidents under investigation
NARBUT,P. MENDOZA,M. Region 5, Ofc of the Director. 88/09/02 4pp. 46839 272-46839 275.

V. Operator Examinations

8809080282 Forwards schedule for conducting operator licensing exams through FY82, per Generic Ltr 88-13.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/09/01. HANNON,J. Operator Licensing Branch. 3pp. 46800.250 46800 252.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

8808260333 Rev 2 to Brunswick REP Figure 1-2, "10 Mile Plume Exposure EPZ."
* Carolina Power & Light Co. 88/08/16 2pp. 46869.125-46869 126.

8809010316 Advises that 880804 Rev 4 to radiological emergency plan consistent w/ provisions of 10CFR50.47 & App E to 10CFR50 & acceptable
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/22. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46743-317-46743 318.

8809010128 Application for amends to Licenses DPR-71 & DPR-62, revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1 Fee paid
EURY,L.W. Carolina Power & Light Co. 88/08/23 Document Control Branch (Document Control Desk). 9pp 46720 131-46720 144.

-8809010167 Proposed Tech Specs revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1
* Carolina Power & Light Co. 88/08/23. 5pp. 46720.140 46720 144

8809130163 Discusses Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807 & forwards notice of violation Enforcement conference to discuss violations scheduled for 880908
GRACE,J.N. Region 2, Ofc of the Director. 88/09/02. UTLEY,E.E. Carolina Power & Light Co. 2pp 46833.281-46833 310

-8809130168 Notice of violation from Insp on 880707-0807. Violation noted no shift foreman review obtained prior to installation of wood support structures under diesel generator silencers & fire on diesel generator bldg roof resulted.
* Region 2, Ofc of the Director. 88/09/02 1p. 46833.293-46833 293.

-8809130173 Insp Repts 50-324/88-24 & 50-325/88-24 on 880707 0807. Violations noted Major areas inspected onsite LER review (Unit 1), in ofc LER review (Unit 1), unusual event/fire Unit 2 & fire on diesel generator bldg roof
RULAND,W.H., LEVINS,W., FEDRICKSON,P.E. Region 2, Ofc of the Director. 88/09/01. 17pp. 46833.294-46833 310.

8809230075 Ack receipt of submittal re scenario, scope & objectives for 881018 plant emergency exercise Submittal appears to meet min requirements of full participation exercise
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/12. UTLEY,E.E. Carolina Power & Light Co. 1p 46945.285-46945 285

H. General correspondence

8809010045 Advises that correspondence re plant should be mailed to J.L. Harness, effective immediately.
HARNESS,J.L. Carolina Power & Light Co. 88/08/19. GRACE,J.N. Region 2, Ofc of the Director. 1p. 46719-100-46719 100.

8809260085 Informs that effective 881013, RB Starkey named project manager of plant & functions of nuclear safety & environ svcs dept will be combined w/ functions of licensing & nuclear fuels dept.
LOFLIN,L.I. Carolina Power & Light Co. 88/09/19 Document Control Branch (Document Control Desk). 1p. 46957 335 46957 335

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006.

8809010128 Application for amends to Licenses DPR-71 & DPR-62, revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1 Fee paid.
EURY,L.W. Carolina Power & Light Co. 88/08/23. Document Control Branch (Document Control Desk). 9pp 46720 131 46720 144.

-8809010167 Proposed Tech Specs revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1
* Carolina Power & Light Co. 88/08/23 5pp 46720.140 46720 144

8809020009 Forwards environ assessment & finding of no significant impact re 870904 request for amend to License DPR 62, extending fuel irradiation.
BUCKLEY,B.C. Project Directorate II-1. 88/08/29 UTLEY,E.E. Carolina Power & Light Co. 2pp 46746.130-46746 136

-8809020011 Environ assessment & finding of no significant impact re 870904 application for amend to License DPR-62, extending fuel irradiation
ADENSAM,E.G. Project Directorate II-1 88/08/29 5pp. 46746.132-46746 136

8809070546 Notification of 880807 meeting w/ unit in Rockville, MD to discuss status of licensing actions needed for upcoming Unit 1 refueling outage.
BUCKLEY,B.C. Project Directorate II-1. 88/08/31. ADENSAM,E.G. Project Directorate II-1. 3pp 46786.330-46786 332.

8809150247 Summary of 880714 meeting w/ licensee in Rockville, MD re specifics of recently submitted justification for continued operation concerning HPCI/RCIC valve operability & safety sys reliability. List of attendees, agenda & viewgraphs encl
MOZAFARI,B. Project Directorate II-1. 88/09/12. Project Directorate II-1. 39pp 46859.312-46859 350.

8809260114 Application for amends to Licenses DPR-62 & DPR-71, revising Tech Specs 3/4.6.4 to clarify alternative actions to be taken re drywell suppression chamber vacuum breaker. Fee paid.
MCDUFFIE,M.A. Carolina Power & Light Co. 88/09/19 Document Control Branch (Document Control Desk). 8pp. 46957.023 46957 034.

-8809260115 Proposed Tech Specs revising actions associated w/ Tech Spec 3/4.6.4 to clarify alternative actions to be taken re drywell suppression chamber vacuum breaker.
* Carolina Power & Light Co. 88/09/19. 4pp 46957.031-46957 034.

8809220334 Forwards Amend 153 to License DPR-62 & safety evaluation Amend changes Tech Specs to incorporate operating limits for all fuel types for Cycle 8 operations.
BUCKLEY,B.C. Project Directorate II-1. 88/09/20 UTLEY,E.E. Carolina Power & Light Co. 3pp 46930.086-46930 101.

-8809220336 Amend 153 to License DPR-62, changing Tech Spec to incorporate operating limits for all fuel types for Cycle 8 operations at facility.
ADENSAM,E.G. Project Directorate II-1. 88/09/20. 8pp 46930 091-46930 098.

-8809220337 Safety evaluation supporting Amend 153 to License DPR-62.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/20. 3pp. 46930.099-46930 101.

Q. Inspection reports, IE Bulletins & correspondence

8809080234 Partial response to FOIA request for documents. Forwards App B documents App A documents maintained in PDR. Records also available under listed FOIAs
GRIMSLEY,D. Division of Rules & Records (870413-880514) 88/08/10. UNNERSTALL,K. Newman & Holtzinger 6pp 46769.054-46769 059.

-8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/06/21 RUSSELL,W.T. Region 1, Ofc of the Director. 8pp. 46769.146 46769 154

8808300124 Forwards Insp Repts 50-324/88-27 & 50-325/88-27 on 880716-22 Violation noted under consideration for escalated enforcement action Enforcement conference scheduled for 880908
GRACE,J.N. Region 2, Ofc of the Director. 88/08/17. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46897.217-46897 272.

-8808300126 Augmented Insp Team Repts 50-324/88-27 & 50-325/88-27 on 880716 22.
FREDRICKSON,P. Region 2, Ofc of the Director. 88/08/17. 54pp. 46897.220-46897 272

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C. Documents also available in PDR.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 UNNERSTALL,K. Newman & Holtzinger. 2pp. 46766 272-46766 274.

-8809090172 Forwards detailed discussion of selection of severity level re disabling all svc water sys on 801209 at Brunswick Unit 2 Citation will be issued on 810316
O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201) 81/03/10 THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 3pp. 46766.286-46766 288

108 DOCKETED ITEMS

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46690 054 46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311 46703 070

8809010197 Forwards Insp Repts 50-324/88-26 & 50-325/88-26 on 880718-22 No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 88/08/22. UTLEY,E.E. Carolina Power & Light Co. 2pp 46742 073 46742 080

--8809010200 Insp Repts 50-324/88-26 & 50-325/88-26 on 880718-22 No violations or deviations noted. Major areas inspected records & commitments for repair of Weld 2FW13 in RHR svc water for Unit 2 & previous insp findings & NRC bulletins.
COLEY,J.L., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/16. 6pp 46742 075-46742 080

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 216 46713 219

8809010104 Responds to notice of violation & proposed imposition of civil penalty issued on 880725 re inoperability of two LPCI subsystems of RHR, primary containment integrity maint & primary containment air lock.
MCDUFFIE,M.A. Carolina Power & Light Co. 88/08/24. Ofc of Enforcement (Post 870413). 10pp 46720 340-46720 349.

8809070076 Confirms that that Region II will conduct second program review of ALARA program during wk of 880918 at sites, per 880815 telcon info on encl list should be available to insp team at sites by 880829.
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/24. UTLEY,E.E. Carolina Power & Light Co. 1p 46783 359-46783 359

8809080027 Confirms 880908 enforcement conference w/util at Region II ofc to discuss recently discovered instrument installation deficiencies & nonconservatism in instrument settings associated w/HPCI/RCIC high steam line flow isolation.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/26. UTLEY,E.E. Carolina Power & Light Co. 2pp 46797 146-46797 147

8809080053 Advises that commitment to restore design configuration of Unit 1 core spray Sys B per Insp Repts 50-324/87-31 & 50-325/87-32 delayed until 880131.
HARNES,J.L. Carolina Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 1p 46788 326-46788 326

8809080379 Notification of 880908 enforcement conference w/util to discuss instrument installation deficiencies & non conservatims in high instrument settings associated w/HPCI/RCIC high steam line flow isolation.
FREDRICKSON,P. Region 2, Ofc of the Director. 88/08/26. Region 2, Ofc of the Director. 2pp 46794 355-46794 356.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46728 001-46728 123

8809070542 Ack receipt of 880824 ltr & partial payment for civil penalty in amount of \$50,000. Understands that util admits violations & accepts proposed base civil penalty but objects to proposed escalation of civil penalty.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/02. UTLEY,E.E. Carolina Power & Light Co. 1p 46777 340-46777 340

8809130163 Discusses Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807 & forwards notice of violation Enforcement conference to discuss violations scheduled for 880908.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/02. UTLEY,E.E. Carolina Power & Light Co. 2pp 46833 291-46833 310.

--8809130168 Notice of violation from insp on 880707 0807. Violation noted no shift foreman review obtained prior to installation of wood support structures under diesel generator silencers & fire on diesel generator bldg roof resulted.
* Region 2, Ofc of the Director. 88/09/02. 1p. 46833 293-46833 293

--8809130173 Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807. Violations noted Major areas inspected onsite LER review (Unit 1). In ofc LER review (Unit 1). un usual event/fire Unit 2 & fire on diesel generator bldg roof.
RULAND,W.H., LEVIS,W., FEDRICKSON,P.E. Region 2, Ofc of the Director. 88/09/01. 17pp 46833 294-46833 310.

8809140296 Forwards response to IE Bulletin 85-003, Suppl 1, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Design basis info for five motor-operated valves & schedule for remaining actions encl.
MCDUFFIE,M.A. Carolina Power & Light Co. 88/09/07. Document Control Branch (Document Control Desk). 6pp 46837 212-46837 217.

8809140381 Responds to NRC ltr re violations noted in Insp Repts 50-324/88-21 & 50-325/88-21. Corrective actions reviews of skid sys initiated. Unit 2 splices replaced, protective fuses installed & refs incorporated into preventative maint route.
HARNES,J.L. Carolina Power & Light Co. 88/09/07. Document Control Branch (Document Control Desk). 6pp. 46842 018-46842 021

8809140422 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2, "Nonconforming Mail Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Manufacturing Co at Williamstown, NJ."
MCDUFFIE,M.A. Carolina Power & Light Co. 88/09/07. Document Control Branch (Document Control Desk). 18pp 46837 233-46837 251

8809220172 Ack receipt of util 880527 & 0728 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-324/87-31 & 50-325/87-32.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/08. UTLEY,E.E. Carolina Power & Light Co. 1p. 46929 350 46929 350

8809220263 Forwards Insp Repts 50-325/88-30 & 50-324/88-30 on 880731-0805 No violations or deviations noted.
JULIAN,C.A. Region 2, Ofc of the Director. 88/09/08. UTLEY,E.E. Carolina Power & Light Co. 2pp 46927 121-46927 129

--8809220266 Insp Repts 50-324/88-30 & 50-325/88-30 on 880731 0805 No violations or deviations noted. Major areas inspected, followup to licensee safety sys functional insp of HPCI sys & followup to deficiencies in engineering work request sys.
GIBBS,R., DEGRAFF,M., BELISLE,G.A. Region 2, Ofc of the Director. 88/09/01. 7pp 46927 123-46927 129

8809220216 Forwards Operational Performance Assessment Insp Repts 50-324/88-19 & 50-325/88-19 on 880627-0701 & 0711-15. Prompt mgt attention to listed areas needing improvement requested.
GRACE,J.N. Region 2, Ofc of the Director. 88/09/09. UTLEY,E.E. Carolina Power & Light Co. 2pp 46930 170-46930 225

--8809220218 Operational Performance Assessment Insp Repts 50-324/88-19 & 50-325/88-19 on 880627-0701 & 0711-15 Weaknesses noted. Major areas inspected current level of performance in area of plant operations.
BRESLAU,B., SHYMLOCK,M. Region 2, Ofc of the Director. 88/09/02. 54pp 46930 172-46930 225.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809230270 Confirms that Bulletin 88-007, "Power Oscillations in BWR," actions completed. List of addl NRC requests provided.
MCDUFFIE,M.A. Carolina Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk). 4pp 46932 135 46932 138.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

8809260044 Requests info re indices for normal, abnormal & emergency operating procedures, descriptions for Sys 15, 16, 17 & 18 & 11 by 17-inch piping & instrument diagrams to suppl plant PRA for development of risk based insp guide.
BUCKLEY,B.C. Project Directorate II-1. 88/09/22. UTLEY,E.E. Carolina Power & Light Co. 6pp. 46956 310-46956 315

R. Periodic operating reports & related correspondence

8809080045 Forwards "Semiannual Radioactive Effluent Rept Jan-June 1988" & corrected page to rept for Jul-Dec 1987. Rept submitted per Tech Specs 8.9.1.8.
HARNES,J.L. Carolina Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 1p. 46790 136-46790 170.

--8809080100 "Semiannual Radioactive Effluent Rept for Jan-June 1988."
* Carolina Power & Light Co. 88/08/30. 31pp. 46790 137-46790 187.

--8809080104 Suppl to "Effluent & Waste Disposal Semiannual Rept for Jul-Dec 1987," including summation of release table.
* Carolina Power & Light Co. 87/12/31. 3pp. 46790 168-46790 170

S. Reportable occurrences, LERs & related correspondence

8809090098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C Documents also available in PDR.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. UNNERSTALL,K. Newman & Holtzinger. 2pp 46766 272-46766 274.

--8809090172 Forwards detailed discussion of selection of severity level re disabling all svc water sys on 801209 at Brunswick Unit 2. Citation will be issued on 810318.
O'REILLY,J.P. Region 2, Ofc of the Director (810301-820201). 81/03/10. THOMPSON,D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). 3pp. 46766 286-46766 288.

8808310203 LER 88-012-00, on 880725, HPCI declared inoperable due to inability to determine environ qualification of electrical termination/splices of auxiliary oil pump. Caused by inadequate workmanship when splices made. W/880819 ltr.
PASTVA,M.J., HARNES,J.L. Carolina Power & Light Co. 88/08/19. 6pp 46719 088 46719 090.

8808310208 LER 88-011-00, on 880725, reactor RHR shutdown cooling sys primary containment isolation sys inboard isolation valve would not open. Caused by electrical malfunction. Wiring of instrument reconfigured to utilize Switch 2. W/880819 ltr.
PASTVA,M.J., HARNES,J.L. Carolina Power & Light Co. 88/08/19. 4pp. 46717 322 46717 325.

9010012 LER 88 002 02 on 880104, nonquantifiable leakage at drywell head flange seal & at reactor feedwater sys primary containment valves revealed. Caused by failure of valve stem packing & incomplete mfg of O ring W/880822 ltr.
ASTVA, M.J., HARNES, J.L. Carolina Power & Light Co. 88/08/22 4pp 46744 069 6744 072

9080071 LER 88 013 00 on 880802, reactor protection sys bus A automatically energized. Caused by tripping of Electrical Protection Assemblies 5 & 6 & reactor protection sys logic A scram signal. Power to bus aligned to normal W/880901 ltr.
ASTVA, M.J., HARNES, J.L. Carolina Power & Light Co. 88/09/01 5pp 46801 013 6801 017

9090073 Followup special rept on 871228, limiting condition for operation to permit re suppression sprinkler header from svc exceeded. Caused by unavailability of addl sw switch 2-FP-FS-4059 in plant supply sys. Switch repaired.
HARNES, J.L. Carolina Power & Light Co. 88/09/01 Document Control Branch (Document Control Desk). 1p. 46807 322-46807 322

9090076 Special Rept 2 SR 88 002 on 880119, unit reactor bldg fire detection sys. One 14 instrumentation declared inoperable due to erroneous fire alarms. Limiting condition for operation initiated. Sys returned to svc.
HARNES, J.L. Carolina Power & Light Co. 88/09/01 Document Control Branch (Document Control Desk). 1p. 46799 118-46799 118

9090083 Special Rept 1-SR-88 001, limiting condition for operation (LCO) established in 880405 for fire protection deluge Valve 1-FP-DV-22 to sprinkler sys. Specified 14-day time frame of LCO exceeded on 880119. Fire watches remain in effect.
HARNES, J.L. Carolina Power & Light Co. 88/09/01 Document Control Branch (Document Control Desk). 1p. 46799 174-46799 174

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

Security, medical, emergency & fire protection plans

98260333 Rev 2 to Brunswick REP Figure 1 1-2, "10 Mile Plume Exposure EP2"
Carolina Power & Light Co. 88/08/18 2pp. 46669 125 46669 126

98010316 Advises that 880804 Rev 4 to radiological emergency plan consistent w/ provisions of 10CFR50.47 & App E to 10CFR50 & acceptable.
COLLINS, D.M. Region 2, Ofc of the Director 88/08/22, UTLEY, E.E. Carolina Power & Light Co. 2pp 46743 317 46743 318

90901028 Application for amends to Licenses DPR-71 & DPR 62, revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1 Fee paid.
EURY, L.W. Carolina Power & Light Co. 88/08/23. Document Control Branch (Document Control Desk) 9pp. 46720 131-46720 144

909010167 Proposed Tech Specs revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1.
Carolina Power & Light Co. 88/08/23 5pp. 46720 140 46720 144

90130163 Discusses Insp Repts 50-324/88-24 & 50-325/88-24 on 880707 0807 & forwards notice of violation. Enforcement conference to discuss violations scheduled for 880908.
GRACE, J.N. Region 2, Ofc of the Director 88/09/02 UTLEY, E.E. Carolina Power & Light Co. 2pp 46833 291-46833 310

909130168 Notice of violation from Insp on 880707-0807. Violation noted no shift foreman review obtained prior to installation of wood support structures under diesel generator silencers & fire on diesel generator bldg roof resulted.
Region 2, Ofc of the Director 88/09/02 1p 46833 293 46833 293

909130173 Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807. Violations noted Major areas inspected onsite LER review (Unit 1), in ofc LER review (Unit 1) unusual event/fire Unit 2 & fire on diesel generator bldg roof.
RULAND, W.H. Region 2, Ofc of the Director 88/09/01, 17pp 46833 294-46833 310

909230075 Ack receipt of submittal re scenario, scope & objectives for 880108 plant emergency exercise. Submittal appears to meet min requirements of full participation exercise.
COLLINS, D.M. Region 2, Ofc of the Director 88/09/12, UTLEY, E.E. Carolina Power & Light Co. 1p. 46945 285-46945 285

General correspondence

909010045 Advises that correspondence re plant should be mailed to J.L. Harnes, effective immediately.
HARNES, J.L. Carolina Power & Light Co. 88/08/19 GRACE, J.N. Region 2, Ofc of the Director. 1p. 46719 100-46719 100

909260085 Informs that effective 880103, RB Starkey named project manager of plant & functions of nuclear safety & environ svcs dept will be combined w/ functions of licensing & nuclear fuels dept.
LOFLIN, L.L. Carolina Power & Light Co. 88/08/19. Document Control Branch (Document Control Desk) 1p. 46957 335-46957 335

Operating license stage documents & correspondence

908120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411), 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

909120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5), App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR, L. Doc-Search Associates. 5pp. 46770 080-46770 089

909120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413), 88/12/13, BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413), 13pp. 46770 211-46770 229

909010128 Application for amends to Licenses DPR-71 & DPR-62, revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1 Fee paid.
EURY, L.W. Carolina Power & Light Co. 88/08/23 Document Control Branch (Document Control Desk) 9pp. 46720 131-46720 144

909010167 Proposed Tech Specs revising type of fire detection instruments required for diesel generator bldg specified in Tech Specs Table 3.3.5.7-1.
Carolina Power & Light Co. 88/08/23 5pp 46720 140 46720 144

909070546 Notification of 880907 meeting w/ unit in Rockville, MD to discuss status of licensing actions needed for upcoming Unit 1 refueling outage.
BUCKLEY, B.C. Project Directorate II 1 88/08/31 ADENSAM, E.G. Project Directorate II 1 3pp 46786 330 46786 332

909150247 Summary of 880714 meeting w/ licensee in Rockville, MD re specifics of recently submitted justification for continued operation concerning HPCI/RCIC valve operability & safety sys reliability. List of attendees, agenda & viewgraphs encl.
MOZAFARI, B. Project Directorate II-1 88/09/12 Project Directorate II-1 30pp 46859 312-46859 350

909260114 Application for amends to Licenses DPR-62 & DPR-71, revising Tech Specs 3/4.6.4 to clarify alternative actions to be taken re drywell suppression chamber vacuum breaker. Fee paid.
MCDUFFIE, M.A. Carolina Power & Light Co. 88/09/19 Document Control Branch (Document Control Desk) 8pp 46957 023 46957 034

909260115 Proposed Tech Specs revising actions associated w/ Tech Spec 3/4.6.4 to clarify alternative actions to be taken re drywell suppression chamber vacuum breaker.
Carolina Power & Light Co. 88/09/19 4pp. 46957 031-46957 034

G. Inspection reports, IE Bulletins & correspondence

909080234 Partial response to FOIA request for documents. Forwards App B documents. App A documents maintained in PDR Records also available under listed FOIAs.
GRIMSLEY, D. Division of Rules & Records (870413 880514) 88/08/10 UNNERSTALL, K. Newman & Holtzinger 6pp 46769 054-46769 059

909080393 Provides listed guidance to assist in preparation of escalated enforcement packages.
LIEBERMAN, J. Ofc of Enforcement (Post 870413), 88/06/21 RUSSELL, W.T. Region 1, Ofc of the Director 9pp 46769 146 46769 154

908300124 Forwards Insp Repts 50-324/88-27 & 50-325/88-27 on 880716-22 Violation noted under consideration for escalated enforcement action. Enforcement conference scheduled for 880908.
GRACE, J.N. Region 2, Ofc of the Director. 88/08/17 UTLEY, E.E. Carolina Power & Light Co. 2pp 46697 217-46697 272

908300128 Augmented Insp Team Repts 50-324/88-27 & 50-325/88-27 on 880716-22.
FREDRICKSON, P. Region 2, Ofc of the Director 88/08/17 54pp 46697 220-46697 272

909090096 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants. Forwards documents listed in App C Documents also available in PDR.
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17 UNNERSTALL, K. Newman & Holtzinger 2pp 46766 272-46766 274

9010501050 Discusses Region 2 selection of severity level re event that violated Tech Specs limiting condition for operation. Agrees w/ position as another example of selection of severity level per 610313 memo.
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), 81/03/16 CARLSON, R. Region 1, Ofc of the Director UPRIGHT, C. Region 2, Ofc of the Director STREETER, J. Region 3, Ofc of the Director 1p 46766 285 46766 285

908190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

908160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46702 070

909010197 Forwards Insp Repts 50-324/88-26 & 50-325/88-26 on 880718-22 No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director 88/08/22 UTLEY, E.E. Carolina Power & Light Co. 2pp 46742 073-46742 080

909010200 Insp Repts 50-324/88-26 & 50-325/88-26 on 880718-22 No violations or deviations noted. Major areas inspected, records & commitments for repair of Weld 2FW13 in RHR svc water for Unit 2 & previous insp findings & NRC bulletins.
COLEY, J.L., BLAKE, J.J. Region 2, Ofc of the Director 88/08/18 6pp. 46742 075-46742 080

908180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

909010104 Responds to notice of violation & proposed imposition of civil penalty issued on 880725 re inoperability of two LPCI subsystems of RHR, primary containment integrity maint & primary containment air lock.
MCDUFFIE, M.A. Carolina Power & Light Co. 88/08/24 Ofc of Enforcement (Post 870413), 10pp. 46720 340-46720 349

110 DOCKETED ITEMS

8809070078 Confirms that that Region II will conduct second program review of ALARA program during wk of 880919 at sites per 880815 telcon info on encl list should be available to insp team at sites by 880829
COLLINS D M Region 2, Ofc of the Director 88/08/24 UTLEY,E.E Carolina Power & Light Co 1p 46783 359-46783 359

8809080027 Confirms 880908 enforcement conference w/util at Region II ofc to discuss recently discovered instrument installation deficiencies & nonconservatism in instrument settings associated w/HPCI/RCIC high steam line flow isolation
GRACE,J N Region 2, Ofc of the Director 88/08/26 UTLEY,E Carolina Power & Light Co 2pp 46797 146-46797 147

8809080053 Advises that commitment to restore design configuration of Unit 1 core spray Sys B per Insp Repts 50-324/87-31 & 50-325/87-32 delayed until 890131
HARNESS,J L Carolina Power & Light Co 88/08/26 Document Control Branch (Document Control Desk) 1p 46788 326-46788 326

8809080379 Notification of 880908 enforcement conference w/util to discuss instrument installation deficiencies & nonconservatism in high instrument settings associated w/HPCI/RCIC high steam line flow isolation
FREDRICKSON,P Region 2, Ofc of the Director 88/08/26 Region 2, Ofc of the Director 2pp 46794 355-46794 355

8809230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co of New York, Inc 123pp 46713 095-46713 217.

8809260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co of New York, Inc. 121pp 46712 244-46713 004

8809300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co of New York, Inc 122pp 46726 001-46726 123

8809130163 Discusses Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807 & forwards notice of violation Enforcement conference to discuss violations scheduled for 880908
GRACE,J N Region 2, Ofc of the Director. 88/09/02 UTLEY,E.E. Carolina Power & Light Co 2pp 46833 291-46833 310

-8809130168 Notice of violation from insp on 880707 0807 Violation noted,no shift foreman review obtained prior to installation of wood support structures under diesel generator silencers & fire on diesel generator bldg roof resulted
* Region 2, Ofc of the Director 88/09/02 1p 46833 293-46833 293.

-8809130173 Insp Repts 50-324/88-24 & 50-325/88-24 on 880707-0807. Violations noted Major areas inspected onsite LER review (Unit 1),in ofc LER review (Unit 1) unusual event/fire Unit 2 & fire on diesel generator bldg roof.
RULAND,W H, LEVINS,W, FREDRICKSON,P E Region 2, Ofc of the Director. 88/09/01 17pp. 46833 294-46833 310

8809140296 Forwards response to IE Bulletin 85 003,Suppl 1, "Motor- Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings" Design basis info for five motor-operated valves & schedule for remaining actions encl
MCDUFFIE,M A Carolina Power & Light Co 88/09/07. Document Control Branch (Document Control Desk) 6pp 46837 212-46837 217

8809140381 Responds to NRC ltr re violations noted in Insp Repts 50-324/88-21 & 50-325/88-21 Corrective actions reviews of skid sys initiated,Unit 2 splices replaced,protective fuses installed & refs incorporated into preventative maint route.
HARNESS,J L. Carolina Power & Light Co 88/09/07 Document Control Branch (Document Control Desk) 6pp 46842,016-46842 021

8809140422 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2, "Nonconforming Matl Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Manufacturing Co at Williamstown,NJ."
MCDUFFIE,M A Carolina Power & Light Co 88/09/07 Document Control Branch (Document Control Desk) 19pp 46837 233-46837 251.

8809220172 Ack receipt of uhl 880527 & 0728 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50 324/87-31 & 50 325/87-32
GRACE,J N Region 2, Ofc of the Director 88/09/08 UTLEY,E.E Carolina Power & Light Co 1p 46929 350-46929 350

8809220263 Forwards Insp Repts 50-325/88-30 & 50-324/88 30 on 880731 0805 No violations or deviations noted
JULIAN,C A Region 2, Ofc of the Director 88/09/08 UTLEY,E.E. Carolina Power & Light Co 2pp 46927 121-46927 129

-8809220266 Insp Repts 50-324/88 30 & 50 325/88 30 on 880731-0805 No violations or deviations noted Major areas inspected followup to licensee safety sys functional insp of HPCI sys & followup to deficiencies in engineering work request sys.
GIBBS,R, DEGRAFF,M, BELISLE,G A Region 2, Ofc of the Director. 88/09/01 7pp 46927 123-46927 129

8809220216 Forwards Operational Performance Assessment Insp Repts 50 324/88 19 & 50-325/88-19 on 880627-0701 & 0711-15 Prompt mgt attention to listed areas needing improvement requested
GRACE,J N. Region 2, Ofc of the Director 88/09/09 UTLEY,E.E Carolina Power & Light Co 2pp 46930 170-46930 225

-8809220218 Operational Performance Assessment Insp Repts 50-324/88-19 & 50-325/88-19 on 880627-0701 & 0711-15 Weaknesses noted Major areas inspected current level of performance in area of plant operations
BRESLAU,B, SHYMLOCK,M Region 2, Ofc of the Director. 88/09/02. 54pp 46930 172-46930 225

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc. 122pp 46824,215-46824,336.

8809230270 Confirms that Bulletin 88 007, "Power Oscillations in BWR," actions completed List of addl NRC requests provided.
MCDUFFIE,M A Carolina Power & Light Co. 88/09/15 Document Control Branch (Document Control Desk) 4pp 46932 135-46932 138

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc. 125pp. 46946 253-46947 013

8809260044 Requests info re indices for normal,abnormal & emergency operating procedures,descriptions for Sys 15,16,17 & 18 & 11 by 17 inch piping & instrument diagrams to suppl plant PRA for development of risk based Insp guide
BUCKLEY,B C Project Directorate II-1, 88/09/22 UTLEY,E.E Carolina Power & Light Co 6pp 46956 310-46956 315

R. Periodic operating reports & related correspondence

8809080045 Forwards "Semiannual Radioactive Effluent Rept Jan-June 1988" & corrected page to rept for Jul-Dec 1987 Rept submitted per Tech Specs 6.9.1.8
HARNESS,J L Carolina Power & Light Co 88/08/26 Document Control Branch (Document Control Desk) 1p. 46790 136-46790 170

-8809080100 "Semiannual Radioactive Effluent Rept for Jan June 1988"
* Carolina Power & Light Co 88/08/30 31pp. 46790 137-46790 167.

-8809080104 Suppl to "Effluent & Waste Disposal Semiannual Rept for Jul Dec 1987," including summation of release table.
* Carolina Power & Light Co 87/12/31. 3pp 46790 160-46790 170

S. Reportable occurrences, LERs & related correspondence

8809080098 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants Forwards documents listed in App C Documents also available in PDR.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 UNNERSTALL,K Newman & Holtzinger 2pp 46766 272-46766 274

-8105010503 Discusses Region 2 selection of severity level re event that violated Tech Specs limiting condition for operation. Agrees w/position as another example of selection of severity level per 810313 memo
THOMPSON,D Enforcement & Investigation Staff, IE (Pre 820201). 81/03/16 CARLSON,R. Region 1, Ofc of the Director UPRIGHT,C Region 2, Ofc of the Director STREETER,J. Region 3, Ofc of the Director. 1p 46766,285-46766 285.

8809070529 LER 88-014-01 on 880606, setpoints of steam leak detection instrumentation for RCIC sys determined to be high Caused by data supplied to GE during startup testing in error HPCI & RCIC instrument setpoints corrected W/880831 ltr.
PASTVA,M J, HARNESS,J L Carolina Power & Light Co 88/09/31. 14pp. 46768 024-46768 037

8809090073 Followup special rept on 871228, limiting condition for operation to permit fire suppression sprinkler header from svc exceeded. Caused by unavailability of addl flow switch 2 FP-FS 4059 In plant supply sys Switch repaired
HARNESS,J L Carolina Power & Light Co 88/09/01 Document Control Branch (Document Control Desk). 1p 46807,322-46807 322

8809160271 LER 88 017-01 on 880630, HPCI sys declared inoperable due to inoperability of steam line flow instrument Also on 880701, HPCI turbine steam supply isolation would not open Caused by failure of valve motor windings W/880807 ltr.
PASTVA,M J, HARNESS,J L Carolina Power & Light Co 88/09/07 12pp 46884 341-46884 352

8809160294 LER 88 012 01 on 880520, HPCI sys declared inoperable due to turbine steam supply isolation valve E41 F001 not opening. Caused by failure of valve motor windings resulting from mechanical binding of valve disc Repairs made W/880907 ltr
PASTVA,M J, HARNESS,J L Carolina Power & Light Co. 88/09/07 5pp 46885 220-46885 224

DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR

R. Periodic operating reports & related correspondence

8808300217 "Annual Rept for Jul 1987 - Jun 1988." W/880818 ltr
MILLER,G E. California, Univ of, Irvine, CA 88/06/30 11pp 46898 311-46898 321.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300193 Requests that no action on JG Partlow 880722 memo re fire protection issue be taken due to memo having predecisional info
RICHARDSON,S D, Ofc of Special Projects 88/08/22. WHITE,S A Tennessee Valley Authority 2pp 46692,035-46692 036

8809010148 Forwards Insp Repts 50-327/88-33 & 50-328/88-33 on 880711-15 & notice of violation.
MCCOY,F R. Ofc of Special Projects 88/08/22 WHITE,S A. Tennessee Valley Authority 2pp 46744 013-46744 023

--8809010156 Insp Repts 50 327/88-33 & 50-328/88-33 on 880711-15 Violation noted Major areas inspected,emergency preparedness,including review of listed programmatic elements
KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director 88/08/22 7pp 46744 017-46744 023.

8809070060 Forwards Rev 19 to physical security/contingency plan Rev withheld (ref 10CFR73.21)
GRIDLEY,R.L. Tennessee Valley Authority 88/08/31. Document Control Branch (Document Control Desk). 2pp 46784 340 46784,341

8809140010 Responds to NRC 880815 ltr re violations noted in Insp Repts 50 327/88-31 & 50-328/88-31 Corrective actions health physics section Instruction Ltr 1, "Radiation Surveys" revised to address computing work area stay times
GRIDLEY,R. Tennessee Valley Authority. 88/09/02 Document Control Branch (Document Control Desk) 5pp 46841.124-46841 128.

G. Adjudicatory correspondence

8809120015 Advises that time provided by NRC regulation for Commission to review Director's Decision DD 88-12 expired Commission declined review & decision became final agency action on 880829 Served on 880907.
CHILK,S.J. Office of the Secretary of the Commission #388 7026 88/09/07 BATES,A.K. Natural Rights Center 1p 46752:252-46752 252.

H. General correspondence

8808290203 Forwards response to stated ltrs re diesel generator inadequacies,used by petitioners to request emergency suspension of full power operation pending completion of remedial action Petition denied Encls In Central Files.
BLACK,S. Ofc of Special Projects. 88/09/16 HICKS,D.R. Affiliation Not Assigned 1p. 46884,056-46884,056

I. Financial Information

8809150158 Forwards financial info for FY ended Sept 1987,per10CFR140 Util selected alternative live to meet guarantee requirements of retrospective premium sys.
GRIDLEY,R.L. Tennessee Valley Authority. 88/09/08. Document Control Branch (Document Control Desk) 5pp. 46864 036 46864 080.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Sys list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065,006.

8809230091 Rellaterates request for documents supporting resolution of Issues subj to facility aspects of Inquiry rept into NRC regulation of TVA & addressed in NUREG-1232,Vol 2
STOCKTON,P., MYERS,H. NRC - No Detailed Affiliation Given. 88/08/08. DENTON,H. BRADBURN,J. NRC - No Detailed Affiliation Given 27pp. 46832:243-46832,269.

8808280457 Notifies that INPO corporate review of restart conditions will be rescheduled to early 1988 due to scheduling conflict w/utl 880804 briefing of Commissioners re status of facility restart efforts.
WHITE,S.A. Tennessee Valley Authority 88/08/10. PARTLOW,J.G. Ofc of Special Projects 2pp. 46854:330-46854:331.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A,Documents also available in PDR, App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR,L. Doc-Search Associates. 5pp 46770,060-46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770,211-46770,223.

8809010256 Notice of consideration of issuance of amend to License DPR-77 & proposed NSHC determination & opportunity for hearing.Amend revises upper head injection laval switch setpoint & tolerances In Tech Specs
BLACK,S.C. Ofc of Special Projects 88/08/22 8pp. 46742,053-46742,060.

8809290011 Forwards list of 10CFR50.62 design changes & addl info as requested by NRC Specific info discussed during telcon In May 1988.
GRIDLEY,R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 4pp 46861 045-46861 048.

8809290133 Advises that revised process for review of correspondence to NRC has reduced util requests re extension of response time.
GRIDLEY,R. Tennessee Valley Authority 88/08/23. Document Control Branch (Document Control Desk) 2pp. 46877,267-46877,268.

8809090008 Forwards "Effluent & Waste Disposal Semiannual Rept. Supplemental Info for Jan-June 1988." Recent changes to offsite dose calculation manual,per Tech Spec 3.14.2.1 encl.
SMITH,S.J. Tennessee Valley Authority. 88/08/23. GRACE,J.N. Region 2, Ofc of the Director. 1p. 46799,176-46799:229.

--8809090163 Rev 18 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual."
* Tennessee Valley Authority. 88/01/05. 7pp. 46799-201-46799,207

--8809090164 Rev 19 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual "
* Tennessee Valley Authority. 88/03/30. 22pp. 46799:208-46799:229.

8808300079 Informs that due to emergent work & emphasis on Unit 1 restart commitments,calculation effort re containment electrical penetration protection will be completed by 881101
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk) 3pp 46690:256-46690,258.

8808300096 Advises that heatup profile & startup power ascension program revised to include Mode 4 & 30% power holdpoints. Omission from heatup profile & startup power ascension program was oversight W/one oversize drawing.
GRIDLEY,R. Tennessee Valley Authority 88/08/24 Document Control Branch (Document Control Desk) 3pp 46703 141-46703:145.

8808300047 Forwards staff response to 870821 ltr to J. Keppler re comments on TVA proposed cable test program dtd 870731.
RICHARDSON,S.D. Ofc of Special Projects 88/08/25 HICKS,D.R. Affiliation Not Assigned 8pp 46693,184-46693,201

8809010260 Notification of 880831 meeting w/utl in Rockville,MD to discuss surveillance requirements testing of battery banks
DONOHEW,J.N. Ofc of Special Projects 88/08/29 BLACK,S. Ofc of Special Projects 3pp 46718 349 46718 351

8809010351 Notification of 880915 meeting w/utl in Rockville,MD to discuss status of action program for microbiologically influenced corrosion in ERWC sys & implementation of sleeve repairs & leakage criteria
DONOHEW,J.N. Ofc of Special Projects 88/08/29 BLACK,S. Ofc of Special Projects 4pp. 46740 108-46740,111

8809070037 Forwards nonproprietary Addendum 1 to WCAP-10987, "Reanalysis of Watts Bar & Catawba Containment Temps." & proprietary Addendum 1 to WCAP-10988 Westinghouse application encl WCAP-10986 withheld (ref 10CFR2.780).
GRIDLEY,R. Tennessee Valley Authority 88/08/31 Document Control Branch (Document Control Desk). 2pp 46784,086-46784 137

--8809070042 Requests that proprietary version of rept "Reanalysis of Watts Bar & Catawba Containment Temps In Response to LANL Evaluation of LOTIC III Heat Transfer Models," be withheld from public disclosure (ref 10CFR2.790)
WIESEMAN,R.A. Westinghouse Electric Corp. 88/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 8pp 46784 090 46784 098

--8809070049 Addendum 1 to "Reanalysis of Watts Bar & Catawba Containment Temps In Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models" MENDELER,O.J., TSAI,C.K., HOCHREITER,L.E. Westinghouse Electric Corp. WCAP-10987 ADD 01. 88/08/31. 39pp. 46784:099-46784:137.

8809080364 Forwards info on RCS post trip cooldown & shutdown margin Various methods of optimizing steam dump operation & resolving post-trip cooldown incident under investigation
GRIDLEY,R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk) 5pp. 46788,335 46788 339

8809080379 Notification of 880908 meeting w/utl in Rockville,MD to discuss recent changes to conditions adverse to quality program at plant.
DONOHEW,J.N. Ofc of Special Projects. 88/09/01. BLACK,S. Ofc of Special Projects 4pp. 46784,320-46784 323

8809070536 Provides response to question from 880804 Commission meeting re restart work status.Final emergency procedures will be revised for both units to fully integrate reactor vessel level indication sys before startup
GRIDLEY,R. Tennessee Valley Authority. 88/08/02. Document Control Branch (Document Control Desk). 2pp. 46784:295-46784,296

8809130038 Forwards SER accepting util 880706 submittal of test program for silicone rubber insulated cable inside containment for plant.Ltr accepting clarifications in encl SER requested within 60 days of receipt of ltr.
BLACK,S.C. Ofc of Special Projects. 88/09/02. WHITE,S.A. Tennessee Valley Authority. 2pp. 46828:310 46828 313.

--8809130040 Safety evaluation supporting util submittal of test program for silicone rubber insulated cable inside containment for plant
* Ofc of Special Projects 88/09/02. 2pp. 46828,312-46828 313

8809140166 Forwards SER in response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." Response acceptable
BLACK,S.C. Ofc of Special Projects. 88/09/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 46845:123 46845,126

--8809140172 Safety evaluation accepting response to Generic Ltr 88-05, "Boric Acid corrosion of Carbon Steel Reactor Pressure Boundary Components in PWR Plants."
* Ofc of Special Projects. 88/09/09. 2pp 46845:125 46845 126.

8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors investigation revealed that four authorized operators were either coerced, pressured,harassed or intimidated by mgt.W/o encl
PARTLOW,J.G. Ofc of Special Projects 88/09/09. DOBEL,H.F. Hartford Steam Boiler Inspection & Insurance Co 1p. 46928:184-46928:184.

8809220086 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors investigation revealed that four authorized operators were either coerced, pressured,harassed or threatened by mgt.W/o encl
GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411) 88/09/09 MIKESELL,W.R. American Society of Mechanical Engineers 2pp 46928,158-46928:159

8809220302 Forwards listing of Safety Issues Mgt Sys printout Requests assistance to update info re actual completion of implementation or projected completion for multi-plant action items & plant specific items listed in printout for insp.
BLACK,S. Ofc of Special Projects 88/09/09 WHITE,S.A. Tennessee Valley Authority. 130pp. 46926:193-46926:323.

8809260232 Forwards Amends 82 & 73 to Licenses DPR-77 & DPR-78, respectively & safety evaluation Amends revise Tech Spec Table 3.6.2, "Containment Isolation Valves" add note to Table 3.3.5, "ESF Response Times "
BLACK,S. Ofc of Special Projects. 88/09/09. WHITE,S.A. Tennessee Valley Authority. 2pp. 46986:187-46986:214

--8809260253 Amends 77 & 79 to Licenses DPR-77 & DPR-78, respectively, revising Tech Spec Table 3.6-2 "Containment Isolation Valves" & adding note to Table 3.3.5, "ESF Response Times "
BLACK,S. Ofc of Special Projects. 88/09/09. 22pp 46986:189-46986,210.

112 DOCKETED ITEMS

8809260254 Safety evaluation supporting Amends 82 & 73 to Licenses DPR-77 & DPR 79, respectively
* Ofc of Special Projects 88/09/09 4pp 46966 211-46966 214

8809190058 Requests response providing basis for employment action re former employee & investigation repts concerning circumstances of action on Case 87-ERA-28. PARTLOW J.G. Ofc of Special Projects 88/09/12 WHITE,S.A. Tennessee Valley Authority 46pp 46896 273 46896 318

8809190015 Forwards final results of auxiliary power sys analysis & documents completion of electrical calculation effort. All essential min sets of calculations required to support restart revised or justification provided
GRIDLEY,R. Tennessee Valley Authority 88/09/15 Document Control Branch (Document Control Desk) 16pp 46893 334-46893 349

8809210246 Advises that licensee 880422 & 0804 requests for relief from certain ASME Boiler & Pressure Code, Section XI testing requirements granted per 10CFR50.55a(g)(6)(i) Staff safety evaluation encl
BLACK,S.C. Ofc of Special Projects 88/09/15 WHITE,S.A. Tennessee Valley Authority 3pp 46928 183 46928 197

8809210251 Safety evaluation accepting licensee requests for relief from certain specific requirements of ASME Code, Section XI
* Ofc of Special Projects 88/09/15 2pp 46928 186 46928 197

8809210255 Technical Evaluation Rept re requests for relief, pump & valve inservice testing program, Sequoyah Nuclear Plant, Units 1 & 2
MURPHY,G.A. Oak Ridge National Laboratory FIN F-0001 88/08/23. NRC - No De lailed Affiliation Given 10pp 46928 188 46928 197

8809220005 Summary of 880908 meeting w/ util in Rockville, MD re changes to conditions adverse to quality program List of attendees encl
DONOHEW,J.N. Ofc of Special Projects 88/09/16 Ofc of Special Projects. 19pp 46927 307-46927 325

8809220323 Forwards EA-OR-003 S, "Sequoyah Nuclear Plant Unit 1 Design Baseline & Verification Program," supplemental engineering assurance oversight review repl, completing commitment for restart.
GRIDLEY,R. Tennessee Valley Authority 88/09/19. Document Control Branch (Document Control Desk) 2pp 46933 255 46933 305

8809220324 Procedure EA OR-003 S, "Sequoyah Nuclear Plant - Unit 1 Design Baseline & Verification Program," supplemental engineering assurance oversight review repl.
SEMORE,J.W., MALONE,D.L., CAPOZZI,A.P. Tennessee Valley Authority. 88/09/09 48pp 46933 258-46933 305

8809260343 Forwards justification for temporary exemption from administrative provisions of 10CFR50.46 Fee paid
RAY,M.J. Tennessee Valley Authority 88/09/19 Document Control Branch (Document Control Desk) 7pp 46957 237-46957 243.

8809230133 Responds to 880810 ltr re Audit Rept 88-0126, "Employee Concern Programs in TVA." Offers no comments on repl
RICHARDSON,S.D. Ofc of Special Projects 88/09/20. ZIGROSSI,N.A. Tennessee Valley Authority 2pp 46944 015-46944 016

8809270151 Forwards list of submittals needed to support NRC decisions re heatup & restart. Delay in target dates listed could adversely impact review schedule
BLACK,S. Ofc of Special Projects 88/09/21 WHITE,S.A. Tennessee Valley Authority 3pp 46970 141-46970 143

Q. inspection reports, IE Bulletins & correspondence

8808310236 Forwards Insp Repts 50-327/88-31 & 50-328/88-31 on 880806 10 & notice of violation w/o notice
MCCOY,F.R. Ofc of Special Projects. 88/08/05 WHITE,S.A. Tennessee Valley Authority 2pp 46899 259-46899 275.

8808310239 Insp Repts 50-327/88-31 & 50-328/88-31 on 880806-10. Violations noted failure to perform air sampling per written procedures. Major areas inspected training & qualifications, external & internal exposure controls & solid wastes
WEDDINGTON,R.E., HOSEY,G.M. Ofc of Special Projects 88/07/19 15pp. 46899 261-46899 275

8808290076 Ack receipt of 880420 suppl response ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-18 & 50-328/87-18
MCCOY,F.R. Ofc of Special Projects 88/08/16 WHITE,S.A. Tennessee Valley Authority 2pp. 46883 339-46883 340.

8808290247 Supplemental response re evaluation of need for addl assistant shift operations supervisor (ASOS) for Unit 2 operation Evaluation completed & addl ASOS not required
GRIDLEY,R. Tennessee Valley Authority 88/08/17 Document Control Branch (Document Control Desk) 3pp 46890 218 46890 220.

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178

8808290254 Discusses visual insp of steel containment vessel & shield bldg before facility restart to ensure that no abnormal degradations & structural deterioration occurred during extended outage
GRIDLEY,R. Tennessee Valley Authority 88/08/19 Document Control Branch (Document Control Desk). 2pp. 46886 359-46886 360.

8808190451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070.

8809010148 Forwards Insp Repts 50-327/88-33 & 50-328/88-33 on 880711-15 & notice of violation.
MCCOY,F.R. Ofc of Special Projects 88/08/22. WHITE,S.A. Tennessee Valley Authority 2pp. 46744 013-46744 023.

8809010153 Notice of violation from insp on 880711-15 Violation noted licensee failed to implement REP until 64 minutes after conditions met for declaring notification of unusual event.
MCCOY,F.R. Ofc of Special Projects 88/08/22 2pp 46744 015 46744 016

8809010156 Insp Repts 50-327/88-33 & 50-328/88-33 on 880711 15 Violation noted Major areas inspected emergency preparedness, including review of listed programmatic elements.
KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director 88/08/22 7pp 46744 017 46744 023

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Replaced Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713 219

8808300084 Responds to NRC Bulletin 88 008, "Thermal Stresses in Piping Connected to RCS." Sections of unisolable piping identified & marked on portion of encl FSAR Figure 5.1-1. Summary of commitments also encl.
RAY,M.J. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 5pp 46893 089 46893 093.

8808300122 Responds to 880727 ltr re violations noted in Insp Repts 50-327/88-27 & 50-328/88-27 Corrective actions. Technical Instruction 19 & Sys Operating Instructions 82 2 & 82 3 revised
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk) 6pp 46898 225 46898 230

8808310034 Revised response to NRC 880225 ltr re violations noted in Insp Repts 50-327/88-02 & 50-328/88-02. Corrective actions. Procedure AI 26 revised to provide specific direction for control of drawings used during performance of work
GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 5pp. 46725 295 46725 299.

8809010295 Responds to NRC Bulletin 88 005, "Nonconformance Mailings Supplied by Piping Supplies, Inc. & West Jersey Mgt Co." Plan developed to systematically locate installed Piping Supplies & West Jersey mailings.
GRIDLEY,R. Tennessee Valley Authority. 88/08/25 Document Control Branch (Document Control Desk). 4pp 46740 188 46740 171.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 085 46713 217

8809160048 Ack receipt of 880705 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/88-20 & 50-328/88-20. No objective evidence present that either centrifugal charging pump could perform safety function
RICHARDSON,S.D. Ofc of Special Projects 88/08/30 WHITE,S.A. Tennessee Valley Authority. 2pp. 46897 239-46897 240

8809140312 Ack receipt of 871106 & 880513 responses to 871012 notice of violation from Insp Repts 50-327/87-56 & 50-328/87-56 Suggests changes to Section 11.2 of FSAR to eliminate contradictions.
RICHARDSON,S.D. Ofc of Special Projects. 88/08/31. WHITE,S.A. Tennessee Valley Authority. 5pp. 46840 104 46840 108.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809070532 Revises commitment from Insp Repts 50-327/87-73 & 50-328/87-73 re need for addl assistant shift supervisor. TVA will not revise ES 0 2 as committed to in 880817 ltr
GRIDLEY,R. Tennessee Valley Authority. 88/09/02 Document Control Branch (Document Control Desk). 2pp 46768 022-46768 023.

8809070551 Forwards details of comparison of results of Units 1 & 2 hanger programs Maint rework performed on hangers as result of several insp programs
GRIDLEY,R. Tennessee Valley Authority. 88/09/02. Document Control Branch (Document Control Desk). 4pp. 46764 297-46764 300.

8809140010 Responds to NRC 880815 ltr re violations noted in Insp Repts 50-327/88-31 & 50-328/88-31. Corrective actions. health physics section instruction Ltr 1, "Radiation Surveys" revised to address computing work area stay times
GRIDLEY,R. Tennessee Valley Authority. 88/09/02. Document Control Branch (Document Control Desk). 5pp. 46841 124-46841 128.

8809140013 Suppls response to violations noted in Insp Repts 50-327/88-26 & 50-328/88-26 Corrective actions. specialized personnel training initiated to address importance of throttle valve positions & functions
GRIDLEY,R. Tennessee Valley Authority. 88/09/08. Document Control Branch (Document Control Desk). 5pp. 46836 323-46836 327.

8809130201 Notification of 880913 meeting w/ util in Soddy Daisy, TN to discuss shut down margin insp findings, TVA operational readiness review findings & Unit 1 restart status & definition of operable for fuel load for facility.
DONOHEW,J. Ofc of Special Projects. 88/09/07. BLACK,S. Ofc of Special Projects 5pp. 46839 032-46839 036.

8809150211 Responds to NRC 880816 ltr re violations noted in Insp Repts 50-327/88-28 & 50-328/88-28. Corrective actions: Administrative Instruction AI 20, "QA Insp Program" revised to clarify documentation requirements for insp personnel.
GRIDLEY,R. Tennessee Valley Authority. 88/09/09. Document Control Branch (Document Control Desk). 4pp 46856 229-46856 232.

8809150318 Advises of completion of four commitments not completed by scheduled due dates. First commitment made in LER 88023, Rev 1 to implement formalized troubleshooting procedure outlining guidelines on type of troubleshooting allowed. GRIDLEY, R. Tennessee Valley Authority. 88/09/09 Document Control Branch (Document Control Desk). 2pp. 46856.233-46856.234

8809220302 Forwards listing of Safety Issues Mgt Sys printout Requests assistance to update info re actual completion of implementation or projected completion for multi plant action items & plant specific items listed in printout for Insp. BLACK, S. Ofc of Special Projects. 88/09/09. WHITE, S. A. Tennessee Valley Authority. 130pp. 46926.193-46926.323

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppl 1 & 2. GRIDLEY, R. L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp. 46896.336-46897.155

8809230144 Ack receipt of 880825 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/88-02 & 328/88-02. No further questions concerning violation. MCCOY, F. R. Ofc of Special Projects. 88/09/12. WHITE, S. A. Tennessee Valley Authority. 2pp. 46945.286-46945.287

8809260234 Forwards Insp Repts 50-327/88-35 & 50-328/88-35 on 880711-15 & 0822-23 Violations noted. Violations re failure to adequately identify & correct operating deficiency that permitted plant to operate outside design basis. MCCOY, F. R. Region 2, Ofc of the Director. 88/09/12. WHITE, S. A. Tennessee Valley Authority. 2pp. 46966.102-46966.121.

8809260237 Insp Repts 50-327/88-35 & 50-328/88-35 on 880711-15 & 0822-23 Violations noted. Major areas inspected excessive post-trip cooldown condition & effect on end-of-life margin. BRANCH, M. W., JENISON, K. M. Region 2, Ofc of the Director. 88/09/12. 18pp. 46966.104-46966.121.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336

8809260265 Ack receipt of 880824 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-327/88-27. MCCOY, F. R. Region 2, Ofc of the Director. 88/09/14. WHITE, S. A. Tennessee Valley Authority. 2pp. 46957.052-46957.053.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 126pp. 46946.253-46947.013.

8809220229 Provides confirmation of completion & results of Action 2 of NRC Bulletin 88-008 re thermal stresses in piping connected to RCS. GRIDLEY, R. Tennessee Valley Authority. 88/09/19. Document Control Branch (Document Control Desk). 4pp. 46930.125-46930.128

R. Periodic operating reports & related correspondence

8809090008 Forwards "Effluent & Waste Disposal Semiannual Rept, Supplemental Info for Jan-June 1988." Recent changes to offsite dose calculation manual, per Tech Spec 6.14.2.1 encl. SMITH, S. J. Tennessee Valley Authority. 88/08/23. GRACE, J. N. Region 2, Ofc of the Director. 1p. 46799.176-46799.229.

8809090154 "Effluent & Waste Disposal Semiannual Rept, Supplemental Info for Jan-June 1988." Tennessee Valley Authority. 88/08/30. 24pp. 46799.177-46799.200

8809090163 Rev 18 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual." Tennessee Valley Authority. 88/01/05. 7pp. 46799.201-46799.207

8809090164 Rev 19 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual." Tennessee Valley Authority. 88/03/30. 22pp. 46799.208-46799.229

8809220074 Monthly operating repts for Aug 1988 for Sequoyah Nuclear Plant Units 1 & 2 W/880913 ltr. SMITH, S. J. Tennessee Valley Authority. 88/08/31. 167pp. 46921.017-46921.192.

8809010312 Forwards weekly schedule of TVA activities for wks of 880829 & 0808 KELLY, J. L. Ofc of Special Projects. 88/09/01. BLACK, S. Ofc of Special Projects. 8pp. 46744.141-46744.146.

S. Reportable occurrences, LERs & related correspondence

8806300243 Notifies of 880801 rept of dead fish in plant intake forebay. Caused by dissolved oxygen levels in forebay water. Pattern will continue until higher oxygen levels restored in reservoir. GRIDLEY, R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 3pp. 46896.270-46896.272.

8808310072 LER 88-029-00 on 880804, load shedding occurred on 6.9 kV shutdown board during performance of Workplan 7152-01. Caused by defective workplan. Workplan rewritten & event reviewed w/ mod engineer. W/880825 ltr. LONG, J. L., SMITH, S. J. Tennessee Valley Authority. 88/08/25. 7pp. 46899.311-46899.317.

8808310123 Rev 1 to Special Rept 88-03 on 880204, nonfunctional interval for fire barrier exceeded 7 days. Caused by delayed work on suspended ceiling due to problematic procurement spec. Roving fire watch posted until new ceiling installed. SMITH, J. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 3pp. 46725.301-46725.303.

8808310132 LER 88-030-00 on 880806, radiation monitor input inadvertently grounded to solid state protection sys causing containment ventilation isolation. Caused by personnel error. Design change issued to relabel cables W/880825 ltr. SISK, D., NAIK, J. A., SMITH, S. J. Tennessee Valley Authority. 88/08/25. 8pp. 46700.345-46700.350

8808310158 LER 88-007-01 on 880124, discovered that plant configuration surveillance testing of auxiliary bldg secondary containment encl (ABSC) not being maintained. Caused by lack of effective coordination of ABSC W/880825 ltr. SISK, D., KILGORE, B. E., SMITH, S. J. Tennessee Valley Authority. 88/08/25. 5pp. 46699.088-46699.092

8809080298 Special Rept 88-13 on 880809, Tech Spec Limiting Condition for Operation 3.7.12 violated. Caused by fire door A 68 for RHR & containment spray HX room being open for more than 7 days due to undesirable fumes from painting. SMITH, S. J. Tennessee Valley Authority. 88/09/02. Document Control Branch (Document Control Desk). 2pp. 46796.035-46796.036.

8809140436 PNO OSP 88-014 on 880908, increase in auxiliary bldg radiation levels detected by health physics personnel. Cause under investigation. No alarm received but licensee decided to evacuate auxiliary bldg. LIAW, B. D. Ofc of Special Projects. 88/09/09. 1p. 46838.112-46838.112.

8809260180 LER 88-077-02 on 880124, discovered that auxiliary bldg secondary containment not being maintained within configuration set during Tech Spec surveillance testing used to verify gas treatment sys operability. W/880915 ltr. ROGERS, H. R., SMITH, S. J. Tennessee Valley Authority. 88/09/15. 10pp. 46965.248-46965.257.

T. Hearing transcripts on non-antitrust matters

8808260081 Forwards description of changes to transcript of 880804 briefing on status of Sequoyah-1. GRIDLEY, R. Tennessee Valley Authority. 88/08/17. Office of the Secretary of the Commission. 2pp. 46690.179-46690.182

8809080270 Changes to transcript of 880804 briefing re status of Sequoyah 1. * NRC - No Detailed Affiliation Given. 88/08/04. 2pp. 46690.181-46690.182.

V. Operator Examinations

8809080357 Responds to Generic Ltr 88-13 re operator licensing exams & provides update to earlier response to Generic Ltr 87-14 on NRC licensing exam site visits. Updated exam schedules & requalification schedules for facilities encl. GRIDLEY, R. L. Tennessee Valley Authority. 88/09/01. HANNON, J. NRC - No Detailed Affiliation Given. 8pp. 46757.344-46757.351.

8809200223 Advises that waiver of one yr onsite eligibility requirement will be granted based on training & experience that plant operators have completed & will complete prior to licensing exams. MCCOY, F. R. Region 2, Ofc of the Director. 88/09/15. WHITE, S. A. Tennessee Valley Authority. 2pp. 46900.200-46900.201

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8808300193 Requests that no action on JG Parlow 880722 memo re fire protection issue be taken due to memo having predecisional info. RICHARDSON, S. D. Ofc of Special Projects. 88/08/22. WHITE, S. A. Tennessee Valley Authority. 2pp. 46692.035-46692.036.

8809010148 Forwards Insp Repts 50-327/88-33 & 50-328/88-33 on 880711-15 & notice of violation. MCCOY, F. R. Ofc of Special Projects. 88/08/22. WHITE, S. A. Tennessee Valley Authority. 2pp. 46744.013-46744.023

8809010156 Insp Repts 50-327/88-33 & 50-328/88-33 on 880711-15. Violation noted. Major areas inspected emergency preparedness, including review of listed programmatic elements. KREH, J. L. Region 2, Ofc of the Director. 88/08/22. 7pp. 46744.017-46744.023.

8809070060 Forwards Rev 19 to physical security/contingency plan Rev withheld (ref 10CFR73.21). GRIDLEY, R. L. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 2pp. 46784.340-46784.341.

8809140010 Responds to NRC 880815 ltr re violations noted in Insp Repts 50-327/88-31 & 50-328/88-31. Corrective actions, health physics section Instruction Ltr 1, "Radiation Surveys" revised to address computing work area stay times. GRIDLEY, R. Tennessee Valley Authority. 88/09/02. Document Control Branch (Document Control Desk). 5pp. 46841.124-46841.128.

G. Adjudicatory correspondence

8809120015 Advises that time provided by NRC regulation for Commission to review Director's Decision DD 88-12 expired. Commission declined review & decision became final agency action on 880829. Served on 880907. CHILK, S. J. Office of the Secretary of the Commission. #388 7026, 88/09/07. BATES, A. K. Natural Rights Center. 1p. 46752.262-46752.262.

H. General correspondence

8808290203 Forwards response to stated ltrs re diesel generator inadequacies, used by petitioners to request emergency suspension of full power operation pending completion of remedial action. Petition denied. Encls in Central Files. BLACK, S. Ofc of Special Projects. 88/08/16. HICKS, D. R. Affiliation Not Assigned. 1p. 46884.056-46884.056.

114 DOCKETED ITEMS

I. Financial Information

8809150188 Forwards financial info for FY ended Sept 1987, per 10CFR140. Unit selected alternative five to meet guarantee requirements of retrospective premium sys. GRIDLEY, R. L. Tennessee Valley Authority. 88/09/09. Document Control Branch (Document Control Desk). 56pp. 46864.036-46864.090

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLRs or C/Ps for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F. J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8809230091 Reiterates request for documents supporting resolution of issues subj to facility aspects of Inquiry rept into NRC regulation of TVA & addressed in NUREG 1232, Vol 2. STOCKTON, P., MYERS, H. NRC - No Detailed Affiliation Given. 88/08/08. DENTON, H., BRADBURN, J. NRC - No Detailed Affiliation Given. 27pp. 46932.243-46932.269

8808290011 Forwards list of 10CFR50.62 design changes & addl info as requested by NRC Specific info discussed during telcon in May 1988. GRIDLEY, R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 4pp. 46681.045-46681.048

8808290133 Advises that revised process for review of correspondence to NRC has reduced util requests re extension of response time. GRIDLEY, R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46677.267-46677.268

8809090008 Forwards "Effluent & Waste Disposal Semiannual Rept, Supplemental Info for Jan June 1988." Recent changes to offsite dose calculation manual, per Tech Spec 6.14.2.1 encl. SMITH, S. J. Tennessee Valley Authority. 88/08/23. GRACE, J. N. Region 2, Ofc of the Director. 1p. 46799.176-46799.228.

--**8809090163** Rev 18 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual." * Tennessee Valley Authority. 88/01/05. 7pp. 46799.201-46799.207

--**8809090164** Rev 19 to "Sequoyah Nuclear Plant Offsite Dose Calculation Manual." * Tennessee Valley Authority. 88/03/30. 22pp. 46799.208-46799.229

8808300078 Informs that due to emergent work & emphasis on Unit 1 restart commitments, calculation effort re containment electrical penetration protection will be completed by 881101. GRIDLEY, R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 3pp. 46690.256-46690.258.

8808300047 Forwards staff response to 870821 ltr to J. Keppeler re comments on TVA proposed cable test program did 870731. RICHARDSON, S. D. Ofc of Special Projects. 88/08/25. HICKS, D. R. Affiliation Not Assigned. 8pp. 46683.184-46683.201

8809010260 Notification of 880831 meeting w/util in Rockville, MD to discuss surveillance requirements testing of battery banks. DONOHEW, J. N. Ofc of Special Projects. 88/08/29. BLACK, S. Ofc of Special Projects. 3pp. 46718.349-46718.351.

8809010361 Notification of 880915 meeting w/util in Rockville, MD to discuss status of action program for microbiologically influenced corrosion in ERWC sys & implementation of sleeve repairs & leakage criteria. DONOHEW, J. N. Ofc of Special Projects. 88/08/29. BLACK, S. Ofc of Special Projects. 4pp. 46740.108-46740.111.

8809070037 Forwards nonproprietary Addendum 1 to WCAP-10987, "Reanalysis of Watts Bar & Catawba Containment Temps." & proprietary Addendum 1 to WCAP-10986 Westinghouse application encl. WCAP-10986 withheld (ref 10CFR2.790). GRIDLEY, R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 2pp. 46784.089-46784.137.

--**8809070042** Requests that proprietary version of rept "Reanalysis of Watts Bar & Catawba Containment Temps in Response to LANL Evaluation of LOTIC-III Heat Transfer Models." be withheld from public disclosure (ref 10CFR2.790). WIESEMAN, R. A. Westinghouse Electric Corp. 88/08/12. MURLEY, T. E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46784.090-46784.096.

--**8809070049** Addendum 1 to "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models." MENDELER, O. J., TSAI, C. K., HOCHREITER, L. E. Westinghouse Electric Corp. WCAP-10987 ADD 01. 88/08/31. 39pp. 46784.099-46784.137

8809080384 Forwards info on RCS post-trip cooldown & shutdown margin. Various methods of optimizing steam dump operation & resolving post-trip cooldown incident under investigation. GRIDLEY, R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 5pp. 46788.335-46788.339.

8809080379 Notification of 880908 meeting w/util in Rockville, MD to discuss recent changes to conditions adverse to quality program at plant. DONOHEW, J. N. Ofc of Special Projects. 88/09/01. BLACK, S. Ofc of Special Projects. 4pp. 46784.320-46784.323.

8809130036 Forwards SER accepting util 880706 submittal of test program for silicone rubber insulated cable inside containment for plant Ltr accepting clarifications in encl SER requested within 60 days of receipt of ltr. BLACK, S. C. Ofc of Special Projects. 88/09/02. WHITE, S. A. Tennessee Valley Authority. 2pp. 46828.310-46828.313.

--**8809130040** Safety evaluation supporting util submittal of test program for silicone rubber insulated cable inside containment for plant. * Ofc of Special Projects. 88/09/02. 2pp. 46828.312-46828.313.

8809140168 Forwards SER in response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." Response acceptable. BLACK, S. C. Ofc of Special Projects. 88/09/09. WHITE, S. A. Tennessee Valley Authority. 2pp. 46845.123-46845.126

--**8809140172** Safety evaluation accepting response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." * Ofc of Special Projects. 88/09/09. 2pp. 46845.125-46845.126

8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors. Investigation revealed that four authorized operators were either coerced, pressured, harassed or intimidated by mgt. W/o encl. PARTLOW, J. G. Ofc of Special Projects. 88/09/09. DOBEL, H. F. Hartford Steam Boiler Inspection & Insurance Co. 1p. 46828.164-46828.164

8809220088 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors. Investigation revealed that four authorized operators were either coerced, pressured, harassed or threatened by mgt. W/o encl. GRIMES, B. K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09. MIKESSELL, W. R. American Society of Mechanical Engineers. 2pp. 46928.158-46928.159

8809220302 Forwards listing of Safety Issues Mgt Sys printout. Requests assistance to update info re actual completion of implementation or projected completion for multi-plant action items & plant specific items listed in printout for Insp. BLACK, S. Ofc of Special Projects. 88/09/09. WHITE, S. A. Tennessee Valley Authority. 130pp. 46928.193-46928.323.

8809260232 Forwards Amends 82 & 73 to Licenses DPR-77 & DPR-79, respectively & safety evaluation Amends revise Tech Spec Table 3.6-2, "Containment Isolation Valves" add note to Table 3.3-5, "ESF Response Times." BLACK, S. Ofc of Special Projects. 88/09/09. WHITE, S. A. Tennessee Valley Authority. 2pp. 46966.187-46966.214

--**8809260253** Amends 77 & 79 to Licenses DPR-77 & DPR-79, respectively, revising Tech Spec Table 3.6-2 "Containment Isolation Valves" & adding note to Table 3.3.5, "ESF Response Times." BLACK, S. Ofc of Special Projects. 88/09/09. 22pp. 46966.189-46966.210

--**8809260254** Safety evaluation supporting Amends 82 & 73 to Licenses DPR-77 & DPR-79, respectively. * Ofc of Special Projects. 88/09/09. 4pp. 46966.211-46966.214

8809190058 Requests response providing basis for employment action re former employee & investigation repts concerning circumstances of action on Case 87 ENA 28. PARTLOW, J. G. Ofc of Special Projects. 88/09/12. WHITE, S. A. Tennessee Valley Authority. 46pp. 46896.273-46896.318

8809210246 Advises that licensee 880422 & 0804 requests for relief from certain ASME Boiler & Pressure Code, Section XI testing requirements granted per 10CFR50.55a(g)(9)(i). Staff safety evaluation encl. BLACK, S. C. Ofc of Special Projects. 88/09/15. WHITE, S. A. Tennessee Valley Authority. 3pp. 46928.183-46928.197.

--**8809210251** Safety evaluation accepting licensee requests for relief from certain specific requirements of ASME Code, Section XI. * Ofc of Special Projects. 88/09/15. 2pp. 46928.186-46928.197

--**8809210255** Technical Evaluation Rept re requests for relief, pump & valve in-service testing program, Sequoyah Nuclear Plant, Units 1 & 2. MURPHY, G. A. Oak Ridge National Laboratory. FIN F-0001. 88/08/23. NRC. No Detailed Affiliation Given. 10pp. 46928.188-46928.197.

8809220005 Summary of 880908 meeting w/util in Rockville, MD re changes to conditions adverse to quality program. List of attendees encl. DONOHEW, J. N. Ofc of Special Projects. 88/09/16. Ofc of Special Projects. 18pp. 46927.307-46927.325

8809260343 Forwards justification for temporary exemption from administrative provisions of 10CFR50.46, Fee paid. RAY, M. J. Tennessee Valley Authority. 88/09/19. Document Control Branch (Document Control Desk). 7pp. 46957.237-46957.243.

8809230133 Responds to 880810 ltr re Audit Rept 88-0126, "Employee Concern Programs in TVA." Offers no comments on rept. RICHARDSON, S. D. Ofc of Special Projects. 88/09/20. ZIGROSSI, N. A. Tennessee Valley Authority. 2pp. 46944.016-46944.016.

Q. Inspection reports, IE Bulletins & correspondence

8808310236 Forwards Insp Repts 50-327/88-31 & 50-328/88-31 on 880806-10 & notice of violation W/o notice. MCCOY, F. R. Ofc of Special Projects. 88/08/05. WHITE, S. A. Tennessee Valley Authority. 2pp. 46699.259-46699.275

--**8808310239** Insp Repts 50-327/88-31 & 50-328/88-31 on 880806-10. Violations noted failure to perform air sampling per written procedures. Major areas inspected: training & qualifications, external & internal exposure controls & solid wastes. WEDDINGTON, R. E., HOSEY, C. M. Ofc of Special Projects. 88/07/19. 15pp. 46699.261-46699.275

8808290076 Ack receipt of 880420 suppl response ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/87-18 & 50-328/87-18. MCCOY, F. R. Ofc of Special Projects. 88/08/16. WHITE, S. A. Tennessee Valley Authority. 2pp. 46683.339-46683.340

8808290247 Supplemental response re evaluation of need for addl assistant shift operations supervisor (ASOS) for Unit 2 operation. Evaluation completed & addl ASOS not required. GRIDLEY, R. Tennessee Valley Authority. 88/08/17. Document Control Branch (Document Control Desk). 3pp. 46690.218-46690.220

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178

8808180451 NRC Info Notice 88-069, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22
Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8809010146 Forwards Insp Repts 50-327/88 33 & 50-328/88 33 on 880711-15 & notice of violation
MCCOY,F.R. Ofc of Special Projects 88/08/22 WHITE,S.A. Tennessee Valley Authority 2pp. 46744.013-46744.023

8809010153 Notice of violation from insp on 880711-15. Violation noted licensee failed to implement REP until 64 minutes after conditions met for declaring notification of unusual event
MCCOY,F.R. Ofc of Special Projects 88/08/22 2pp. 46744.015-46744.016

8809010156 Insp Repts 50-327/88 33 & 50-328/88-33 on 880711-15 Violation noted Major areas inspected emergency preparedness, including review of listed programmatic elements.
KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director 88/08/22, 7pp. 46744 017-46744 023

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp. 46713.218 46713.219.

8808300084 Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Sections of unisolable piping identified & marked on portion of encl FSAR Figure 5-1-1. Summary of commitments also encl.
RAY,M.J. Tennessee Valley Authority 88/08/24 Document Control Branch (Document Control Desk), 5pp. 46693 089-46693 093.

8808300122 Responds to 880727 ltr re violations noted in Insp Repts 50 327/88-27 & 50 328/88-27 Corrective actions, Technical Instruction 19 & Sys Operating Instructions 52 2 & 62 3 revised.
GRIDLEY,R. Tennessee Valley Authority. 88/08/24 Document Control Branch (Document Control Desk), 5pp. 46698.225-46698.230

8808310034 Revised response to NRC 880225 ltr re violations noted in Insp Repts 50 327/88 02 & 50-328/88-02. Corrective actions: Procedure A1-25 revised to provide specific direction for control of drawings used during performance of work
GRIDLEY,R. Tennessee Valley Authority. 88/08/25 Document Control Branch (Document Control Desk), 5pp. 46725.295-46725.299.

8809010295 Responds to NRC Bulletin 88-005, "Nonconformance Matters Supplied by Piping Supplies, Inc. & West Jersey Mgt Co." Plan developed to systematically locate installed Piping Supplies & West Jersey matts
GRIDLEY,R. Tennessee Valley Authority. 88/08/25 Document Control Branch (Document Control Desk), 4pp. 46740.168-46740.171.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/28 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713 217.

8809060235 Informs that TVA revising commitment completion date for first commitment to 880930 & second commitment to 881215 in response to Insp Rept 50-328/87-52
GRIDLEY,R. Tennessee Valley Authority. 88/08/29, Document Control Branch (Document Control Desk), 2pp. 46755.247-46755.248

8809160046 Ack receipt of 880705 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-327/88-20 & 50-328/88-20. No objective evidence present that either centrifugal charging pump could perform safety function.
RICHARDSON,S.D. Ofc of Special Projects. 88/08/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 46897.239-46897.240.

8809140312 Ack receipt of 871106 & 880513 responses to 871012 notice of violation from Insp Repts 50-327/87-56 & 50-328/87-56. Suggests changes to Section 11 2 of FSAR to eliminate contradictions
RICHARDSON,S.D. Ofc of Special Projects. 88/08/31. WHITE,S.A. Tennessee Valley Authority. 5pp. 46840.104-46840.108.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726.123

8809070532 Revises commitment from Insp Repts 50-327/87-73 & 50-328/87-73 re need for addl assistant shift supervisor TVA will not revise ES 0.2 as committed to in 880817 ltr.
GRIDLEY,R. Tennessee Valley Authority. 88/09/02, Document Control Branch (Document Control Desk) 2pp. 46768-022-46768-023.

8809070551 Forwards details of comparison of results of Units 1 & 2 hanger programs Maint rework performed on hangers as result of several insp programs.
GRIDLEY,R. Tennessee Valley Authority. 88/09/02 Document Control Branch (Document Control Desk), 4pp. 46784.287-46784.300

8809140010 Responds to NRC 880815 ltr re violations noted in Insp Repts 50-327/88-31 & 50-328/88-31. Corrective actions, health physics section Instruction Ltr 1, "Radiation Surveys" revised to address computing work area stay times.
GRIDLEY,R. Tennessee Valley Authority. 88/09/02, Document Control Branch (Document Control Desk), 5pp. 46841.124-46841.128.

8809140013 Suppls response to violations noted in Insp Repts 50-327/88-26 & 50-328/88-26. Corrective actions, specialized personnel training initiated to address importance of throttle valve positions & functions
GRIDLEY,R. Tennessee Valley Authority. 88/09/06, Document Control Branch (Document Control Desk) 5pp. 46836.323-46836 327

8809130201 Notification of 880913 meeting w/utl in Soddy Daisy, TN to discuss shut-down margin insp findings, TVA operational readiness review findings & Unit 1 restart status & definition of operable for fuel load for facility
DONOHEW,J. Ofc of Special Projects 88/09/07 BLACK,S. Ofc of Special Projects 5pp. 46839 032-46839 036

8809150211 Responds to NRC 880816 ltr re violations noted in Insp Repts 50-327/88-28 & 50 328/88 28. Corrective actions Administrative Instruction A1 20, "QA Insp Program" revised to clarify documentation requirements for insp personnel
GRIDLEY,R. Tennessee Valley Authority 88/09/09 Document Control Branch (Document Control Desk) 4pp. 46856 229 46856 232

8809150318 Advises of completion of four commitments not completed by scheduled due dates. First commitment made in LER 88023, Rev 1 to implement formalized troubleshooting procedure outlining guidelines on type of troubleshooting allowed.
GRIDLEY,R. Tennessee Valley Authority 88/09/09 Document Control Branch (Document Control Desk), 2pp. 46856 233 46856 234

8809220302 Forwards listing of Safety Issues Mgt Sys printout Requests assistance to update info re actual completion of implementation or projected completion for multi-plant action items & plant specific items listed in printout for insp
BLACK,S. Ofc of Special Projects 88/09/09 WHITE,S.A. Tennessee Valley Authority. 130pp. 46926.193-46926.323

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppl 1 & 2
GRIDLEY,R.L. Tennessee Valley Authority 88/09/12 Document Control Branch (Document Control Desk) 180pp. 46896 336-46897 155

8809230144 Ack receipt of 880825 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 327/88-02 & 328/88 02. No further questions concerning violation
MCCOY,F.R. Ofc of Special Projects. 88/09/12 WHITE,S.A. Tennessee Valley Authority 2pp. 46945 286 46945 287

8809260234 Forwards Insp Repts 50 327/88 35 & 50 328/88-35 on 880711-15 & 0822-23 Violations noted. Violations re failure to adequately identify & correct operating deficiency that permitted plant to operate outside design basis
MCCOY,F.R. Region 2, Ofc of the Director. 88/09/12 WHITE,S.A. Tennessee Valley Authority. 2pp. 46966.102-46966 121

8809260237 Insp Repts 50-327/88 35 & 50-328/88 35 on 880711-15 & 0822-23 Violations noted. Major areas inspected excessive post-trip cooldown condition & effect on end-of-life margin
BRANCH,M.W., JENISON,K.M. Region 2, Ofc of the Director 88/09/12. 18pp. 46966.104-46966 121.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824 336

8809260265 Ack receipt of 880824 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 327/88 27
MCCOY,F.R. Region 2, Ofc of the Director. 88/09/14 WHITE,S.A. Tennessee Valley Authority. 2pp. 46957 052-46957.053.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp. 46946.133 46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18 Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013

R. Periodic operating reports & related correspondence

8809090006 Forwards "Effluent & Waste Disposal Semiannual Rept, Supplemental Info for Jan-June 1988." Recent changes to offsite dose calculation manual, per Tech Spec 6.14 2.1 encl.
SMITH,S.J. Tennessee Valley Authority 88/08/23. GRACE,J.N. Region 2, Ofc of the Director 1p. 46798.176-46798 229.

8809090154 "Effluent & Waste Disposal Semiannual Rept, Supplemental Info for Jan-June 1988"
Tennessee Valley Authority. 88/08/30. 24pp. 46799.177-46799 200.

8809220074 Monthly operating repts for Aug 1988 for Sequoyah Nuclear Plant Units 1 & 2 W/880813 ltr
SMITH,S.J. Tennessee Valley Authority. 88/08/31. 167pp. 46921.017-46921.192.

8809010312 Forwards weekly schedule of TVA activities for wks of 880829 & 0906.
KELLY,J.L. Ofc of Special Projects 88/09/01 BLACK,S. Ofc of Special Projects. 6pp. 46744.141-46744.146.

S. Reportable occurrences, LERs & related correspondence

8808300243 Notifies of 880801 rept of dead fish in plant intake forebay Caused by dissolved oxygen levels in forebay water. Pattern will continue until higher oxygen levels restored in reservoir.
GRIDLEY,R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk), 3pp. 46836.270 46836 272.

8808310123 Rev 1 to Special Rept 88-03 on 880204, nonfunctional interval for fire barrier exceeded 7 days Caused by delayed work on suspended ceiling due to problematic procurement spec. Roving fire watch posted until new ceiling installed.
SMITH,J. Tennessee Valley Authority 88/08/25, Document Control Branch (Document Control Desk), 3pp. 46725.301-46725.303

116 DOCKETED ITEMS

8809010041 LER 88-032 00 on 880802, both trains of unit shared emergency gas treatment sys declared inoperable since single failure criterion not met. Caused by incomplete sys design. Emergency instruction re loss of coolant revised W/880825 ltr. FENN, K W, SMITH, S J Tennessee Valley Authority 88/08/25 8pp 46721 334-46721 341

8809140292 LER 88-006 01 on 880207, main steam isolation occurred & reactor trip signal generated by ESF actuation sys. Caused by improper compliance w/ procedures & nuance between operating procedures. Procedures changed & recategorized W/ 880902 ltr. FENN, K W, SMITH, S J Tennessee Valley Authority 88/09/01 12pp 46837 271-46837 282

8809080298 Special Rept 88-13 on 880809, Tech Spec Limiting Condition for Operation 3.7.12 violated. Caused by fire door A-68 for RHR & containment spray HX room being open for more than 7 days due to undesirable fumes from painting. SMITH, S J Tennessee Valley Authority 88/09/02 Document Control Branch (Document Control Desk) 2pp 46798 035-46798 036

8809140116 LER 88-030-01 on 880621, discovered failure to identify effects of excessive post trip RCS cooldowns could cause noncompliance. Emergency instruction used to guide operator action following reactor trip revised W/880908 ltr. SMITH, J D, SMITH, S J Tennessee Valley Authority 88/08/08 8pp 46846 178-46846 185

8809140174 LER 88-034-00 on 880815, four separate incidents affecting plant operations occurred as result of area thunderstorm. Relays controlling interior bank breakers will be tested to ensure proper operation W/880908 ltr. FENN, K W, SMITH, S J Tennessee Valley Authority 88/09/08 14pp 46836 067-46836 080.

8809140436 PNO-OSP 88-014 on 880908, increase in auxiliary bldg radiation levels detected by health physics personnel. Cause under investigation. No alarm received but licensee decided to evacuate auxiliary bldg. LIAW, B D Ofc of Special Projects 88/09/09 1p 46838 112-46838 112

8809260201 LER 88-036-00 on 880830, Tech Specs 3.0.3 not entered when required. Caused by incomplete implementation of AI-47, "Conduct of Testing." Training of maint personnel & licensed operations personnel planned W/880915 ltr. PHIFER, T K, ROGERS, H R, SMITH, S J Tennessee Valley Authority 88/09/15, 6pp 46950 334-46950 339

V. Operator Examinations

8809060357 Responds to Genenc Ltr 88-13 re operator licensing exams & provides update to earlier response to Genenc Ltr 87-14 on NRC licensing exam site visits. Updated exam schedules & requalification schedules for facilities encl. GRIDLEY, R L Tennessee Valley Authority 88/09/01. HANNON, J NRC - No Detailed Affiliation Given 8pp 46767 344-46767 351.

8809200223 Advises that waiver of one yr onsite eligibility requirement will be granted based on training & experience that plant operators have completed & will complete prior to licensing exams. MCCOY, F R Region 2, Ofc of the Director 88/09/15. WHITE, S A Tennessee Valley Authority 2pp 46900 200-46900 201

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8808120294 Genenc Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F J Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070.

8808180358 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 216-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/1. Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/11. Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947 013.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F J Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relay Mig by GE." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070.

8808180358 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 216-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947 013.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

8809140018 Forwards SALP Rept 50-331/87-01 for Mar 1986 - May 1987. DAVIS, A B, Region 3, Ofc of the Director. 87/08/31. LIU, L. Iowa Electric Light & Power Co. 3pp 46836 171-46836 202.

-8809140018 SALP Rept 50-331/87-01 for Mar 1986 - May 1987.
* Region 3, Ofc of the Director 87/05/31. 29pp. 46838 174-46838 202.

8809010285 Revised emergency plan implementing procedures, including Rev 2 to EPIP 1.3, "Plant & Site Evacuation," Rev 5 to EPIP 3.1, "Onsite Radiological Monitoring" & Rev 7 to EPIP 3.2, "Offsite Radiological Monitoring." W/880822 ltr. SWAILS, S L Iowa Electric Light & Power Co. 88/08/22. 73pp. 46720 227-46720 299

8809020273 Confirms understanding from 880815 telcon that 880907 agreed upon as date for Shear site visit tour of emergency response facilities at plant. Outline of areas to be reviewed encl. W/o stated encl. SHAFER, W D, Region 3, Ofc of the Director. 88/08/24. LIU, L. Iowa Electric Light & Power Co. 3pp 46746 314-46746 316.

8809220328 Forwards Security Plan Changes 19 & 16A. Changes withheld (ref 10CFR73.21). ROTHERT, W C, Iowa Electric Light & Power Co. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46927 243-46927 244.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc. 41pp 47065 001-47065.006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates. 5pp 46770-060 46770.089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985. AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13. BLAIA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770 211-46770 223

8808260005 Advises that Rev 7 to QA program description consistent w/ 10CFR50, App B & acceptable. WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/19 LIU,L. Iowa Electric Light & Power Co 1p. 46656.234-46656.234

8808300328 Application for amend to License DPR-49, revising Tech Specs require ments in support of Cycle 10 reload operation. Requests that effective date of amend be no earlier than scheduled shutdown on or about 880829 Fee paid. ROTHERT,W.C. Iowa Electric Light & Power Co 88/08/19. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp 46717.280-46717-317

8808300333 Proposed Tech Specs, including Page vii, "List of Figures," revising requirements in support of Cycle 10 reload. * Iowa Electric Light & Power Co 88/08/19. 11pp. 46717-291-46717 301

8808300338 "Supplemental Reload Licensing Submittal for Duane Arnold Energy Ctr. Unit 1, Reload 9, Cycle 10." LAMBERT,P.E., PENTZIE,N.D.C., CHARNLEY,J.S. General Electric Co. 23A5906 R00. 88/08/30. 15pp. 46717.302-46717.317.

8809080101 Application for amend to License DPR-49, consisting of Tech Spec Change 225, revising Tech Spec Section 3.2 to reflect setpoints change for uninterruptible AC & instrument AC electrical sys undervoltage relays. Fee paid. ROTHERT,W.C. Iowa Electric Light & Power Co 88/08/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 46797.124-46797.141

8809080106 Proposed Tech Specs, revising setpoints for uninterruptible AC & instrument AC electrical sys undervoltage relays. * Iowa Electric Light & Power Co. 88/08/29. 6pp. 46797.136-46797.141.

8809080094 Forwards justification for continued operation w/ loss-of- offsite-power/ LOCA analysis which does not consider loss of 125 volt dc power & revised integrated plan schedule, per 880826 request. ROTHERT,W.C. Iowa Electric Light & Power Co. 88/08/31. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46794-211-46794-219.

8809120048 Confirmatory action ltr re LOOP/LOCA analysis which does not consider loss of 125 volt dc power source. Issuance of confirmatory action ltr does not preclude issuance of order requiring implementation of action. DAVIS,A.B. Region 3, Ofc of the Director. 88/09/02. LIU,L. Iowa Electric Light & Power Co. 2pp. 46813-296-46813-297.

8809190332 Application for amend to License DPR-49, revising Tech Specs to reflect mods made as part of DCRDR & make administrative changes to Tables 3.2-F, 3.2-H, 4.2-F & 4.2-H Fee paid. ROTHERT,W.C. Iowa Electric Light & Power Co. 88/09/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46893.314-46893-333.

8809190338 Proposed Tech Specs re mods to DCRDR. * Iowa Electric Light & Power Co. 88/09/02 11pp 46893-323-46893-333

8809200369 Notifies that util modifying accelerated stability testing portion of QA requirements for diesel generator fuel oil to provide for addl, confirmatory accelerated stability test & extend fuel oil replacement time limit. ROTHERT,W.C. Iowa Electric Light & Power Co. 88/09/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46911.250-46911-251.

8809220267 Confirms 880816 meeting in Glen Ellyn, IL re long-term problem of MSIV leakage at facility & valve leak rate testing & program for repair of valves as required during Oct refueling outage. GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/14. LIU,L. Iowa Electric Light & Power Co 1p. 46927-233 46927-233.

8809220269 Forwards safety evaluation supporting action to extend certification of all NDE personnel from 3 yrs to 5 yrs, per inservice insp relief Request NDE 006 on 880116 PERKINS,K.E. Project Directorate III-3. 88/09/16. LIU,L. Iowa Electric Light & Power Co. 2pp 46930.052-46930 055.

8809220270 Safety evaluation supporting extension of certification for Level III NDE examiners from 3 yrs to 5 yrs, per 880116 request. * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/16. 2pp 46930.054-46930.055.

8809220277 Clarifies NRC position on consideration of postulated electrical failures in 10CFR50.46, ECCS analyses at util per 880825 & 0909 telcons. Listed info requested HALL,J.R. Project Directorate III-3. 88/09/20. LIU,L. Iowa Electric Light & Power Co. 6pp. 46927-131-46927.135.

Q. Inspection reports, IE Bulletins & correspondence

8809140016 Forwards SALP Rept 50-331/87-01 for Mar 1988 - May 1987. DAVIS,A.B. Region 3, Ofc of the Director 87/08/31. LIU,L. Iowa Electric Light & Power Co. 3pp. 46836-171-46836-202.

8809140018 SALP Rept 50-331/87-01 for Mar 1986 - May 1987. * Region 3, Ofc of the Director. 87/05/31. 29pp. 46836-174-46836-202.

8808300194 Responds to NRC Bulletin 85 003, Suppl 1 re motor-operated valve common mode failures during plant transients Util has considered selected valves in HPCI & RCIC sys in response to suppl. ROTHERT,W.C. Iowa Electric Light & Power Co 88/08/15 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 5pp 46897.104-46897 108

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp 46690 054 46690 178

8808160451 NRC Info Notice 88 088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co of New York, Inc 121pp. 46702.311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713 218 46713 218

8809020273 Confirms understanding from 880815 telcon that 880907 agreed upon as date for Shear site visit tour of emergency response facilities at plant. Outline of areas to be reviewed encl W/o stated encl. SHAFER,W.D. Region 3, Ofc of the Director 88/08/24 LIU,L. Iowa Electric Light & Power Co 3pp. 46746.314-46746 316.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713-095 46713-217

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712-244-46713 004

8808300016 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123

8809200359 Responds to NRC Bulletin 88-005, "Nonconforming Mats Supplied by Piping Supplies, Inc (PSI) & West Jersey Mfg Co (WJM)." Thirty-eight flanges supplied by WJM No flanges supplied by PSI or Chews Landing Metal Mfg, Inc. ROTHERT,W.C. Iowa Electric Light & Power Co. 88/09/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp. 46915 081-46915 097

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc 122pp 46924-215 46924-336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co of New York, Inc. 124pp 46946-133 46946-252.

8809220269 Forwards safety evaluation supporting action to extend certification of all NDE personnel from 3 yrs to 5 yrs, per inservice insp relief Request NDE-006 on 880116 PERKINS,K.E. Project Directorate III-3. 88/09/16 LIU,L. Iowa Electric Light & Power Co. 2pp 46930.052-46930 055.

8809220270 Safety evaluation supporting extension of certification for Level III NDE examiners from 3 yrs to 5 yrs, per 880116 request. * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/16. 2pp 46930 054-46930.055.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc 125pp 46946 253 46947.013.

R. Periodic operating reports & related correspondence

8809010112 "Semiannual Radioactive Effluent Releases, 880101-0628." W/ 880817 ltr. HANNEN,R.L. Iowa Electric Light & Power Co 88/08/28. DAVIS,A.B. Region 3, Ofc of the Director. 20pp. 46740 001-46740.020.

S. Reportable occurrences, LERs & related correspondence

8808310097 LER 88 011-00, on 880807, inadvertent primary containment isolation sys B Group III isolation & standby gas treatment sys B initiation occurred while trying to locate source of electrical ground Caused by procedure error. W/880824 ltr. SMITH,B.K., HANNEN,R.L. Iowa Electric Light & Power Co 88/08/24 DAVIS,A.B. Region 3, Ofc of the Director. 5pp 46899.220-46899-224.

8809080120 LER 88-010-00, on 880805, RWCU sys isolated on high ambient room temp Caused by inadequate room ventilation in conjunction w/ high outdoor air temp. Automatic functions verified & steam leak investigated. W/880831 ltr. AXLINE,J.S., HANNEN,R.L. Iowa Electric Light & Power Co 88/08/31. DAVIS,A.B. Region 3, Ofc of the Director. 6pp. 46796.270-46796 275

8809130297 LER 88-010-00, on 880805 & 23, RWCU sys isolated due to high ambient & differential room temps. Caused by inadequate room ventilation in conjunction w/ high outdoor air temp. Automatic function verified & checked for steam leak. W/880831 ltr. AXLINE,J.S., HANNEN,R.L. Iowa Electric Light & Power Co. 88/08/31. DAVIS,A.B. Region 3, Ofc of the Director. 6pp. 46834.178-46834-183.

118 DOCKETED ITEMS

8809140339 LER 88 009-00 on 880803, fire watch surveillance missed. Caused by miscommunication between control room personnel & discoverer of inadequate penetrations. Surveillance procedure being rewritten to provide correct/timely info W/ 880902 ltr.
MILLER, L.D., HANNEN, R.L. Iowa Electric Light & Power Co. 88/09/01. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 46846 166 46846 169

V. Operator Examinations

8809140016 Forwards SALP Rept 50-331/87-01 for Mar 1986 - May 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 87/08/31 LIU, L. Iowa Electric Light & Power Co. 3pp. 46836 171-46836 202

--8809140018 SALP Rept 50-331/87-01 for Mar 1986 - May 1987
* Region 3, Ofc of the Director. 87/05/31. 28pp. 46836 174 46836 202

8808300200 Confirms arrangements for written & oral exams scheduled for wk of 881219, per telcon. Encl 1, "Ref Matl Requirements for Reactor/Senior Reactor Operator Licensing Exam," will have to be furnished prior to exam in order to meet schedule.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/23. LIU, L. Iowa Electric Light & Power Co. 10pp. 46898 283 46898 272.

8809150022 Submits licensee schedule of best estimates for operator licensing exams & requalification exams for FY89 92 per Generic Ltr 88-13.
ROTHERT, W.C. Iowa Electric Light & Power Co. 88/09/09. HANNON, J. NRC - No Detailed Affiliation Given. 3pp. 46884 315-46884 317

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8808260049 Provides clarification of Item 88 08 02 re use of computer dose assessment sys. per NRC 880707 ltr re Annual Emergency Preparedness Exercise Rept 50-33/88-08 Use of manual dose projection calculation during 880517 exercise appropriate.
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/18. Document Control Branch (Document Control Desk). 1p. 46658 282 46658 282

8808290077 Forwards FEMA post-exercise assessment of 871215 plant exercise of radiological emergency plans of State of NY. FEMA considers offsite radiological emergency preparedness adequate to provide reasonable assurance.
EBNETER, S.D. Region 1, Ofc of the Director. 88/08/18. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46884 326-46884 039.

--8808290080 "Post-Exercise Assessment 871215, Exercise of Radiological Emergency Preparedness Plans of State of NY & Oswego County for New York Power Authority."
* Federal Emergency Management Agency. 88/08/03. 72pp. 46884 328 46884 039.

8809070475 Ack receipt of 880808 response to NRC 880707 ltr re actions taken to correct violations noted in Insp 50-333/88-07.
BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/30. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46773 183-46773 186

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880902 request to review hurricane-related actions for plants.
CAPRA, R.A. Project Directorate I-1. 88/09/07. BOGER, B. Project Directorate I-1. 5pp. 46899 252-46899 256.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8808300028 Forwards info in support of ltr 880816 response to Generic Ltr 88-01 re IGSCC program at plant, including Rev 1 to SIR-87-015, "Welds II Residual Stress Analysis of Resistance Heating Stress Improvement Welded Pipes."
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/08/19. Document Control Branch (Document Control Desk). 10pp. 46896 153-46896 243

--8808300037 "Welds II Residual Stress Analysis of Resistance Heating Stress Improvement Welded Pipes."
STONESIFER, R.B., KUO, A., GIANNUZZI, A.J. Structural Integrity Associates. SIR 87-015 R01. 87/08/31. 53pp. 46898 163 46898 215.

--8808300048 "Experimental Determination of Through-Wall Residual Stresses in 28 Inch Outside Diameter Stainless Steel Pipe. Second Pipe."
WOLFE, G.K., BRIGGS, E.M. Southwest Research Institute. 87/05/31. 28pp. 46886 216-46886 243.

8809010076 Forwards application for amend to License DPR-59, reflecting mods to emergency electrical bus degraded voltage protection sys.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. Document Control Branch (Document Control Desk). 2pp. 46743 143-46743 157.

--8809010114 Application for amend to License DPR-59, reflecting mods to emergency electrical bus degraded voltage protection sys.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. 1p. 46743 145 46743 145.

--8809010117 Proposed Tech Specs changes re second time delay for actuation of degraded voltage protection sys.
* New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. 12pp. 46743 146-46743 157.

8809010150 Forwards application for amend to License DPR-59, changing Tech Specs as result of mods to standby liquid control sys to ensure min flow capacity & boron content equivalent to 86 gpm.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. Document Control Branch (Document Control Desk). 2pp. 46721 316 46721 333

--8809010151 Application for amend to License DPR-59, changing Tech Specs as result of mods to standby liquid control sys to ensure min flow capacity & boron content equivalent to 86 gpm of 13 weight percent sodium pentaborate solution.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. 2pp. 46721 318-46721 319

--8809010189 Proposed Tech Specs re standby liquid control sys.
* New York Power Authority (formerly Power Authority of the State of New York). 88/08/24. 14pp. 46721 320-46721 333.

8809010285 Forwards Amend 115 to License DPR-59 & safety evaluation. Amend revises Tech Spec re spiral core oil-load/on-load refueling.
ABELSON, H. Project Directorate I-1. 88/08/28. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 46720 082 46720 105

--8809010289 Amend 115 to License DPR-59, changing Tech Specs re spiral core oil load/on load refueling.
CAPRA, R.A. Project Directorate I-1. 88/08/26. 18pp. 46720 085-46720 102

--8809010290 Safety evaluation supporting Amend 115 to License DPR-59.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/26. 3pp. 46720 103 46720 105.

8809150283 Forwards fees for 880824 applications for amends to License DPR 59 re degraded voltage protection sys & standby liquid control sys, respectively. Fee paid.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/09/08. Document Control Branch (Document Control Desk). 2pp. 46849 352-46849 353

8809190391 Forwards application for amend to License DPR-59, changing Tech Spec Tables 3.1-1 & 3.2-1 to delete requirement for reactor scram on MSIV closure in refuel & startup modes. Fee paid.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/09/13. Document Control Branch (Document Control Desk). 3pp. 46899 059-46899 074

--8809190393 Application for amend to License DPR 59, revising Tech Spec Tables 3.1-1 & 3.2-1 to delete requirement for reactor scram on MSIV closure in refuel & startup modes.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/09/13. 1p. 46899 062-46899 062.

--8809190394 Proposed Tech Specs Tables 3.1-1 & 3.2-1, deleting requirements of reactor scram & main steam line isolation functions for refuel & startup modes.
* New York Power Authority (formerly Power Authority of the State of New York). 88/09/13. 12pp. 46899 063 46899 074

Q. Inspection reports, IE Bulletins & correspondence

8808260049 Provides clarification of Item 88 08-02 re use of computer dose assessment sys. per NRC 880707 ltr re Annual Emergency Preparedness Exercise Rept 50-33/88 08. Use of manual dose projection calculation during 880517 exercise appropriate.
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/18. Document Control Branch (Document Control Desk). 1p. 46658 282 46658 282.

8808260393 Forwards Insp Rept 50-333/88-12 on 880618-0807 & notice of violation.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/08/18. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46654 137-46654 148.

--8808260395 Notice of violation from Insp on 880618-0807 Violation noted failure to complete required Tech Spec surveillance test identified.
* Region 1, Ofc of the Director. 88/08/18. 1p. 46654 139-46654 139

--8808260400 Insp Rept 50-333/88-12 on 880618-0807 Violations noted. Major areas inspected previous Insp findings, LERs review, operational safety verification, surveillance observations, maint observations & review of periodic & special repts.
JOHNSON, J.R. Region 1, Ofc of the Director. 88/08/17. 10pp. 46654 140-46654 149.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8809010299 Forwards comparison of calculated inadvertent operation requirements in response to IE Bulletin 85-003 Program completion repts for scope of bulletin will be submitted within 60 days following completion of 1988 outage.
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/19. Document Control Branch (Document Control Desk). 3pp. 46740 098-46740 100

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46702 070.

8808190366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8809010281 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 No WJM or PSI supplied mail furnished for facility for use in safety-related sys
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York) 88/08/25 Document Control Branch (Document Control Desk) 2pp 46742 010-46742 011

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713,085 46713 217

8809070475 Ack receipt of 880808 response to NRC 880707 ltr re actions taken to correct violations noted in Insp 50-333/88-07
BELLAMY, R.R. Region 1, Ofc of the Director 88/08/30. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46773 193-46773 196

8809130125 Responds to violations noted in Insp Rept 50-333/88-10. Corrective actions, site QA superintendent counseled on importance of meeting Tech Spec audit commitments
CONVERSE, R. New York Power Authority (formerly Power Authority of the State of New York) 88/08/31. Document Control Branch (Document Control Desk). 2pp 46833 315-46833 316

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726,001-46726:123

8809190041 Forwards request for relief from hydrostatic test requirements for HPCI & RCIC steam supply & exhaust piping in inservice insp program for welds & supports
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/09/09. Document Control Branch (Document Control Desk). 6pp 46888,263-46888-268.

8809190046 Forwards safety evaluation supporting until 880325 request for relief from frequency of augmented insp of feedwater nozzle/sparger. Request for mod of frequencies of visual & liquid insps denied
ABELSON, H. Project Directorate 1-1. 88/09/13. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York) 2pp 46895,117 46895:124.

8809190050 Safety evaluation supporting until 880325 request to reduce augmented insp frequency for feedwater nozzle/sparger. Insps may be performed every third refueling outage. Request to modify frequency of visual & liquid penetrant insps denied.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/13. 2pp. 46895,119-46895 124.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824,215-46824,336

8809260192 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs" Actions required by Bulletin 88-007 completed for plant.
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York) 88/09/15. Document Control Branch (Document Control Desk) 2pp 46957,286-46957:287.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133 46946:252.

8809260208 Responds to NRC 880818 ltr re violations noted in Insp Rept 50-333/88-12. Corrective actions-control room operator responsibility to ensure surveillance completed emphasized to all operators
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/09/16. Document Control Branch (Document Control Desk). 3pp 46945:346-46945:348.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946,253-46947 013.

R. Periodic operating reports & related correspondence

8809020236 "JA Fitzpatrick Nuclear Power Plant Effluent & Waste Disposal Semiannual Rept, Jan-June 1988." W/880825 ltr.
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/25. 22pp. 46747,118-46747:139.

8809140427 Monthly operating rept for Aug 1988 for Fitzpatrick Nuclear Power Plant W/ 880906 ltr.
COOK, J., CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/31. 6pp. 46838:175 46838:180.

S. Reportable occurrences, LERs & related correspondence

8809080276 Summary of Operating Reactor Events Meeting 88-35 on 880830, including summary of reactor scrams for wk ending 880828. Significant event identified for Input to NRC Performance Indicator Program.
JAUDON, J.P. Events Assessment Branch. 88/08/30. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp. 46800:289-46800,303

8809200238 LER 88-007-00: on 880816, pipe supports for RHR/LPCI pump main flow lines not installed following maint. Caused by failure to properly implement written procedures required by Tech Spec 6.8 A. Supports installed W/880914 ltr
CHILDS, W.V., CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/09/14. 5pp. 46912,350-46912,354

V. Operator Examinations

8809140185 Forwards dates for operator licensing exams & schedule for requalification exam per Generic Ltr 88-13
CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York) 88/09/02. HANNON, J., Operator Licensing Branch 3pp 46840,290 46840 292

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260226 Forwards SALP Repts 50-334/87-99 & 50-412/87-99 for Mar 1987 - May 1988. Meeting at site emergency response ctr to discuss assessment will be scheduled by separate correspondence
RUSSELL, W.T. Region 1, Ofc of the Director 88/08/17. SIEBER, J.D. Duquesne Light Co. 2pp 46856 307-46856:355.

8808260235 SALP Repts 50-334/87-99 & 50 412/87-99 for Mar 1987 - May 1988.
* Region 1, Ofc of the Director. 88/08/17 47pp. 46856 309 46856:355

8808280056 Forwards Rev 5 to Issue 4 of plant physical security plan Rev withheld (ref 10CFR2.780(d) & 73.21)
SIEBER, J.D. Duquesne Light Co 88/08/18 Document Control Branch (Document Control Desk) 2pp. 46856 288 46856:289.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065,006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR, L. Doc-Search Associates. 6pp 46770,060-46770:089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770:211-46770:223.

8809300004 Informs that 880531 response fulfills requirements in Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." Records of leakage monitoring program should be maintained.
TAM, P.S. Project Directorate 1 4. 88/08/24. SIEBER, J.D. Duquesne Light Co. 2pp 46893,355-46893,356

8809200007 Forwards application for amend to License DPR-66, adding incore thermocouples & reactor vessel level indicating sys to accident monitoring instrumentation tables Fee paid.
SIEBER, J.D. Duquesne Light Co 88/08/07 Document Control Branch (Document Control Desk) 2pp. 46900:321-46900:328

8809200013 Application for amend to License DPR-66, adding incore thermocouples & reactor vessel level indicating sys to accident monitoring instrumentation tables.
SIEBER, J.D. Duquesne Light Co. 88/09/07. 2pp 46900,323-46900,324.

8809200102 Proposed Tech Specs, adding incore thermocouples & reactor vessel level indicating sys to accident monitoring instrumentation tables.
* Duquesne Light Co 88/09/07. 4pp. 46900:325 46900,326.

8809200247 Grants 880718 request for withholding WCAP-10170 Suppl 7, "Westinghouse SPDS Design & V+V Process for Beaver Valley Unit 1" from public disclosure (ref 10CFR2.793)
TAM, P.S. Project Directorate 1 4 88/09/12 SIEBER, J.D. Duquesne Light Co. 3pp 46900:274-46900:276.

8809220264 Forwards corrected Amend 129 to License DPR-66, consisting of Figure 5.1-1 re radioactive effluents due to administrative error.
TAM, P.S. Project Directorate 1 4. 88/09/15 SIEBER, J.D. Duquesne Light Co. 2pp 46927,138-46927:140.

8809220326 Corrected Amend 129 to License DPR-66, reflecting ref to Figure 5.1-1 re radioactive effluents due to administrative error.
* Project Directorate 1 4. 88/09/15. 1p. 46927:140 46927:140.

Q. Inspection reports, IE Bulletins & correspondence

8808260226 Forwards SALP Repts 50 334/87-99 & 50 412/87-99 for Mar 1987 - May 1988 Meeting at site emergency response ctr to discuss assessment will be scheduled by separate correspondence
RUSSELL, W.T. Region 1, Ofc of the Director 88/08/17. SIEBER, J.D. Duquesne Light Co. 2pp. 46856:307-46856,355

8808260235 SALP Repts 50 334/87-99 & 50-412/87-99 for Mar 1987 - May 1988.
* Region 1, Ofc of the Director. 88/08/17. 47pp 46856:309-46856:355.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890,054-46890:178

8808300201 Notification of SALP Mgt Meeting 88-134 on 880831 in Shippingport, PA.
TRIPP, L.E. Region 1, Ofc of the Director 88/08/19. STELLO, V. Ofc of the Executive Director for Operations MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46893:343-46893:344.

120 DOCKETED ITEMS

8808180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22
Consolidated Edison Co. of New York, Inc. 121pp 46702 311 46703 070

8809180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24
Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29
Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01.
Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02
Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809140214 Responds to NRC 880803 ltr re violations noted in Insp Rept 50 334/88-21 Corrective actions were not for valve MOV-SI 885B replaced w/qualified compression crmp connector on 880512 via maint Work Request 883020
SIEBER,J.D. Duquesne Light Co. 88/09/02 Document Control Branch (Document Control Desk) 3pp. 46845 204 46845 206

8809130080 Forward's safety evaluation supporting 871110 request for relief from exam requirements for pressurizer surge line. NRC has determined that requirements impractical for items for which relief being granted
STOLZ,J.F. Project Directorate 14 88/09/06 SIEBER,J.D. Duquesne Light Co. 2pp 46828 282-46828 286

--8809130104 Safety evaluation supporting until 871110 request for relief from inservice insp requirements
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06 3pp 46828 284-46828 286

8809190379 Forwards environ qualification enforcement conference rept on 880812 re Insp Repts 50 334/88 21 & 50-334/88-12
MARTIN,T.T. Region 1, Ofc of the Director 88/09/07 SIEBER,J.D. Duquesne Light Co. 2pp 46898 275 46898 326

--8809190384 Environ qualification enforcement conference rept on 880812. Major areas discussed concerns about environ qualification continental cable & containment high range radiation monitors & wiring inside Limitorque motor-operated valves.
DURR,J.P. Region 1, Ofc of the Director 88/09/01, 50pp. 46898 277-46898 326

8809220099 Responds to NRC 880812 ltr re violations noted in Insp Repts 50-334/88-22 & 50 412/88-16 Corrective actions replacement of tray & conduit covers,establishment of action plan to correct any similar situations & LER 88-013 issued
SIEBER,J.D. Duquesne Light Co. 88/09/12. Document Control Branch (Document Control Desk) 4pp 46926 184-46926 187

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14.
Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16.
Consolidated Edison Co. of New York, Inc. 124pp 46848 133 46848 252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19
Consolidated Edison Co. of New York, Inc. 125pp. 46848 253 46847 013

R Periodic operating reports & related correspondence

8809070521 "Semiannual Radioactive Effluent Release Rept for First Half of 1988 " W/ 880828 ltr.
SIEBER,J.D. Duquesne Light Co. 88/08/30 73pp 46772 020 46772 091.

8809070370 "NPDES Discharge Monitoring Rept,Jul 1988 " W/880828 ltr.
DRUGA,R.J. Duquesne Light Co. 88/07/31 VARGA,S.A. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 46783 244-46783 264.

8809200384 Monthly operating repts for Aug 1988 for Beaver Valley Power Station Units 1 & 2 W/880912 ltr.
WINGER,M.A., SIEBER,J.D. Duquesne Light Co. 88/08/31 9pp 46819:257-46819 265.

S. Reportable occurrences, LERs & related correspondence

8808260269 PNO-1-88 026 on 880822,Unit 2 experienced one-out-of-three actuation of chlorine detection sys Unit 1 actuated on two out-of-three coincidence Bottled air pressurization sys began to discharge into control room Addl tests performed.
TRIPP,L. Region 1, Ofc of the Director 88/08/23, 2pp 46854 052-46854 053

V. Operator Examinations

8808260226 Forwards SALP Repts 50 334/87-99 & 50-412/87-99 for Mar 1987 - May 1988 Meeting at site emergency response ctr to discuss assessment will be scheduled by separate correspondence
RUSSELL,W.T. Region 1, Ofc of the Director 88/08/17, SIEBER,J.D. Duquesne Light Co. 2pp 46656 307-46656 355.

--8808260235 SALP Repts 50 334/87-99 & 50 412/87-99 for Mar 1987 - May 1988
* Region 1, Ofc of the Director 88/08/17 47pp 46656 309 46656 355

8809200302 Requests listed clarifications re status of D Held senior reactor QL within 35 days of receipt of ltr
ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411) 88/09/12 SIEBER,J.D. Duquesne Light Co. 6pp 46911 331-46911 335.

8809200063 Forwards proposed operator licensing exam schedule & proposed requalification exam schedule,per Generic Ltr 88-13
SIEBER,J.D. Duquesne Light Co. 88/09/13 Document Control Branch (Document Control Desk) 3pp 46805 199 46805 201

DOCKET 80-335 ST. LUCIE PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

8809200354 Change Notice 1 to Rev 18 to radiological emergency plan,W/ 880815 ltr
CONWAY,W.F. Florida Power & Light Co. 88/07/26. 100pp 46913 060-46913 263

8808260518 Forwards Insp Repts 50 335/88 20 & 50 389/88-20 on 880803 Violations noted in rept under consideration for escalated enforcement action Enforcement conference scheduled for 880806
GRACE,J.N. Region 2, Ofc of the Director 88/08/19 CONWAY,W.F. Florida Power & Light Co. 2pp 46654 167 46654 169

--8808260519 Partially Withheld Insp Repts 50-335/88 20 & 50-389/88-20 on 880803 (ref 10CFR2 790 & 73 21) Violations noted,Major areas inspected circumstances surrounding failure to control access to vital area
MASNYK,O.M., MCGUIRE,D.R. Region 2, Ofc of the Director, 88/08/16 1p 46654.169 46654.169

8809130238 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 880927.Submittal fulfills requirements for annual offsite exercise.
COLLINS,D.M. Region 2, Ofc of the Director 88/08/29 CONWAY,W.F. Florida Power & Light Co. 1p. 46834.173-46834.173.

8809160013 Confirms 880809 telcon re 880806 enforcement conference in Atlanta,GA to discuss recent security issue at plant. Proposed meeting agenda encl
GRACE,J.N. Region 2, Ofc of the Director. 88/08/30. CONWAY,W.F. Florida Power & Light Co. 2pp 46906 352-46906 353

8809130161 Rev 0 to Emergency Plan Implementing Procedure 1301, "Notification of Offsite Emergency Organization " W/880901 ltr.
CONWAY,W.F. Florida Power & Light Co. 88/09/01 8pp. 46830 078 46830 086

8809190096 Confirms 880906 enforcement conference re inattentiveness of guard posted to control access to vital area.List of attendees.summary & handout encl Encls withheld (ref 10CFR2.790(d) & 10CFR73.21)
GRACE,J.N. Region 2, Ofc of the Director 88/09/09 CONWAY,W.F. Florida Power & Light Co. 2pp 46899 131-46899 132.

8809190205 Forwards Rev 4 to guard training & qualification plan Rev revises corporate security organization & responsibilities Rev withheld (ref 10CFR73 21 & 2 780).
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk) 2pp 46899.091-46899.092

8809260170 Forwards Insp Repts 50-335/88 19 & 50 389/88-19 on 880801-05 & notice of violation Rept documents oral commitment made by licensee representative & discussed in exit interview.
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 CONWAY,W.F. Florida Power & Light Co. 2pp 46966 127-46966 147

--8809260176 Notice of violation from Insp on 880801-05 Violation noted licensee failed to comply w/survey requirements On 880802, area noted to have contamination had not been surveyed since 880707
COLLINS,D.M. Region 2, Ofc of the Director 88/09/14. 2pp 46966-129 46966 130.

--8809260181 Insp Repts 50-335/88-19 & 50 389/88-19 on 880801 05 Violations noted Major areas inspected.radiation protection program,including organization & mgt controls,training & qualifications & health physics aspects of Unit 1 outage.
BASSETT,C.H., LAUER,M.T., HOSEY,C.M. Region 2, Ofc of the Director 88/09/08. 17pp 46966.131-46966 147.

8809270060 Forwards Rev 17 to physical security plan Rev withheld (ref 10CFR73 21 & 2.790(a)(3))
CONWAY,W.F. Florida Power & Light Co. 88/09/21 Document Control Branch (Document Control Desk) 2pp. 46971 267-46971.258.

G. Adjudicatory correspondence

8809020063 Advises of NRC official hours for persons wishing to serve pleadings,papers or documents on NRC attys in Hearing Div of Ofc of General Counsel
SCINTO,J.F. Assistant General Counsel for Hearings #388 6995. 88/08/24.
AHRENS,P., AMIRIAN,A.N., AMSTRONG,W. Affiliation Not Assigned. 3pp. 46866:276 46866:276.

8809020068 Response to NRC Staff in support of licensee motion for summary disposition.* Staff agrees w/& supports licensee motion for summary disposition due to lack of merit fact in intervenor admitted contentions to be litigated.
VOGLER,B.H. Assistant General Counsel for Hearings. #388 6999 88/08/30. Atomic Safety and Licensing Board Panel 20pp. 46866.284-46866:323.

--8809020070 Affidavit of EG Tourigny in support of motion for summary disposition * Certificate of Svc encl.
TOURIGNY,E.G. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/30. 20pp 46666.304-46666 323.

8809020093 Order." Time for C Rich to respond to licensee motion extended until 880907 Served on 880831
COTTER,B.P. Atomic Safety and Licensing Board Panel #388 6990 88/08/30 Rich, C 1p 46667 088-46667-068.

8809160054 Advises that recent pleadings will not be entered on official docket in proceeding in accordance w/requirements of 10CFR2 709,until proof of svc & parties provided Certificate of Svc encl.Served on 880913.
JULIAN,E.L. Docketing & Services Branch. #388 7062 88/09/13 RICH,C Rich, C 3pp 46812 358-46812-360.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co of New York, Inc 41pp, 47065 001-47065 006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates 5pp, 46770 060-46770 088.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413), 13pp 46770 211-46770 223

8808290106 Forwards differences identified between conclusions reached by staff in 850611 & 860609 safety evaluations re preupgraded SPDS & upgraded SPDS now installed at plant.
CONWAY,W.F. Florida Power & Light Co 88/08/22, Document Control Branch (Document Control Desk) 5pp 46684.042-46684.046

8809070254 Forwards draft generic ltr clarifying status of large number of unreviewed inservice testing programs re Tech Spec 4.0.5 requirements & to remedy variety of generic inservice testing problems.
MAHSH,L.B. Mechanical Engineering Branch 88/08/29 HOYLE,T.F. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv. 21pp 46781 299-46781-319.

8809080201 Forwards plant drawings required for regulatory effectiveness review.W/ 131 oversize drawings
CONWAY,W.F. Florida Power & Light Co. 88/08/30, Document Control Branch (Document Control Desk). 5pp 46722.355-46722.359

8809150195 Application for amendments to Licenses DPR 67 & NPF-16, revising Tech Specs making administrative changes to achieve consistency throughout Tech Specs, remove outdated matl & make minor text change & correct errors Fee paid
CONWAY,W.F. Florida Power & Light Co. 88/09/07, Document Control Branch (Document Control Desk). 3pp 46874.001-46874.049.

8809150199 Proposed Tech Specs reflecting administrative updates, removal of outdated matl, minor changes to text & correction of errors to achieve consistency throughout Tech Specs
* Florida Power & Light Co. 88/09/07 46pp, 46874 004-46874 049.

8809140256 Notification of 880920 meeting w/utl in Juno Beach, FL to discuss status of licensing actions.
TOURIGNY,E.G. Project Directorate II-2. 88/09/09 BERKOW,H.N. Project Directorate II-2 2pp 46845.121-46845.122.

8809270054 Notification of cancellation of 880920 meeting w/utl in Juno Beach, FL to discuss status of licensing action.
TOURIGNY,E.G. Project Directorate II-2 88/09/09 BERKOW,H.N. Project Directorate II-2. 3pp 46989.029-46989.031.

8809190121 Notification of 880922 meeting w/licensee in Rockville, MD to discuss status of licensing actions.
TOURIGNY,E.G. Project Directorate II-2 88/08/14 BERKOW,H.N. Project Directorate II-2. 3pp 46998.001-46998 003.

8809200121 Forwards results of Tech Spec Surveillance Requirement 4.7.6.1.1 field survey conducted on 880607-0804. Dune condition acceptable.
CONWAY,W.F. Florida Power & Light Co. 88/09/14, Document Control Branch (Document Control Desk). 6pp, 46900 295-46900-300.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19, Consolidated Edison Co. of New York, Inc 126pp, 46690.054 46690.178.

8808260518 Forwards Insp Repts 50-335/88-20 & 50-389/88-20 on 880803. Violations noted in rept under consideration for escalated enforcement action Enforcement conference scheduled for 880906.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19, CONWAY,W.F. Florida Power & Light Co. 2pp, 46654.167-46654.168.

8808260519 Partially Withheld Insp Repts 50-335/88 20 & 50 389/86-20 on 880803 (ref 10CFR2.790 & 73.21). Violations noted Major areas inspected circumstances surrounding failure to control access to vital area
MASHYK,O.M., MCQUIRE,D.R. Region 2, Ofc of the Director. 88/08/16, 1p 46654.169-46654.169.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703.070.

8809010142 Informs that 141 & 97 tubes in Steam Generators A & B, respectively, plugged per inservice insp.
CONWAY,W.F. Florida Power & Light Co. 88/08/22 Document Control Branch (Document Control Desk) 1p, 46739.302-46739.302.

8809070059 Forwards Insp Repts 50-335/88-17 & 50 389/88-17 on 880703-31 No violations or deviations noted
WILSON,B.A. Region 2, Ofc of the Director 88/08/23, CONWAY,W.F. Florida Power & Light Co 2pp, 46787 339 46787 354

8809070063 Insp Repts 50-335/88 17 & 50 389/89-17 on 880703-31. No violations or deviations noted Major areas inspected Tech Spec compliance, operator performance, overall plant operations, QA practices, station & corporate mgmt practices.
PAULK,G., BIBB,H.E., CRLEN,JAK,R.V. Region 2, Ofc of the Director. 88/08/22 15pp 46787 340-46787 354.

8808160368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218-46713.219

8809080174 Forwards Insp Repts 50 335/89 08 & 50 389/88 08 on 880331 & 0411-19 & notice of deviation
GRACE,J.N. Region 2, Ofc of the Director 88/08/26 CONWAY,W.F. Florida Power & Light Co 2pp 46793 028 46793 056

8809080178 Notice of deviation from insp on 880331 & 0411-19 Deviation noted failure to provide info on assumptions used to adapt generic guidelines to plants
GRACE,J.N. Region 2, Ofc of the Director 88/08/26, 2pp 46793 030-46793 031.

8809080181 Insp Repts 50 335/88 08 & 50 389/88-08 on 880331 & 0411-19 Deviation noted Major areas inspected emergency operating procedures & generic technical guidelines, validation & verification program & training
STEWART,J., GAGLIARDO,J.E. Region 2, Ofc of the Director 88/08/03, 22pp 46793 032-46793 056.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co of New York, Inc 123pp, 46713 095-46713-217.

8809060255 Forwards Vols 1 & 2 to Rev 0 to JNS-PSL-100, "St Lucie Plant Unit 1 Second 10-Yr Insp Plan" & responses to NRC 880520 questions re utl 870902 submittal Relief Requests 2, 9 & 12 no longer necessary & withdrawn
CONWAY,W.F. Florida Power & Light Co. 88/08/28, Document Control Branch (Document Control Desk) 14pp 46759.277-46762 078.

8809080260 Vols 1 & 2 to Rev 0 to JNS PSL-100, "St Lucie Plant Unit 1 Second 10 Yr Insp Plan."
ANDERSON,E.L., COLLINS,S. Florida Power & Light Co. 88/08/24, 900pp 46759 291-46762 078

8809160013 Confirms 880809 telcon re 880906 enforcement conference in Atlanta, GA to discuss recent security issue at plant. Proposed meeting agenda encl
GRACE,J.N. Region 2, Ofc of the Director 88/08/30 CONWAY,W.F. Florida Power & Light Co 2pp 46908 352 46908 353

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co of New York, Inc. 121pp, 46712.244-46713-004

8809130089 Forwards Insp Repts 50-335/88-18 & 50 389/88-18 on 880803-11. No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director. 88/09/01, CONWAY,W.F. Florida Power & Light Co 2pp 46827 010 46827 030.

8809130124 Insp Repts 50-335/88-18 & 50-389/88-18 on 880803-11 No violations noted. Major areas inspected. Inservice Insp (ISI) including review of Unit 1 ISI plan for outage & associated ISI administrative procedures & magnetic particle
NEWSOME,R.W., GLASHAN,M., BLAKE,J.J. Region 2, Ofc of the Director 88/08/30, 19pp 46827 012 46827.030

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp, 46726.001-46726-123

8809200259 Forwards Insp Repts 50-335/88-15 & 50-389/88-15 on 880820-24 & 0711-15. No violations or deviations noted.
JULIAN,C.A. Region 2, Ofc of the Director. 88/09/07 CONWAY,W.F. Florida Power & Light Co 2pp 46911.101-46911-114

8809200261 Insp Repts 50-335/88-15 & 50-389/88-15 on 880820-24 & 0711-15 No violations or deviations noted. Major areas inspected. QA effectiveness in operations, design control, maint & procurement
THOMAS,M., BELISLE,G.A. Region 2, Ofc of the Director 88/09/01, 12pp 46911-103-46911.114

8809190096 Confirms 880906 enforcement conference re inattentiveness of guard posted to control access to vital area List of attendees, summary & handout encl. Encls withheld (ref 10CFR2.790(d) & 10CFR73.21).
GRACE,J.N. Region 2, Ofc of the Director 88/09/09, CONWAY,W.F. Florida Power & Light Co. 2pp, 46899.131-46899-132.

8809140329 Responds to NRC 880816 ltr re violations noted in Insp Rept 50 335/88-16. Corrective actions monthly diesel periodic test changed to require that design start time be verified within specs.
CONWAY,W.F. Florida Power & Light Co. 88/09/12 Document Control Branch (Document Control Desk) 2pp, 46837.059-46837.060.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp, 46824.215-46824-336.

8809190358 Advises that utl will submit schedule to address results of vendor evaluations per NRC Bulletin 88-004, by 881130 instead of 881010.
CONWAY,W.F. Florida Power & Light Co. 88/09/14, Document Control Branch (Document Control Desk). 1p, 46898.332-46898.332.

122 DOCKETED ITEMS

8809260170 Forwards Insp Repts 50-335/88-19 & 50-389/88-19 on 880801 05 & notice of violation Rept documents oral commitment made by licensee representative & discussed in exit interview
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 CONWAY,W.F. Florida Power & Light Co. 2pp. 46966 127-46966 147

--8809260176 Notice of violation from insp on 880801-05 Violation noted, licensee failed to comply w/survey requirements. On 880802, area noted to have contamination had not been surveyed since 880707
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 2pp. 46966.129 46966 130

--8809260181 Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05. Violations noted Major areas inspected radiation protection program, including organization & mgt controls, training & qualifications & health physics aspects of Unit 1 outage
BASSETT,C.H., LAUER,M.T., HOSEY,C.M. Region 2, Ofc of the Director. 88/09/08 17pp. 46966 131-46966 147

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013

R. Periodic operating reports & related correspondence

8809060372 "Combined Semiannual Radioactive Effluent Release Rept for Jan June 1988" W/880830 ltr
CONWAY,W.F. Florida Power & Light Co. 88/06/30 28pp. 46755 252 46755 279

8808290094 Forwards corrected unit shutdown & power reduction rept for St Lucie monthly operating rept for Jul 1988.
CONWAY,W.F. Florida Power & Light Co. 88/08/22 Document Control Branch (Document Control Desk) 1p. 46677.298 46677.299

--8808290114 Corrected monthly operating rept for Jul 1988 re unit shutdown & power reduction rept
FERRELL,S.D. Florida Power & Light Co. 88/07/31 1p. 46677-299 46677-299

8809220070 Forwards monthly operating repts for Aug 1988 for St Lucie & Turkey Point & corrected rept of unit shutdown & power reduction for Jul 1988 for St Lucie Unit 1 Method of shutting down reactor incorrectly coded manual scram
CONWAY,W.F. Florida Power & Light Co. 88/09/15, Document Control Branch (Document Control Desk) 1p. 46927 247-46927 265

--8809220071 Monthly operating repts for Aug 1988 for St Lucie & Turkey Point
BONETT,D.M. Florida Power & Light Co. 88/08/31 16pp. 46927.248 46927 264.

--8809220073 Corrected page to Jul 1988 monthly operating rept for St Lucie Unit 1.
BONETT,D.M. Florida Power & Light Co. 88/07/31 1p. 46927 265 46927 265.

S. Reportable occurrences, LERs & related correspondence

8808290228 LER 88-006-00 on 880723, steam generator tubes w/greater than 40% degradation not plugged per Tech Spec requirement Caused by personnel error. Plugging list reviewed & automated & newly installed plugs will be verified W/ 880822 ltr
CONNOR,J.W., CONWAY,W.F. Florida Power & Light Co. 88/08/22. 5pp. 46684-008-46684.012

8809190176 LER 87-018 00 on 870131, util identified that specific masonry block walls which were assumed to be 3 h fire barriers may not have been completely filled w/ grout. Caused by const practices Fire watch established W/880915 ltr
SNYDER,M.J., CONWAY,W.F. Florida Power & Light Co. 88/09/15. 5pp. 46892-352-46892 358.

V. Operator Examinations

8809010311 Forwards comments on plant license exam administered on 880726, in response to NRC 880427 ltr Answer key to accept, "Loss of Power to Monitor" as addl functional feature of blue fail light needs mod.
CONWAY,W.F. Florida Power & Light Co. 88/08/15, MUNRO,J.F. Region 2, Ofc of the Director. 37pp. 46743 161-46743 197

8809190242 Forwards proposed operator licensing & requalification exam schedule for FY89, FY90, FY91 & FY92, per Generic Ltr 88-13
CONWAY,W.F. Florida Power & Light Co. 88/09/13, HANNON,J. Operator Licensing Branch. 3pp. 46895.184-46895 186

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8804250267 Forwards temporary change to physical security plan re protected area boundary, Rev withheld (ref 10CFR72.790(a)).
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/04/22 Document Control Branch (Document Control Desk) 2pp. 45281-286-45281.287.

8809020155 Responds to 880807-15 regulatory effectiveness review rept. Schedule for closure of findings not yet developed Rept detailing open info to be forwarded in 6 months Encl withheld (ref 10CFR73.21).
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/08/26, Document Control Branch (Document Control Desk). 1p. 46745 209 46745.210

J. Insurance & Indemnity Information

8809200165 Informs NRC that util cognizant of 881004 deadline re insurance reporting requirements of 10CFR50.54(w) Util understands NRC pending actions & assurance that util will be relieved from 881004 deadline
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Utilities. 88/09/15 Document Control Branch (Document Control Desk) 2pp. 46918, 101-46918 102

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp. 47005.001 47005 006.

8808260372 Discusses torque switch set points of pilot operated relief valve & block valves re TMI Action Item II D 1, per 880420 ltr stating that two specific valves set to close w/affirmed actuator output torques
MROCZKA,E.J., ROMBERG,W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/08/18 Document Control Branch (Document Control Desk) 3pp. 46669 256 46669 259

8809010320 Informs that Commissioners found Thomas Valley State Technical College training program acceptable Staff proceeding to act on license amendments.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/28, MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 3pp. 46740 054 46740.056

8809020221 Forwards response to NRC questions re util inservice testing program & updated version of pump table Background data supporting svc water pump vibration limits proposed in relief request also encl.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/08/26 Document Control Branch (Document Control Desk) 66pp. 46746.162 46746 226

8809020239 Submits description of Cycle 10 analysis package, including preliminary results to date
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/08/26 Document Control Branch (Document Control Desk) 6pp. 46745.170 46745 175

8809070544 Forwards "Fuel Design Rept for Cycle 10 Reload." Encl withheld (ref 10CFR2.790).
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/08/30, Document Control Branch (Document Control Desk) 6pp. 46768 016 46768 021

8809070346 Forwards copy of 880823 ltr to Town of Waterford, providing list of hazardous chemicals used at facilities in quantities exceeding min threshold for reportable quantities.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/08/01 Document Control Branch (Document Control Desk). 4pp. 46788 079 46788 082.

8809070490 Forwards ANF-88-118, "Millstone Unit 2 Large Break LOCA/ECCS Analysis," for Cycle 10 reload
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/09/01 Document Control Branch (Document Control Desk). 3pp. 46798 001-46798 008

--8809070500 "Millstone Unit 2 Large Break LOCA/ECCS Analysis"
GOTTULA,F.C. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) ANF 88-118. 88/08/31. 53pp. 46798.004 46798 058

8809130289 Submits correction to Page 3 of 880810 response to NRC request for documentation on setpoints of Motor-Operated Valves 2 RC 403 & 2 RC 405 (ref TMI Item II.D.1).
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/09/02 Document Control Branch (Document Control Desk). 1p. 46830 068 46830.068

8809190108 Agrees w/conclusions re adequacy of block valve motor operator torque capability, per TMI Action Item II D 1
JAFFE,D.H. Project Directorate 14. 88/09/08 MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 2pp. 46895.284-46895 285.

8809150038 Provides addl info to support NSHC determination re proposed rev to Tech Spec snubber surveillance requirements in response to NRC verbal request
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/09/08, Document Control Branch (Document Control Desk) 2pp. 46855.359 46855 360.

8809140102 Provides addl info on licensee determination to discontinue local leak rate testing on 12 valves in reactor bldg closed cooling water sys
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/09/09, Document Control Branch (Document Control Desk) 3pp. 46838.186-46838.187.

8809200177 Application for amend to License DPR-65, clarifying Intent of Tech Spec 4.4 S.1.4.a 8 re extent & origination point of steam generator tube exams. Fee paid.
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/09/13 Document Control Branch (Document Control Desk). 3pp. 46905-194-46905.198.

--8809200181 Proposed Tech Specs clarifying Intent of Tech Spec 4.4 S.1.4.a 8 re extent & origination point of steam generator tube exams.
Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/09/13. 2pp. 46905:197-46905:198.

8809200225 Informs that 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" acceptable. WANG, A.B. Project Directorate I-4, 88/09/13. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 4pp. 46911 015 46911 018

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8809020206 Forwards Safety Insp Rept 50-336/88-10 on 880510 17 & notice of deviation Attention directed to number of emergency operating procedures technical concerns & deficiencies. GALLO, R.M. Region 1, Ofc of the Director. 88/08/23. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 4pp. 46747-065-46747-086.

-8809020208 Notice of violation from Insp on 880510-17. Violation noted, licensee did not incorporate guidance into plant specific Emergency Operating Procedure 2532, "Loss of Primary Coolant" or justify omission of guidance. Region 1, Ofc of the Director. 88/08/23 1p. 46747-069-46747-089

-8809020209 Insp Rept 50-336/88-10 on 880510-17. Deviations noted Major areas inspected, emergency operating procedures, including implementation of vendor generic technical guidelines, validation & verification program STEWART, P., GAGLIARDI, J.E. Region 1, Ofc of the Director. 88/08/04. 27pp. 46747 070 46747 086.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713-218-46713-219.

8809020221 Forwards response to NRC questions re util inservice testing program & updated version of pump table. Background data supporting svc water pump vibration limits proposed in relief request also encl. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA, E.J. Northeast Utilities 88/08/28. Document Control Branch (Document Control Desk). 86pp. 46746.162-46746.226

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095 46713.217.

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712-244 46713.004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46728-001-46728.123

8809130285 Forwards response to NRC Bulletin 88-005, "Nonconforming Mails Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." No significant deficiencies discovered & no mail replaced. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities 88/09/02 Document Control Branch (Document Control Desk). 17pp. 46836.231-46836.247.

8809200082 Forwards Insp Repts 50-245/88-13, 50-336/88-18 & 50-423/88-13 on 880728-29 No violations noted. BELLAMY, R.R. Region 1, Ofc of the Director. 88/09/09 MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46911:348-46911:354

-8809200091 Insp Repts 50-245/88-13, 50-336/88-18 & 50-423/88-13 on 880728-29 No violations noted, Major areas inspected, Unit 2 radiation protection activities, including status of previously identified items & station ALARA practices. THOMAS, W., SHANBAKY, M. Region 1, Ofc of the Director. 88/09/08. 5pp. 46911-350 46911-354.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824-215-46824-336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946-253-46947.013.

R. Periodic operating reports & related correspondence

8809060001 "Semiannual Radioactive Effluents Release Rept, Jan-June 1988." W/ 880830 ltr. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities 88/08/30. 86pp. 46747:163 46747.247.

8809220091 Forwards monthly operating rept for Aug 1988 for Millstone Unit 2 & revised rept for Jul 1988. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) SCACE, S.E. Northeast Utilities 88/09/12 Document Control Branch (Document Control Desk). 1p. 46928 328-46928 334

-8809220093 Monthly operating rept for Aug 1988 for Millstone Unit 2 GIBSON, J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/08/31. 4pp. 46926.330-46926 333

-8809220095 Revised monthly operating rept for Jul 1988 for Millstone Unit 2 GIBSON, J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/07/31 1p. 46926.334-46926 334.

V. Operator Examinations

8809010320 Informs that Commissioners found Thames Valley State Technical College training program acceptable Staff proceeding to act on license amendments. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/26 MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 46740 054-46740 055.

8809130189 Advises that licensed operator, J. Sauger, terminated employment w/ util effective 880825. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) SCACE, S.E. Northeast Utilities 88/09/06 Document Control Branch (Document Control Desk). 1p. 46834 176 46834-176

8809230037 Forwards updated schedules for operator licensing exams for FY89 92 in response to Generic Ltr 88-13. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA, E.J. Northeast Utilities 88/09/16 HANNON, J. Operator Licensing Branch. 10pp. 46945 297-46945 306.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260512 Forwards Insp Repts 50-338/88-23 & 50-339/88-23 on 880803 05. No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/08/18. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46654-131-46654-134

-8808260514 Partially withheld Insp Rept 50-338/88-23 & 50-339/88-23 on 880803-06 (ref 10CFR27.90) No violations noted, Major areas inspected, testing & maint, physical barriers-protected area, security sys power supply & access control-personnel. ENNIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46654.133-46654-134.

8808300106 Advises that 880616 rev to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/08/18 STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 46698.280-46698.282.

8808290303 Suppl util 880228 response to deviations noted in Insp Repts 50-338/87-39 & 50-339/87-39. Util current policy to document & justify deviations from emergency response guidelines listed. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/22 Document Control Branch (Document Control Desk). 2pp. 46690.238-46690.239.

8809010205 Forwards Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30. No violations noted Emergency response facilities appraisal open items & 1st of items to be considered for program enhancement encl. STOHR, J.P. Region 2, Ofc of the Director. 88/08/22. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 4pp. 46721-186-46721 215.

-8809010209 Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30 No violations or deviations noted Major areas inspected: emergency response facility & equipment, interviews w/ util personnel & equipment for emergency response organization. CUNNINGHAM, A.L., DECKER, T.R. Region 2, Ofc of the Director. 88/08/18 26pp. 46721.190-46721-215.

8809230100 Advises that 880616 Rev 13 to plant guard training & qualification plan consistent w/ 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/09/09 CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46945:138-46945.140.

8809230012 Forwards Insp Repts 50-338/88-13 & 50-339/88-13 on 880718-22 & notice of violation, Unresolved items noted. HERDT, A.R. Region 2, Ofc of the Director. 88/09/13. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 2pp. 46947:134-46947.169

-8809230014 Notice of violation from Insp on 880718-22 Violation noted solenoid operated valves relocated w/o initiating rev to plant post-fire safe shutdown procedures due to failure to perform adequate evaluation per App R design guidelines. HERDT, A.R. Region 2, Ofc of the Director. 88/09/13 1p. 46947:136-46947.136.

-8809230016 Insp Repts 50-338/88-13 & 50-339/88-13 on 880718-22. Violation noted Major areas inspected, triennial post-fire safe shutdown capability reevaluation & assessment, including App R compliance & post-fire shutdown capability. HARRIS, J., WARD, D., WISEMAN, G. Region 2, Ofc of the Director. 88/09/13. 33pp. 46947:137-46947.169.

P. Operating license stage documents & correspondence

8804210482 Summary of 880127 CRGA Meeting 128 re listed items, including review of proposed generic ltr to inform licensees of new NRC position on guidelines for determining whether operating basis earthquake limits exceeded. JORDAN, E.L. Committee to Review Generic Requirements. 88/04/04. STELLO, V. Ofc of the Executive Director for Operations. 38pp. 46909.020-46909 338.

124 DOCKETED ITEMS

--8809190149 Safety evaluation supporting util identification of major causal factors leading to 870716 tube rupture event & adequacy of diagnostic & corrective measures implemented in order to preclude similar events
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/11. 46pp 48909 293 46909 338

8808120294 Genenc Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006.

8808260364 Forwards results of analysis of spiked liquid samples per confirmatory measurements program All samples analyzed for H-3, Fe 55, Sr 89 & Sr-90, per NRC 880422 instructions
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/08. KAHLE,J.B. Region 2, Ofc of the Director 3pp 46654 332-46654 334.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR,L. Doc-Search Associates 5pp. 46770 060 46770 068.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223

8808260365 Discusses util 880603 response to Genenc Ltr 88 05 re bone acid corrosion of carbon steel in reactor components. Util program that potentially could effect integrity of reactor coolant pressure boundary acceptable.
ENGLE,L. Project Directorate II-2. 88/08/23. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp 46655 360-46655 361

8809140201 Forwards Amend 105 to License NPF-4 & safety evaluation Amend changes NA-1 Tech Spec to allow widening of axial flux difference bands
ENGLE,L.B. Project Directorate II-2. 88/09/07. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp 46845 078 46845 113.

--8809140205 Amend 105 to License NPF-4, changing NA-1 Tech Spec to allow widening of axial flux difference bands.
BERKOW,H.N. Project Directorate II-2 88/09/07. 3pp 46845 077-46845 079

--8809140208 Proposed Tech Specs, allowing widening of axial flux difference bands
* Virginia Power (Virginia Electric & Power Co.) 88/09/07. 31pp. 46845 080-46845 110.

--8809140210 Safety evaluation supporting Amend 105 to License NPF-4.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/07. 3pp 46845 111-46845 113

8809200145 Informs NRC of current plans re upcoming refueling outages for plant & requests approval of listed licensing issues & refueling outage activities involving licensing issues
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/12. Document Control Branch (Document Control Desk) 4pp 46900 014 46900 017.

8809220192 Requests extension of date to 890116 for response to request for addl info re pump & valve inservice testing program
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/18. Document Control Branch (Document Control Desk). 2pp 46928 087-46928 088

Q. Inspection reports, IE Bulletins & correspondence

8808260482 Forwards Insp Repts 50-338/88-21 & 50-339/88-21 on 880611 0715 No violations or deviations noted
WILSON,B.A. Region 2, Ofc of the Director. 88/08/12. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46654 001-46654 010.

--8808260485 Insp Repts 50-338/88-21 & 50-339/88-21 on 880611-0715. No violations or deviations noted Major areas inspected: plant status, IER, review of inspector follow-up items, monthly maint observation & operator safety verification.
CALDWELL,L. KING,L.P. CANTRELL,F.S. Region 2, Ofc of the Director. 88/08/12. 3pp 46654.003-46654.010.

8809080024 Forwards Team Insp Repts 50-280/88 03-50-281/88-03, 50-338/88-03 & 50-339/88 03 on 880314-18 & 0404-08. No violations or deviations noted. Written assessment of program to keep radiation ALARA requested within 30 days.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/17. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 4pp. 46789 281-46789 307.

8808260512 Forwards Insp Repts 50-338/88-23 & 50-339/88-23 on 880803-05. No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 88/08/18. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46654:131-46654:134.

--8808260514 Partially withheld Insp Rept 50-338/88 23 & 50-339/88-23 on 880803-05 (ref 10CFR2.790) No violations noted Major areas inspected testing & maint, physical barriers protected area, security sys power supply & access control personnel.
ENNIS,J.D. MCGUIRE,D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46654.133-46654.134.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690-178.

8808160451 NRC Info Notice 88-068, "Satpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702:311-46703 070.

8808290303 Suppls util 880226 response to deviations noted in Insp Repts 50-338/87-39 & 50-339/87-39. Util current policy to document & justify deviations from emergency response guidelines listed.
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/22. Document Control Branch (Document Control Desk). 2pp 46690.238-46690-239.

8809010205 Forwards Insp Repts 50-338/88 14 & 50-339/88 14 on 880827-30 No violations noted Emergency response facilities appraisal upon items & list of items to be considered for program enhancement encl
STOHR,J.P. Region 2, Ofc of the Director 88/08/22. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 4pp. 46721:106-46721 215

--8809010209 Insp Repts 50-338/88 14 & 50-339/88 14 on 880827-30 No violations or deviations noted Major areas inspected emergency response facility & equipment, interviews w/ util personnel & equipment for emergency response organization.
CUNNINGHAM,A.L., DECKER,T.R. Region 2, Ofc of the Director. 88/08/18 26pp 46721.190 46721 215.

8808180388 Suppl 1 to NRC Info Notice 88 048, "Licensor Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 210 46713 219.

8808300233 Informs that util extending interval completion date for refueling outage to 881224 Second inservice insp interval dates will now be 881224-881224.
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/25. Document Control Branch (Document Control Desk) 2pp 46698 325-46698 326

8809150328 Informs that SALP Repts for Sept 1986 - Apr 1988 reviewed & acceptable
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/26. Region 2, Ofc of the Director. 2pp 46848.208-46848 209

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712 244 46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001 46726:123

8809200083 Forwards Insp Repts 50-338/88-25 & 50-339/88 25 on 880808-12 No violations or deviations noted
COLLINS,D.M. Region 2, Ofc of the Director 88/09/07. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp 46900 222 46900 233

--8809200086 Insp Repts 50-338/88-25 & 50-339/88-25 on 880808-12 No violations, deviations or program weaknesses noted Major areas inspected plant chemistry, chemical corrosion & pipe wall thinning
STODDART,P.G., KAHLE,J.B. Region 2, Ofc of the Director 88/09/07. 10pp 46900-224-46900 233

8809150001 Responds to NRC 880810 ltr re violations noted in Insp Repts 50-338/88 18 & 50-339/88-18 Corrective actions training will be provided to M&TE user on rev to ADM-12.1.
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/09. Document Control Branch (Document Control Desk) 4pp 46850 010 46850 013

8809150295 Responds to NRC Bulletin 88-005, including suppls 1 & 2 re review of mats procured from Piping Supplies, Inc. & West New Jersey Mig Co Results of review for possible indirect purchases & results of testing & analysis discussed
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/09. Document Control Branch (Document Control Desk). 3pp 46884 023 46884 025.

8809230012 Forwards Insp Repts 50-338/88 13 & 50-339/88-13 on 880718-22 & notice of violation. Unresolved items noted
HERDT,A.R. Region 2, Ofc of the Director 88/09/13. CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 2pp 46947.134 46947 160.

--8809230014 Notice of violation from Insp on 880718 22 Violation noted solenoid operated valves relocated w/o initiating rev to plant post-fire safe shutdown procedures due to failure to perform adequate evaluation per App R design guidelines.
HERDT,A.R. Region 2, Ofc of the Director. 88/09/13 1p 46847 136 46847 136.

--8809230016 Insp Repts 50-338/88-13 & 50-339/88 13 on 880718 22. Violation noted Major areas inspected: triennial post fire safe shutdown capability reevaluation & assessment, including App R compliance & post-fire shutdown capability.
HARRIS,J., WARD,D., WISEMAN,G. Region 2, Ofc of the Director 88/09/13 33pp 46947:137 46947:169

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215 46824:338.

8809250274 Ack receipt of 880815 response to violations noted in Insp Repts 50-338/88-06 & 50-339/88-06.
JULIAN,C.A. Region 2, Ofc of the Director 88/09/14. CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 1p 46956.129 46956.129

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46948:133-46948:252.

8809210024 Responds to NRC 880817 ltr re violations noted in Insp Repts 50-338/88-16 & 50-339/88-16. Corrective actions: Emergency Diesel Generator Output Breaker 2h replaced & tested & mig consulted on bolt torquing requirements.
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/16. Document Control Branch (Document Control Desk). 5pp 46920 276-46920:280.

8809270131 Responds to NRC 880817 ltr re violations noted in Insp Repts 50-338/88-03, 50-339/88-03, 50-280/88-03 & 50-281/88-03. Corrective actions policy to establish contractor dose goals during work planning process re emphasized. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/16. Document Control Branch (Document Control Desk). 5pp. 46971-266-46971-270.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946-253-46947-013.

R. Periodic operating reports & related correspondence

8809080039 "Semiannual Radioactive Effluent Release Rept North Anna Power Station Jan-June 1988." W/880826 ltr. BARNES, W.C., CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/30. 27pp. 46793-001-46793-027.

8809200267 Monthly operating repts for Aug 1988 for North Anna Power Station Units 1 & 2. W/880914 ltr. GARNER, B., CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 88/08/31. 14pp. 46916-174-46916-187.

S. Reportable occurrences, LERs & related correspondence

8809070275 Part 21 rept re procurement of heat tracing mats from Nelson Electric Corp not meeting 10CFR21 requirements. Initially reported on 880810 Nelson Electric Corp removed from approved safety-related vendor list. CRUDEN, J.N. Virginia Power (Virginia Electric & Power Co.). 88/08/12. GRACE, J.N. Region 2, Ofc of the Director. 3pp. 46780-348-46780-350.

8809020231 Confirms telcon rept of 880827 oil spill during operator attempt to dewater oil/water separator, resulting in discharge to Outfall 004. Operators to exercise more caution during dewatering until chiller operation curtailed. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.) 88/08/29. KREGLOE, W.L. Virginia, Commonwealth of. 2pp. 46750-262-46750-263.

8809070079 RO on 880813, Kaman vent stack A radiation monitor RI-VG-179 declared inoperable. Caused by control processing unit board malfunction. New board ordered & expected to be received on 881009. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/29. Document Control Branch (Document Control Desk). 3pp. 46784-342-46784-344.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808280512 Forwards Insp Repts 50-338/88-23 & 50-339/88-23 on 880803-05. No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/08/18. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46654-131-46654-134.

8808280514 Partially withheld Insp Rept 50-338/88-23 & 50-339/88-23 on 880803-05 (ref 10CFR2.790). No violations noted. Major areas inspected: testing & maint, physical barriers protected area, security sys power supply & access control personnel. ENNIS, J.D. Region 2, Ofc of the Director. 88/08/17. 1p. 46654-133-46654-134.

8808300106 Advises that 880616 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/08/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 46698-260-46698-262.

8808290303 Suppls util 880226 response to deviations noted in Insp Repts 50-338/87-39 & 50-339/87-39. Util current policy to document & justify deviations from emergency response guidelines listed. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/22. Document Control Branch (Document Control Desk). 2pp. 46690-238-46690-239.

8809010205 Forwards Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30. No violations noted. Emergency response facilities appraisal open items & list of items to be considered for program enhancement encl. STORR, J.P. Region 2, Ofc of the Director. 88/08/22. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 4pp. 46721-186-46721-215.

8809010209 Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30. No violations or deviations noted. Major areas inspected: emergency response facility & equipment, interviews w/util personnel & equipment for emergency response organization. CUNNINGHAM, A.L. Region 2, Ofc of the Director. 88/08/18. 26pp. 46721-190-46721-215.

8809230100 Advises that 880816 Rev 13 to plant guard training & qualification plan consistent w/10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/09/09. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46945-138-46945-140.

8809230012 Forwards Insp Repts 50-338/88-13 & 50-339/88-13 on 880718-22 & notice of violation Unresolved items noted. HERDT, A.R. Region 2, Ofc of the Director. 88/09/13. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.). 2pp. 46947-134-46947-169.

8809230014 Notice of violation from Insp on 880718-22. Violation noted: solenoid operated valves relocated w/o initiating rev to plant post-fire safe shutdown procedures due to failure to perform adequate evaluation per App R design guidelines. HERDT, A.R. Region 2, Ofc of the Director. 88/09/13. 1p. 46947-136-46947-136.

8809230016 Insp Repts 50-338/88-13 & 50-339/88-13 on 880718-22. Violation noted. Major areas inspected: triennial post-fire safe shutdown capability reevaluation & assessment, including App R compliance & post-fire shutdown capability. HARRIS, J., HUNT, M., CONLON, T. Region 2, Ofc of the Director. 88/09/13. 33pp. 46947-137-46947-169.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065-006.

8808260364 Forwards results of analysis of spiked liquid samples per confirmatory measurements program. All samples analyzed for H-3, Fe-55, Sr-90, per NRC 880422 instructions. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/08. KAHLE, J.B. Region 2, Ofc of the Director. 3pp. 46654-332-46654-334.

8808260365 Discusses util 880603 response to Generic Ltr 88-05 re boric acid corrosion of carbon steel in reactor components. Util program that potentially could effect integrity of reactor coolant pressure boundary acceptable. ENGLE, L., Project Directorate II-2. 88/08/23. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46655-360-46655-361.

8809200145 Informs NRC of current plans re upcoming refueling outages for plant & requests approval of listed licensing issues & refueling outage activities involving licensing issues. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/12. Document Control Branch (Document Control Desk). 4pp. 46900-014-46900-017.

8809220192 Requests extension of date to 880118 for response to request for addl info re pump & valve inservice testing program. CARTWRIGHT, W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/16. Document Control Branch (Document Control Desk). 2pp. 46928-087-46928-088.

Q. Inspection reports, IE Bulletins & correspondence

8808260482 Forwards Insp Repts 50-338/88-21 & 50-339/88-21 on 880611-0715. No violations or deviations noted. WILSON, B.A. Region 2, Ofc of the Director. 88/08/12. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 2pp. 46654-001-46654-010.

8808260488 Insp Repts 50-338/88-21 & 50-339/88-21 on 880611-0715. No violations or deviations noted. Major areas inspected: plant status, LER, review of inspector follow-up items, monthly maint observation & operator safety verification. CALDWELL, J.L., KING, L.P., CANTRELL, F.S. Region 2, Ofc of the Director. 88/08/12. 9pp. 46654-003-46654-010.

8809080024 Forwards Team Insp Repts 50-280/88-03, 50-281/88-03, 50-338/88-03 & 50-339/88-03 on 880314-18 & 0404-08. No violations or deviations noted. Written assessment of program to keep radiation ALARA requested within 30 days. GRACE, J.N. Region 2, Ofc of the Director. 88/08/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 4pp. 46789-281-46789-307.

8808260512 Forwards Insp Repts 50-338/88-23 & 50-339/88-23 on 880803-05. No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/08/18. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46654-131-46654-134.

8808260514 Partially withheld Insp Rept 50-338/88-23 & 50-339/88-23 on 880803-05 (ref 10CFR2.790). No violations noted. Major areas inspected: testing & maint, physical barriers protected area, security sys power supply & access control personnel. ENNIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/08/17. 1p. 46654-133-46654-134.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690-054-46690-178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702-311-46703-070.

8808290303 Suppls util 880226 response to deviations noted in Insp Repts 50-338/87-39 & 50-339/87-39. Util current policy to document & justify deviations from emergency response guidelines listed. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/22. Document Control Branch (Document Control Desk). 2pp. 46690-238-46690-239.

8809010205 Forwards Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30. No violations noted. Emergency response facilities appraisal open items & list of items to be considered for program enhancement encl. STORR, J.P. Region 2, Ofc of the Director. 88/08/22. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 4pp. 46721-186-46721-215.

8809010209 Insp Repts 50-338/88-14 & 50-339/88-14 on 880627-30. No violations or deviations noted. Major areas inspected: emergency response facility & equipment, interviews w/util personnel & equipment for emergency response organization. CUNNINGHAM, A.L., DECKER, T.R. Region 2, Ofc of the Director. 88/08/18. 26pp. 46721-190-46721-215.

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713-218-46713-219.

8809160328 Informs that SALP Repts for Sept 1988 - Apr 1988 reviewed & acceptable. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.) 88/08/26. Region 2, Ofc of the Director. 2pp. 46648-208-46648-209.

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713-095-46713-217.

126 DOCKETED ITEMS

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809200083 Forwards Insp Repts 50-339/88-25 & 50-339/88-25 on 880808-12 No violations or deviations noted
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/07. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.) 2pp 46900 222-46900 233

8809200086 Insp Repts 50-338/88-25 & 50-339/88-25 on 880808-12 No violations,deviations or program weaknesses noted Major areas inspected plant chemistry,chemical corrosion & pipe wall thinning
STODDART,P.G., KAHLE,J.B. Region 2, Ofc of the Director. 88/09/07 10pp. 46900 224-46900 233

8809150001 Responds to NRC 880810 ltr re violations noted in Insp Repts 50-338/88-18 & 50-339/88-18 Corrective actions training will be provided to M&TE user on rev to ADM 12.1
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/09 Document Control Branch (Document Control Desk) 4pp. 46856 010 46856 013.

8809150295 Responds to NRC Bulletin 88-005,including supplis 1 & 2 re review of mails procured from Piping Supplies,Inc & West New Jersey Mfg Co Results of review for possible indirect purchases & results of testing & analysis discussed
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.) 88/09/09 Document Control Branch (Document Control Desk) 3pp 46864 023-46864 025.

8809230012 Forwards Insp Repts 50-338/88-13 & 50-339/88-13 on 880718 22 & notice of violation.Unresolved items noted
HERDT,A.R. Region 2, Ofc of the Director. 88/09/13. CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 2pp 46947.134 46947 169.

8809230014 Notice of violation from Insp on 880718-22 Violation noted, solenoid operated valves relocated w/o Initiating rev to plant post-fire safe shutdown procedures due to failure to perform adequate evaluation per App R design guidelines.
HERDT,A.R. Region 2, Ofc of the Director. 88/09/13 1p. 46947-136 46947-136

8809230016 Insp Repts 50-338/88-13 & 50-339/88-13 on 880718 22. Violation noted Major areas inspected triennial post-fire safe shutdown capability reverification & assessment, including App R compliance & post fire shutdown capability
HARRIS,J., WARD,D., WISEMAN,G. Region 2, Ofc of the Director. 88/09/13. 33pp. 46947.137-46947 169.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824:215 46824 338.

8809280274 Ack receipt of 880815 response to violations noted in Insp Repts 50-338/88-03 & 50-339/88-03
JULIAN,C.A. Region 2, Ofc of the Director. 88/09/14. CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 1p 46956 128-46956 129

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946.133 46946.252.

8809210024 Responds to NRC 880817 ltr re violations noted in Insp Repts 50-338/88-18 & 50-339/88-16 Corrective actions:Emergency Diesel Generator Output Breaker 2h replaced & tested & mfg consulted on bolt torquing requirements
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/16. Document Control Branch (Document Control Desk) 5pp 46920 276 46920 280.

8809270131 Responds to NRC 880817 ltr re violations noted in Insp Repts 50-338/88-03,50-339/88-03,50-280/88-03 & 50-281/88-03 Corrective actions policy to establish contractor dose goals during work planning process re emphasized
CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/09/16 Document Control Branch (Document Control Desk). 5pp. 46971 266 46971:270.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947.013.

R. Periodic operating reports & related correspondence

8809080039 "Semiannual Radioactive Effluent Release Rept North Anna Power Station Jan-June 1988." W/880826 ltr.
BARNES,W.C., CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/30 27pp. 46793:001-46793 027.

8809200287 Monthly operating repts for Aug 1988 for North Anna Power Station Units 1 & 2.W/880914 ltr
GARNER,B., CARTWRIGHT,W.R. Virginia Power (Virginia Electric & Power Co.). 88/08/31. 14pp. 46916:174-46916.187

S. Reportable occurrences, LERs & related correspondence

8809070275 Part 21 rept re procurement of heat tracing mails from Nelson Electric Corp not meeting 10CFR21 requirements. Initially reported on 880810.Nelson Electric Corp removed from approved safety related vendor list.
CRUDEN,J.N. Virginia Power (Virginia Electric & Power Co.) 88/08/12. GRACE,J.N. Region 2, Ofc of the Director. 3pp. 46780 348-46780.350.

8809020231 Confirms telcon rept of 880827 oil spill during operator attempt to dewater oil/water separator,resulting in discharge to Outfall 004.Operators to exercise more caution during dewatering until chiller operation curtailed.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.) 88/08/28. KREGLOE,W.L. Virginia, Commonwealth of. 2pp. 46750 262-46750.263.

8809080091 LER 88-004-01 on 880520,determined that emergency diesel generator 2H had been inoperable while emergency diesel generator 2J was out of svc for pre-planned maint Caused by failure of breaker.Maint procedure revised W/880830 ltr
KANE,G.E. Virginia Power (Virginia Electric & Power Co.) 88/08/30 5pp 46788 357-46788 361

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809020049 Rev 1 to Page 1 of Radiological Emergency Response Procedure EPA 99 L-SC, "Medical Support."
FRAZIER,L. Detroit Edison Co. 88/08/09 1p 46747 142-46747 142.

8808310044 Rev 1 to Emergency Plan Implementing Procedure RAP-EMI-04, "Drills & Exercises"
* Detroit Edison Co. 88/08/25. 17pp 46717 338 46717 354

8809160136 Rev 1 to radioligcal emergency response planning implementing procedure index
RATONDO,M. Detroit Edison Co. 88/09/08. 11pp 46895 073 46895 083

8809200313 Revised emergency plan implementing procedures,including Administrative Procedure EPA-06, "Radiological Emergency Response Plan Emergency Telephone Directory Review & Update"
* Detroit Edison Co. 88/08/13. 7pp 46913 349-46913.357

G. Adjudicatory correspondence

8809020045 Advises that NRC declined to review Director's Decision 88-11,denying 880204 petition to overturn NRC decision to allow plant to operate at 100% power, revoke license & prove that plant deemed safe.Served on 880829.
CHILKS,J. Office of the Secretary of the Commission #388 6864. 88/08/29. CALDWELL,J., GRAY,H., LANGDON,S. Canada, Govt. of 1p 46666 223 46666 223

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47085 001-47085 008.

8809120091 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L. Doc-Search Associates. 5pp 46770 080 46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770.211-46770 223

8809020285 Forwards supplemental info re proposed changes to primary & secondary containment integrity Tech Specs that would allow non instrumented closure mechanisms located in locked high radiation areas to be verified each cold shutdown
SYLVIA,B.R. Detroit Edison Co. 88/08/24. Document Control Branch (Document Control Desk) 6pp 46746:285-46746 280.

8809070038 Advises that shift operation advisors will be taken off shift & used in other capacities through end of yr based on advisors achieving required level of experience
SYLVIA,B.R. Detroit Edison Co. 88/08/26. Document Control Branch (Document Control Desk). 1p 46777 358-46777 358

8809130192 Forwards notice of consideration of issuance of amend to OL & opportunity for hearing re 880829 application for amend
QUAY,T.R. Project Directorate III-1 88/09/01. SYLVIA,B.R. Detroit Edison Co. 3pp 46830 072-46830.076.

8809130194 Notice of consideration of issuance of amend to License NPF 43 & proposed NSHC determination & opportunity for hearing.Amend revises Tech Specs to provide provisions to reset instrument channels &/or trip sys
WAMBACH,T.V. Project Directorate III-1. 88/09/01 4pp. 46830.075 46830.078

8809140266 Forwards action plan on recirculation pump B discharge valve,per RC Knop request on progress of investigation into recirculation pump discharge valve failure to close.
SYLVIA,B.R. Detroit Edison Co. 88/09/03 DAVIS,A.B. Region 3, Ofc of the Director. 4pp 46836 097-46836-100

8809260227 "Suppl 3 to Interim Startup Test Rept." W/880920 ltr.
SYLVIA,B.R. Detroit Edison Co. 88/09/10. 150pp 46951:213-46952.053

Q. Inspection reports, IE Bulletins & correspondence

8808290210 Forwards response to SALP 9 Board Rept 50-341/88 01. Guidelines currently being developed to assist operators in assessing equipment operability requirements particularly in area of dependence on support sys
SYLVIA,B.R. Detroit Edison Co. 88/08/17. Document Control Branch (Document Control Desk). 18pp 46877:321-46877-338.

8808290282 Responds to Suppls 1 & 2 to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." List of mfgs & suppliers & testing results for another sample of fasteners encl.
SYLVIA,B.R. Detroit Edison Co. 88/08/18 Document Control Branch (Document Control Desk) 96pp. 46884:092-46884:188.

8808190185 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co of New York, Inc 121pp 46702 311-46703 070.

8808160368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218 46713 219.

8808290138 Responds to NRC 880725 ltr re violations noted in Insp Rept 50-341/88 12 Corrective actions drywell high pressure Channel C instrument restored to svc following completion of local leak rate testing on 880316
SYLVIA,B.R. Detroit Edison Co. 88/08/24 Document Control Branch (Document Control Desk) 10pp 46680 252 46680 261

8809020222 Revised response to NRC 880517 ltr re violations noted in Insp Rept 50-341/88 08 Corrective actions plan established to validate spare parts ref sys data base for all safety-related & Class IM replacement parts prior to svc
SYLVIA,B.R. Detroit Edison Co. 88/08/25 Document Control Branch (Document Control Desk) 2pp 46750 310 46750 311

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713.095-46713 217

8809070303 Forwards app to SALP Rept 50-341/88-01 for Apr 1987 - Mar 1988
DAVIS,A.B. Region 3, Ofc of the Director 88/08/30 SYLVIA,B.R. Detroit Edison Co 2pp. 46779 205-46779 226

--**8809070310** App to SALP Rept 50-341/88-01 for Apr 1987 - Mar 1988
* Region 3, Ofc of the Director. 88/08/30 2pp. 46779 207-46779 226

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co of New York, Inc 121pp 46712.244-46713.004

8809070333 Forwards Exam Rept 50 341/OL 88 01 on 880802.
WRIGHT,G.C. Region 3, Ofc of the Director 88/09/01. SYLVIA,B.R. Detroit Edison Co. 2pp. 46767 107-46767 186

--**8809070336** Exam Rept 50-341/OL-88-01 on 880802 Exam results.candidate successfully passed exam
NEJFELT,G.M., JORDAN,M. Region 3, Ofc of the Director 88/08/31 78pp 46767.109 46767 186.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co of New York, Inc 122pp. 46726 001-46726 123.

8809130185 Forwards Emergency Operating Procedure (EOP) Insp Rept 50-341/88-20 on 880705 14.Draft EOPs represent improvement
HOLAHAN,G.M. Division of Reactor Projects - III,IV,V & Special Projects (Post 870411) 88/09/08 SYLVIA,B.R. Detroit Edison Co. 6pp. 46830.176 46830 214

--**8809130171** Insp Rept 50-341/88-20 on 880705-14.No violations noted Major areas inspected licensee emergency operating procedures,operator training & plant sys to accomplish listed objectives for NRC Temporary Instruction 2515/92.
ARCHITZEL,R.E., KONKLIN,J.E. Division of Reactor Inspection & Safeguards (Post 870411) HAUGHNEY,C.J. Special Inspection Branch 88/08/26 33pp 46830 182-46830 214

8809190260 Responds to NRC Bulletin 88 005 & Suppls 1 & 2, "Nonconforming Mails Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mig Co at Williamstown,NJ." Computer listings of flange results & test data encl.
SYLVIA,B.R. Detroit Edison Co 88/09/09 Document Control Branch (Document Control Desk). 21pp. 46885 316 46885 336.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46924 215-46924 336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809020271 "Semiannual Radiological Effluent Release Rept, Jan June 1988" W/ 880829 ltr.
SYLVIA,B.R. Detroit Edison Co. 88/08/30 24pp 46745.089-46745 112.

8809290011 Monthly operating rept for Aug 1988 for Fermi 2 W/880915 ltr.
ANTHONY,P.M., ORSER,W.S. Detroit Edison Co. 88/08/31. 5pp 46900.087-46900.091

S. Reportable occurrences, LERs & related correspondence

8808260449 LER 87 048 07.on 871008,inadequacies in Tech Spec surveillances found during review Caused by incomplete understanding of Tech Spec requirements Procedures revised to test 480 volt ac emergency busses W/880822 ltr
NADER,G., WILGUS,W.S. Detroit Edison Co 88/08/22 20pp 46654 310 46654 329

8808300040 LER 88 026 00.on 880723,unit shut down Caused by leakage in valves E51 F007 & G33-F100 which developed following stroking of valves while plant in operation Stems on valves replaced & valves repacked W/880822 ltr
NADER,G., ORSER,W.S. Detroit Edison Co 88/08/22 5pp 46693.208 46693 212

8808310210 LER 88 027 00 on 880726,technician accidentally shorted across two terminals which actuated div I of emergency equipment cooling water & emergency equipment svc water sys Caused by personnel error Technician counseled W/880825 ltr
PENDERGAST,J., ORSER,W.S. Detroit Edison Co 88/08/25 4pp 46725.358-46725 361

8808310213 LER 88 028 00 on 880726,HPCI pump discharge inboard isolation valve failed to open Caused by grounded contactor coil at valve torque switch by heater bracket Heater assembly & nine other valves removed W/880825 ltr
PENDERGAST,J., ORSER,W.S. Detroit Edison Co 88/08/25. 7pp. 46719 091-46719 097

8809070344 Forwards investigation action plan on recirculation Pump B Discharge Valve B3105 F031B failure which occurred on 880828 Some actions will be performed concurrently & others will be modified as plan progresses
SYLVIA,B.R. Detroit Edison Co 88/08/29. DAVIS,B. Region 3, Ofc of the Director 4pp. 46773 169 46773 172

8809070444 LER 88 029 00 on 880802,24 hydraulic control unit scram inlet & outlet valves opened due to deenergization of associated stated valves Caused by improper termination of cable.Reactor protection sys logic resol.W/880901 ltr
ANTHONY,P., ORSER,W.S. Detroit Edison Co 88/09/01 7pp. 46772 155 46772 161

8809200055 LER 88 030 00 on 880813,main turbine on high vibration of bearings 8 & 9 tripped Caused when general svc water flow control valve to main turbine generator lube oil coolers failed open Failed valve repaired W/880912 ltr
NADER,G., ORSER,W.S. Detroit Edison Co. 88/09/12 6pp 46911 043-46911 047

8809200016 LER 88 031 00 on 880815,accelerated valve stroke time testing of HPCI discharge isolation valve E41-F067 not performed as required Caused by personnel error individual involved counseled W/880914 ltr
ANTHONY,P., ORSER,W.S. Detroit Edison Co 88/09/14 4pp 46911.011-46911 014

8809260072 LER 88 032 00.on 880820 & 28,recirculation pump B discharge valve failed to close,Caused by torque switch being set at incorrect value & improperly installed.Program that controls torque switch settings will be improved W/880919 ltr
NADER,G., ORSER,W.S. Detroit Edison Co 88/09/19 9pp 46957 326-46957 334

V. Operator Examinations

8809070333 Forwards Exam Rept 50-341/OL-88-01 on 880802
WRIGHT,G.C. Region 3, Ofc of the Director 88/09/01. SYLVIA,B.R. Detroit Edison Co 2pp 46767 107-46767 186

--**8809070336** Exam Rept 50 341/OL-88-01 on 880802 Exam results candidate successfully passed exam.
NEJFELT,G.M., JORDAN,M. Region 3, Ofc of the Director. 88/08/31. 78pp 46767.109 46767 186

8809070323 Ack receipt of 880826 ltr providing current status of question bank development to support NRC administered requalification exam at facility.Concurs w/util request to delay exam until fourth quarter of 1989
WRIGHT,G.C. Region 3, Ofc of the Director. 88/09/02 SYLVIA,B.R. Detroit Edison Co 1p. 46777 359 46777 359

8809140352 Requests encl listed ref mail 60 days prior to operator & senior operator licensing exams scheduled for wk of 881205 12
WRIGHT,G.C. Region 3, Ofc of the Director 88/09/06 SYLVIA,B.R. Detroit Edison Co 11pp. 46844 159 46844 169.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8808310007 Rev 2 to Radiological Emergency Response Plan Implementing Procedure EP-103, "Emergency Operations Facility"
WALT,T.D., OLMSTEAD,C.A. Portland General Electric Co 88/08/01. 262pp 46727 106-46728 007.

8809101280 Rev 2 to Emergency Plan Implementing Procedure EP-102, "Operational Support Ctr (OSC)"
WALT,T., OLMSTEAD,C.A. Portland General Electric Co 88/08/17. 120pp 46742 081-46742 218

8809160002 Rev 2 to Radiological Emergency Response Plan Implementing Procedure EP-104, "Company Support Ctr"
* Portland General Electric Co. 88/08/18. 110pp. 46899.134-46899 245.

8809220160 Rev 3 to Radiological Emergency Response Plan Implementing Emergency Procedure EP 001, "Emergency Classification" W/16 oversize figures
WALT,T.T. Portland General Electric Co 88/08/18. 16pp 47041.047-47041 074

8809010056 Provides info on completion of plant fire protection mods, per 10CFR50.48 Mods will be completed as stated in util 870520 ltr w/listed exceptions.Description encl.
COCKFIELD,D.W. Portland General Electric Co. 88/08/23. Document Control Branch (Document Control Desk). 13pp 46740 021-46740 033.

128 DOCKETED ITEMS

8809020141 Responds to NRC 880713 ltr re violations noted in Insp Rept 50 344/88-16 concerning security requirements. Revises previous response to concern about lack of followup of security inspector findings. Encl withheld.
COCKFIELD,D.W. Portland General Electric Co. 88/08/29 Document Control Branch (Document Control Desk) 1p 46751 175-46751 175

8809160181 Ack receipt of T Wall 880826 ltr providing scope & objectives for licensee 1988 annual emergency exercise. Util objectives appropriate.
FISH,R Region 5, Ofc of the Director, 88/09/09 COCKFIELD,D.W. Portland General Electric Co. 1p 46885 149-46885 150

-8809160183 Sanitized version of ltr forwarding licensee scope & objectives & limitations of 1988 annual exercise. W/o encl.
COCKFIELD,D.W. Portland General Electric Co. 88/08/26 Document Control Branch (Document Control Desk) 1p 46885 150-46885 150

8809220279 Discusses NRC concerns re control room & cable spreading room alternative safe shutdown method. Confirms licensee commitment to advise NRC by 880916 re plan to ensure sufficient emergency diesel generators protection.
CHAFFEE,A.E. Region 5, Ofc of the Director, 88/09/09 COCKFIELD,D.W. Portland General Electric Co. 1p 46927 130-46927 130

8809190021 Forwards rev to security plan describing methodology used to protect secondary supply sys. Rev withheld.
COCKFIELD,D.W. Portland General Electric Co. 88/09/13 Document Control Branch (Document Control Desk) 2pp 46895 115-46895 116

P. Operating license stage documents & correspondence

8808260107 Forwards Amend 149 to License NPF-1 & safety evaluation. Amend deletes offsite & facility organization charts from Tech Specs.
CHAN,T.L. Project Directorate V, 88/08/03 COCKFIELD,D.W. Portland General Electric Co. 3pp 46669 208-46669 223

-8808260117 Amend 149 to License NPF-1, deleting offsite & facility organization charts from Tech Specs.
KNIGHTON,G.W. Project Directorate V, 88/08/03 10pp 46669 209-46669 218

-8808260126 Safety evaluation supporting Amend 149 to License NPF-1.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/03 5pp 46669 219-46669 223

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given, 88/09/17 CONNOR,L. Doc-Search Associates 5pp 46770 060-46770 088

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413), 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413), 13pp 46770 211-46770 223

8809140125 Forwards rept of violations of NPDES permit during Jul 1988. Violations involved exceeding limits for biochemical oxygen demand & suspended solids in sewage plant effluent.
COCKFIELD,D.W. Portland General Electric Co. 88/08/30 MARTIN,J.B. Region 5, Ofc of the Director, 4pp 46841 120-46841 123

8809060003 Amend 5 to PGE-1025, "Environ Qualification Program Manual."
* Portland General Electric Co. 88/08/31 150pp 46762 104-46762 276

8809060408 Forwards request for add'l info re Amend 6 to updated FSAR. Response requested within 30 days of ltr receipt.
CHAN,T.L. Project Directorate V, 88/08/31 COCKFIELD,D.W. Portland General Electric Co. 5pp 46753 113-46753 117

8809080081 Forwards updated "Toxic Chemical Study Chlonne," per T Chan request.
COCKFIELD,D.W. Portland General Electric Co. 88/09/02 Document Control Branch (Document Control Desk) 1p 46792 351-46792 361

-8809080082 "Toxic Chemical Study"
* Portland General Electric Co. 88/01/31, 10pp 46792 352-46792 361

8809080113 Requests permission to exceed 1% limitation to increase lateral shear forces in wall. Increase needed to allow equipment associated w/control room ventilation mode to be installed on control bldg roof. Analysis encl.
COCKFIELD,D.W. Portland General Electric Co. 88/09/02 Document Control Branch (Document Control Desk) 40pp 46789 007-46789 046

8809150170 Forwards application for amend to License NPF-1, revising pressurizer LPSI setpoint to accommodate change to different transmitter design used to measure narrow range pressurizer pressure. Fee paid.
COCKFIELD,D.W. Portland General Electric Co. 88/09/09 Document Control Branch (Document Control Desk) 1p 46847 145-46847 153

-8809150173 Application for amend to License NPF-1, revising Tech Specs re setpoint for pressurizer LPSI ressure safety injection necessary to accommodate new instrumentation.
COCKFIELD,D.W. Portland General Electric Co. 88/09/09 6pp 46847 146-46847 151

-8809150175 Proposed Tech Specs revising pressurizer LPSI setpoint.
* Portland General Electric Co. 88/09/09 2pp 46847 152-46847 153

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178

8808160451 NRC Info Notice 88 088, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

8808290268 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 344/88-24.
ZIMMERMAN,R.P. Region 5, Ofc of the Director, 88/08/23 COCKFIELD,D.W. Portland General Electric Co. 1p 46677 342-46677 345

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 085-46713 217

8809020141 Responds to NRC 880713 ltr re violations noted in Insp Rept 50 344/88 16 concerning security requirements. Revises previous response to concern about lack of followup of security inspector findings. Encl withheld.
COCKFIELD,D.W. Portland General Electric Co. 88/08/29 Document Control Branch (Document Control Desk) 1p 46751 175-46751 175

8809070082 Responds to NRC 880728 ltr re violations noted in Insp Rept 50 344/88 27. Corrective actions radioactive matl shipped offsite or moved to new storage location immediately adjacent to protected area boundary.
COCKFIELD,D.W. Portland General Electric Co. 88/08/29 Document Control Branch (Document Control Desk) 3pp 46780 351-46780 353

8809070136 Responds to NRC 880729 ltr re violations noted in Insp Rept 50 344/88 26. Corrective actions on 880604 Procedure QCP-34 revised & approved to include requirements of Procedure JM 004 88M.
COCKFIELD,D.W. Portland General Electric Co. 88/08/29 Document Control Branch (Document Control Desk) 3pp 46773 190-46773 192

8809200070 Forwards Insp Rept 50-344/88 29 on 880619-0730. No violations noted. Root cause analysis on several LEFs found lacking. Further efforts needed on part of util to achieve complete & thorough event repts & appropriate corrective actions.
ZIMMERMAN,R.P. Region 5, Ofc of the Director, 88/08/31 COCKFIELD,D.W. Portland General Electric Co. 2pp 46919 114-46919 136

-8809200076 Insp Rept 50 344/88-29 on 880619-0730. No violations noted. Major areas inspected: operational safety verification, maint, surveillance, event follow up & open item follow up.
MENDONCA,M.M., BARR,R.C., SUH,G.Y. Region 5, Ofc of the Director, 88/08/31 21pp 46919 116-46919 136

8809200084 Forwards Insp Rept 50 344/88 31 on 880718 22. No violations or deviations noted. Violation noted during Insp Rept 50-344/87-31 rescinded based on review of util 880126 ltr.
PATE,R.J. Region 5, Ofc of the Director, 88/08/31 COCKFIELD,D.W. Portland General Electric Co. 2pp 46911 031-46911 042

-8809200089 Insp Rept 50-344/88 31 on 880718-22. No violations or deviations noted. Major areas inspected: unresolved, enforcement & followup items.
MELFI,J.F., RICHARDS,S.A. Region 5, Ofc of the Director, 88/08/23 10pp 46911 033-46911 042

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/02 Consolidated Edison Co. of New York, Inc. 122pp 46728 001-46728 123

8809150004 Responds to NRC Bulletin 88 005, Suppls 1 & 2, "Nonconforming Malls Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co. at Williamstown, NJ." No malls identified subj to bulletin.
COCKFIELD,D.W. Portland General Electric Co. 88/09/09 Document Control Branch (Document Control Desk) 3pp 46848 217-46848 288

8809210175 Ack receipt of 880829 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-344/88-27.
YUHAS,G.P. Region 5, Ofc of the Director, 88/09/09 COCKFIELD,D.W. Portland General Electric Co. 1p 46920 271-46920 274

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947 013

R. Periodic operating reports & related correspondence

8809070131 "Semiannual Radioactive Effluent & Waste Disposal Rept, Jan- June 1988." W/880829 ltr.
COCKFIELD,D.W. Portland General Electric Co. 88/08/30 44pp 46781 155-46781 186

DOCKETED ITEMS 129

8809150166 Monthly operating rept for Aug 1988 for Trojan Nuclear Plant.W/880907 ltr
BAIR,G.G., OLMSTEAD,C.A. Portland General Electric Co 88/08/31 5pp. 46849 317-
46849 321

S. Reportable occurrences, LERs & related correspondence

8808290002 LER 88-024-00.on 880722,both trains of control room emergency ventila-
tion sys inoperable for 28 min due to inability of sys to maintain required positive pres-
sure. Caused by inadequate outside air damper.W/880822 ltr.
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co 88/08/22. 7pp.
46884.019-46884.027

8808310163 Special rept.on 880718,diesel fire pump out of svc for routine preventive
maint in excess of 7 days.Fire truck brought on site & available as redundant fire sup-
pression source during period.Doors will be replaced by 881030.
OLMSTEAD,C.A. Portland General Electric Co 88/08/22. Document Control Branch
(Document Control Desk) 2pp. 46899 318-46899 319.

8809270050 LER 88-028 00.on 880816,reactor trip occurred on RCS Loop B low flow
signal & venting of transmitter FT-424 caused transient on second Loop B Evaluation
of event still in progress.W/880915 ltr.
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co. 88/09/15. 5pp
46899 032-46899 036

V. Operator Examinations

8809150050 Provides licensee operator licensing & requalification exam schedule for
FY89-92 in response to Generic Ltr 88-13.
COCKFIELD,D.W. Portland General Electric Co. 88/09/09 HANNON,J Operator Li
censing Branch. 3pp. 46864 028-46864 028.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300063 Forwards Insp Rept 50-346/83-16 on 830711-840109 & notice of
violation,per Enforcement Action EA-83-124.
DAVIS,A.B. Region 3, Ofc of the Director 88/08/24 SHELTON,D Toledo Edison Co.
4pp 46883.088-46883 158.

-8808300065 Notice of violation from Insp on 830711-840109.Violations noted:fire in
auxiliary shutdown panel room could have resulted in loss of control & indications for
both auxiliary feedwater pumps
DAVIS,A.B. Region 3, Ofc of the Director. 88/07/24. 8pp. 46893 102-46893 158.

8809160011 Rev 2 to Emergency Plan Implementing Procedure HS-EP-02820, "Emer-
gency Plan Off-Normal Occurrence Procedure."
WASILK,J.S., GORDON,G. Toledo Edison Co. 88/08/30. 14pp. 46906 307-46906 320.

8809070078 Forwards Rev 3 to security training & qualification plan. Rev withheld
SHELTON,D.C. Toledo Edison Co. 88/08/31. Document Control Branch (Document
Control Desk). 1p. 46774 211-46774 211.

8809080116 Forwards corrected ltr transmitting Insp Rept 50-346/83-16 & notice of vio-
lation
DAVIS,A.B. Region 3, Ofc of the Director. 88/08/31. SHELTON,D Toledo Edison Co.
2pp 46791.268 46791 282

-8809080128 Corrected ltr forwarding Insp Rept 50-346/83-16 on 830711-28 & notice
of violation Violation noted:alternate shutdown capability for fire in control room or
cable spreading room did not meet App R requirements.
DAVIS,A.B. Region 3, Ofc of the Director. 88/08/31. SHELTON,D Toledo Edison Co.
4pp. 46791 271-46791 282.

8809200066 Discusses 880908 telcon re proposed change to 1988 exercise
objectives Change acceptable.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/09/09. SHELTON,D. Toledo Edison
Co. 1p 46900.164-46900 164.

8809160239 Forwards response to NRC 880809 ltr re violations noted in Insp Rept 50
346/88 22 Encl withheld (ref 10CFR73 21).
SHELTON,D.C. Toledo Edison Co. 88/09/13. Document Control Branch (Document
Control Desk) 1p. 46891 076 46891 076.

M. Antitrust correspondence

8808300126 Forwards FR notice granting request to extend time until 880913 to com-
ment on suspension of license antitrust conditions
LAMBE,W.M. Policy Development & Technical Support Branch (Post 870411). 88/08/
25. ALBERT,K.M. Goldberg, Feldman & Letham, P.C. 3pp. 46891 345-46891 347.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors
re Instrument air supply sys problems affecting safety-related equipment.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/06. Consolidated
Edison Co. of New York, Inc. 41pp. 47065 001-47065 008.

8808260353 Forwards Amend 116 to License NPR-3,safety evaluation & notice of
issuance Amend revises Tech Specs revising License Condition 2.C(3)(d) & listed
Tech Spec sections & deleting listed figures & table re exposure to high energy neu-
trons.
DE AGAZIO,A.W. Project Directorate III-3. 88/08/19. SHELTON,D.C Toledo Edison
Co. 2pp. 46898 084-46898 122.

-8808260358 Amend 116 to License NPF-3, revising & deleting listed Tech Spec
sections,license conditions,figures & table
PERKINS,K.E. Project Directorate III-3. 88/08/19. 19pp. 46898 098-46898 114.

-8808260362 Safety evaluation supporting Amend 116 to License NPF-3.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/19. 8pp.
46898 115-46898 120.

-8808260367 Notice of Issuance of Amend 116 to License NPF-3
DE AGAZIO,A.W. Project Directorate III-3 88/08/19 2pp 46898 121-46898 122

8809140206 Provides evaluation of B&W Document 47-1159091 00, "Design Require-
ments for Diverse Scram Sys & ATWS Mitigation Sys Actuation Circuitry." List items
are areas of concern that plant-specific submittals must address
CRUTCHFIELD,D Division of Reactor Projects - III,IV,V & Special Projects (Post
870411). 88/08/19 STALTER,L.C. Babcock & Wilcox Operating Plants Owners
Group. STALTER,L.C. Toledo Edison Co. 2pp. 46837 035 46837 056

8808290219 Forwards "Rept on Reactor Vessel Continuous Vent Line Performance,"
committed to on 830309.
SHELTON,D.C Toledo Edison Co 88/08/23 Document Control Branch (Document
Control Desk). 2pp. 46878 045 46879 039.

-8808290229 "Rept on Reactor Vessel Continuous Vent Line Performance," did
880810
BLAKELY,D.R. Toledo Edison Co. 88/08/11. 255pp. 46678 047-46679 039.

8808300110 Forwards Amend 117 to License NPF-3,safety evaluation & notice of
issuance,Amend revises Tech Spec Table 4.7-1 & Section 3/4.7.1.1 re main steam
safety valve setpoints & ASME code requirements.
DE AGAZIO,A.W. Project Directorate III-3. 88/08/24 SHELTON,D.C Toledo Edison
Co 2pp. 46893 087-46893 084.

-8808300114 Amend 117 to License NPF-3, revising Tech Spec Table 4.7-1 & Section
3/4 7.1.1 re main steam safety valve setpoints & ASME code requirements
PERKINS,K.E. Project Directorate III-3. 88/08/24 11pp. 46893 070 46893 079.

-8808300118 Safety evaluation supporting Amend 117 to License NPF-3.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. 3pp.
46893 080-46893 082.

-8808300119 Notice of issuance of Amend 117 to License NPF-3.
DE AGAZIO,A.W. Project Directorate III-3. 88/08/24. 2pp 46893 083 46893 084.

8809010213 Forwards environ assessment & finding of no significant impact re uil
870727 application for amend to License NPF-3 revising response times for
MSIVs,safety features sys & steam & feedwater rupture control sys
DE AGAZIO,A.W. Project Directorate III-3. 88/08/25 SHELTON,D.C. Toledo Edison
Co. 2pp. 46739 338 46739 343.

-8809010216 Environ assessment & finding of no significant impact re proposed amend
revising response times & surveillance requirements for MSIV,safety features sys &
steam & feedwater rupture control sys in Tech Specs.
COLBURN,T.G. Project Directorate III-3. 88/08/25. 4pp 46739 340 46739 343

8809010220 Forwards environ assessment & finding of no significant impact re 871207
application for amend to License NPF-3, reducing allowable steam generator low level
setpoint.
DE AGAZIO,A.W. Project Directorate III 3. 88/08/25. SHELTON,D.C Toledo Edison
Co. 2pp 46743 201-46743 206.

-8809010222 Environ assessment & finding of no significant impact re 871207 applica-
tion for amend to License NPF-3, reducing allowable steam generator low level set-
point
COLBURN,T.G. Project Directorate III-3. 88/08/25 4pp 46743 203-46743 206.

8809010053 Forwards detailed discussion of Allegations RIII 88-A 0051 & RIII-88-A-
0184,per P Sharp 880814 ltr re plant allegations of misconduct by mgt at plant
STELQ,V. Ofc of the Executive Director for Operations. 88/08/29 BRADBURN,J.C
Congressional Affairs. 18pp 46740 172-46740 190.

8809070335 Provides addl info re 850617 license amend request changing Tech Specs
to require shutdown to Mode 4 (hot shutdown) rather than Mode 6 (cold shutdown)
since applicability of operable main steam safety valves applies in Modes 1-3.
SHELTON,D.C Toledo Edison Co. 88/08/29. Document Control Branch (Document
Control Desk). 1p 46780 347-46780 347.

8809160003 Forwards Amend 118 to License NPF-03,safety evaluation & notice of Issu-
ance of amend,Amend revises steam generator low level steam & feedwater rupture
control sys trip setpoint
AGAZIO,A.W. Project Directorate III-3. 88/08/31. SHELTON,D.C. Toledo Edison Co.
2pp. 46864 323-46864 333.

-8809160005 Amend 118 to License NPF-3, revising steam generator low level steam &
feedwater rupture control sys trip setpoint & allowable values for channel functional
test & calibr per Tech Specs 3.3.2 2
PERKINS,K.E. Project Directorate III 3. 88/08/31. 5pp. 46864 325 46864 329.

-8809160006 Safety evaluation supporting Amend 118 to License NPF-3.
DEAGAZIO,A.W. Project Directorate III-3. 88/08/31. 4pp 46864 330-46864 331.

-8809210210 Notice of issuance of amend to License NPF-3, revising steam generator
low level steam & feedwater rupture control sys trip setpoint & allowable values for
channel functional test & channel calibr required by Tech Specs
DE AGAZIO,A.W. Project Directorate III 3. 88/08/31. 2pp. 46864 332-46864 333.

8809150256 Forwards Amend 119 to License NPF-3 & safety evaluation. Amend revises
Section 4.7.1.5 surveillance requirements for MSIV & Section 3.3.2 2,Table 3.3-
13,steam & feedwater rupture control sys response times.
DEAGAZIO,A.W. Project Directorate III-3. 88/09/01 SHELTON,D.C. Toledo Edison
Co. 2pp. 46855 324-46855 337.

-8809150256 Amend 119 to License NPF-3, revising Section 4.7 1.5 surveillance re-
quirements for MSIV,Section 3.3.2.2 & Table 3.3-13 re steam & feedwater rupture
control sys response times.
PERKINS,K.E. Project Directorate III-3. 88/09/01. 7pp. 46855 326-46855 332

-8809150260 Notice of issuance of Amend 119 to License NPF-3, Amend changes main
steam line isolation valve closure time requirements in Section 3/4.3.2 & 3/4.7.1 to be
consistent throughout Tech Specs.
DEAGAZIO,A.W. Project Directorate III-3. 88/09/01. 3pp. 46855 333-46855 335.

-8809150261 Safety evaluation supporting Amend 119 to License NPF-3
* Project Directorate III-3. 88/09/01. 2pp. 46855 336-46855 337

130 DOCKETED ITEMS

8809180051 Forwards marked-up Tech Specs inadvertently omitted from 880805 application for amend to License NPF-3 re control rod position switches for remote shutdown instrumentation
SHELTON,D.C. Toledo Edison Co. 88/09/01 Document Control Branch (Document Control Desk) 6pp. 46897 243-46897 248

8809200211 Requests add info re licensee response to Genenc Ltr 83 28, Items 3 2 1 & 3 2 2, submitted no later than 881015
DEAGAZIO,A.W. Project Directorate III-3 88/09/14 SHELTON,D.C. Toledo Edison Co. 4pp. 46911 115-46911:118

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054 46690 178

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311 46703 070

8808180368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 218

8808300063 Forwards Insp Rept 50-346/83-16 on 830711-840109 & notice of violation, per Enforcement Action EA-83-124
DAVIS,A.B. Region 3, Ofc of the Director 88/08/24. SHELTON,D. Toledo Edison Co. 4pp. 46693,098-46693 158.

-8808300065 Notice of violation from Insp on 830711 840109 Violations noted fire in auxiliary shutdown panel room could have resulted in loss of control & indications for both auxiliary feedwater pumps
DAVIS,A.B. Region 3, Ofc of the Director, 88/07/24 8pp. 46693,102 46693 158

8809090031 Advises of util action plan on QA/QC procedures, per 880818 meeting & 880823 telcon. Root cause evaluation will be conducted to determine reason for increase in procedural noncompliance identified by facility trend rept.
SHELTON,D.C. Toledo Edison Co. 88/08/26 DAVIS,A.B. Region 3, Ofc of the Director, 3pp. 46804:142-46804.144.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp. 46713,095-46713 217

8809080116 Forwards corrected ltr transmitting Insp Rept 50 346/83 16 & notice of violation.
DAVIS,A.B. Region 3, Ofc of the Director. 88/08/31. SHELTON,D. Toledo Edison Co. 2pp. 46791:269 46791:262

-8809080128 Corrected ltr forwarding Insp Rept 50 346/83 16 on 830711 29 & notice of violation. Violation noted alternate shutdown capability for fire in control room or cable spreading room did not meet App R requirements
DAVIS,A.B. Region 3, Ofc of the Director. 88/08/31. SHELTON,D. Toledo Edison Co. 4pp. 46791 271-46791.282

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/01, Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726.123

8809140285 Responds to violations noted in Insp Rept 50-346/88-06 Corrective actions specific concerns re deviation in 1977 installation of oil sightglass assemblies corrected & sampling program developed & implemented
SHELTON,D.C. Toledo Edison Co. 88/09/02 Document Control Branch (Document Control Desk) 4pp. 46841 148-46841:152.

8809190344 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Util identified seven sys that contain pumps that could be affected by concerns addressed in bulletin
SHELTON,D.C. Toledo Edison Co. 88/09/08 Document Control Branch (Document Control Desk). 10pp. 46893 350-46893 359.

8809210206 Notices of plans to use instrumented Insp techniques in case of auxiliary feedwater sys during refueling outage W/two oversize drawings & drawing change notices
SHELTON,D.C. Toledo Edison Co. 88/09/08. Document Control Branch (Document Control Desk). 12pp. 46918 350-46919.089.

8809200370 Responds to NRC Bulletin 88-005, "Nonconforming Matl Supplied by Piping Supplies Inc at Folsom,NJ & West Jersey Mfg Co at Williamstown,N.J." Eleven nonconforming flanges tested & judged suitable for intended svc
SHELTON,D.C. Toledo Edison Co. 88/09/09. Document Control Branch (Document Control Desk). 4pp. 46911:092-46911:095.

8809280010 Forwards Safety Insp Rept 50-346/88-21 on 880701-0815. No violations noted
KNOP,R.C. Region 3, Ofc of the Director, 88/09/12. SHELTON,D.C. Toledo Edison Co. 2pp. 46986 234-46986:245

-8809260019 Insp Rept 50 346/88-21 on 880701-0815 No violations noted. Major areas inspected: routine, unannounced Insp by resident inspectors of licensee action on previous Insp findings, operational safety, maint, surveillance, licensee events & QA
DEFAYETTE,R.W. Region 3, Ofc of the Director 88/09/08 10pp. 46966 236-46966 245.

8809260021 Forwards Safety Insp Rept 50 346/88-27 on 880504 0902 Violation noted Enforcement conference scheduled for 880926
GREENMAN,E.G. Region 3, Ofc of the Director 88/09/12 SHELTON,D. Toledo Edison Co. 2pp. 46956 235-46956 242

-8809260064 Insp Rept 50-346/88 27 on 880504 0902 One violation noted Major areas inspected allegation re operation of plant
DEFAYETTE,R.W., MCCORMICK Region 3, Ofc of the Director 88/09/12 8pp. 46956 237 46956 242

8809190239 Forwards response to NRC 880809 ltr re violations noted in Insp Rept 50-346/88-22 Encl withheld (ref 10CFR73 21)
SHELTON,D.C. Toledo Edison Co. 88/09/13. Document Control Branch (Document Control Desk) 1p. 46891 076-46891.076

8809080335 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824:336

8809270118 Forwards description of activities associated w/880702 thermal sleeve failure & subsequent insps & repairs App C attachments contain proprietary info & with held (ref 10CFR2 790)
SHELTON,D.C. Toledo Edison Co. 88/09/14 Document Control Branch (Document Control Desk) 3pp. 46969 293-46969 331

8809230279 Forwards Safety Insp Rept 50-346/88-09 on 880321-0908 No violations noted.
HARRISON,J.J. Region 3, Ofc of the Director 88/09/15 SHELTON,D. Toledo Edison Co. 2pp. 46943,237-46943 248.

-8809230280 Safety Insp Rept 50-346/88 09 on 880321-0908. No violations or deviations noted Major areas inspected, inservice Insp activities including review of program (73051), procedures (73052) & observation of work activities (73753)
WARD,K.D., DANIELSON,D.H. Region 3, Ofc of the Director 88/09/15 10pp. 46943 239 46943 248

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946,133 46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946,253 46947:013

8809260210 Responds to NRC 880804 ltr re violations noted in Insp Rept 50-346/88 15 Full compliance to be achieved by 8801104.
SHELTON,D.C. Toledo Edison Co. 88/09/19. Document Control Branch (Document Control Desk). 6pp. 46956,048-46956 053.

R. Periodic operating reports & related correspondence

8808310014 Monthly operating rept for Jul 1988 for Davis-Besse Nuclear Power Station Unit 1, W/880815 ltr
CIPRIANI,J., STORZ,L.F. Toledo Edison Co. 88/07/31. 6pp. 46782 120 46782 125

8808290275 Forwards softcover copy of plant 1987 annual environ operating rept per request Technical appendices, consisting of data tables, omitted streamline sub edition
SCOTT-WASILK,J. Toledo Edison Co. 88/09/17 Document Control Branch (Document Control Desk) 1p. 46886,053-46886 250

8809010108 Forwards "1987 Annual Environ Operating Rept," per request W/o encl
SCOTT-WASILK,J. Toledo Edison Co. 88/08/17. DAVIS,A.B. Region 3, Ofc of the Director 1p. 46739,335-46739.335.

8809060031 Forwards 1987 Annual 10CFR50 59 rept of facility changes, tests & experiments.
SHELTON,D.C. Toledo Edison Co. 88/08/25. Document Control Branch (Document Control Desk) 45pp. 46753 255-46753.289

8809260032 Monthly operating rept for Aug 1988 for Davis-Besse Nuclear Power Station, W/880915 ltr.
CIPRIANI,J., STORZ,L.F. Toledo Edison Co. 88/08/31 6pp. 46965:187-46965.192

S. Reportable occurrences, LERs & related correspondence

8808260338 LER 88-017-00 on 880719, review of roving fire watch tour documentation identified three occurrences of roving fire watches exceeding 1 h patrol interval Caused by personnel error. Tour target times established. W/880818 ltr.
GORDON,C.S., STORZ,L.F. Toledo Edison Co. 88/08/18. 3pp. 46855:222-46855 224.

8809140397 Special rept on 880722, Tech Spec 3.3.3.3 violated. Caused by accelerometers being inoperable for more than 30 days Mod 88-0060 to replace accelerometers scheduled for completion by 880915
STORZ,L.F. Toledo Edison Co. 88/08/31 DAVIS,A.B. Region 3, Ofc of the Director 1p. 46848:146-46848:146.

8809130002 LER 88-018-00 on 880809, discovered that both trains of station vent radiation monitors inoperable. Caused by inadequate procedure not directing technicians to inform supervisor of failure of high voltage board W/880908 ltr
GORDON,C.S., STORZ,L.F. Toledo Edison Co. 88/09/06. 4pp. 46830:230 46830 233.

8809190328 LER 88-019-00 on 880516, loose cable termination lugs discovered while performing maint on breaker D216 in dc low voltage switchgear MCC2 Caused by poor workmanship during initial mfg process. Defective lugs replaced. W/880914 ltr.
GORDON,C.S., STORZ,L.F. Toledo Edison Co. 88/09/14. 4pp. 46898,339-46898 342.

8809200039 LER 88-020-00 on 880726, monthly test of anticipatory reactor trip sys did not match design drawings & parts of safety features actuation sys logic had related deficiency. Caused by use of inactive logic gates W/880916 ltr
STOTZ,J., STORZ,L.F. Toledo Edison Co. 88/09/16. 7pp. 46913:307-46913:313.

DOCKETED ITEMS 131

V. Operator Examinations

8809130114 Forwards proposed operator license exam schedule format & requalification exam schedule for facility covering FY89 92, per Generic Ltr 88-13 SHELTON,D.C. Toledo Edison Co. 88/09/01. HANNON,J. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46830 227-46830 229

8809140449 Requests exemption from requalification exam due to possible overlap w/ plant startup & restart training Exemption being requested until Jan/Feb 1989 timeframe Response requested by 880816 to support scheduling of requalification training SHELTON,D.C. Toledo Edison Co. 88/09/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46846 152-46846 153.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8809010043 Provides clarification of Rev 15 to physical security plan per NRC 880708 ltr. Per Generic Ltr 87-10,util finds granting temporary access w/o requirement of verifying character refs acceptable. HAIRSTON,W.G. Alabama Power Co. 88/08/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46720.338 46720-338.

8809120109 Requests that encl transmittal be completed so that util may verify receipt of Procedures GO-EIP-101,Rev 6 & GO-EIP-137, Rev 3 HARRIS,R. Alabama Power Co. 88/08/23. Region 2, Ofc of the Director 2pp. 46824:359 46824 360.

8809070297 Confirms 880926-30 as dates for reverification insp of post-fire safe shutdown capability,per 880822 telcon List of requested mails encl. REYES,L.A. Region 2, Ofc of the Director 88/08/26. HAIRSTON,W.G. Alabama Power Co. 3pp. 46779-187-46779 189.

8809130253 Ack receipt of scope & objectives for plant radiological emergency preparedness exercise scheduled for 881102. Submittal fulfills requirements for annual onsite emergency exercise. COLLINS,D.M. Region 2, Ofc of the Director 88/08/29. HAIRSTON,W.G. Alabama Power Co. 2pp. 46830-356-46830-357.

8809150212 Rev 12 to Emergency Plan Implementing Procedure FNP-O EIP-27, "Activation of Emergency Operations Facility." W/880909 ltr HUDSPETH,J.B. Alabama Power Co. 88/09/09. 22pp. 46883.353 46884:014.

8809190198 Forwards Rev 16 to security plan Rev withheld HAIRSTON,W.G. Alabama Power Co. 88/09/16. Document Control Branch (Document Control Desk) 1p. 46899.094-46899-094

P. Operating license stage documents & correspondence

8808300076 Forwards answers to recipient 871119 ltr re operation of plant during 1982-83 NRC satisfied w/operation ZECH,L.W. Commissioners 88/02/17. SHARP,P.R. House of Rep, Energy & Commerce 11pp. 46703 243-46703-267.

8808300085 Advises that encl list of clients willing to cooperate w/NRC re investigation of plant. MILLER,J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 86/05/08. BURCH,R.H. Region 2, Ofc of the Director App. 46703-264-46703-267

8809300088 Suppls 880506 ltr re proposal of terms & conditions for employee interviews at plant for NRC investigation of allegations. MILLER,J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 86/07/10 ZECH,L.W., ASSELSTINE,J.K., BERNTHAL,F.M. Commissioners 3pp. 46703-268-46703-280

8808300090 Submits position on proposed terms & conditions re investigative interviews at plant,per 880506 & 0710 ltrs. HAYES,B. Office of Investigations 88/08/08. MILLER,J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward, App. 46703-261-46703-264.

8808300095 Discusses allegations re licensee operation of plant w/ damaged fuel in 1982-83. SHARP,P.R. House of Rep, Energy & Commerce. 87/11/19 ZECH,L.W. Commissioners. 3pp. 46703-265-46703-267

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment Svc list encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065 006

8809120091 Final response to FOIA request for documents.Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates 6pp. 46770.060-46770-089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985 AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770:211-46770-223.

8808310154 Informs of util plans to resolve Generic Ltr 87-02 & Unresolved Safety Issue A-46, "Semi-qualification of Electrical Equipment" Intends to join Semi-qualification Util Group as alternative for addressing ltr HAIRSTON,W.G. Alabama Power Co. 88/08/19. Document Control Branch (Document Control Desk). 1p. 46899.045-46899-045.

8808260113 Forwards Amends 79 & 71 to Licenses NPF-2 & NPF-8, respectively & safety evaluation.Amends change Tech Specs to delete surveillance specimen withdrawal schedule Table 4-4-5 & portion of Paragraph 4.4.10.1.2 re reactor vessel mail. REEVES,E.A. Project Directorate II-1. 88/08/22. HAIRSTON,W.G. Alabama Power Co. 3pp. 46656-290-46656 306.

8808260120 Amends 79 & 71 to Licenses NPF-2 & NPF-8, respectively, revising Tech Specs to delete surveillance specimen withdrawal schedule Table 4-4-5 & portion of Paragraph 4.4.10.1.2 re reactor vessel mail Irradiation surveillance ADENSAM,E.G. Project Directorate II-1. 88/08/22. 12pp. 46656-293-46656 304

8808260122 Safety evaluation supporting Amends 79 & 71 to Licenses NPF 2 & NPF-8, respectively * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/22 2pp. 46656.305 46656 306

8808310063 Forwards 880815 ltr to JM Moore (State of AL) re approved svc water chlorination program,covering discharges from cooling tower sys & monitoring of cooling tower blowdown HAIRSTON,W.G. Alabama Power Co. 88/08/22. Document Control Branch (Document Control Desk) 3pp. 46699.306 46699-306.

8808300010 Advises that 880531 response to Generic Ltr 88-05 assures that program in place to deal w/boric acid leakage.Agrees w/commitment to implement procedures by 881031 REEVES,E.A. Project Directorate II-1. 88/08/25. HAIRSTON,W.G. Alabama Power Co. 2pp. 46698 179-46698-180

8809190157 Forwards proposed schedules for completion of licensing items,including prioritized listing of license amend & other requests & listing of NRC related submittals HAIRSTON,W.G. Alabama Power Co. 88/09/09. Document Control Branch (Document Control Desk) 9pp. 46886-015 46886-023.

8809190158 Forwards summary of Rev 2 to second 10-yr inservice testing program for ASME Code Class 1,2 & 3 pumps & valves.Relief Request PR-18 added to permit use of digital vibration monitor.Requests that relief requests be granted by 880307. HAIRSTON,W.G. Alabama Power Co. 88/09/09. Document Control Branch (Document Control Desk). 8pp. 46893-083 46893 080.

8809190245 Clarifies 880524 response to Generic Ltr 88-03 re steam binding of auxiliary feedwater pumps to resolve Safety Issue 83 Check valves modified to preclude backleakage associated w/blinding HAIRSTON,W.G. Alabama Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46897.360-46897-360

8809230240 Informs of mods during future refueling outages to raise temp of loop seal water to allow sufficient flashing of water to steam, reducing postulated loadings on downstream piping below code values per NUREG-0737,Item IID 1. HAIRSTON,W.G. Alabama Power Co. 88/09/16. Document Control Branch (Document Control Desk). 2pp. 46944 352-46944 353.

8809230023 "JM Farley Nuclear Plant Unit 1,Cycle 9 Startup Test Repl." W/880919 ltr. HAIRSTON,W.G. Alabama Power Co. 88/08/19. 21pp. 46845.165 46845-165

Q. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants" Committee recommended forwarding ofc package to EDO following incorporation of CRGR comments. JORDAN,E.L. Committee to Review Generic Requirements 88/01/11 STELLO,V. Ofc of the Executive Director for Operations 37pp. 46874.070 46875 332.

8809160154 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85-001,in response to 871223 request ERNST,M.L. NRC - No Detailed Affiliation Given. 87/12/30. ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 880720) 3pp. 46874:111-46874 113.

8807120677 Summary of CRGR Meeting 137 on 880608 re proposed draft rule 10CFR52 concerning site permits,design certifications & combined licenses & proposed NRC bulletin regarding thermal stresses in piping.List of attendees encl JORDAN,E.L. Committee to Review Generic Requirements. 88/08/17. STELLO,V. Ofc of the Executive Director for Operations. 26pp. 46891.135 46891:261

8805310146 Requests review of draft bulletin on thermal stresses in piping connected to RCS Experience at listed plant indicates that some water-cooled reactors may not comply entirely w/ 10CFR50,App A,GDC 14. SNEIZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/05/16 JORDAN,E.L. Committee to Review Generic Requirements 20pp. 46891:247-46891-261.

8808290113 Ack receipt of 880728 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-20 & 50-364/88-20 HERDT,A.R. Region 2, Ofc of the Director. 88/08/15 HAIRSTON,W.G. Alabama Power Co. 1p. 46684.055-46684 055.

8808290097 Ack receipt of 880804 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-19 & 50-364/88-19 VERRELLI,D.M. Region 2, Ofc of the Director 88/08/16 HAIRSTON,W.G. Alabama Power Co. 1p. 46684.041-46684-041.

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 126pp. 46890-054-46890-178

8808310069 Forwards Insp Repts 50-348/88-24 & 50-364/88-24 on 880711-0810.Violation constitutes another example of violations described in Insp Repts 50-348/88-20 & 50-364/88-20.No add response required. VERRELLI,D.M. Region 2, Ofc of the Director. 88/08/19. HAIRSTON,W.G. Alabama Power Co. 2pp. 46699:027-46699 036.

8808310080 Insp Repts 50-348/88-24 & 50-364/88-24 on 880711-0810. Violations noted use of inadequate procedure to calculate RCS inventory leakage.Major areas inspected:monthly maint & surveillance observations & LERs. MILLER,W.H. , DANCE,H.C. Region 2, Ofc of the Director. 88/08/19. 8pp. 46699.028-46699 036.

132 DOCKETED ITEMS

8809010046 Forwards confirmatory measurement results to suppl Insp Repts 50-348/87-37 & 50-364/87-37. Differences noted for gross beta results, variations attributed to differences in counting methodologies & instrument calibrations. COLLINS, D.M., Region 2, Ofc of the Director 88/08/19 HAIRSTON, W.G. Alabama Power Co. 7pp. 46743.121-46743.127

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219

8808300323 Concurs w/utl 880712 submittal of detailed data re Class 1E breakers, in response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers." Submittals of such addl data for Unit 2 will not be necessary. REEVES, E.A. Project Directorate II-1. 88/08/25 HAIRSTON, W.G. Alabama Power Co. 2pp. 46691.192-46691.193

8808310116 Requests extension of response date to violations noted in 880222 0311 Insp until 881003. HAIRSTON, W.G. Alabama Power Co. 88/08/26 Document Control Branch (Document Control Desk). 1p. 46699.276-46699.276

8809070297 Confirms 880926 30 as dates for reverification Insp of post-fire safe shutdown capability, per 880822 telcon list of requested matts encl. REYES, L.A., Region 2, Ofc of the Director 88/08/26. HAIRSTON, W.G. Alabama Power Co. 3pp. 46779.187-46779.189.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217

8809060016 Forwards "Joseph Farley Units 1 & 2 Evaluation for Tube Vibration Induced Fatigue," per NRC Bulletin 88-002, No tubes in either unit potentially susceptible to rapidly propagating fatigue cracks. HAIRSTON, W.G. Alabama Power Co. 88/08/29 Document Control Branch (Document Control Desk). 3pp. 46755.050-46755.212

-8809060017 Requests withholding of proprietary info from "Joseph Farley Units 1 & 2 Evaluation for Tube Vibration Induced Fatigue," per 10CFR2.790(b)(4). WIESEMANN, R.A., Westinghouse Electric Corp. 88/08/05 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 46755.053-46755.062.

-8809060018 "Joseph Farley Unit 1 & 2 Evaluation for Tube Vibration Induced Fatigue." CONNORS, H.J., FRICK, T.M., HALL, J.M., Westinghouse Electric Corp. WCAP-11878. 88/07/31. 150pp. 46755.063-46755.212.

8809130224 Ack receipt of 880815 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-348/88-23 & 50-364/88-23. VERRELLI, D.M., Region 2, Ofc of the Director. 88/08/29. HAIRSTON, W.G. Alabama Power Co. 1p. 46830.061-46830.061.

8809060374 Advises that info provided being used to determine extent of industry participation & implementation of erosion/corrosion Insp programs & to obtain data on observed pipe wall thinning. REEVES, E.A. Project Directorate II-1. 88/08/31. HAIRSTON, W.G. Alabama Power Co. 2pp. 46758.212-46758.213.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809140297 Responds to NRC Bulletin 88-005, providing safety-related & nonsafety-related applications list of West Jersey Mfg Co & Piping Supplies, Inc matts. HAIRSTON, W.G. Alabama Power Co. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46838.181-46838.184

8809200023 Forwards app to SALP Repts 50-348/88-04 & 50-364/88-04, forwarded on 880608 Util 880802 written comments evaluated & discussed, per 880707 meeting. GRACE, J.N., Region 2, Ofc of the Director. 88/09/07. HAIRSTON, W.G. Alabama Power Co. 2pp. 46912.263-46912.303

-8809200192 App to SALP Repts 50-348/88-04 & 50-364/88-04, Viewgraphs encl. * Region 2, Ofc of the Director. 88/08/26. 35pp. 46912.285-46912.303

8809190190 Informs that util does not possess or utilize Spec 2-T radiographic device, per NRC Bulletin 88-006. HAIRSTON, W.G. Alabama Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46909.017-46909.017.

8809190229 Requests granting of two addl relief requests involving rev of technical requirements for hydrostatic test pressure by 880307. Required fees for review of inservice Insp program submitted by ltr dtd 870527. HAIRSTON, W.G. Alabama Power Co. 88/09/09. Document Control Branch (Document Control Desk). 28pp. 46895.223-46895.250

8809130083 Ack receipt of util 880624 response to violations noted in Insp Repts 50-348/88-10 & 50-364/88-10. Util action should correct self absorption problem. No further corrective actions necessary. Technical assessment encl. STORR, J.P., Region 2, Ofc of the Director. 88/09/10. HAIRSTON, W.G. Alabama Power Co. 6pp. 46834.111-46834.116.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.216-46824.338

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013

R. Periodic operating reports & related correspondence

8809010321 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880824 ltr. HAIRSTON, W.G. Alabama Power Co. 88/08/30. 119pp. 46721.067-46721.185.

8809220055 Monthly operating rept for Aug 1988 for Joseph M Farley Nuclear Plant Unit 1 W/880912 ltr. MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 88/09/31. 5pp. 46928.101-46928.105

V. Operator Examinations

8809070388 Forwards estimate of need for operator licensing exams for FY89-92, per Generic Ltr 88-13 & request for requalification schedule. HAIRSTON, W.G. Alabama Power Co. 88/09/01. Document Control Branch (Document Control Desk). 3pp. 46773.129-46773.131

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809140232 Forwards public version of revised emergency plan implementing procedures, including Rev 13 to EP-102, "Unusual Event Response," Rev 18 to EP-103, "Alert Response" & Rev 15 to EP-104, "Site Emergency Response." GALLAGHER, J.W., Philadelphia Electric Co. 88/08/03. Document Control Branch (Document Control Desk). 4pp. 46844.185-46844.298

-8809140238 Public version of revised emergency plan implementing procedures, including Rev 13 to EP-102, "Unusual Event Response," Rev 18 to EP-103, "Alert Response" & Rev 15 to EP-104, "Site Emergency Response." * Philadelphia Electric Co. 88/08/03. 109pp. 46844.189-46844.298.

8808280074 Forwards errata to SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988, per 880727 meeting at plant. Overall assessment confirmed strong orientation toward safe plant operation. List of attendees & slides used at meeting also encl. RUSSELL, W.T., Region 1, Ofc of the Director. 88/08/10. MCNEILL, C.A. Philadelphia Electric Co. 8pp. 46870.089-46870.127.

8809180368 Informs that plant-specific emergency operating procedures will be provided by 880930, per WT Russell 880802 request. FOGARTY, E.P. Philadelphia Electric Co. 88/09/12. GALLO, R.M. Region 1, Ofc of the Director. 1p. 46898.039-46898.039

G. Adjudicatory correspondence

8809020060 Order.* Advises that time in which Commission may act to review ALAB-897 extended until 880923. Served on 880829. CHILK, S.J. Office of the Secretary of the Commission. #388 6981. 88/08/29. Commissioners. 1p. 46866.275-46866.275

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.008.

8809150174 Forwards application for amend to License NPF-39, changing surveillance requirements for emergency diesel generators, per Generic Ltr 84-15. BRADLEY, E.J. Philadelphia Electric Co. 88/09/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46855.215-46855.282.

-8809150178 Application for amend to License NPF-39, changing Tech Specs re surveillance testing of diesel generators. BRADLEY, E.J. Philadelphia Electric Co. 88/09/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 54pp. 46855.216-46855.269.

-8809150180 Proposed Tech Specs changing surveillance testing of diesel generators. * Philadelphia Electric Co. 88/09/09. 13pp. 46855.270-46855.282.

8809200050 Forwards application for amend to License NPF-39, increasing min spray pond water level to reflect spray pond vol requirements. Fee paid. BRADLEY, E.J. Philadelphia Electric Co. 88/09/14. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46911.021-46911.030.

-8809200056 Application for amend to License NPF-39, revising Tech Specs to increase min spray pond water level to reflect spray pond vol requirements. GALLAGHER, J.W. Philadelphia Electric Co. 88/09/07. 7pp. 46911.022-46911.028.

-8809200064 Proposed Tech Spec Page 3/4 7-5 reflecting increased min spray pond water level consistent w/spray pond vol requirements. * Philadelphia Electric Co. 88/09/07. 2pp. 46911.029-46911.030.

Q. Inspection reports, IE Bulletins & correspondence

8809280074 Forwards errata to SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988, per 880727 meeting at plant Overall assessment confirmed strong orientation toward safe plant operation. List of attendees & slides used at meeting also encl. RUSSELL, W.T. Region 1, Ofc of the Director 88/08/10. MCNEILL, C.A. Philadelphia Electric Co. 8pp. 46670 069-46670.127.

8809280078 Errata to SALP Rept 50-352/87-99.
* Region 1, Ofc of the Director. 88/08/10. 1p. 46670 127-46670 127

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690-178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808160369 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8808010377 Forwards Safety Insp Rept 50-352/88-17 on 880706-0814. No violations noted.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/08/26. MCNEILL, C.A. Philadelphia Electric Co. 2pp. 46721.256-46721.305.

8809010379 Insp Rept 50-352/88-17 on 880706 0814. No violations noted. Major areas inspected: plant tours, maint & surveillance observations & review of periodic repts, LERs & operational events.
WILLIAMS, J.H., LINVILLE, J. Region 1, Ofc of the Director. 88/08/24. 48pp. 46721.258 46721 305.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095 46713.217

8809070510 Forwards Rev 1 to "Semiannual Effluent Release Rept 7." Rev consists of revised pages to correct compilation errors in reporting total Cl released of tritium & Xe-135 through gaseous pathways, as addressed in Insp Rept 50-352/88-04.
ALDEN, W.M. Philadelphia Electric Co. 88/08/30. RUSSELL, W.T. Document Control Branch (Document Control Desk). 1p. 46781.284-46781.286.

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809160245 Informs that 880408 response to NRC Bulletin 88-001, Multipoint Action B-100, "Defects in Westinghouse Circuit Breakers," satisfactory & no further reply necessary.
CLARK, R. Project Directorate I-2. 88/09/09 ALDEN, W.M. Philadelphia Electric Co 3pp. 46897.179-46897-181.

8809150002 Responds to IE Bulletin 88-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings."
KOWALSKI, S.J. Philadelphia Electric Co. 88/09/12. WENZINGER, E.C. Region 1, Ofc of the Director. 2pp. 46848-300-46848.301.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824-215-46824.336.

8809180207 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." All reactor operators & shift technical advisors thoroughly briefed on event described in bulletin.
GALLAGHER, J.W. Philadelphia Electric Co. 88/09/15. ROSSI, C.E. Document Control Branch (Document Control Desk). 10pp. 46899.075-46899 084.

8809220112 Forwards complete response to NRC Bulletin 88-005 & Suppls 1 & 2, "Nonconforming Mail Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ."
GALLAGHER, J.W. Philadelphia Electric Co. 88/09/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 27pp. 46927.034-46927.060.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946:252.

8809210192 Forwards response to Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." BWR designs of plants do not contain unisolable sections of piping subj to thermal cycling fatigue from cold water leaks into RCS.
GALLAGHER, J.W. Philadelphia Electric Co. 88/09/16. Document Control Branch (Document Control Desk). ROSSI, C.E. NRC - No Detailed Affiliation Given. 6pp. 46920-265-46920:270.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946:253-46947:013.

R. Periodic operating reports & related correspondence

8809060055 "Semiannual Effluent Release Rept 8 for Jan June 1988." W/880829 ltr MCCORMICK, M.J., LEITCH, G.M. Philadelphia Electric Co. 88/08/30. RUSSELL, W.T. Region 1, Ofc of the Director. 99pp. 46747 314-46748 051.

8809010178 Monthly operating rept for Jul 1988 for Limerick Unit 1 W/ 880811 ltr. GROPP, R.W., LEITCH, G.M. Philadelphia Electric Co. 88/07/31. 6pp. 46744.063-46744 088

8809060023 Forwards "Annual Plant Mod Rept, Jul 1987 - June 1988," per 10CFR50.59
LEITCH, G.M. Philadelphia Electric Co. 88/08/29. RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 46757 036 46757-153.

8809060028 "Annual Plant Mod Rept, Jul 1987 - June 1988."
* Philadelphia Electric Co. 88/08/30. 100pp. 46757-037-46757.153

8809070518 Forwards Rev 1 to "Semiannual Effluent Release Rept 7." Rev consists of revised pages to correct compilation errors in reporting total Cl released of tritium & Xe-135 through gaseous pathways, as addressed in Insp Rept 50-352/88-04.
ALDEN, W.M. Philadelphia Electric Co. 88/08/30. RUSSELL, W.T. Document Control Branch (Document Control Desk). 1p. 46781.294-46781.298.

8809080001 Rev 1 to "Semiannual Effluent Release Rept 7, Jul Dec 1987."
* Philadelphia Electric Co. 87/12/31. 4pp. 46781.295-46781 298.

8809200184 Monthly operating rept for Aug 1988 for Limerick Unit 1. W/880915 ltr. MURPHY, J.J., LEITCH, G.M. Philadelphia Electric Co. 88/08/31. 6pp. 46900 278-46900 284

S. Reportable occurrences, LERs & related correspondence

8808260001 LER 88-027-00 on 880721, control room ventilation sys isolated on Channel D high chlorine concentration signal during heavy rain storm. Caused by rainwater in contact w/ chlorine analyzer probe. Mod implemented W/880816 ltr.
MENGERS, C.A., MCCORMICK, M.J. Philadelphia Electric Co. 88/08/18. 5pp. 46669.194-46669:198

8808310035 LER 88-024-01 on 880823, failure to stroke test valve following maint resulted in failure to take Tech Spec action statement. Caused by personnel error. Individuals counseled about importance of post-work testing W/880823 ltr.
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/08/23. 6pp. 46786.320-46786.326.

8808300318 PNO-I-88-088 on 880825, FBI confiscated licensed reactor operator vehicle due to alleged drug distribution. Operator unescorted access withdrawn & resident inspector informed. Region I prepared to respond to media inquiries.
LINVILLE, J. Region 1, Ofc of the Director. 88/08/25. 1p. 46777.094-46777.094.

8809080112 Special rept. on 880817, primary & secondary meteorological towers declared inoperable. Caused by towers being struck by lightning during thunderstorm. Tower sensors returned to svc on 880823 & air temp difference sensors being replaced.
MCCORMICK, M.J. Philadelphia Electric Co. 88/09/01. RUSSELL, W.T. Region 1, Ofc of the Director. 4pp. 46801.018 46801.021.

8809130260 LER 88-020-01 on 880521, Channel B reactor encl secondary containment isolation occurred. Caused by fatigue of tubing. Severed instrument air line tubing repaired. W/880901 ltr.
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/09/01. 4pp. 46833-346 46833-349.

8809140378 LER 88-028-00 on 880817, main control room ventilation sys isolated on Channel D high chlorine room emergency fresh air supply sys. Caused by rainwater coming in contact w/ chlorine analyzer probe during thunderstorms. W/880908 ltr.
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/09/06. 5pp. 46839 225-46839-228.

8809200093 LER 87-068-01 on 871230, Tech Spec 3.3.7.12 violated. Caused by radiation monitor sampling sys for hot maint found out of svc due to inadequate training & equipment failure. Pressure switch replaced & tested satisfactorily. W/880915 ltr.
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/09/15. 6pp. 46918-042-46918-047.

V. Operator Examinations

8809130138 Forwards proposed operator licensing exam schedule format, per Generic Ltr 88-13.
GALLAGHER, J.W. Philadelphia Electric Co. 88/08/31. HANNON, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46830:221-46830.225

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2**A. Application/construction stage documents & correspondence**

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065.008.

8808290274 Forwards turbine sys maint program for NRC approval. Util plans to implement turbine sys maint program which requires Insp of low pressure turbine rotors for unit over six operating-yr interval during scheduled outages.
KEMPER, J.S. Philadelphia Electric Co. 88/08/19. MURLEY, J.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp. 46677:300-46677:314.

134 DOCKETED ITEMS

8809140189 Submits followup to author 880411 & 0506 ltr re util plans for self assessment activities at facility Util presently implementing end readiness verification program
KEMPER,J.S. Philadelphia Electric Co 88/09/14. RUSSELL,W.T. Region 1, Ofc of the Director 2pp. 46844-085-46844 127.

--**8809140192** Rev 0 to "Readiness Verification Program (RVP) Description"
HELWIG,D.R. Philadelphia Electric Co 88/08/29 41pp 46844 087 46844 127.

F. Security, medical, emergency & fire protection plans

8809140232 Forwards public version of revised emergency plan implementing procedures,including Rev 13 to EP-102, "Unusual Event Response," Rev 16 to EP-103, "Alert Response" & Rev 15 to EP-104, "Site Emergency Response"
GALLAGHER,J.W. Philadelphia Electric Co 88/08/03 Document Control Branch (Document Control Desk). 4pp 46844 185-46844 298

--**8809140236** Public version of revised emergency plan implementing procedures,including Rev 13 to EP-102, "Unusual Event Response," Rev 16 to EP-103, "Alert Response" & Rev 15 to EP-104, "Site Emergency Response"
* Philadelphia Electric Co 88/08/03 109pp 46844.185-46844 298

G. Inspection reports, IE Bulletins & correspondence

8808260095 Advises of intent to comply w/Section 4.2.4.3 of SER (NUREG 0991) by using GE post irradiation fuel surveillance program.
KEMPER,J.S. Philadelphia Electric Co. 88/08/16 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46653 229 46653 230

8808290066 Forwards Safety Insp Rept 50-353/88-18 on 880627 0807 No violations noted
WENZINGER,E.C. Region 1, Ofc of the Director 88/08/18 MCNEILL,C.A. Philadelphia Electric Co. 2pp 46580 182-46580 195.

--**8808290068** Insp Rept 50-353/88-18 on 880627 0807 No violations noted Major areas inspected,work activities,procedures & records re Tech Spec review,engineering,plant water spills & assurance of quality & plant insp tours
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 88/08/17. 12pp 46660:104-46660,195.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690.054-46690 178

8808160461 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc 122pp 46713.218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/28. Consolidated Edison Co. of New York, Inc 123pp. 46713 095 46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc 121pp 46712 244 46713.004.

8808300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc 122pp 46726.001-46726 123.

8809130065 Forwards Safety Insp Rept 50 353/88-19 on 880808-12 No violations noted
JOHNSTON,W.V. Region 1, Ofc of the Director 88/09/07 MCNEILL,C.A. Philadelphia Electric Co. 2pp 46828 282-46828.300.

--**8809130067** Insp Rept 50-353/88-19 on 880808-12.No violations noted. Major areas inspected,proservice insp activities to ascertain whether licensee activities conducted in compliance w/applicable ASME Code.
MCBREARTY,R.A., STROSNIDER,J.R. Region 1, Ofc of the Director 88/09/02. 7pp. 46828-294-46828:300

8809160245 Informs that 880408 response to NRC Bulletin 88-001, Multiplant Action B 100, "Defects in Westinghouse Circuit Breakers," satisfactory & no further reply necessary.
CLARK,R. Project Directorate I-2 88/09/09. ALDEN,W.M. Philadelphia Electric Co 3pp. 46897:179 46897:181.

8809150002 Responds to IE Bulletin 85-003, "Motor Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings"
KOWALSKI,S.J. Philadelphia Electric Co. 88/09/12 WENZINGER,E.C. Region 1, Ofc of the Director. 2pp 46846.300-46846:301.

8809060339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824-336.

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co. of New York, Inc 124pp. 46946:133-46946 252

8809210192 Forwards response to Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" BWR designs of plants do not contain unisolable sections of piping subj to thermal cycling fatigue from cold water leaks into RCS
GALLAGHER,J.W. Philadelphia Electric Co 88/09/16 Document Control Branch (Document Control Desk) 6pp 46920 265 46920 270

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946 253-46947 013.

B. Reportable occurrences, LERs & related correspondence

8808310049 Final Significant Deficiency Rept 238 2 re use of 600 volt Type THHN,THWN or THW wire in 120 volt ac convenience receptacles & lighting circuits for control panels initially reported on 880729.Panels,load ctrs & switchgear inspected
KOWALSKI,S.J. Philadelphia Electric Co 88/08/25. RUSSELL,W.T. NRC - No Detailed Affiliation Given 8pp 46725 350 46725 357

8809080112 Special rept on 880817,primary & secondary meteorological towers declared inoperable Caused by towers being struck by lightning during thunderstorm Tower sensors returned to svc on 880823 & air temp difference sensors being replaced
MCCORMICK,M.J. Philadelphia Electric Co 88/09/01 RUSSELL,W.T. Region 1, Ofc of the Director 4pp 46801 018-46801 021

V. Operator Examinations

8809130138 Forwards proposed operator licensing exam schedule format, per Genenc Ltr 88-13
GALLAGHER,J.W. Philadelphia Electric Co 88/08/31 HANNON,J. Office of Nuclear Reactor Regulation, Director (Post 870411) 5pp 46830 221-46830.225.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809090137 Forwards FEMA 880729 ltr & "FEMA Evaluation Rept of Alert & Notification Sys for Artificial Island Nuclear Generating Stations," stating that sys meets NUREG-0854/FEMA-REP-1,Rev 1 & FEMA REP-10 requirements Caveat of 44CFR350 removed
BELLAMY,R.R. Region 1, Ofc of the Director 88/08/30. MILTENBERGER,S. Public Service Electric & Gas Co of New Jersey 2pp. 46807 043-46807:321

8809260235 Rev 5 to Emergency Plan Implementing Procedure EPIP 302H, "Technical Support Cir-Radiation Protection/Chemistry Response." W/revised table of contents
* Public Service Electric & Gas Co. of New Jersey 88/09/02 65pp 46918.111 46918.175.

8809230209 Revised emergency plan implementing procedures,including Rev 5 to EPIP 901, "Opening of Technical Support Cir," Rev 3 to EPIP 902, "Accountability/Evacuation" & Rev 2 to EPIP 903, "Opening of Emergency Operations Facility/Emergency..."
* Public Service Electric & Gas Co. of New Jersey. 88/09/02. 38pp 46942.089-46942 128.

8809260153 Rev 17 to Emergency Plan Implementing Procedure HCGS-ECG-TOC, "Event Classification Guide"
FANCETT,D. Public Service Electric & Gas Co. of New Jersey. 88/09/02. 100pp 46946.001-46946:128.

8809260224 Rev 5 to Emergency Operations Facility Procedure EPIP 602, "Radiolocated Dose Assessment" & Rev 5 to EPIP 603, "Field Monitoring"
* Public Service Electric & Gas Co. of New Jersey. 88/09/14 119pp 46908:198-46908:316

H. General correspondence

8809070559 Comment opposing proposed rule 10CFR50 re licensee flexibility during nail crisis Deferral of issuance of final rule until proper implementation guidance formulated encouraged
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey 88/08/17 CHILKS,J. Office of the Secretary of the Commission 3pp 46713 344-46713:346

8809260242 Submits listed svc list revs to util to incorporate changes in mgt organization Marked copy of each svc list encl
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey 88/09/14 Document Control Branch (Document Control Desk). 5pp 46956 153-46956.157

P. Operating license stage documents & correspondence

8808120284 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 008

8808290258 Forwards request for addl info re 880227 request for exemptions to allow util to take credit for respirators fitted w/sorbent cartridges for protection against airborne radionuclide Response requested within 30 days
RIVENBARK,G. Project Directorate I-2. 88/08/25. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp 46677.315-46677:318.

8809070191 Forwards Amend 18 to License NPF-57 & safety evaluation. Amend modifies Tech Spec rod block monitor (RBM) surveillance requirements to change time when performance of RBM channel functional tests required.
RIVENBARK,G. Project Directorate I-2 88/08/29. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46775 008 46775 023.

--8809070201 Amend 18 to License NPF-57, modifying Tech Spec rod block monitor (RBM) surveillance requirements to change time when RBM channel functional tests to demonstrate operability of RBM channels required to be performed
BUTLER, W R Project Directorate I-2 88/08/29 10pp 46775 011-46775 020

--8809070204 Safety evaluation supporting Amend 18 to License NPF-57
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/29 3pp 46775.021-46775 023

8809070221 Forwards "Semiannual Radioactive Effluent Release Rept HCGS RERR-5 for Jan-June 1988" & Rev 9 to "Offsite Dose Calculation Manual (ODCM)" Summary of changes to ODCM & rationale encl
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey, 88/08/31, Document Control Branch (Document Control Desk) 4pp 46779.001-46779 142

--8809070230 Rev 9 to "Offsite Dose Calculation Manual"
* Public Service Electric & Gas Co. of New Jersey 88/08/08, 93pp 46779 050-46779 142

8809190282 Lists personnel authorized as representatives to sign all State of NJ PDES-related correspondence & repts
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey, 88/09/12
CAPORALE, G. New Jersey, State of 1p, 46898 331-46898 331

8809270037 Submits comments on packaging & transportation of radioactive mail. Need to conform to IAEA stds not justified based on arguments presented
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey, 88/09/16, Document Control Branch (Document Control Desk) 2pp 46987 342 46987 343

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19
Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22
Consolidated Edison Co. of New York, Inc. 121pp, 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp, 46713.218-46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29
Consolidated Edison Co. of New York, Inc. 123pp, 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp, 46712.244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp, 46726.001-46726 123.

8809190272 Responds to NRC Bulletin 88-006 re potentially nonconforming mats supplied by Piping Supplies, Inc. & West Jersey Mig Co. Util identified 2,692 flanges/fittings as being received from companies.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 88/09/12, Document Control Branch (Document Control Desk) 5pp, 46898.012-46898 016

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/14
Consolidated Edison Co. of New York, Inc. 122pp 46824.215 46824.336.

8809200256 Forwards owners data repts for inservice Insp, repairs & replacements & Vol 1 to "1988 Inservice Exam of Selected Class 1 & Class 2 Piping & Components at Hope Creek Generating Station."
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey, 88/09/14 Document Control Branch (Document Control Desk) 580pp, 46901.200 46905.191.

--8809200262 "1988 Inservice Exam of Selected Class 1 & Class 2 Piping & Components at Hope Creek Generating Station," Vol 1 final rept w/apps.
FIEGE, E.J., ROSOW, D.F. Southwest Research Institute, 88/05/31, 270pp 46904.160-46905.191

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/16
Consolidated Edison Co. of New York, Inc. 124pp 46946.133-46946 252

8809220020 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." Operating procedures, training programs & installed instrumentation sys adequate for use of operating personnel for prevention of power oscillations.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey, 88/09/16, Document Control Branch (Document Control Desk), 4pp, 46927.101-46927.104.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/19
Consolidated Edison Co. of New York, Inc. 125pp, 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809070221 Forwards "Semiannual Radioactive Effluent Release Rept HCGS RERR-5 for Jan-June 1988" & Rev 9 to "Offsite Dose Calculation Manual (ODCM)" Summary of changes to ODCM & rationale encl.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey, 88/08/31, Document Control Branch (Document Control Desk), 4pp, 46779 001-46779 142.

--8809070225 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988"
* Public Service Electric & Gas Co. of New Jersey RERR 5 88/06/30 49pp, 46779.005-46779 049

--8809070230 Rev 9 to "Offsite Dose Calculation Manual"
* Public Service Electric & Gas Co. of New Jersey 88/06/08 93pp 46779 050-46779 142

S. Reportable occurrences, LERs & related correspondence

8808260099 LER 88 019 00 on 880728, Channel C ECCS Level 1 actuation occurred during functional testing of reactor vessel level channel causing actuation of emergency diesel generator & LOCA sequencer Caused by procedural deficiency. W/880818 ltr
MERRELL, A., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey, 88/08/19 5pp 46656 050 46656 054

8809010080 Special Rept 88 003 00 on 880714, core spray seismic monitor declared inoperable after failing functional test. Caused by sticking of longitudinal & transverse accelerometers of monitor. Monitor to be replaced.
LABRUNA, S. Public Service Electric & Gas Co. of New Jersey 88/08/24, Document Control Branch (Document Control Desk) 1p, 46744 085-46744 085

8809060251 LER 88 021-00 on 880728, cracks discovered in ductwork of filtration, recirculation & ventilation sys D Caused by design deficiency Stiffeners & support added to flow straighteners. W/880829 ltr
MERRELL, A., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 88/08/29, 5pp, 46751.219 46751.223

8809060300 LER 88 020 00 on 880728, access doors to high radiation areas found unlocked due to personnel errors Verified other doors locked, reinforcement counselling & possible elimination of lock open capability reviewed W/880829 ltr.
MERRELL, A., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey, 88/08/29 5pp, 46755 040 46755 044

8809140246 Special Rept 88 005 01 on 880714, core spray sys seismic monitor declared inoperable after failing semiannual channel functional test. Inoperable monitor scheduled for replacement during next plant outage requiring access to drywell
HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey 88/09/02 Document Control Branch (Document Control Desk), 2pp, 46836.060-46836 061.

8809160274 LER 88-049 01 on 870409, primary containment penetration failed local leak rate test w/leakage rate in excess of 100,000 SCCM. Caused by seat leakage & packing leaks on two valves associated w/penetration. Event reviewed. W/880907 ltr.
COWLES, R., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey, 88/09/07, 6pp, 46897.159-46897.164

DOCKET 50-358 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F.J., Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp, 47065.001-47065 008.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19
Consolidated Edison Co. of New York, Inc. 125pp 46690 054 46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22
Consolidated Edison Co. of New York, Inc. 121pp, 46702.311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp, 46713.218 46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp, 46713.095-46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/01
Consolidated Edison Co. of New York, Inc. 121pp 46712.244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp, 46726.001-46726 123.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp, 46824.215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16
Consolidated Edison Co. of New York, Inc. 124pp, 46946.133-46946 252

136 DOCKETED ITEMS

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc 125pp 46946 253 46947 013.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808290099 Rev 2 02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3"
BASKIN,K P Southern California Edison Co * San Diego Gas & Electric Co * Anaheim, CA 88/07/22 200pp 46668 014-46668 282

8808290172 Vols 1 & 2 to "Final Rept for Fire Area Boundary Penetration Seal Evaluation Program"
* Bechtel Power Corp 88/07/31 800pp 46673-299 46676 004

8808290237 Forwards Insp Repts 50-206/88-16,50 361/88 15 & 50 362/88 16 on 880522-0702 & notices of violation & deviation
MARTIN,J B Region 5, Ofc of the Director 88/08/12 BASKIN,K P, Southern California Edison Co 3pp 46686 280 46686 312

--8808290249 Insp Repts 50-206/88-16,50 361/88-15 & 50 362/88-16 on 880522-0702 No violations noted Major areas inspected operational safety verification, radiological protection, security, evaluation of plant tps & events
HUEY,F R, JOHNSON,A D, JOHNSON,P H Region 5, Ofc of the Director 88/08/12, 27pp 46686 286-46686 312

8809010016 Forwards Rev 2 02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3"
MEDFORD,M O Southern California Edison Co 88/08/22 Document Control Branch (Document Control Desk) 5pp 46719-110 46720 018

8808310177 Forwards Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively Amends change License Condition 2 E to increase size of vital area boundary in physical security plan.
HICKMAN,D E Project Directorate V 88/08/25 BASKIN,D P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co 5pp 46727.001-46727 009

--8808310191 Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively, increasing size of vital area boundary in physical security plan.
KNIGHTON,G W Project Directorate V, 88/08/25 4pp. 46727 006 46727 009

8809010376 Responds to open items identified in Rev 1 to SER submitted on 880629 re evaluation of updated fire hazards analysis Final rept documenting util fire area boundary penetration seal evaluation program encl
MEDFORD,M O Southern California Edison Co 88/08/25 Document Control Branch (Document Control Desk) 31pp 46720 196 46720 226

8809060063 Forwards Rev 19A to physical security plan Rev withheld (ref 10CFR73 21)
MORGAN,H E Southern California Edison Co 88/08/25, Document Control Branch (Document Control Desk) 1p 46793 359-46793 359

8809140217 Submits 14 day rept re failure to meet App R requirements, due to installation of inappropriate fuses adversely safe shutdown capability. Electrical setpoint list, drawing changes & training program mods will be completed by 881215
MORGAN,H E Southern California Edison Co 88/09/01, MARTIN,J B Region 5, Ofc of the Director 3pp. 46839 267-46839 269

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities W/o encl.
BASKIN,K P Southern California Edison Co 88/09/02 Document Control Branch (Document Control Desk) 12pp 46772 143-46772 164.

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities
BASKIN,K P Southern California Edison Co 88/09/02, Document Control Branch (Document Control Desk) 12pp 46934 172-46941 028.

--8809230286 Rev 4 to updated fire hazards analysis for San Onofre Units 1,2 & 3
* Southern California Edison Co. 88/08/31 2,000pp 46934-185-46941 028.

8809130131 Revised emergency plan implementing procedures, including Technical Change Notice 2-7 to Rev 5 to EPIP S0123 VIII 0 301, "Offsite/Onsite Communication Tests" & Rev 11 to EPIP S0123-VIII-0.9 W/880902 ltr.
WHARTON,M A Southern California Edison Co. 88/09/02 129pp 46828:314-46829 082

8809150023 Forwards Amend 108 to Provisional License DPR-13 & safety evaluation Amend modifies Paragraph 3 G of license to require compliance w/amended physical security plan
TRAMMELL,C M, Project Directorate V 88/09/06 BASKIN,K P, Southern California Edison Co 4pp 46856 001-46856 009

--8809150027 Safeguards evaluation rept supporting amended physical security plan, per 10CFR73 55
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06, 3pp. 46856.007-46856 009.

8809150029 Forwards Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively & safety evaluation Amends modify Paragraph 2 2 to require compliance w/amended physical security plan
HICKMAN,D E Project Directorate V, 88/09/06 BASKIN,K P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co 5pp 46849-326-46849,337.

--8809150032 Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively, changing Tech Specs re physical security plan
KNIGHTON,G W, Project Directorate V, 88/09/06 4pp. 46849-331-46849,334.

--8809150033 Safety evaluation supporting Amends 67 & 57 to Licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06, 3pp. 46849:335-46849,337

P. Operating license stage documents & correspondence

8808310199 Forwards Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively, safety evaluation, notice of issuance, environ assessment & notice of partial denial of amends Amends revise listed Tech Specs, including Tech Spec 3,1 3 6
HICKMAN,D E Project Directorate V, 88/08/03 BASKIN,K P, Southern California Edison Co COTTON,G D San Diego Gas & Electric Co 5pp 46726 133-46726,187

--8808310208 Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively, revising Tech Specs, including Tech Spec 3 1 3 6 re regulating control element assembly insertion limits
KNIGHTON,G W Project Directorate V 88/08/03, 34pp 46726 138-46726,171

--8808310224 Safety evaluation supporting Amends 64 & 53 to Licenses NPF 10 & NPF-15, respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/03, 7pp 46726 172-46726,178

--8808310225 Environ assessment & finding of no significant impact re amends to Licenses NPF-10 & NPF-15, incorporating proposed changes to listed Tech Specs, including Tech Spec 3/4 1 3.6, "Regulating Control Element Assembly Insertion Limits"
KNIGHTON,G W Project Directorate V 88/07/29 4pp 46726 179 46726 182.

--8808310226 Notice of issuance of Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively Amends revise listed Tech Specs, including 3/4.1 3 6, "Regulating Control Element Assembly Insertion Limits"
HICKMAN,D E Project Directorate V 88/08/03, 2pp 46726,183 46726 184

--8808310228 Notice of partial denial of amends to Licenses NPF-10 & NPF-15 & opportunity for hearing No justification given to deviate from Tech Spec Surveillance Requirement 4 3.3.2(a) re incore detection sys operability.
HICKMAN,D E Project Directorate V 88/08/03 3pp 46726 185-46726 187

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA,F J Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co of New York, Inc 41pp 47065 001-47065 008

8809090044 Partial response to FOIA request for documents Forwards App C document Documents available in PDF
GRIMSLEY,D H Office of Administration & Resources Management, Director (Post 870413) 88/08/15 WEISSMAN,S, California, State of, 2pp. 46769.005-46769 006

--8802120089 Board Notification 82 04 forwarding info re pressurized thermal shock
EISENHUT,D G Division of Licensing (800428-051124) 82/01/20 PALLADINO,N, AHEARNE, ROBERTS Commissioners, 2pp 46769,007-46769 018.

8808310177 Forwards Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively Amends change License Condition 2 E to increase size of vital area boundary in physical security plan.
HICKMAN,D E Project Directorate V, 88/08/25 BASKIN,D P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co. 5pp 46727 001-46727,009

--8808310191 Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively, increasing size of vital area boundary in physical security plan.
KNIGHTON,G W Project Directorate V, 88/08/25, 4pp. 46727 006 46727 009

8809010345 Forwards request for addl info re implementation of 10CFR60 62 Response requested within 60 days of ltr date.
HICKMAN,D E, Project Directorate V, 88/08/25, BASKIN,K P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co. 9pp 46743 209-46743-217.

8809060122 Advises that util 880531 response to Generic Ltr 88 05, "Boyle Acid Corrosion of Carbon Steel Reactor Boundary Components In BWR Plants," provided assurance that program is in place
HICKMAN,D E Project Directorate V, 88/08/25, BASKIN,K P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co. 4pp. 46747-251-46747 254

8809070068 Summary of 880603 meeting w/licensee, Westinghouse, city of Riverside, Bechtel & subcontractors re plans to rerack spent fuel pools at facilities Agenda & viewgraphs encl
HICKMAN,D E Project Directorate V, 88/08/25, Project Directorate V, 82pp 46779,255-46779-346

8809060131 Advises that 880513 response to Generic Ltr 88 03, "Steam Blinding of Auxiliary Feedwater Pumps" satisfactory & no further action necessary.
HICKMAN,D E Project Directorate V, 88/08/26, BASKIN,K P, Southern California Edison Co COTTON,G D San Diego Gas & Electric Co. 3pp. 46757:354-46757,358

8809150090 Forwards notice of consideration of issuance of amends to Licenses NPF 10 & NPF-15 & opportunity for hearing re 880508 request to revise listed Tech Specs.
HICKMAN,D E Project Directorate V, 88/08/30, BASKIN,K P, Southern California Edison Co. COTTON,G D San Diego Gas & Electric Co. 4pp. 46864:126-46864:139

--8809150093 Notice of consideration of issuance of amend to Licenses NPF-10 & NPF-15 & proposed NSHC determination & opportunity for hearing Amends revise listed Tech Spec sections, including remote shutdown monitoring instrumentation.
ROOD,H, Project Directorate V 88/08/30, 10pp. 46864:130 46864:139.

8809070433 Forwards application for amends to Licenses NPF-10 & NPF-15, consisting of Amend Applications 40 & 26, incorporating Proposed Change PCN-245 by revising Tech Spec 3/4.3.2, "ESF Actuation Sys Instrumentation" & Tech Spec 3/4.3 3 1, BASKIN,K P, Southern California Edison Co, 88/09/01, Document Control Branch (Document Control Desk), 1p. 46773,197-46773:228

--8809070451 Application for amends to Licenses NPF-10 & NPF-15, consisting of Amend Applications 40 & 26, incorporating Proposed Changes NPF-10-245 & NPF-15 245 by revising Tech Spec 3/4.3.2, "ESF Actuation Sys Instrumentation."
BASKIN,K P, Southern California Edison Co 88/09/01, 7pp 46773:198-46773,204

--8809070453 Proposed Tech Specs 3/4.3.2, "ESF Actuation Sys Instrumentation" & 3/4.3.3.1, "Radiation Monitoring Instrumentation,"
* Southern California Edison Co, 88/09/01, 24pp. 46773:205-46773:228.

DOCKETED ITEMS 137

8809150023 Forwards Amend 108 to Provisional License DPR-13 & safety evaluation Amend modifies Paragraph 3 G of license to require compliance w/amended physical security plan
TRAMMELL,C.M. Project Directorate V, 88/09/06. BASKIN,K.P. Southern California Edison Co 4pp 46856 001-46856,009

-8809150027 Safeguards evaluation rept supporting amended physical security plan,per 10CFR73.55
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06 3pp 46856 007-46856 009

8809150028 Forwards Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively & safety evaluation Amends modify Paragraph 2.2 to require compliance w/amended physical security plan
HICKMAN,D.E. Project Directorate V, 88/09/06. BASKIN,K.P. Southern California Edison Co COTTON,G.D. San Diego Gas & Electric Co 5pp 46849,326-46849,337

-8809150032 Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively, changing Tech Specs re physical security plan
KNIGHTON,G.W. Project Directorate V, 88/09/06 4pp 46849,331-46849,334.

-8809150033 Safety evaluation supporting Amends 67 & 57 to Licenses NPF-10 & NPF-15, respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411), 88/09/06, 3pp 46849 335-46849,337

8809150214 Forwards prioritized listing of pending licensing actions to assist in reviewing matters re plant Encl list will be updated monthly to reflect changes in priorities & progress on specific issues.
MEDFORD,M.O. Southern California Edison Co. 88/09/06. Document Control Branch (Document Control Desk), 3pp 46864,140 46864,142.

8809150051 Forwards Amend Applications 153,62 & 40 to Licenses DPR-13, NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility. Fee paid.
BASKIN,K.P. Southern California Edison Co. 88/09/13 Document Control Branch (Document Control Desk), 2pp, 46856:164-46856 228

-8809150054 Amend Applications 153,62 & 48 to Licenses DPR-13,NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility
BASKIN,K.P. Southern California Edison Co. 88/09/13. 42pp 46856,166 46856,207.

-8809150058 Proposed Tech Specs 6.0, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility
* Southern California Edison Co 88/09/13 21pp, 46856:208-46856,228

8809270042 Forwards notice of consideration of issuance of amends to Licenses DPR-13,NPF-10 & NPF-15 re deletion of organizational charts from Tech Specs & rev of nuclear safety group reporting arrangements.
TRAMMELL,C.M. Project Directorate V, 88/09/15. BASKIN,K.P. Southern California Edison Co 5pp, 46869:006-46869,016

-8809270044 Notice of consideration of issuance of amends to Licenses DPR-13,NPF-10 & NPF-15 & proposed NSHC determination & opportunity hearing Amend deletes onsite & offsite organizational charts from Tech Specs
TRAMMELL,C.M. Project Directorate V, 88/09/15 6pp 46869,011-46869,016

Q. Inspection reports, IE Bulletins & correspondence

8809080234 Partial response to FOIA request for documents Forwards App B documents. App A documents maintained in PDR. Records also available under listed FOIAs.
GRIMSLEY,D. Division of Rules & Records (870413 880514) 88/09/10. UNNERSTALL,K. Newman & Holzinger, 6pp 46769,054-46769 059

-8809080393 Provides listed guidance to assist in preparation of escalated enforcement packages.
LIEBERMAN,J. Ofc of Enforcement (Post 870413), 88/06/21. RUSSELL,W.T. Region 1, Ofc of the Director, 9pp, 46769:146-46769:154.

8808290237 Forwards Insp Repts 50-206/88-16,50-361/88-15 & 50-362/88-16 on 880522-0702 & notices of violation & deviation.
MARTIN,J.B. Region 5, Ofc of the Director, 88/08/12. BASKIN,K.P. Southern California Edison Co, 3pp, 46866:280-46866:312.

-8808290241 Notice of violation from Insp on 880522-0702. Violation noted: strip chart recorder w/calibr due date of 880616 & dc amplifier w/calibr due date of 880614 being used to gather data to evaluate operability of post-LOCA Train B.
MARTIN,J.B. Region 5, Ofc of the Director, 88/08/12 2pp, 46866:283-46866,284.

-8808290243 Notice of deviation/nonconformance from Insp on 880522-0702. Deviation noted: fuel pool purification sys suction piping extends to bottom of spent fuel storage pool
MARTIN,J.B. Region 5, Ofc of the Director 88/08/12. 1p. 46866:285-46866,285

-8808290249 Insp Repts 50-206/88-16,50-361/88-15 & 50-362/88-16 on 880522-0702. No violations noted. Major areas inspected, operational safety verification, radiological protection, security, evaluation of plant trips & events.
HUEY,F.H., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director, 88/08/12, 27pp, 46866:286-46866:312.

8809190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc 125pp, 46690 054-46690:178.

8809160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/22, Consolidated Edison Co of New York, Inc. 121pp, 46702,311-46703,070.

8808300215 Submits rept on inservice insp of steam generator tubes at plant, per Surveillance Requirement 4.4.4.5(b) of Tech Specs. Eddy current insp completed on 870821, inspecting 1,228 tubes. Over one hundred tubes removed from svc.
MORGAN,H.E. Southern California Edison Co. 88/08/23 Document Control Branch (Document Control Desk), 24pp, 46697:080-46697:103.

8809180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218-46713 219

8809140130 Forwards Insp Repts 50-206/88-20,50-361/88-20 & 50-362/88-21 on 880801-11 No items of noncompliance noted.
SCARANO,R.A. Region 5, Ofc of the Director, 88/08/25 BASKIN,K.P. Southern California Edison Co 2pp 46842 129 46842,141

-8809140133 Insp Repts 50-206/88-20,50-361/88-20 & 50-362/88-21 on 880801-11. No items of noncompliance noted. Major areas inspected: licensee program for radiological environ monitoring organization & mgt control & training.
RUSSELL,J.E., YUHAS,G.P. Region 5, Ofc of the Director 88/08/25 11pp 46842 131-46842,141

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Delicacies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713 085-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/01 Consolidated Edison Co of New York, Inc. 121pp, 46712,244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/02 Consolidated Edison Co of New York, Inc. 122pp 46726,001-46726:123

8809070537 Responds to NRC 880903 ltr re violations noted in Insp Repts 50-361/88-10 & 50-362/88-10 Corrective actions: availability of nonconformance rept process to document design related problems emphasized to offsite personnel
BASKIN,K.P. Southern California Edison Co, 88/09/02 Ofc of Enforcement (Post 870413) 11pp, 46779 145 46779,155

8809220102 Forwards Insp Repts 50-206/88-17,50-361/88-16 & 50-362/88-17 on 880725-29. No violations noted.
ZIMMERMAN,R.P. Region 5, Ofc of the Director 88/09/02. BASKIN,K.P. Southern California Edison Co, 2pp, 46930,108 46930,124.

-8809220106 Insp Repts 50-206/88-17,50-361/88-16 & 50-362/88-17 on 880725-29. No violations noted. Major areas inspected: maintenance program implementation, compliance w/ATWS rule, TMI action plan followup & verification of mod of license
CALDWELL,G.W., JOHNSON,P.H. Region 5, Ofc of the Director, 88/09/01 15pp, 46930:110 46930,124.

8809160038 Ack receipt of 880829 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-361/88-18 & 50-362/88-18
PATE,R.J. Region 5, Ofc of the Director 88/09/08. BASKIN,K.P. Southern California Edison Co. 1p 46897,217-46897,221.

-8809160095 Responds to NRC 880729 ltr re violations noted in Insp Repts 50-361/88-18 & 50-362/88-18. Corrective actions: Train A & B cables in 2CR69 separated & tied to opposite sides of panel to achieve required 6-inch separation.
BASKIN,K.P. Southern California Edison Co 88/08/29 Document Control Branch (Document Control Desk), 4pp, 46897,218-46897 221

8809160137 Responds to NRC 880812 ltr re violations & deviations noted in Insp Repts 50-361/88-15 & 50-362/88-16 Corrective action: strip chart recorder & dc amplifier removed from Train B post LOCA hydrogen monitoring sys.
BASKIN,K.P. Southern California Edison Co, 88/09/12 Document Control Branch (Document Control Desk), 6pp, 46848:191-46848 196

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc. 122pp, 46824:215-46824:336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp 46946,133-46946:252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19, Consolidated Edison Co of New York, Inc. 125pp, 46946:253-46947,013.

R. Periodic operating reports & related correspondence

8808310045 "Marine Environ Analysis & Interpretation, Rept on 1987 Data" W/880826 ltr.
MEDFORD,M.O. Southern California Edison Co. 87/12/31. 200pp, 46701:050-46702:095.

8809020185 Forwards "Semiannual Effluent Rept Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual."
MORGAN,H.E. Southern California Edison Co. 88/08/30. Document Control Branch (Document Control Desk) 1p, 46750,313-46751,149.

-8809020196 "San Onofre Nuclear Generating Station Semiannual Effluent Rept Jan-June 1988."
* Southern California Edison Co. 88/08/30. 96pp, 46751,054-46751:149

8809200257 Monthly operating repts for Aug 1988 for San Onofre Nuclear Station Units 2 & 3. W/880915 ltr.
SIACORE,R., MORGAN,H.E. Southern California Edison Co 88/08/31, 12pp, 46919:266-46919,277.

138 DOCKETED ITEMS

8809210008 Forwards revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16
MORGAN, H.E. Southern California Edison Co. 88/09/12. Document Control Branch (Document Control Desk) 2pp. 46929 258 46929 261

--**8809210108** Revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16
* Southern California Edison Co. 87/12/31. 2pp. 46929 260 46929 261.

8809230041 NPDES monthly rept summary for Jul 1988. All sampled water sources found to be within permit limits except discharges from blowdown processing found high for total suspended solids
MORGAN, H.E. Southern California Edison Co. 88/09/12. Document Control Branch (Document Control Desk) 2pp. 46942 019 46942 020

S. Reportable occurrences, LERs & related correspondence

8809070340 Part 21 rept suppl re cracks discovered in Crosby Valve & Gage Co safety valve guide & bearing assemblies initially reported on 870507 Audit of Crosby design & mfg controls indicated inconclusive results. Assemblies being replaced.
BASKIN, K.P. Southern California Edison Co. 88/08/10. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 46783 230-46783 231

8809080099 Special rept on 880818, requirements re fire protection plan not fully implemented by end of Cycle IV refueling outage per previous licensing commitment. Deficient fuses identified & replacement fuses immediately installed.
MORGAN, H.E. Southern California Edison Co. 88/09/19. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 46792 185 46792 186

8808300021 PNO-V 88-053 on 880821, safety injection tank declared inoperable & reactor shut down due to actuating relief valve. Containment entered, valve gagged & tank depressurized.
JOHNSON, P., CALDWELL, C., HUEY, R. Region 5, Ofc of the Director. 88/09/22. 1p. 46683 283 46683 283

8808310016 Discusses evaluation of licensee actions re MSIVs at San Onofre Nuclear Generating Station. Licensee intention to perform only borescopic exams of Unit 2 MSIVs unacceptable.
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors. 88/08/25. KIRSCH, D.F. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 46699 084 46699 087

8809080161 LER 88-019-00 on 880801, determined that FSAR inconsistency had resulted in 18 month battery svc test not adequately demonstrating 6-h design duty cycle of battery Banks C & D. Caused by incorrect svc test & calculation W/880831 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/31. 6pp. 46792 190 46792 195.

8809070557 LER 88-004-01 on 880310, spurious control room isolation sys actuation due to spike on radiation monitor RT-7825. Caused by design & installation problems. Transient noise suppressors will be installed W/880901 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/01. 6pp. 46768 044 46768 049.

8809140088 LER 88-020-00 on 880809, control room isolation sys (CRIS) Train B spurious actuation occurred. Caused by procedure inadequacy. Operating procedure will be amended to include precaution on when to expect CRIS actuation W/880908 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/08. 5pp. 46840 132 46840 136.

8809200190 LER 88-021-00 on 880809, containment isolation valve Tech Spec not met. Caused by failure of RCS hot leg sample valve 2HV-0508 due to excessively worn stem nut threads. Valve returned to svc following repair W/880914 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/14. 6pp. 46911 355 46911 360.

8809200174 Followup rept re Tech Spec fire rated assemblies found inoperable during routine surveillances in Aug 1988. Doors found inoperable during Aug 1988 surveillances listed in encl. No doors found blocked open in Aug.
MORGAN, H.E. Southern California Edison Co. 88/09/15. MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 46915 061 46915 063.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8808290099 Rev 2.02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1, 2 & 3."
BASKIN, K.P. Southern California Edison Co., * San Diego Gas & Electric Co., * Anaheim, CA. 88/07/22. 200pp. 46688 014 46688 282.

8808290172 Vols 1 & 2 to "Final Rept for Fire Area Boundary Penetration Seal Evaluation Program."
* Bachtel Power Corp. 88/07/31. 800pp. 46673 289 46673 004.

8808290237 Forwards Insp Repts 50-206/88-18, 50-361/88-15 & 50-362/88-18 on 880522-0702 & notices of violation & deviation.
MARTIN, J.B. Region 5, Ofc of the Director. 88/08/12. BASKIN, K.P. Southern California Edison Co. 3pp. 46886 280 46886 312.

--**8808290249** Insp Repts 50-206/88-18, 50-361/88-15 & 50-362/88-18 on 880522-0702. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.
HUEY, F.R. Region 5, Ofc of the Director. 88/08/12. 27pp. 46886 286 46886 312.

8809010016 Forwards Rev 2.02 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1, 2 & 3."
MEDFORD, M.O. Southern California Edison Co. 88/08/22. Document Control Branch (Document Control Desk) 5pp. 46718 110 46720 018.

8808310177 Forwards Amends 86 & 55 to Licenses NPF-10 & NPF-15, respectively. Amends change License Condition 2.E to increase size of vital area boundary in physical security plan.
HICKMAN, D.E. Project Directorate V. 88/08/25. BASKIN, D.P. Southern California Edison Co. 5pp. 46727 001 46727 009.

--**8808310191** Amends 86 & 55 to Licenses NPF-10 & NPF-15, respectively, increasing size of vital area boundary in physical security plan.
KNIGHTON, G.W. Project Directorate V. 88/08/25. 4pp. 46727 006 46727 009.

8809010376 Responds to open items identified in Rev 1 to SER submitted on 880629 re evaluation of updated fire hazards analysis. Final rept documenting vital fire area boundary penetration seal evaluation program encl.
MEDFORD, M.O. Southern California Edison Co. 88/08/25. Document Control Branch (Document Control Desk) 31pp. 46720 186 46720 226.

8809080053 Forwards Rev 19A to physical security plan Rev withheld (ref 10CFR73.23).
MORGAN, H.E. Southern California Edison Co. 88/08/25. Document Control Branch (Document Control Desk) 1p. 46793 359 46793 359.

8809150021 Provides written confirmation of 880829 prompt notification of reportable occurrence re fire protection program License Condition 2.G notification not required. Cause & any corrective actions will be submitted by 880912.
MORGAN, H.E. Southern California Edison Co. 88/08/30. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 46846 283 46846 284.

8809140217 Submits 14 day rept re failure to meet App R requirements, due to installation of inappropriate fuses adversely safe shutdown capability. Electrical setpoint list, drawing changes & training program mods will be completed by 881215.
MORGAN, H.E. Southern California Edison Co. 88/09/01. MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 46839 267 46839 269.

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities W/o encl.
BASKIN, K.P. Southern California Edison Co. 88/09/02. Document Control Branch (Document Control Desk) 12pp. 46772 143 46772 154.

8809070528 Forwards Rev 4 to "Updated Fire Hazards Analysis" for facilities BASKIN, K.P. Southern California Edison Co. 88/09/02. Document Control Branch (Document Control Desk) 12pp. 46934 172 46941 028.

--**8809230286** Rev 4 to updated fire hazards analysis for San Onofre Units 1, 2 & 3.
* Southern California Edison Co. 88/08/31. 2,000pp. 46934 185 46941 026.

8809130131 Revised emergency plan implementing procedures, including Technical Change Notice 2-7 to Rev 5 to EPIP S0123-VIII-0 301, "Offsite/Onsite Communication Tests" & Rev 11 to EPIP S0123-VIII-0 9 W/880902 ltr.
WHARTON, M.A. Southern California Edison Co. 88/09/02. 129pp. 46828 314 46828 082.

8809150023 Forwards Amend 108 to Provisional License DPR-13 & safety evaluation. Amend modifies Paragraph 3.G of license to require compliance w/amended physical security plan.
TRAMMELL, C.M. Project Directorate V. 88/09/06. BASKIN, K.P. Southern California Edison Co. 4pp. 46856 001 46856 009.

--**8809150027** Safeguards evaluation rept supporting amended physical security plan, per 10CFR73.55.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/06. 3pp. 46856 007 46856 009.

8809150029 Forwards Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively & safety evaluation. Amends modify Paragraph 2.2 to require compliance w/amended physical security plan.
HICKMAN, D.E. Project Directorate V. 88/09/06. BASKIN, K.P. Southern California Edison Co. 5pp. 46849 326 46849 337.

--**8809150032** Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively, changing Tech Specs re physical security plan.
KNIGHTON, G.W. Project Directorate V. 88/09/06. 4pp. 46849 331 46849 334.

--**8809150033** Safety evaluation supporting Amends 67 & 57 to Licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/06. 3pp. 46849 335 46849 337.

P. Operating license stage documents & correspondence

8808310199 Forwards Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively, safety evaluation, notice of issuance, environ assessment & notice of partial denial of amends. Amends revise listed Tech Specs, including Tech Spec 3.1.3.6.
HICKMAN, D.E. Project Directorate V. 88/08/03. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 5pp. 46726 133 46726 187.

--**8808310208** Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively, revising Tech Specs, including Tech Spec 3.1.3.6 re regulating control element assembly insertion limits.
KNIGHTON, G.W. Project Directorate V. 88/08/03. 34pp. 46726 138 46726 171.

--**8808310224** Safety evaluation supporting Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/03. 7pp. 46726 172 46726 178.

--**8808310225** Environ assessment & finding of no significant impact re amends to Licenses NPF-10 & NPF-15, incorporating proposed changes to listed Tech Specs, including Tech Spec 3/4.1.3.6, "Regulating Control Element Assembly Insertion Limits."
KNIGHTON, G.W. Project Directorate V. 88/07/29. 4pp. 46726 179 46726 182.

--**8808310226** Notice of issuance of Amends 64 & 53 to Licenses NPF-10 & NPF-15, respectively. Amends revise listed Tech Specs, including 3/4.1.3.6, "Regulating Control Element Assembly Insertion Limits."
HICKMAN, D.E. Project Directorate V. 88/08/03. 2pp. 46726 183 46726 184.

--**8808310229** Notice of partial denial of amends to Licenses NPF-10 & NPF-15 & opportunity for hearing. No justification given to deviate from Tech Spec Surveillance Requirement 4.3.3.2(a) re incore detection sys operability.
HICKMAN, D.E. Project Directorate V. 88/08/03. 3pp. 46726 185 46726 187.

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Sys list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001 47065 006.

- 8809090044** Partial response to FOIA request for documents Forwards App C document Documents available in PDR.
GRIMSLEY,D.H. Office of Administration & Resources Management, Director (Post 870413). 88/08/15 WEISSMAN,S California, State of 2pp 46769 005-46769 006
- 8202120089** Board Notification 82-04 forwarding info re pressurized thermal shock
EISENHUT,D.G. Division of Licensing (800426-851124) 82/01/20 PALLADINO,N,
AHEARN, ROBERTS Commissioners 2pp 46769 007-46769 019
- 8808310177** Forwards Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively, Amends change License Condition 2 E to increase size of vital area boundary in physical security plan
HICKMAN,D.E. Project Directorate V 88/08/25 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co 5pp 46727 001-46727 009
- 8808310191** Amends 66 & 55 to Licenses NPF-10 & NPF-15, respectively, increasing size of vital area boundary in physical security plan.
KNIGHTON,G.W. Project Directorate V 88/08/25 4pp 46727 006 46727 009
- 8809010345** Forwards request for addl info re implementation of 10CFR50.62 Response requested within 60 days of ltr date
HICKMAN,D.E. Project Directorate V 88/08/25 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co 9pp 46743 209 46743 217
- 8809060122** Advises that until 880531 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in BWR Plants," provided assurance that program is in place
HICKMAN,D.E. Project Directorate V 88/08/25 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co 4pp 46747 251-46747 254
- 8809070069** Summary of 880603 meeting w/ licensee, Westinghouse, city of Riverside, Bechtel & subcontractors re plans to rerack spent fuel pools at facilities Agenda & viewgraphs encl.
HICKMAN,D.E. Project Directorate V 88/08/25 Project Directorate V 92pp 46779,255 46779,346
- 8809060131** Advises that 880513 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps" satisfactory & no further action necessary.
HICKMAN,D.E. Project Directorate V. 88/08/26 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co 3pp 46757-354-46757 356
- 8809150090** Forwards notice of consideration of issuance of amends to Licenses NPF-10 & NPF-15 & opportunity for hearing re 880506 request to revise listed Tech Specs.
HICKMAN,D.E. Project Directorate V. 88/08/30 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46864.128 46864 139
- 8809150093** Notice of consideration of issuance of amend to Licenses NPF-10 & NPF-15 & proposed NSHC determination & opportunity for hearing Amends revise listed Tech Spec sections, including remote shutdown monitoring instrumentation.
FOOD,H. Project Directorate V 88/08/30 10pp. 46864:130-46864 139
- 8809070433** Forwards application for amends to Licenses NPF-10 & NPF-15, consisting of Amend Applications 40 & 28, incorporating Proposed Change PCN-245 by revising Tech Spec 3/4.3.2, "ESF Actuation Sys Instrumentation" & Tech Spec 3/4.3.3
BASKIN,K.P. Southern California Edison Co. 88/09/01. Document Control Branch (Document Control Desk) 1p. 46773:197-46773 228.
- 8809070451** Application for amends to Licenses NPF-10 & NPF-15, consisting of Amend Applications 40 & 28, incorporating Proposed Changes NPF-10 245 & NPF-15-245 by revising Tech Spec 3/4.3.2, "ESF Actuation Sys Instrumentation"
BASKIN,K.P. Southern California Edison Co 88/09/01 7pp. 46773:198-46773 204
- 8809070453** Proposed Tech Specs 3/4.3.2, "ESF Actuation Sys Instrumentation" & 3/4.3.3.1, "Radiation Monitoring Instrumentation"
Southern California Edison Co. 88/09/01 24pp. 46773:205-46773:228
- 8809150023** Forwards Amend 108 to Provisional License DPR-13 & safety evaluation Amend modifies Paragraph 3 G of license to require compliance w/amended physical security plan
TRAMMELL,C.M. Project Directorate V 88/09/06 BASKIN,K.P. Southern California Edison Co 4pp. 46856.001-46856.008.
- 8809150027** Safeguards evaluation rept supporting amended physical security plan, per 10CFR73.55.
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/08 3pp 46856 007-46856.008.
- 8809150029** Forwards Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively & safety evaluation Amends modify Paragraph 2.2 to require compliance w/amended physical security plan.
HICKMAN,D.E. Project Directorate V 88/09/08 BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 5pp 46849.326 46849:337.
- 8809150032** Amends 67 & 56 to Licenses NPF-10 & NPF-15, respectively, changing Tech Specs re physical security plan.
KNIGHTON,G.W. Project Directorate V. 88/09/06 4pp 46849.331-46849:334.
- 8809150033** Safety evaluation supporting Amends 67 & 57 to Licenses NPF-10 & NPF-15, respectively
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06. 3pp. 46849:335-46849:337.
- 8809150214** Forwards prioritized listing of pending licensing actions to assist in reviewing matters re plant, Encl list will be updated monthly to reflect changes in priorities & progress on specific issues
MEDFORD,M.O. Southern California Edison Co. 88/09/08 Document Control Branch (Document Control Desk). 3pp. 46864:140 46864:142
- 8809150051** Forwards Amend Applications 153,62 & 40 to Licenses DPR-13, NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility. Fee paid.
BASKIN,K.P. Southern California Edison Co. 88/09/13. Document Control Branch (Document Control Desk) 2pp 46856:164-46856.228
- 8809150054** Amend Applications 153,62 & 48 to Licenses DPR-13, NPF-10 & NPF-15, respectively, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility
BASKIN,K.P. Southern California Edison Co 88/09/13. 42pp. 46856:166-46856:207.
- 8809150058** Proposed Tech Specs 6.0, deleting organization charts & revising nuclear safety group & independent safety engineering group reporting responsibility
Southern California Edison Co 88/09/13 21pp 46856.208-46856 228
- 8809270042** Forwards notice of consideration of issuance of amends to Licenses DPR-13, NPF-10 & NPF-15 re deletion of organizational charts from Tech Specs & rev of nuclear safety group reporting arrangements
TRAMMELL,C.M. Project Directorate V 88/09/15 BASKIN,K.P. Southern California Edison Co 5pp 46969 006-46969 016.
- 8809270044** Notice of consideration of issuance of amends to Licenses DPR-13, NPF-10 & NPF-15 & proposed NSHC determination & opportunity hearing. Amend deletes onsite & offsite organizational charts from Tech Specs
TRAMMELL,C.M. Project Directorate V 88/09/15 6pp 46969 011-46969 016

Q. Inspection reports, IE Bulletins & correspondence

- 8809080234** Partial response to FOIA request for documents. Forwards App B documents App A documents maintained in PDR Records also available under listed FOIAs
GRIMSLEY,D. Division of Rules & Records (870413 880514) 88/08/10 UNNERSTALL,K. Newman & Holtzinger 6pp 46769 054-46769.059
- 8809080393** Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/06/21 RUSSELL,W.T. Region 1, Ofc of the Director 9pp. 46769 146-46769 154
- 8808290237** Forwards Insp Repts 50-206/88-16, 50-361/88-15 & 50-362/88-16 on 880522-0702 & notices of violation & deviation
MARTIN,J.B. Region 5, Ofc of the Director. 88/08/12 BASKIN,K.P. Southern California Edison Co 3pp 46866:280 46866 312
- 8808290243** Notice of deviation/nonconformance from insp on 880522-0702 Deviation noted (fuel pool purification sys suction piping extends to bottom of spent fuel storage pool)
MARTIN,J.B. Region 5, Ofc of the Director 88/08/12 1p 46866 285-46866 285.
- 8808290249** Insp Repts 50-206/88-16, 50-361/88-15 & 50-362/88-16 on 880522-0702 No violations noted. Major areas inspected, operational safety verification, radiological protection, security, evaluation of plant trips & events
HUEY,F.R., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director 88/08/12. 27pp. 46866 286-46866 312.
- 8808190195** NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc. 125pp 46890.054-46890.178
- 8808180451** NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co of New York, Inc 121pp. 46702.311-46703 070
- 8809070519** Forwards response to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE."
MEDFORD,M.O. Southern California Edison Co 88/08/22 MARTIN,J.B. Region 5, Ofc of the Director 3pp 46774:107-46774.109
- 8808180368** Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713:218-46713 218.
- 8809140130** Forwards Insp Repts 50-206/88-20, 50-361/88-20 & 50-362/88-21 on 880801-11. No items of noncompliance noted
SCARANO,R.A. Region 5, Ofc of the Director. 88/08/25 BASKIN,K.P. Southern California Edison Co. 2pp 46842:129-46842:141.
- 8809140133** Insp Repts 50-206/88-20, 50-361/88-20 & 50-362/88-21 on 880801-11. No items of noncompliance noted. Major areas inspected licensee program for radiological environ monitoring, organization & mgt control & training.
RUSSELL,J.E., YUHAS,G.P. Region 5, Ofc of the Director. 88/08/25 11pp 46842:131-46842 141.
- 8809080156** Summarizes inservice Insp of steam generator tubes completed on 880526 Results of inservice Insp, including list of eddy current testing indications & list of tubes plugged after completion of Insp encl.
MORGAN,H.E. Southern California Edison Co. 88/08/26. Document Control Branch (Document Control Desk). 27pp. 46795:336-46795:362.
- 8808230112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co of New York, Inc. 123pp. 46713:095-46713.217.
- 8808260492** NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp. 46712.244-46713.004.
- 8808300018** NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co of New York, Inc. 122pp. 46726:001-46726 123.
- 8809070537** Responds to NRC 880803 ltr re violations noted in Insp Repts 50-361/88-10 & 50-362/88-10. Corrective actions availability of nonconformance rept process to document design related problems emphasized to offsite personnel.
BASKIN,K.P. Southern California Edison Co 88/09/02. Ofc of Enforcement (Post 870413). 11pp 46779:145-46779.155

140 DOCKETED ITEMS

8809220102 Forwards Insp Repts 50-206/88-17, 50-361/88-16 & 50-362/88-17 on 880725-29 No violations noted
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/09/02 BASKIN, K.P. Southern California Edison Co. 2pp. 46930 108-46930 124

8809220106 Insp Repts 50-206/88-17, 50-361/88-16 & 50-362/88-17 on 880725-29 No violations noted Major areas inspected maint program implementation, compliance w/ATWS rule, TMI action plan followup & verification of mod of license
CALDWELL, C.W., JOHNSON, P.H. Region 5, Ofc of the Director 88/09/01 15pp. 46930 110-46930 124

8809160038 Ack receipt of 880829 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-361/88-16 & 50-362/88-16.
PATE, R.J. Region 5, Ofc of the Director 88/09/08 BASKIN, K.P. Southern California Edison Co. 1p. 46897 217-46897 221

8809160095 Responds to NRC 880729 ltr re violations noted in Insp Repts 50-361/88-16 & 50-362/88-16 Corrective actions Train A & B cables in 2CR59 separated & tied to opposite sides of panel to achieve required 6-inch separation
BASKIN, K.P. Southern California Edison Co. 88/09/29 Document Control Branch (Document Control Desk) 4pp. 46897 216-46897 221

8809150137 Responds to NRC 880812 ltr re violations & deviations noted in Insp Repts 50-361/88-15 & 50-362/88-16 Corrective action. strip chart recorder & dc amplifier removed from Train B post-LOCA hydrogen monitoring sys
BASKIN, K.P. Southern California Edison Co. 88/09/12 Document Control Branch (Document Control Desk), 6pp. 46848 191-46848 196

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA," Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry," Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46848 133-46848 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control," Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8808310045 "Marine Environ Analysis & Interpretation, Rept on 1987 Data " W/880826 ltr
MEDFORD, M.O. Southern California Edison Co. 87/12/31. 200pp. 46701 050-46702 095

8809020185 Forwards "Semiannual Effluent Rept Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual."
MORGAN, H.E. Southern California Edison Co. 88/08/30 Document Control Branch (Document Control Desk) 1p. 46750 313-46751 149.

8809020196 "San Onofre Nuclear Generating Station Semiannual Effluent Rept Jan June 1988 "
Southern California Edison Co. 88/08/30 96pp. 46751 054-46751 148.

8809200257 Monthly operating repts for Aug 1988 for San Onofre Nuclear Station Units 2 & 3, W/880915 ltr.
SIACOR, E.R., MORGAN, H.E. Southern California Edison Co. 88/08/31. 12pp. 46819 256-46819 277.

8809210008 Forwards revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16.
MORGAN, H.E. Southern California Edison Co. 88/09/12 Document Control Branch (Document Control Desk). 2pp. 46828 258-46828 281.

8809210108 Revised personnel whole body exposures for CY87 & personnel monitoring rept & notification summary for 1987, per Reg Guide 1.16
Southern California Edison Co. 87/12/31. 2pp. 46928 260-46929 261.

S. Reportable occurrences, LERs & related correspondence

8809070340 Part 21 rept suppl re cracks discovered in Crosby Valve & Gage Co safety valve guide & bearing assemblies Initially reported on 870507. Audit of Crosby design & mfg controls indicated inconclusive results Assemblies being replaced.
BASKIN, K.P. Southern California Edison Co. 88/08/10. MARTIN, J.B. Region 5, Ofc of the Director 2pp. 46783 230-46783 231

8808310018 Discusses evaluation of licensee actions re MSIVs at San Onofre Nuclear Generating Station Licensee intention to perform only borescopic exams of Unit 2 MSIVs unacceptable.
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors 88/08/25. KIRSCH, D.F. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 46699 084-46699 087

8809080134 RC: on 880826 & 28, valves exhibited excessive resistance to manual operation during performance of maint activities rendering atmospheric dump valves inoperable for manual operation Valves repaired & manually operated.
MORGAN, H.E. Southern California Edison Co. 88/08/30, MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 46806 343-46806 344.

8809140097 LER 88-007-00 on 880809, discovered delinquent inservice testing interval of component cooling water check valve. Caused by personnel error. Personnel to receive periodic instruction on need to review schedules. W/880909 ltr.
MORGAN, H.E. Southern California Edison Co. 88/09/09. 6pp. 46844 176-46844 180.

8809210016 NPDES noncompliance notification on 880706, sampled water sources exceeded chlorination limits Chlorination stopped. Chemical pumps reset & testing following day noted within limits.
MORGAN, H.E. Southern California Edison Co. 88/09/12 Document Control Branch (Document Control Desk). 2pp. 46820 256-46820 257.

8808200174 Followup rept re Tech Spec fire-rated assemblies found inoperable during routine surveillances in Aug 1988 Doors found inoperable during Aug 1988 surveillances listed in encl No doors found blocked open in Aug
MORGAN, H.E. Southern California Edison Co. 88/09/15 MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 46915 061-46915 063.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809010043 Provides clarification of Rev 15 to physical security plan per NRC 880704 ltr. Per Generic Ltr 87-10, util finds granting temporary access w/o requirement of verifying character refs acceptable.
HAIRSTON, W.G. Alabama Power Co. 88/08/23 Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46720 338-46720 339

8809120109 Requests that encl transmittal be completed so that util may verify receipt of Procedures GO-EIP-101, Rev 6 & GO EIP-137, Rev 3
HARRIS, R. Alabama Power Co. 88/08/23 Region 2, Ofc of the Director 2pp. 46824 359-46824 360.

8809070297 Confirms 880926-30 as dates for reverification Insp of post-fire safe shut down capability, per 880822 telcon List of requested mails encl.
REYES, L.A. Region 2, Ofc of the Director. 88/08/26 HAIRSTON, W.G. Alabama Power Co. 3pp. 46778 187-46778 189.

8809130253 Ack receipt of scope & objectives for plant radiological emergency preparedness exercise scheduled for 881102 Submittal fulfills requirements for annual onsite emergency exercise.
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/29 HAIRSTON, W.G. Alabama Power Co. 2pp. 46830 356-46830 357

8809150212 Rev 12 to Emergency Plan Implementing Procedure FNP O EIP-27, "Activation of Emergency Operations Facility " W/880909 ltr.
HUDSPETH, J.B. Alabama Power Co. 88/09/09. 22pp. 46863 353-46864 014.

8809190196 Forwards Rev 16 to security plan, Rev withheld
HAIRSTON, W.G. Alabama Power Co. 88/09/16 Document Control Branch (Document Control Desk). 1p. 46899 094-46899 094.

P. Operating license stage documents & correspondence

8808300076 Forwards answers to recipient 871119 ltr re operation of plant during 1982 83 NRC solicited w/operation.
ZECH, L.W. Commissioners 88/02/17 SHARP, P.R. House of Rep., Energy & Commerce. 11pp. 46703 243-46703 267.

8808300085 Advises that encl list of clients willing to cooperate w/NRC re investigation of plant
MILLER, J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 88/05/06 BURCH, R.H. Region 2, Ofc of the Director 4pp. 46703 254-46703 257.

8808300088 Suppl 880508 ltr re proposal of terms & conditions for employee interviews at plant for NRC investigation of allegations.
MILLER, J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 88/07/10 ZECH, L.W., ASSELSTINE, J.K., BERNTHAL, F.M. Commissioners. 3pp. 46703 258-46703 260.

8808300090 Submits position on proposed terms & conditions re investigative interviews at plant, per 880508 & 0710 ltrs
HAYES, B. Office of Investigations 88/08/08 MILLER, J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward. 4pp. 46703 261-46703 264.

8808300095 Discusses allegations re licensee operation of plant w/ damaged fuel in 1982-83
SHARP, P.R. House of Rep., Energy & Commerce 87/11/19. ZECH, L.W. Commissioners 3pp. 46703 285-46703 287.

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

8808260113 Forwards Amends 79 & 71 to Licenses NPF-2 & NPF-8, respectively & safety evaluation Amends change Tech Specs to delete surveillance specimen withdrawal schedule Table 4.4-5 & portion of Paragraph 4.4.10 1 2 re reactor vessel mail.
REEVES, E.A. Project Directorate II-1. 88/08/22 HAIRSTON, W.G. Alabama Power Co. 3pp. 46656 290-46656 306.

8808260120 Amends 79 & 71 to Licenses NPF-2 & NPF-8, respectively, revising Tech Specs to delete surveillance specimen withdrawal schedule Table 4.4-5 & portion of Paragraph 4.4.10 1 2 re reactor vessel mail Irradiation surveillance.
ADENSAM, E.G. Project Directorate II-1 88/08/22. 12pp. 46656 293-46656 304

8808260122 Safety evaluation supporting Amends 79 & 71 to Licenses NPF-2 & NPF 8, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/22. 2pp. 46656 305-46656 306.

8808310063 Forwards 880815 ltr to JM Moore (State of AL) re approved svc water chlorination program, covering discharges from cooling tower sys & monitoring of cooling tower blowdown.
HAIRSTON, W.G. Alabama Power Co. 88/08/22 Document Control Branch (Document Control Desk). 3pp. 46899 308-46899 308.

8808300010 Advises that 880531 response to Generic Ltr 86-05 assures that program in place to deal w/boric acid leakage Agrees w/commitment to implement procedures by 881031.
REEVES, E.A. Project Directorate II-1. 88/08/25 HAIRSTON, W.G. Alabama Power Co. 2pp. 46698 179-46698 180.

DOCKETED ITEMS 141

8809060278 Forwards exemption from certain requirements of 10CFR50.55a re inservice insp & testing program
REEVES,E A, Project Directorate II 1 88/08/31, HAIRSTON,W.G Alabama Power Co 3pp 46764 324-46764 331

--8809060290 Exemption from requirements of 10CFR50 55a re inservice insp & testing
VARGA,S A Division of Reactor Projects - I/II (Post 870411) 88/08/31 5pp 46764 327-46764 331

8809190157 Forwards proposed schedules for completion of licensing items,including prioritized listing of license amend & other requests & listing of NRC-related submittals
HAIRSTON,W.G Alabama Power Co 88/09/09 Document Control Branch (Document Control Desk) 9pp, 46896 015 46896 023

8809190245 Clarifies 880524 response to Generic Ltr 88-03 re steam binding of auxiliary feedwater pumps to resolve Safety Issue 93 Check valves modified to preclude backleakage associated w/binding
HAIRSTON,W.G Alabama Power Co, 88/09/09 Document Control Branch (Document Control Desk) 1p 46887 369 46887 369.

8809230240 Informs of mods during future refueling outages to raise temp of loop seal water to allow sufficient flashing of water to steam, reducing postulated loadings on downstream piping below code values per NUREG 0737, Item II.D 1.
HAIRSTON,W.G Alabama Power Co 88/09/16, Document Control Branch (Document Control Desk) 2pp 46944 352 46944 353

Q. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A.47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants " Committee recommended forwarding of package to EDO following incorporation of CRGR comments
JORDAN,E.L. Committee to Review Generic Requirements 88/01/11 STELLO,V Ofc of the Executive Director for Operations. 37pp 46874 070 46874 106.

--8809160154 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85 001, in response to 871229 request
ERNST,M L NRC - No Detailed Affiliation Given 87/12/30, ROSS,D.F Office of Nuclear Regulatory Research, Director (Post 880720). 3pp, 46874.111-46874 113.

8807120677 Summary of CRGR Meeting 137 on 880608 re proposed draft rule 10CFR52 concerning site permits, design certifications & combined licenses & proposed NRC bulletin regarding thermal stresses in piping. List of attendees encl
JORDAN,E.L. Committee to Review Generic Requirements 88/06/17, STELLO,V Ofc of the Executive Director for Operations. 28pp, 46891:135 46891 261.

--8805310146 Requests review of draft bulletin on thermal stresses in piping connected to RCS Experience at listed plant indicates that some water-cooled reactors may not comply entirely w/ 10CFR50, App A, GDC 14.
SNEIZEK,J.H Office of Nuclear Reactor Regulation, Director (Post 870411). 88/05/16 JORDAN,E.L. Committee to Review Generic Requirements. 28pp, 46891, 247-46891 261

8805290113 Ack receipt of 880728 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-20 & 50-364/88-20
HERDT,A R, Region 2, Ofc of the Director 88/08/15 HAIRSTON,W.G. Alabama Power Co 1p 46884 055-46884 055.

8808290097 Ack receipt of 880804 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-19 & 50-364/88-19
VERRELLI,D M, Region 2, Ofc of the Director 88/08/16 HAIRSTON,W.G. Alabama Power Co. 1p 46884.041-46884 041.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc 125pp 46890 054-46890 178

8808310069 Forwards Insp Repts 50-348/88-24 & 50-364/88-24 on 880711 0810 Violation constitutes another example of violations described in Insp Repts 50-348/88-20 & 50-364/88-20 No addl response required
VERRELLI,D.M. Region 2, Ofc of the Director 88/08/19 HAIRSTON,W.G Alabama Power Co 2pp, 46899, 027-46899 036.

--8808310080 Insp Repts 50-348/88-24 & 50-364/88-24 on 880711-0810 Violations noted use of inadequate procedure to calculate RCS inventory leakage. Major areas inspected monthly maint & surveillance observations & LERs
MILLER,W.H , DANCE,H.C. Region 2, Ofc of the Director. 88/08/19. 8pp 46899, 029-46899 036.

8809010046 Forwards confirmatory measurement results to suppl Insp Repts 50-348/87-37 & 50-364/87-37. Differences noted for gross beta results, variations attributed to differences in counting methodologies & instrument calibrs.
COLLINS,D.M Region 2, Ofc of the Director. 88/08/19. HAIRSTON,W.G Alabama Power Co. 7pp 46743:121-46743 127.

8808180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co of New York, Inc 121pp, 46702 311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp, 46713 216-46713 219.

8808310116 Requests extension of response date to violations noted in 880222-0311 Insp until 881003.
HAIRSTON,W.G. Alabama Power Co, 88/08/26, Document Control Branch (Document Control Desk). 1p, 46899, 276-46899 276.

8809070297 Confirms 880926-30 as dates for reverification insp of post fire safe shutdown capability, per 880822 telcon List of requested matts encl.
REYES,L A, Region 2, Ofc of the Director. 88/08/26. HAIRSTON,W.G. Alabama Power Co. 3pp, 46779, 187-46779, 189

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713 095 46713 217

8809060016 Forwards "Joseph Farley Units 1 & 2 Evaluation for Tube Vibration Induced Fatigue," per NRC Bulletin 88 002 No tubes in either unit potentially susceptible to rapidly propagating fatigue cracks
HAIRSTON,W.G Alabama Power Co 88/08/29 Document Control Branch (Document Control Desk) 3pp 46755:050 46755 212

--8809060017 Requests withholding of proprietary info from "Joseph Farley Units 1 & 2 Evaluation for Tube Vibration Induced Fatigue," per 10CFR2.790(b)(4)
WIESEMANN,R A Westinghouse Electric Corp 88/08/05, MURLEY,T Office of Nuclear Reactor Regulation, Director (Post 870411) 10pp, 46755 053 46755 062

--8809060018 "Joseph Farley Unit 1 & 2 Evaluation for Tube Vibration Induced Fatigue."
CONNORS,H J, FRICK,T M, HALL,J.M Westinghouse Electric Corp. WCAP-11876 88/07/31 150pp 46755 063 46755 212

8809130224 Ack receipt of 880815 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-348/88-23 & 50-364/88 23.
VERRELLI,D M Region 2, Ofc of the Director 88/08/29 HAIRSTON,W.G Alabama Power Co 1p 46830 061 46830 061.

8809060278 Forwards exemption from certain requirements of 10CFR50 55a re inservice insp & testing program.
REEVES,E A Project Directorate II 1 88/08/31, HAIRSTON,W.G Alabama Power Co 3pp, 46764.324-46764 331.

--8809060290 Exemption from requirements of 10CFR50 55a re inservice insp & testing
VARGA,S A Division of Reactor Projects - I/II (Post 870411) 88/08/31 5pp 46764 327-46764 331.

8809060374 Advises that info provided being used to determine extent of industry participation & implementation of erosion/ corrosion insp programs & to obtain data on observed pipe wall thinning.
REEVES,E A Project Directorate II-1. 88/08/31 HAIRSTON,W.G Alabama Power Co 2pp 46758 212-46758 213

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1809 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc 121pp 46712.244-46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp, 46726.001-46726 123

8809140297 Responds to NRC Bulletin 88 005, providing safety-related & nonsafety-related applications list of West Jersey Mfg Co & Piping Supplies, Inc matts
HAIRSTON,W.G Alabama Power Co 88/09/07, Document Control Branch (Document Control Desk) 4pp 46838 181-46838 184

8809200023 Forwards app to SALP Repts 50-348/88 04 & 50-364/88 04, forwarded on 880808 Util 880802 written comments evaluated & discussed, per 880707 meeting
GRACE,J N Region 2, Ofc of the Director. 88/09/07 HAIRSTON,W.G Alabama Power Co 2pp 46912:263 46912 303

--8809200192 App to SALP Repts 50-348/88-04 & 50-364/88-04 Viewgraphs encl
* Region 2, Ofc of the Director 88/08/26 35pp 46912 265 46912 303.

8809190190 Informs that util does not possess or utilize Spec 2-T radiographic device, per NRC Bulletin 88-006
HAIRSTON,W.G Alabama Power Co 88/09/09, Document Control Branch (Document Control Desk). 1p 46908 017-46909 017.

8809130083 Ack receipt of util 880624 response to violations noted in Insp Repts 50-348/88-10 & 50-364/88-10 Util action should correct self absorption problem No further corrective actions necessary. Technical assessment encl
STOHF,J P Region 2, Ofc of the Director. 88/09/10 HAIRSTON,W.G. Alabama Power Co 8pp, 46834.111-46834 119

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824.215 46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp 46946.133 46946 252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp, 46946.253 46947 013.

R. Periodic operating reports & related correspondence

8809010321 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988 " W/ 880824 ltr.
HAIRSTON,W.G. Alabama Power Co. 88/08/30. 119pp 46721.067-46721 185.

8809220051 Monthly operating rept for Aug 1988 for Joseph M Farley Nuclear Plant Unit 2.W/880912 ltr
MOREY,D N, HAIRSTON,W.G. Alabama Power Co 88/08/31 5pp 46927,096-46927:100

142 DOCKETED ITEMS

V. Operator Examinations

8809070388 Forwards estimate of need for operator licensing exams for FY89 82, per Generic Ltr 88-13 & request for requalification schedule
HAIRSTON,W.G. Alabama Power Co. 88/09/01 Document Control Branch (Document Control Desk) 3pp 46773 129 46773 131.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8808290299 Rev 3 to Emergency Plan Implementing Procedure EPII 04, "Duties of Nuclear Operations Duty Officer."
MCDONALD,R.P., MCHENRY,T.J. Georgia Power Co. 88/08/22 7pp 46884 059-46884 065

8809070152 Forwards Insp Repts 50 321/88 21 & 50-366/88 21 on 880620-24 & notice of violation More aggressive mgt attention to site fire brigade performance encouraged
GRACE,J.N. Region 2, Ofc of the Director. 88/08/23 HAIRSTON,W.G. Georgia Power Co. 2pp. 46783 265 46783 281

--**8809070155** Notice of violation from Insp on 880620-24 Violation noted, Insp of Halon sys protecting remote shutdown panel not conducted between 870819 & 1120
GRACE,J.N. Region 2, Ofc of the Director. 88/08/23 2pp 46783 267-46783 268,

--**8809070159** Insp Repts 50-321/88 21 & 50-366/88 21 on 880620 24 Violations noted Major areas inspected fire protection/ prevention & followup on previously identified Insp findings
WISEMAN,G.R. Region 2, Ofc of the Director. 88/07/22, 13pp 46783-268 46783 281

8809120141 Forwards 881116 emergency preparedness exercise objectives, per IE Info Notice 85-055
HAIRSTON,W.G. Georgia Power Co. 88/08/26 GRACE,J.N. Region 2, Ofc of the Director. 8pp 46825 018 46825,023

8809140272 Forwards Insp Repts 50 321/88-22 & 50-366/88 22 on 880625-0722 Certain activities appear to violate NRC requirements but violations not being cited
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/30, HAIRSTON,W.G. Georgia Power Co. 2pp 46842 274-46842 291

--**8809140276** Insp Repts 50 321/88-22 & 50-366/88 22 on 880625 0722.No violations noted Major areas inspected operational safety verification,maint observations,surveillance testing observations,radio logical protection & physical security.
MENNING,J.E. Region 2, Ofc of the Director. 88/08/30, 16pp. 46842.276-46842.291

8809090035 Revised emergency plan implementing procedures,including Rev 1 to 63EP. INS-002-05, "Emergency Response Facilities Supplies Inventory" & Rev 0 to 73EP. INS-002-05, "Emergency Response Facilities Supplies Inventory." W/880831 ltr
MCDONALD,R.P. Georgia Power Co. 88/08/31, 43pp 46806.145 46806.187

8809140197 Forwards summary of 880729 mgt meeting re status of emergency operating procedures & procedures upgrade program List of attendees & viewgraphs encl
GRACE,J.N. Region 2, Ofc of the Director. 88/08/31 HAIRSTON,W.G. Georgia Power Co. 20pp. 46838.034-46838 053.

8809140181 Requests exemption from plant emergency plan requirement to conduct after hours exercise until 1989 Exemption would allow one exercise to be conducted which satisfies both util & state plan requirements.
HAIRSTON,W.G. Georgia Power Co. 88/08/06, Document Control Branch (Document Control Desk) 2pp. 46839-270 46839.271.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809060209 Revised instruction pages to Jul 1988 updated FSAR for Edwin I Hatch Nuclear Plant Units 1 & 2
* Georgia Power Co. 88/07/31, 194pp. 46766.012-46766.204.

P. Operating license stage documents & correspondence

8806120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065-008.

8809150319 Application for amends to Licenses DPR 57 & NPF-5, revising Tech Specs suppression pool temp limit.Fee paid.
HAIRSTON,W.G. Georgia Power Co. 88/09/06, Document Control Branch (Document Control Desk). 5pp. 46854 308 46854:318

--**8809150326** Proposed Tech Specs, revising suppression pool temp limit
* Georgia Power Co. 88/09/06 8pp. 46854 311-46854 318.

8809140381 Forwards response to request for addl Info re Generic Ltr 83 28,Info concern development,maint & use of equipment location index & sys evaluation documents
HAIRSTON,W.G. Georgia Power Co. 88/09/08, Document Control Branch (Document Control Desk) 8pp. 46838.224-46838:311

8809160134 Notification of 880820 meeting w/util in Atlanta,GA to discuss status of licensing actions
HOPKINS,J.B. Project Directorate III-3. 88/09/12. MATTHEWS,D.B. Project Directorate III-3. 2pp 46864.236-46864 237

8809160276 Forwards Amends 156 & 98 to Licenses DPR-57 & NPF-5, respectively & safety evaluation Amends revise Tech Spec to delete all refs to main control room chlorine detectors & to automatic isolation of main control room environ.
CROCKER,L.P. Project Directorate II-3. 88/09/12 HAIRSTON,W.G. Georgia Power Co. 2pp. 46864:151-46864:174.

--**8809160276** Amends 156 & 98 to Licenses DPR-57 & NPF-5, respectively, revising Tech Specs to delete all refs to main control room chlorine detectors & to automatic isolation of main control room environ control sys on high chlorine level
MATTHEWS,D.B. Project Directorate II-3. 88/09/12. 22pp. 46864-153-46864-172.

--**8809160277** Safety evaluation supporting Amends 156 & 98 to Licenses DPR-57 & NPF-5, respectively.
* Project Directorate II-3 88/09/12 2pp 46864 173-46864 174

Q. Inspection reports, IE Bulletins & correspondence

8808260465 Ack receipt of 880718 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88-15 & 50-366/88-15 on 880817
GRACE,J.N. Region 2, Ofc of the Director. 88/08/12 HAIRSTON,W.G. Georgia Power Co. 1p 46656.356-46656 356

8808260471 Ack receipt of 880705 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 321/87-31 & 50-366/87-31 Response to Violation A clarifies concerns & will be deleted from NRC records.
GIBSON,A.F. Region 2, Ofc of the Director. 88/08/12 HAIRSTON,W.G. Georgia Power Co. 2pp 46654 306-46654 307

8808300326 Forwards Insp Repts 50-321/88-23 & 50-366/88-23 on 880801 05 No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director. 88/08/17. HAIRSTON,W.G. Georgia Power Co. 2pp 46691 208 46691-215

--**8808300331** Insp Repts 50-321/88-23 & 50-366/88-23 on 880801-05.No violations noted Major areas inspected,review of completed post-refueling startup tests,thermal limits monitoring, thermal power monitoring & nuclear instrument calibrs
BURNETT,P.T., JAPE,F. Region 2, Ofc of the Director. 88/08/15. 8pp. 46691 206-46691:215

8808310075 Forwards Insp Repts 50-321/88-20 & 50-366/88-20 on 880620 24 No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director. 88/08/18 HAIRSTON,W.G. Georgia Power Co. 2pp. 46699.183 46699.192

--**8808310106** Insp Repts 50-321/88-20 & 50-366/88-20 on 880620 24 No violations noted.Major areas inspected environ qualification of electrical equipment to determine adequacy of licensee corrective actions on previous Insp findings.
SMITH,C., CONLON,T. Region 2, Ofc of the Director. 88/08/11 8pp. 46699 165-46699.192.

8809190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19, Consolidated Edison Co. of New York, Inc. 125pp 46690.054-46690.178.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703.070

8808300120 Responds to NRC 880721 ltr re violations noted in Insp Repts 50 321/88-17 & 50-366/88-17.Corrective actions As-Built Notice 88-372 issued against plant Drawing H-12619 to correct required thermostat settings.
MCDONALD,R.P. Georgia Power Co. 88/08/22, Document Control Branch (Document Control Desk). 14pp 46698 327-46698 340

8809010221 Confirms 880713 telcon re mgt meeting to be held on 880930 Meeting requested to review results of SALP program for plant for Jan 1987 - June 1988
GRACE,J.N. Region 2, Ofc of the Director. 88/08/22 HAIRSTON,W.G. Georgia Power Co. 2pp 46718.356-46718.357.

8809070152 Forwards Insp Repts 50-321/88-21 & 50-366/88-21 on 880620-24 & notice of violation More aggressive mgt attention to site fire brigade performance encouraged.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/23. HAIRSTON,W.G. Georgia Power Co. 2pp 46783.265-46783.281.

--**8809070155** Notice of violation from Insp on 880620-24 Violation noted, Insp of Halon sys protecting remote shutdown panel not conducted between 870819 & 1120.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/23. 2pp. 46783-267-46783 268

--**8809070159** Insp Repts 50 321/88-21 & 50-366/88-21 on 880620-24, Violations noted Major areas inspected fire protection/ prevention & followup on previously identified Insp findings
WISEMAN,G.R., WARD,D.C., CONLON,T.E. Region 2, Ofc of the Director. 88/07/22 13pp. 46783 269-46783.281

8808180358 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713-218-46713 219.

8808310146 Responds to NRC 880706 ltr re violations noted in Insp Repts 50-321/88-12 & 50-366/88-12 Corrective actions emergency operating procedure flow chart production quality improved & human factors guidelines incorporated into charts
MCDONALD,R.P. Georgia Power Co. 88/08/25 Document Control Branch (Document Control Desk). 8pp 46899:144-46899.149

8809120141 Forwards 881116 emergency preparedness exercise objectives, per IE Info Notice 85 055.
HAIRSTON,W.G. Georgia Power Co. 88/08/26. GRACE,J.N. Region 2, Ofc of the Director. 6pp. 46825.018-46825:023

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809140272 Forwards Insp Repts 50-321/88-22 & 50-366/88-22 on 880625-0722 Certain activities appear to violate NRC requirements but violations not being cited.
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/30. HAIRSTON,W.G. Georgia Power Co. 2pp. 46842.274-46842:291.

--8809140276 Insp Repts 50 321/88-22 & 50-366/88-22 on 880625-0722. No violations noted. Major areas inspected: operational safety verification, maintenance observations, surveillance testing observations, radiological protection & physical security. MENNING, J.E., SINKULE, M.V. Region 2, Ofc of the Director 88/08/30 16pp. 46842 276-46842 291.

8809060075 Submits summary of procedure upgrade program portion of 880729 meeting w/NRC at Region II offices as result of NRC operational performance assessment. Insp performed at site on 880509-20. McDONALD, R.P. Georgia Power Co. 88/08/31. Document Control Branch (Document Control Desk) 2pp. 46789 095 46789 086

8809140311 Ack receipt of 880822 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 321/88-17 & 50-366/88-17. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/31 HAIRSTON, W.G. Georgia Power Co. 1p. 46837 008 46837 006

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713, 004.

8809070030 Forwards request for addl info re util 880830 response to Generic Ltr 88 01 & plan for IGSCC insp of austenitic stainless steel piping during fall of 1988 refueling outage. CROCKER, L.P. Project Directorate II-3 88/09/01. HAIRSTON, W.G. Georgia Power Co. 3pp. 46783 156-46783, 158

8809160015 Ack receipt of util 880725 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 321/88-09 & 50-366/88-09. First example of Violation 88 03 05 re inadequate bullet resistant barriers occurred as stated. GRACE, J.N. Region 2, Ofc of the Director 88/09/01 HAIRSTON, W.G. Georgia Power Co. 2pp. 46908 348 46908, 349.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726, 001-46726, 123

8809140092 Forwards info requested by Suppl 1 to NRC Bulletin 85-003 on nine addl valves, including applicability to plant program HPCI & RCIC turbine exhaust valves not motor operated valves & will not be considered in determining operator setpoints. HAIRSTON, W.G. Georgia Power Co. 88/09/06 Document Control Branch (Document Control Desk). 16pp. 46837, 081-46837 075

8809140098 Forwards response to NRC Bulletin 88 005, "Nonconforming Matl Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." No evidence of nonconforming matls being supplied to plant. HAIRSTON, W.G. Georgia Power Co. 88/09/08. Document Control Branch (Document Control Desk). 10pp. 46841:101-46841:110.

8809140187 Responds to NRC Bulletin 88 008, "Thermal Stresses in Piping Connected to RCS," did 880622.HPCI sys at pressure lower than RCS so leakage past injection valves will not occur. HAIRSTON, W.G. Georgia Power Co. 88/09/08 Document Control Branch (Document Control Desk). 4pp. 46844, 170 46844, 173

8809190259 Notification of 880921 meeting w/util in Atlanta, GA to discuss util response to NRC Bulletin 85 003 re motor-operated valve common mode failures due to improper switch settings. CROCKER, L.P. Project Directorate II-3 88/09/13 MATTHEWS, D.B. Project Directorate II-3 2pp. 46809 001-46809 002

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824, 215-46824, 336.

8809260246 Forwards Insp Repts 50-321/88-26 & 50-366/88-26 on 880816-19. No violations or deviations noted. COLLINS, D.M. Region 2, Ofc of the Director. 88/09/14. HAIRSTON, W.G. Georgia Power Co. 2pp. 46866 289 46866 296.

--8809260248 Insp Repts 50-321/88-26 & 50-366/88-26 on 880816-19. No violations or deviations noted. Major areas inspected: solid radwaste, transportation of radioactive matl, followup on previous Insp items & selected NRC info notices. JOSEY, C.M., SHORTRIDGE, R.B. Region 2, Ofc of the Director 88/09/09. 6pp. 46866, 291-46866 296

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp. 46846, 133-46846, 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46846, 253-46847, 013.

F. Periodic operating reports & related correspondence

8809010218 "Semiannual Rept Plant Radioactive Effluent Releases Jan-June 1988." W/880826 ltr. HAIRSTON, W.G. Georgia Power Co. 88/08/30. 70pp. 46743, 022-46743, 091.

8809140054 Monthly operating repts for Aug 1988 for Hatch Units 1 & 2. W/880908 ltr. TUCKER, J.E., HAIRSTON, W.G. Georgia Power Co. 88/08/31. 13pp. 46841:273-46841:285.

S. Reportable occurrences, LERs & related correspondence

8809310088 LER 88 015-00 on 880729, Group 5 isolation of primary containment isolation valves occurred. Caused by bound open relief valve. Valve repaired & personnel counseled. On 880802, isolation occurred. Caused by inoperable valve W/880826 ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/08/26. 9pp. 46699, 321-46699 329.

8809140065 LER 88 020-00 on 880805, when reinstalling repaired feedwater min flow controller, fuse blew causing min flow valves on condensate, condensate booster & reactor feed pumps to fail open. Caused by design deficiency W/880906 ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/09/06. 9pp. 46837 282-46837 270.

V. Operator Examinations

8809080016 Requests that NRC conduct operator licensing exam through Sept 1992, as indicated on encl schedules, in response to Generic Ltr 88-13. McDONALD, R.P. Georgia Power Co. 88/08/31 HANNON, J. Operator Licensing Branch. 6pp. 46788 097-46789 102.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260066 Revised emergency plan implementing procedures, including Rev 4 to 1903.20, "Toxic Gas Release" & Rev 3 to 1903 21, "ARKLA Natural Gas Line Rupture." Arkansas Power & Light Co. 88/08/20. 10pp. 46858, 335-46858 344.

8809160140 Rev 4 to Emergency Plan Implementing Procedure 1903 62, "Communications Sys Operating Procedure." Arkansas Power & Light Co. 88/08/20 24pp. 46894 347-46895 010.

8809190191 Rev 15 to Emergency Plan Implementing Procedure 1903 50, "Emergency Response Organization." Arkansas Power & Light Co. 88/08/31. 80pp. 46898:161-46898, 239.

8809140360 Revised emergency plan implementing procedures, including Rev 5 to 1903.04, "Administration & Maint of Emergency Plan & Implementing Procedures" & Rev 24 to 1903 10, "Emergency Action Level Classification." Arkansas Power & Light Co. 88/09/01. 29pp. 46846 098-46846:127.

8809140368 Rev 23 to Emergency Plan Implementing Procedure 1903.10, "Emergency Action Level Classification." Arkansas Power & Light Co. 88/09/01 128pp. 46837, 081 46837-208.

8809130164 Notification of significant licensee meeting on 880908 in Arlington, TX to discuss backfit concerns re contingency responses to safeguard events. CALLAN, L.J. Region 2, Ofc of the Director. 88/09/02 Region 2, Ofc of the Director. 2pp. 46830 059-46830:060.

8809130196 Confirms 880908 mgt meeting to discuss backfit concerns re contingency responses to safeguards events per 880831 telcon Proposed meeting agenda encl W/o agenda. CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46828:280-46828, 281

8809160148 Revised emergency plan implementing procedures, including Rev 6 to 1904.01, "Offsite Dose Projections - Geoms Computer Graphics Method" & Rev 5 to 1904 08, "Use of WSI Weather Info Svc." Arkansas Power & Light Co. 88/09/07 24pp. 46864:350 46865 013.

8809230125 Forwards SALP Repts 50-313/87-41 & 50-368/87 41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed. Mgt meeting scheduled for 881021. MARTIN, R.D. Region 4, Ofc of the Director. 88/09/16. CAMPBELL, G. Arkansas Power & Light Co. 3pp. 46843, 315-46843, 349

--8809230126 SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Region 4, Ofc of the Director. 88/09/16. 32pp. 46843, 318 46843-349.

G. Adjudicatory correspondence

8809120036 Requests that svc lists be amended accordingly to reflect deletion of Liberman from firm name. REAP, M.E., Bishop, Cook, Purcell & Reynolds. #388 7021 88/09/01. Docketing & Services Branch 1p. 46752, 296-46752:296.

I. Financial information

8808310080 Forwards executive summary of US Supreme Court decision on Mississippi Power & Light Grand Gulf Unit 1 rate litigation. Federally mandated wholesale rates through retail rate structure upheld. KINGSLEY, O.D. System Energy Resources, Inc. 88/08/26 Document Control Branch (Document Control Desk) 6pp. 46723 354-46723, 358

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

8808260181 Forwards Amend 87 to License NPF-6 & safety evaluation Amend revises Section 6 of Tech Specs to delete Figure 6-2-1, "Mgt Organization Chart" & Figure 6-2-2, "Functional Organization for Plant Operations." HARBUCK, C.C. Project Directorate IV 88/08/18. CAMPBELL, T.G. Arkansas Power & Light Co. 4pp. 46869:180-46869:193.

144 DOCKETED ITEMS

--8808260184 Amend 87 to License NPF 6, revising Section 6 of Tech Specs to delete Figure 6-2-1, "Mgt Organization Chart" & Figure 6-2-2, "Functional Organization for Plant Operations"
CALVO, J.A. Project Directorate IV 88/08/18 7pp 46669 184-46669 190

--8808260198 Safety evaluation supporting Amend 87 to License NPF-6.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/18 3pp 46669 191-46669 193

8809020194 Informs that 880527 response to Generic Ltr 88 05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants," acceptable.
HARBUCK, C.C. Project Directorate IV 88/08/25 CAMPBELL, T.G. Arkansas Power & Light Co 4pp 46746 101-46746 104

8809010363 Forwards exemption & safety evaluation re 880513 & 0719 requests for one-time exemption from FSAR annual rev due date of 880722 required by 10CFR50 71(e) Exemption granted
HARBUCK, C.C. Project Directorate IV, 88/08/26, CAMPBELL, T.G. Arkansas Power & Light Co 3pp 46742 001-46742 009

--8809010364 Exemption from scheduler requirement of 10CFR50 71(e)(4) re FSAR annual rev
CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/08/26 Arkansas Power & Light Co 4pp 46742 004-46742 007

--8809010366 Safety evaluation granting licensee request for exemption from requirements of 10CFR50 71(e) to extend annual FSAR rev filing date for plant from 880722 to 881020
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/26, 2pp 46742 008-46742 009

8809140405 Discusses resolution of Generic Issue 124 re auxiliary feedwater sys reliability response to staff assessment rept. Evaluation of condensate pumps as method of accomplishing safety function of emergency feedwater sys encl.
HOWARD, D.R. Arkansas Power & Light Co, 88/09/02, CALVO, J.A. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 23pp 46846, 129-46846 151.

8809140082 Provides response to NRC 880728, 29 & 0818 ltrs & schedule for addl info re transfer of mgt/operating responsibilities. News releases will be utilized to assure public & applicable local & state agencies kept informed re consolidation
KINGSLEY, O.D. System Energy Resources, Inc 88/09/09 Document Control Branch (Document Control Desk), 5pp. 46836, 062-46836 066

8809200056 Forwards final rept "Ten Yr Visual Tendon Surveillance of Arkansas Nuclear One Unit 2 Primary Reactor Containment . " Utl reviewed rept & agrees w/results of surveillance which indicates that no abnormal degradation occurred
HOWARD, D.R. Arkansas Power & Light Co 88/09/09, CALVO, J.A. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411), 1p. 46915 331-46915 153.

--8809200065 "Ten-Yr Visual Tendon Surveillance of Arkansas Nuclear One, Unit 2 Primary Reactor Containment Bldg, Surveillance Rept"
WILLICH, J., HOUGH, R. Precision Surveillance Corp (formerly INRYCO, Inc.), 88/07/01, 200pp 46915 332-46915 153

8809220305 Responds to NRC 880729 ltr re interpretation of util commitments made in 880701 amend request & provides schedule for submittal of remaining info requested.
CAMPBELL, T.G. Arkansas Power & Light Co 88/09/09 Document Control Branch (Document Control Desk), 4pp 46927 015 46927 023

8809200233 Requests meeting in Rockville, MD to discuss longstanding safety issues for closure, formal closure to be documented in meeting minutes. Specific issues & associated concerns encl.
CALVO, J.A. Project Directorate IV, 88/09/12, CAMPBELL, T.G. Arkansas Power & Light Co. 6pp. 46915 044-46915 049.

8809260057 Responds to SR Connelly 880908 memo re followup of allegation concerning use of E-Brite 26-1 mail in nuclear facilities.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411), 88/09/21, STELLO, V. Ofc of the Executive Director for Operations 3pp. 46956 294-46956 305

--8809260059 Discusses identification of previously unidentified safety issue re use of ferritic stainless steel E Brite in HX unit fabricated by Allegheny Ludlum Steel Corp.
CONNELLY, S.R. Office of Inspector & Auditor, 88/09/08, STELLO, V. Ofc of the Executive Director for Operations, 2pp 46956 297-46956 303

--8809260060 Summary of 880204 meeting re presentation made by Allegheny Ludlum on ferritic stainless steel E-Brite.
WOOLRIDGE, E.O. Mechanical Engineering Branch (870413-880718), 88/02/05, Mechanical Engineering Branch (870413 880718), 2pp, 46956, 304-46956 305.

Q. Inspection reports, IE Bulletins & correspondence

8809310187 Responds to violations noted in Insp Repts 50-313/88-15 & 50-368/88-15 Corrective actions combustibles removed from area Maint manager issued memo to all maint personnel indicating disciplinary action for violation of procedures.
LEVINE, J.M. Arkansas Power & Light Co 88/07/27, CALLAN, L.J. Region 4, Ofc of the Director, 5pp. 46700 352-46700 356.

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mgt by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19, Consolidated Edison Co. of New York, Inc. 125pp. 46690, 054-46690 178.

8809200220 Forwards addl info on potential enforcement items re envlron qualification of equipment per commitment made during 880815 enforcement conference.
CAMPBELL, T.G. Arkansas Power & Light Co, 88/08/19, MARTIN, R.D. Region 4, Ofc of the Director 129pp 46901 001-46901 170.

--8809200230 "Aging Evaluation of Electrical Cables."
MURPHY, J.A., DEPSON, K.J. Schneider Consulting Engineers SCE-ANO-06, 84/11/15, 40pp. 46901 131-46901 170.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702, 311-46702 070

8808300027 Forwards Insp Repts 50-313/88-24 & 50-368/88-24 on 880718-22 No violations or deviations noted
CALLAN, L.J. Region 4, Ofc of the Director 88/08/22 CAMPBELL, G. Arkansas Power & Light Co 2pp 46703, 231-46703 242

--8808300030 Insp Repts 50-313/88-24 & 50-368/88-24 on 880718 22 No violations or deviations noted Major areas inspected liquid & gaseous radwaste mgt programs
NICHOLAS, J.B., RICKETSON, L.T., BAER, R.E. Region 4, Ofc of the Director 88/09/17, 10pp 46703 233-46703 242

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808310032 Ack receipt of 880727 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-15 & 50-368/88-15
CALLAN, L.J. Region 4, Ofc of the Director 88/08/26 CAMPBELL, G. Arkansas Power & Light Co 1p. 46699 304-46699 304.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46712 095 46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809220301 Responds to NRC Bulletin 88 004, "Potential Safety-Related Pump Loss" Submits response to Questions 1 & 2 Evaluation of Question 3 underway, requires addl data from mfg re min flow for pump protection. Response expected in Feb 1989
HOWARD, D.R. Arkansas Power & Light Co 88/09/08, Document Control Branch (Document Control Desk) 5pp. 46926 188 46926 192.

8809200031 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88 05 & 50 368/88 05
CALLAN, L.J. Region 4, Ofc of the Director, 88/09/12, CAMPBELL, G. Arkansas Power & Light Co, 1p 46915, 050-46915 055.

--8809200037 Responds to NRC 880713 ltr re violations noted in Insp Repts 50-313/88-05 & 50-368/88-05, Corrective actions, capscrews replaced w/capscrews to meet or exceed properties specified in ASTM A-193 Grade B-7, specified in design calculation.
LEVINE, J.M. Arkansas Power & Light Co, 88/08/12, CALLAN, L.J. Region 4, Ofc of the Director, 5pp. 46915 051-46915 055.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 216-46824 338

8809190203 Responds to NRC Bulletin 88 005, Suppl 2 re mats supplied by Piping Supplies, Inc & West Jersey Mfg Co. Results of actions taken to assure that mats conform w/ASME Code encl.
HOWARD, D.R. Arkansas Power & Light Co, 88/09/15, Document Control Branch (Document Control Desk), 3pp. 46899, 033-46899 035

8809120187 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46948 133-46948 252

8809230125 Forwards SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed Mgt meeting scheduled for 881021.
MARTIN, R.D. Region 4, Ofc of the Director, 88/09/16 CAMPBELL, G. Arkansas Power & Light Co, 3pp. 46943 316 46943 349

--8809230126 SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988.
* Region 4, Ofc of the Director 88/09/16 32pp. 46943 318-46943 349.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp. 46946 263-46947 013

R. Periodic operating reports & related correspondence

8809140101 "Summary of Quantities of Radioactive Liquid & Gaseous Effluents & Solid Waste Release for First & Second Quarters of 1988." W/880829 ltr
HOWARD, D.R. Arkansas Power & Light Co, 88/08/30 23pp 46836, 333 46836 355

8808290313 Monthly operating rept for Jul 1988 for Arkansas Nuclear One Unit 3W 880815 ltr.
HARRISON, D.F., HOWARD, D.R. Arkansas Power & Light Co 88/07/31, 6pp 46684, 072-46684 077.

8809200337 Monthly operating rept for Aug 1988 for Arkansas Nuclear One Unit 2W 880915 ltr.
HARRISON, D.F., SCHAUBROECK, D., HOWARD, D.R. Arkansas Power & Light Co 88/08/31, 2pp 46684, 072-46684 077.

S. Reportable occurrences, LERs & related correspondence

8808300157 LER 87-006-02 on 870708, shutdown & cooldown commenced due to unsatisfactory RCS pressure boundary leak. Caused by lack of weld metal fusion during weld fabrication & personnel error. New plugs inserted W/880819 Ltr. TAYLOR, L.A., LEVINE, J.M. Arkansas Power & Light Co. 88/08/19 10pp 46691-351-46691-360.

8809150146 LER 88-011-00 on 880801, notification of unusual event declared & manual reactor trip & plant cooldown performed due to sensing line failure. Caused by low stress, high cycle & weld fatigue failure. Welds modified W/880908 Ltr. TAYLOR, L.A., LEVINE, J.M. Arkansas Power & Light Co. 88/09/08 10pp 46857-001-46857-010.

8809200226 LER 88-012-01 on 880925, reactor scram occurred following trip of main turbine due to secondary sys transient. Cause of event could not conclusively be identified. Both valves declared inoperable W/880915 Ltr. TAYLOR, L.A., LEVINE, J.M. Arkansas Power & Light Co. 88/09/15 5pp 46900-165-46900-169.

V. Operator Examinations

8809220293 Forwards response to Generic Ltr 88-13 re proposed operator licensing exam schedule format through FY92. HOWARD, D.R. Arkansas Power & Light Co. 88/09/01. HANNON, J. NRC - No Detailed Affiliation Given. 3pp. 46927-184-46927-186.

8809230126 Forwards SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. Overall performance continued on improving trend. Specific areas deserving merit listed. Mgt meeting scheduled for 88/10/21. MARTIN, R.D. Region 4, Ofc of the Director. 88/09/16 CAMPBELL, G. Arkansas Power & Light Co. 3pp 46943-315-46943-349.

8809230126 SALP Repts 50-313/87-41 & 50-368/87-41 for Jan 1987 - June 1988. * Region 4, Ofc of the Director. 88/09/16 32pp 46943-318-46943-349.

DOCKET 50-369 WILLIAM B. MCQUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809010096 Change 0 to Emergency Plan Implementing Procedure HP/0/B/1009/02, "Alternative Method for Determining Dose Rate Within Reactor Bldg." W/undated Ltr. SMITH, R., HAMILTON, B., LEONARD, R. Duke Power Co. 88/08/22. 7pp. 46744-073-46744-079.

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant. Encl withheld (ref 10CFR73.21). TUCKER, H.B. Duke Power Co. 88/08/26 Document Control Branch (Document Control Desk). 3pp 46751-176-46751-178.

8809080159 Forwards Rev 4 to licensee response to Suppl 1 to NUREG 0737 consisting of Rev 2 to "Writer Guide for Emergency & Abnormal Procedures." TUCKER, H.B. Duke Power Co. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46797-183-46797-324.

8809080160 Rev 2 to "Writer Guide for Emergency & Abnormal Procedures." * Duke Power Co. 88/08/25. 140pp 46797-185-46797-324.

8809190236 Forwards Rev 9 to training & qualification plan. Rev addresses new 10CFR rules for record retention periods. Rev withheld. TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 2pp. 46899-086-46899-087.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065-008.

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR, L. Doc-Search Associates. 5pp 46770-060-46770-069.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770-211-46770-223.

8808260033 Forwards Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively & safety evaluation Amends change Tech Specs by deleting portion of Surveillance requirement 4.5.1 re method for disconnecting power to accumulator isolation valves. HOOD, D. Project Directorate II-3. 88/08/19 TUCKER, H.B. Duke Power Co. 1p. 46658-345-46658-357.

8808260037 Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively, changing Tech Specs by deleting portion of Surveillance Requirement 4.5.1 re method for disconnecting power to accumulator isolation valves. MATTHEWS, D.B. Project Directorate II-3. 88/08/19. 8pp 46658-346-46658-351.

8808260040 Safety evaluation supporting Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/19. 8pp. 46658-352-46658-357.

8809090147 Forwards corrected pages to Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively. Package issued w/incorrect overleaf page. CRANE, K.L. Duke Power Co. 88/08/23. Duke Power Co. 1p 46807-012-46807-014.

8809090148 Corrected Amends 88 & 69 to NPF-9 & 17, respectively, consisting of Tech Spec Pages 3/4 3-21 & 3/4 3-22 re ESF sys instrumentation. * NRC - No Detailed Affiliation Given. 88/08/23. 2pp. 46807-013-46807-014.

8808310174 Forwards addl info supporting util 880624 proposed rev of Tech Spec 3/4.7.13 re use of groundwater level monitors, per NRC D Hood request. TUCKER, H.B. Duke Power Co. 88/08/25 Document Control Branch (Document Control Desk). 50pp. 46725-235-46725-294.

8808310183 Rev 0 to Procedure IP/O/B/3050/26, "Groundwater Level Loop Calibr." * Duke Power Co. 88/08/25 10pp 46725-285-46725-294.

8809010338 Summarizes record of 880719 telcon w/util re proposed change to Tech Spec 3/4.7.13, "Groundwater Level." Requested addl info listed. HOOD, D.S. Project Directorate II-3. 88/09/26. Project Directorate II-3. 3pp. 46744-029-46744-031.

8809060410 Summarizes 880826 telcon w/util re proposed design mod & associated Tech Spec change to control area ventilation sys for plant. NRC requested listed addl info. HOOD, D.S. Project Directorate II-3. 88/09/01. Project Directorate II-3. 2pp 46757-342-46757-343.

8809150342 Forwards corrected pages for 870506 Amends 71 & 52 & 880705 Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively. HOOD, D. Project Directorate II-3. 88/09/02 TUCKER, H.B. Duke Power Co. 2pp 46848-318-46848-321.

8809150344 Errata to Amends 71 & 52 to Licenses NPF-9 & NPF-17, respectively, correcting typo in 870506 Ltr. * Project Directorate II-3. 88/09/02. 1p 46848-320-46848-320.

8809210142 Errata to Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively, correcting error in overleaf pages forwarded w/amends. * Project Directorate II-3. 88/09/02. 1p 46848-321-46848-321.

8809190180 Forwards summary of 880810 meeting w/util at Region II ofc re plant performance & improvement programs. List of attendees & handout also encl. REYES, L.A. Region 2, Ofc of the Director. 88/09/06 TUCKER, H.B. Duke Power Co. 32pp 46893-282-46893-313.

8809200243 Informs that effective 880911, senior resident inspectors for Catawba & McGuire are WT Orders & PK VanDoorn, respectively. REYES, L.A. Region 2, Ofc of the Director. 88/09/07. TUCKER, H.B. Duke Power Co. 1p 46900-142-46900-142.

8809150228 Summarizes 880816 meeting near Cornelius, NC re questions resulting from review of plant pump & valve inservice testing program. Meeting resulted in 14 open items identified in Encl 2 Resolution by Oct 1988 needed. HOOD, D.S. Project Directorate II-3. 88/09/08 TUCKER, H.B. Duke Power Co. 32pp. 46873-330-46873-361.

8809190095 Withdraws 850830 proposed changes to Tech Spec 3/4.8.3 re 125 volt dc vital instrumentation & control sys batteries. TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 1p 46896-081-46896-081.

8809190153 Forwards response from Westinghouse re ATWS/mitigating sys actuation circuitry design mod for plants. Design acceptable. TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 7pp 46898-070-46898-076.

8809190144 Forwards Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively & safety evaluation Amends change Tech Specs by deleting surveillance requirements for manual transfer from normal to emergency power supplies for pressurizer heaters. HOOD, D. Project Directorate II-3. 88/09/13 TUCKER, H.B. Duke Power Co. 3pp 46893-051-46893-063.

8809190146 Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively, changing Tech Specs by deleting surveillance requirements re manual transfer from normal to emergency power supplies for pressurizer heaters, PORVs & PORV block valves. MATTHEWS, D.B. Project Directorate II-3. 88/09/13. 8pp. 46893-054-46893-081.

8809190148 Safety evaluation supporting Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/13. 2pp. 46893-082-46893-083.

8809180216 Notification of 881028 meeting w/util in Rockville, MD to discuss util corporate approach re QA surveillance & audit techniques. HOOD, D. Project Directorate II-3. 88/09/14. MATTHEWS, D.B. Project Directorate II-3. 5pp. 46884-175-46884-179.

Q. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants." Committee recommended forwarding ofc package to EDO following incorporation of CRGR comments. JORDAN, E.L. Committee to Review Generic Requirements. 88/01/11. STELLO, V. Ofc of the Executive Director for Operations. 37pp. 46874-070-46874-106.

8809160164 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85-001, in response to 871229 request. ERNST, M.L. NRC - No Detailed Affiliation Given. 87/12/30. ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 880720). 3pp 46874-111-46874-113.

8808260013 Forwards Insp Repts 50-369/88-22 & 50-370/88-22 on 880718-22. No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/08/11. TUCKER, H.B. Duke Power Co. 2pp. 46669-259-46669-261.

8808260017 Partially withheld Insp Repts 50-369/88-22 & 50-370/88-22 on 880718-22 (ref 10CFR2.790 & 73.21). No violations noted. Major areas inspected: procedures & operations of SNM. SEYMOUR, D.A., MCALPINE, E.J. Region 2, Ofc of the Director. 88/08/11. 1p 46669-261-46669-261.

146 DOCKETED ITEMS

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19
Consolidated Edison Co. of New York, Inc. 125pp. 46690 054 46690 178

8808300236 Forwards Insp Repts 50-369/88-20 & 50-370/88-20 on 880625- 0722 & notice of violation
BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/19 TUCKER,H.B. Duke Power Co. 2pp 46703 113-46703 130

--**8808300238** Notice of violation from insp on 880625 0722 Violations noted procedure for steam generator cold wet lay up recirculation inadequate in that performance of procedure caused ESF actuation
BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/19 3pp 46703 115 46703-117

--**8808300240** Insp Repts 50-369/88-20 & 50-370/88-20 on 880625 0722 Violations noted Major areas inspected operations safety verification,surveillance testing,maint activities & followup on previous insp findings
ORDERS,W., NELSON,D., CROTEAU,R. Region 2, Ofc of the Director 88/08/19 13pp 46703 118 46703 130

8808160451 NRC Info Notice 88-068, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22
Consolidated Edison Co. of New York, Inc. 121pp. 46702.311 46703 070.

8809070094 Confirms 881020 mgt meeting at McGuire & 881021 meeting at Catawba to review results of SALP program of regulatory performance for Aug 1987 to Jul 1988
GRACE,J.N. Region 2, Ofc of the Director 88/08/23 TUCKER,H.B. Duke Power Co. 2pp 46781 358-46781 359

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24
Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219

8809070112 Forwards Exam Rept 50-369/OL-88-02 of exams administered on 880816 JULIAN,C.A. Region 2, Ofc of the Director 88/08/24 TUCKER,H.B. Duke Power Co. 2pp 46781 320 46781 323.

--**8809070116** Exam Rept 50-369/OL-88-02 on 880816 Exam results two candidates administered operating reexams & all candidates passed exams
RAPP,C., BROCKMAN,K.E. Region 2, Ofc of the Director 88/08/25. 2pp. 46781 322-46781 323

8809080384 Ack receipt of 880805 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/88-14 & 50-370/88-14
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/25. TUCKER,H.B. Duke Power Co. 1p 46782.334-46782 334

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29
Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8809080417 Forwards Interim response to NRC Bulletin 88-004 re potential safety related pump loss Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line.
TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk) 33pp 46783 087-46783-119

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01
Consolidated Edison Co. of New York, Inc. 121pp. 46712 244 46713-004.

8808300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02.
Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809140458 Supplemental response to 880708 response to violation noted in Insp Repts 50-369/88-13 & 50-370/88-13 Denies any lack of responsiveness to concerns during insp Acks that enhanced communication can minimize misunderstanding of this nature.
TUCKER,H.B. Duke Power Co. 88/09/02. Document Control Branch (Document Control Desk) 3pp. 46837.230 46837 232

8809200105 Ack receipt of 880722 response to NRC 880606 notice of violation re Insp Repts 50-369/88-12 & 50-370/88-12 Util response inadequately addresses basis for violation. Compliance group to submit revised response by 880926
REYES,L.A. Region 2, Ofc of the Director 88/09/07 TUCKER,H.B. Duke Power Co. 1p 46918 110-46918 110

8809200205 Forwards Insp Repts 50-369/88-23 & 50-370/88-23 on 880723-0819 & notice of violation.
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/09/07. TUCKER,H.B. Duke Power Co. 2pp. 46900 252-46900 264.

--**8809200207** Notice of violation from insp on 880723 0819.Violation noted Procedure OP/2/A/8250/02, "Auxiliary Feedwater Sys." Step 2.5 not performed as written & procedure not written & Procedure PT/2/A/4204/05 Inadequate
BROWNLEE,V.L. Region 2, Ofc of the Director 88/09/06. 2pp 46900 254-46900 255.

--**8809200209** Insp Repts 50-369/88-23 & 50-370/88-23 on 880723-0819 One violation noted Major areas inspected.operations safety verification,surveillance testing,maint activities & followup on previous insp findings
ORDERS,W., NELSON,D., CROTEAU,R. Region 2, Ofc of the Director. 88/09/06 9pp 46900.256-46900 264

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88-005, 'Nonconforming Mats Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co at Williamstown,NJ,' for Oconee Nuclear Station,McGuire Nuclear Station ." TUCKER,H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk), 1p 46915.124-46915-330.

--**8809230251** Rev 0 to "Response to NRC Bulletin 88-005,Nonconforming Mats Supplied by Piping Supplies,Inc at Folsom,NJ & West Jersey Mfg Co. ." Proprietary Procedure 1404 1, "LEEB Hardness Testing (Equotip).. " encl.Procedure withheld
Duke Power Co. 88/09/09 250pp. 46915.125-46915.330

8809200367 Advises that review of appropriate piping sys completed at plants per NRC Bulletin 88-008 requirements Insps for Action 2 will be completed by 881222 for McGuire Unit 1,by 891212 for Unit 2,by 890110 for Catawba Unit 1 & 890524 for Unit 2
TUCKER,H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk), 2pp 46916-158-46916 159

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS & PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14
Consolidated Edison Co. of New York, Inc. 122pp. 46824 216-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Cutoff Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16
Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252

8809260167 Responds to violations noted in Insp Repts 50-369/88-20, 50-370/88-20,50-413/88-29 & 50-414/88-29.Corrective actions operations personnel implemented change to procedures in steam generator cold wet layup recirculation
TUCKER,H.B. Duke Power Co. 88/09/16 Document Control Branch (Document Control Desk) 8pp. 46957 082-46957 090

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19
Consolidated Edison Co. of New York, Inc. 126pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809080077 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988" W/ 880828 ltr.
TUCKER,H.B. Duke Power Co. 88/08/30. 39pp. 46788 134 46788 172

8809200316 Forwards monthly operating repts for Aug 1988 for McGuire Nuclear Station & corrected operating data sheets for Jul 1988
TUCKER,H.B. Duke Power Co. 88/09/15. Document Control Branch (Document Control Desk) 1p. 46911 121-46911.135

--**8809200320** Monthly operating repts for Aug 1988 for McGuire Units 1 & 2
REAVIS,J.A. Duke Power Co. 88/08/31. 11pp. 46911 122-46911:132.

--**8809200322** Rev 1 to monthly operating repts for Jul 1988 for McGuire Units 1 & 2
REAVIS,J.A. Duke Power Co. 88/07/31 3pp. 46911 133 46911 135

S. Reportable occurrences, LERs & related correspondence

8809140124 LER 88-018-00 on 880715,performance determined during testing revealed inability to demonstrate each diesel generator operable Caused by Inadequate Tech Specs. Procedures revised W/880901 ltr
LEROY,S.E., TUCKER,H.B. Duke Power Co. 88/09/01. 8pp. 46898 342-46898 349

8809160308 LER 88-019-00 on 880719,discovered that some hydrogen skimmer VX sys damper compartment flows did not meet flow requirements.Caused by defective procedure due to testing not requiring flow rates to be drawn.W/880909 ltr
LEROY,S.E., TUCKER,H.B. Duke Power Co. 88/09/09. 7pp 46895 084 46895 080

8809190277 Advises that submittal of LER re 880808 missed valve retest delayed until 881003 due to unresolved concerns.
TUCKER,H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk) 1p 46898.347-46898:347

8809230228 LER 88-020-00 on 880912,actuator disconnected from valve stem at actuator to valve stem coupling Caused by mgt deficiency due to poor planning/scheduling by operations. Operations personnel manually opened valve W/880912 ltr
LEROY,S.E., TUCKER,H.B. Duke Power Co. 88/09/12. 9pp. 46932 149 46932 157.

V. Operator Examinations

8809070112 Forwards Exam Rept 50-369/OL-88-02 of exams administered on 880816 JULIAN,C.A. Region 2, Ofc of the Director 88/08/24 TUCKER,H.B. Duke Power Co. 2pp 46781 320-46781.323.

--**8809070116** Exam Rept 50-369/OL-88-02 on 880816.Exam results two candidates administered operating reexams & all candidates passed exams.
RAPP,C., BROCKMAN,K.E. Region 2, Ofc of the Director 88/08/25 2pp 46781 322 46781.323.

8809070173 Forwards util best estimate of operator licensing & requalification exam requirements for FY89-FY92.
TUCKER,H.B. Duke Power Co. 88/08/31. Document Control Branch (Document Control Desk). 8pp 46784-046-46784.053.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809010098 Change 0 to Emergency Plan Implementing Procedure HP/0/B/1009/02. "Alternative Method for Determining Dose Rate Within Reactor Bldg" W/undated ltr
SMITH,R., HAMILTON,B., LEONARD,R. Duke Power Co. 88/08/22. 7pp. 46744 073 46744 078.

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant. Encl withheld (ref 10CFR73.21)
TUCKER, H.B. Duke Power Co 88/08/26 Document Control Branch (Document Control Desk), 3pp 46751-176-46751 178

8809080159 Forwards Rev 4 to licensee response to Suppl 1 to NUREG 0737 consisting of Rev 2 to "Winter Guide for Emergency & Abnormal Procedures"
TUCKER, H.B. Duke Power Co 88/08/30 Document Control Branch (Document Control Desk), 2pp 46797 183-46797 324

8809080180 Rev 2 to "Winter Guide for Emergency & Abnormal Procedures"
* Duke Power Co 88/08/25, 140pp, 46797.185-46797 324.

8809190236 Forwards Rev 9 to training & qualification plan Rev addresses new 10CFR rules for record retention periods. Rev withheld
TUCKER, H.B. Duke Power Co 88/09/09 Document Control Branch (Document Control Desk), 2pp, 46898.086-46898 097

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8808260033 Forwards Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends change Tech Specs by deleting portion of Surveillance requirement 4.5.1 re method for disconnecting power to accumulator isolation valves.
HOOD, D. Project Directorate II-3, 88/08/19 TUCKER, H.B. Duke Power Co 1p 46658 345-46658 357.

8808260037 Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively, changing Tech Specs by deleting portion of Surveillance Requirement 4.5.1 re method for disconnecting power to accumulator isolation valves.
MATTHEWS, D.B. Project Directorate II-3, 88/08/19 6pp 46658.346-46658 351.

8808260040 Safety evaluation supporting Amends 91 & 72 to Licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411), 88/08/19 6pp 46658 352-46658 357

8809090147 Forwards corrected pages to Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively. Package issued w/incorrect overleaf page
CRANE, K.L. Duke Power Co. 88/08/23. Duke Power Co. 1p. 46807.012-46807 014

8809090148 Corrected Amends 88 & 69 to NPF-9 & 17, respectively, consisting of Tech Spec Pages 3/4 3 21 & 3/4 3 22 re ESF sys instrumentation.
* NRC - No Detailed Affiliation Given 88/08/23, 2pp, 46807-013-46807 014.

8808310174 Forwards addl info supporting uill 880824 proposed rev of Tech Spec 3/4.7.13 re use of groundwater level monitors, per NRC D Hood request
TUCKER, H.B. Duke Power Co. 88/08/25 Document Control Branch (Document Control Desk) 50pp 46725-235-46725 294.

8808310183 Rev 0 to Procedure IP/O/B/3050/26, "Groundwater Level Loop Calibr."
* Duke Power Co. 88/08/25 10pp 46725.285-46725 294.

8809070479 Advises that Cycle 4 refueling outage completed w/Cycle 5 startup on 880726. Peaking factor limit repl providing functions to be used for RAO operation during Cycle 5 encl.
TUCKER, H.B. Duke Power Co. 88/08/25. Document Control Branch (Document Control Desk), 6pp, 46787:355-46787 360.

8809010338 Summarizes record of 880718 telcon w/uill re proposed change to Tech Spec 3/4 7 13, "Groundwater Level" Requested addl info listed
HOOD, D.S. Project Directorate II-3 88/08/26 Project Directorate II-3. 3pp 46744-029 46744 031

8809060410 Summarizes 880826 telcon w/uill re proposed design mod & associated Tech Spec change to control area ventilation sys for plant NRC requested listed addl info.
HOOD, D.S. Project Directorate II-3 88/09/01 Project Directorate II-3. 2pp 46757.342-46757 343.

8809150342 Forwards corrected pages for 870506 Amends 71 & 52 & 880705 Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively.
HOOD, D. Project Directorate II-3, 88/09/02. TUCKER, H.B. Duke Power Co 2pp, 46848.318 46848 321.

8809150344 Errata to Amends 71 & 52 to Licenses NPF-9 & NPF-17, respectively, correcting typo in 870506 ltr.
* Project Directorate II-3 88/09/02, 1p 46848-320 46848 320

8809210142 Errata to Amends 88 & 69 to Licenses NPF-9 & NPF-17, respectively, correcting error in overleaf pages forwarded w/amends.
* Project Directorate II-3, 88/09/02, 1p, 46848:321-46848 321.

8809190180 Forwards summary of 880810 meeting w/uill at Region II o/c re plant performance & improvement programs. List of attendees & handout also encl.
REYES, L.A. Region 2, O/c of the Director, 88/09/07. TUCKER, H.B. Duke Power Co 32pp 46893.282-46893 313

8809200243 Informs that effective 880911, senior resident inspectors for Catawba & McGuire are WT Orders & PK VanDoorn, respectively.
REYES, L.A. Region 2, O/c of the Director, 88/09/07. TUCKER, H.B. Duke Power Co. 1p 46900:142-46900 142

8809150228 Summarizes 880816 meeting near Cornelius, NC re questions resulting from review of plant pump & valve inservice testing program Meeting resulted in 14 open items identified in Encl 2. Resolution by Oct 1988 needed.
HOOD, D.S. Project Directorate II-3, 88/09/08. TUCKER, H.B. Duke Power Co. 32pp 46873.330-46873 361.

8809190095 Withdraws 880830 proposed changes to Tech Spec 3/4.8.3 re 125 volt dc vital instrumentation & control sys batteries.
TUCKER, H.B. Duke Power Co 88/09/09 Document Control Branch (Document Control Desk), 1p 46896.081-46896 081.

8809190153 Forwards response from Westinghouse re ATWS/mitigating sys actuation circuitry design mod for plants. Design acceptable
TUCKER, H.B. Duke Power Co 88/09/09. Document Control Branch (Document Control Desk), 7pp 46896 070 46896 076

8809190144 Forwards Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends change Tech Specs by deleting surveillance requirements for manual transfer from normal to emergency power supplies for pressurizer heaters
HOOD, D. Project Directorate II-3 88/09/13 TUCKER, H.B. Duke Power Co 3pp 46893 051-46893 063

8809190146 Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively, changing Tech Specs by deleting surveillance requirements re manual transfer from normal to emergency power supplies for pressurizer heaters, PORVs & PORV block valves.
MATTHEWS, D.B. Project Directorate II-3, 88/09/13. 8pp, 46893.054 46893 061.

8809190148 Safety evaluation supporting Amends 92 & 73 to Licenses NPF-9 & NPF-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/13, 2pp 46893.062-46893 063

8809160216 Notification of 881028 meeting w/uill in Rockville, MD to discuss uill corporate approach re QA surveillance & audit techniques
HOOD, D. Project Directorate II-3 88/09/14 MATTHEWS, D.B. Project Directorate II-3, 5pp 46864.175-46864 179.

Q. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants" Committee recommended forwarding of package to EDO following incorporation of CRGR comments
JORDAN, E.L. Committee to Review Generic Requirements, 88/01/11. STELLO, V. O/c of the Executive Director for Operations 37pp, 46674.070 46674 106

8809160154 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85 001, in response to 871229 request
ERNST, M.L. NRC - No Detailed Affiliation Given 87/12/30 ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 880720) 3pp 46874.111 46874 113

8808260013 Forwards Insp Repts 50-369/88-22 & 50-370/88-22 on 880718-22 No violations or deviations noted.
CLINE, W.E. Region 2, O/c of the Director, 88/08/11 TUCKER, H.B. Duke Power Co. 2pp 46669 259-46669 261.

8808260017 Partially withheld Insp Repts 50-369/88-22 & 50-370/88-22 on 880718-22 (ref 10CFR2.790 & 73.21). No violations noted. Major areas inspected, procedures & operations of SNM.
SEYMOUR, D.A., MCALPINE, E.J. Region 2, O/c of the Director, 88/08/11, 1p 46669 261-46669 261.

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178

8808300236 Forwards Insp Repts 50 369/88-20 & 50 370/88-20 on 880825-0722 & notice of violation
BROWNLEE, V.L. Region 2, O/c of the Director 88/08/19 TUCKER, H.B. Duke Power Co. 2pp, 46703 113-46703 130

8808300238 Notice of violation from Insp on 880825-0722 Violations noted procedure for steam generator cold wet lay up recirculation inadequate in that performance of procedure caused ESF actuation.
BROWNLEE, V.L. Region 2, O/c of the Director, 88/08/19, 3pp 46703.115 46703 117.

8808300240 Insp Repts 50 369/88-20 & 50-370/88-20 on 880825 0722 Violations noted. Major areas inspected, operations safety verification, surveillance testing, maintenance activities & followup on previous Insp findings
ORDERS, W., NELSON, D., CROTEAU, R. Region 2, O/c of the Director 88/08/19, 13pp, 46703:118-46703 130.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703 070.

8809070094 Confirms 881020 mgt meeting at McGuire & 881021 meeting at Catawba to review results of SALP program of regulatory performance for Aug 1987 to Jul 1988
GRACE, J.N. Region 2, O/c of the Director, 88/08/23 TUCKER, H.B. Duke Power Co 2pp, 46781.358-46781 359.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp, 46713:218 46713 219

8809070112 Forwards Exam Rept 50-369/OL-88-02 of exams administered on 880816.
JULIAN, C.A. Region 2, O/c of the Director, 88/08/24 TUCKER, H.B. Duke Power Co 2pp 46781 320-46781 323

8809070116 Exam Rept 50-369/OL-88-02 on 880816 Exam results, two candidates administered operating reexams & all candidates passed exams.
RAPP, C. Region 2, O/c of the Director, 88/08/25 2pp, 46781 322-46781 323.

8809080384 Ack receipt of 880805 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 369/88-14 & 50-370/88-14.
BROWNLEE, V.L. Region 2, O/c of the Director 88/08/25. TUCKER, H.B. Duke Power Co. 1p, 46792:334 46792 334.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp, 46713:095 46713 217.

148 DOCKETED ITEMS

8809080417 Forwards interm response to NRC Bulletin 88-004 re potential safety-related pump loss Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line.
TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk) 33pp. 46793 087-46793 119

8809280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713 004

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809140458 Supplemental response to 880708 response to violation noted in Insp Repts 50-369/88-13 & 50-370/88-13 Denies any lack of responsiveness to concerns during insp. Acknowledges that enhanced communication can minimize misunderstanding of this nature
TUCKER,H.B. Duke Power Co. 88/09/02 Document Control Branch (Document Control Desk) 3pp. 46837 230 46837 232

8809200105 Ack receipt of 880722 response to NRC 880608 notice of violation re Insp Repts 50-369/88-12 & 50-370/88-12 Util response inadequately addresses basis for violation Compliance group to submit revised response by 880928
REYES,L.A. Region 2, Ofc of the Director 88/09/07 TUCKER,H.B. Duke Power Co. 1p. 46918.110 46918 110.

8809200205 Forwards Insp Repts 50-369/88-23 & 50-370/88-23 on 880723 0818 & notice of violation.
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/09/07. TUCKER,H.B. Duke Power Co. 2pp. 46900.252 46900 284.

8809200207 Notice of violation from Insp on 880723-0819. Violation noted. Procedure OP/2/A/6250/02, "Auxiliary Feedwater Sys." Step 2.5 not performed as written & procedure not written & Procedure PT/2/A/4204/05 inadequate
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/09/06. 2pp. 46900 254 46900 255

8809200209 Insp Repts 50-369/88-23 & 50-370/88-23 on 880723 0819. One violation noted. Major areas inspected. operations safety verification, surveillance testing, maintenance activities & followup on previous insp findings
ORDERS,W., NELSON,D., CROTEAU,R. Region 2, Ofc of the Director. 88/09/06. 9pp. 46900.256 46900 264

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88-005, 'Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ,' for Oconee Nuclear Station, McGuire Nuclear Station."
TUCKER,H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk). 1p. 46916.124-46916.330

8809230251 Rev 0 to "Response to NRC Bulletin 88-005, Nonconforming Mats Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Mfg Co." Proprietary Procedure 1404.1, "LEEB Hardness Testing (Equipment)." and Procedure withheld
Duke Power Co. 88/09/09. 250pp. 46916.125-46916.330.

8809200367 Advises that review of appropriate piping sys completed at plants, per NRC Bulletin 88-008 requirements Insps for Action 2 will be completed by 881222 for McGuire Unit 1, by 891212 for Unit 2, by 890110 for Catawba Unit 1 & 890524 for Unit 2.
TUCKER,H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk) 2pp. 46916.158 46916.158.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215 46824 338.

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946.252

8809280167 Responds to violations noted in Insp Repts 50-369/88-20, 50-370/88-20, 50-413/88-29 & 50-414/88-29. Corrective actions. operations personnel implemented change to procedures in steam generator cold wet layup recirculation
TUCKER,H.B. Duke Power Co. 88/09/16. Document Control Branch (Document Control Desk) 9pp. 46957.082-46957.090

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946-253-46947.013.

R. Periodic operating reports & related correspondence

8809080077 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/ 880829 ltr
TUCKER,H.B. Duke Power Co. 88/06/30. 39pp. 46788 134-46788.172.

8809200318 Forwards monthly operating repts for Aug 1988 for McGuire Nuclear Station & corrected operating data sheets for Jul 1988.
TUCKER,H.B. Duke Power Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46911.121-46911.135

8809200320 Monthly operating repts for Aug 1988 for McGuire Units 1 & 2.
REAVIS,J.A. Duke Power Co. 88/08/31. 11pp. 46911.122-46911.132.

8809200322 Rev 1 to monthly operating repts for Jul 1988 for McGuire Units 1 & 2.
REAVIS,J.A. Duke Power Co. 88/07/31 3pp. 46911.133-46911.135.

S. Reportable occurrences, LERs & related correspondence

8808260320 LER 88-005-00 on 880815. 2B diesel generator fire door blocked open w/ posting of fire watch tag Caused by personnel error. Process for identifying fire door actions that should be taken reiterated to paint crews W/880808 ltr
LE ROY,S.E., TUCKER,H.B. Duke Power Co. 88/08/08. 8pp. 46654.150 46654 151

8808300016 LER 88-007-00 on 880724. Inadvertent ESF activation due to failure signal comparator card in reactor protection sys. Failed signal computer card replaced & Channel III tested satisfactorily. W/880823 ltr
LE ROY,S.E., TUCKER,H.B. Duke Power Co. 88/08/23 5pp. 46692 009-46692 013.

8809060261 Advises that LER re 880724 Inadvertent main feedwater isolation will be delayed until 880906 due to unresolved concerns
TUCKER,H.B. Duke Power Co. 88/08/23 Document Control Branch (Document Control Desk) 1p. 46753 129 46753 129

8809260220 LER 88-008 00 on 880731. steam generator main feedwater regulator valve failed in closed position & reactor manually tripped. Caused by personnel error Broken wire on valve 2CFSV0320 repaired W/880830 ltr
LE ROY,S.E., TUCKER,H.B. Duke Power Co. 88/08/30 8pp. 46956.316 46956 323.

8809150217 LER 88-009-00 on 880724. main feedwater isolation occurred when instrumentation & electrical personnel failed to open valve during repair work. Signal reset, sys flow restored. Good communication stressed W/880906 ltr.
LE ROY,S.E., TUCKER,H.B. Duke Power Co. 88/09/06 10pp. 46864 089 46864 106

V. Operator Examinations

8809070112 Forwards Exam Rept 50-369/OL-88 02 of exams administered on 880816 JULIAN,C.A. Region 2, Ofc of the Director. 88/08/24. TUCKER,H.B. Duke Power Co. 2pp. 46781.320 46781.323.

8809070116 Exam Rept 50-369/OL-88 02 on 880816 Exam results two candidates administered operating reexams & all candidates passed exams.
RAPP,C., BROCKMAN,K.E. Region 2, Ofc of the Director 88/08/25. 2pp. 46781.322 46781 323.

8809070173 Forwards util best estimate of operator licensing & requalification exam requirements for FY89 FY92
TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk) 8pp. 46784.048 46784.053

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8809070024 Revised emergency plan implementing procedures, including Rev 0 to LZF-1250-3, "A-Model Informational Messages" & Rev 1 to LZF-1330-70, "Drywell High Range Gross Gamma Correction Factors"
Commonwealth Edison Co. 88/08/11 100pp. 46774.110-46774.210

8808260241 Forwards Exam Repts 50-373/88 01OL & 50-374/88 01OL of exams administered during wk of 880425
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/18 REED,C. Commonwealth Edison Co. 3pp. 46655 001-46655.174

8809010350 Rev 5 to General Stations Emergency Procedure LZF-1200-1, "Classification of General Stations Emergency Procedure (GSEP) Conditions"
Commonwealth Edison Co. 88/02/20. 16pp. 46655 189 46655 174

8809010353 Rev 4 to General Stations Emergency Procedure LZF-1200-2, "Classification of Noble Gas Release."
Commonwealth Edison Co. 87/08/25 7pp. 46655.175-46655 181.

8809010356 Rev 2 to General Stations Emergency Procedure LZF-1200 3, "Classification of Iodine Release."
Commonwealth Edison Co. 85/04/04 3pp. 46855.182-46855 184.

8809010358 Rev 3 to General Stations Emergency Procedure LZF-1200-5, "General Stations Emergency Procedure (GSEP) Guidelines for Recommended Offsite Protective Actions."
Commonwealth Edison Co. 87/06/03 13pp. 46855.185-46855.196.

8809010361 Rev 1 to General Stations Emergency Procedure LZF-1210-2, "Nuclear Accident Reporting Sys (NARS) Form."
Commonwealth Edison Co. 87/06/04. 7pp. 46655.197-46655 203

8808310018 Revised emergency plan implementing procedures, including Rev 13 to Procedure LZF-1110-1, "Station Director (acting station director)." Rev 0 to LZF-1330-12, "Isotope Analysis of Liquid Samples using Nuclear Data ND66-XP Gamma."
Commonwealth Edison Co. 88/08/18. 57pp. 46723.286-46723 342

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(q) & acceptable.
SHAFER,W.D. Region 3, Ofc of the Director. 88/08/31. REED,C. Commonwealth Edison Co. 2pp. 46806.183-46806 184.

8809140432 Confirms 880921 site visit to tour emergency response facilities to consider w/each licensee ways of making more efficient use of available space, providing adequate communications & identifying alternate space.
SHAFER,W.D. Region 3, Ofc of the Director 88/09/08 REED,C. Commonwealth Edison Co. 3pp. 46837.221-46837.223

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.008.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in POR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. Doc-Search Associates 5pp 46770 060 46770 089.

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/19. REED,C. Commonwealth Edison Co 2pp 46742 071-46742 072.

8809060340 Forwards Amends 59 & 39 to Licenses NPF-11 & NPF-18, respectively, safety evaluation & notice of issuance. Amends revise Tech Specs to correct inconsistency between requirements re suppression pool high level alarm
SHEMANSKI,P. Project Directorate III-2 88/08/31. BLISS,H. Commonwealth Edison Co 7pp 46765 328 46766 003

--8809060353 Amends 59 & 39 to Licenses NPF-11 & NPF-18, respectively, revising Tech Spec to correct inconsistency between requirements re suppression pool high level alarm
MULLER,D.R. Project Directorate III-2 88/08/31 12pp 46765.335 46765 358.

--8809060356 Safety evaluation supporting Amends 59 & 39 to Licenses NPF-11 & NPF-18, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/31 5pp. 46765 359 46765 360.

--8809120098 Notice of consideration of issuance of Amends 59 & 39 to Licenses NPF-11 & NPF-18, respectively. Amends correct inconsistency between Tech Specs requirements re suppression pool high level alarm.
MULLER,D.R. Project Directorate III-2 88/08/31. 3pp. 46765.001-46766 003.

8809190032 Forwards Amends 60 & 40 to Licenses NPF-11 & NPF-18, respectively & safety evaluation Amends revise Tech Specs to provide addl requirements for monitoring core performance.
SHEMANSKI,P. Project Directorate III 2 88/09/07. BLISS,H.E. Commonwealth Edison Co 3pp. 46887.225 46887 258.

--8809190039 Amends 60 & 40 to Licenses NPF-11 & NPF-18, respectively, revising Tech Specs re monitoring core performance & actions to be taken in effect of high power/low flow region of power to flow map
MULLER,D.R. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/09/07 27pp. 46887 228-46887 254.

--8809190040 Safety evaluation supporting Amends 60 & 40 to Licenses NPF-11 & NPF-18, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/07 4pp. 46887.255 46887 258.

8809140238 Forwards facility startup test repl summary Evaluation results from core verification, shutdown margin subcritical demonstration, shutdown margin test, scram insertion times & core power distribution symmetry analysis encl.
ALLEN,C.M. Commonwealth Edison Co. 88/09/08 LIEBERMAN,J. Ofc of Enforcement (Post 870413). 12pp. 46841.153 46841 164

8809230182 Application for amends to Licenses NPF-11 & NPF-18, providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered. Fee paid
ALLEN,C.M. Commonwealth Edison Co. 88/09/09. Document Control Branch (Document Control Desk) 5pp 46943 212-46943 219.

--8809230187 Proposed Tech Spec Pages 3/4 7-27 & 3/4 7-28, providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered.
* Commonwealth Edison Co. 88/09/09. 3pp. 46943 217-46943 219.

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization.
MORGAN,W.E. Commonwealth Edison Co. 88/09/13. Document Control Branch (Document Control Desk). 1p. 46909 322-46909 336.

--8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations."
SHEWSKI,W. Commonwealth Edison Co CE-1-A R52. 88/09/13. 12pp. 46909 323-46909 336.

Q. Inspection reports, IE Bulletins & correspondence

8809260241 Forwards Exam Repts 50-373/88-01OL & 50-374/88-01OL of exams administered during wk of 880425.
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/18 REED,C. Commonwealth Edison Co 3pp. 46655 001-46655 203.

--8809260272 Exam Repts 50-373/88-01OL & 50-374/88-01OL of exams administered on 880425-29. Exam results, five senior reactor operator & three reactor operator candidates passed operating & written exams.
HOWE,A.G. JORDAN,M. Region 3, Ofc of the Director. 88/08/17. 200pp. 46655.004-46655 158.

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding In HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178

8809310167 Comments on SALP 7 Board Rept for plant for 861116-880315. Util committed to pursuing excellence & will concentrate more effort at plant in form of SALP Improvement plan.
REED,C. Commonwealth Edison Co. 88/08/19 DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 46723 359 46723 361.

8809160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co of New York, Inc 121pp 46702 311-46703 070

8809180388 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218 46713 219

8809060007 Forwards app & errata to SALP Repts 50-373/88-01 & 50 374/88 01 on 861116 880315.
DAVIS,A.B. Region 3, Ofc of the Director 88/08/26 REED,C. Commonwealth Edison Co. 2pp 46763 002-46763 011

--8809060008 App to SALP Repts 50 373/88-01 & 60 374/88 01 for 861116 880315
DAVIS,A.B. Region 3, Ofc of the Director 88/08/26 6pp 46763 004 46763 006

--8809120122 Errata to SALP Repts 50-373/88 01 & 50-374/88 01 for 861116 880315
* Region 3, Ofc of the Director 88/08/26 3pp 46763 007-46763 011

8809230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co of New York, Inc. 123pp 46713 095 46713 217.

8809070492 Forwards Ssafety insp Repts 50 373/88-21 & 50-374/88-20 on 880817-18. No violations noted
HARRISON,J.J. Region 3, Ofc of the Director. 88/08/31. REED,C. Commonwealth Edison Co 2pp 46784 275 46784 280

--8809070498 Insp Repts 50-373/88 21 & 50 374/88-20 on 880817-18 No violations or deviations noted Major areas inspected, facility mods associated w/snubber reduction, nonlicensed training & licensee action on previously identified problem.
GAYULA,J.A. DANIELSON,D.H. Region 3, Ofc of the Director 88/08/31. 4pp 46784.277-46784 280.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co of New York, Inc. 121pp. 46712 244-46713 004

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc 122pp. 46726 001-46726 123.

8809150223 Responds to NRC Bulletin 88 005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co mats complying w/ASME Code requirements (Itemized list of components received encl.
MORGAN,W.E. Commonwealth Edison Co 88/09/08. Document Control Branch (Document Control Desk) 31pp 46857 021-46857 051.

8809140409 Forwards PRA Insp Repts 50 373/88-16 & 50 374/88-15 on 880627-0722 & notice of violation. Addl concern re unreliability of air compressors at station noted, per 880831 problems w/Unit 2 drywell pneumatic sys leading to shutdown
MILLER,H.J. Region 3, Ofc of the Director 88/09/09. REED,C. Commonwealth Edison Co 2pp 46840 151-46840 177.

--8809140415 Notice of violation from Insp on 880627-0722. Violation noted licensee failed to promptly correct known problem w/closing circuits of station emergency diesel generators & generators failed twice within 74 starts
MILLER,H.J. Region 3, Ofc of the Director. 88/09/09. 2pp 46840 153-46840 154.

--8809140417 Insp Repts 50-373/88 16 & 50-374/88-18 on 880627 0722. Violations noted Major areas inspected risk significant aspects of plant operation
HASSE,R.A. BJORGEN,J.C. BONGIOVANNI,A. Region 3, Ofc of the Director 88/09/07. 23pp 46840 155 46840 177.

8809230182 Application for amends to Licenses NPF-11 & NPF-18, providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered. Fee paid
ALLEN,C.M. Commonwealth Edison Co. 88/09/09. Document Control Branch (Document Control Desk). 5pp. 46943 212-46943 219.

--8809230187 Proposed Tech Spec Pages 3/4 7-27 & 3/4 7-28, providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered.
* Commonwealth Edison Co 88/09/09 3pp. 46943 217-46943 219.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS In PWRs During Recirculation Operation Following LOCA " Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co of New York, Inc. 122pp. 46824 215-46824 336.

8809220243 Responds to NRC Bulletin 88-007 dtd 880615 per request that holders of OLs ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation.
MORGAN,W.E. Commonwealth Edison Co. 88/09/15. Document Control Branch (Document Control Desk). 11pp 46927 198-46927 208.

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26. Addl listed info re pumps & valves requested.
GREENMAN,E.G. Region 3, Ofc of the Director. 88/09/15. REED,C. Commonwealth Edison Co. 4pp. 46956 055-46956 058

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

150 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

8808260405 "Effluent & Waste Disposal Semiannual Rept (1988)" W/880822 ltr
DIEDERICH,G J Commonwealth Edison Co 88/06/30 13pp 46739 231-46739 245

8809150036 Monthly operating repts for Aug 1988 for LaSalle Nuclear Power
Station,Units 1 & 2,W/880910 ltr.
SAMONLINSKI,S, DIEDERICH,G J Commonwealth Edison Co 88/08/31 31pp
46847 108 46847 138

S. Reportable occurrences, LERs & related correspondence

8808290291 Submits special rept re dead fish found in facility cooling pond on
880718 Caused by high water temps pond wide &/or low dissolved oxygen concentra-
tion in fish refuge areas.Dead fish removed from barrier net
DIEDERICH,G J Commonwealth Edison Co. 88/08/17 DAVIS,A B Region 3, Ofc of
the Director 5pp 46880,233-46890 237

8809080050 LER 87-002-02 on 870115,breaker would not close when operator tried to
synchronize diesel generator O output w/ Bus 241Y & close output breaker Caused
by synchroscope being out of calibr Synchroscope replaced W/880830 ltr.
VINYARD,H.T, DIEDERICH,G J. Commonwealth Edison Co. 88/08/30 6pp
46786 300-46786 305

V. Operator Examinations

8808260241 Forwards Exam Repts 50 373/88-01OL & 50 374/88-01OL of exams ad-
ministered during wk of 880425.
WRIGHT,G C Region 3, Ofc of the Director 88/08/18 REED,C. Commonwealth
Edison Co 3pp 46655 001-46655 203.

--8808260272 Exam Repts 50-373/88 01OL & 50 374/88 01OL of exams administered
on 880425 29.Exam results five senior reactor operator & three reactor operator
candidates passed operating & written exams.
HOWE,A G, JORDAN,M Region 3, Ofc of the Director. 88/08/17 200pp, 46655 004-
46655,156.

--8809010350 Rev 5 to General Stations Emergency Procedure L2P-1200 1, "Classifica-
tion of General Stations Emergency Procedure (GSEP) Conditions."
* Commonwealth Edison Co. 86/02/20 16pp 46655:159-46655:174

--8809010353 Rev 4 to General Stations Emergency Procedure L2P-1200-2, "Classifica-
tion of Noble Gas Release."
* Commonwealth Edison Co. 87/06/25 7pp 46655,175 46655,181.

--8809010356 Rev 2 to General Stations Emergency Procedure L2P-1200-3, "Classifica-
tion of Iodine Release."
* Commonwealth Edison Co. 85/04/04 3pp. 46655,182 46655,184

--8809010358 Rev 3 to General Stations Emergency Procedure L2P-1200 5, "General
Stations Emergency Procedure (GSEP) Guidelines for Recommended Offsite Protec-
tive Actions."
* Commonwealth Edison Co. 87/06/03, 13pp 46655 185-46655 196.

--8809010361 Rev 1 to General Stations Emergency Procedure L2P-1210-2, "Nuclear
Accident Reporting Sys (NARS) Form."
* Commonwealth Edison Co. 87/06/04 7pp. 46655 197-46655 203

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8809070024 Revised emergency plan implementing procedures,including Rev 0 to L2P-
1250-3, "A-Model Informational Messages" & Rev 1 to L2P-1330 70, "Drywell High
Range Gross Gamma Correction Factors."
* Commonwealth Edison Co. 88/08/11, 100pp 46774,110-46774,210.

8808260241 Forwards Exam Repts 50-373/88-01OL & 50-374/88 01OL of exams ad-
ministered during wk of 880425
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/18. REED,C Commonwealth
Edison Co. 3pp 46655,001-46655 174

--8809010350 Rev 5 to General Stations Emergency Procedure L2P-1200 1, "Classifica-
tion of General Stations Emergency Procedure (GSEP) Conditions."
* Commonwealth Edison Co. 86/02/20, 16pp. 46655 159-46655,174

--8809010353 Rev 4 to General Stations Emergency Procedure L2P-1200-2, "Classifica-
tion of Noble Gas Release."
* Commonwealth Edison Co. 87/06/25 7pp 46655,175-46655-181.

--8809010356 Rev 2 to General Stations Emergency Procedure L2P-1200-3, "Classifica-
tion of Iodine Release."
* Commonwealth Edison Co. 85/04/04, 3pp. 46655:182-46655 184.

--8809010358 Rev 3 to General Stations Emergency Procedure L2P-1200-5, "General
Stations Emergency Procedure (GSEP) Guidelines for Recommended Offsite Protec-
tive Actions."
* Commonwealth Edison Co. 87/06/03 13pp 46655,185-46655-196

--8809010361 Rev 1 to General Stations Emergency Procedure L2P-1210-2, "Nuclear
Accident Reporting Sys (NARS) Form."
* Commonwealth Edison Co. 87/06/04 7pp 46655 197-46655 203.

8808310018 Revised emergency plan implementing procedures,including Rev 13 to Pro-
cedure L2P-1110-1, "Station Director (acting station director)," Rev 0 to L2P-1330-12,
"Isotope Analysis of Liquid Samples using Nuclear Data ND66-XP Gamma."
* Commonwealth Edison Co. 88/08/18 57pp 46723-286-46723-342

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of
10CFR50 54(q) & acceptable.
SHAFER,W.D Region 3, Ofc of the Director. 88/08/31 REED,C. Commonwealth
Edison Co 2pp. 46806:193 46808:194.

8809140432 Confirms 880821 site visit to tour emergency response facilities to consider
w/each licensee ways of making more efficient use of available space,providing ade-
quate communications & identifying alternate space
SHAFER,W.D Region 3, Ofc of the Director. 88/09/08 REED,C Commonwealth
Edison Co. 3pp. 46837 221-46837,223

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors
re instrument air supply sys problems affecting safety-related equipment Sys list encl
MIRAGLIA,F J Associate Director for Projects (Post 870411). 88/08/06. Consolidated
Edison Co. of New York, Inc. 41pp. 47065,001-47065,006

8809120091 Final response to FOIA request for documents Forwards documents listed
in App A Documents also available in PDR App B documents totally withheld (ref
FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D H. NRC - No Detailed Affiliation Given. 88/08/17 CONNOR,L Doc
Search Associates. 5pp 46770 080-46770,089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in
enforcement area from Jul Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J.L Program
Support & Analysis Staff, IE (Pre 870413), 13pp 46770 211-46770,223

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1 A satisfies
10CFR50,App B requirements & acceptable
WRIGHT,G C Region 3, Ofc of the Director. 88/08/18 REED,C Commonwealth
Edison Co 2pp 46742 071-46742 072.

8809020214 Responds to 880722 petition requesting action to relieve alleged risks to
public health & safety posed by thermal hydraulic instability of BWRs revealed by
event at facility on 880309.
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/
26 HATT,S.L. Ohio Citizens for Responsible Energy. 6pp. 46746,328 46746 339

--8809020216 Notice of receipt of 880722 petition requesting action to remove undue
risks to public health & safety posed by event at facility on 880309
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/
26. 5pp. 46746:335 46746,339

8809060340 Forwards Amends 59 & 39 to Licenses NPF-11 & NPF-18,
respectively,safety evaluation & notice of Issuance Amends revise Tech Specs to cor-
rect inconsistency between requirements re suppression pool high level alarm
SHEMANSKI,P Project Directorate III-2 88/08/31, BLISS,H Commonwealth Edison
Co 7pp. 46765,328-46765:003

--8809060353 Amends 59 & 39 to Licenses NPF-11 & NPF-18,respectively, revising
Tech Spec to correct inconsistency between requirements re suppression pool high
level alarm
MULLER,D R Project Directorate III-2. 88/08/31. 12pp 46765,335 46765 358

--8809060356 Safety evaluation supporting Amends 59 & 39 to Licenses NPF-11 &
NPF-18,respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/31 5pp
46765:358-46765,360.

--8809120098 Notice of consideration of Issuance of Amends 59 & 39 to Licenses NPF-
11 & NPF-18,respectively Amends correct inconsistency between Tech Specs require-
ments re suppression pool high level alarm.
MULLER,D R Project Directorate III 2 88/08/31, 3pp. 46766 001-46766 003

8809150153 Application for one-time amend to License NPF-18,deleting specs added to
allow installation & use of fine motion CRD during Cycle 2 Fee paid.
ALLEN,C.M Commonwealth Edison Co. 88/09/07. Document Control Branch (Docu-
ment Control Desk) 3pp. 46891,077-46891:097

--8809150160 Proposed Tech Specs,deleting specs added to allow installation & use of
fine motion CRD during Cycle 2.
* Commonwealth Edison Co. 88/09/07. 18pp. 46891,080-46891,097

8809190032 Forwards Amends 60 & 40 to Licenses NPF-11 & NPF-18, respectively &
safety evaluation Amends revise Tech Specs to provide addl requirements for monitor-
ing core performance.
SHEMANSKI,P Project Directorate III-2. 88/09/07. BLISS,H.E Commonwealth Edison
Co. 3pp 46887,225-46887 258

--8809190039 Amends 60 & 40 to Licenses NPF-11 & NPF-18,respectively, revising
Tech Specs re monitoring core performance & actions to be taken in effect of high
power/low flow region of power to flow map.
MULLER,D R Division of Reactor Projects - III,IV,V & Special Projects (Post 870411)
88/09/07. 27pp. 46887:228-46887:254

--8809190040 Safety evaluation supporting Amends 60 & 40 to Licenses NPF-11 &
NPF-18,respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/07 4pp.
46887,255-46887,258.

8809230182 Application for amends to Licenses NPF-11 & NPF-18,providing flexibility to
align snubber insp intervals w/refueling outage when no failures encountered Fee
paid
ALLEN,C.M. Commonwealth Edison Co. 88/09/09. Document Control Branch (Docu-
ment Control Desk). 5pp 46943,212-46943:219

--8809230187 Proposed Tech Spec Pages 3/4 7-27 & 3/4 7-28,providing flexibility to
align snubber insp intervals w/refueling outage when no failures encountered.
* Commonwealth Edison Co. 88/09/09 3pp. 46943:217-46943:219.

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA
Program for Nuclear Generating Stations" Rev made to change PACS part of charts
& consolidate PACS organization chart to reflect new organization.
MORGAN,W.E Commonwealth Edison Co 88/09/13 Document Control Branch
(Document Control Desk), 1p 46999,322-46999,336

--8810050336 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations" SHEWSKI,W Commonwealth Edison Co. CE-1-A R52 88/09/13 12pp 46999 323 46999 338

8809230073 Application for amend to License NPF-18,changing Tech Specs to support second reload Cycle 3 startup scheduled for Jan 1989 Proprietary NEDC-3151OP being submitted under separate cover.Fee paid. ALLEN,C.M Commonwealth Edison Co 88/09/14 Office of Nuclear Reactor Regulation, Director (Post 870411) 15pp 46947 029-46947:133.

--8809230077 Proposed Tech Spec changes supporting second reload for Cycle 3 Commonwealth Edison Co 88/09/14 55pp 46947 044-46947 098

--8809230081 "Supplemental Reload Licensing Submittal for La Salle County Station Unit 2,Reload 2,Cycle 3" LAMBERT,P A, ELLIOTT,P E, CHARNLEY,J,S General Electric Co 23A5841 R00 88/07/31 35pp 46947 099 46947:133

Q. Inspection reports, IE Bulletins & correspondence

8808260241 Forwards Exam Repts 50-373/88-01OL & 50-374/88-01OL of exams administered during wk of 880425 WRIGHT,G C Region 3, Ofc of the Director 88/08/18 REED,C Commonwealth Edison Co 3pp 46655 001-46655 174

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/10 Consolidated Edison Co of New York, Inc 125pp 46690 054-46690,178

8808310167 Comments on SALP 7 Board Rept for plant for 881118-880315. Unit committed to pursuing excellence & will concentrate more effort at plant in form of SALP improvement plan. REED,C. Commonwealth Edison Co 88/08/19, DAVIS,A B Region 3, Ofc of the Director 2pp 46723 359 46723:361

8808160451 NRC Info Notice 88 088, "Solpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl ROSSI,C E, Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc 121pp 46702 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl ROSSI,C E, Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218 46713:219

8808260388 Forwards Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event" & Bulletin 88 007, "Power Oscillation in BWRs." SHAFER,J,W Division of Operational Events Assessment (Post 870411). 88/08/25, Switzerland, Govt. of. 1p 46689 085-46689 005.

8809060007 Forwards app & errata to SALP Repts 50-373/88 01 & 50-374/88 01 on 881118 880315 DAVIS,A B Region 3, Ofc of the Director 88/08/26, REED,C Commonwealth Edison Co 2pp 46763 002-46763:011

--8809060008 App to SALP Repts 50-373/88 01 & 50-374/88-01 for 881118 880315 DAVIS,A B Region 3, Ofc of the Director 88/08/26. 6pp 46763 004-46763 006.

--8809120122 Errata to SALP Repts 50-373/88 01 & 50-374/88 01 for 881118 880315 Region 3, Ofc of the Director. 88/08/26. 3pp 46763 007-46763,011

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc 123pp. 46713 095-46713 217.

8809070492 Forwards Safety Insp Repts 50-373/88-21 & 50-374/88 20 on 880817-18 No violations noted. HARRISON,J J. Region 3, Ofc of the Director 88/08/31. REED,C Commonwealth Edison Co 2pp 46784 275 46784 280

--8809070498 Insp Repts 50-373/88-21 & 50-374/88-20 on 880817-18 No violations or deviations noted Major areas inspected: facility mods associated w/snubber reduction,nonlicensed training & licensee action on previously identified problem. GAYULA,J A, DANIELSON,D H. Region 3, Ofc of the Director. 88/08/31. 4pp. 46784 277 46784:280

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co of New York, Inc 121pp 46712 244-46713:004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl ROSSI,C E, Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809150223 Responds to NRC Bulletin 88 005 & Suppls 1 & 2 re Piping Supplies,Inc & West Jersey Mfg Co mails complying w/ASME Code requirements.Itemized list of components received encl. MORGAN,W E. Commonwealth Edison Co. 88/09/08. Document Control Branch (Document Control Desk) 31pp. 46857:021-46857:051.

8809140409 Forwards PRA Insp Repts 50-373/88-16 & 50-374/88-15 on 880827-0722 & notice of violation Addl concern re unreliability of air compressors at station noted,per 880831 problems w/Unit 2 drywell pneumatic sys leading to shutdown. MILLER,H J Region 3, Ofc of the Director. 88/09/09 REED,C. Commonwealth Edison Co. 2pp 46840 151-46840,177.

--8809140415 Notice of violation from insp on 880827-0722.Violation noted:licensee failed to promptly correct known problem w/closing circuits of station emergency diesel generators & generators failed twice within 74 starts MILLER,H J, Region 3, Ofc of the Director 88/09/09 2pp 46840 153-46840 154

--8809140417 Insp Repts 50-373/88-16 & 50-374/88-16 on 880827 0722 Violations noted Major areas inspected risk significant aspects of plant operation HASSE,R A, BJORGEN,J C, BONGIOVANNI,A Region 3, Ofc of the Director 88/09/07. 23pp 46840 155-46840 177

8809230182 Application for amends to Licenses NPF-11 & NPF-18,providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered Fee paid ALLEN,C.M Commonwealth Edison Co 88/09/09 Document Control Branch (Document Control Desk) 5pp 46943 212-46943 219

--8809230187 Proposed Tech Spec Pages 3/4 7-27 & 3/4 7-28,providing flexibility to align snubber insp intervals w/refueling outage when no failures encountered Commonwealth Edison Co 88/09/09 3pp 46943 217-46943 219.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc 122pp 46824,215 46824 336

8809220243 Responds to NRC Bulletin 88 007 did 880615 per request that holders of OIs ensure that adequate operating procedures & instrumentation available re prevention of uncontrolled power oscillations during BWR operation MORGAN,W E Commonwealth Edison Co 88/09/15. Document Control Branch (Document Control Desk) 11pp 46927 198 46927 208

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26.Addl listed info re pumps & valves requested. GREENMAN,E G Region 3, Ofc of the Director 88/09/15 REED,C Commonwealth Edison Co 4pp 46956 055 46956,058

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co of New York, Inc 124pp 46946 133-46946,252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl. ROSSI,C E Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc 125pp 46946 253-46947 013

R. Periodic operating reports & related correspondence

8809260405 "Effluent & Waste Disposal Semiannual Rept (1988)" W/880822 ltr DIEDERICH,G J Commonwealth Edison Co 88/08/30 13pp 46739 231-46739,245

8809150036 Monthly operating repts for Aug 1988 for LaSalle Nuclear Power Station,Units 1 & 2,W/880910 ltr SAMONINSKI,S, DIEDERICH,G J Commonwealth Edison Co 88/08/31 31pp 46847 108-46847,138

S. Reportable occurrences, LERs & related correspondence

8808220053 Forwards proprietary data re 880309 event at plant,per NRC request.Listing of required data necessary for RAMONA 39 calculations encl. ALLEN,C M Commonwealth Edison Co 88/08/12 Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp 46689 086 46689 087

8808290281 Submits special rept re dead fish found in facility cooling pond on 880718 Caused by high water temps pond wide &/or low dissolved oxygen concentration in fish refuge across Dead fish removed from barrier net DIEDERICH,G J Commonwealth Edison Co 88/08/17 DAVIS,A B Region 3, Ofc of the Director. 5pp 46690 293-46690,297

8809070504 Forwards GE proprietary documentation re 880309 event at plant Affidavit also encl ALLEN,C M. Commonwealth Edison Co 88/08/25 Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46789 309-46789 309

880910347 LER 87-020 01-on 871119,four RCIC/RHR steam line isolation switches found w/internal leakage from one side of diaphragm to other Caused by slow leak across diaphragms of switches Switches sent to mfg for disassembly.W/880829 ltr ROHRER,R J, DIEDERICH,G J. Commonwealth Edison Co 88/08/29 9pp 46744,041-46744:048.

880910349 LER 87-019-01-on 871021,RCIC steam line high flow isolation switch PDS 2E31-N013AA found to have leakage across diaphragm Caused by defect in switch New switch certified for svc,installed & calibr W/880829 ltr ROHRER,R J, DIEDERICH,G J Commonwealth Edison Co. 88/08/29 7pp 46744,034-46744,040

8809260135 LER 88 009 00 on 880817,RCIC steam line high flow isolation switch failed due to failed diaphragm.New pressure switch identical to failed one certified for use in RCIC steam line high flow application using LIP GM-952 & 956 W/880916 ltr MCLAUGHLIN,A J, DIEDERICH,G J. Commonwealth Edison Co. 88/09/16 5pp 46966 215-46966 219

V. Operator Examinations

8808260241 Forwards Exam Repts 50-373/88-01OL & 50-374/88 01OL of exams administered during wk of 880425. WRIGHT,G C. Region 3, Ofc of the Director 88/08/18 REED,C. Commonwealth Edison Co 3pp. 46655 001-46655:203

--8808260272 Exam Repts 50-373/88 01OL & 50-374/88-01OL of exams administered on 880425-29.Exam results,five senior reactor operator & three reactor operator candidates passed operating & written exams HOWE,A G, JORDAN,M Region 3, Ofc of the Director. 88/08/17. 200pp 46655 004-46655,158.

152 DOCKETED ITEMS

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8809310041 Forwards addenda to FEMA evaluation rept of prompt alert notification sys CALLAN,L.J. Region 4, Ofc of the Director 88/08/24 DEWEASE,J.G. Louisiana Power & Light Co 10pp 46717 326-46717 335

8809160311 Forwards schedule of activities re 1998 annual emergency planning exercise BURSKE,R.F. Louisiana Power & Light Co 88/09/08 Document Control Branch (Document Control Desk) 5pp 46684 320-46684 324.

I. Financial information

8808310060 Forwards executive summary of US Supreme Court decision on Mississippi Power & Light Grand Gulf Unit 1 rate litigation. Federally mandated wholesale rates through retail rate structure upheld KINGSLEY,O.D. System Energy Resources, Inc 88/08/26 Document Control Branch (Document Control Desk) 5pp 46723 354-46723 358

K. Utility Final Safety Analysis Report (FSAR) & amends

8809190288 Forwards util FSAR Rev 1 figures reprinted to achieve better quality & to replace figures in 871215 submittal BURSKE,R.F. Louisiana Power & Light Co. 88/08/14. Document Control Branch (Document Control Desk) 2pp 46907.251 46908 012

--8809230154 Reprinted figures to plant FSAR,Rev 1,replacing figures of 871215 transmittal.
* Louisiana Power & Light Co 88/09/14 122pp. 46907.255 46908 012

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065.001-47065.006

8808260014 Informs that util response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants," satisfactory. WIGGINTON,D.L. Project Directorate IV. 88/08/19 DEWEASE,J.G. Louisiana Power & Light Co 4pp 46669 238 46669 241.

8808290007 Forwards "Waterford Steam Electric Station Unit 3,Reactor Containment Integrated Leak Rate Test,Final Rept," in accordance w/requirements of 10CFR50,App J BURSKE,R.F. Louisiana Power & Light Co 88/08/23. Document Control Branch (Document Control Desk). 1p 46680 263-46680 327.

--8808290013 "Waterford Steam Electric Station,Unit 3,Reactor Containment Integrated Leak Rate Test,Final Rept."
* Westinghouse Electric Corp 88/05/31. 62pp 46680 264-46680 327.

8809010071 Application for amend to License NPF-38,consisting of Tech Spec Change Request NPF-38-86,revising Tech Spec Figure 3.1-1, "Required Stored Boric Acid Vol as Function of Concentration," correcting levels for water vol Fee paid DEWEASE,J.G. Louisiana Power & Light Co. 88/08/26 Document Control Branch (Document Control Desk) 8pp 46739 291-46739 301.

--8809010073 Proposed Tech Spec Figure 3.1-1, "Required Stored Boric Acid Vol as Function of Concentration."
* Louisiana Power & Light Co 88/08/26. 3pp 46739 299 46739 301.

8809140082 Provides response to NRC 880728,29 & 0818 ltrs & schedule for add info re transfer of mgt/operating responsibilities. News releases will be utilized to assure public & applicable local & state agencies kept informed re consolidation KINGSLEY,O.D. System Energy Resources, Inc 88/09/09. Document Control Branch (Document Control Desk) 5pp. 46836.062-46836 066.

8809140447 Provides response & schedule for submitting remaining info re application for amend to License NPF-38,re transfer of mgt & operating responsibilities BURSKE,R.F. Louisiana Power & Light Co 88/09/09. CRUTCHFIELD,D. Assistant Director for Region IV Reactors & Special Projects. 5pp. 46840:127-46840 131

8809260053 Denies 880329 Tech Spec Change Request NPF-38-77 Proposed changes not necessary for plant to achieve object of change. CALVO,J.A. Project Directorate IV 88/09/20. DEWEASE,J.G. Louisiana Power & Light Co. 4pp 46958 306-46958 309.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8808290012 Forwards addl page to "Handbook on Flaw Evaluation,Waterford Unit 3,Reactor Vessel Outlet Nozzle to Shell Welds," inadvertently omitted from original rept transmitted by 880518 ltr re inservice insp BURSKE,R.F. Louisiana Power & Light Co 88/08/23 Document Control Branch (Document Control Desk). 1p. 46686:345-46686 347.

--8809080162 Errata to "Handbook on Flaw Evaluation Waterford Unit 3 Reactor Vessel Outlet Nozzle to Shell Welds," consisting of page inadvertently omitted from original rept.
* Westinghouse Electric Corp. 88/05/31. 1p 46686:347-46686 347.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713 218 46713 218.

8809010062 Forwards Insp Rept 50-382/88-20 on 880710 15 No violations or deviations noted.Unresolved item identified in rept Paragraph 8. CALLAN,L.J. Region 4, Ofc of the Director. 88/08/24 DEWEASE,J.G. Louisiana Power & Light Co 2pp 46720 070-46720 081.

--8809010058 Insp Rept 50-382/88 20 on 880710-15 No violations or deviations noted Major areas inspected transportation of radioactive mats & low level radwaste mgt. CHANEY,H.D., BAER,R.E. Region 4, Ofc of the Director 88/08/17 10pp. 46720 072-46720 081.

8808290173 Forwards, "Inservice Insp Summary Rept,First Interval,First Period,Second Refueling,Apr-May 1988." BURSKE,R.F. Louisiana Power & Light Co 88/08/25 Document Control Branch (Document Control Desk) 1p. 46682 216 46683 016.

--8808290192 "Inservice Insp Summary Rept,First Interval,First Period, Second Refueling,Apr-May 1988." HOWARD,J.E., POLIN,A.W., GRIFFIN,R.E. Louisiana Power & Light Co 88/08/24 142pp 46682 217-46683 016

8809020199 Forwards Insp Rept 50.382/88-19 on 880618 0731 & notice of violation CALLAN,L.J. Region 4, Ofc of the Director 88/08/25 DEWEASE,J.G. Louisiana Power & Light Co 3pp 46745.137-46745 181

--8809020200 Notice of violation from insp on 880618-0731.Violation noted failure to issue LERs identifying conditions found on 870402,0819,1021 & 880711,failure to ack annunciator alarms on 880205 & 08-10 & violation of 10CFR50,App B,Criterion V.
* Region 4, Ofc of the Director. 88/08/25 3pp. 46745.140-46745 142.

--8809020201 Insp Rept 50-382/88-19 on 880618 0731.Violations noted Major areas inspected enforcement followup on quality verification function insp,monthly maint observation, allegation followup & operational safety verification. SMITH,W.F., STAKER,T.R., MICHAUD,P.W. Region 4, Ofc of the Director. 88/08/19 18pp. 46745.143 46745 161.

8809060011 Forwards Insp Rept 50 382/88-18 on 880708-14 No violations or deviations noted. CALLAN,L.J. Region 4, Ofc of the Director. 88/08/26 DEWEASE,J.G. Louisiana Power & Light Co 2pp. 46785 241-46785 269.

--8809060021 Insp Rept 50-382/88-18 on 880708-14.No violations or deviations noted Major areas inspected,facility emergency operating procedures,including control room & plant walkdown,simulator & human factors-related guidance. STEWART,J.P., GAGLIARDO,J.E. Region 4, Ofc of the Director 88/08/09 27pp 46785 243 46785 269

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/01 Consolidated Edison Co. of New York, Inc. 121pp 46712-244-46713 004

8809300018 NRC Info Notice 88-072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp. 46726 001-46726 123.

8809020270 Notification of 880901 meeting w/util in Region IV to discuss licensee SAMP progress presentation. CHAMBERLAIN,D. Region 4, Ofc of the Director. 88/09/02 Region 4, Ofc of the Director 2pp 46746 263-46746 284.

8809140199 Discusses special Equipment Qualification Team Insp Rept 50-382/88 32 on 881208-12 & 870313 Seven potential enforcement/unresolved items & sixteen open items identified. CALLAN,L.J. Region 4, Ofc of the Director 88/09/07 DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 46836 133 46836 135.

8809150115 Forwards rept, "Actions Completed By Louisiana Power & Light in Response to NRC Bulletin 88-005," in response to bulletin re Piping Supplies,Inc & West Jersey Mfg Co mats BURSKE,R.F. Louisiana Power & Light Co 88/09/09. Document Control Branch (Document Control Desk) 2pp. 46849 118-46849 146

--8809150123 "Actions Completed by Louisiana Power & Light Co."
GRUBIC,D.D. Louisiana Power & Light Co. 88/09/09. 25pp 46849 120-46849 146.

8809150202 Informs that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory & no further reply necessary. WIGGINTON,D.L. Project Directorate IV. 88/09/09 DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 46864:288-46864 290.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824:215-46824 336.

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc 124pp. 46846 133-46846 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946 263-46947 013.

R. Periodic operating reports & related correspondence

8809020019 "Semiannual Radioactive Effluent Release Rept for Jan-June 1988 " W/ 880829 ltr
BURSKI,R.F. Louisiana Power & Light Co. 88/06/30 37pp. 46746-063 46746 100

8809220026 Monthly operating rept for Aug 1988 for Waterford 3 W/880915 ltr
CENTOLANZI,P. BURSKI,R.F. Louisiana Power & Light Co. 88/08/31. 7pp
46920 352-46920-358

S. Reportable occurrences, LERs & related correspondence

8808310016 Discusses evaluation of licensee actions re MSIVs at San Onofre Nuclear Generating Station Licensee intention to perform only borescopic exams of Unit 2 MSIVs unacceptable.
HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors, 88/08/25.
KIRSCH,D.F. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp
46699,084-46699 087

8809070058 LER 88 022 00, on 880802, personnel identified failure to perform dye penetration testing on five socket welds. Caused by failure to follow procedures Justification for continued operation approved. W/880901 ltr.
GAINES,C.R., CARNS,N.S. Louisiana Power & Light Co. 88/09/01. 10pp 46784,180-46784:188.

V. Operator Examinations

8809060296 Informs that matl provided by facility in preparation of 881025 licensing exam does not meet exam requirements. Chief examiner discussed alternate approaches for assembling exam preparation matl Exam schedule remains intact.
CALLAN,L.J. Region 4, Ofc of the Director, 88/09/02 DEWEASE,J.G. Louisiana Power & Light Co. 3pp. 46766 008 46766,010.

8809150133 Forwards operator licensing exam schedules for FY89-92, per Generic Ltr 88-13.
BURSKI,R.F. Louisiana Power & Light Co. 88/09/09. HANNON,J. Operator Licensing Branch. 3pp 46864,291-46864-293

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

8808260056 Rev 7 to Procedure EP-IP 044, "Emergency Environ Sampling"
SHANK,K.E. Pennsylvania Power & Light Co. 88/08/28. 21pp 46653:202-46653 222.

8808300194 Forwards final SALP Repts 50-387/86-89 & 50-388/86 89 for Aug 1988 - Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W.T. Region 1, Ofc of the Director, 88/08/22. KEISER,H.W. Pennsylvania Power & Light Co. 3pp 46690-259-46690,264.

8809010271 Rev 6 to Emergency Plan Implementing Procedure EP-IP-042, "In Plant & Emergency Operation Facility Chemistry Lab Emergency Preparation."
WOLFER,J.R. Pennsylvania Power & Light Co. 88/08/29. 4pp 46740-198-46740:199

8809270115 Revised emergency plan implementing procedures, including Rev 4 to EPIP-038, "Reconstruction & Accident Closeout" & Rev 6 to EPIP 001, "Emergency Classification." W/880914 ltr.
TABOR,W., KEISER,H.W. Pennsylvania Power & Light Co. 88/09/14. 47pp.
46970 087-46970-133.

8809260292 Informs that mods re fire barrier upgrades, HVAC fan switches, CT secondaries & raceway wrapping completed except as listed.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/15 BUTLER,W.R. Project Directorate I-2. 2pp 46956:147-46956:148

H. General correspondence

8807190328 Forwards summary & Issue Identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators Minutes for CRGR Meeting 48 & analysis of public comments also encl. W/o minutes & analysis
SAKENAS,C.A. Committee to Review Generic Requirements 88/07/08 JORDAN,E.L. NRC - No Detailed Affiliation Given. 3pp. 46892,116-46892-140.

8809160263 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift.
KEISER,H.W. Pennsylvania Power & Light Co. 86/09/25. CHILK,S.J. Office of the Secretary of the Commission. 11pp. 46892:141-46892:151.

P. Operating license stage documents & correspondence

8806120294 Generic Ltr 88-14 to all holders of OLEs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065-001-47065:006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR,L. Doc-Search Associates. 5pp. 46770,080-46770,089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413). 86/12/13. BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770-211-46770 223.

8809010233 Lists util addl actions taken to minimize impact of request for one-time relief from isolating RWCU from reactor vessel due to inoperable channel, per 880824 problem w/RWCU area temp.
KEISER,H.W. Pennsylvania Power & Light Co. 88/08/25. RUSSELL,W.T. Region 1, Ofc of the Director. 2pp. 46742:354-46742:355.

8809070356 Confirms 880824 telcon re granting enforcement discretion re relocation of RWCU room high temp sensor.
RUSSELL,W.T. Region 1, Ofc of the Director 88/08/26 KEISER,H.W. Pennsylvania Power & Light Co. 2pp 46779,172-46779 173

8809020269 Advises that 880310 proposed change to FSAR section re availability of safety-related nitrogen storage sys for ADS actuation following DBA acceptability, based on review of analysis & subsequent telcon.
THADANI,M.C. Project Directorate I-2 88/08/28. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 46746 310-46746,313

8809130064 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 88/09/02. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp 46027 007 46027,009

8809150076 Confirms 880908 site visit to discuss status of const & demolition sites & other waste handling facilities.
SAXTON,C.H. Pennsylvania Power & Light Co. 88/09/02. LAMEREAUX,D. Pennsylvania, Commonwealth of. 1p 46848 265 46848 265

8809140354 Forwards licensee proposed work scope to access degree of sulfuric acid contamination resulting from 880807 underground pipe leak.
HANSELL,J.B. Pennsylvania Power & Light Co. 88/09/06 GADINSKI,R.A. Pennsylvania, Commonwealth of. 1p 46842-238 46842,268.

8809140338 "Proposed Work Program for Sulfuric Acid Spill at Susquehanna Steam Electric Station"
Environmental Resources Management, Inc. 88/09/06 32pp. 46842 237-46842 268

Q. Inspection reports, IE Bulletins & correspondence

8808260406 Forwards Insp Repts 50-387/86-15 & 50-388/86-18 on 880727- 0804. Expresses concern w/util apparent failure to adequately control activities which impacted operability of safety sys. Enforcement conference scheduled for 880909
KANE,W.F. Region 1, Ofc of the Director, 88/08/18 KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46656 072 46656 081

8808260409 Insp Repts 50-387/86-15 & 50-388/86-18 on 880727-0804. Violation noted Major areas inspected. operability of main steam tunnel differential temp isolation modules.
BLOUGH,A.R. Region 1, Ofc of the Director 88/08/15. 7pp 46656 075 46656 081.

8808290279 Notification of Licensee Meeting 88-133 on 880909 w/util in King of Prussia, PA to discuss inoperability of main steam line tunnel differential temp high instrumentation.
BLOUGH,A.R. Region 1, Ofc of the Director 88/08/18. Region 1, Ofc of the Director 2pp 46683 089 46683,070

8808300123 Discusses violations noted in Insp Repts 50-387/86 21 & 50 388/86-22, in response to 861210 ltr. Since cable run was straight, no cable lubricant necessary. No violation of stated spec occurred. Cited violation will be withdrawn.
JOHNSTON,W.V. Region 1, Ofc of the Director 88/08/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46691 021-46691,022.

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690-178.

8808300104 Forwards Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-28 on 880630.
JOHNSTON,W.V. Region 1, Ofc of the Director, 88/08/19. KEISER,H.W. Pennsylvania Power & Light Co. 2pp 46696 322-46696 345

8808300107 Environ Qualification Enforcement Conference Repts 50-387/86 25 & 50 388/86-28 on 880630 Major areas discussed concerns about Rockbestos cables for high range monitors, Raychem splices & Marathon terminal blocks.
DURR,J. Region 1, Ofc of the Director, 88/08/16 22pp 46696 324-46696 345.

8808160451 NRC Info Notice 88-088, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703,070.

8808300194 Forwards final SALP Repts 50-387/86-89 & 50-388/86-89 for Aug 1988 - Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W.T. Region 1, Ofc of the Director, 88/08/22 KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46690-259-46690 264.

8808190368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713-218-46713-219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713,095 46713,217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712-244-46713,004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726-123.

8809080127 Forwards response to NRC Bulletin 88-005.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/02. RUSSELL,W.T. Region 1, Ofc of the Director. 39pp. 46793:281-46793:319.

154 DOCKETED ITEMS

8809190271 Forwards Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04. No violations noted.
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/09 KEISER, H.W. Pennsylvania Power & Light Co. 3pp 46899 024 46899 032.

-8809190275 Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04. No violations noted. Major areas inspected NRC open items & ongoing inplant radiological controls MARKLEY, M.T., SHANBAKY, M.M. Region 1, Ofc of the Director. 88/09/08 6pp 46899 027-46899 032

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12. No violations or deviations noted.
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/12 KEISER, H.W. Pennsylvania Power & Light Co. 2pp 46945 238 46945 249

-8809230002 Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12. No violations or deviations noted. Major areas inspected liquid & gaseous effluents programs, including effluent control instrumentation, air cleaning sys & procedures.
JANG, J.C., PASCIAK, W.J. Region 1, Ofc of the Director 88/09/08 10pp 46945 240-46945 249

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336

8809210201 EN-88-075 on 880919, notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee. Action based on violation of equipment qualification requirements of 10CFR50.49.
LUEHMANN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413) 88/09/14, 1p 46920 294-46920 294.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46945 133 46945 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp 46945 253 46947 013

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept, Jan-June 1988." W/880831 ltr.
CARSON, B.H., DOTY, R.L., KEISER, H.W. Pennsylvania Power & Light Co. 88/06/30, RUSSELL, W.T. Region 1, Ofc of the Director. 32pp. 46789 229-46789 260.

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr.
SAXTON, C.H. Pennsylvania Power & Light Co. 88/07/31, 13pp. 46743 128-46743 140.

8809140258 "Model State Info Sys Bacteriological or Turbidity Summary Analysis Input." W/880906 ltr.
SAXTON, C.H. Pennsylvania Power & Light Co. WAQC 402 88/08/31 2pp 46841 053 46841 054

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2. W/880915 ltr.
HIRT, J.A., KEISER, H.W. Pennsylvania Power & Light Co. 88/08/31 MCDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413), 11pp. 46956 185 46956 205.

S. Reportable occurrences, LERs & related correspondence

8808310142 LER 88-016 00, on 880726, main steam line differential temp portion of leak detection sys discovered incorrectly installed. Caused by design deficiency. Task team formed to review steam leak detection sys W/880826 ltr.
SHAFFER, G.G., BURAM, R.G. Pennsylvania Power & Light Co. 88/08/28 6pp. 46899-131-46899 136

8809130039 LER 88-017-00 on 880807, RWCU Sys Div I isolation occurred when penetration room high differential temp trip signal actuated. Caused by 880805 adjustments to face diverter blades on Zone I ventilation supply register W/880906 ltr.
RYDER, T.S., BYRAM, R.G. Pennsylvania Power & Light Co. 88/09/06 4pp 46835-342-46835 345

8809230057 LER 88-019 00, on 880902, determined that 16 safety-related valves in in-service testing (IST) program not included in IST program for remote position indicator testing. Caused by oversight by personnel. IST procedure revised. W/880918 ltr.
WEHRY, R.R., BYRAM, R.G. Pennsylvania Power & Light Co. 88/09/19, 4pp. 46942 045 46942 046.

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92, per Generic Ltr 88-13.
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/01 HANNON, J. Operator Licensing Branch, 3pp 46789 315 46789 317.

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant.
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/09 GALLO, R.M. Region 1, Ofc of the Director 1p. 46849 359 46849 359.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260056 Rev 7 to Procedure EP-IP-044, "Emergency Environ Sampling."
SHANK, K.E. Pennsylvania Power & Light Co. 88/06/28, 21pp 46653 202-46653 222

8808300194 Forwards final SALP Repts 50-387/88-99 & 50-388/88-99 for Aug 1988. Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL, W.T. Region 1, Ofc of the Director 88/08/22 KEISER, H.W. Pennsylvania Power & Light Co. 3pp 46690 259-46690 264.

8809010271 Rev 6 to Emergency Plan Implementing Procedure EP-IP-042, "In Plant & Emergency Operation Facility Chemistry Lab Emergency Preparation."
WOLFER, J.R. Pennsylvania Power & Light Co. 88/08/29 4pp 46740 196 46740 199

8809270115 Revised emergency plan implementing procedures, including Rev 4 to EPP-038, "Reconstruction & Accident Closeout" & Rev 6 to EPIP 001, "Emergency Classification." W/880914 ltr.
TABOR, W., KEISER, H.W. Pennsylvania Power & Light Co. 88/09/14 47pp 46970 087 46970 133.

8809260292 Informs that mods re fire barrier upgrades, HVAC fan switches, CT secondaries & raceway wrapping completed except as listed.
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/15 BUTLER, W.R. Project Directorate I-2 2pp. 46956 147-46956 148

H. General correspondence

8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators. Minutes for CRGR Meeting 48 & analysis of public comments also encl. W/o minutes & analysis.
SAKENAS, C.A. Committee to Review Generic Requirements. 88/07/08. JORDANE, L. NRC - No Detailed Affiliation Given 3pp. 46892 116 46892 140

-8809180253 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift.
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/25 CHILK, S.J. Office of the Secretary of the Commission. 11pp 46892 141-46892 151

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001 47065 006

8809070358 Confirms 880824 telcon re granting enforcement discretion re relocation of RWCU room high temp sensor.
RUSSELL, W.T. Region 1, Ofc of the Director. 88/08/28 KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 46779 172-46779 173.

8809020289 Advises that 880310 proposed change to FSAR section re availability of safety related nitrogen storage sys for ADS actuation following DBA acceptable, based on review of analysis & subsequent telcon.
THADANI, M.C. Project Directorate I-2 88/08/29 KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 46746 310 46746 313.

8809130064 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna.
VARGAS, A. Division of Reactor Projects - I/II (Post 870411) 88/08/02 Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp. 46827 007-46827 009

8809160076 Confirms 880908 site visit to discuss status of const & demolition sites & other waste handling facilities.
SAXTON, C.H. Pennsylvania Power & Light Co. 88/09/02 LAMEREAUX, D. Pennsylvania, Commonwealth of 1p 46846 265-46846 265

8809140354 Forwards licensee proposed work scope to access degree of sulfuric acid contamination resulting from 880807 underground pipe leak.
HANSELL, J.B. Pennsylvania Power & Light Co. 88/09/06 GADINSKI, R.A. Pennsylvania, Commonwealth of 1p. 46842 236-46842 266.

-8809140338 "Proposed Work Program for Sulfuric Acid Spill at Susquehanna Steam Electric Station."
Environmental Resources Management, Inc. 88/09/06 32pp 46842 237 46842 254

Q. Inspection reports, IE Bulletins & correspondence

8808260406 Forwards Insp Repts 50-387/88-15 & 50-388/88-18 on 880727-0804. Expresses concern w/ util apparent failure to adequately control activities which impacted operability of safety sys. Enforcement conference scheduled for 880909.
KANE, W.F. Region 1, Ofc of the Director. 88/08/18 KEISER, H.W. Pennsylvania Power & Light Co. 3pp 46856 072-46856 081

-8808260409 Insp Repts 50-387/88-15 & 50-388/88-18 on 880727-0804. Violation noted. Major areas inspected, operability of main steam tunnel differential temp isolation modules.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/08/15 7pp. 46856 075-46856 081

8808290279 Notification of Licensee Meeting 88-133 on 880809 w/ util in King of Prussia, PA to discuss inoperability of main steam line tunnel differential temp high instrumentation.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/08/18 Region 1, Ofc of the Director 2pp. 46863 069-46863 070

8808300123 Discusses violations noted in Insp Repts 50-387/88-21 & 50-388/88-22 in response to 861210 ltr. Since cable run was straight, no cable lubricant necessary. No violation of stated spec occurred. Cited violation will be withdrawn.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/08/18 KEISER, H.W. Pennsylvania Power & Light Co. 2pp 46881 021-46881 022

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 176.

8808300104 Forwards Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-28 on 880630
JOHNSTON,W.V. Region 1, Ofc of the Director 88/08/19 KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46696 322-46696 345

8808300107 Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-28 on 880630 Major areas discussed concerns about Rockbestos cables for high range monitors, Raychem splices & Marathon terminal blocks
DURR,J. Region 1, Ofc of the Director 88/08/16 22pp 46696 324 46696 345

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703 070

8808300194 Forwards final SALP Repts 50-387/86-99 & 50-388/86-99 for Aug 1986 - Jan 1988, per 880707 meeting Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W.T. Region 1, Ofc of the Director. 88/08/22 KEISER,H.W. Pennsylvania Power & Light Co 3pp 46690 259-46690 284.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713-218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726.123

8809080127 Forwards response to NRC Bulletin 88 005
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/02 RUSSELL,W.T. Region 1, Ofc of the Director. 39pp. 46783.281-46783.319

8809160303 Ack receipt of 880815 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-388/86-10
GALLO,R.M. Region 1, Ofc of the Director 88/09/08 KEISER,H.W. Pennsylvania Power & Light Co 2pp 46885 229-46885 230

8809190271 Forwards Insp Repts 50-387/86-13 & 50-388/86-16 on 880801-04.No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/09 KEISER,H. Pennsylvania Power & Light Co. 3pp. 46899.024-46899.032.

8809190275 Insp Repts 50-387/86-13 & 50-388/86-16 on 880801-04.No violations noted.Major areas inspected NRC open items & ongoing Inplant radiological controls
MARKLEY,M.T. SHANBAKY,M.M. Region 1, Ofc of the Director 88/09/08. 8pp. 46899.027-46899.032.

8809230001 Forwards Safety Insp Repts 50-387/86-14 & 50-388/86-17 on 880808-12.No violations or deviations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/12 KEISER,H.W. Pennsylvania Power & Light Co 2pp 46845.238 46845.249.

8809230002 Safety Insp Repts 50-387/86-14 & 50-388/86-17 on 880808-12 No violations or deviations noted.Major areas inspected. liquid & gaseous effluents programs,including effluent control instrumentation,air cleaning sys & procedures.
JANG,J.C. PASCIAK,W.J. Region 1, Ofc of the Director. 88/09/08. 10pp. 46945.240-46945.249.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824.215-46824.336.

8809210201 EN-88-075,on 880919,notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee Action based on violation of equipment qualification requirements of 10CFR50.49
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/14. 1p. 46920 284-46920:294

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946:133 46946:252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946.253-46947 013

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr.
CARSON,B.H., DOTY,R.L., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/30 RUSSELL,W.T. Region 1, Ofc of the Director. 32pp 46789 229-46789.260.

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr
SAXTON,C.H. Pennsylvania Power & Light Co. 88/07/31 13pp 46743.128-46743.140.

8809280056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2,W/880915 ltr
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co 88/08/31 MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413) 11pp 46956 195 46956 205

S. Reportable occurrences, LERs & related correspondence

8809230254 LER 88 014 00 on 880819,RWCU sys Div 2 isolation occurred when penetration room high lrp signal actuated Caused by elevated penetration room differential temp Temp Controller TC-27589 adjusted W/880919 ltr.
RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co. 88/09/19 4pp 46942 246-46942 249.

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92,per Generic Ltr 88-13
KEISER,H.W. Pennsylvania Power & Light Co 88/09/01 HANNON,J. Operator Licensing Branch 3pp. 46789 315-46789.317.

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant
KEISER,H.W. Pennsylvania Power & Light Co 88/09/09 GALLO,R.M. Region 1, Ofc of the Director 1p 46849 359-46849 359.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809200364 Change Notice 1 to Rev 18 to radiological emergency plan W/ 880915 ltr.
CONWAY,W.F. Florida Power & Light Co 88/07/26 180pp. 46913 060-46913 263.

8809260518 Forwards Insp Repts 50-335/86-20 & 50-389/86 20 on 880803 Violations noted in rept under consideration for escalated enforcement action Enforcement conference scheduled for 880908.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19. CONWAY,W.F. Florida Power & Light Co. 2pp. 46654 167-46654.169

8809260519 Partially Withheld Insp Repts 50-335/86-20 & 50-389/86 20 on 880803 (ref 10CFR2 790 & 73 21) Violations noted Major areas inspected circumstances surrounding failure to control access to vital area.
MASNYK,O.M. Region 2, Ofc of the Director. 88/09/16 1p. 46654 169-46654 169

8809130238 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 880927.Submittal fulfills requirements for annual offsite exercise.
COLLINS,D.M. Region 2, Ofc of the Director 88/08/29. CONWAY,W.F. Florida Power & Light Co 1p 46834.173-46834.173

8809160013 Confirms 880809 telcon re 880906 enforcement conference in Atlanta,GA to discuss recent security issue at plant. Proposed meeting agenda encl
GRACE,J.N. Region 2, Ofc of the Director. 88/08/30 CONWAY,W.F. Florida Power & Light Co. 2pp. 46906 352-46908 353

8809130161 Rev 0 to Emergency Plan Implementing Procedure 1301, "Notification of Offsite Emergency Organization." W/880901 ltr
CONWAY,W.F. Florida Power & Light Co 88/09/01 6pp 46830.079 46830 088.

8809190086 Confirms 880906 enforcement conference re inattentiveness of guard posted to control access to vital area List of attendees,summary & handout encl.Encls withheld (ref 10CFR2.760(d) & 10CFR73 21).
GRACE,J.N. Region 2, Ofc of the Director 88/09/09. CONWAY,W.F. Florida Power & Light Co 2pp 46899.131-46899.132

8809190206 Forwards Rev 4 to guard training & qualification plan Rev revises corporate security organization & responsibilities Rev withheld (ref 10CFR73 21 & 2 790).
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 2pp 46899 091-46899 092.

8809260170 Forwards Insp Repts 50-335/88-19 & 50-389/88-19 on 880801 05 & notice of violation
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. CONWAY,W.F. Florida Power & Light Co 2pp. 46966-127-46966 147

8809260176 Notice of violation from insp on 880801 05.Violation noted: licensee failed to comply w/survey requirements On 880902, area noted to have contamination had not been surveyed since 880707
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 2pp 46966-129 46966 130

8809260181 Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05. Violations noted Major areas inspected,radiation protection program,including organization & mgt controls,training & qualifications & health physics aspects of Unit 1 outage.
BASSETT,C.H. Region 2, Ofc of the Director. 88/09/08. 17pp. 46966-131-46966.147.

8809270060 Forwards Rev 17 to physical security plan.Rev withheld (ref 10CFR73 21 & 2.790(a)(3)).
CONWAY,W.F. Florida Power & Light Co 88/09/21. Document Control Branch (Document Control Desk) 2pp 46971.257-46971:258.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

154 DOCKETED ITEMS

8809190271 Forwards Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04 No violations noted
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/09 KEISER, H. Pennsylvania Power & Light Co 3pp. 46899 024-46899 032

8809190275 Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04 No violations noted Major areas inspected NRC open items & ongoing inplant radiological controls
MARKLEY, M.T., SHANBAKY, M.M. Region 1, Ofc of the Director 88/09/08, 6pp. 46899 027 46899 032.

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808 12.No violations or deviations noted
BELLAMY, R.R. Region 1, Ofc of the Director 88/09/12 KEISER, H.W. Pennsylvania Power & Light Co 2pp 46945 238 46945 249

8809230002 Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12 No violations or deviations noted Major areas inspected liquid & gaseous effluents programs, including effluent control instrumentation, air clearing sys & procedures
JANG, J.C., PASCIAK, W.J. Region 1, Ofc of the Director. 88/09/08, 10pp 46945, 240 46945 249

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824 215 46824 336

8809210201 EN 88-075 on 880919, notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee Action based on violation of equipment qualification requirements of 10CFR50.49
LUEHMANN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413), 88/09/14 1p. 46920 294 46920 294

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp. 46946 133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc 125pp. 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept, Jan-June 1988." W/880831 ltr.
CARSON, B.H., DOTY, R.L., KEISER, H.W. Pennsylvania Power & Light Co. 88/08/30. RUSSELL, W.T. Region 1, Ofc of the Director. 32pp 46789 229-46789 260

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988" W/880822 ltr
SAXTON, C.H. Pennsylvania Power & Light Co. 88/07/31 13pp 46743, 128-46743 140.

8809140258 "Model State Info Sys Bacteriological or Turbidity Summary Analysis Input." W/880906 ltr
SAXTON, C.H. Pennsylvania Power & Light Co WAQC 402 88/08/31, 2pp 46841, 053-46841-054

8809280056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2. W/880915 ltr.
HIRT, J.A., KEISER, H.W. Pennsylvania Power & Light Co. 88/08/31, McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413). 11pp. 46956, 195 46956 205

S. Reportable occurrences, LERs & related correspondence

8808310142 LER 88-016-00 on 880726, main steam line differential temp portion of leak detection sys discovered incorrectly installed. Caused by design deficiency. Task team formed to review steam leak detection sys. W/880826 ltr.
SHAFFER, G.G., BURAM, R.G. Pennsylvania Power & Light Co. 88/08/28 8pp 46899 131-46899 138.

8809130039 LER 88-017-00 on 880807, RWCU Sys Div 1 isolation occurred when penetration room high differential temp trip signal actuated. Caused by 880805 adjustments to face diverter blades on Zone 1 ventilation supply register W/880908 ltr
RYDER, T.S., BYRAM, R.G. Pennsylvania Power & Light Co 88/09/06, 4pp. 46835-342 46835 345.

8809230057 LER 88-019-00 on 880902, determined that 16 safety related valves in in-service testing (IST) program not included in IST program for remote position indicator testing. Caused by oversight by personnel IST procedure revised. W/880919 ltr
WEHRY, R.R., BYRAM, R.G. Pennsylvania Power & Light Co. 88/09/19, 4pp 46942 045-46942 048.

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92, per Generic Ltr 88-13.
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/01, HANNON, J. Operator Licensing Branch 3pp 46788, 315-46789 317

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant
KEISER, H.W. Pennsylvania Power & Light Co. 88/09/09, GALLO, R.M. Region 1, Ofc of the Director. 1p. 46849, 359 46849 359.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260056 Rev 7 to Procedure EP-IP-044, "Emergency Environ Sampling"
SHANK, K.E. Pennsylvania Power & Light Co 88/06/28, 21pp 46653 202-46653 222

8808300194 Forwards final SALP Repts 50-387/86-89 & 50-388/86-99 for Aug 1986 - Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted
RUSSELL, W.T. Region 1, Ofc of the Director 88/08/22 KEISER, H.W. Pennsylvania Power & Light Co 3pp 46690 259 46690 264

8809010271 Rev 6 to Emergency Plan Implementing Procedure EP-IP 042, "In Plant & Emergency Operation Facility Chemistry Lab Emergency Preparation"
WOLFER, J.R. Pennsylvania Power & Light Co 88/08/29 4pp 46740 196 46740 199

8809270115 Revised emergency plan implementing procedures, including Rev 4 to EPIP-038, "Reconstruction & Accident Closeout" & Rev 6 to EPIP-001, "Emergency Classification" W/880914 ltr
TABOR, W., KEISER, H.W. Pennsylvania Power & Light Co 88/09/14 47pp 46970, 087-46970 133.

8809260292 Informs that mods re fire barrier upgrades, HVAC fan switches, CT secondaries & raceway wrapping completed except as listed
KEISER, H.W. Pennsylvania Power & Light Co 88/09/15, BUTLER, W.R. Project Directorate 1 2 2pp. 46956 147-46956 148

H. General correspondence

8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators. Minutes for CRGR Meeting 148 & analysis of public comments also encl W/o minutes & analysis
SAKENAS, C.A. Committee to Review Generic Requirements 88/07/09 JORDAN, E.L. NRC - No Detailed Affiliation Given. 3pp. 46892, 116 46892 140

8809160253 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift
KEISER, H.W. Pennsylvania Power & Light Co 88/09/25 CHILK, S.J. Office of the Secretary of the Commission. 11pp 46892, 141-46892 151.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp 47065, 001-47065 006

8809070356 Confirms 880824 telcon re granting enforcement discretion re relocation of RWCU room high temp sensor
RUSSELL, W.T. Region 1, Ofc of the Director 88/08/26, KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 46779, 172 46779 173.

8809020269 Advises that 880310 proposed change to FSAR section re availability of safety-related nitrogen storage sys for ADS actuation following DBA acceptable, based on review of analysis & subsequent telcon
THADANI, M.C. Project Directorate 1 2 88/08/29 KEISER, H.W. Pennsylvania Power & Light Co. 4pp 46746, 310 46746 313

8809130064 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna.
VARGAS, A. Division of Reactor Projects - I/II (Post 870411) 88/09/02 Office of Nuclear Reactor Regulation, Director (Post 870411), 3pp 46827, 007-46827 009

8809150076 Confirms 880908 site visit to discuss status of const & demolition sites & other waste handling facilities.
SAXTON, C.H. Pennsylvania Power & Light Co. 88/09/02 LAMEREAUX, D. Pennsylvania, Commonwealth of 1p 46846, 265-46846 265.

8809140354 Forwards licensee proposed work scope to access degree of sulfuric acid contamination resulting from 880807 underground pipe leak
HANSELL, J.B. Pennsylvania Power & Light Co. 88/09/06, GADINSKI, R.A. Pennsylvania, Commonwealth of 1p 46842, 236 46842 268.

8809140338 "Proposed Work Program for Sulfuric Acid Spill at Susquehanna Steam Electric Station"
* Environmental Resources Management, Inc. 88/09/06 32pp 46842 237-46842 268

Q. Inspection reports, IE Bulletins & correspondence

8808260406 Forwards Insp Repts 50-387/88-15 & 50-388/88-18 on 880727-0804 Expresses concern w/ util apparent failure to adequately control activities which impacted operability of safety sys Enforcement conference scheduled for 880909
KANE, W.F. Region 1, Ofc of the Director. 88/08/18 KEISER, H.W. Pennsylvania Power & Light Co. 3pp 46658 072-46658 081

8808260409 Insp Repts 50-387/88-15 & 50-388/88-18 on 880727-0804, Violation noted Major areas inspected operability of main steam tunnel differential temp isolation modules.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/08/15 7pp. 46658 075-46658 081

8808290279 Notification of Licensee Meeting 88-133 on 880909 w/ util in King of Prussia, PA to discuss inoperability of main steam line tunnel differential temp high instrumentation
BLOUGH, A.R. Region 1, Ofc of the Director. 88/08/18 Region 1, Ofc of the Director 2pp. 46683 069-46683 070

8808300123 Discusses violations noted in Insp Repts 50-387/86-21 & 50-388/86-22 in response to 881210 ltr. Since cable run was straight, no cable lubricant necessary. No violation of stated spec occurred. Cited violation will be withdrawn
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/08/18, KEISER, H.W. Pennsylvania Power & Light Co. 2pp 46691, 021-46691 022

8808190195 NRC Info Notice 88-068, "Movable Contact Finger Blinding in HFA Relay Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19, Consolidated Edison Co. of New York, Inc. 125pp 46690 054 46690 178.

8808300104 Forwards Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-28 on 880830
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/19 KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46696.322-46696.345

8808300107 Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-28 on 880830 Major areas discussed: concerns about Rockbestos cables for high range monitors, Raychem splices & Marathon terminal blocks
DURR,J. Region 1, Ofc of the Director. 88/08/18. 22pp. 46696.324-46696.345

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808300194 Forwards final SALP Repts 50-387/86-99 & 50-388/86-99 for Aug 1986 - Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted
RUSSELL,W.T. Region 1, Ofc of the Director. 88/08/22. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46690.259-46690.264.

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8808080127 Forwards response to NRC Bulletin 88-005.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/02. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 46793.281-46793.319.

8809160303 Ack receipt of 880815 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-388/86-10.
GALLO,R.M. Region 1, Ofc of the Director. 88/09/08 KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46895.229-46895.230

8809190271 Forwards Insp Repts 50-387/86-13 & 50-388/86-16 on 880801-04. No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/09 KEISER,H. Pennsylvania Power & Light Co. 3pp. 46899.024-46899.032.

8809190275 Insp Repts 50-387/86-13 & 50-388/86-16 on 880801-04. No violations noted. Major areas inspected: NRC open items & ongoing inplant radiological controls
MARKLEY,M.T., SHANBAKY,M.M. Region 1, Ofc of the Director. 88/09/08. 6pp. 46899.027-46899.032.

8809230001 Forwards Safety Insp Repts 50-387/86-14 & 50-388/86-17 on 880808-12. No violations or deviations noted.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/12. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46945.238-46945.249.

8809230002 Safety Insp Repts 50-387/86-14 & 50-388/86-17 on 880808-12. No violations or deviations noted. Major areas inspected: liquid & gaseous effluents programs, including effluent control instrumentation, air cleaning sys & procedures.
JANG,J.C., PASCIAK,W.J. Region 1, Ofc of the Director. 88/09/08. 10pp. 46945.240-46945.249.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46924.215-46924.336.

8809210201 EN 88-075 on 880819, notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee. Action based on violation of equipment qualification requirements of 10CFR50.49
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/14. 1p. 46920.294-46920.294.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept, Jan-June 1988." W/880631 ltr.
CARSON,B.H., DOTY,R.L., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/30 RUSSELL,W.T. Region 1, Ofc of the Director. 32pp. 46789.229-46789.260.

8808010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. 88/07/31. 13pp. 46743.128-46743.140.

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2. W/880915 ltr.
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/31 McDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 11pp. 46956.195-46956.205

S. Reportable occurrences, LERs & related correspondence

8809230254 LER 88-014.00 on 880819, RWCU sys Div 2 isolation occurred when penetration room high trip signal actuated. Caused by elevated penetration room differential temp. Temp Controller TC-27589 adjusted W/880919 ltr
RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co. 88/09/19. 4pp. 46942.246-46942.249

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92, per Generic Ltr 88-13.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/01 HANNON,J. Operator Licensing Branch. 3pp. 46789.315-46789.317

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/09 GALLO,R.M. Region 1, Ofc of the Director. 1p. 46849.359-46849.359

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809200354 Change Notice 1 to Rev 18 to radiological emergency plan W/ 880915 ltr.
CONWAY,W.F. Florida Power & Light Co. 88/07/28. 190pp. 46913.060-46913.253.

8808260518 Forwards Insp Repts 50-335/88-20 & 50-389/88-20 on 880803. Violations noted in rept under consideration for escalated enforcement action. Enforcement conference scheduled for 880908.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19. CONWAY,W.F. Florida Power & Light Co. 2pp. 46654.167-46654.169.

8808260519 Partially Withheld Insp Repts 50-335/88-20 & 50-389/88-20 on 880803 (ref 10CFR2.790 & 73.21). Violations noted. Major areas inspected. Circumstances surrounding failure to control access to vital area.
MASNYK,O.M. Region 2, Ofc of the Director. 88/08/18. 1p. 46654.169-46654.169.

8809130238 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 880927. Submittal fulfills requirements for annual offsite exercise.
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/28 CONWAY,W.F. Florida Power & Light Co. 1p. 46834.173-46834.173.

8809160013 Confirms 880808 telcon re 880906 enforcement conference in Atlanta, GA to discuss recent security issue at plant. Proposed meeting agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/30. CONWAY,W.F. Florida Power & Light Co. 2pp. 46908.352-46908.353

8809130161 Rev 0 to Emergency Plan Implementing Procedure 1301, "Notification of Offsite Emergency Organization." W/880901 ltr.
CONWAY,W.F. Florida Power & Light Co. 88/09/01. 8pp. 46830.075-46830.086

8809180096 Confirms 880906 enforcement conference re inattention of guard posted to control access to vital area. List of attendees, summary & handout encl. Encls withheld (ref 10CFR2.790(d) & 10CFR73.21).
GRACE,J.N. Region 2, Ofc of the Director. 88/09/09 CONWAY,W.F. Florida Power & Light Co. 2pp. 46898.131-46899.132.

8809190205 Forwards Rev 4 to guard training & qualification plan. Rev revises corporate security organization & responsibilities. Rev withheld (ref 10CFR73.21 & 2.790).
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 2pp. 46899.001-46899.002

8809260170 Forwards Insp Repts 50-335/88-19 & 50-389/88-19 on 880801.05 & notice of violation.
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 CONWAY,W.F. Florida Power & Light Co. 2pp. 46966.127-46966.147.

8809260176 Notice of violation from Insp on 880801-05. Violation noted: licensee failed to comply w/survey requirements. On 880802, area noted to have contamination had not been surveyed since 880707.
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. 2pp. 46966.129-46966.130.

8809260181 Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05. Violations noted. Major areas inspected: radiation protection program, including organization & mgt controls, training & qualifications & health physics aspects of Unit 1 outage.
BASSETT,C.H. Region 2, Ofc of the Director. 88/09/08. 17pp. 46966.131-46966.147.

8809270060 Forwards Rev 17 to physical security plan. Rev withheld (ref 10CFR73.21 & 2.790(a)(3)).
CONWAY,W.F. Florida Power & Light Co. 88/09/21. Document Control Branch (Document Control Desk). 2pp. 46971.257-46971.258.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

154 DOCKETED ITEMS

8809190271 Forwards Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04 No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/09 KEISER,H.W. Pennsylvania Power & Light Co 3pp 46899 024 46899 032

-8809190275 Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04 No violations noted Major areas inspected NRC open items & ongoing inplant radiological controls
MARKLEY,M.T., SHANBAKY,M.M. Region 1, Ofc of the Director 88/09/08, 6pp 46899 027 46899 032

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12 No violations or deviations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/12, KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46945 238 46945 249

-8809230002 Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12 No violations or deviations noted Major areas inspected liquid & gaseous effluents programs,including effluent control instrumentation,air cleaning sys & procedures
JANG,J.C., PASCIAK,W.J. Region 1, Ofc of the Director, 88/09/08, 10pp 46945-240 46945 249

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824,215 46824 338.

8809210201 EN-88-075 on 880919,notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee Action based on violation of equipment qualification requirements of 10CFR50.49
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413) 88/09/14 1p. 46920 294-46920 294.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252.

8809130350 NRC Info Notice 88-078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr.
CARSON,B.H., DOTY,R.L., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/30, RUSSELL,W.T. Region 1, Ofc of the Director. 32pp 46789,229 46789,260.

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. 88/07/31. 13pp 46743:128-46743,140.

8809140258 "Model State Info Sys Bacteriological or Turbidity Summary Analysis Input." W/880906 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. WAQC 402 88/08/31. 2pp 46841 053-46841 054.

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2 W/880915 ltr.
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co 88/08/31, McDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 11pp 46956 195-46956,205

S. Reportable occurrences, LERs & related correspondence

8808310142 LER 88-016-00, on 880726, main steam line differential temp portion of leak detection sys discovered incorrectly installed Caused by design deficiency Task team formed to review steam leak detection sys. W/880826 ltr.
SHAFFER,G.G., BURAM,R.G. Pennsylvania Power & Light Co. 88/08/26. 6pp 46698,131-46699:136

8809130039 LER 88-017-00 on 880807, RWCU Sys Div I isolation occurred when penetration room high differential temp trip signal actuated Caused by 880805 adjustments to face diverter blades on Zone I ventilation supply register. W/880906 ltr.
RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co. 88/09/06 4pp. 46935,342-46935 345

8809230057 LER 88-019-00 on 880902, determined that 16 safety-related valves in in-service testing (IST) program not included in IST program for remote position indicator testing. Caused by oversight by personnel. IST procedure revised. W/880919 ltr.
WEHRY,R.R., BYRAM,R.G. Pennsylvania Power & Light Co 88/09/19, 4pp 46942 045 46942 048

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92, per Generic Ltr 88-13.
KEISER,H.W. Pennsylvania Power & Light Co 88/09/01. HANNON,J. Operator Licensing Branch. 3pp. 46789 315-46789 317.

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/09. GALLO,R.M. Region 1, Ofc of the Director 1p. 46848,359-46849,359.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260056 Rev 7 to Procedure EP-IP 044, "Emergency Environ Sampling."
SHANK,K.E. Pennsylvania Power & Light Co 88/08/28 21pp. 46653-202-46653-222

8808300194 Forwards final SALP Repts 50-387/88-99 & 50-388/88-99 for Aug 1988 - Jan 1988, per 880707 meeting. Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W.T. Region 1, Ofc of the Director 88/08/22 KEISER,H.W. Pennsylvania Power & Light Co 3pp 46890-259 46890 264

8809010271 Rev 6 to Emergency Plan Implementing Procedure EP-IP 042, "In Plant & Emergency Operation Facility Chemistry Lab Emergency Preparation"
WOLFER,J.R. Pennsylvania Power & Light Co 88/08/29 4pp 46740 196 46740,199

8809270115 Revised emergency plan implementing procedures, including Rev 4 to EPIP-038, "Reconstruction & Accident Closeout" & Rev 6 to EPIP 001, "Emergency Classification." W/880914 ltr.
TABOR,W., KEISER,H.W. Pennsylvania Power & Light Co 88/09/14 47pp 46970 087-46970 133.

8809260292 Informs that mods re fire barrier upgrades, HVAC fan switches, CT secondaries & raceway wrapping completed except as listed
KEISER,H.W. Pennsylvania Power & Light Co 88/09/15 BUTLER,W.R. Project Directorate I-2 2pp. 46956:147-46956,148

H. General correspondence

8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators Minutes for CRGR Meeting 40 & analysis of public comments also encl. W/o minutes & analysis
SAKENAS,C.A. Committee to Review Generic Requirements 88/07/05 JORDAN,E.L. NRC - No Detailed Affiliation Given 3pp. 46892 116 46892 140

-8809160253 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift
KEISER,H.W. Pennsylvania Power & Light Co 88/09/25 CHILK,S.J. Office of the Secretary of the Commission. 11pp 46892,141 46892 151

P. Operating license stage documents & correspondence

8808120254 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47005,001 47005 008.

8809070356 Confirms 880824 telcon re granting enforcement discretion re relocation of RWCU room high temp sensor
RUSSELL,W.T. Region 1, Ofc of the Director 88/08/26. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46770-172 46779 173.

8809020269 Advises that 880910 proposed change to FSAR section re availability of safety-related nitrogen storage sys for ADS actuation following DBA acceptable, based on review of analysis & subsequent telcon
THADANI,M.G. Project Directorate I-2 88/08/29 KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 46746:310-46746,313

8809130084 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 88/09/02 Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp 46927,007-46927,009

8809150076 Confirms 880908 site visit to discuss status of const & demolition sites & other waste handling facilities
SAXTON,C.H. Pennsylvania Power & Light Co 88/09/02. LAMEREAUX,D. Pennsylvania, Commonwealth of. 1p. 46846 265 46846 265.

8809140354 Forwards licensee proposed work scope to access degree of sulfuric acid contamination resulting from 880807 underground pipe leak
HANSELL,J.B. Pennsylvania Power & Light Co 88/09/06. GADINSKI,R.A. Pennsylvania, Commonwealth of. 1p. 46842,236 46842 268.

-8809140338 "Proposed Work Program for Sulfuric Acid Spill at Susquehanna Steam Electric Station"
Environmental Resources Management, Inc 88/09/06 32pp 46842 237-46842 268

Q. Inspection reports, IE Bulletins & correspondence

8808260406 Forwards Insp Repts 50-387/88-15 & 50-388/88-18 on 880727-0804 Expresses concern w/utl apparent failure to adequately control activities which impacted operability of safety sys Enforcement conference scheduled for 880909
KANE,W.F. Region 1, Ofc of the Director. 88/08/18 KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46658-072-46658,081

-8808260409 Insp Repts 50-387/88-15 & 50-388/88-18 on 880727 0804. Violation noted Major areas inspected, operability of main steam tunnel differential temp isolation modules.
BLOUGH,A.R. Region 1, Ofc of the Director. 88/08/15 7pp. 46858 075 46858 081

8808290279 Notification of Licensee Meeting 88-133 on 880909 w/utl in King of Prussia, PA to discuss inoperability of main steam line tunnel differential temp high instrumentation
BLOUGH,A.R. Region 1, Ofc of the Director. 88/08/18 Region 1, Ofc of the Director 2pp. 46883-069 46883-070.

8808300123 Discusses violations noted in Insp Repts 50-387/86-21 & 50-388/86-22 in response to 881210 ltr Since cable run was straight, no cable lubricant necessary No violation of stated spec occurred Cited violation will be withdrawn.
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/18. KEISER,H.W. Pennsylvania Power & Light Co. 2pp 46691,021-46691 022.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690,178.

8808300104 Forwards Environ Qualification Enforcement Conference Repts 50 387/88 25 & 50-388/88 28 on 880830
JOHNSTON,W V Region 1, Ofc of the Director 88/08/19 KEISER,H W Pennsylvania Power & Light Co 2pp 46898,322-46898-345

8808300107 Environ Qualification Enforcement Conference Repts 50-387/88 25 & 50 388/88 28 on 880830 Major areas discussed: concerns about Rockbestos cables for high range monitors, Raychem splices & Marathon terminal blocks
DURR,J Region 1, Ofc of the Director, 88/08/16 22pp, 46696,324-46696-345

8808160451 NRC Info Notice 88 085, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc 121pp, 46702,311-46703-070

8808300194 Forwards final SALP Repts 50-387/88-99 & 50-388/88-99 for Aug 1988 - Jan 1988, per 880707 meeting Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W T Region 1, Ofc of the Director, 88/08/22, KEISER,H W Pennsylvania Power & Light Co 3pp 46890,259-46890-264

8808180366 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411), 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713,219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp, 46713 095-46713 217

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411), 88/08/01, Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411), 88/08/02 Consolidated Edison Co. of New York, Inc. 122pp, 46726,001 46726 123.

8809080127 Forwards response to NRC Bulletin 88-005.
KEISER,H W, Pennsylvania Power & Light Co. 88/09/02, RUSSELL,W T Region 1, Ofc of the Director, 3pp 46793,281-46793,319.

8809160303 Ack receipt of 880815 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-388/88-10
GALLO,R M, Region 1, Ofc of the Director, 88/09/08, KEISER,H W Pennsylvania Power & Light Co 2pp 46885,229 46885 230

8809190271 Forwards Insp Repts 50-387/88-13 & 50-388/88 16 on 880801-04. No violations noted
BELLAMY,R R Region 1, Ofc of the Director 88/09/09 KEISER,H, Pennsylvania Power & Light Co. 3pp, 46899,024-46899,032.

8809190275 Insp Repts 50 387/88-13 & 50-388/88-16 on 880801-04 No violations noted. Major areas inspected: NRC open items & ongoing inplant radiological controls
MARKLEY,M T, SHANBAKY,M M Region 1, Ofc of the Director, 88/09/08, 6pp, 46898,027-46898 032

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808 12 No violations or deviations noted.
BELLAMY,R R Region 1, Ofc of the Director 88/09/12, KEISER,H W, Pennsylvania Power & Light Co 2pp, 46945,238-46945,249

8809230002 Safety Insp Repts 50-387/88-14 & 50 388/88-17 on 880808-12. No violations or deviations noted. Major areas inspected: liquid & gaseous effluents programs, including effluent control instrumentation, air cleaning sys & procedures.
JANG,J C, PASCIAK,W J, Region 1, Ofc of the Director 88/09/08, 10pp 46845:240-46845,249.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp, 46824,215-46824 336.

8809210201 EN-88 075 on 880919, notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee. Action based on violation of equipment qualification requirements of 10CFR50.49
LUEHMAN,J, LIEBERMAN,J Ofc of Enforcement (Post 870413), 88/09/14, 1p, 46920 294 46920,294.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C E Division of Operational Events Assessment (Post 870411), 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946:133-46946:252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946,253-46947:013.

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept, Jan-June 1988." W/880831 ltr.
CARSON,B H, DOTY,R L, KEISER,H W, Pennsylvania Power & Light Co 88/08/30, RUSSELL,W T, Region 1, Ofc of the Director, 32pp, 46789,229 46789,260.

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr
SAXTON,C H, Pennsylvania Power & Light Co 88/07/31, 13pp 46743:128-46743:140

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2. W/880915 ltr.
HIRT,J A, KEISER,H W Pennsylvania Power & Light Co 88/08/31, McDONALD,W G, Office of Administration & Resources Management, Director (Post 870413) 11pp 46956 195 46956-205.

S. Reportable occurrences, LERs & related correspondence

8809230254 LER 88-014-00 on 880819, RWCU sys Div 2 isolation occurred when penetration room high trip signal actuated. Caused by elevated penetration room differential temp. Temp Controller TC-27589 adjusted W/880919 ltr
RYDER,T S, BYRAM,R G, Pennsylvania Power & Light Co 88/09/19 4pp, 46942 246-46942 249

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92, per Generic Ltr 88-13.
KEISER,H W Pennsylvania Power & Light Co 88/09/01 HANNON,J Operator Licensing Branch, 3pp 46789 315 46789 317

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant.
KEISER,H W Pennsylvania Power & Light Co. 88/09/09 GALLO,R M, Region 1, Ofc of the Director 1p, 46849 358-46849 359

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809200354 Change Notice 1 to Rev 18 to radiological emergency plan, W/ 880915 ltr.
CONWAY,W F, Florida Power & Light Co 88/07/28 190pp 46913,080 46913,253

8808260518 Forwards Insp Repts 50-335/88 20 & 50 389/88-20 on 880803. Violations noted in rept under consideration for escalated enforcement action Enforcement conference scheduled for 880808.
GRACE,J N, Region 2, Ofc of the Director, 88/08/18 CONWAY,W F Florida Power & Light Co 2pp, 46654:167-46654,169.

8808260519 Partially Withheld Insp Repts 50 335/88-20 & 50-389/88-20 on 880803 (ref 10CFR2 790 & 73.21) Violations noted Major areas inspected circumstances surrounding failure to control access to vital area.
MASNYK,O M Region 2, Ofc of the Director, 88/08/16, 1p 46654,169-46654,169.

8809130238 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 880927. Submittal fulfills requirements for annual offsite exercise
COLLINS,D M, Region 2, Ofc of the Director, 88/08/29 CONWAY,W F, Florida Power & Light Co 1p, 46834:173 46834 173.

8809160013 Confirms 880609 telcon re 880806 enforcement conference in Atlanta, GA to discuss recent security issue at plant. Proposed meeting agenda encl.
GRACE,J N, Region 2, Ofc of the Director 88/08/30, CONWAY,W F Florida Power & Light Co 2pp 46908,352 46908,353

8809130161 Rev 0 to Emergency Plan Implementing Procedure 1301, "Notification of Offsite Emergency Organization." W/880801 ltr.
CONWAY,W F, Florida Power & Light Co 88/09/01, 8pp 46830,079 46830 086

8809190096 Confirms 880806 enforcement conference re inattentiveness of guard posted to control access to vital area. List of attendees, summary & handout and Encls withheld (ref 10CFR2,790(d) & 10CFR73.21).
GRACE,J N, Region 2, Ofc of the Director, 88/09/08, CONWAY,W F, Florida Power & Light Co, 2pp, 46899:131-46899:132

8809190205 Forwards Rev 4 to guard training & qualification plan. Rev revises corporate security organization & responsibilities. Rev withheld (ref 10CFR73.21 & 2790).
CONWAY,W F, Florida Power & Light Co 88/09/12, Document Control Branch (Document Control Desk), 2pp, 46899 081-46899 092.

8809260170 Forwards Insp Repts 50-335/88-19 & 50 389/88-19 on 880801 05 & notice of violation
COLLINS,D M, Region 2, Ofc of the Director, 88/09/14 CONWAY,W F Florida Power & Light Co 2pp 46966:127-46966-147.

8809260176 Notice of violation from Insp on 880801-05. Violation noted licensee failed to comply w/survey requirements On 880802, area noted to have contamination had not been surveyed since 880707.
COLLINS,D M, Region 2, Ofc of the Director, 88/09/14 2pp, 46966:129 46966,130.

8809260181 Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05. Violations noted Major areas inspected radiation protection program, including organization & mgt controls, training & qualifications & health physics aspects of Unit 1 outage.
BASSETT,C H, Region 2, Ofc of the Director, 88/09/08, 17pp, 46968:131-46968 147.

8809270060 Forwards Rev 17 to physical security plan Rev withheld (ref 10CFR73.21 & 2790(a)(3))
CONWAY,W F, Florida Power & Light Co, 88/09/21 Document Control Branch (Document Control Desk), 2pp, 46971:257-46971:258

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F J, Associate Director for Projects (Post 870411) 88/08/08, Consolidated Edison Co. of New York, Inc 41pp 47065:001-47065,006

154 DOCKETED ITEMS

8809190271 Forwards Insp Repts 50-387/86-13 & 50-388/88-16 on 880801-04 No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/09. KEISER,H Pennsylvania Power & Light Co 3pp 46899-024-46899-032.

--8809190275 Insp Repts 50-387/86-13 & 50-388/88-16 on 880801-04 No violations noted Major areas inspected NRC open items & ongoing inplant radiological controls MARKLEY,M.T., SHANBAKY,M.M. Region 1, Ofc of the Director 88/09/08. 6pp 46899-027-46899-032.

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12.No violations or deviations noted
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/12 KEISER,H.W Pennsylvania Power & Light Co 2pp 46945-238-46945-249

--8809230002 Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12 No violations or deviations noted Major areas inspected liquid & gaseous effluents programs,including effluent control instrumentation,air cleaning sys & procedures JANG,J.C., PASCIAK,W.J. Region 1, Ofc of the Director. 88/09/08 10pp 46945-240-46945-249

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc 122pp. 46824-215-46824-336

8809210201 EN 88-075 on 880919,notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee Action based on violation of equipment qualification requirements of 10CFR50.49 LUEHMAN,J., LIEBERMAN,J Ofc of Enforcement (Post 870413). 88/09/14 1p 46920-294-46920-294

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46846-133-46846-252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46846-253-46847-013.

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr. CARSON,B.H., DOTY,R.L., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/30. RUSSELL,W.T. Region 1, Ofc of the Director. 32pp 46788-229-46789-260

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr. SEXTON,C.H. Pennsylvania Power & Light Co. 88/07/31. 13pp 46743-120-46743-140.

8809140258 "Model State Info Sys Bacteriological or Turbidity Summary Analysis Input." W/880906 ltr. SEXTON,C.H. Pennsylvania Power & Light Co WAQC-402. 88/08/31. 2pp 46841-053-46841-054

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2.W/880916 ltr. HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co 88/08/31. McDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413) 11pp 46856-195-46856-205

S. Reportable occurrences, LERs & related correspondence

8809310142 LER 88-016-00, on 880726, main steam line differential temp portion of leak detection sys discovered incorrectly installed.Caused by design deficiency.Task team formed to review steam leak detection sys W/880828 ltr SHAFFER,G.G., BYRAM,R.G. Pennsylvania Power & Light Co. 88/08/26. 8pp 46899-131-46899-136.

8809130039 LER 88-017-00, on 880807, RWCU Sys Div I isolation occurred when penetration room high differential temp trip signal actuated.Caused by 880805 adjustments to face diverter blades on Zone I ventilation supply register.W/880906 ltr RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co 88/08/06 4pp 46835-342-46835-345

8809230057 LER 88-018-00, on 880902, determined that 16 safety-related valves in in-service testing (IST) program not included in IST program for remote position indicator testing.Caused by oversight by personnel IST procedure revised W/880919 ltr. WEHRY,R.R., BYRAM,R.G. Pennsylvania Power & Light Co 88/09/19. 4pp 46842-045-46842-046

T. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92,per Generic Ltr 88-13. KEISER,H.W. Pennsylvania Power & Light Co. 88/09/01. HANNON,J. Operator Licensing Branch. 3pp. 46789-315-46789-317.

8809160181 Informs that CK Kaufmann no longer requires reactor operator license at plant KEISER,H.W. Pennsylvania Power & Light Co. 88/09/09. GALLO,R.M. Region 1, Ofc of the Director 1p. 46849-359-46849-359

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

Security, medical, emergency & fire protection plans

8809260056 Rev 7 to Procedure EP IP-044, "Emergency Environ Sampling." SHANK,K.E. Pennsylvania Power & Light Co 88/08/28 21pp. 46853-202-46853-222

8808300194 Forwards final SALP Repts 50-387/86-99 & 50-388/88-99 for Aug 1988,per 880707 meeting Effective mgt attention & involvement oriented toward nuclear safety noted RUSSELL,W.T. Region 1, Ofc of the Director 88/08/22 KEISER,H.W. Pennsylvania Power & Light Co. 3pp 46890-269-46890-264

8809010271 Rev 6 to Emergency Plan Implementing Procedure EP-IP-042, "In Plant & Emergency Operation Facility Chemistry Lab Emergency Preparation" WOLFER,J.R. Pennsylvania Power & Light Co 88/08/29 4pp 46740-198-46740-199

8809270115 Revised emergency plan implementing procedures,including Rev 4 to EPIP-038, "Reconstruction & Accident Closeout" & Rev 6 to EPIP 001, "Emergency Classification" W/880914 ltr TABOR,W., KEISER,H.W. Pennsylvania Power & Light Co 88/09/14. 47pp 46970-087-46970-133

8809260292 Informs that mods re fire barrier upgrades,HVAC fan switches,OT secondaries & raceway wrapping completed except as listed KEISER,H.W. Pennsylvania Power & Light Co 88/09/15 BUTLER,W.R. Project Directorate 1-2 2pp 46856-147-46856-148

H. General correspondence

8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators Minutes for CRGR Meeting 48 & analysis of public comments also encl. W/o minutes & analysis SAKENAS,C.A. Committee to Review Generic Requirements 88/07/08 JORDAN,E.L. NRC - No Detailed Affiliation Given. 3pp 46892-116-46892-140

--8809160253 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift. KEISER,H.W. Pennsylvania Power & Light Co. 88/09/25 CHILK,S.J. Office of the Secretary of the Commission. 11pp 46892-141-46892-151

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc 41pp 47065-001-47065-006.

8809070356 Confirms 880824 telcon re granting enforcement discretion re relocation of RWCU room high temp sensor RUSSELL,W.T. Region 1, Ofc of the Director 88/08/26. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46779-172-46779-173.

8809020268 Advises that 880310 proposed change to FSAR section re availability of safety related nitrogen storage sys for ADS actuation following DBA acceptable,based on review of analysis & subsequent telcon THADANI,M.C. Project Directorate 1-2 88/08/29 KEISER,H.W. Pennsylvania Power & Light Co. 4pp 46746-310-46746-313

8809130084 Informs that J Stone assigned as senior project manager of Salem & backup project manager of Susquehanna VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 88/09/02 Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp 46827-007-46827-008

8809150076 Confirms 880908 site visit to discuss status of const & demolition sites & other waste handling facilities SEXTON,C.H. Pennsylvania Power & Light Co 88/09/02 LAMEREAUX,D. Pennsylvania, Commonwealth of 1p 46846-265-46846-265

8809140354 Forwards licensee proposed work scope to access degree of sulfuric acid contamination resulting from 880807 underground pipe leak HANSELL,J.B. Pennsylvania Power & Light Co 88/09/06. GADINSKI,R.A. Pennsylvania, Commonwealth of 1p. 46842-235-46842-268.

--8809140336 "Proposed Work Program for Sulfuric Acid Spill at Susquehanna Steam Electric Station." * Environmental Resources Management, Inc 88/09/06 32pp 46842-237-46842-268

Q. Inspection reports, IE Bulletins & correspondence

8808260406 Forwards Insp Repts 50-387/88-15 & 50-388/88-18 on 880727. 0801 Expresses concern w/util apparent failure to adequately control activities which impacted operability of safety sys Enforcement conference scheduled for 880909 KANE,W.F. Region 1, Ofc of the Director. 88/08/18 KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46856-072-46856-081.

--8808260409 Insp Repts 50-387/88-15 & 50-388/88-18 on 880727 0804 Violation noted.Major areas inspected operability of main steam tunnel differential temp isolation modules. BLOUGH,A.R. Region 1, Ofc of the Director. 88/08/15. 7pp. 46856-075-46856-081

8808290270 Notification of Licensee Meeting 88-133 on 880909 w/util in King of Prussia,PA to discuss inoperability of main steam line tunnel differential temp high instrumentation BLOUGH,A.R. Region 1, Ofc of the Director 88/08/18. Region 1, Ofc of the Director 2pp 46883-069-46883-070

8808300123 Discusses violations noted in Insp Repts 50-387/86-21 & 50-388/86-22, in response to 861210 ltr Since cable run was straight,no cable lubricant necessary.No violation of stated spec occurred Cited violation will be withdrawn. JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/18. KEISER,H.W. Pennsylvania Power & Light Co 2pp 46891-021-46891-022.

8808190195 NRC Info Notice 88-068, "Movable Contact Finger Binding in HFA Relay Mfg by GE." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890-054-46890-178

8808300104 Forwards Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-26 on 880830
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/08/19 KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46896:322-46896:345

--8808300107 Environ Qualification Enforcement Conference Repts 50-387/86-25 & 50-388/86-26 on 880830 Major areas discussed: concerns about Rockbestos cables for high range monitors, Raychem splices & Marathon terminal blocks
DURR,J. Region 1, Ofc of the Director. 88/08/16 22pp. 46896:324-46896:345

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702:311-46703:070

8808300194 Forwards final SALP Repts 50-387/86-99 & 50-388/86-99 for Aug 1986 - Jan 1988, per 880707 meeting, Effective mgt attention & involvement oriented toward nuclear safety noted.
RUSSELL,W.T. Region 1, Ofc of the Director. 88/08/22. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 46890:259-46890:264

8808160368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713:218 46713:219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713:095-46713:217

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712:244-46713:004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726:001-46726:123.

8809080127 Forwards response to NRC Bulletin 88-005.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/02. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 46793:281-46793:319.

8809160303 Ack receipt of 880915 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-388/88-10.
GALLO,R.M. Region 1, Ofc of the Director. 88/09/08. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46895:229-46895:230

8809190271 Forwards Insp Repts 50-387/88-13 & 50-388/88-16 on 880801 04.No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director 88/09/09 KEISER,H. Pennsylvania Power & Light Co. 3pp. 46899:024-46899:032.

--8809190275 Insp Repts 50-387/88-13 & 50-388/88-16 on 880801-04.No violations noted.Major areas inspected:NRC open items & ongoing inplant radiological controls
MARKLEY,M.T., SHANBAKY,M.M. Region 1, Ofc of the Director. 88/09/08. 6pp. 46899:027-46899:032.

8809230001 Forwards Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12 No violations or deviations noted.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/12. KEISER,H.W. Pennsylvania Power & Light Co. 2pp. 46945:238-46945:249

--8809230002 Safety Insp Repts 50-387/88-14 & 50-388/88-17 on 880808-12. No violations or deviations noted.Major areas inspected. liquid & gaseous effluents programs,including effluent control instrumentation,air cleaning sys & procedures.
JANG,J.C., PASCIAK,W.J. Region 1, Ofc of the Director 88/09/08. 10pp. 46945:240-46945:249.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Redirection Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824:215-46824:336.

8809210201 EN-88-075 on 880919,notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee. Action based on violation of equipment qualification requirements of 10CFR50.49.
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/14. 1p. 46920:294-46920:294.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946:252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946:253 46947:013.

R. Periodic operating reports & related correspondence

8809080173 "Susquehanna Steam Electric Station Semiannual Effluent & Waste Disposal Rept,Jan-June 1988." W/880831 ltr.
CARSON,B.H., DOTY,R.L., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/30 RUSSELL,W.T. Region 1, Ofc of the Director. 32pp. 46789:229 46789:260

8809010075 "NPDES Discharge Monitoring Rept for Jul 1988." W/880822 ltr.
SAXTON,C.H. Pennsylvania Power & Light Co. 88/07/31. 13pp. 46743:128-46743:140.

8809260056 Monthly operating repts for Aug 1988 for Susquehanna Steam Electric Station Units 1 & 2.W/880915 ltr
HIRT,J.A., KEISER,H.W. Pennsylvania Power & Light Co. 88/08/31. McDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413) 11pp. 46956:195-46956:205.

S. Reportable occurrences, LERs & related correspondence

8809230254 LER 88-014-00 on 880919,RWCU sys Div 2 Isolation occurred when penetration room high trip signal actuated.Caused by elevated penetration room differential temp.Temp Controller TC-27589 adjusted W/880919 ltr.
RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co. 88/09/19 4pp. 46942:246 46942:249.

V. Operator Examinations

8809080121 Forwards schedules for NRC operator license exams through FY92,per Generic Ltr 88-13.
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/01. HANNON,J. Operator Licensing Branch 3pp. 46789:315-46789:317

8809150181 Informs that CH Kaufmann no longer requires reactor operator license at plant
KEISER,H.W. Pennsylvania Power & Light Co. 88/09/09 GALLO,R.M. Region 1, Ofc of the Director. 1p. 46849:359-46849:359.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8809200354 Change Notice 1 to Rev 18 to radiological emergency plan W/ 880915 ltr
CONWAY,W.F. Florida Power & Light Co. 88/07/26. 190pp. 46913:060 46913:253.

8809260516 Forwards Insp Repts 50-335/88-20 & 50-389/88-20 on 880803 Violations noted in rept under consideration for escalated enforcement action Enforcement conference scheduled for 880908
GRACE,J.N. Region 2, Ofc of the Director 88/08/19. CONWAY,W.F. Florida Power & Light Co. 2pp. 46654:167 46654:169

--8809260519 Partially Withheld Insp Repts 50-335/88-20 & 50-389/88-20 on 880803 (ref 10CFR2.790 & 73 21) Violations noted Major areas inspected circumstances surrounding failure to control access to vital area.
MASNYK,O.M. Region 2, Ofc of the Director. 88/08/16 1p. 46654:169 46654:169.

8809130238 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 880927.Submittal fulfills requirements for annual offsite exercise
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/29 CONWAY,W.F. Florida Power & Light Co. 1p. 46834:173-46834:173.

8809160013 Confirms 880809 telcon re 880806 enforcement conference in Atlanta,GA to discuss recent security issue at plant. Proposed meeting agenda encl
GRACE,J.N. Region 2, Ofc of the Director 88/08/30. CONWAY,W.F. Florida Power & Light Co. 2pp. 46808:352-46808:353

8809130161 Rev 0 to Emergency Plan Implementing Procedure 1301, "Notification of Offsite Emergency Organization" W/880901 ltr
CONWAY,W.F. Florida Power & Light Co. 88/09/01 8pp. 46630:079 46630:086

8809160096 Confirms 880906 enforcement conference re inattention of guard posted to control access to vital area.List of attendees,summary & handout encl Encls withheld (ref 10CFR2.790(d) & 10CFR73.21).
GRACE,J.N. Region 2, Ofc of the Director. 88/09/09. CONWAY,W.F. Florida Power & Light Co. 2pp. 46899:131-46899:132

8809190205 Forwards Rev 4 to guard training & qualification plan Rev revises corporate security organization & responsibilities. Rev withheld (ref 10CFR73 21 & 2.780)
CONWAY,W.F. Florida Power & Light Co. 88/09/12. Document Control Branch (Document Control Desk). 2pp. 46899:091-46899:092.

8809260170 Forwards Insp Repts 50-335/88-19 & 50-389/88-19 on 880801 05 & notice of violation
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. CONWAY,W.F. Florida Power & Light Co. 2pp. 46966:127-46966:147.

--8809260176 Notice of violation from Insp on 880801-05.Violation noted: licensee failed to comply w/survey requirements.On 880802, area noted to have contamination had not been surveyed since 880707
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14. 2pp. 46966:129 46966:130.

--8809260181 Insp Repts 50 335/88-19 & 50-389/88-19 on 880801-05. Violations noted Major areas inspected radiation protection program,including organization & mgt controls,training & qualifications & health physics aspects of Unit 1 outage.
BASSETT,C.H. Region 2, Ofc of the Director. 88/09/08. 17pp. 46966:131-46966:147

8809270060 Forwards Rev 17 to physical security plan Rev withheld (ref 10CFR73 21 & 2.780(a)(3))
CONWAY,W.F. Florida Power & Light Co. 88/09/21 Document Control Branch (Document Control Desk) 2pp. 46971:257-46971:258.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47085:001-47085:006.

156 DOCKETED ITEMS

8808290106 Forwards differences identified between conclusions reached by staff in 880811 & 880809 safety evaluations re preupgraded SPDS & upgraded SPDS now installed at plant
CONWAY,W.F. Florida Power & Light Co. 88/08/22. Document Control Branch (Document Control Desk) 5pp. 46684 042-46684.046

8809010332 Informs of plans to replace six instrument nozzles during 1989 plant refueling outage,per ASME Section III Code
CONWAY,W.F. Florida Power & Light Co. 88/08/24 Document Control Branch (Document Control Desk) 2pp. 46743 256 46743.257

8809070254 Forwards draft generic ltr clarifying status of large number of unreviewed inservice testing programs re Tech Spec 4.0.5 requirements & to remedy variety of generic inservice testing problems
MAHSH,L.B. Mechanical Engineering Branch 88/08/29 HOYLE,T.F. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv 21pp 46781 299-46781:319

8809060201 Forwards plant drawings required for regulatory effectiveness review.W/ 131 oversize drawings
CONWAY,W.F. Florida Power & Light Co. 88/08/30 Document Control Branch (Document Control Desk) 5pp. 46722 355 46722 359

8809080032 Application for amend to License NPF-16, revising boric acid makeup sys requirements to reduce boron concentration & increase water vol to meet shutdown margin requirements. CEN 365(L). "Boric Acid Concentration -," encl Fee paid.
CONWAY,W.F. Florida Power & Light Co. 88/09/01. Document Control Branch (Document Control Desk) 3pp. 46796 310-46797.123

-8809080035 Proposed Tech Specs, reducing boron concentration & increasing water vol to meet shutdown margin requirements.
* Florida Power & Light Co. 88/09/01. 27pp. 46796.313 46796 339.

-8809080038 "Boric Acid Concentration Reduction"
* Florida Power & Light Co. CEN-365 (L). 88/09/01. 144pp. 46796 340-46797 123

8809150195 Application for amends to Licenses DPR 67 & NPF-16, revising Tech Specs making administrative changes to achieve consistency throughout Tech Specs, remove outdated matl & make minor text change & correct errors Fee paid.
CONWAY,W.F. Florida Power & Light Co. 88/09/07 Document Control Branch (Document Control Desk). 3pp. 46874.001-46874 049.

-8809150199 Proposed Tech Specs reflecting administrative updates, removal of outdated matl, minor changes to text & correction of errors to achieve consistency throughout Tech Specs.
* Florida Power & Light Co. 88/09/07. 46pp. 46874 004-46874 049.

8809150232 Application for amend to License NPF-16, revising Tech Spec 3/4.6.1 by defining peak accident pressure as that experienced during LOCA Fee paid
CONWAY,W.F. Florida Power & Light Co. 88/09/07 Document Control Branch (Document Control Desk). 3pp. 46856 241-46856 255.

-8809150239 Proposed Tech Specs re peak accident pressure as experienced during LOCA.
* Florida Power & Light Co. 88/09/07 12pp. 46856 244-46856.255

8809140256 Notification of 880920 meeting w/util in Juno Beach, FL to discuss status of licensing actions
TOURIGNY,E.G. Project Directorate II-2 88/09/09 BERKOW,H.N. Project Directorate II-2 2pp. 46845.121-46845 122

8809270054 Notification of cancellation of 880920 meeting w/util in Juno Beach, FL to discuss status of licensing action.
TOURIGNY,E.G. Project Directorate II-2. 88/09/09. BERKOW,H.N. Project Directorate II-2. 3pp. 46869 029-46869 031.

8809200269 Forwards Amend 34 to License NPF-16 & safety evaluation Amend deletes License Conditions 2.C.4 to 9 & 2.C.12 to 18. Amend consists of changes to Tech Specs in partial response to 841120 ltr & 850125 application.
TOURIGNY,E.G. Project Directorate II-2. 88/09/13. CONWAY,W.F. Florida Power & Light Co 4pp. 46900 301-46900.320

-8809200270 Amend 34 to License NPF-16, Amend deletes License Conditions 2.C.4 to 9 & 2.C.12 to 18.
BERKOW,H.N. Project Directorate II-2. 88/09/13 2pp 46900 305 46900 306.

-8809200271 Safety evaluation supporting Amend 34 to License NPF-16 Amend deletes License Conditions 2.C.4 to 9 & 2.C.12 to 18
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/13 14pp 46900.307-46900 320

8809190121 Notification of 880922 meeting w/licensee in Rockville, MD to discuss status of licensing actions.
TOURIGNY,E.G. Project Directorate II-2. 88/09/14. BERKOW,H.N. Project Directorate II-2. 3pp. 46898 001-46898 003.

8809200121 Forwards results of Tech Spec Surveillance Requirement 4.7.6.1.1 field survey conducted on 880607-0804 Dune condition acceptable.
CONWAY,W.F. Florida Power & Light Co. 88/09/14 Document Control Branch (Document Control Desk). 6pp 46900 295-46900 309

Q. Inspection reports, IE Bulletins & correspondence

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690.178.

8808260518 Forwards Insp Repts 50-335/88-20 & 50-389/88-20 on 880803 Violations noted in repl under consideration for escalated enforcement action Enforcement conference scheduled for 880908.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19. CONWAY,W.F. Florida Power & Light Co. 2pp. 46654.167-46654 169.

-8808260519 Partially Withheld Insp Repts 50-335/88 20 & 50 389/88 20 on 880803 (ref 10CFR2 790 & 73 21) Violations noted Major areas inspected.circumstances surrounding failure to control access to vital area
MASNYK,O.M., MCGUIRE,D.R. Region 2, Ofc of the Director 88/08/16 1p. 46654.169-46654 169.

8808180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311 46703 070

8809070059 Forwards Insp Repts 50 335/88-17 & 50-389/88 17 on 880703 31 No violations or deviations noted
WILSON,B.A. Region 2, Ofc of the Director 88/08/23 CONWAY,W.F. Florida Power & Light Co 2pp. 46787 338 46787 354

-8809070063 Insp Repts 50-335/88-17 & 50 389/88 17 on 880703 31 No violations or deviations noted Major areas inspected Tech Spec compliance, operator performance, overall plant operations, QA practices, station & corporate mgmt practices
PAUL,K.G. BIBB,H.E., CHLENJAK,R.V. Region 2, Ofc of the Director 88/08/22. 15pp. 46787 340 46787 354

8809070144 Ack receipt of 880729 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-389/88 06.
GRACE,J.N. Region 2, Ofc of the Director 88/08/23. CONWAY,W.F. Florida Power & Light Co 1p. 46783 338-46783 338

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Restrictor Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713.218 46713 219

8809080174 Forwards Insp Repts 50 335/88 08 & 50-389/88 08 on 880331 & 0411 19 & notice of deviation.
GRACE,J.N. Region 2, Ofc of the Director 88/08/26. CONWAY,W.F. Florida Power & Light Co 2pp. 46793 028 46793 056

-8809080178 Notice of deviation from Insp on 880331 & 0411-19 Deviation noted failure to provide info on assumptions used to adapt generic guidelines to plants
GRACE,J.N. Region 2, Ofc of the Director. 88/08/26. 2pp. 46793 030-46793 031.

-8809080181 Insp Repts 50-335/88 08 & 50-389/88-08 on 880331 & 0411 19. Denial noted Major areas inspected emergency operating procedures & generic technical guidelines, validation & verification program & training
STEWART,J., GAGLIARDO,J.E. Region 2, Ofc of the Director 88/09/03. 22pp. 46793 032-46793.056.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/28 Consolidated Edison Co. of New York, Inc. 123pp. 46713.095 46713 217.

8809020230 Withdraws amend request re steam generator tube sample selection & insp per 880722 telcon
CONWAY,W.F. Florida Power & Light Co. 88/08/29. Document Control Branch (Document Control Desk). 1p. 46750 312-46750 312

8809160013 Confirms 880809 telcon re 880908 enforcement conference in Atlanta, GA to discuss recent security issue at plant. Proposed meeting agenda encl.
GRACE,J.N. Region 2, Ofc of the Director 88/08/30 CONWAY,W.F. Florida Power & Light Co. 2pp. 46908 352-46908 353

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713 004.

8809130069 Forwards Insp Repts 50-335/88-18 & 50 389/88-18 on 880903-11 No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director 88/09/01 CONWAY,W.F. Florida Power & Light Co 2pp. 46827.010-46827 030.

-8809130124 Insp Repts 50-335/88-18 & 50 389/88-18 on 880903-11 No violations noted Major areas inspected inservice insp (ISI) including review of Unit 1 ISI plan for outage & associated ISI administrative procedures & magnetic particle.
NEWSOME,R.W., GLASMAN,M., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/30 19pp. 46827 012-46827 030

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726:123.

8809200259 Forwards Insp Repts 50-335/88-15 & 50-389/88-15 on 880620 24 & 0711-15. No violations or deviations noted.
JULIAN,C.A. Region 2, Ofc of the Director. 88/09/07. CONWAY,W.F. Florida Power & Light Co 2pp. 46911.101-46911 114.

-8809200261 Insp Repts 50 335/88-15 & 50-389/88-15 on 880620-24 & 0711-15 No violations or deviations noted. Major areas inspected. QA effectiveness in operations, design control, maint & procurement.
THOMAS,M., BELISLE,G.A. Region 2, Ofc of the Director 88/09/01 12pp. 46911 103-46911 114

8809190096 Confirms 880906 enforcement conference re inattentiveness of guard posted to control access to vital area. List of attendees, summary & handout encl. Encl's withheld (ref 10CFR2 790(d) & 10CFR73.21).
GRACE,J.N. Region 2, Ofc of the Director. 88/09/09. CONWAY,W.F. Florida Power & Light Co. 2pp. 46898:131-46899:132.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824:215 46824 336

8809190358 Advises that until will submit schedule to address results of vendor evaluations, per NRC Bulletin 88-004, by 881130. Instead of 881010. CONWAY, W.F. Florida Power & Light Co. 88/09/14. Document Control Branch (Document Control Desk). 1p. 46898.332-46898.332.

8809260170 Forwards Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05 & notice of violation Rept documents oral commitment made by licensee representative & discussed in exit interview. COLLINS, D.M. Region 2, Ofc of the Director. 88/09/14. CONWAY, W.F. Florida Power & Light Co. 2pp. 46896.127-46896.147.

8809260176 Notice of violation from Insp on 880801-05. Violation noted, licensee failed to comply w/survey requirements. On 880802, area noted to have contamination had not been surveyed since 880707. COLLINS, D.M. Region 2, Ofc of the Director. 88/09/14. 2pp. 46896.129-46896.130.

8809260181 Insp Repts 50-335/88-19 & 50-389/88-19 on 880801-05. Violations noted Major areas inspected, radiation protection program, including organization & mgt controls, training & qualifications & health physics aspects of Unit 1 outage. BASSETT, C.H., LAUER, M.T., HOSEY, C.M. Region 2, Ofc of the Director. 88/09/08. 17pp. 46896.131-46896.147.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 126pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809060372 "Combined Semiannual Radioactive Effluent Release Rept for Jan-June 1988." W/880830 ltr. CONWAY, W.F. Florida Power & Light Co. 88/06/30. 28pp. 46755.252-46755.279.

8809220070 Forwards monthly operating repts for Aug 1988 for St Lucie & Turkey Point & corrected rept of unit shutdown & power reduction for Jul 1988 for St Lucie Unit 1. Method of shutting down reactor incorrectly coded manual scram. CONWAY, W.F. Florida Power & Light Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46927.247-46927.265.

8809220071 Monthly operating repts for Aug 1988 for St Lucie & Turkey Point. BONETT, D.M. Florida Power & Light Co. 88/08/31. 16pp. 46927.248-46927.264.

V. Operator Examinations

8809010311 Forwards comments on plant license exam administered on 880726, in response to NRC 880427 ltr. Answer key to accept, "Loss of Power to Monitor" as addl functional feature of blue fall light needs mod. CONWAY, W.F. Florida Power & Light Co. 88/09/15. MUNRO, J.F. Region 2, Ofc of the Director. 37pp. 46743.161-46743.197.

8809190242 Forwards proposed operator licensing & requalification exam schedule for FY88, FY90, FY91 & FY92, per Generic Ltr 88-13. CONWAY, W.F. Florida Power & Light Co. 88/09/13. HANNON, J. Operator Licensing Branch. 3pp. 46895.184-46895.186.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808260133 Advises that revised process for review of correspondence to NRC has reduced until requests re extension of response time. GRIDLEY, R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46677.267-46677.268.

8809060375 Responds to 880624 ltr re plant vertical slice review plan, NRC considers methodology as proposed by Sargent & Lundy to be reasonable for project NRC comments listed. RICHARDSON, S.D. Ofc of Special Projects. 88/08/31. WHITE, S.A. Tennessee Valley Authority. 5pp. 46764.264-46764.268.

8809070037 Forwards nonproprietary Addendum 1 to WCAP-10987, "Reanalysis of Watts Bar & Catawba Containment Temps..." & proprietary Addendum 1 to WCAP-10986 Westinghouse application encl. WCAP-10986 withheld (ref 10CFR2.790). GRIDLEY, R. Tennessee Valley Authority. 88/08/31. Document Control Branch (Document Control Desk). 2pp. 46764.088-46764.137.

8809070042 Requests that proprietary version of rept "Reanalysis of Watts Bar & Catawba Containment Temps in Response to LANL Evaluation of LOTIC-III Heat Transfer Models" be withheld from public disclosure (ref 10CFR2.790). WIESEMANN, R.A. Westinghouse Electric Corp. 88/08/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46764.090-46764.098.

8809070049 Addendum 1 to "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models." MENDELER, O.J., TSAI, C.K., HOCHREITER, L.E. Westinghouse Electric Corp. WCAP-10987 ADD 01. 88/08/31. 39pp. 46764.099-46764.137.

8809070488 Informs of intent to respond to 861107 request for addl info re ATWS mitigation sys actuation installation by 890228. GRIDLEY, R. Tennessee Valley Authority. 88/09/01. Document Control Branch (Document Control Desk). 2pp. 46776.167-46776.168.

8809140164 Forwards proprietary WCAP-10986 Addendum 1 & nonproprietary WCAP-10987 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models." TUCKER, H.B. Duke Power Co. 88/09/07. Document Control Branch (Document Control Desk). 2pp. 46841.212-46841.261.

8809140166 Requests for withholding proprietary matl in WCAP-10986 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models." WIESEMANN, R.A. Westinghouse Electric Corp. 88/08/17. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46841.214-46841.261.

8809150237 Responds to NRC 880827 comments re util program plan, Corrective action programs will be submitted to NRC for review & concurrence following program team acceptance. Summary of commitments encl. GRIDLEY, R. Tennessee Valley Authority. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46856.237-46856.240.

8809190058 Requests response providing basis for employment action re former emp ployee & investigation repts concerning circumstances of action on Case 87-ERA-28 PARTLOW, J.G. Ofc of Special Projects. 88/09/12. WHITE, S.A. Tennessee Valley Authority. 46pp. 46896.273-46896.318.

H. General correspondence

8808300036 Informs that RA Padde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn. WHITE, S.A. Tennessee Valley Authority. 88/08/19. PARTLOW, J.G. Ofc of Special Projects. 4pp. 46698.292-46698.294.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178.

8808310219 Requests approval of proposed alternative to ASME Section III requirements re Insp of piping welds, per 10CFR50.55a(a)(3). Supporting info encl. GRIDLEY, R. Tennessee Valley Authority. 88/08/19. Document Control Branch (Document Control Desk). 49pp. 46727.059-46727.105.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808260496 Forwards revised response to NRC 880429 ltr re violations noted in Insp Repts 50-390/88-01 & 50-391/88-01. Corrective actions: util implemented design change improvement program in which greater administrative control placed on changes. GRIDLEY, R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 7pp. 46853.346-46853.352.

8808290151 Submits interim revised response to violations noted in Insp Repts 50-390/87-07 & 50-391/87-07. Corrective actions: re Insp program of HVAC support to determine scope of violation initiated. GRIDLEY, R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 3pp. 46880.249-46880.251.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809070366 Responds to 880722 ltr re results of 880608-09 compliance evaluation Insp. Corrective actions: all radwaste discharges routed through portable demineralizers to minimize release of boron. SCHMIERBACH, M. Tennessee Valley Authority. 88/08/24. STEWART, P.L. Tennessee, State of. 3pp. 46763.162-46763.164.

8809010296 Provides supplemental response to violation noted in Insp Repts 50-390/86-24 & 50-391/86-24. Deficiency re ductwork integrity addressed in 10CFR50.55(a) repts. Final corrective actions will be provided in 10CFR50.55(a) repts. GRIDLEY, R. Tennessee Valley Authority. 88/08/25. Document Control Branch (Document Control Desk). 2pp. 46720.360-46720.361.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809070299 Forwards lists of commitments re violations identified in Insp Rept 50-390/87-11 concerning as-constructed connection diagrams identified during field survey of safety-related auxiliary instrument room panels. GRIDLEY, R. Tennessee Valley Authority. 88/08/29. Document Control Branch (Document Control Desk). 3pp. 46772.106-46772.108.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46728.001-46728.123.

8809150229 Forwards revised response to NRC 880806 ltr re violations noted in Insp Repts 50-390/86-14 & 50-391/86-14. Corrective actions: util will discontinue ref implementing documents in FSAR & revise FSAR to remove existing refs. GRIDLEY, R. Tennessee Valley Authority. 88/09/07. Document Control Branch (Document Control Desk). 7pp. 46864.302-46864.308.

158 DOCKETED ITEMS

8809160113 Discusses investigation Repts 2 85 034 & 2 85-034S & forwards notice of violation investigation initiated due to allegations that authorized nuclear inspectors at facility pressured mgt to accept work not up to ASME stds
PARTLOW,J.G. Ofc of Special Projects 88/09/09 WHITE,S.A. Tennessee Valley Authority 5pp 46885 151-46885 157

-8809160118 Notice of violation from insp on 870713 1110.Violation noted authorized nuclear inspector pressured by mgt to accept util disposition "use as is" for certain weld in violation of ASME code
PARTLOW,J.G. Ofc of Special Projects, 88/09/09 2pp 46885 156 46885 157

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs,in response to NRC Bulletin 87-002,Suppl 1 & 2
GRIDLEY,R.L. Tennessee Valley Authority 88/09/12 Document Control Branch (Document Control Desk) 180pp 46896 336 46897,155

8809260199 Ack receipt of 880823 ltr re response to violation noted in Insp Repts 50-390/87-07 & 50-391/87-07 Corrective actions appropriate
MCCOY,F.R. Ofc of Special Projects 88/09/13 WHITE,S.A. Tennessee Valley Authority 1p. 46956 226 46956 226

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824,215-46824 336.

8809200374 Forwards status update response for violations noted in Insp Repts 50-390/87-05 & 50 391/87-05 Corrective actions vertical slice review being performed to identify any significant weaknesses in design,const & QA records
GRIDLEY,R. Tennessee Valley Authority, 88/09/15 Document Control Branch (Document Control Desk) 7pp. 46911 341-46911 347

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/16, Consolidated Edison Co. of New York, Inc 124pp 46946 133 46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control," Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947,013

8809220236 Provides addl info re util 870918 response to violations noted in Insp Repts 50-390/88-24 & 50-391/88-24 Rev 3 dtd 871215 issued to supersede implementation quality notice addressing "in-process" deficiencies
GRIDLEY,R. Tennessee Valley Authority 88/09/19 Document Control Branch (Document Control Desk) 2pp 46930,034 46930 035

R Periodic operating reports & related correspondence

8808300288 "Annual Radiological Environ Monitorng Rept Watts Bar Nuclear Plant 1987 " W/880825 ltr
GRIDLEY,R. Tennessee Valley Authority, 87/12/31. 118pp 46698 056 46698 173.

8809010010 Forwards revised discharge monitoring repts for period of May 1987 - June 1988 Rev adds temp data required
SCHMIERBACH,M. Tennessee Valley Authority 88/08/24 Tennessee, State of. 2pp 46741 342-46741-360

-8809010011 Revised "Discharge Monitoring Rept for May 1987 "
SCHMIERBACH,M. Tennessee Valley Authority, 87/05/31 1p 46741'344 46741:344.

-8809010013 Revised "Discharge Monitoring Rept for June 1987."
SCHMIERBACH,M. Tennessee Valley Authority 87/06/30 1p 46741'345-46741.345,

-8809010014 Revised "Discharge Monitoring Rept for Jul 1987 "
SCHMIERBACH,M. Tennessee Valley Authority 87/07/31. 1p. 46741'346-46741 346

-8809010017 Revised "Discharge Monitoring Rept for Aug 1987 "
SCHMIERBACH,M. Tennessee Valley Authority 87/08/31. 1p. 46741'347-46741 347.

-8809010019 Revised "Discharge Monitoring Rept for Sept 1987 "
SCHMIERBACH,M. Tennessee Valley Authority 87/09/30. 1p 46741'348-46741'348.

-8809010020 Revised "Discharge Monitoring Rept for Oct 1987 "
SCHMIERBACH,M. Tennessee Valley Authority 87/10/31. 1p. 46741'349-46741 349.

-8809010022 Revised "Discharge Monitoring Rept for Nov 1987 "
SCHMIERBACH,M. Tennessee Valley Authority 87/11/30 1p 46741 350 46741 350.

-8809010024 Revised "Discharge Monitoring Rept for Dec 1987."
SCHMIERBACH,M. Tennessee Valley Authority, 87/12/31. 1p 46741 351-46741'351.

-8809010025 Revised "Discharge Monitoring Rept for Jan 1988."
SCHMIERBACH,M. Tennessee Valley Authority 88/01/31. 1p 46741.352-46741:352.

-8809010026 Revised "Discharge Monitoring Rept for Feb 1988."
SCHMIERBACH,M. Tennessee Valley Authority, 88/02/29 1p. 46741 353-46741.353.

-8809010030 Revised "Discharge Monitoring Rept for Mar 1988 "
SCHMIERBACH,M. Tennessee Valley Authority 88/03/31. 2pp 46741:354-46741:355.

-8809010031 Revised "Discharge Monitoring Rept for Apr 1988 "
SCHMIERBACH,M. Tennessee Valley Authority, 88/04/30 2pp. 46741.356-46741.357.

-8809010032 Revised "Discharge Monitoring Rept for May 1988 "
SCHMIERBACH,M. Tennessee Valley Authority, 88/05/31, 2pp. 46741'356-46741 359.

-8809010033 Revised "Discharge Monitoring Rept for June 1988 "
SCHMIERBACH,M. Tennessee Valley Authority, 88/06/30 1p. 46741:360-46741 360

S. Reportable occurrences, LERs & related correspondence

8809020261 NPDES noncompliance notification.two minor unpermitted paint spray booth discharges noted Caution will be taken to minimize release of suspended solids,Residual sludge will be tested Analytical results encl.
SCHMIERBACH,M. Tennessee Valley Authority 88/08/29 SINCLAIR,R.M. Tennessee, State of 6pp. 46745,162-46745-167

8809060297 Final deficiency rept re failure to consider reactor core decay heat in determining most severe time dependent accident temp profile initially reported on 871201 TVA will upgrade lower compartment coolers to safety grade.
GRIDLEY,R. Tennessee Valley Authority 88/08/30, Document Control Branch (Document Control Desk) 5pp 46763 333 46763.337.

8809150132 Revised final deficiency rept re diesel generator electrical board room exhaust fan flow rates initially reported on 880108 Fan motors replaced Necessary corrective actions completed
GRIDLEY,R. Tennessee Valley Authority 88/09/09 Document Control Branch (Document Control Desk) 4pp 46864.029 46864.032.

8809190349 Final deficiency rept re use-as-is & repair dispositions for const nonconformance repts initially reported on 870112. Conditions adverse to quality identified & design documents reviewed.
GRIDLEY,R. Tennessee Valley Authority 88/09/14, Document Control Branch (Document Control Desk), 5pp. 46898.023 46898.027.

U. Congressional/Executive Correspondence

8808260346 Forwards quarterly rept for second quarter of CY88,per H R 97-850
ROGERS,K.G. Commissioners 88/08/23. BEVILL,T. House of Rep , Appropriations 11pp 46929 339 46929.349.

V. Operator Examinations

8809060367 Responds to Generic Ltr 88-13 re operator licensing exams & provides update to earlier response to Generic Ltr 87-14 on NRC licensing exam site visits,Updated exam schedules & requalification schedules for facilities encl
GRIDLEY,R.L. Tennessee Valley Authority, 88/09/01, HANNON,J. NRC - No Detailed Affiliation Given 8pp 46757:344 46757-351.

8809200223 Advises that waiver of one yr onsite eligibility requirement will be granted based on training & experience that plant operators have completed & will complete prior to licensing exams
MCCOY,F.R. Region 2, Ofc of the Director, 88/09/15. WHITE,S.A. Tennessee Valley Authority, 2pp 46900'200 46900:201.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8808290133 Advises that revised process for review of correspondence to NRC has reduced Wt requests re extension of response time
GRIDLEY,R. Tennessee Valley Authority, 88/08/23, Document Control Branch (Document Control Desk), 2pp 46677-267-46677.268

8809060376 Responds to 880624 ltr re plant vertical slice review plan NRC considers methodology as proposed by Sargent & Lundy to be reasonable for project NRC comments listed
RICHARDSON,S.D. Ofc of Special Projects 88/08/31. WHITE,S.A. Tennessee Valley Authority 5pp 46764'254-46764:258.

8809070037 Forwards nonproprietary Addendum 1 to WCAP-10987, "Reanalysis of Watts Bar & Catawba Containment Temps .," & proprietary Addendum 1 to WCAP-10986,Westinghouse application encl.WCAP-10986 withheld (ref 10CFR2.790)
GRIDLEY,R. Tennessee Valley Authority 88/08/31 Document Control Branch (Document Control Desk), 2pp. 46784 088-46784:137.

-8809070042 Requests that proprietary version of rept "Reanalysis of Watts Bar & Catawba Containment Temps in Response to LANL Evaluation of LOTIC-III Heat Transfer Models," be withheld from public disclosure (ref 10CFR2.790).
WIESEMANN,R.A. Westinghouse Electric Corp 88/08/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 8pp. 46784-090-46784-098

-8809070049 Addendum 1 to "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models"
MENDLER,O.J., SMITH,L.C., KOSHURBA,D.P. Westinghouse Electric Corp WCAP-10987 ADD 01, 88/08/31, 39pp. 46784-099-46784:137

8809070488 Informs of intent to respond to 881107 request for addl info re ATWS mitigation sys actuation installation by 880228.
GRIDLEY,R. Tennessee Valley Authority, 88/09/01 Document Control Branch (Document Control Desk) 2pp. 46776-167-46776:168

8809140164 Forwards proprietary WCAP-10986 Addendum 1 & nonproprietary WCAP-10987 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Labs Evaluation of LOTIC-III Heat Transfer Models "
TUCKER,H.B. Duke Power Co, 88/09/07 Document Control Branch (Document Control Desk) 2pp. 46841.212-46841:261.

-8809140166 Requests for withholding proprietary mail in WCAP-10986 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models."
WIESEMANN,R.A. Westinghouse Electric Corp, 88/08/17, MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411), 8pp. 46841.214 46841:261.

8809150237 Responds to NRC 880627 comments re util program plan Corrective action programs will be submitted to NRC for review & concurrence following program team acceptance. Summary of commitments encl.
GRIDLEY,R.L. Tennessee Valley Authority 88/09/07 Document Control Branch (Document Control Desk) 4pp 46856 237-46856 240.

8809190056 Requests response providing basis for employment action re former employee & investigation repts concerning circumstances of action on Case 87-ERA 28 PARTLOW,J.G. Ofc of Special Projects. 88/09/12 WHITE,S.A. Tennessee Valley Authority. 46pp. 46896 273-46896 318

H. General correspondence

8808300038 Informs that RA Pedde & CG Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn
WHITE,S.A. Tennessee Valley Authority 88/08/19 PARTLOW,J.G. Ofc of Special Projects. 4pp 46698 292-46698 294

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc 121pp 46702 311-46702 070

8808260496 Forwards revised response to NRC 880429 ltr re violations noted in Insp Repts 50-390/88 01 & 50-391/88 01 Corrective actions until implemented design change improvement program in which greater administrative control placed on changes
GRIDLEY,R. Tennessee Valley Authority 88/08/23. Document Control Branch (Document Control Desk) 7pp 46653 346-46653 352.

8808290151 Submits interim revised response to violations noted in Insp Repts 50-390/87-07 & 50-391/87-07 Corrective actions reinsp program of HVAC support to determine scope of violation initiated.
GRIDLEY,R. Tennessee Valley Authority. 88/08/23 Document Control Branch (Document Control Desk) 3pp 46680 249-46680 251.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713:218-46713.219.

8809070366 Responds to 880722 ltr re results of 880608-09 compliance evaluation Insp Corrective actions all radwaste discharges routed through portable demineralizers to minimize release of boron
SCHMIERBACH,M. Tennessee Valley Authority 88/08/24. STEWART,P.L. Tennessee, State of. 3pp 46783.162-46783.164

8809010296 Provides supplemental response to violation noted in Insp Repts 50-390/86-24 & 50-391/86-24. Deficiency re ductwork integrity addressed in 10CFR50.55(e) repts Final corrective actions will be provided in 10CFR50.55(e) repts
GRIDLEY,R. Tennessee Valley Authority 88/08/25. Document Control Branch (Document Control Desk). 2pp 46720:350-46720-351.

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713.085-46713.217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726:001-46726.123

8809150229 Forwards revised response to NRC 880806 ltr re violations noted in Insp Repts 50-390/86-14 & 50-391/86-14. Corrective actions until will discontinue ref implementing documents in FSAR & revise FSAR to remove existing refs
GRIDLEY,R. Tennessee Valley Authority 88/09/07. Document Control Branch (Document Control Desk). 7pp. 46864:302-46864 308

8809160113 Discusses Investigation Repts 2-85-034 & 2-85 034S & forwards notice of violation investigation initiated due to allegations that authorized nuclear inspectors at facility pressured mgt to accept work not up to ASME stds.
PARTLOW,J.G. Ofc of Special Projects. 88/09/09. WHITE,S.A. Tennessee Valley Authority. 5pp 46885.151-46885.157.

8809160118 Notice of violation from Insp on 870713-1110. Violation noted: authorized nuclear inspector pressured by mgt to accept util disposition "use as is" for certain weld in violation of ASME code
PARTLOW,J.G. Ofc of Special Projects. 88/09/09 2pp. 46885 156-46885.157.

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs. In response to NRC Bulletin 87-002, Suppl 1 & 2.
GRIDLEY,R.L. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk). 180pp 46898.335-46897:155

8809260199 Ack receipt of 880823 ltr re response to violation noted in Insp Repts 50-390/87-07 & 50-391/87-07. Corrective actions appropriate
MCCOY,F.R. Ofc of Special Projects. 88/09/13 WHITE,S.A. Tennessee Valley Authority. 1p. 46956:228-46956:228.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824:215-46824:336.

8809200374 Forwards status update response for violations noted in Insp Repts 50-390/87 05 & 50-391/87-05. Corrective actions vertical slice review being performed to identify any significant weaknesses in design, const & QA records
GRIDLEY,R. Tennessee Valley Authority. 88/09/15 Document Control Branch (Document Control Desk) 7pp 46911 341-46911:347.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946.133-46946:252.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947:013.

8809220236 Provides addl info re util 870916 response to violations noted in Insp Repts 50-390/86-24 & 50-391/86-24. Rev 3 dtd 871215 issued to supersede implementation quality notice addressing "in process" deficiencies
GRIDLEY,R. Tennessee Valley Authority. 88/09/19 Document Control Branch (Document Control Desk) 2pp 46930 034-46930 035.

R. Periodic operating reports & related correspondence

8808300288 "Annual Radiological Environ Monitoring Rept Watts Bar Nuclear Plant 1987." W/880825 ltr
GRIDLEY,R. Tennessee Valley Authority. 87/12/31 118pp 46698:056-46698.173

8809010010 Forwards revised discharge monitoring repts for period of May 1987 - June 1988 Rev adds temp data required
SCHMIERBACH,M. Tennessee Valley Authority 88/08/24 Tennessee, State of 2pp 46741:342-46741.360.

8809010011 Revised "Discharge Monitoring Rept for May 1987."
SCHMIERBACH,M. Tennessee Valley Authority. 87/05/31 1p 46741 344-46741.344

8809010013 Revised "Discharge Monitoring Rept for June 1987"
SCHMIERBACH,M. Tennessee Valley Authority. 87/06/30. 1p. 46741.345-46741.345

8809010014 Revised "Discharge Monitoring Rept for Jul 1987."
SCHMIERBACH,M. Tennessee Valley Authority. 87/07/31. 1p 46741 346-46741.346

8809010017 Revised "Discharge Monitoring Rept for Aug 1987."
SCHMIERBACH,M. Tennessee Valley Authority. 87/08/31 1p 46741:347-46741.347.

8809010019 Revised "Discharge Monitoring Rept for Sept 1987."
SCHMIERBACH,M. Tennessee Valley Authority. 87/09/30. 1p 46741.348-46741 348

8809010020 Revised "Discharge Monitoring Rept for Oct 1987"
SCHMIERBACH,M. Tennessee Valley Authority. 87/10/31. 1p. 46741:349-46741.349

8809010022 Revised "Discharge Monitoring Rept for Nov 1987."
SCHMIERBACH,M. Tennessee Valley Authority. 87/11/30. 1p 46741 350-46741.350

8809010024 Revised "Discharge Monitoring Rept for Dec 1987"
SCHMIERBACH,M. Tennessee Valley Authority. 87/12/31. 1p. 46741.351-46741.351

8809010025 Revised "Discharge Monitoring Rept for Jan 1988"
SCHMIERBACH,M. Tennessee Valley Authority. 88/01/31 1p. 46741.352-46741.352

8809010026 Revised "Discharge Monitoring Rept for Feb 1988"
SCHMIERBACH,M. Tennessee Valley Authority. 88/02/29. 1p. 46741.353-46741.353

8809010030 Revised "Discharge Monitoring Rept for Mar 1988."
SCHMIERBACH,M. Tennessee Valley Authority 88/03/31 2pp 46741 354-46741 355.

8809010031 Revised "Discharge Monitoring Rept for Apr 1988"
SCHMIERBACH,M. Tennessee Valley Authority. 88/04/30. 2pp. 46741:356-46741:357

8809010032 Revised "Discharge Monitoring Rept for May 1988."
SCHMIERBACH,M. Tennessee Valley Authority 88/05/31. 2pp. 46741:358-46741:359

8809010033 Revised "Discharge Monitoring Rept for June 1988."
SCHMIERBACH,M. Tennessee Valley Authority. 88/06/30. 1p. 46741:360-46741:360.

S. Reportable occurrences, LEIs & related correspondence

8809020261 NPDES noncompliance notification. two minor unpermitted paint spray booth discharges noted Caution will be taken to minimize release of suspended solids Residual sludge will be tested. Analytical results encl.
SCHMIERBACH,M. Tennessee Valley Authority. 88/08/29. SINCLAIR,R.M. Tennessee, State of 6pp. 46745:162-46745:167

8809060297 Final deficiency rept re failure to consider reactor core decay heat in determining most severe time dependent accident temp profile. Initially reported on 871201. TVA will upgrade lower compartment coolers to safety grade.
GRIDLEY,R. Tennessee Valley Authority. 88/08/30. Document Control Branch (Document Control Desk). 6pp. 46763:333-46763.337

8809150132 Revised final deficiency rept re diesel generator electrical board room exhaust fan flow rates. Initially reported on 860109 Fan motors replaced Necessary corrective actions completed
GRIDLEY,R. Tennessee Valley Authority. 88/09/09. Document Control Branch (Document Control Desk) 4pp. 46864 029-46864:032.

8809190349 Final deficiency rept re use-as-is & repair dispositions for const nonconformance repts. Initially reported on 870112. Conditions adverse to quality identified & design documents reviewed.
GRIDLEY,R. Tennessee Valley Authority. 88/09/14 Document Control Branch (Document Control Desk) 5pp. 46898 023-46898.027.

160 DOCKETED ITEMS

U. Congressional/Executive Correspondence

8808260346 Forwards quarterly rept for second quarter of CY88, per H R 97 850
ROGERS, K.C. Commissioners 88/08/23 BEVILL, T. House of Rep., Appropriations.
11pp 46929 339 46929 349

V. Operator Examinations

8809060357 Responds to Generic Ltr 88-13 re operator licensing exams & provides
updates to earlier response to Generic Ltr 87-14 on NRC licensing exam site
visits Updated exam schedules & requalification schedules for facilities encl
GRIDLEY, R.L. Tennessee Valley Authority 88/09/01 HANNON, J. NRC - No Detailed
Affiliation Given 8pp 46757 344 46757 351

8809200223 Advises that waiver of one yr onsite eligibility requirement will be granted
based on training & experience that plant operators have completed & will complete
prior to licensing exams
MCCOY, F.R. Region 2, Ofc of the Director 88/09/15 WHITE, S.A. Tennessee Valley
Authority, 2pp 46900 200-46900 201

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290030 Advises that Rev 22 to plant physical security plan consistent w/provisions
of 10CFR50.54(p) & acceptable Encl withheld per 10CFR73.21.
CLINE, W.E. Region 2, Ofc of the Director 88/08/17 NAUMAN, D.A. South Carolina
Electric & Gas Co. 3pp 46683 330-46683 332.

8809010254 Advises that 880802 Rev 14 to corporate emergency mgt plan meets plan-
ning stds of 10CFR50.47(B) & requirements of App E to 10CFR50 & acceptable
COLLINS, D.M. Region 2, Ofc of the Director 88/08/18 BRADHAM, O.S. South Caroli-
na Electric & Gas Co. 2pp. 46718 359 46718 360.

8808260435 Revised emergency plan procedures, including Rev 11 to EPP 016, "Emer-
gency Facilities Activation & Evacuation," Rev 12 to EPP-005, "Offsite Dose Calcula-
tions" & Rev 12 to EPP-019, "Emergency Equipment Checklist," W/880819 ltr.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/19. 121pp. 46654.181-
46654 301.

8809010149 Advises that 880729 Rev 24 to radiological emergency plan consistent w/
provisions of 10CFR50.47 & App E to 10CFR50 & acceptable.
COLLINS, D.M. Region 2, Ofc of the Director 88/08/22 BRADHAM, O.S. South Caroli-
na Electric & Gas Co. 2pp 46720 329-46720 330.

8809070300 Advises that 880729 Amend 8 to guard training & qualification & security &
contingency plans consistent w/ provisions of 10CFR50.54(p) & acceptable.
CLINE, W.E. Region 2, Ofc of the Director 88/08/26 BRADHAM, O.S. South Carolina
Electric & Gas Co. 3pp. 46777.241-46777.243.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors
re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated
Edison Co. of New York, Inc. 41pp 47065.001-47065 008

8809120091 Final response to FOIA request for documents Forwards documents listed
in App. A Documents also available in FDR App B documents totally withheld (ref
FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR, L. Doc-
Search Associates. 5pp 46770 080-46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in
enforcement area from Jul Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13 BLAHA, J.L. Program
Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223.

8809010124 Application for amend to License NPF-12, changing Tech Spec surveillance
requirements for dc sources & battery capacity. Fee paid
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/24 HAYES, H.H. Document
Control Branch (Document Control Desk). 2pp. 46722 330 46722 333

8809010189 Proposed Tech Specs re surveillance requirements for electrolyte temp of
connected cells & temp derating factor for battery capacity
South Carolina Electric & Gas Co. 88/08/24. 2pp 46722 332-46722 333.

8809020274 Forwards "Semiannual Effluent & Waste Disposal Rept for Jan- June
1988," w/proprietary info per 10CFR50.36A & Tech Spec Sections 6.9.1.8 & 6.9.1.9
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/29. GRACE, J.N. Document
Control Branch (Document Control Desk). 2pp. 46750 282-46750 301.

8809070534 Forwards revised source terms for plant w/VANTAGE 5 fuel which will be
used as input to ongoing dose calculations.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/31 HAYES, J.J. Document
Control Branch (Document Control Desk). 6pp. 46768.036-46768 043.

8809130056 Forwards, for approval, revs to plant inservice testing program & list of re-
sponses to questions & concerns in chronological order.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/31. Document Control
Branch (Document Control Desk). 157pp. 46834:199-46834 355.

8809200383 Submits info justifying 880415 request for exemption from integrated leak-
age rate testing, per 10CFR50.12 (a) (2)(i). Although 880125 test rept based upon 24-h
period, satisfactory results obtained after initial 8 h.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/09/13. HAYES, J.J. Document
Control Branch (Document Control Desk) 2pp 46912 358-46912 359.

8809220220 Grants approval to perform short duration integrated leakage rate testing of
primary containment structures for nuclear power plants
HAYES, J.J. Project Directorate II-1. 88/09/15. BRADHAM, O.S. South Carolina Electric
& Gas Co. 2pp. 46920 359-46920 360

8809210012 Notification of 880921 meeting w/util in Atlanta, GA to resolve issues
discussed in 880914 telcon on proposed amend to License NPF-12 Involving con-
tainment tendon testing.
HAYES, J.J. Project Directorate II-1 88/09/16. MURLEY, T., SNIEZEK, J., MIRAGLIA
NRC - No Detailed Affiliation Given. 2pp. 46920:285-46920 286.

8809230231 Forwards corrected Tech Spec change re VANTAGE 5 reload for Fig
3.2-1 concerning function of core height & Table 4 concerning reactor coolant sys-
tem fission product activities
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/09/16. Document Control
Branch (Document Control Desk). 1p 46932:146-46932:146

8809230234 Proposed Tech Specs Figure 3.2-1, "K(z) - Normalized FQ(z) As Func-
tion of Core Height"
South Carolina Electric & Gas Co. 88/09/16. 2pp. 46932:147-46932 148

8809220308 Notification of 880921 meeting w/util in Rockville, MD to resolve issues
discussed on 880914 conference call on proposed amend to util Tech Specs re con-
tainment tendon testing
HAYES, J.J. Project Directorate II-1 88/09/20. MURLEY, T., SNIEZEK, J., MIRAGLIA
NRC - No Detailed Affiliation Given. 3pp. 46927.071-46927 073

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Rel-
ief by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/1
Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves &
Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/2
Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703 070

8808190386 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refu-
berished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/2
Consolidated Edison Co. of New York, Inc. 122pp. 46713:216-46713 219.

8809150280 Responds to violation & deviation noted in Insp Rept 60-395/88-15 Cor-
rective actions/System Operation Procedure SOP-117 changed to reflect current equip-
ment alignment for svc water screen Sys A.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/26 GRACE, J.N. Region 2
Ofc of the Director. 5pp. 46891.109-46891:113.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficien-
cies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/28
Consolidated Edison Co. of New York, Inc. 123pp. 46713:095-46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMO-
1990 & Request for Collection of Licensee Radioactivity Measurements Attributed to
That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01
Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713:004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated
Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02
Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809220134 Ack receipt of 880826 ltr informing NRC of steps taken to correct violations
noted in Insp Rept 60-395/88-15
HERDT, A.R. Region 2, Ofc of the Director. 88/09/09. BRADHAM, O.S. South Carolina
Electric & Gas Co. 1p 46928:106-46928:106.

8809220272 Forwards Insp Rept 60-395/88-16 on 880712-15. No violations or dev-
iations noted. Explains that individual contaminated w/ hot particle dose record must
include exposure calculated per NRC staff position
STOHR, J.P. Region 2, Ofc of the Director. 88/09/09 BRADHAM, O.S. South Carolina
Electric & Gas Co. 2pp. 46927.061-46927 070.

8809220278 Insp Rept 60-395/88-16 on 880712-15. No violations or deviations
noted. Major areas inspected: organization & mgt controls, training &
qualifications, external exposure control & dosimetry & internal exposure control & as-
sessment
WRIGHT, F.N., SHORTRIDGE, R.B., HOSEY, C.M. Region 2, Ofc of the Director 88/
08/25 8pp. 46927.063-46927 070.

8809200254 Responds to NRC Bulletin 88-005, "Nonconforming Mats Supplied by
Piping Supplies, Inc at Folsom, NJ & West Jersey Mig Co at Williamstown, NJ." Analysis
justifying continued operation w/subj flanges documented & available for insp
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/09/13 Document Control
Branch (Document Control Desk) 3pp. 46900.028-46900 030.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in
PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14
Consolidated Edison Co. of New York, Inc. 122pp. 46824:215-46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit
Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16
Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946 252.

8809280052 Responds to NRC 880817 ltr re violations noted in Insp Rept 60 395/88
13. Corrective actions, formal for displaying data for post-trip review upgraded & chemi-
cal treatment/flushing of reactor bldg cooling unit performed
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/09/16. Document Control
Branch (Document Control Desk). 24pp. 46948:339-46948 362.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previous-
ly Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19.
Consolidated Edison Co. of New York, Inc. 125pp 46946:253-46947 013.

R. Periodic operating reports & related correspondence

8809010171 Forwards Technical Rept 88-2, "Seismic Activity Near VC Summer Nuclear Station," for Apr-June 1988
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/29 Document Control Branch (Document Control Desk) 1p. 46743.301-46743.316

-8809010172 Technical Rept 88-2, "Seismic Activity Near VC Summer Nuclear Station," for Apr-June 1988
TALWANIP, South Carolina, Univ. of, Columbia, SC. 88/06/30 16pp. 46743.302-46743.316

8809020274 Forwards "Semiannual Effluent & Waste Disposal Rept for Jan- June 1988," w/proprietary info per 10CFR50.36A & Tech Spec Sections 6.9.1.8 & 6.9.1.9
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/29 GRACE, J.N. Document Control Branch (Document Control Desk) 2pp. 46750.282-46750.301.

-8809020276 "Semiannual Effluent & Waste Disposal Rept for Jan-June 1988"
GOWDY, G.M., BLUE, L.A., BAHR, W.R. South Carolina Electric & Gas Co. 88/06/30 15pp. 46750.284-46750.298.

-8809020277 Forwards affidavit requesting withholding of proprietary info from "Semiannual Effluent & Waste Disposal Rept for 1988."
HOUSE, W.B. Chem-Nuclear Systems, Inc. 88/08/22 GRACE, J.N. Region 2, Ofc of the Director. 3pp. 46750.299-46750.301.

8809220118 Monthly operating rept for Aug 1988 for Virgil C Summer Nuclear Station, W/880912 ltr
HALTWANGER, J., BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/31 5pp. 46927.141-46927.145.

S. Reportable occurrences, LERs & related correspondence

88090300283 LER 88-009-00 on 880728, reactor trip occurred while personnel testing Train B solid state protection sys actuation logic & master relay Caused by personnel error & undervoltage on Train A Procedures revised. W/880925 ltr.
HIGGINS, W.R., BRADHAM, O.S. South Carolina Electric & Gas Co. 88/08/25, 6pp. 46703.271-46703.276

8809260185 Special Rept SPR 88 007 on 880830, meteorological tower took direct lighting strike resulting in loss of all instruments on tower & three dual pen recorders. All repairs expected to be completed & unit restored to operable status by 880930.
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/09/15 GRACE, J.N. Region 2, Ofc of the Director. 1p. 46957.177-46957.177.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR**F. Security, medical, emergency & fire protection plans**

8809190398 Advises that reactor core has been unloaded & fuel placed in reactor facility fuel storage room, per current SOPs & facility security plan subsequent to submittal of dismantling plan.
MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 88/09/09 Document Control Branch (Document Control Desk). 2pp. 46898.040-46898.041.

P. Operating license stage documents & correspondence

8809190398 Advises that reactor core has been unloaded & fuel placed in reactor facility fuel storage room, per current SOPs & facility security plan subsequent to submittal of dismantling plan.
MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 88/09/09 Document Control Branch (Document Control Desk). 2pp. 46898.040-46898.041.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2**F. Security, medical, emergency & fire protection plans**

8809070317 Submits status rept on remaining three tasks identified in fire protection program reevaluation, including justifications for deviation from NFPA, correct thermocouple configurations & updating FSAR.
SORENSEN, G.C. Washington Public Power Supply System. 88/08/23. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 46779.360-46779.361.

8809300332 Forwards response to 880726 notice of violation re Insp Rept 50-397/88-17. Encl withheld (ref 10CFR73.21).
SORENSEN, G.C. Washington Public Power Supply System. 88/08/25 Document Control Branch (Document Control Desk). 1p. 46895.340-46895.341.

8809140131 Forwards Insp Rept 50-397/88-25 on 880718-22 No deficiencies or violations noted.
YUHAS, G.P. Region 5, Ofc of the Director. 88/08/26. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 46844.337-46844.348.

-8809140138 Insp Rept 50-397/88-25 on 880718-22. No violations or deficiencies noted. Major areas inspected: operational status of emergency preparedness program & followup on four open items noted during previous emergency preparedness insps.
GOOD, G.M., FISH, R.F. Region 5, Ofc of the Director. 88/08/26. 10pp. 46844.339-46844.348.

K. Utility Final Safety Analysis Report (FSAR) & amendments

8809010021 Amend 39 to FSAR for Washington Nuclear Plant 2. W/880826 ltr
SORENSEN, G.C. Washington Public Power Supply System. 88/08/26. 800pp. 46731.164-46733.347.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR, L. Doc-Search Associates. 5pp. 46770.060-46770.069.

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 86/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp. 46770.211-46770.223.

8809070428 Forwards generic ltr clarifying status of large number of unreviewed inservice testing (IST) programs re Tech Spec requirements & resolving variety of generic IST problems.
MARSH, L.B. Mechanical Engineering Branch. 88/08/29 HOYLE, T.F. ASME Operations & Maintenance Working Group on Inservice Testing of Pumps & Valv. 21pp. 46784.301-46784.321.

8809080388 Forwards Request for Relief ISI 2-008 re ASME Section III Code 3 svc water buried piping Code acceptability & sys function, based on more frequent testing, will not decrease plant quality or safety.
SORENSEN, G.C. Washington Public Power Supply System. 88/08/30. Document Control Branch (Document Control Desk) 6pp. 46789.001-46789.006.

8809160175 Forwards Amend 63 to License NPF-21 & safety evaluation. Amend revises Tech Spec Sections 6.5.1.2 & 6.8.2 re changes in position titles & responsibilities of designated positions.
SAMWORTH, R.B. Project Directorate V. 88/09/08. SORENSEN, G.C. Washington Public Power Supply System. 3pp. 46864.180-46864.201.

-8809160179 Amend 63 to License NPF-21, revising Tech Spec Sections 6.5.1.2 & 6.8.2 re changes of position titles & responsibilities of designated positions.
KNIGHTON, G.W. Project Directorate V. 88/09/08. 16pp. 46864.183-46864.198.

-8809160182 Safety evaluation supporting Amend 63 to License NPF-21.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/08. 3pp. 46864.189-46864.201.

8809230236 Responds to NRC questions re other plant experience w/final feedwater temp reduction & specific mechanical design facility feedwater nozzles & spargers. Results of final feedwater & thermal coastdown analysis for Cycle 4 encl.
SORENSEN, G.C. Washington Public Power Supply System. 88/09/14. Document Control Branch (Document Control Desk) 5pp. 46947.170-46947.187.

-8809230268 Suppl 1 to "Plant Transient Analysis W/Final Feedwater Temp Reduction Cycle 4 Analysis."
KRAJICEK, J.E. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). XN-NF-87-92 S01 88/05/23 22pp. 46947.175-46947.197.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 088, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178.

8808310076 Ack receipt of 880729 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-397/88-22.
YUHAS, G.P. Region 5, Ofc of the Director. 88/08/19. SORENSEN, G.C. Washington Public Power Supply System. 1p. 46899.253-46899.258.

8809060289 Forwards Insp Rept 50-397/88-26 on 880718-22. No violations noted.
YUHAS, G.P. Region 5, Ofc of the Director. 88/08/19. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 46758.281-46758.289.

-8809060298 Insp Rept 50-397/88-26 on 880718-22. No violations noted. One unresolved item identified involving failure to take samples from primary containment venting. Major areas inspected: open items & supervisory awareness.
CICOTTE, G.R., YUHAS, G.P. Region 5, Ofc of the Director. 88/08/19. 17pp. 46758.283-46758.289.

8808160451 NRC Info Notice 88 068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8809140179 Forwards Insp Rept 50-397/88-21 on 880520 0707 & notice of violation.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/08/24. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 46842.315-46842.332.

-8809140184 Notice of violation from Insp on 880530 0707. Violation noted. RCS heatup of approx 137 F occurred during plant startup on 880627.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/08/24. 2pp. 46842.317-46842.318.

-8809140215 Insp Rept 50-397/88-21 on 880520 0707. Violations & weaknesses noted. Major areas inspected: control room operations, ESF status, surveillance & maint programs, LERs, special insp topics & licensee actions on previous findings.
BOSTED, C.J., SORENSEN, R.C., CREWS, J.L. Region 5, Ofc of the Director. 88/08/24. 14pp. 46842.319-46842.332.

162 DOCKETED ITEMS

8808300332 Forwards response to 880728 notice of violation re Insp Rept 50-397/88-17 Encl withheld (ref 10CFR73.21)
SORENSEN,G.C. Washington Public Power Supply System 88/08/25. Document Control Branch (Document Control Desk). 1p 46695 340 46695 341.

8809140131 Forwards Insp Rept 50 397/88-25 on 880719 22.No deficiencies or violations noted.
YUHAS,G.P. Region 5, Ofc of the Director 88/08/26 SORENSEN,G.C. Washington Public Power Supply System. 2pp 46844 337-46844 348

--**8809140136** Insp Rept 50-397/88 25 on 880719-22 No violations or deficiencies noted.Major areas inspected.operational status of emergency preparedness program & followup on four open items noted during previous emergency preparedness insps.
GOOD,G.M., FISH,R.F. Region 5, Ofc of the Director 88/08/26 10pp 46844:338-46844 348

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc 123pp. 46713 095 46713 217.

8809080125 Responds to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Review of all sys interacting &/or connected to RCS confirmed that sys not susceptible to conditions of thermal cycling or temp stratification
SORENSEN,G.C. Washington Public Power Supply System. 88/08/30. Document Control Branch (Document Control Desk). 2pp 46789-310-46789 311.

8809220077 Forwards Insp Rept 50 397/88-28 on 880808-11 No violations noted
YUHAS,G.P. Region 5, Ofc of the Director. 88/08/31. SORENSEN,G.C. Washington Public Power Supply System 2pp 46927,083-46927,094.

--**8809220082** Insp Rept 50-397/88 28 on 880808-11 No violations noted. Major areas inspected environ monitoring,tours of facility & previous insp findings.
CICOTTE,G.R., YUHAS,G.P. Region 5, Ofc of the Director. 88/08/31 10pp 46927 085-46927,094

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726 123.

8808150186 Responds to IE Bulletin 88-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings."
SORENSEN,G.C. Washington Public Power Supply System. 88/09/09 Document Control Branch (Document Control Desk) 5pp 46856,357-46859 361.

8809150207 Forwards response to IE Bulletin 88-005 & Suppl 2 re nonconforming mails Response results from intensive program of record review,testing & analysis.
SORENSEN,G.C. Washington Public Power Supply System 88/09/09. Document Control Branch (Document Control Desk). 4pp. 46864:276 46864 281

8809190310 Responds to NRC Bulletin 88-007, "Power Oscillations in BWRs." Discusses 16 & 60-day action re procedures & operator training for potential uncontrolled power oscillations
SORENSEN,G.C. Washington Public Power Supply System. 88/09/12 Document Control Branch (Document Control Desk). 3pp. 46898,088 46899 090.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 336.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946 252.

8809200355 Responds to concerns re operations,maint/surveillance, engineering/technical support & safety assurance.
SORENSEN,G.C. Washington Public Power Supply System 88/09/17 Document Control Branch (Document Control Desk). 17pp 46914,012-46914 028

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc 125pp. 46946,263 46947,013

8809220239 Forwards "Inservice Insp (ISI) Summary Rept for Refueling Outage RF88A," Spring 1988 per 10CFR55a(g) & IWA-8230 of ASME Section XI,includes NIS-1 re owner data & NIS-2 owner repts on repair/replacement since last ISI Summary rept
SORENSEN,G.C. Washington Public Power Supply System. 88/09/19 Document Control Branch (Document Control Desk). 1p 46930,265-46932 134.

--**8809220240** "Inservice Insp Summary Rept for Refueling Outage RF88A, 870624-27." RAMEY,D.P. Washington Public Power Supply System. 88/09/07. 370pp. 46930,266-46932 134.

R. Periodic operating reports & related correspondence

8809010199 Monthly operating rept for Jul 1988 for WNP-2 W/880808 ltr
HUTCHISON,L.B., POWERS,C.M. Washington Public Power Supply System. 88/07/31. 4pp. 46722,122-46722 125

8809080009 Forwards revised Page 6 to "Semiannual Effluent Rept,Jan- June 1988." POWERS,C.M. Washington Public Power Supply System 88/08/26 Document Control Branch (Document Control Desk). 1p 46801:011-46801 012.

--**8809080010** Revised Page 6 to "Semiannual Effluent Rept,Jan-June 1988." * Washington Public Power Supply System 88/08/30. 1p 46801 012-46801 012.

8809160197 Monthly operating rept for Aug 1988 for WPPSS Unit 2. W/880908 ltr
HUTCHISON,L.B., POWERS,C.M. Washington Public Power Supply System 88/08/31. 4pp. 46897,305-46897 308.

S. Reportable occurrences, LERs & related correspondence

8809080305 LER 88 027-00.on 880728,reactor water cleanup sys (RWCU) Isolated on high differential flow during preparations to place RWCU recirculation pump in svc.Caused by personnel error Personnel counseled re incident W/880829 ltr
ARBUCKLE,J.D., POWERS,C.M. Washington Public Power Supply System 88/08/29 5pp 46789 342-46789 346

8809080163 LER 88-006 01.on 880213,series of reactor pressure vessel level transients resulted in low reactor protective sys actuation following manual scram Caused by procedural inadequacy.Procedures modified W/880902 ltr
DAVISON,W.S., POWERS,C.M. Washington Public Power Supply System 88/08/02 11p 46789,318 46789 328

8809080315 LER 88 019 01.on 880527,determined that control room emergency ltration sys actuation occurred on 880520.Caused by technician failure to reset trip logic during response time test due to inadequate procedure W/880802 ltr
ARBUCKLE,J.D., POWERS,C.M. Washington Public Power Supply System. 88/08/02 5pp 46801 006-46801 010.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300299 Forwards Rev 14 to Emergency Plan PLP-201 & Rev 0 to Emergency Procedure PEP-100, "Emergency Action Levels (EALs) Users Guide" Comparison between EALs & NUREG-0554,App 1 requirements also encl.
WATSON,R.A. Carolina Power & Light Co. 88/08/24 Document Control Branch (Document Control Desk). 107pp. 46697 273 46698,055.

--**8808300302** Rev 14 to PLP-201, "Emergency Plan." W/two oversize encls
* Carolina Power & Light Co. 88/08/11. 18pp. 46698,016 46698 033

--**8808300306** Rev 2 to Emergency Plan Implementing Procedure PEP-100, "Emergency Action Levels Users Guide." W/two oversize encls.
* Carolina Power & Light Co 88/08/11. 21pp 46698 034-46698 055

8809260127 Forwards Enforcement Conference Summary Rept 50 400/88-21 on 880816.Major areas discussed failure of security officer to detect contraband prior to being introduced into protected area Review of issues continuing.
GRACE,J.N. Region 2, Ofc of the Director 88/08/26. UTLEY,E.E. Carolina Power & Light Co. 4pp 46958-180-46958 183.

8809140178 Revised emergency plan implementing procedures,including Rev 6 to Procedure PEP-102, "Site Emergency Coordinator - Control Room" & Rev 4 to PEP 220, "Emergency Response Manager." W/880908 ltr & one oversize drawing.
WATSON,R.A. Carolina Power & Light Co. 88/09/08. 35pp. 46833 173-46833 207

8809230108 Discusses Insp Rept 50-400/88-21 on 880718-22 & forwards notice of violation.Violation re 880713 failure to detect & identify loaded revolver passed through security x ray & into protected area Encl withheld (10CFR2 790(d) & 73 21).
GRACE,J.N. Region 2, Ofc of the Director. 88/09/13. UTLEY,E.E. Carolina Power & Light Co. 3pp. 46932:218-46932 220

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety-related equipment.Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc 41pp 47065 001-47065 006.

8808260359 Withdraws 880601 request for amend to License NPF-63, reducing number of operable incore detectors required by Tech Specs Need for amend obviated by facility entry into first refueling outage
LOFLIN,L.I. Carolina Power & Light Co. 88/08/18. Document Control Branch (Document Control Desk) 1p. 46658,055 46658 055.

8808260452 Forwards Amend 8 to License NPF-63 & safety evaluation. Amend revises Tech Spec 3.3.3 7, "Chlorine Detection Sys."
BUCKLEY,B.C. Project Directorate II-1. 88/08/23 UTLEY,E.E. Carolina Power & Light Co. 3pp 46649 060 46649 068.

--**8808260454** Amend 8 to License NPF-63, revising Tech Spec 3.3 3 7, "Chlorine Detection Sys."
ADENSAM,E.G. Project Directorate II-1. 88/08/23. 4pp. 46649,063-46649 066

--**8808260455** Safety evaluation supporting Amend 8 to License NPF-63.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/23. 2pp 46649 067-46649 068.

8809010291 Submits addl info re 880201 steam generator tube rupture analysis Plant operator received addl specific training Util to include scenario in next scheduled simulator requalification training
RICHEY,R.B. Carolina Power & Light Co. 88/08/26 Document Control Branch (Document Control Desk). 1p. 46744 084 46744 084.

8809080031 Discusses util understanding of NRC 880714 SER re compliance w/ATWS Rule 10CFR50.62 In order to facilitate presentation of clarification,relevant text for safety evaluation provided per util clarifying remarks
LOFLIN,L.I. Carolina Power & Light Co. 88/08/26. Document Control Branch (Document Control Desk). 3pp. 46790,171-46790 173.

8809080274 Provides addl info re analysis of natural cooldown test results of facility.Flow characteristics,head mixing capability & depressurization discussed.
LOFLIN,L.I. Carolina Power & Light Co. 88/08/31. Document Control Branch (Document Control Desk). 3pp. 46788:352-46788 354.

8809080365 Concludes that license condition fully satisfied re review of microstructure presented in Rept PA-R-88-03-15, "Metallurgical Evaluation of EDG Bases from CP&L Shearon Harris Nuclear Station." BUCKLEY,B C Project Directorate II-1 88/09/01. UTLEY,E E Carolina Power & Light Co. 2pp. 46764,252-46764 253

8809070121 Advises that util 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" acceptable LO/R. Project Directorate II 1 88/09/01. UTLEY,E E Carolina Power & Light Co 2pp 46779,185-46779-186.

8809140410 Notification of 880915 meeting w/util in Rockville,MD to discuss status of licensing activities review BUCKLEY,B C Project Directorate II-1, 88/09/08, ADENSAM,E G Project Directorate II-1 3pp. 46838,357-46838 359

G. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants." Committee recommended forwarding of package to EDO following incorporation of CRGR comments JORDAN,E L. Committee to Review Generic Requirements, 88/01/11. STELLO,V. Ofc of the Executive Director for Operations 37pp 46874,070 46874-108.

8809160154 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85 001, in response to 871229 request. ERNST,M L NRC - No Detailed Affiliation Given, 87/12/30. ROSS,D F. Office of Nuclear Regulatory Research, Director (Post 880720). 3pp 46874,111-46874,113.

8808260007 Ack receipt of 880720 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-400/88-11. REYES,L A. Region 2, Ofc of the Director 88/08/11. UTLEY,E E. Carolina Power & Light Co. 1p 46869 255-46869 255.

8809190195 NRC Info Notice 88 089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890-054 46890 178

8808160451 NRC Info Notice 88 088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702:311-46703-070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp. 46713,218-46713-219.

8809010354 Forwards Westinghouse proprietary Rev 2 to Spec G-678866, "Reactor Coolant Seamless Forged Pipe to ASME III, Class I, Safety Class 1" & Rev D to Spec G 678865, "Reactor Coolant Cast," per Insp request Encls withheld (ref 10CFR2.790) WATSON,R A Carolina Power & Light Co. 88/08/25. Document Control Branch (Document Control Desk). 2pp. 46744:032-46744,033.

8809070440 Requests that Relief Request R1-003 be granted for stated weld by 880906 to support refueling schedule, per Insp plan. Relief request concerns pressure retaining circumferential welds & branch piping connections welds. Fee paid LCLFLN,L I Carolina Power & Light Co 88/08/28. Document Control Branch (Document Control Desk). 8pp. 46773:021-46773-028

8809260127 Forwards Enforcement Conference Summary Rept 50 400/88 21 on 880818 Major areas discussed, failure of security officer to detect contraband prior to being introduced into protected area. Review of issues continuing. GRACE,J N Region 2, Ofc of the Director 88/08/26 UTLEY,E E. Carolina Power & Light Co. 4pp. 46858-180-46858-183.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713-217.

8809130258 Forwards Insp Rept 50-400/88-22 on 880801-06 No violations or deviations noted. HERDT,A R. Region 2, Ofc of the Director. 88/08/29 UTLEY,E E Carolina Power & Light Co. 2pp. 46826-042-46826-050.

8809130263 Insp Rept 50-400/88-22 on 880801-08 No violations noted Major areas inspected: diesel generator 18 months operability tests, diesel generator maint & reliability test & review of previous enforcement matters. TAYLOR,P A., SPARKS,S E., JAPE,F. Region 2, Ofc of the Director 88/08/29. 7pp. 46826 044-46826-050.

8809140473 Confirms 880927 mgt meeting to review results of SALP for regulatory performance for period of Jul 1987 - June 1988. GRACE,J N. Region 2, Ofc of the Director 88/08/31 UTLEY,E E. Carolina Power & Light Co. 2pp. 46842:359 46842-360.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc 121pp. 46712:244-46713-004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc 122pp 46726,001-46726,123.

8809070493 Responds to NRC 880804 ltr re violations noted in Insp Rept 50-400/88-20. Corrective actions: Monthly Operability Surveillance Procedure OST-1015 changed to add missed valves to monthly surveillance. WATSON,R A Carolina Power & Light Co 88/09/02 Document Control Branch (Document Control Desk). 3pp 46772:162-46772:164.

8809140422 Forwards response to NRC Bulletin 88 005 & Suppls 1 & 2, "Nonconforming Mail Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Manufacturing Co at Williamstown, NJ." MCDUFFIE,M A Carolina Power & Light Co 88/09/07 Document Control Branch (Document Control Desk). 19pp 46837 233-46837 251

8809220136 Forwards Insp Rept 50 400/88-23 on 880725 29 No violations or deviations noted. HERDT,A R. Region 2, Ofc of the Director 88/09/09 UTLEY,E E Carolina Power & Light Co 2pp. 46930 226 46930-236.

8809220140 Insp Rept 50 400/88-23 on 880725 29. No violations or deviations noted Weaknesses noted Major areas inspected verification of development & implementation of programs, controls, procedures & test activities. WHITENER,H L., JAPE,F. Region 2, Ofc of the Director 88/09/06 8pp. 46930 228-46930-236.

8809230108 Discusses Insp Rept 50-400/88-21 on 880718-22 & forwards notice of violation. Violation re 880713 failure to detect & identify loaded revolver passed through security x-ray & into protected area Encl withheld (10CFR2 790(d) & 73.21) GRACE,J N. Region 2, Ofc of the Director 88/09/13 UTLEY,E E Carolina Power & Light Co 2pp. 46932 218 46932-220

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824:215 46824-335.

8809260250 Forwards Insp Rept 50-400/88 26 on 880808-12 No violations or deviations noted. HERDT,A R. Region 2, Ofc of the Director. 88/09/14. UTLEY,E E. Carolina Power & Light Co. 2pp 46849 001-46849 019

8809260259 Insp Rept 50-400/88-26 on 880808-12 No violations or deviations noted Major areas inspected evaluation of Steam Generator A & B leakage at primary head drains, inservice Insp - review of program, procedures & work activities. BLAKE,J J., COLEY,J L., HALLSTROM,G A. Region 2, Ofc of the Director 88/09/12 17pp. 46949,003 46949,019.

8809120187 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946,252

8809130350 NRC Info Notice 88 078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 263-46947,013

8809220312 Notification of 880923 meeting w/util & Westinghouse in Rockville,MD to discuss results of RCS piping Insp BUCKLEY,B C. Project Directorate II-1 88/09/20 MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given 3pp. 46927-191-46927,193.

R. Periodic operating reports & related correspondence

8809010141 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988" W/ 880829 ltr. POLARD,A O., WATSON,R A. Carolina Power & Light Co. 88/08/30. 42pp 46740:218-46740:259.

8809140289 Monthly operating rept for Aug 1988 for Harris Nuclear Power Plant, Unit 1.W/880908 ltr. HALE,M., WATSON,R A. Carolina Power & Light Co. 88/08/31 5pp. 46842-037-46842-041

S. Reportable occurrences, LERs & related correspondence

8808290044 PNO-II-88 048: on 880812, plant lost power to 18 of 30 annunciator panels, due to failure in associated power supply inverter Licensee investigating cause of power supply failure & NRC closely monitoring situation. CARROLL,R. Region 2, Ofc of the Director 88/08/12. 1p 46886:252 46886-252

8808300247 LER 88-017-00 on 880728, Tech Spec 3.7.7 violated Caused by inoperability of emergency svc water pump A & Train A essential svcs chilled water sys Bay inspected under water & traveling screen operation w/bay drained.W/880825 ltr. JOHNSON,J R., WATSON,R A. Carolina Power & Light Co. 88/08/25. 4pp 46703:285-46703-288.

8809010344 LER 88-019 00 on 880730, both source-range nuclear detectors NI-31 & NI-32 failed low & declared inoperable. Caused by short in inner shield to ctr conductor & faulty cable connector. Source-range detectors replaced W/880826 ltr. JOHNSON,J R., WATSON,R A. Carolina Power & Light Co. 88/08/28 4pp. 46720:356-46720:359

8809010331 LER 88-018 00 on 880730, main feedwater pump tripped due to low flow during normal shutdown for scheduled refueling outage Caused by low setpoint on recirculation flow switch drifting out of calibr low. Switch calibrated.W/880829 ltr. SCHWABENBAUER, WATSON,R A. Carolina Power & Light Co. 88/08/29. 4pp 46743:241-46743:244.

8809140333 LER 88 020-00 on 880806, wide range gas monitor inoperable due to loss of sample flow & compensatory actions not taken. Caused by personnel error Procedure revised for addl checks on monitors & personnel received addl training.W/880908 ltr. SCHWABENBAUER, WATSON,R A Carolina Power & Light Co. 88/09/06 6pp 46846:161-46846,165.

8809140387 LER 88-022-00 on 880809, vent stack flow rate estimates not done per Tech Specs. Caused by personnel error. Personnel involved counseled & on-shift operators reminded of importance of attention to detail.W/880907 ltr. SCHWABENBAUER, WATSON,R A. Carolina Power & Light Co. 88/09/07. 4pp. 46838:312-46838:315.

164 DOCKETED ITEMS

8809140148 LER 88-021-00 on 880809, automatic start of auxiliary feedwater pump occurred while performing Operational Surveillance Test OST-1826 Caused by procedural deficiency Procedures revised W/880908 ltr
JOHNSON, J.R., WATSON, R.A. Carolina Power & Light Co 88/09/08 3pp 46837 078-46837 080

8809140359 LER 88-023-00 on 880812, control operator observed midposition indication on control board for gagged open PORV, resulting in Tech Spec noncompliance Caused by isolation of nitrogen/air supply to actuator W/880908 ltr
HOWE, A.J., WATSON, R.A. Carolina Power & Light Co 88/09/08 5pp 46841 268-46841 272

8809150297 Suppl to special rept on 880412, vent stack 5A wide range gas monitor 1WV-3547-1 declared inoperable Initially reported on 880502 Plant calibr procedure revised incorporating changes recommended by vendor & sample flow transmitter calibr
WATSON, R.A. Carolina Power & Light Co 88/09/08 Document Control Branch (Document Control Desk) 2pp 46891 128-46891 132.

8809230147 PNO II-88-054 Coalition Against Shearon Harris notified local law enforcement of plant demonstration scheduled for 880912-13 Civil disobedience expected Plant security & FBI notified Local media interest anticipated.
CARROLL, R. Region 2, Ofc of the Director 88/09/12 2pp 46942 250 46942, 251.

8809190333 LER 88-023-01 on 880812, reactor coolant sys vent less than required by Tech Spec 3.4.9.4 for low temp overpressure protection Caused by failed valve gagging device Longer gagging device installed W/880913 ltr
HOWE, A.J., WATSON, R.A. Carolina Power & Light Co 88/09/13 5pp 46899, 248 46899 252.

8809200147 LER 88-024-00 on 880812, maint surveillance tests verifying nuclear instrumentation source range monitor operability not performed prior to Mode 6 entry Caused by deficient planning & scheduling Surveillance tests scheduled W/880913 ltr
JEFFRIES, C., WATSON, R.A. Carolina Power & Light Co. 88/09/13. 4pp. 46900, 156-46900 159.

V. Operator Examinations

8808310221 Ack acceptance of invitation to speak at 880826 dinner & to present 16 candidates w/operator certificates
MCDUFFIE, M.A. Carolina Power & Light Co. 88/08/12 GRACE, J.N. Region 2, Ofc of the Director. 1p. 46699 320 46699 320.

8809010291 Submits addl info re 880201 steam generator tube rupture analysis Plant operator received addl specific training. Utl to include scenario in next scheduled simulator requalification training.
RICHEY, R.B. Carolina Power & Light Co 88/08/25 Document Control Branch (Document Control Desk). 1p 46744 084-46744 084

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

8809190252 Responds to NRC 880823 telcon re violations noted in Insp Rept 50-407/88 01 & 50-072/88 01, Corrective actions licensee modified checkout procedure for operation of TRIGA reactor.
GEHMLICH, D.K. Utah, Univ. of, Salt Lake City, UT. 88/08/25. TAYLOR, J.M. Ofc of the Executive Director for Operations. 2pp 46898 348 46898 349.

R. Periodic operating reports & related correspondence

8809150060 "Univ of Utah TRIGA Reactor Annual Operating Rept for Jul 1987 - June 1988" W/880830 ltr
SANDQUIST, G., GEHMLICH, D.K. Utah, Univ of, Salt Lake City, UT. 88/08/30. ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 10pp 46864 262-46864 271.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

8809220330 Forwards revs to security, training & qualification & contingency plans Revs withheld (ref 10CFR2 790(d))
TAYLOR, J.W. Dairyland Power Cooperative. 88/09/08. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46927, 293 46927-294

P. Operating license stage documents & correspondence

8808120294 Genenc ltr 88-14 to all holders of OIs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065, 001-47065, 006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDF. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc-Search Associates. 5pp. 46770 060-46770, 089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp. 46770-211-46770, 223.

8809260155 Forwards answers to request for addl info re decommissioning plan & safe storage Tech Specs. Some answers suggest changes to either Tech Specs or decommissioning plan.
TAYLOR, J.W. Dairyland Power Cooperative. 88/09/09 Document Control Branch (Document Control Desk). 23pp. 46957, 059-46957, 081.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690-178

8808160451 NRC Info Notice 88-068, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702, 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713, 218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficient Class" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712, 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726-123

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 216-46824-336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946-133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947, 013

R. Periodic operating reports & related correspondence

8809010128 "Radioactive Effluent Rept for LACBWR for Jan-June 1988." W/880825 ltr
TAYLOR, J.W. Dairyland Power Cooperative 88/08/30. DAVIS, A.B. Region 3, Ofc of the Director. 18pp. 46739; 317-46739; 334

V. Operator Examinations

8809190008 Responds to Generic ltr 88-13, "Operator Licensing Exams" NRC will require qualified individuals to be in charge of control room & fuel handling operations
TAYLOR, J.W. Dairyland Power Cooperative. 88/08/30. HANNON, J. Operator Licensing Branch. 4pp 46895, 261-46895, 264.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808310176 Revised emergency plan implementing procedures, including Rev 9 to EPP 1, "Radiation Emergencies," Rev 13 to EPP-2, "Fire Fighting" & Rev 11 to EPP 5, "Station Evacuation." W/880829 ltr
GORDAN, E.C., ROMAN, T.W., ABBOTT, R.B. Niagara Mohawk Power Corp 88/08/29 120pp. 46702-121-46702-310.

8809290300 Forwards summary of current restrictions contained in either Tech Specs or plant procedures & identifies emergency action levels, per 880902 request to review hurricane related actions for plants.
CAPRA, R.A. Project Directorate I-1. 88/09/07. BOGER, B. Project Directorate I-1. 5pp 46999, 252-46999, 258.

8809140009 Forwards security & safeguards contingency plan Definition of security force member discussed. Plan withheld
BERATTA, J.P. Niagara Mohawk Power Corp. 88/09/09. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46911; 005-46911-005

8809190287 Forwards Insp Repts 50-220/88-26 & 50-410/88 25 on 880801-03 No violations noted.
BELLAMY, R.R. Region 1, Ofc of the Director. 88/09/09 MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46896, 037-46896, 046.

8809190298 Insp Repts 50-220/88-26 & 50-410/88-26 on 880801-03. No violations noted. Major areas inspected: emergency preparedness & observation of annual partial participation emergency exercise.
GORDON, C.Z. Region 1, Ofc of the Director. 88/09/09. 7pp. 46898, 039-46898, 045.

8809230152 Forwards Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824 & notice of violation. Stop work order issued as result of QA dept surveillance of Inservice Insps demonstrates inadequate control & oversight of program
WENZINGER, E.C. Region 1, Ofc of the Director. 88/09/15. MANGAN, C.V. Niagara Mohawk Power Corp 3pp. 46932; 169-46932-217.

--8809230155 Insp Repts 50-220/88-17 & 50-410/88-17 on 880707-0824. Violations noted Major areas inspected Unit 1 outage, Unit 2 power operations, NRC bulletin & notice reviews, LER reviews, temporary instruction followup & 10CFR50.59 reviews. JOHNSON, J.R. Region 1, Ofc of the Director. 88/09/14 25pp. 46832 193-46832 217

8809270126 Revised emergency plan implementing procedures, including Rev 9 to Procedure EPP-15, "Health Physics Procedure" & Rev 6 to Procedure EPP-19, "Site Evacuation Procedure". BURRESS, G.W., TERRY, C.D. Niagara Mohawk Power Corp. 88/09/19 79pp. 46871-271-46871.349

P. Operating license stage documents & correspondence

8809090219 FOIA request for documents re names of licensee & names of owners. DISTEFANO, J.G. DiStefano, J.G. 88/08/04 Office of Governmental & Public Affairs (Post 870413). 2pp. 46777.081-46777.082

8809120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006

8809070146 Partial response to FOIA request for documents. App A documents available in PDR, NRC reviewing Item F of request. GRIMSLEY, D. NRC - No Detailed Affiliation Given 88/08/10. KUDLICK, M. MHB Technical Associates, 2pp 46713.007-46713.094.

--8805270825 Forwards technical assignment control form for review of 780124 G&W-FSD-2538 "Nuclear MSIV Sys." BAER, R.L. Light Water Reactors Branch 2 80/03/25, MATTSON, R.J. Division of Systems Safety, 2pp. 46713.008-46713.010.

--8811200491 Responds to request for input re util 790403 proposal for use of 24-inch ball valve for main steam isolation. Applicant should proceed w/procurements & installation. Valve integrity can be ascertained by inservice insp & testing. CHECK, P.S. Assistant Director for Plant Systems. 80/11/10 TEDESCO, R.L. Assistant Director for Licensing. 2pp. 46713.011-46713.012

--8112110007 Records 811119 telcon re 810102 memo on use of Gulf & Western ball valves for MSIVs. BAGCHI, G. NRC - No Detailed Affiliation Given 81/11/20. JOHNSTON, W. NRC - No Detailed Affiliation Given 1p 46713.016-46713.019.

--8404050449 Discusses 840217 memo re inconsistencies in revised draft SER Input Deletion of MSIV leakage control sys was not reviewed until recently. NOVAK, T.M. Assistant Director for Licensing 84/03/13. MULLER, D.R. Assistant Director for Radiation Protection. 3pp 46713.013-46713.015.

--8412050571 Forwards Equipment Qualification Branch SER Input re seismic & dynamic qualification of Seismic Category I mechanical & electrical equipment & pump & valve operability assurance program. KNIGHT, J.P. Assistant Director for Comp & Structures Engineering (Post 830201). 84/11/26, NOVAK, T.M. Assistant Director for Licensing. 10pp. 46713.020-46713.046.

--8811040400 Forwards request for addl info re MSIV operability at facility, based on initial review of util rept entitled, "Final Rept 10CFR50.55(a) MSIV Actuators," forwarded by util 881021 ltr. LUCKAS, W.J. Brookhaven National Laboratory. FIN A-3349. 88/10/31. BERKSON, H. Planning & Program Analysis Staff (851125-870411). 3pp. 46713.058-46713.060.

--8702120481 Forwards safety evaluation re operability of modified MSIVs during first fuel cycle w/rebuilt seal & ball modified MSIV actuator design & closure time operability acceptable. LAINAS, G.C. Assistant Director for Technical Support (BWR). 87/02/05. ADENSAM, E. BWR Project Directorate 3. 2pp. 46713.061-46713.071.

--8702250407 Forwards Electrical, Instrumentation & Control Sys Branch safety evaluation re design mods to MSIV actuator control sys. Sys complies w/required regulatory acceptance criteria, including IEEE Std 279 & GDC 21. SALP Input also encl. LAINAS, G.C. Assistant Director for Technical Support (BWR). 87/02/07. ADENSAM, E. BWR Project Directorate 3. 1p 46713.072-46713.072

--8705080057 Forwards safety evaluation & SALP Input supporting proposed Tech Specs changes re changing MSIVs from hydraulic actuated ball valves to air operated Wye pattern globe valves. HODGES, M.W. Division of Engineering & Systems Technology (Post 870411). 87/04/30. CAPRA, R.A. Project Directorate I-1 1p. 46713.080-46713.080.

--8705280381 Submits daily highlight. Plant will be brought critical on 870520 or 21. Licensee replaced ball-type MSIVs w/Wye pattern globe valves due to leakage problems. License amends re MSIVs issued & const deficiencies identified in license resolved. NEIGHBORS, J.D. Project Directorate I-1 87/05/20. MURLEY, T., SNIEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 1p. 46713.084-46713.094.

--8706030016 Forwards SER supporting util 870311 & 0407 requests for proposed mods to MSIV actuation control sys. Mods comply w/ 10CFR50.55a(h) & GDC 21. SALP Input also encl. THADANI, A.C. Assistant Director for Systems. 87/05/04. BOGER, B.A. Assistant Director for Region I Reactors. 1p. 46713.088-46713.088.

--8809070234 Safety evaluation accepting util latest design mods to MSIV actuation control sys, per IEEE 279 & GDC 21. * Office of Nuclear Reactor Regulation, Director (851125-870411). 87/02/07. 7pp. 46713.073-46713.079.

--8809070248 Safety evaluation accepting util 870311 proposed changes to Tech Spec Tables 2.2.1-1, 3.6.1.2-1 & 3.6.3-1 re MSIV-closure setpoint. * Office of Nuclear Reactor Regulation, Director (Post 870411) 87/04/30. 7pp. 46713.081-46713.087.

--8809070258 SER accepting util 870301 & 0407 requests for rev to Tech Specs, modifying MSIV actuation control sys, per IEEE Std 279 & GDC 21. * NRC - No Detailed Affiliation Given. 87/05/04. 5pp. 46713.089-46713.093.

--8809070378 Safety evaluation concurring w/applicant 880703 exemption request re testing of 16 relief valves, per 10CFR50, App J. * Office of Nuclear Reactor Regulation, Director (851125-870411) 88/08/27 9pp. 46713.048-46713.057.

8809090214 Final response to FOIA request for licensee/owners for Nine Mile Point Nuclear Station. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/10. DISTEFANO, J.G. DiStefano, J.G. 1p 46777.080-46777.080.

8808290187 Advises that revs to pump & valve inservice testing program will be submitted by end of Sept 1988, instead of 880731, per discussion w/M Haughey. PERKINS, T.J. Niagara Mohawk Power Corp. 88/08/19 Document Control Branch (Document Control Desk) 1p. 46668.298-46668.298.

8808310207 Forwards "Secondary Containment Drawdown Analysis & LOCA Radiological Analysis," per NRC 880818 request. Results of revised radiological analysis & interim results of secondary containment drawdown valid for first plant operating cycle. TERRY, C.D. Niagara Mohawk Power Corp. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46689.330-46700.006.

--8808310237 "Secondary Containment Drawdown Analysis & LOCA Radiological Analysis" * Niagara Mohawk Power Corp. 88/08/31. 36pp. 46689.332-46700.006

8809070080 Forwards "Semiannual Radioactive Effluent Release Rept, Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual." PERKINS, T.J. Niagara Mohawk Power Corp. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46775.024-46775.271

--8809070087 Rev 4 to "Offsite Dose Calculation Manual" DUELL, J.N., STUART, C.L., ABBOTT, R.B. Niagara Mohawk Power Corp. 88/02/25 121pp. 46775.041-46775.271.

8809130149 Requests limited exemption for facility from requirements for procurement of items from GPE Controls as listed. Exemption would allow util to obtain replacement parts currently unavailable from other sources. PERKINS, T.J. Niagara Mohawk Power Corp. 88/09/01. Document Control Branch (Document Control Desk) 3pp. 46630.282-46630.284.

8809120158 Summary of 880830 meeting w/util re status of licensing issues for plant. W/list of meeting participants & observers. HAUGHEY, M.F. Project Directorate I-1 88/09/07. Project Directorate I-1 9pp. 46825.025-46825.033

8809200176 Requests extension of time for submittal of updated SAR from 881031 to 880430 due to backlog of changes made prior to issuance of OL & commercial operation. Fee paid. TERRY, C.D. Niagara Mohawk Power Corp. 88/09/16 Document Control Branch (Document Control Desk). 6pp. 46800.289-46800.294.

8809260102 Advises that R Gallo placed on controlled distribution for facility emergency operating procedures per NRC 880802 request. TERRY, C.D. Niagara Mohawk Power Corp. 88/09/19. RUSSELL, W.T. Region 1, Ofc of the Director 2pp. 46865.179-46865.180

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-068, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890.054-46890.178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808160365 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8808310056 Responds to violations noted in Insp Rept 50-410/88 14 re changes to FSAR Chapter 14, "Initial Test Program" w/o 30-day notification to NRC. As result of review, four other FSAR Chapter 14 changes not reported to NRC. TERRY, C.D. Niagara Mohawk Power Corp. 88/08/25 Document Control Branch (Document Control Desk) 10pp. 46699.150-46699.159.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809070358 Informs of actions taken to address Unresolved Item 88-07-04 from Insp Repts 50-220/88-07 & 50-410/88-08 re methodology for determining effect of ac & dc emergency buses when new loads added to plant. MANGAN, C.V. Niagara Mohawk Power Corp. 88/08/29 Document Control Branch (Document Control Desk). 2pp. 46779.203-46779.204.

8809160312 Forwards ASME Section XI NIS-1 data repts re preservice Insp of component supports. Revs to three relief requests corrects types & adds inaccessible supports. PERKINS, T.J. Niagara Mohawk Power Corp. 88/08/31. Document Control Branch (Document Control Desk). 84pp. 46850.175-46850.258.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

166 DOCKETED ITEMS

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/02
Consolidated Edison Co of New York, Inc 122pp 46726 001-46726 123

8809140363 Informs that contracted vendor to present courses will not be able to commence training until later in month of Oct or early Nov 1988 Schedule revised to have instrumentation & control initial training implemented by Nov 1988
WILLIS,J L Niagara Mohawk Power Corp. 88/09/09 Document Control Branch (Document Control Desk) 1p 46845 028 46845 028

8809190079 Responds to NRC Bulletin 88 005 through Suppl 2 re mail supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamsburg, NJ Total of 829 safety related items purchased from sub j vendors
TERRY,C D Niagara Mohawk Power Corp. 88/09/09 Document Control Branch (Document Control Desk) 11pp 46899 102-46899 112

8809190287 Forwards Insp Repts 50-220/88 26 & 50 410/88 25 on 880801 03 No violations noted
BELLAMY,R R Region 1, Ofc of the Director 88/09/09 MANGAN,C V Niagara Mohawk Power Corp 2pp 46896 037-46896 045.

-8809190296 Insp Repts 50 220/88-26 & 50 410/88 26 on 880801-03 No violations noted Major areas inspected, emergency preparedness & observation of annual partial participation emergency exercise
GORDON,C Z, LAZARUS,W J Region 1, Ofc of the Director 88/09/09 7pp 46896 039 46896 045

8809220309 Forwards Insp Repts 50 220/88-24 & 50 410/88 26 on 880725-29 No violations noted
DURR,J P Region 1, Ofc of the Director 88/09/12 MANGAN,C V Niagara Mohawk Power Corp 2pp 46930 237-46930 253.

-8809220311 Insp Repts 50-220/88 24 & 50-410/88-24 on 880725 29 No violations noted Major areas inspected review of corrective actions from IE Bulletin 85 003 addressing improper limit switch & torque switch settings in motor-operated valves.
ANDERSON,C J, KOSHY,T, MATHEW,R K. Region 1, Ofc of the Director 88/09/08 15pp 46930 239 46930 253

8809280339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc 122pp, 46824 215 46824 336

8809280034 Responds to concern noted in Insp Rept 50 410/87-22, Item 10 & Insp Rept 50 410/88-13 re inability to take post-accident samples due to power supplies being divisionalized on post- accident sampling sys Concern can be resolved via procedure
MANGAN,C V Niagara Mohawk Power Corp 88/09/15 Document Control Branch (Document Control Desk) 2pp 46912 348 46912 349

8809230152 Forwards Insp Repts 50 220/88 17 & 50 410/88-17 on 880707- 0824 & notice of violation Stop work order issued as result of QA dept surveillance of inservice insps demonstrates inadequate control & oversight of program
WENZINGER,E C Region 1, Ofc of the Director. 88/09/15 MANGAN,C V Niagara Mohawk Power Corp 3pp 46932 189 46932 217

-8809230155 Insp Repts 50-220/88-17 & 50 410/88-17 on 880707-0824 Violations noted Major areas inspected Unit 1 outage, Unit 2 power operations, NRC bulletin & notice reviews, LER reviews, temporary instruction followup & 10CFR50 59 reviews.
JOHNSON,J R Region 1, Ofc of the Director 88/09/14 25pp 46932 193-46932 217.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co of New York, Inc 124pp 46946 133 46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc 125pp, 46946 253 46947 013

8809270032 Responds to NRC Bulletin 88-007 re initiation of uncontrolled power oscillations Caution statements re potential unstable neutron flux oscillations added to procedures.
TERRY,C D Niagara Mohawk Power Corp 88/09/19 Document Control Branch (Document Control Desk) 4pp 46872.104 46972 107

R. Periodic operating reports & related correspondence

8809070080 Forwards "Semiannual Radioactive Effluent Release Rept, Jan-June 1988" & Rev 4 to "Offsite Dose Calculation Manual"
PERKINS,T J, Niagara Mohawk Power Corp. 88/08/30. Document Control Branch (Document Control Desk) 1p 46775 024 46775 271

-8809070083 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988"
* Niagara Mohawk Power Corp. 88/08/30 16pp 46775 025 46775 040

-8809070087 Rev 4 to "Offsite Dose Calculation Manual"
DUELL,J N, STUART,C L, ABBOTT,R B. Niagara Mohawk Power Corp 88/02/25 121pp 46775 041-46775 271

8809220057 Monthly operating rept for Aug 1988 for Nine Mile Point Nuclear Station Unit 2 W/880913 lr.
TOMLINSON,E, WILLIS,J L. Niagara Mohawk Power Corp 88/08/31. 16pp 46927.105-46927.120.

S. Reportable occurrences, LERs & related correspondence

8808300248 LER 88 051 01 on 870813, shutdown cooling sys isolated & Tech Specs 3 4 9.2 exceeded Caused by equipment failure, personnel error & procedural & design deficiencies Shutdown cooling sys manually restored. W/880822 lr
JENKINS,R E, WILLIS,J L. Niagara Mohawk Power Corp 88/08/22 9pp 46803 343-46803 352

8808310090 LER 88-035 00 on 880721, automatic initiation of control bldg special filter train occurred Caused by electrical noise due to operation of RCIC trip & throttle valve Filter train returned to standby & work request issued W/880822 lr
JENKINS,R E, WILLIS,J L. Niagara Mohawk Power Corp 88/08/22 5pp 46699.137 46699 141

8809010247 LER 88 026 00 on 880628, ESF actuated causing reactor scram Caused by APRM upscale trip due to flow changes in reheat sys & reactor steam loads Procedure N2 OP 2, "Moisture Separator Reheater Sys" revised W/880826 lr
JENKINS,R E, WILLIS,J L. Niagara Mohawk Power Corp 88/08/26 Region 1, Ofc of the Director 7pp 46741 257-46741 263

8809070487 LER 88 036 00 on 880721-28, appropriate Tech Specs action statements not performed for continued operation w/one diesel generator inoperable Root cause not determined Mispositioned contact restored W/880829 lr
MAZZAFERRO,P A, WILLIS,J L. Niagara Mohawk Power Corp 88/08/29 5pp 46772 088-46772.102

8809070503 Special rept on 880728, diesel generator declared inoperable after failure of svc water valve providing cooling water to diesel jacket water sys failed to automatically open Caused by mispositioned contact on switch Contact repositioned
WILLIS,J L. Niagara Mohawk Power Corp 88/08/29 Document Control Branch (Document Control Desk) 3pp 46773 235-46773 237.

8809080186 LER 88 037 00 on 880803, RCIC sys Div II containment isolation signal occurred resulting in ESF actuation Caused by high steam flow in isolation cooling sys steam line Steam line drained & procedure revised W/880830 lr
MAZZAFERRO,P A, WILLIS,J L. Niagara Mohawk Power Corp 88/08/30 4pp 46782 335 46782.338

8809090146 LER 88 039 00 on 880806, actuation of ESF, specifically, reactor scram occurred Caused by turbine fluid leak due to excessive vibration Operations personnel secured pumps Work request issued to replace failed pipe W/880831 lr
MAZZAFERRO,P A, WILLIS,J L. Niagara Mohawk Power Corp 88/08/31 5pp 46804.097-46804 101

8809080240 LER 88 038 00 on 880802, Div 1 isolation of RCIC sys occurred Caused by equipment failure or design deficiency. Equipment will be sent to mfg for failure mode analysis & audible alarm for control panel restored W/880801 lr
MAZZAFERRO,P A, WILLIS,J L. Niagara Mohawk Power Corp 88/09/01. 6pp 46792 342-46792 347.

8809080169 LER 88 036-01 on 880802, partial Div 1 isolation of RCIC sys experienced due to ESF actuation Caused by equipment malfunction & vendor related design deficiency Failed equipment replaced & audible alarm restored W/880802 lr
MAZZAFERRO,P A, PERKINS,T J. Niagara Mohawk Power Corp 88/09/02 5pp 46789.357-46789 362

8809080204 LER 88 039 01 on 880806, facility experienced actuation of ESF, specifically reactor scram Caused by turbine electrohydraulic control fluid leak due to pipe failure Failed pipe section replaced W/880802 lr
MAZZAFERRO,P, PERKINS,T J. Niagara Mohawk Power Corp 88/09/02 5pp 46793.128 46793 132.

8809130312 LER 88 041-00 on 880811, liquid radwaste effluent monitor 2LWS-RE206 in operable more than 30 days (Tech Spec 3 3 7 9b noncompliance) Caused by personnel error Procedure & equipment status log index revised. W/880900 lr.
DUELL,J N, WILLIS,J L. Niagara Mohawk Power Corp 88/09/09. 6pp 46826 064 46826 069

8809200071 LER 88 042 00 on 880818, secondary containment Isolation & initiation of standby gas treatment sys & reactor bldg emergency recirculation sys occurred Cause undetermined Problem rept to investigate root cause written W/880813 lr.
MAZZAFERRO,P, WILLIS,J L. Niagara Mohawk Power Corp 88/09/13 4pp. 46913.359 46913.362

V. Operator Examinations

8809140310 Forwards updated info re projected operator licensing & requalification exam schedules, per Generic Ltr 88-13.
PERKINS,T J, Niagara Mohawk Power Corp. 88/09/02. Document Control Branch (Document Control Desk) 3pp 46840.281-46840.283

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260226 Forwards SALP Repts 50-334/87-99 & 50-412/87-99 for Mar 1987 - May 1988 Meeting at site emergency response cfr to discuss assessment will be scheduled by separate correspondence
RUSSELL,W T Region 1, Ofc of the Director. 88/08/17 SIEBER,J D Duquesne Light Co 2pp 46656 307-46656 355

-8808260235 SALP Repts 50-334/87-99 & 50-412/87-99 for Mar 1987 - May 1988
* Region 1, Ofc of the Director 88/08/17. 47pp. 46656 309 46656 355

8808260058 Forwards Rev 5 to Issue 4 of plant physical security plan Rev withheld (rel 10CFR2 790(d) & 73 21)
SIEBER,J D Duquesne Light Co 88/08/18 Document Control Branch (Document Control Desk). 2pp 46656 289-46656 289

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F J Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc 41pp 47065.001-47065 006

8809070148 Partial response to FOIA request for documents App A documents available in PDR NRC reviewing Item F of request
GRIMSLEY,D NRC - No Detailed Affiliation Given 88/08/10 KUDLICK,M MHB Technical Associates. 2pp 46713.007-46713.094

DOCKETED ITEMS 167

--8005270825 Forwards technical assignment control form for review of 780124 G&W-FSD 2538 "Nuclear MSIV Sys." BAER,R.L. Light Water Reactors Branch 2 80/03/25 MATTSON,R.J. Division of Systems Safety 2pp 46713 009-46713 010

8809010115 Forwards application for amend to License NPF-73,consisting of Proposed OL Change Request 4, revising supplementary leak collection & release sys filter testing surveillance requirements of Spec 4 7 8 1 b Fee paid SIEBER,J.D. Duquesne Light Co. 88/08/11 Document Control Branch (Document Control Desk) 2pp 46722 001-46722 009

--8809010118 Application for amend to License NPF-73, revising supplementary leak collection & release sys filter testing surveillance requirements of Spec 4 7 8 1 b SIEBER,J.D. Duquesne Light Co. 88/08/11 2pp 46722 003-46722 004.

--8809010180 Proposed Tech Specs re supplemental leak collection & release sys limiting conditions for operation & surveillance requirements
* Duquesne Light Co. 88/08/11 5pp. 46722 005-46722 009.

8808260380 Forwards request for addl info re differential settlement of buried pipes Response within 60 days requested TAM,P.S. Project Directorate I-4 88/08/23. SIEBER,J.D. Duquesne Light Co. 3pp 46659 062-46659 054

8808080004 Informs that 880531 response fulfills requirements in Generic Ltr 88 05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants." Records of leakage monitoring program should be maintained TAM,P.S. Project Directorate I-4 88/08/24 SIEBER,J.D. Duquesne Light Co. 2pp 46693 355-46693 356

8809080076 Forwards application for amend to License NPF-73,consisting of Change Request 15, Amend adds Tech Spec Section 3 9 14 & revises Sections 5.3.1 & 5 6 1 re fuel assembly U-235 enrichment limits on storage in spent fuel racks Fee paid SIEBER,J.D. Duquesne Light Co. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46789 149-46789 226

--8809080083 Application for amend to License NPF-73, adding Tech Spec Section 3 9 14 & changing sections 5.3.1 & 5 6 1 re fuel assembly U-235 enrichment limits on storage in fuel racks. SIEBER,J.D. Duquesne Light Co. 88/08/28. 1p 46789 151-46789 151

--8809080085 Proposed Tech Specs, adding Section 3.0.14 & changing Sections 5.3.1 & 5 6 1 re fuel assembly U-235 enrichment limits
* Duquesne Light Co. 88/08/30 35pp 46789 152-46789 186

--8809080093 "Criticality Analysis of Beaver Valley Unit 2 Fuel Racks" BOYD,W.A., KRIEG,D.J., SCHMIDT,B.W. Westinghouse Electric Corp 88/03/31 40pp 46789 187-46789 226.

8809160089 Forwards certificate for radioactive liquid waste equipment & piping certification compliance, per NUREG-1057 & 880706 request. TAM,P.S. Project Directorate I-4. 88/08/30. SIEBER,J.D. Duquesne Light Co. 3pp 46908 338-46908 340.

8809070156 Notification of 880907 meeting w/licenses in Rockville, MD to discuss pressurizer surge line thermal stratification TAM,P.S. Project Directorate I-4. 88/09/01 MURLEY,T.E., SNEZEK,J., CRUTCHFIELD,D. NRC - No Detailed Affiliation Given 3pp. 46779 169-46779 171

8809230098 Forwards request for addl info re 880830 application for amend to License NPF-73 re increasing fuel enrichment limits in spent fuel pool. Info to be submitted within 45 days of receipt of request TAM,P.S. Project Directorate I-4 88/09/20. SIEBER,J.D. Duquesne Light Co. 3pp 46942 134-46942 136.

Q. Inspection reports, IE Bulletins & correspondence

8808260226 Forwards SALP Repts 50 334/87-99 & 50 412/87-99 for Mar 1987 - May 1988. Meeting at site emergency response ctr to discuss assessment will be scheduled by separate correspondence RUSSELL,W.T. Region 1, Ofc of the Director. 88/08/17. SIEBER,J.D. Duquesne Light Co. 2pp. 46656 307-46656 355

--8808260235 SALP Repts 50-334/87-99 & 50-412/87-99 for Mar 1987 - May 1988
* Region 1, Ofc of the Director 88/08/17. 47pp 46656 309-46656 355.

8808260310 Advises that changes to operating manual will be completed by 881230, per NRC concern in Exam Rept 50 412/88 06OL. SIEBER,J.D. Duquesne Light Co. 88/08/18. Document Control Branch (Document Control Desk) 2pp 46656 232-46656 233.

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178.

8808300201 Notification of SALP Mgt Meeting 88-134 on 880831 in Shippingport, PA. TRIPP,L.E. Region 1, Ofc of the Director. 88/08/19. STELLO,V. Ofc of the Executive Director for Operations. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46693 343-46693 344.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070.

8808180388 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809220099 Responds to NRC 880812 ltr re violations noted in Insp Repts 50 334/88-22 & 50 412/88 16 Corrective actions replacement of tray & conduit covers, establishment of action plan to correct any similar situations & LER 88 013 issued SIEBER,J.D. Duquesne Light Co. 88/09/12 Document Control Branch (Document Control Desk) 4pp 46926 184-46926 187

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013

R. Periodic operating reports & related correspondence

8809070521 "Semiannual Radioactive Effluent Release Rept for First Half of 1988." W/ 880828 ltr SIEBER,J.D. Duquesne Light Co. 88/08/30 73pp 46772 020-46772 091

8809200384 Monthly operating repts for Aug 1988 for Beaver Valley Power Station Units 1 & 2 W/880912 ltr WINGER,M.A., SIEBER,J.D. Duquesne Light Co. 88/08/31. 9pp 46919 257-46919 265

S. Reportable occurrences, LERs & related correspondence

8808260269 PNO-I 88 088 on 880822, Unit 2 experienced one out of three actuation of chlorine detection sys Unit 1 actuated on two out of three coincidence Bottled air pressurization sys began to discharge into control room Addl tests performed TRIPP,L. Region 1, Ofc of the Director. 88/08/23 2pp 46654 052-46654 053

8808300320 LER 88 009 00, on 880727, shutdown bank A would not move Caused by RCS troubleshooting Operators utilized emergency operating procedures to stabilize plant in hot standby. W/880825 ltr NOONAN,T.P. Duquesne Light Co. 88/08/25. 6pp 46697 138-46697 143.

8808300292 LER 88 010 00, on 880802, 2A sys-to-station svc transformer protection circuitry indicated fault Caused by local electrical perturbation on sys grid Response procedure for transformer Pilot Wire 138 KV has been revised W/880826 ltr NOONAN,T.P. Duquesne Light Co. 88/08/26. 5pp. 46700 357-46700 362

V. Operator Examinations

8808260226 Forwards SALP Repts 50 334/87 99 & 50-412/87-99 for Mar 1987 - May 1988. Meeting at site emergency response ctr to discuss assessment will be scheduled by separate correspondence RUSSELL,W.T. Region 1, Ofc of the Director. 88/08/17 SIEBER,J.D. Duquesne Light Co. 2pp 46656 307-46656 355

--8808260235 SALP Repts 50-334/87-99 & 50-412/87-99 for Mar 1987 - May 1988.
* Region 1, Ofc of the Director 88/08/17 47pp 46656 309-46656 355

8808260310 Advises that changes to operating manual will be completed by 881230, per NRC concern in Exam Rept 50 412/88 06OL. SIEBER,J.D. Duquesne Light Co. 88/08/18. Document Control Branch (Document Control Desk). 2pp 46656 232-46656 233.

8809200302 Requests listed clarifications re status of D Held senior reactor OL within 35 days of receipt of ltr ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411) 88/09/12. SIEBER,J.D. Duquesne Light Co. 6pp 46911 331-46911 335

8809200063 Forwards proposed operator licensing exam schedule & proposed requalification exam schedule, per Generic Ltr 88-13. SIEBER,J.D. Duquesne Light Co. 88/09/13 Document Control Branch (Document Control Desk) 3pp 46905 199-46905 201.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808260377 Responds to 880513 request for approval for emergency notification sys telephone line to be installed in simulator area & used only for emergency drills Suggests that normal commercial telephone sys be used in emergency drills. MATTHEWS,D.B. Project Directorate II 3. 88/08/23 TUCKER,H.B. Duke Power Co. 2pp 46656 063-46656 064

8809020150 Forwards Rev 10 to plant training & qualification plan W/o encl TUCKER,H.L. Duke Power Co. 88/08/24. Document Control Branch (Document Control Desk) 2pp 46746 158-46746 159

168 DOCKETED ITEMS

8809020146 Forwards Rev 21 to plant security plan Rev withheld (ref 10CFR73.21) TUCKER,H.B. Duke Power Co. 88/08/26 Document Control Branch (Document Control Desk) 2pp 46746 160 46746 161

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant Encl withheld (ref 10CFR73.21) TUCKER,H.B. Duke Power Co. 88/08/26 Document Control Branch (Document Control Desk) 3pp 46751 176-46751 178

8809200166 Forwards Insp Repts 50 413/88-31 & 50-414/88 31 on 880815-19 Violation will not be cited since categorization of licensee identified violations met. CLINE,W.E. Region 2, Ofc of the Director 88/09/12 TUCKER,H.B. Duke Power Co 2pp 46900 336-46900 338

8809230202 Advises that 880824 Rev 10 to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable CLINE,W.E. Region 2, Ofc of the Director 88/09/15 TUCKER,H.B. Duke Power Co 2pp 46932 158 46932 159

8809230232 Revised emergency plan implementing procedures,including Change 0 to HP/O/B/1009/09, "Guidelines for Accident & Emergency Response" & Change 0 to OP/O/A/6200/21, "Operating Procedure for Post Accident Liquid Sampling Sys" TUCKER,H.B. Duke Power Co 88/09/15 68pp 46943 123 46943 190

P. Operating license stage documents & correspondence

8808120294 Genenc Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001 47065 006.

8808300228 Revised application for amends to Licenses NPF-35 & NPF-52, reflecting change to steam generator tube rupture accident analysis FSAR pages reflecting steam generator tube rupture thermal hydraulic analysis & dose calculations also encl TUCKER,H.B. Duke Power Co 88/08/24 Document Control Branch (Document Control Desk) 2pp 46692 175 46692 206

-8808300229 Proposed Tech Specs,reflecting change of steam generator tube rupture thermal hydraulic analysis & dose calculations * Duke Power Co. 88/08/24 30pp 46692 177-46692 206

8809010029 Withdraws util 880506 proposed mods to Tech Specs adding new valves & penetrations to Tables 3 6-1,3 6-2a & 3 6 2b New penetrations not required due to revised mods TUCKER,H.B. Duke Power Co. 88/08/24 Document Control Branch (Document Control Desk) 2pp 46739 336-46739 337

8809080392 Application for amends to Licenses NPF-35 & NPF-52, clarifying location of alarm annunciators for radiation monitors in monitor tank bldg in Tech Specs Fee paid TUCKER,H.B. Duke Power Co. 88/08/29 Document Control Branch (Document Control Desk) 3pp 46798 048 46798 058.

-8809080400 Proposed Tech Specs,clarifying location of alarm annunciators for radiation monitors in monitor tank bldg * Duke Power Co. 88/08/29. 6pp 46798 051-46798 058

8809070295 Comments on draft NPDES permit mod for plant Components of draft mod acceptable w/listed exceptions HALLER,W.A. Duke Power Co. 88/09/30 WEATHERUP,N. South Carolina, State of. 5pp 46783 339-46783 343

8809130133 Forwards environ assessment & finding of no significant impact re 871016 request for amends to Licenses NPF-35 & NPF-52 Amends modify Tech Specs re nuclear svc water sys JABBOUR,K.N. Project Directorate II-3 88/09/06 TUCKER,H.B. Duke Power Co 2pp 46833 155 46833 160.

-8809130135 Environ assessment & finding of no significant impact based on util 871016 request for amends to Licenses NPF-35 & NPF 52,modifying Tech Specs re nuclear svc water sys MATTHEWS,D.B. Project Directorate II-3. 88/09/06 4pp 46833 157-46833 160.

8809190180 Forwards summary of 880810 meeting w/util at Region II ofc re plant performance & improvement programs List of attendees & handout also encl REYES,L.A. Region 2, Ofc of the Director. 88/09/06 TUCKER,H.B. Duke Power Co 32pp 46893 282-46893 313.

8809140164 Forwards proprietary WCAP-10986 Addendum 1 & nonproprietary WCAP-10987 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Labs Evaluation of LOTIC-III Heat Transfer Models" TUCKER,H.B. Duke Power Co. 88/09/07. Document Control Branch (Document Control Desk) 2pp 46841 212-46841 261.

-8809140168 Requests for withholding proprietary matl in WCAP-10986 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models" WIESEMANN,R.A. Westinghouse Electric Corp. 88/08/17 MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46841 214 46841 261

8809200243 Informs that effective 880911,senior resident inspectors for Catawba & McGuire are WT Orders & PK VanDoorn,respectively REYES,L.A. Region 2, Ofc of the Director. 88/09/07. TUCKER,H.B. Duke Power Co 1p 46900 142-46900 142

8809190153 Forwards response from Westinghouse re ATWS/mitigating sys actuation circuitry design mod for plants,Design acceptable TUCKER,H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk) 7pp 46896 070-46896 076

8809160218 Notification of 881028 meeting w/util in Rockville,MO to discuss util corporate approach re QA surveillance & audit techniques. HOOD,D. Project Directorate II-3. 88/09/14 MATTHEWS,D.B. Project Directorate II-3. 5pp. 46864 175-46864 179

8809230069 Application for amend to License NPF-52,allowing addl time for resolution of SPDS issue Fee paid TUCKER,H.B. Duke Power Co. 88/09/14 Document Control Branch (Document Control Desk) 8pp 46945 157 46945 164.

Q. Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A 47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants" Com mittee recommended forwarding ofc package to EDO following incorporation of CRGR comments JORDAN,E.L. Committee to Review Generic Requirements. 88/01/11 STELLO,V Ofc of the Executive Director for Operations 37pp 46874 070-46874 106

-8809160154 Forwards Info on auxiliary feedwater check valves for facilities per IE Bulletin 85 001,in response to 871229 request ERNST,M.L. NRC - No Detailed Affiliation Given. 87/12/30 ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 860720) 3pp. 46874 111 46874 113

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8809010168 Forwards Insp Repts 50 413/88 25 & 50 414/88-25 on 880626- 0725 & notice of violation. BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/19 TUCKER,H.B. Duke Power Co 2pp 46723 001-46723 015

-8809010170 Notice of violation from insp on 880626 0725 Violation noted failure to maintain two operable channels per valve for PORV block valve position indicators from initial licensing until 880520. BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/19 2pp. 46723 003-46723 004

-8809010174 Insp Repts 50 413/88-25 & 50 414/88-25 on 880626 0725 Violations noted Major areas inspected plant operations, surveillance & maint observations,review of LERs & followup of previously identified items & NRC bulletins VAN DOORN,P.K., LESSER,M.S., PEEBLES,T.A. Region 2, Ofc of the Director 88/08/19 11pp. 46723 005 46723 015

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seal's Using Hydraulic Assist Devices." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8809070094 Confirms 881020 mgt meeting at McGuire & 881021 meeting at Catawba to review results of SALP program of regulatory performance for Aug 1987 to Jul 1988 GRACE,J.N. Region 2, Ofc of the Director. 88/08/23 TUCKER,H.B. Duke Power Co 2pp. 46781 358 46781 359

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219.

8809070017 Forwards Insp Repts 50-413/88-28 & 50 414/88-28 on 880725-29 No violations or deviations noted COLLINS,D.M. Region 2, Ofc of the Director. 88/08/24 TUCKER,H.B. Duke Power Co 2pp 46783 327-46783 337

-8809070022 Insp Repts 50-413/88-28 & 50 414/88-28 on 880725-29 No violations or deviations noted Major areas inspected liquid & gaseous waste mgt,effluent sampling,monitoring & analysis & radiological environ monitoring STODDART,P.C., KAHLER,J.B. Region 2, Ofc of the Director. 88/08/23 9pp. 46783 329 46783 337.

8809080374 Ack receipt of 880808 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-413/88-22 & 50-414/88-22 BROWNLEE,V.L. Region 2, Ofc of the Director 88/08/25 TUCKER,H.B. Duke Power Co. 1p. 46792 348 46792 348.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 085 46713 217

8809080417 Forwards interim response to NRC Bulletin 88-004 re potential safety related pump loss.Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line. TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk) 33pp. 46783 087-46783 110

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809130023 Forwards Insp Repts 50-413/88-29 & 50-414/88-29 on 880801-05 & notice of violation. JULIAN,C.A. Region 2, Ofc of the Director. 88/09/02. TUCKER,H.B. Duke Power Co 2pp. 46839 059-46839 067

-8809130029 Notice of violation from insp on 880801-05.Violation noted no objective evidence exists that Catawba safety review group reviews NRC issuances,industry advisories or other sources which may indicate areas for improving safety JULIAN,C.A. Region 2, Ofc of the Director 88/09/02. 1p. 46839 061-46839 061

DOCKETED ITEMS 169

--8809130034 Insp Repts 50 413/88-29 & 50 414/88-29 on 880801 05. Violation noted Major areas inspected areas of Catawba safety review group activities & 10CFR21 reportability determinations
MELLEN, L.S., BELISLE, G.A. Region 2, Ofc of the Director. 88/08/31 6pp 46839 062-46839 067

8809160288 Forwards Insp Repts 50 413/88 26 & 50-414/88-26 on 880801-05.No violations or deviations identified
COLLINS, D.M. Region 2, Ofc of the Director 88/09/06 TUCKER, H.B. Duke Power Co 2pp. 46864 338 46864 349

--8809160290 Insp Repts 50 413/88-26 & 50-414/88-26 on 880801-05.No violations noted Major areas inspected QA & confirmatory measurements for in plant radiochemical analysis.
ADAMOVITZ, S.S., BERMUDEZ, H., KAHLE, J.B. Region 2, Ofc of the Director 88/09/02 12pp 46864 338 46864 349

8809190161 Forwards Page 11 inadvertently omitted from Insp Repts 50 414/88-25 & 50-414/88-25.
BROWNLEE, V.L. Region 2, Ofc of the Director 88/09/06. TUCKER, H.B. Duke Power Co 1p. 46885 314-46885 315

--8809190199 Page 11 to Insp Repts 50-413/88-25 & 50 414/88-25.
* Region 2, Ofc of the Director 88/09/06. 1p 46885 315-46885 315

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88 005, 'Nonconforming Mails Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ,' for Oconee Nuclear Station, McGuire Nuclear Station,..."
TUCKER, H.B. Duke Power Co 88/09/09 Document Control Branch (Document Control Desk). 1p. 46915.124-46915.330.

--8809230251 Rev 0 to "Response to NRC Bulletin 88 005, Nonconforming Mails Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co " Proprietary Procedure 1404 J, "LEEB Hardness Testing (Equotip). ." and Procedure withheld.
* Duke Power Co. 88/09/09. 250pp. 46915 125 46915.330.

8809200357 Advises that review of appropriate piping sys completed at plants, per NRC Bulletin 88 008 requirements. Insps for Action 2 will be completed by 881222 for McGuire Unit 1, by 891212 for Unit 2, by 890110 for Catawba Unit 1 & 890524 for Unit 2.
TUCKER, H.B. Duke Power Co. 88/09/09. Document Control Branch (Document Control Desk). 2pp. 46916.158 46916.159.

8809200166 Forwards Insp Repts 50-413/88-31 & 50-414/88-31 on 880815-19. Violation will not be cited since categorization of licensee identified violations met.
CLINE, W.E. Region 2, Ofc of the Director. 88/09/12. TUCKER, H.B. Duke Power Co 2pp. 46900 338 46900.338.

--8809200171 Partially withheld Insp Repts 50-413/88-31 & 50-414/88-31 on 880815-19 (ref 10CFR2 700 & 73 21) No Inspector-identified violations or deviations noted Major areas inspected, testing & maint & physical barriers - protected area.
TILLMAN, A., MCQUIRE, D.R. Region 2, Ofc of the Director. 88/09/08. 1p 46900-338-46900.338.

8809060339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809260147 Forwards Insp Repts 50 413/88-32 & 50-414/88-32 on 880815-19 No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director. 88/09/14 TUCKER, H.B. Duke Power Co 2pp. 46956 001-46956 016

--8809260151 Insp Repts 50 413/88-32 & 50-414/88-32 on 880815-19 No violations noted Major areas inspected, steam generator tube leak, integral simulation test of pumps & valves, temporary instruction & action on previous insp findings
BLAKE, J.J., CROWLEY, B.R. Region 2, Ofc of the Director. 88/09/12. 13pp. 46956.003-46956 016

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946-133-46946 252.

8809260082 Responds to NRC 880819 ltr re violations noted in Insp Repts 50-413/88-25 & 50 414/88-26 Corrective actions. Tech Spec amend request sent to NRC on 880711 to further clarify requirements for PORV block valve position indication.
TUCKER, H.B. Duke Power Co. 88/09/16 Document Control Branch (Document Control Desk). 3pp. 46956.133-46956 135

8809260167 Responds to violations noted in Insp Repts 50 389/88-20, 50-370/88-20, 50-413/88-29 & 50-414/88-29. Corrective actions: operations personnel implemented change to procedures in steam generator cold wet layup recirculation
TUCKER, H.B. Duke Power Co 88/09/18 Document Control Branch (Document Control Desk) 8pp. 46957:082-46957:090

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947:013.

R. Periodic operating reports & related correspondence

8809140071 "Semiannual Radioactive Release Rept, Jan-June 1988 " W/ 880830 ltr
TUCKER, H.B. Duke Power Co 88/08/30. 33pp. 46838:142-46838:174

8809200299 Forwards monthly operating repts for Aug 1988 for Catawba Units 1 & 2 & revised operating rpt for June 1988 for Unit 2.
TUCKER, H.B. Duke Power Co. 88/09/15. Document Control Branch (Document Control Desk). 1p. 46919.166-46919:181.

--8809200317 Monthly operating repts for Aug 1988 for Catawba Units 1 & 2.
REAVIS, J.A. Duke Power Co 88/08/31. 14pp. 46919:167-46919 180.

--8809200318 Corrected monthly operating rpt for June 1988 for Catawba Unit 2.
REAVIS, J.A. Duke Power Co. 88/08/31. 1p 46919-181-46919:181

S. Reportable occurrences, LERs & related correspondence

8809070402 Special rept on 880818, tubes in steam generator plugged in U-bend transition region Caused by stress from tight U bends Unit shut down to repair tubes
TUCKER, H.B. Duke Power Co 88/09/01 Document Control Branch (Document Control Desk). 2pp 46773.132-46773 133

8809140239 LER 88 015 01, on 880309, degraded performance of Unit 1 auxiliary feedwater sys & required hot shutdown of both units occurred after Unit 2 tripped from 20% full power Caused by asiatic clam infestation W/880906 ltr
TORRE, J.G., TUCKER, H.B. Duke Power Co 88/09/06 16pp 46936.101-46936 116.

V. Operator Examinations

8809070173 Forwards util best estimate of operator licensing & requalification exam requirements for FY89-FY92
TUCKER, H.B. Duke Power Co 88/08/31. Document Control Branch (Document Control Desk) 8pp 46784 046 46784 053

Y. Dry Cask Independent Spent Fuel Storage Installations

8809060288 Summary of 880722 meeting w/ licensee re current status of sys wide spent fuel storage & plans for dry cask storage
BELL, M.J. Regulatory Branch. 88/08/30 Regulatory Branch 3pp 46755 037-46755 039.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808260377 Responds to 880513 request for approval for emergency notification sys telephone line to be installed in simulator area & used only for emergency drills Suggests that normal commercial telephone svc be used in emergency drills
MATTHEWS, D.B. Project Directorate II 3 88/08/23. TUCKER, H.B. Duke Power Co. 2pp 46956 063 46956.064.

8809020150 Forwards Rev 10 to plant training & qualification plan. W/o encl
TUCKER, H.L. Duke Power Co. 88/08/24 Document Control Branch (Document Control Desk). 2pp. 46746 158-46746 159

8809020148 Forwards Rev 21 to plant security plan. Rev withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/08/26 Document Control Branch (Document Control Desk). 2pp. 46746 150-46746 161

8809020154 Forwards addl justification required for Oconee Nuclear Station to resolve issues re protection of auxiliary svc water feedwater piping at plant. Encl withheld (ref 10CFR73 21)
TUCKER, H.B. Duke Power Co 88/08/26 Document Control Branch (Document Control Desk) 3pp. 46751-176 46751 178.

8809200166 Forwards Insp Repts 50 413/88 31 & 50-414/88 31 on 880815-19 Violation will not be cited since categorization of licensee identified violations met
CLINE, W.E. Region 2, Ofc of the Director. 88/09/12. TUCKER, H.B. Duke Power Co 2pp. 46900 338 46900.338

8809230202 Advises that 880824 Rev 10 to guard training & qualification plan consistent w/provisions of 10CFR50 54(p) & acceptable.
CLINE, W.E. Region 2, Ofc of the Director. 88/09/15 TUCKER, H.B. Duke Power Co 2pp. 46932-158-46932.159

8809230232 Revised emergency plan implementing procedures, including Change 0 to HP/O/B/1009/09, "Guidelines for Accident & Emergency Response" & Change 0 to OP/O/A/6200/21, "Operating Procedure for Post-Accident Liquid Sampling Sys"
TUCKER, H.B. Duke Power Co 88/09/15. 86pp 46943.123-46943.180

P. Operating license stage documents & correspondence

8809120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065.006

8808300226 Revised application for amends to Licenses NPF-35 & NPF-52, reflecting change to steam generator tube rupture accident analysis. FSAR pages reflecting steam generator tube rupture thermal-hydraulic analysis & dose calculations also encl
TUCKER, H.B. Duke Power Co. 88/08/24. Document Control Branch (Document Control Desk) 2pp. 46692:175-46692.206

--8808300229 Proposed Tech Specs, reflecting change of steam generator tube rupture thermal hydraulic analysis & dose calculations
* Duke Power Co. 88/08/24. 30pp. 46692-177-46692.206.

8809010029 Withdraws util 880506 proposed mods to Tech Specs adding new valves & penetrations to Tables 3.6-1, 3.6-2a & 3.6-2b New penetrations not required due to revised mods.
TUCKER, H.B. Duke Power Co. 88/08/24. Document Control Branch (Document Control Desk) 2pp 46739:338 46739:337

8809080392 Application for amends to Licenses NPF-35 & NPF-52, clarifying location of alarm annunciators for radiation monitors in monitor tank bldg in Tech Specs. Fee paid
TUCKER, H.B. Duke Power Co. 88/08/29. Document Control Branch (Document Control Desk). 3pp 46798:048-46798.056

--8809080400 Proposed Tech Specs, clarifying location of alarm annunciators for radiation monitors in monitor tank bldg.
* Duke Power Co 88/08/29 6pp. 46798.051-46798.056.

170 DOCKETED ITEMS

8809070295 Comments on draft NPDES permit mod for plant Components of draft mod acceptable w/ listed exceptions
HALLER, W.A. Duke Power Co 88/09/30 WEATHERUP, N. South Carolina, State of Spp. 46783 339-46783 343

8809130133 Forwards environ assessment & finding of no significant impact re 871016 request for amends to Licenses NPF-35 & NPF 52 Amends modify Tech Specs re nuclear svc water sys
JABBOUR, K.N. Project Directorate II-3 88/09/06 TUCKER, H.B. Duke Power Co 2pp 46833 155-46833 160

8809130135 Environ assessment & finding of no significant impact based on util 871016 request for amends to Licenses NPF-35 & NPF-52, modifying Tech Specs re nuclear svc water sys
MATTHEWS, D.B. Project Directorate II-3 88/09/06 4pp 46833 157-46833 160

8809190180 Forwards summary of 880810 meeting w/util at Region II of re plant performance & improvement programs List of attendees & handout also encl
REYES, L.A. Region 2, Ofc of the Director. 88/09/06 TUCKER, H.B. Duke Power Co 32pp 46893 282-46893 313

8809140164 Forwards proprietary WCAP-10986 Addendum 1 & nonproprietary WCAP-10987 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Labs Evaluation of LOTIC III Heat Transfer Models."
TUCKER, H.B. Duke Power Co 88/09/07 Document Control Branch (Document Control Desk) 2pp 46841 212-46841 261.

8809140166 Requests for withholding proprietary mail in WCAP-10986 Addendum 1, "Reanalysis of Watts Bar & Catawba Containment Temps in Response to Los Alamos Natl Lab Evaluation of LOTIC-III Heat Transfer Models."
WIESEMANN, R.A. Westinghouse Electric Corp. 88/08/17, MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) 9pp 46841 214 46841 261.

8809200243 Informs that effective 880911, senior resident inspectors for Catawba & McGuire are WT Orders & PK VanDoorn, respectively
REYES, L.A. Region 2, Ofc of the Director 88/09/07 TUCKER, H.B. Duke Power Co 1p 46900 142-46900 142

8809190153 Forwards response from Westinghouse re ATWS/mitigating sys actualion circuitry design mod for plants Design acceptable
TUCKER, H.B. Duke Power Co 88/09/09, Document Control Branch (Document Control Desk) 7pp 46896 070 46896 076

8809160216 Notification of 881028 meeting w/util in Rockville, MD to discuss util corporate approach re QA surveillance & audit techniques
HOOD, D. Project Directorate II-3 88/09/14 MATTHEWS, D.B. Project Directorate II 3, Spp 46864 175-46864, 179

8809230069 Application for amend to License NPF-52, allowing addl time for resolution of SPDS issue Fee paid.
TUCKER, H.B. Duke Power Co. 88/09/14 Document Control Branch (Document Control Desk) 8pp. 46945 157 46945 164.

Q Inspection reports, IE Bulletins & correspondence

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A 47, "Safety Implications of Control Sys in LWR Nucl Nuclear Power Plants." Committee recommended forwarding ofc package to EDO following incorporation of CRGR comments.
JORDAN, E.L. Committee to Review Genenc Requirements 88/01/11 STELLO, V. Ofc of the Executive Director for Operations 37pp 46874 070 46874 108

8809160154 Forwards info on auxiliary feedwater check valves for facilities per IE Bulletin 85 001, in response to 871223 request.
ERNST, M.L. NRC - No Detailed Affiliation Given. 87/12/30 ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 860720) 3pp 46874 111 46874 113

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mig by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46890,054 46890 178

8809010168 Forwards Insp Repts 50 413/88-25 & 50-414/88 25 on 880626- 0725 & notice of violation.
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/18, TUCKER, H.B. Duke Power Co 2pp 46723 001-46723 015.

8809010170 Notice of violation from Insp on 880626 0725 Violation noted failure to maintain two operable channels per valve for PORV block valve position indicators from initial licensing until 880520.
BROWNLEE, V.L. Region 2, Ofc of the Director 88/08/19 2pp 46723,003-46723 004

8809010174 Insp Repts 50 413/88-25 & 50-414/88-25 on 880626 0725 Violations noted Major areas inspected plant operations, surveillance & maint observations, review of LERs & followup of previously identified items & NRC bulletins.
VAN DOORN, P.K., LESSER, M.S., PEEBLES, T.A. Region 2, Ofc of the Director 88/08/19 11pp 46723 005-46723 015

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703,070.

8809070094 Confirms 881020 mgt meeting at McGuire & 881021 meeting at Catawba to review results of SALP program of regulatory performance for Aug 1987 to Jul 1988
GRACE, J.N. Region 2, Ofc of the Director 88/08/23 TUCKER, H.B. Duke Power Co. 2pp. 46781 358 46781 359

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713,219.

8809070017 Forwards Insp Repts 50-413/88-28 & 50-414/88-28 on 880725-29. No violations or deviations noted.
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/24. TUCKER, H.B. Duke Power Co 2pp 46783,327-46783 337

8809070022 Insp Repts 50-413/88-28 & 50 414/88-28 on 880725 29 No violations or deviations noted Major areas inspected liquid & gaseous waste mgmt/effluent sampling, monitoring & analysis & radiological environ monitoring.
STODDART, P.G., KAHLE, J.B. Region 2, Ofc of the Director 88/08/23 8pp 46783,329 46783 337

8809080374 Ack receipt of 880808 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-413/88 22 & 50-414/88-22.
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/25 TUCKER, H.B. Duke Power Co 1p 46792 348 46792,348

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deliclen cles." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713,095 46713 217

8809080417 Forwards interim response to NRC Bulletin 88-004 re potential safety related pump loss Pump interaction not expected to affect individual performance Flow limited in each min flow line upstream of common min flow return line
TUCKER, H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk) 33pp. 46783 087-46783,119

8809080492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712,244 46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726,123.

8809130023 Forwards Insp Repts 50 413/88 29 & 50 414/88 29 on 880801 05 & notice of violation
JULIAN, C.A. Region 2, Ofc of the Director 88/09/02 TUCKER, H.B. Duke Power Co 2pp. 46839 059 46839 087

8809130029 Notice of violation from Insp on 880801-05 Violation noted no objective evidence exists that Catawba safety review group reviews NRC issuances, industry advisories or other sources which may indicate areas for improving safety
JULIAN, C.A. Region 2, Ofc of the Director. 88/09/02. 1p 46839,061-46839 061

8809130034 Insp Repts 50-413/88-29 & 50-414/88 29 on 880801-05 Violation noted Major areas inspected areas of Catawba safety review group activities & 10CFR21 reportability determinations.
MELLEN, L.S., BELISLE, G.A. Region 2, Ofc of the Director. 88/08/31 6pp 46839 062 46839 087.

8809160288 Forwards Insp Repts 50-413/88-26 & 50-414/88-26 on 880801 05 No violations or deviations identified
COLLINS, D.M. Region 2, Ofc of the Director. 88/09/06 TUCKER, H.B. Duke Power Co 2pp 46864,338-46864,349

8809160290 Insp Repts 50-413/88-26 & 50 414/88-26 on 880801-05. No violations noted. Major areas inspected QA & confirmatory measurements for in-plant radiochemical analysis
ADAMOVITZ, S.S., BERMUDEZ, H., KAHLE, J.B. Region 2, Ofc of the Director. 88/09/02 12pp 46864,338-46864,349.

8809190161 Forwards Page 11 inadvertently omitted from Insp Repts 50 414/88 25 & 50-414/88-25
BROWNLEE, V.L. Region 2, Ofc of the Director 88/09/06 TUCKER, H.B. Duke Power Co 1p 46885 314-46885 315.

8809190199 Page 11 to Insp Repts 50-413/88-25 & 50-414/88-25.
* Region 2, Ofc of the Director. 88/09/06 1p. 46885,315 46885 315

8809160101 Forwards Rev 0 to "Response to NRC Bulletin 88 005, 'Nonconforming Mats Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ,' for Oconee Nuclear Station, McGuire Nuclear Station
TUCKER, H.B. Duke Power Co 88/09/09, Document Control Branch (Document Control Desk). 1p. 46915,124-46915,330.

8809230251 Rev 0 to "Response to NRC Bulletin 88-005, Nonconforming Mats Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co " Proprietary Procedure 1404 1, "LEEB Hardness Testing (Equotip),..." encl, Procedure withheld
* Duke Power Co. 88/09/09. 250pp 46915,125-46915 330

8809200367 Advises that review of appropriate piping sys completed at plants, per NRC Bulletin 88 008 requirements Insps for Action 2 will be completed by 881222 for McGuire Unit 1, by 891212 for Unit 2, by 890110 for Catawba Unit 1 & 890524 for Unit 2
TUCKER, H.B. Duke Power Co. 88/09/09 Document Control Branch (Document Control Desk). 2pp. 46916,158 46916-159

8809200166 Forwards Insp Repts 50-413/88-31 & 50-414/88 31 on 880815-19 Violation will not be cited since categorization of licensee-identified violations met.
CLINE, W.E. Region 2, Ofc of the Director. 88/09/12 TUCKER, H.B. Duke Power Co. 2pp 46900,336-46900,338.

8809200171 Partially withheld Insp Repts 50-413/88-31 & 50-414/88-31 on 880815-19 (ref 10CFR2 780 & 73 21) No inspector-identified violations or deviations noted Major areas inspected testing & maint & physical barriers - protected area
TILLMAN, A., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/09/08 1p. 46900 338-46900,338.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46924,215-46924,336.

8809260147 Forwards Insp Repts 50-413/88-32 & 50-414/88-32 on 880815-19 No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director. 88/09/14. TUCKER, H.B. Duke Power Co 2pp 46956,001-46956,016

--8809260151 Insp Repts 50-413/88 32 & 50 414/88 32 on 880815-19 No violations noted Major areas inspected steam generator tube leak,integral simulation test of pumps & valves,temporary instruction & action on previous insp findings
BLAKE,J.J., CROWLEY,B.R. Region 2, Ofc of the Director 88/09/12 13pp
46956 003 46956 016

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946.133-46946 252

8809260082 Responds to NRC 880819 ltr re violations noted in Insp Repts 50-413/88-25 & 50 414/88-26 Corrective actions Tech Spec amend request sent to NRC on 880711 to further clarify requirements for PORV block valve position indication.
TUCKER,H.B. Duke Power Co 88/09/16, Document Control Branch (Document Control Desk), 3pp 46956-133-46956.135.

8809260167 Responds to violations noted in Insp Repts 50-369/88-20, 50-370/88-20,50-413/88-29 & 50 414/88-29,Corrective actions. operations personnel implemented change to procedures in steam generator cold wet layup recirculation
TUCKER,H.B. Duke Power Co 88/09/16, Document Control Branch (Document Control Desk) 9pp 46957:082-46957.090

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control," Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp, 46946 253-46947.013.

R. Periodic operating reports & related correspondence

8809140071 "Semiannual Radioactive Release Rept,Jan-June 1988 " W/ 880830 ltr.
TUCKER,H.B. Duke Power Co. 88/08/30 33pp, 46938.142-46938.174

8809200299 Forwards monthly operating repts for Aug 1988 for Catawba Units 1 & 2 & revised operating rpt for June 1988 for Unit 2
TUCKER,H.B. Duke Power Co 88/09/15 Document Control Branch (Document Control Desk), 1p, 46918.166-46919.161

--8809200317 Monthly operating repts for Aug 1988 for Catawba Units 1 & 2.
REAVIS,J.A. Duke Power Co 88/08/31, 14pp 46919 187-46919 180.

--8809200318 Corrected monthly operating rpt for June 1988 for Catawba Unit 2.
REAVIS,J.A. Duke Power Co 88/08/31, 1p, 46918.181-46919.181.

V. Operator Examinations

8809070173 Forwards util best estimate of operator licensing & requalification exam requirements for FY88 FY92.
TUCKER,H.B. Duke Power Co. 88/08/31 Document Control Branch (Document Control Desk), 8pp, 46784:046-46784.053.

Y. Dry Cask Independent Spent Fuel Storage Installations

8809060288 Summary of 880722 meeting w/licenses re current status of sys wide spent fuel storage & plans for dry cask storage
BELL,M.J. Regulatory Branch, 88/08/30 Regulatory Branch, 3pp 46755.037-46755.039.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300294 Rev 15 to Emergency Plan Implementing Procedure 10-S-01-1, "Activation of Emergency Plan Safety Related," W/880824 ltr.
HURLEY,J., COTTON,S.R., KINGSLEY,O.D. System Energy Resources, Inc. 88/08/24, 38pp, 46896:273-46896.310.

8809160044 Forwards response to SALP rpt for Nov 1988 - Apr 1988 Comments that NRC concern over issues of human error & failure to follow procedures being addressed by several initiatives implemented & subject to continuing monitoring.
KINGSLEY,O.D. System Energy Resources, Inc 88/08/24, GRACE,J.N. Region 2, Ofc of the Director, 14pp, 46897:285 46897.278.

8809080155 Advises that plant chosen for safeguards regulatory effectiveness review for wk of 880926-30,Encl withheld.
STOHR,J.P. Region 2, Ofc of the Director, 88/08/26 KINGSLEY,O.D. System Energy Resources, Inc. 3pp 46845.065-46845.067

8809070408 Forwards Insp Rept 50 416/88-18 on 880726 29.No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director, 88/08/29, KINGSLEY,O.D. System Energy Resources, Inc. 2pp, 46784:254-46784.256.

--8809070417 Partially withheld Insp Rept 50-416/88-18 on 880725-29 No violations noted Major areas inspected security plan & implementation procedure,security program audit,records & repts,testing & maint & access control-personnel.
STANSBERRY,W.W., MCGUIRE,D. Region 2, Ofc of the Director, 88/08/29, 1p 46784.256 46784.256.

8809120095 Forwards Insp Rept 50-416/88-18 on 880808-12 No violations or deviations noted.
HERDT,A.R. Region 3, Ofc of the Director, 88/08/29, KINGSLEY,O.D. System Energy Resources, Inc. 2pp, 46825 001-46825 016

--8809120097 Insp Rept 50-416/88-18 on 880808-12.No violations or deviations noted.Major areas inspected:areas of fire protection/prevention.Strengths in implementation of fire protection program listed.
WARD,D., CONLON,T. Region 2, Ofc of the Director 88/08/25, 12pp, 46825:003-46825.016.

8809130219 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 881004.
COLLINS,D.M. Region 2, Ofc of the Director 88/08/29, KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46833.328-46833.329

8809150026 Revised emergency plan implementing procedures,including Rev 0 to 301, "Offsite Emergency Response Organization " & Rev 0 to 302, "Initial Emergency Notification," W/880809 ltr.
KAVANAUGH,M., KINGSLEY,O.D. System Energy Resources, Inc 88/09/09 200pp 46850:264 46851.082

8809150220 Forwards summary of deviations from procedures generation package,in response to Insp Rept 50-416/88 08 Util intends to make human factors & emergency procedure writers guide improvements upon upgrading Rev 4 of procedure guidelines
KINGSLEY,O.D. System Energy Resources, Inc 88/09/12 Document Control Branch (Document Control Desk), 6pp 46856 322-46856.327

8809200364 Notifies of emergency preparedness exercise scheduled for wk of 891002 that will include participation by state & local agencies.
KINGSLEY,O.D. System Energy Resources, Inc 88/09/15 Document Control Branch (Document Control Desk) 2pp 46918 163 46916.164

I. Financial information

8808310060 Forwards executive summary of US Supreme Court decision on Mississippi Power & Light Grand Gulf Unit 1 rate litigation Federally mandated wholesale rates through retail rate structure upheld.
KINGSLEY,O.D. System Energy Resources, Inc 88/08/26, Document Control Branch (Document Control Desk) 5pp 46723 354 46723 358

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001 47065.006

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given, 88/08/17, CONNOR,L. Doc-Search Associates, 5pp 46770:060-46770.069

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413), 88/12/13, BLAHA,J.L. Program Support & Analysis Staff, IE (Pre 870413), 13pp 46770:211-46770 223

8808260125 Application for amend to License NPF-29, revising Tech Specs re mode changes,inconsistent application of exceptions & unnecessary shutdowns when surveillance intervals inadvertently exceeded,per Generic Ltr 87-09.
KINGSLEY,O.D. System Energy Resources, Inc 88/08/19, Document Control Branch (Document Control Desk) 40pp 46658.102-46658.206.

--8808260127 Proposed Tech Specs correcting mode changes,inconsistent application of exceptions & unnecessary shutdowns when surveillance intervals inadvertently exceeded,per Generic Ltr 87-09.
* System Energy Resources, Inc. 88/08/19, 64pp 46658-143 46658 206.

8808260312 Application for amend to License NPF-29, revising refueling platform main hoist downtravel cutoff setpoint.Fee paid.
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/19 Document Control Branch (Document Control Desk), 7pp, 46655 228 46655.235

--8808260315 Proposed Tech Specs re changes in ref point used to establish refueling platform main hoist downtravel cutoff setpoint.
* System Energy Resources, Inc. 88/08/19, 1p 46655 235 46655.235

8808290038 Notification of 880831 meeting w/Sys Energy Resources,Inc in Rockville,MD to discuss licensing activities in plant
KINTNER,L.L. Project Directorate II-1 88/08/23 ADENSAM,E.G. Project Directorate II-1 2pp, 46686.051-46686 052

8809010066 Forwards Rev 7 to Operational QA Manual MPL-TOP-1A for review,per 10CFR50.54(a)(3).
KINGSLEY,O.D. System Energy Resources, Inc 88/08/26 Document Control Branch (Document Control Desk) 225pp, 46741 001-46741.256.

8809080119 Application for amend to License NPF-29,deleting requirement for certain Type C testing of certain test,vent & drain valves.Type C testing will be replaced w/ administrative leakage control program Fee paid
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/31 Document Control Branch (Document Control Desk), 13pp 46796.276 46796 289

--8809080126 Proposed Tech Specs,deleting Type C testing of test,vent & drain connections
* System Energy Resources, Inc 88/08/31, 11pp 46796:288 46796 299.

8809080180 Forwards application for amend to License NPF-29,eliminating requirement that fuel transfer canal gate be removed during Operational Condition 5 w/no ECCS or suppression pool operable Fee paid
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/31, Document Control Branch (Document Control Desk), 2pp, 46790.174-46790.184.

--8809080191 Application for amend to License NPF-29,eliminating requirement that fuel transfer canal gate be removed during Operational Condition 5 w/no ECCS or suppression pool operable
CLONINGER,T.H. System Energy Resources, Inc 88/08/31, Document Control Branch (Document Control Desk), 7pp, 46790-176-46790.182

--8809080198 Proposed Tech Specs re limiting conditions for operation for suppression pool & ECCS during Operational Condition 5
* System Energy Resources, Inc. 88/08/31, 2pp 46790.183-46790.184

8809080322 Summary of 880728 meeting w/util on licensing actions re third fuel reload.List of attendees & viewgraphs encl
KINTNER,L.L. Project Directorate II-1, 88/09/01, Project Directorate II-1, 25pp, 46768:032-46768.061.

172 DOCKETED ITEMS

--8809060324 Notification of 880915 meeting w/licensee in Rockville,MD to discuss problem areas in licensee procedures for 10CFR50.59 reviews identified in NRC summary of 880425 29 audit did 880711 & licensee proposed corrective actions
KINTNER,L.L. Project Directorate II-1 88/09/01 ADENSAM,E.G. Project Directorate II-1 5pp 46758 057 46758 061

8809190064 Notification of revised date to 880928 for meeting w/util in Rockville,MD to discuss problem areas in licensee procedures for 10CFR50.59 reviews.
KINTNER,L.L. Project Directorate II-1 88/09/01 ADENSAM,E.G. Project Directorate II-1 2pp 46885 348 46885 349

8809140082 Provides response to NRC 880728,29 & 0818 ltrs & schedule for addl info re transfer of mgmt/operating responsibilities. News releases will be utilized to assure public & applicable local & state agencies kept informed re consolidation
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/09 Document Control Branch (Document Control Desk) 5pp 46836 062-46836 066

8809190075 Summary of 880815 meeting w/util re plans for third refueling outage Major activities during outage include chemical cleaning of standby svc water sys,low pressure turbine insp & inservice insp of RCS
KINTNER,L.L. Project Directorate II-1 88/09/14 Project Directorate II-1. 19pp 46895 204-46895 222

8809190086 Summary of 880815 meeting w/util re potential changes to Tech Specs Other actions discussed includes,status of completion of conditions in operating license & actions taken re problems identified in info notices
KINTNER,L.L. Project Directorate II-1. 88/09/14 Project Directorate II-1 7pp. 46893 114 46893 120

8809260049 Forwards notice of consideration of issuance of amend to License NPF-29,per 880831 application to revise Tech Spec 3.6.1.2
KINTNER,L.L. Project Directorate II-1 88/09/15 KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46957 341-46957 342.

--8809220036 Notice of consideration of issuance of amend to License NPF-29 & proposed NSHC determination & opportunity for hearing Amend changes Tech Specs 3.6.1.2, "Containment Leakage" & 3.6.4-1, "Containment & Drywell Isolation"
KINTNER,L.L. Project Directorate II-1. 88/09/15 5pp 46957 343 46957 346.

8809230024 Forwards Amend 47 to License NPF-29 & safety evaluation Amend changes position of one of nine members on plant safety review committee from technical support superintendent to manager,performance & sys engineering
KINTNER,L.L. Project Directorate II-1. 88/09/21 KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46943 228-46943 236.

--8809230043 Amend 47 to License NPF-29,changing position of one of nine members on plant safety review committee from technical support superintendent to manager,performance & sys engineering.
ADENSAM,E.G. Project Directorate II-1 88/09/21. 4pp 46943 230 46943-233.

--8809230047 Safety evaluation supporting Amend 47 to License NPF-29
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/21. 3pp 46943 234-46943 236

Q. Inspection reports, IE Bulletins & correspondence

8808300312 Forwards Insp Rept 50-416/88-15 on 880718 22 No violations or deviations noted
HERDT,A.R. Region 2, Ofc of the Director 88/08/17 KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46692 103-46692-111.

--8808300315 Insp Rept 50 416/88 15 on 880718-22 No violations or deviations noted Major areas inspected previously identified findings in area of environ qualification of electrical equipment important to safety.
PAULK,C. CONLON,T.E. Region 2, Ofc of the Director, 88/08/10. 7pp 46692.105-46692.111.

8808190185 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 064-46690-178

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seats Using Hydraulic Assist Devices" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703.070.

8808180388 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713.218

8809160044 Forwards response to SALP rept for Nov 1988 - Apr 1988 Comments that NRC concern over issues of human error & failure to follow procedures being addressed by several initiatives implemented & subject to continuing monitoring
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/24. GRACE,J.N. Region 2, Ofc of the Director 14pp. 46897-265-46897.276

8809070375 Forwards Insp Rept 50-416/88-17 on 880716 0818.No violations or deviations noted
VERRELLI,D.M. Region 2, Ofc of the Director. 88/08/28. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46773.173-46773.182.

--8809070380 Insp Rept 50-416/88-17 on 880718-0819 No violations or deviations noted Major areas inspected licensee action on previous enforcement matters,maint & surveillance observations,operational safety verification & ESF sys
BUTCHER,R.C., MATHIS,J.L., DANCE,M.C. Region 2, Ofc of the Director. 88/08/28 8pp 46773 175 46773-182

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies;" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 085-46713.217.

8809070408 Forwards Insp Rept 50 416/88-18 on 880725-29 No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 88/08/29. KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46784 254-46784.256.

--8809070417 Partially withheld Insp Rept 50 416/88-16 on 880725 29 No violations noted Major areas inspected security plan & implementation procedure,security program audit,records & repts,testing & maint & access control-personnel
STANSBERRY,W.W., MCGUIRE,D. Region 2, Ofc of the Director. 88/08/29 1p 46784 256 46784 256.

8809120095 Forwards Insp Rept 50-416/88 18 on 880808 12 No violations or deviations noted
HERDT,A.R. Region 3, Ofc of the Director 88/08/29 KINGSLEY,O.D. System Energy Resources, Inc. 2pp 46825 001-46825 015

--8809120097 Insp Rept 50 416/88-18 on 880808 12 No violations or deviations noted Major areas inspected areas of fire protection/prevention Strengths in implementation of fire protection program listed
WARD,D., CONLON,T. Region 2, Ofc of the Director 88/08/25 12pp 46825 002-46825 015

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of CQSWQS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726.123.

8809150233 Provides response to NRC Bulletin 88 005 & suppls re review & testing of accessible flanges & fittings supplied by Piping Suppliers,Inc & West Jersey Mfg All components evaluated on Unit 1 determined to be acceptable.
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/09. Document Control Branch (Document Control Desk). 6pp 46864 282-46864 287

8809150220 Forwards summary of deviations from procedures generation package,n response to Insp Rept 50 416/88 08.Utl intends to make human factors & emergency procedure writers guide improvements upon upgrading Rev 4 of procedure guidelines
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/12. Document Control Branch (Document Control Desk). 6pp. 46856.322-46856 327

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809190075 Summary of 880815 meeting w/util re plans for third refueling outage Major activities during outage include chemical cleaning of standby svc water sys,low pressure turbine insp & inservice insp of RCS.
KINTNER,L.L. Project Directorate II-1. 88/09/14. Project Directorate II-1 18pp 46895 204-46895 222

8809200112 Responds to NRC Bulletin 88 007, "Power Oscillations in BWRs" Operations personnel briefed on listed revised procedures until formal classroom training conducted
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/15 Document Control Branch (Document Control Desk) 5pp. 46905 239 46905 243

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946 252.

8809200080 Forwards NIS 2 summary repts reflecting revs to inservice insp summary repts for Refueling Outages 1 & 2
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/16 Document Control Branch (Document Control Desk). 14pp 46910 347-46910.360

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946-253-46947 013

R. Periodic operating reports & related correspondence

8809060331 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988." W/ 880830 ltr.
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/30 109pp 46752 316-46753.091.

8809200111 Monthly operating rept for Aug 1988 for Grand Gulf Nuclear Station Unit 1.W/880814 ltr
CESARE,J.G., KINGSLEY,O.D. System Energy Resources, Inc. 88/08/31 5pp 46900 002-46900 006

8809070565 Forwards quarterly status rept, "Degraded Core Accident Hydrogen Control Program" for Apr-June 1988.Planned activities for Third Quarter 1988 include continuation of work on equipment survivability analysis rept
KINGSLEY,O.D. System Energy Resources, Inc. 88/09/01 Document Control Branch (Document Control Desk). 5pp. 46780.342-46780.346.

S. Reportable occurrences, LERs & related correspondence

8808260004 Final special rept on events re interaction of activities associated w/Units 2 & 1,including control of chlorine stored in Unit 2 controlled area & leakage of const water sys in control bldg
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/09. GRACE,J.N. Region 2, Ofc of the Director. 13pp. 46656 244-46656 265.

8809190381 Special Rept 88 005/0 on 880829,post-accident monitoring instrument for standby gas treatment B subsystem exhaust declared inoperable & left inoperable for more than 72 h. Caused by time spent to procure replacement part
KINGSLEY,O.D. System Energy Resources, Inc. 88/08/12 Document Control Branch (Document Control Desk). 2pp. 46889-299-46889.300

8809190311 LER 88-012-00 on 880815, plant tripped on APRM neutron flux high signal. Caused by electrical storm w/ lightning strike in general site area. Actual root cause not found. Engineering task force established W/880814 Ltr. DIFFERENT, P.M., KINGSLEY, O.D. System Energy Resources, Inc. 88/09/14 4pp. 46898.343-46898.346

V. Operator Examinations

8809060263 Forwards response to Generic Ltr 88-13, "Operator Licensing Exams" re needs for FY89-92 & requalification exam schedules for same period. KINGSLEY, O.D. System Energy Resources, Inc. 88/08/31 HANNON, J. Operator Licensing Branch 4pp. 46758.156-46758.159

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006

8809140082 Provides response to NRC 880728.20 & 0818 ltrs & schedule for addl info re transfer of mgt/operating responsibilities. News releases will be utilized to assure public & applicable local & state agencies kept informed re consolidation. KINGSLEY, O.D. System Energy Resources, Inc. 88/09/09 Document Control Branch (Document Control Desk). 5pp. 46836.062-46836.066

F. Security, medical, emergency & fire protection plans

8809130219 Ack receipt of scenario for plant radiological emergency preparedness exercise scheduled for 881004. COLLINS, D.M. Region 2, Ofc of the Director. 88/08/29 KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 46833.328-46833.329

I. Financial Information

8808310060 Forwards executive summary of US Supreme Court decision on Mississippi Power & Light Grand Gulf Unit 1 rate litigation. Federally mandated wholesale rates through retail rate structure upheld. KINGSLEY, O.D. System Energy Resources, Inc. 88/08/26. Document Control Branch (Document Control Desk). 5pp. 46723.354-46723.358

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178

8808160451 NRC Info Notice 88-080, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217

8808280492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809080338 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252

8809130350 NRC Info Notice 88-078, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46846.253-46847.013

S. Reportable occurrences, LERs & related correspondence

8808260004 Final special rept on events re interaction of activities associated w/ Units 2 & 1, including control of chlorine stored in Unit 2 controlled area & leakage of const water sys in control bldg. KINGSLEY, O.D. System Energy Resources, Inc. 88/08/09. GRACE, J.N. Region 2, Ofc of the Director. 13pp. 46656.244-46656.255

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8804250267 Forwards temporary change to physical security plan re protected area boundary. Rev withheld (ref 10CFR72.700(a)). MROCZKA, E.J., ROMBERG, W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/04/22 Document Control Branch (Document Control Desk). 2pp. 45281.286-45281.287

8809020155 Responds to 880607-15 regulatory effectiveness review rept. Schedule for closure of findings not yet developed. Rept detailing open info to be forwarded in 6 months. Encl withheld (ref 10CFR73.21). MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/08/26 Document Control Branch (Document Control Desk). 1p. 46745.209-46745.210

8809090003 Forwards Safety Insp Rept 50-423/88-12 on 880706 0815. No violations noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/08/31 MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46806.308-46806.336

--8809090005 Insp Rept 50 423/88-12 on 880706 0815. No violations noted. Major areas inspected: plant operations, root cause of FWLI solenoid valve failure, lack of thermal overload bypass feature for svc water pump & physical security. MCCABE, E.C. Region 1, Ofc of the Director. 88/08/31 29pp. 46806.308-46806.336

J. Insurance & Indemnity Information

8809200185 Informs NRC that util cognizant of 881004 deadline re insurance reporting requirements of 10CFR50.54(w). Util understands NRC pending actions & assurance that util will be relieved from 881004 deadline. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/09/15 Document Control Branch (Document Control Desk). 2pp. 46918.101-46918.102

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065.001-47065.006

8808310064 Advises that valve test table re testing of auxiliary feedwater check valves revised to reflect testing of valves from open to close position on staggered basis each refueling outage, per NRC 880817 request. Related info encl. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/08/25. Document Control Branch (Document Control Desk). 5pp. 46724.001-46724.005

8809070346 Forwards copy of 880823 ltr to Town of Waterford, providing list of hazardous chemicals used at facilities in quantities exceeding min threshold for reportable quantities. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/09/01. Document Control Branch (Document Control Desk). 4pp. 46788.079-46788.082

8809140148 Application for amend to License NPF-49, revising Tech Specs to state that penalty for undetected fouling of feedwater venturis of 0.1% is added to flow measurement uncertainty values if venturis not cleaned every 18 months. Fee paid. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/09/02 Document Control Branch (Document Control Desk). 4pp. 46837.023-46837.030

--8809140156 Proposed Tech Spec changes stating that penalty for undetected fouling of feedwater venturis of 0.1% is added to flow measurement uncertainty values if venturis not cleaned at least once per 18 months. * Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/09/02 4pp. 46837.027-46837.030

8809140165 Application for amend to License NPF-49, deleting Tech Spec Table 3.6-2 listing containment isolation valves & replacing w/FSAR Table 6.2-65 re containment penetration valves. Fee paid. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/09/02. Document Control Branch (Document Control Desk). 3pp. 46839.320-46839.347

--8809140170 Proposed Tech Specs re containment isolation valves. * Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/09/02. 25pp. 46839.323-46839.347

8809220056 Forwards Amend 22 to License NPF-49 & safety evaluation. Amend changes Tech Specs 3.3.3.9, "Radioactive Liquid Effluent Monitoring Instrumentation" & 3.3.3.10, "Radioactive Gaseous Monitoring Instrumentation." JAFFE, D.H. Project Directorate I-4. 88/08/09. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46928.165-46928.175

--8809220063 Amend 22 to License NPF-49 revising Tech Specs 3.3.3.9 & 3.3.3.10. STOLZ, J.F. Project Directorate I-4. 88/09/09. 7pp. 46928.167-46928.173

--8809220065 Safety evaluation supporting Amend 22 to License NPF-49. * Project Directorate I-4. 88/09/09. 2pp. 46928.174-46928.175

8809200225 Informs that 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" acceptable. WANG, A.B. Project Directorate I-4. 88/09/13. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 46911.015-46911.018

174 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

8808300162 Notification of Significant Licensee Meeting 88 120 on 880901 in Berlin,CT to discuss SALP. MCCABE,E.C. Region 1, Ofc of the Director 88/08/15. Region 1, Ofc of the Director. 2pp 46698 309-46698 310

8808190195 NRC Info Notice 88-089, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46680 054-46680 178.

8808160451 NRC Info Notice 88-088, "Seipoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703.070

8808180358 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219

8809020054 Discusses Equipment Qualification Insp Rept 50-423/88-04 on 880314-18 & forwards notice of violation One violation discussed at enforcement conference re qualification of cable has been reclassified to unresolved item W/o notice JOHNSTON,W.V. Region 1, Ofc of the Director 88/08/24 MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 2pp 46744 358 46744 360

8808310064 Advises that valve test table re testing of auxiliary feedwater check valves revised to reflect testing of valves from open to close position on staggered basis each refueling outage,per NRC 880817 request Related info encl MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities 88/08/25 Document Control Branch (Document Control Desk) 5pp 46724 001-46724 005

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217.

8809090003 Forwards Safety Insp Rept 50 423/88-12 on 880706 0815 No violations noted BETTENHAUSEN,L. Region 1, Ofc of the Director 88/08/31. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp 46808 306 46808 336

8809090005 Insp Rept 50-423/88-12 on 880706 0815.No violations noted Major areas inspected plant operations,root cause of FWLI solenoid valve failure,lack of thermal overload bypass feature for svc water pump & physical security. MCCABE,E.C. Region 1, Ofc of the Director. 88/08/31. 29pp 46806 308-46806 336.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244 46713.004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809130285 Forwards response to NRC Bulletin 88 005, "Nonconforming Malls Supplied by Piping Supplies,Inc. at Folsom,NJ & West Jersey Mfg Co at Williamstown,NJ." No significant deficiencies discovered & no mail replaced MROCZKA,E.J. Connecticut Yankee Atomic Power Co 88/09/02. Document Control Branch (Document Control Desk) 17pp 46836 231 46836 247

8809200049 Forwards response to NRC Bulletin No 88-009, "Thimble Tube Thinning in Westinghouse Reactors." informs that eddy current testing of flux mapping thimbles successful in proving that at present time thimbles sound. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/09/09 Document Control Branch (Document Control Desk) 6pp 46905 298-46905 308.

8809200082 Forwards Insp Repts 50-245/88-13,50-336/88-18 & 50-423/88 13 on 880726-29 No violations noted BELLAMY,R.R. Region 1, Ofc of the Director. 88/09/09 MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 2pp 46911.348-46911 354.

8809200091 Insp Repts 50-245/88-13,50-336/88-18 & 50-423/88-13 on 880726-29 No violations noted Major areas inspected Unit 2 radiation protection activities,including status of previously identified items & station ALARA practices. THOMAS,W. SHANBAKY,M. Region 1, Ofc of the Director 88/09/08 5pp 46911:350-46911:354.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946 133 46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947.013

R. Periodic operating reports & related correspondence

8809060001 "Semiannual Radioactive Effluents Release Rept,Jan June 1988." W/ 880830 ltr. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/06/30. 86pp 46747.163-46747 247

8809220103 Monthly operating rept for Aug 1988 for Millstone Unit 3 W/ 880912 ltr ELMS,A.L., SCACE,S.E., STETZ,J.P. Northeast Nuclear Energy Co (subs. of Northeast Utilities) 88/08/31. 5pp 46930 129-46930 133

S. Reportable occurrences, LERs & related correspondence

8809150348 Special rept on 880804,noted insufficient documentation to substantiate compliance w/Reg Guido 1106 Caused by personnel error Engineering calculation performed to verify trip setpoint of thermal overload protection devices SCACE,S.E., HAYNES,H.F. Northeast Nuclear Energy Co (subs. of Northeast Utilities) SCACE,S.E. Northeast Utilities 88/09/06 Document Control Branch (Document Control Desk). 2pp 46848 316 46848 317

8809260342 LER 88-021-00 on 880819,area temp for environ zone AB 06 not taken within required 12 h surveillance interval Caused by personnel error Manual area temp data retrieval in Zone AB 06 reinitiated W/880919 ltr JOSEPH,V.R., SCACE,S.E. Northeast Nuclear Energy Co (subs. of Northeast Utilities) SCACE,S.E. Northeast Utilities 88/09/18 4pp 46956 211 46956 214

V. Operator Examinations

8809230037 Forwards updated schedules for operator licensing exams for FY89 02 in response to Generic Ltr 88-13 MROCZKA,E.J., SEARS,C.F. Connecticut Yankee Atomic Power Co. SEARS,C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 88/09/18 HANNON,J. Operator Licensing Branch. 10pp 46945 297 46945 308.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808290299 Rev 3 to Emergency Plan Implementing Procedure EPII 04, "Duties of Nuclear Operations Duty Officer." MCDONALD,R.P., MCHENRY,T.J. Georgia Power Co. 88/08/22 7pp 46684 059 46684 065

8808290344 Rev 2 to Emergency Plan Implementing Procedure 91701 C, "Preparation & Control of Emergency Planning Documents." W/880922 ltr MCDONALD,R.P. Georgia Power Co 88/08/22 32pp 46683 292-46683 323

8808310068 Forwards Insp Repts 50-424/88-29 & 50 425/88-39 on 880718 22 Violations noted Notice of violation withheld (ref 10CFR2 790(d) & 73 21) CLINE,W.E. Region 2, Ofc of the Director 88/08/25 HAIRSTON,W.G. Georgia Power Co. 3pp 46719 082-46719 085

8808310078 Partially withheld Insp Repts 50-424/88-29 & 50 425/88 39 (ref 10CFR2 790(d) & 73 21).Violations noted Major areas inspected security plan & implementing procedures,testing & maint,security sys power supply,lighting & assessment aids. TILLMAN,A. PERNY,C., MCGUIRE,D.R. Region 2, Ofc of the Director 88/08/23 1p 46719 085-46719 085.

8809140006 Forwards changes to physical security & contingency plan Changes withheld (ref 10CFR73 21 & 2.790) HAIRSTON,W.G. Georgia Power Co 88/08/06 Document Control Branch (Document Control Desk) 2pp 46839 265-46839 266

8809150321 Rev 6 to Emergency Plan Implementing Procedure 91001 C, "Emergency Classification & Implementing Instructions." W/880906 ltr HAIRSTON,W.G. Georgia Power Co 88/09/06 15pp 46856 328 46856 342

8809190221 Forwards FEMA analysis of prompt alert & notification sys for plant conducted on 870714.Notification sys satisfies requirements of NUREG 0654/FEMA-REP-1,Rev 1 & FEMA-REP-10 COLLINS,D.M. Region 2, Ofc of the Director. 88/09/06 HAIRSTON,W.G. Georgia Power Co. 2pp 46890 089-46890 312

K. Utility Final Safety Analysis Report (FSAR) & amends

8809010027 Amend 37 to FSAR for Vogtle Electric Generating Plant W/ 880826 ltr. RICE,P.D. Georgia Power Co 88/08/26 1,400pp 46714 001-46716 320

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809010225 Confirms 880725 telcon re mgt meeting to be conducted on 880901-02 to discuss plant performance Proposed agenda encl GRACE,J.N. Region 2, Ofc of the Director 88/08/22 HAIRSTON,W.G. Georgia Power Co. 3pp 46718 353-46718 355

8808300202 Forwards Amend 10 to License NPF-68 & safety evaluation. Amend modifies Tech Specs to allow surveillance of thermal overload protection bypass devices to be performed during plant conditions other than shutdown HOPKINS,J.B. Project Directorate II-3 88/09/24 HAIRSTON,W.G. Georgia Power Co 3pp 46691 320-46691 328.

8808300205 Amend 10 to License NPF-68,modifying Tech Specs to allow surveillance of thermal overload protection bypass devices to be performed during plant conditions other than shutdown MATTHEWS,D.B. Project Directorate II-3 88/08/24 5pp 46691 323 46691 327

8808300208 Safety evaluation supporting Amend 10 to License NPF-68. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/24 2pp 46691 328 46691 328.

DOCKETED ITEMS 175

8809010083 Requests exemption from 10CFR20 501, App A, Footnote d 2(c) to allow use of air purifying respirators in lieu of supplied air or self-contained breathing apparatuses. Fee paid.
HAIRSTON, W.G. Georgia Power Co. 88/08/26 Document Control Branch (Document Control Desk) 6pp 46742-284-46742 353

--8809010163 "Mine Safety Appliances GMR-1 Canister for Use Against Radio Iodine & Organic Iodides"
MCKEE, E.S. Mine Safety Appliances Co. 84/04/25 21pp 46742.290 46742 353

8809070305 Forwards fourth suppl to summary rept of startup test program.
HAIRSTON, W.G. Georgia Power Co. 88/08/29. Document Control Branch (Document Control Desk) 3pp. 46772-103-46772 105

8809070399 Requests withdrawal of 880519 application for amend to License NPF-65, due to listed reasons. During fuel Cycle 1, unit will continue to operate plant using FQ of 2.25 until NRC has completed review of revised analysis.
HAIRSTON, W.G. Georgia Power Co. 88/08/30 Document Control Branch (Document Control Desk) 2pp 46784, 273-46784, 274.

8809140400 Forwards comments on proof & review of Tech Specs, for consideration in developing final draft.
BAILEY, J.A. Georgia Power Co. BAILEY, J.A. Southern Company Services, Inc. 88/09/02. Document Control Branch (Document Control Desk) 35pp 46845 240 46846 088

--8809140403 Proposed Tech Specs for Unit 1 & 2
* Georgia Power Co. 88/09/02 200pp 46845:275-46846 088

8809160134 Notification of 880920 meeting w/uttl in Atlanta, GA to discuss status of licensing actions.
HOPKINS, J.B. Project Directorate III-3 88/09/12. MATTHEWS, D.B. Project Directorate III-3. 2pp 46864:236-46864, 237.

8809200273 Forwards updated listings of outstanding licensing requests for plant for NRC review & approval.
HAIRSTON, W.G. Georgia Power Co. 88/09/12. Document Control Branch (Document Control Desk). 4pp 46916 166-46916:169

8809220086 Forwards environ assessment & finding of no significant impact re 880826 request for exemption from 10CFR20, App A.
HOPKINS, J.B. Project Directorate II-3. 88/09/16 HAIRSTON, W.G. Georgia Power Co. 2pp 46930 103 46930-107

--8809220111 Environ assessment & finding of no significant impact supporting exemption from requirement of Footnote d-2(c) of App A to 10CFR20.
MATTHEWS, D.B. Project Directorate II-3. 88/09/16 3pp 46930.105-46930 107

C. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 068, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/10. Consolidated Edison Co. of New York, Inc. 125pp 46890 054 46890-178.

8808190451 NRC Info Notice 88 068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702, 311-46703 070

8809010192 Ack receipt of 880622 & 0727 responses to violations noted in Insp Rept 50-424/88-18.
HERDT, A.R. Region 2, Ofc of the Director. 88/08/22 HAIRSTON, W.G. Georgia Power Co. 2pp. 46742, 069-46742, 070

8809070061 Forwards Insp Repts 50 424/88-27 & 50-425/88-37 on 880827-30 & notice of violation.
HERDT, A.R. Region 2, Ofc of the Director. 88/08/23 HAIRSTON, W.G. Georgia Power Co. 2pp 46778-352 46778-361.

--8809070071 Notice of violation from Insp on 880827-30. Violation noted, damaged section of pipe covered w/plastic & prepared for application of insulation prior to detection of damage by inspector.
HERDT, A.R. Region 2, Ofc of the Director. 88/08/23. 2pp. 46778 354-46778 355.

--8809070089 Insp Repts 50-424/88-27 & 50 425/88-37 on 880827-30. Violation noted Major areas inspected: as-built verification of RCS pressure boundary piping & safety-related piping, open items & activities re NRC Bulletin 88-005.
GLASHMAN, M., BLAKE, J.J. Region 2, Ofc of the Director. 88/08/18. 6pp. 46778-356-46778 361.

8808190368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713-218 46713-219

8808310068 Forwards Insp Repts 50 424/88-29 & 50 425/88-39 on 880718- 22 Violations noted Notice of violation withheld (ref 10CFR2 790(d) & 73.21).
CLINE, W.E. Region 2, Ofc of the Director 88/08/25. HAIRSTON, W.G. Georgia Power Co. 3pp. 46719 082-46719 085.

--8808310078 Partially withheld Insp Repts 50-424/88-29 & 50 425/88-39 (ref 10CFR2.790(d) & 73 21). Violations noted, Major areas inspected: security plan & implementing procedures, testing & maint, security sys power supply, lighting & assessment aids.
TILLMAN, A. PERNY, C., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/08/23. 1p. 46719 085-46719 085.

8809080341 Forwards Insp Repts 50-424/88-32 & 50-425/88-40 on 880718-22. No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director. 88/08/25. HAIRSTON, W.G. Georgia Power Co. 2pp. 46790:199-46790:208.

--8809080346 Insp Repts 50-424/88-32 & 50 425/88-40 on 880718-22. No violations or deviations noted. Major areas inspected: unresolved item, const deficiency repts, IE bulletins & work observation.
MILLER, M.N., CONLON, T.E. Region 2, Ofc of the Director 88/08/23. 8pp. 46790-201-46790 208.

8809080102 Forwards Insp Rept 50-424/88 28 on 880712-14 & notice of violation. Addl violation identified but because criteria for categorization of licensee identified violations were met, violation not being cited.
COLLINS, D.M. Region 2, Ofc of the Director. 88/08/26 HAIRSTON, W.G. Georgia Power Co. 2pp 46797 151-46797 164

--8809080108 Notice of violation from Insp on 880712-14 Violations noted failure to label as radioactive mail control room radiation monitor containing 11 uCi Sr-90 source, subsequently shipped w/o complying w/DOT regulations.
COLLINS, D.M. Region 2, Ofc of the Director 88/08/26 2pp 46797.153 46797.154

--8809080110 Insp Rept 50-424/88 28 on 880712-14 Two violations noted Major areas inspected: radiological safety training, external & internal exposure control, program for maintaining radiation exposure ALARA & control of radioactive mails.
WEDDINGTON, R.E., GLOERSEN, W.B., HOSEY, C.M. Region 2, Ofc of the Director 88/08/28. 10pp 46797.155 46797 164

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficient class." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217

8809150337 Ack receipt of 880510 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50 424/88 09 Violation occurred as stated in encl evaluations & conclusions.
REYES, L.A. Region 2, Ofc of the Director. 88/08/31. HAIRSTON, W.G. Georgia Power Co. 5pp. 46846 353 46846 357

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46728 123.

8809200175 Discusses Vogtle Unit 2 readiness review program status rept through 880815 Status of modules & review schedule encl.
REYES, L.A. Region 2, Ofc of the Director. 88/08/07. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 46900 202 46900:209.

8809140139 Responds to NRC Bulletin 88 005, "Nonconforming Mail Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." Further testing of mails suspended per Suppl 2 to Bulletin.
HAIRSTON, W.G. Georgia Power Co. 88/09/08. Document Control Branch (Document Control Desk). 7pp 46840, 097-46840 103.

8809220195 Forwards Insp Rept 50-424/88 30 on 880711-15. No violations or deviations noted.
HERDT, A.R. Region 2, Ofc of the Director 88/09/09 HAIRSTON, W.G. Georgia Power Co. 2pp. 46930:159 46930-169.

--8809220196 Insp Rept 50 424/88-30 on 880711-15 No violations or deviations noted Major areas inspected: local leak rate testing & verification of containment integrity.
WHITENER, H.L., JAPE, F. Region 2, Ofc of the Director. 88/09/01. 8pp. 46930 161-46930:169

8809200323 Responds to NRC 880131 ltr re violations noted in Insp Rept 50 424/88-31. Corrective actions, penetration seal repair effort completed & personnel changes made to improve coordination of future penetration seal repair activities.
HAIRSTON, W.G. Georgia Power Co. 88/09/12. Document Control Branch (Document Control Desk). 4pp. 46811:327-46811.330.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824:215 46824, 336.

8809260229 Responds to violations noted in Insp Rept 50 424/88-24 Silicone sealant applied to interface, control room panels inspected for water damage & prototype of test assembly simulating foam penetration to be water tested.
HAIRSTON, W.G. Georgia Power Co. 88/09/15. Document Control Branch (Document Control Desk) 8pp 46957 229 46957, 236.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946:133 46946 262.

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46948:253 46947, 013.

R. Periodic operating reports & related correspondence

8809010089 Forwards "Semiannual Radioactive Effluent Release Rept for Jan-June 1988." Corrected copies of Table 2-2a also encl.
HAIRSTON, W.G. Georgia Power Co. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46722-126-46722 280.

--8809010094 "Semiannual Rept, Plant Radioactive Effluent Releases, Jan- June 1988."
* Georgia Power Co. 88/08/30. 154pp. 46722-128 46722 280.

S. Reportable occurrences, LERs & related correspondence

176 DOCKETED ITEMS

8808300052 LER 88-024-00 on 880730, reactor trip occurred Caused by generator trip signal initiated by protective relays due to fault on phase A. Failed & damaged parts replaced & infrared scan performed on other connection points W/880822 ltr SWARTZWELDER, J., MCDONALD, R.P. Georgia Power Co. 88/08/22. 6pp 46706 290-46706 295

8809010176 LER 88-023-00 on 870707, overload protection deficiencies created condition prohibited by Tech Specs Caused by inadequacy of design specifying overload protection Affected circuits de energized until corrected W/880825 ltr SWARTZWELDER, J., MCDONALD, R.P. Georgia Power Co. 88/08/25 5pp. 46741.288-46741 292

8809070021 LER 88-025-00 on 880731, lightning struck containment bldg & reactor ltr occurred Caused by lightning strike Circuit board replaced in security sys backup computer. W/880829 ltr SWARTZWELDER, J., HAIRSTON, W.G. Georgia Power Co. 88/08/29. 6pp 46787 332-46787 337.

8809200285 LER 88-021-01 on 880712, discovered that procedure for performing surveillance re Tech Spec resistance values of 125 volt dc battery sys inadequate. Caused by inadequate procedure Procedure revised W/880912 ltr SWARTZWELDER, J., HAIRSTON, W.G. Georgia Power Co. 88/09/12. 5pp 46911.336 46911 340

V. Operator Examinations

8809080365 Advises that MJ Rowe no longer employed in licensed position at plant under License SOP-20500 MCDONALD, R.P. Georgia Power Co. 88/08/22. MUNRO, J. Region 2, Ofc of the Director. 1p 46782.341 46782 341

8809080051 Concurs w/recommendation that NRC not administer plant differences exams for dual unit licensing, per 880824 memo. Concurrence contingent upon Region II proceeding w/plan to observe sampling of plant walk-through exams. HANNON, N. Operator Licensing Branch 88/08/30. JULIAN, C.A. Region 2, Ofc of the Director. 3pp. 46764.332-46764 334

8809080015 Requests that NRC conduct operator licensing exam through Sept 1992, as indicated on encl schedules, in response to Generic Ltr 88-13. MCDONALD, R.P. Georgia Power Co. 88/08/31. HANNON, J. Operator Licensing Branch. 6pp. 46789 097-46789 102.

DOCKET 50-425 ALVIN W. VOITTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006.

8809010225 Confirms 880725 telecon re mgmt meeting to be conducted on 880901-02 to discuss plant performance. Proposed agenda encl. GRACE, J.M. Region 2, Ofc of the Director. 88/08/22 HAIRSTON, W.G. Georgia Power Co. 3pp. 46718 353 46718 355

8809140400 Forwards comments on proof & review of Tech Specs, for consideration in developing final draft BAILEY, J.A. Georgia Power Co. BAILEY, J.A. Southern Company Services, Inc. 88/09/02. Document Control Branch (Document Control Desk). 35pp 46845 240-46845 098.

--8809140403 Proposed Tech Specs for Unit 1 & 2. Georgia Power Co. 88/09/02 200pp 46845 276-46845 098.

8809160134 Notification of 880920 meeting w/util in Atlanta, GA to discuss status of licensing actions. HOPKINS, J.B. Project Directorate III-3 88/09/12 MATTHEWS, D.B. Project Directorate III-3. 2pp. 46864 236 46864 237.

8809200273 Forwards updated listings of outstanding licensing requests for plant for NRC review & approval. HAIRSTON, W.G. Georgia Power Co. 88/09/12 Document Control Branch (Document Control Desk). 4pp 46916 168-46916 169

8809230013 Notification of 881003 06 meetings w/util in Waynesboro, GA to perform review of structural analyses supporting spent fuel pool racks. HOPKINS, J.B. Project Directorate II-3. 88/09/21. MATTHEWS, D.B. Project Directorate II-3. 3pp 46944 331-46944 333.

F. Security, medical, emergency & fire protection plans

8808300352 Forwards Insp Rept 50-425/88-38 on 880627-0803 No violations or deviations noted BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/19. HAIRSTON, W.G. Georgia Power Co. 2pp 46782.002-46782 024.

--8808300353 Insp Rept 50-425/88-38 on 880627-0803 No violations or deviations noted. Major areas inspected, fire protection, reactor vessel & internals, piping sys & supports, safety-related components & raceways & instrumentation. SCHEPENS, R.J., BURGER, C.W., SINKULE, M.V. Region 2, Ofc of the Director. 88/08/19. 21pp. 46782 004-46782 024.

8808290299 Rev 3 to Emergency Plan Implementing Procedure EPII-04, "Duties of Nuclear Operations Duty Officer." MCDONALD, R.P. Georgia Power Co. 88/08/22. 7pp 46684 059-46684 065.

8808290344 Rev 2 to Emergency Plan Implementing Procedure 91701-C, "Preparation & Control of Emergency Planning Documents." W/880822 ltr. MCDONALD, R.P. Georgia Power Co. 88/08/22. 32pp. 46683 292-46683 323.

8808310068 Forwards Insp Repts 50-424/88-29 & 50-425/88-39 on 880718-22 Violations noted Notice of violation withheld (ref 10CFR2.790(d) & 73.21). CLINE, W.E. Region 2, Ofc of the Director. 88/08/25. HAIRSTON, W.G. Georgia Power Co. 3pp 46719 082-46719 085.

--8808310078 Partially withheld Insp Repts 50-424/88-29 & 50-425/88-39. (ref 10CFR2.790(d) & 73.21). Violations noted Major areas inspected security plan & implementing procedures, testing & maint, security sys power supply, lighting & assessment aids TILLMAN, A. Region 2, Ofc of the Director. 88/08/23. 1p 46719 085 46719 085.

8809140006 Forwards changes to physical security & contingency plan. Changes withheld (ref 10CFR73.21 & 2.790) HAIRSTON, W.G. Georgia Power Co. 88/09/06 Document Control Branch (Document Control Desk) 2pp. 46839.265 46839 266

8809150321 Rev 6 to Emergency Plan Implementing Procedure 91001 C, "Emergency Classification & Implementing Instructions." W/880906 ltr. HAIRSTON, W.G. Georgia Power Co. 88/09/06 15pp. 46856 328-46856 342

8809190221 Forwards FEMA analysis of prompt alert & notification sys for plant conducted on 870714. Notification sys satisfies requirements of NUREG 0654/FEMA REP. 1, Rev 1 & FEMA-REP-10. COLLINS, D.M. Region 2, Ofc of the Director. 88/09/06 HAIRSTON, W.G. Georgia Power Co. 2pp 46890.089-46890 312.

J. Insurance & Indemnity Information

8808300019 Forwards executed Amend 3 to Indemnity Agreement B-107, per NRC 880713 request for signature MCDONALD, R.P. Georgia Power Co. 88/08/22. Document Control Branch (Document Control Desk). 1p 46693.284-46693 286.

--8808300023 Executed Amend 3 to Indemnity Agreement B-107, revising Item 3 re license numbers as stated. THOMAS, C.O. Policy Development & Technical Support Branch (Post 870411) HAIRSTON, W.G. Georgia Power Co. STOKELY, D.L. Municipal Electrical Authority of Georgia. 88/07/13 2pp. 46693.285 46693 286

K. Utility Final Safety Analysis Report (FSAR) & amends

8809010027 Amend 37 to FSAR for Vogtle Electric Generating Plant W/ 880828 ltr. RICE, P.D. Georgia Power Co. 88/09/26. 1,400pp. 46714.001-46716 320.

M. Antitrust correspondence

8808290353 Forwards supplemental Reg Guide 9.3 info in response to Mathews 880623 ltr to WG Hairston. EDWARDS, R.P. Troutman, Sanders, Lockerman & Ashmore. 88/08/23 LAMBE, W.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 500pp 46670 040 46670 180.

Q. Inspection reports, IE Bulletins & correspondence

8808310052 Forwards Insp Rept 50-425/88-19 on 880511-22, 0606-10 & 0711-14 & notice of violation. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/18. HAIRSTON, W.G. Georgia Power Co. 2pp 46699.193-46699 218.

--8808310054 Notice of violation from Insp on 880511-0714 Violations noted, P&ID & pipe support drawing found to have discrepancies between actual condition in field & drawing & pipe support drawings lacked proper locating dimensions. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/18 4pp. 46699.195 46699 199

--8808310098 Insp Rept 50-425/88-19 on 880511-0714. Violations noted. Major areas inspected, safety-related supports & Readiness Review Module 11, "Pipe Stress & Supports." VIAS, S.J., SINKULE, M.V. Region 2, Ofc of the Director. 88/08/18 21pp. 46699.199-46699 219.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690 178.

8808300352 Forwards Insp Rept 50-425/88-38 on 880627-0803 No violations or deviations noted BROWNLEE, V.L. Region 2, Ofc of the Director. 88/08/19. HAIRSTON, W.G. Georgia Power Co. 2pp. 46782 002-46782 024

--8808300353 Insp Rept 50-425/88-38 on 880627-0803 No violations or deviations noted. Major areas inspected, fire protection, reactor vessel & internals, piping sys & supports, safety-related components & raceways & instrumentation. SCHEPENS, R.J., BURGER, C.W., SINKULE, M.V. Region 2, Ofc of the Director. 88/08/19. 21pp 46782.004-46782 024.

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

8809070061 Forwards Insp Repts 50-424/88-27 & 50-425/88-37 on 880627-30 & notice of violation. HERDT, A.R. Region 2, Ofc of the Director. 88/08/23 HAIRSTON, W.G. Georgia Power Co. 2pp 46778 352-46778 361.

--8809070071 Notice of violation from Insp on 880627-30. Violation noted: damaged section of pipe covered w/plastic & prepared for application of insulation prior to detection of damage by inspector. HERDT, A.R. Region 2, Ofc of the Director. 88/08/23 2pp. 46778.354-46778 355.

--8809070089 Insp Repts 50-424/88-27 & 50-425/88-37 on 880627-30. Violation noted. Major areas inspected, as-built verification of RCS pressure boundary piping & safety-related piping, open items & activities re NRC Bulletin 88-005. GLASMAN, M., BLAKE, J.J. Region 2, Ofc of the Director. 88/08/18. 6pp. 46778.356-46778 361.

DOCKETED ITEMS 177

8809070090 Forwards Insp Rept 50-425/88-27 on 880504-26 No violations or deviations noted List of unresolved items identified in Module 6 encl
HERDT,A R Region 2, Ofc of the Director 88/08/23 HAIRSTON,W.G. Georgia Power Co 3pp 46774 212-46774 247

-8809070091 Insp Rept 50 425/88 27 on 880504-26 No violations noted Major areas inspected evaluation for one of 11 readiness review modules as part of pilot readiness review program. Two unresolved items identified
HUNT,M.D., MCCORMICK,R.D., CONLON,T.E. Region 2, Ofc of the Director 88/08/19 33pp 46774 215 46774 247.

8808160368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713 218-46713 219

8808310218 Responds to violations noted in Insp Rept 50-425/88-35 Corrective actions involved test personnel retrained on contents & requirements of SUM-12C, "Preoperational Test Procedure"
RICE,P.D. Georgia Power Co 88/08/24. Document Control Branch (Document Control Desk) 1p 46889 143 46889 143

8809070385 Forwards Insp Rept 50-425/88-26 on 880504-26 No violations or deviations noted.
HERDT,A R Region 2, Ofc of the Director 88/08/24 HAIRSTON,W.G. Georgia Power Co 3pp 46773 134-46773 188

-8809070397 Insp Rept 50 425/88 26 on 880516-26 No major weaknesses or verification errors noted Major areas inspected,review of module rept,including exam of supporting documentation & insp of associated hardware
HUNT,M.D., CONLON,T.E. Region 2, Ofc of the Director 88/08/19 32pp 46773,137-46773 188.

8808310027 Forwards Rev 3 to ISI P-010, "Preservice Insp Program," incorporating Requests for Relief 1 through 45 & reformatted line list which includes nonsafety related lines w/snubbers requiring testing Responses to NRC 880811 questions encl.
BAILEY,J.A. Georgia Power Co BAILEY,J.A. Southern Company Services, Inc 88/08/25. Document Control Branch (Document Control Desk) 8pp 46703,281 46708,114

-8808310033 Rev 3 to ISI P 010, "Preservice Insp Program." Portions of Rev 2 to ISI-P-009, "Preservice Insp Plan" encl.
* Georgia Power Co 88/07/25 3,000pp 46703 289-46708,114

8808310068 Forwards Insp Repts 50-424/88-28 & 50 425/88-39 on 880718-22, Violations noted Notice of violation withheld (ref 10CFR12 790(d) & 73.21).
CLINE,W.E. Region 2, Ofc of the Director 88/08/25 HAIRSTON,W.G. Georgia Power Co 3pp. 46719 082-46719 085

-8808310078 Partially withhold Insp Repts 50 424/88-28 & 50 425/88 38, (ref 10CFR12,790(d) & 73 21) Violations noted Major areas inspected security plan & implementing procedures,testing & maint,security sys power supply,lighting & assessment aids
TILLMAN,A, PERNY,C., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/08/23 1p 46719,085-46719 085.

8809080341 Forwards Insp Repts 50-424/88-32 & 50-425/88 40 on 880718-22 No violations or deviations noted
HERDT,A R Region 2, Ofc of the Director. 88/08/25 HAIRSTON,W.G. Georgia Power Co 2pp 46790,189 46790 208

-8809080346 Insp Repts 50 424/88-32 & 50-425/88-40 on 880718-22.No violations or deviations noted Major areas inspected unresolved item,const deficiency repts,IE bulletins & work observation
MILLER,M.N., CONLON,T.E. Region 2, Ofc of the Director. 88/08/23 8pp. 46790 201-46790 208

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc 123pp. 46713,095 46713:217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/01 Consolidated Edison Co. of New York, Inc 121pp. 46712:244-46713,004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726,123.

8809220191 Ack receipt of 880719 ltr informing NRC of steps taken to correct deviations noted in Insp Rept 50 425/88-32.
HERDT,A.R. Region 2, Ofc of the Director 88/09/09 HAIRSTON,W.G. Georgia Power Co 2pp 46928,085-46928 086

8809260224 Ack receipt of 880824 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50 425/88-35.
HERDT,A.R. Region 2, Ofc of the Director 88/09/10 HAIRSTON,W.G. Georgia Power Co. 2pp. 46957,211 46957:212

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824:215-46824:336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18. Consolidated Edison Co. of New York, Inc. 124pp 46946:133 46946:252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46846:253-46847,013.

S. Reportable occurrences, LERs & related correspondence

8809060253 Part 21 & deficiency rept re ESF filtration unit bolts Initially reported on 880628 Contractor conducted training session for personnel to stress importance of clarifying incomplete drawing info & requirements of bolting procedure
RICE,P.D. Georgia Power Co 88/08/01 Document Control Branch (Document Control Desk) 5pp 46758,214 46758 218

V. Operator Examinations

8809080365 Advises that MJ Rowe no longer employed in licensed position at plant under License SOP-20500
MCDONALD,R.P. Georgia Power Co 88/08/22 MUNRO,J Region 2, Ofc of the Director 1p 46792 341-46792 341

8809060051 Concurs w/recommendation that NRC not administer plant differences exams for dual unit licensing,per 880824 memo Concurrence contingent upon Region II proceeding w/plan to observe sampling of plant walk-through exams
HANNON,J.N. Operator Licensing Branch. 88/08/30 JULIAN,C.A. Region 2, Ofc of the Director 3pp 46764,332 46764 334

8809080015 Requests that NRC conduct operator licensing exam through Sept 1992,as indicated on encl schedules,in response to Generic Ltr 88-13
MCDONALD,R.P. Georgia Power Co 88/08/31 HANNON,J Operator Licensing Branch. 6pp. 46789 097-46789 102

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065,001 47065 006.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 068, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890 178

8808160451 NRC Info Notice 88 069, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703,070.

8808160368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713:219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713,095-46713,217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712,244-46713,004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001 46726 123.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824:215-46824 336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp 46946:133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46846 253-46847 013.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment.Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065,001-47065,006

8808290133 Advises that revised process for review of correspondence to NRC has reduced until requests re extension of response time.
GRIDLEY,R. Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk) 2pp. 46877:267-46877:268.

178 DOCKETED ITEMS

8809150006 Informs of decision to defer const at plant indefinitely. Two hundred persons will be maintained to perform essential maint & environ activities. SCHMIERBACH,M Tennessee Valley Authority. 88/09/07. HORN,C Alabama, State of. 11pp 46848 197-46848 207.

H. General correspondence

8809300038 Informs that RA Pedde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn. WHITE,S.A Tennessee Valley Authority. 88/08/19. PARTLOW,J.G Ofc of Special Projects 4pp 46698 292-46698 294.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809140302 Corrected pages to Amend 29 of FSAR for Bellefonte Nuclear Plant W/ 880907 ltr. GRIDLEY,R Tennessee Valley Authority 88/09/07 10pp 46840 293 46840.307.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001 46726 123.

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppl 1 & 2. GRIDLEY,R.L. Tennessee Valley Authority. 88/08/12. Document Control Branch (Document Control Desk). 180pp. 46896 336 46897 155.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 338.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809060248 "Environ Radioactivity Levels, Bellefonte Nuclear Plant Annual Rept 1987." W/880826 ltr. GRIDLEY,R Tennessee Valley Authority. 87/12/31. 34pp. 46757 301 46757 334.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA,F.J Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006.

8808290133 Advises that revised process for review of correspondence to NRC has reduced until requests re extension of response time. GRIDLEY,R Tennessee Valley Authority. 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46877.267-46877 268.

8809150006 Informs of decision to defer const at plant indefinitely. Two hundred persons will be maintained to perform essential maint & environ activities. SCHMIERBACH,M Tennessee Valley Authority 88/09/07. HORN,C Alabama, State of. 11pp 46848:197-46848 207.

H. General correspondence

8809300038 Informs that RA Pedde & CC Mason assigned addl responsibilities as site directors of facilities to replace JP Darling & HP Pomrehn. WHITE,S.A Tennessee Valley Authority 88/08/19. PARTLOW,J.G. Ofc of Special Projects 4pp 46698 292-46698 294.

K. Utility Final Safety Analysis Report (FSAR) & amends

8809140302 Corrected pages to Amend 29 of FSAR for Bellefonte Nuclear Plant W/ 880907 ltr. GRIDLEY,R. Tennessee Valley Authority 88/09/07 10pp. 46840.293 46840.307.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690.054 46690.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp. 46713 218 46713 219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713 217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppl 1 & 2. GRIDLEY,R.L. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk). 180pp. 46896.336 46897 155.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 338.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946.133 46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809060248 "Environ Radioactivity Levels, Bellefonte Nuclear Plant Annual Rept - 1987." W/880826 ltr. GRIDLEY,R. Tennessee Valley Authority 87/12/31. 34pp. 46757:301 46757 334.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8809130166 Rev 6 to App B to Emergency Public Info Organization Implementing Instructions Manual, "Emergency Public Organization Personnel Lists." W/880908 ltr. HEFFNER,G., KAPLAN,A. Cleveland Electric Illuminating Co. 88/08/17 15pp 46830.134 46830 148.

8809010134 Advises that Change 1 to Rev 8 of Emergency Plan consistent w/requirements of 10CFR50.54(g) & does not decrease effectiveness of plan. SHAFER,W.D Region 3, Ofc of the Director. 88/08/25. KAPLAN,A Cleveland Electric Illuminating Co. 2pp. 46720 352-46720 353.

8809140434 Revised emergency plan implementing procedures, including Temporary Change Notice 2 to Rev 3 to EPI-A1, "Emergency Action Levels" & Rev 4 to EPI-A7, "Operations Support Ctr Activation." W/880902 ltr. KAPLAN,A Cleveland Electric Illuminating Co. 88/09/02. 77pp. 46841 289-46842 015.

8809230283 Forwards Safety Insp Rept 50-440/88-12 on 880701-0823 & notice of violation. KNOP,R.C Region 3, Ofc of the Director 88/09/14. KAPLAN,A. Cleveland Electric Illuminating Co. 2pp. 46943:350-46943 353.

-8809230289 Insp Rept 50-440/88-12 on 880701-0823. Violations noted Major areas inspected: NRC bulletins, 10CFR21 repts, NRC generic ltrs, operational safety, nonroutine events, LERs, ESF sys walkdown & physical security. COOPER,R. Region 3, Ofc of the Director. 88/09/14 20pp. 46943:354 46944 013.

DOCKETED ITEMS 179

8809230010 Advises that 880830 is acceptable date to reschedule next exercise, in response to 880822 ltr
SHAFER, W.D. Region 3, Ofc of the Director 88/09/16 KAPLAN, A. Cleveland Electric Illuminating Co. 1p 46944.335 46944.335

G. Adjudicatory correspondence

8809140193 Licensee answer to Concerned Citizens ltr re FEMA memoranda on 10CFR2.206 petition * Citizens 870922 petition, relying on FEMA & EPA recommendations as basis for enforcement action should be denied Third affidavit of DD Hulbert and
RIDGWAY, D.A. Cleveland Electric Illuminating Co. RIDGWAY, D.A. Shaw, Pittman, Potts & Trowbridge #388 7057 88/08/31 Commissioners 29pp, 46786.183 46786.219

--8809140202 Third affidavit of DD Hulbert * Discusses issues raised by Concerned Citizens ltr re emergency planning W/Certificate of Svc
HULBERT, D.D. Cleveland Electric Illuminating Co. 88/08/31. 8pp 46786.212-46786.219.

8809160040 Advises that time for Commission to review Director's Decision 88-13 expired Commission declined review & decision became final agency action on 880908 Served on 880913.
CHILK, S.J. Office of the Secretary of the Commission #388 7061 88/09/13
POCH, D. Energy Probe SCHLEMMER, D.L. Western Reserve Alliance 1p 46813.009 46813.009.

H. General correspondence

8809150064 Requests that plant svc list be updated w/listed info
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/02 Document Control Branch (Document Control Desk). 1p 46847.139 46847.139

J. Insurance & Indemnity Information

8809070458 Forwards Endorsements 25,18,5 & 5 to NELIA Policy NF-281, MAELU Policy MF-124, NELIA Certificate N-102 & MAELU Certificate M-102, respectively.
ERTLE, R.F. Centurion Energy, 88/08/31 DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp 46784.264-46784.270

M. Antitrust correspondence

8808300125 Forwards FR notice granting request to extend time until 880913 to comment on suspension of license antitrust conditions
LAMBE, W.M. Policy Development & Technical Support Branch (Post 870411). 88/08/25. ALBERT, J.M. Goldberg, Feldman & Latham, P.C. 3pp. 46891.345 46891.347.

P. Operating license stage documents & correspondence

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47085.001-47085.006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMBLEY, D.H. NRC - No Detailed Affiliation Given. 88/09/17 CONNOR, L. DocSearch Associates. 5pp 46770.080 46770.089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770.211-46770.223.

8809070513 Advises that 880223 response to NRC 871107 request for addl info re Info re Items 3.1.3 & 3.2.3 of Generic Ltr 83-28, "Post-Maint Testing for Reactor Trip Sys & All Other Safety-Related Components for Perry Nuclear " acceptable.
COLBURN, T.G. Project Directorate III-3. 88/08/31 KAPLAN, A. Cleveland Electric Illuminating Co. 3pp 46784.325 46784.327

8809140019 Forwards test results from BNL re fasteners removed from equipment, per NRC 880808 request Bolts suitable for intended applications w/no further action required.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/07 Document Control Branch (Document Control Desk) 4pp 46837.252-46837.255

8809190138 Forwards notice of consideration of issuance of amend to OL & proposed NSHC determination & opportunity for hearing, revising Tech Spec Table 3.6.4 1-1 to delete circuit breakers that are not Containment penetration devices
COLBURN, T.G. Project Directorate III-3 88/09/07. KAPLAN, A. Cleveland Electric Illuminating Co. 2pp 46895.251-46895.252.

--8809190102 Notice of consideration of issuance of amend to License NPF-58, deleting circuit breakers & correcting typos.
COLBURN, T.G. Project Directorate III-3 88/09/07. 8pp 46895.253-46895.259.

8809200155 Forwards revised Tech Specs Pages 6-1, 6-2 & 6-6 to Amend 13 to License NPF-58, omitted during reproduction of package. Amend deleted organization charts & refs & added clarifying language to Section 6.2.1.
COLBURN, T.G. Project Directorate III-3 88/09/14 KAPLAN, A. Cleveland Electric Illuminating Co. 2pp. 46915.119 46915.123

--8809200170 Revised pages to Amend 13 to License NPF-58, consisting of revised Tech Specs Pages 6-1, 6-2 & 6-6, deleting organization charts.
* NRC - No Detailed Affiliation Given 88/09/14. 3pp 46915.121-46915.123

8809260047 Concludes that licensee adequately met acceptance criteria for leakage reduction program in response to TMI Action Item III D 1.1 re leakage reduction program of potential primary coolant sources outside containment.
COLBURN, T.G. Project Directorate III-3 88/09/20 KAPLAN, A. Cleveland Electric Illuminating Co. 3p. 46966.231-46966.233.

8809280205 Forwards responses to questions listed in technical evaluation rept for evaluation of Rev 2 to offsite dose calculation manual
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/20 Document Control Branch (Document Control Desk) 8pp 46955.353 46955.360

Q. Inspection reports, IE Bulletins & correspondence

8809190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690.054 46690.178.

8808280245 Responds to NRC 880721 ltr re violations noted in Insp Rept 50 440/88 09. Error did not result in violation & should be retracted Issue will be discussed during licensed operator requalification training program
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/19 Document Control Branch (Document Control Desk) 4pp. 46553.357-46553.360

8808180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070

8808180366 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp 46713.218 46713.219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713.095 46713.217

8809070353 Provides response to SALP Board rept for May 1987 - Apr 1988 Response suppls comments on SALP 8 rept expressed during 880802 meeting w/NRC
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46778.201-46779.202

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp 46712.244-46713.004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves " Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46726.001 46726.123.

8809140265 Responds to NRC Bulletin 88 005 re nonconforming piping matl NUMARC formed ad hoc industry committee to address generic aspects of bulletin in early June & util dedicated mechanical design senior project engineer to committee
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/07 Document Control Branch (Document Control Desk). 4pp. 46839.237-46839.240.

8809200115 Responds to NRC Bulletin 88 007, "Power Oscillations in BWRs." Licensed reactor operators & shift technical advisors briefed on event described in bulletin, enhancements made to operating procedures & procedures reviewed.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/12. Document Control Branch (Document Control Desk). 3pp. 46916.160 46916.162

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809230283 Forwards Safety Insp Rept 50-440/88-12 on 880701-0823 & notice of violation
KNOP, R.C. Region 3, Ofc of the Director 88/08/14 KAPLAN, A. Cleveland Electric Illuminating Co. 2pp. 46943.350 46943.353.

--8809230288 Notice of violation from insp on 880701-0823 Violations noted licensee personnel performed venting & filling of FHR sys w/o written procedural guidance on 880322-23 & overtime guidelines exceeded w/o approved overtime deviation request.
KNOP, R.C. Region 3, Ofc of the Director 88/09/14 2pp. 46943.352-46943.353

--8809230289 Insp Rept 50 440/88-12 on 880701-0823. Violations noted Major areas inspected: NRC bulletins, 10CFR21 repts, NRC generic ltrs, operational safety, nonroutine events, LERs, ESF sys walkdown & physical security.
COOPER, R. Region 3, Ofc of the Director 88/09/14. 20pp 46943.354 46944.013.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/16. Consolidated Edison Co. of New York, Inc. 124pp 46946.133 46946.262

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46949.253-46947.013

R. Periodic operating reports & related correspondence

8809080038 "Semiannual Radioactive Effluent Release Rept, Jan-June 1988 " W/ 880830 ltr.
KENSICKI, S.F., KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/30. 200pp 46759.040-46759.241.

8809010196 Forwards "Seventh Quarterly Rept Cleveland Electric Illuminating Seismic Monitoring Network, Apr-June 1988."
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/28. Document Control Branch (Document Control Desk) 2pp. 46720.046-46720.065

180 DOCKETED ITEMS

--8809010207 "Seventh Quarterly Rept Cleveland Electric Illuminating Seismic Monitoring Network, Apr-June 1988."
* Weston Geophysical Corp. 88/06/30. 18pp. 46720.048-46720.065.

8809080030 Forwards annual rept of 10CFR50.59 safety evaluations for 1987. Various categories of safety evaluations & summary of safety evaluations re Hill bolt mods & definition of acronyms & format description encl.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/31. Document Control Branch (Document Control Desk). 375pp. 46786.341-46787.317.

8809200128 Monthly operating rept for Aug 1988 for Perry Unit 1 W/ 880915 ltr.
DUNN, G. A., KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/31. 6pp. 46900.146-46900.151.

S. Reportable occurrences, LERs & related correspondence

8808250304 Special Rept NP-38.04 on 880805, primary containment area gross radiation monitors had less than min required channels due to failed monitor caused by high voltage failure due to defective voltage power supply circuit board. Board replaced.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/19. Document Control Branch (Document Control Desk). 2pp. 46648.101-46648.102.

8809140418 PNO III 88.078 on 880904, fire occurred in two charcoal adsorber tanks in offgas sys. Cause under investigation. Nitrogen purge of tanks performed & temps reduced.
COOPER, R., KNOP, R. Region 3, Ofc of the Director. 88/09/06. 2pp. 46841.165-46841.166.

8809140467 LER 88.029.00 on 880812, standby liquid control pump B suctional manual isolation valve inadvertently left closed resulting in trains being inoperable. Caused by personnel error. Counseling session will be held W/880909 ltr.
DUNN, G. A., KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/09. 5pp. 46639.232-46639.236.

8809260339 PNO-III 88.081 on 880916, reactor operators observed decrease in flow through offgas sys, coupled w/drop in generator electrical output & decrease in main condenser vacuum. Plant shut down for investigation into offgas problem.
COOPER, R. W., KNOP, R. C. Region 3, Ofc of the Director. 88/09/19. 2pp. 46956.209-46956.210.

V. Operator Examinations

8808260245 Responds to NRC 880721 ltr re violations noted in Insp Rept 50-440/88-09. Error did not result in violation & should be retracted. Issue will be discussed during licensed operator requalification training program.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/19. Document Control Branch (Document Control Desk). 4pp. 46653.357-46653.360.

8808300002 Requests that util furnish encl ref mat requirements for reactor/senior reactor operator licensing exams scheduled for wks of 881205 & 12.
WRIGHT, G. C. Region 3, Ofc of the Director. 88/08/24. KAPLAN, A. Cleveland Electric Illuminating Co. 11pp. 46697.001-46697.022.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl.
MIRAGLIA, F. J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47085.001-47085.006.

F. Security, medical, emergency & fire protection plans

8809130166 Rev 6 to App B to Emergency Public Info Organization Implementing Instructions Manual, "Emergency Public Organization Personnel Lists." W/880906 ltr.
HEFFNER, G., KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/17. 15pp. 46830.134-46830.148.

8809010134 Advises that Change 1 to Rev 8 of Emergency Plan consistent w/requirements of 10CFR50.54(g) & does not decrease effectiveness of plan.
SHAFER, W. D. Region 3, Ofc of the Director. 88/08/25. KAPLAN, A. Cleveland Electric Illuminating Co. 2pp. 46720.352-46720.353.

8809140434 Revised emergency plan implementing procedures, including Temporary Change Notice 2 to Rev 3 to EPI-A1, "Emergency Action Levels" & Rev 4 to EPI-A7, "Operations Support Ctr Activation." W/880902 ltr.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/02. 77pp. 46841.299-46842.015.

8809230010 Advises that 880830 is acceptable date to reschedule next exercise, in response to 880822 ltr.
SHAFER, W. D. Region 3, Ofc of the Director. 88/09/16. KAPLAN, A. Cleveland Electric Illuminating Co. 1p. 46944.335-46944.335.

G. Adjudicatory correspondence

8809140193 Licensee answer to Concerned Citizens ltr re FEMA memoranda on 10CFR2.206 petition * Citizens 870922 petition, relying on FEMA & EPA recommendations as basis for enforcement action should be denied Third affidavit of DD Hulbert encl.
RIDGWAY, D. A. Cleveland Electric Illuminating Co. RIDGWAY, D. A., Shaw, Pittman, Potts & Trowbridge. #388.7057. 88/08/31. Commissioners. 29pp. 46786.183-46786.219.

--8809140202 Third affidavit of DD Hulbert. * Discusses issues raised by Concerned Citizens ltr re emergency planning W/Certificate of Svc.
HULBERT, D. D. Cleveland Electric Illuminating Co. 88/08/31. 8pp. 46786.212-46786.219.

8809160040 Advises that time for Commission to review Director's Decision 8813 expired. Commission declined review & decision became final agency action on 880908. Served on 880813.
CHILK, S. J. Office of the Secretary of the Commission. #388.7061. 88/09/13.
POCH, D. Energy Probe. SCHLEMMER, D. L. Western Reserve Alliance. 1p. 46813.002-46813.009.

H. General correspondence

8809150084 Requests that plant svc list be updated w/listed info.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/02. Document Control Branch (Document Control Desk). 1p. 46847.139-46847.139.

J. Insurance & Indemnity Information

8809070458 Forwards Endorsements 26, 18.5 & 5 to NELIA Policy NF 291, MAELU Policy MF-124, NELIA Certificate N-102 & MAELU Certificate M-102, respectively.
ERTLE, R. F. Centenor Energy. 88/08/31. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46784.264-46784.270.

Q. Inspection reports, IE Bulletins & correspondence

8808180195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Returbished Valves." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of QC Motor Operated Valves." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123.

8809140265 Responds to NRC Bulletin 88-005 re nonconforming piping mat NUMARC formed ad hoc industry committee to address generic aspects of bulletin in early June & util dedicated mechanical design senior project engineer to committee.
KAPLAN, A. Cleveland Electric Illuminating Co. 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46839.237-46839.240.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.253-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 126pp. 46946.253-46947.013.

R. Periodic operating reports & related correspondence

8809010196 Forwards "Seventh Quarterly Rept Cleveland Electric Illuminating Seismic Monitoring Network, Apr-June 1988."
KAPLAN, A. Cleveland Electric Illuminating Co. 88/08/28. Document Control Branch (Document Control Desk). 2pp. 46720.048-46720.065.

--8809010207 "Seventh Quarterly Rept Cleveland Electric Illuminating Seismic Monitoring Network, Apr-June 1988."
* Weston Geophysical Corp. 88/06/30. 18pp. 46720.048-46720.065.

V. Operator Examinations

8808300002 Requests that util furnish encl ref mat requirements for reactor/senior reactor operator licensing exams scheduled for wks of 881205 & 12.
WRIGHT, G. C. Region 3, Ofc of the Director. 88/08/24. KAPLAN, A. Cleveland Electric Illuminating Co. 11pp. 46697.001-46697.022.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

E NRC Safety Evaluation Report (SER), supplies & correspondence

8809080331 Forwards SSER 8 for review & concurrence Suppl intended to support issuance of 5% license for Unit 1 Concurrence requested by 880915 W/o encl
BOGER,B.A. Region 1, Ofc of the Director 88/09/01 THADANI,A.C. Assistant Director for Systems, RICHARDSON,J.E. Assistant Director for Engineering, CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411), 1p 46792,340-46792,340.

F. Security, medical, emergency & fire protection plans

8809090037 Final response to FOIA request for records re Shoreham offsite emergency plan App G documents available in PDR App H documents withheld (ref FOIA Exempt 5) No further action being taken on appeal ltr dtd 880613
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/11 BELAIR,R.R. Kirkpatrick & Lockhart, 4pp, 46766,310 46766 325

-8805040309 Requests regional ofcs,except Region I,to provide staff necessary to support FEMA exercises at Shoreham on 880607-09 & at Seabrook on 880828-29 Nominations requested by 880509. Guidance encl
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director 88/04/27 GRACE,J.N. Region 2, Ofc of the Director DAVIS,A.B. Region 3, Ofc of the Director, MARTIN,R.D. Region 4, Ofc of the Director. 3pp 46766 314-46766:318

8809080137 Recommends approval of draft final rule on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power testing
STELLO,V. Ofc of the Executive Director for Operations SECY-88-246 88/09/01 32pp 46919,058-46919,089.

8809120138 Motion to amend bases * Requests that bases to amended contention of Atty General JM Shannon on notification sys be amended as stated Supporting documentation & Certificate of Svc encl
JONAS,S.A. Massachusetts, Commonwealth of #388 7036, 88/09/08, Atomic Safety and Licensing Board Panel. 14pp 46752:230-46752:243.

8809140099 Forwards decision by US First Circuit Court of Appeals denying various petitions for review of Commission incorporation of realism doctrine in emergency planning regulations where govts decline to participate in planning
TURK,S.E. Assistant General Counsel for Hearings #388 7045, 88/09/09, SMITH,I.W., HARBOUR,J., LINENBERGER,G. Atomic Safety and Licensing Board Panel 18pp, 46766,262-46766 279.

8809160014 Forwards RW Krimm 880902 memo to NRC & RW Donovan 880908 ltr to RH Strome of State of NH,served on svc list for hearing. Certificate of Svc encl.
FLYNN,H.J. Federal Emergency Management Agency, #388 7067, 88/09/12, Docketing & Services Branch, 11pp 46812 323-46812:333.

8809260005 Forwards applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA,memo in support of applicant motion & affidavits of listed individuals,including TN Board.
TROUT,J.P. Public Service Co. of New Hampshire TROUT,J.P. Ropes & Gray #388 7131 88/09/17, Docketing & Services Branch 2pp, 46910,001-46910,317.

-8809260027 Memorandum in support of applicant motion for summary disposition of Commonwealth of MA atty general amended contention on notification sys * Motion should be allowed. Mail facts not in dispute encl.
TROUT,J.P., SMITH,I.W., Public Service Co. of New Hampshire, TROUT,J.P. Ropes & Gray, 88/09/17, Atomic Safety and Licensing Board Panel, 58pp, 46910 005-46910 082

-8809260041 Affidavit of TN Board.* Addresses allegations in Contention Bases A 5 & B 3 re time required to get vehicles dispatched & setup.Supporting info encl
BEARD,T.N. Public Service Co of New Hampshire 88/09/17, 15pp, 46910 063-46910,076

-8809260050 Affidavit of SN Caruso * Discusses allegations in Contention Bases A 4 & A 6 re vehicular alert & notification sys vehicles Supporting info encl.
CARUSO,S.N. Public Service Co of New Hampshire, 88/09/17 17pp, 46910,077-46910 092.

-8809260069 Affidavit of GJ Catapano * Addresses allegations in Contention Bases A 5 & A 14 re vehicular alert & notification sys Supporting info encl.
CATAPANO,G.J. Public Service Co. of New Hampshire, CATAPANO,G.J. AllComm, Inc. 88/09/17, 23pp, 46910,093-46910 114.

-8809260077 Affidavit of EW Desmarais.* Addresses allegations in Contention Bases A.1,A.5,A.9,A.10,A.11,B.1,B.3 & B.4 Related info encl.
DESMARIS,E.W. Public Service Co. of New Hampshire 88/09/17, 51pp, 46910:115-46910:164.

-8809260087 Affidavit of RJ Faix.* Addresses allegations in Contention Bases A.1 & A.7 re vehicular alert & notification sys Supporting info encl
FAIX,R.J. Public Service Co. of New Hampshire, FAIX,R.J. Westinghouse Electric Corp. 88/09/17, 9pp, 46910:165-46910:172.

-8809260142 Affidavit of DE Johnson.* Addresses allegations in Contention Contention Bases A.4 & A 6 re applicant vehicular alert & notification sys vehicles.Supporting documentation encl
JOHNSON,D.E. Public Service Co. of New Hampshire, JOHNSON,D.E. Yankee Atomic Electric Co. 88/09/17 27pp, 46910:186-46910:211.

-8809260149 Affidavit of DN Keast * Discusses Contention Bases A.7 re hearing damage to anyone within 100 ft of siren during operation.Supporting info encl.
KEAST,D.N. Public Service Co. of New Hampshire, KEAST,D.N. Warning System Services, 88/09/17, 18pp, 46910,212-46910:226.

-8809260193 Affidavit of E Stusnick.* Addresses allegations in Contention A.1.Supporting documentation encl.
STUSNICK,E. Public Service Co. of New Hampshire, STUSNICK,E. Wyle Laboratories, 88/09/17 44pp, 46910:264-46910:306.

8809280033 Commonwealth of MA atty general exercise contention,s submitted in response to June 1988 plant initial full-participation exercise.* Supporting documentation & Certificate of Svc encl.
FIERCE,A.R. Massachusetts, Commonwealth of, #388 7117, 88/09/21, Atomic Safety and Licensing Board Panel 12pp, 46908,067-46908:185.

8809280040 Request to file reply of Commonwealth of MA atty general to applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/re-spect to siren contentions * Supporting Info & Certificate of Svc encl.
JONAS,S.A. Massachusetts, Commonwealth of #388 7119, 88/09/21 Atomic Safety and Licensing Board Panel 14pp 46908 209 46908 222

8809280048 Town of Hampton & New England Coalition on Nuclear Pollution emergency planning contentions on 880628-29 exercise * Supporting documentation & Certificate of Svc encl
MCEACHERN,P. Hampton, NH, MCEACHERN,P. Shaines & McEachern BROCK,M.T. New England Coalition on Nuclear Pollution #388 7120 88/09/21 Atomic Safety and Licensing Board Panel, 11pp, 46908 223 46908 233

G. Adjudicatory correspondence

8809070009 Requests that notices of appearance,dtd 880809,be disregarded & re placed w/encl notices due to incorrect info submitted.
TALBOT,P. Massachusetts, Commonwealth of #388 6938, 88/08/15 Docketing & Services Branch 6pp 46895 275-46895:280.

8809020013 Seabrook OL case onsite emergency planning & technical issues * Forwards New England Coalition on Nuclear Pollution notice re summary disposition motion & answers to applicant interrogatories re RG-58 cable Related correspondence encl.
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss, #388 6988, 88/08/19, WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel, 1p 46666,157-46666 170

-8809020020 New England Coalition on Nuclear Pollution (NECNP) answers to applicant first set of interrogatories & first request for production of documents re NECNP contentions re RG-58 cable * Related info & Svc list encl Related correspondence
CURRAN,D. New England Coalition on Nuclear Pollution, CURRAN,D. Harmon & Weiss 88/08/19, Public Service Co of New Hampshire 13pp, 46666,158-46666 170.

8809020038 Seabrook OL case:offsite emergency planning issues * Forwards corrected Page 12 to New England Coalition on Nuclear Pollution proposed findings of fact & conclusions of law,correcting typo on Line 11.Svc list encl.
CURRAN,D. New England Coalition on Nuclear Pollution, CURRAN,D. Harmon & Weiss, #388 6987, 88/08/19, SMITH,I.W., HARBOUR,J., LINENBERGER,G. Atomic Safety and Licensing Board Panel 3pp, 46666,208 46666:210

8809020010 Seabrook OL case onsite emergency planning & technical issue.* Advises that filings sent to ASLB on 880819 should be captioned under OL-1,onsite emergency planning issues.W/ Certificate of Svc.Related correspondence.
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss, #388 6974, 88/08/24, WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel, 4pp, 46666:138 46666:139

8809020015 New England Coalition on Nuclear Pollution notice of appeal of ASLB 88 558-01-OLR.* Svc list encl.
CURRAN,D., TOUSLEY,D.R. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 6971 88/08/24, 3pp 46666,171-46666,173.

8809020044 Seabrook OL case:offsite emergency planning issues * Forwards second corrected Page 12 to New England Coalition on Nuclear Pollution proposed findings of fact & conclusions of law
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 6972 88/08/24 SMITH,I.W., HARBOUR,J., LINENBERGER,G. Atomic Safety and Licensing Board Panel, 2pp 46666 221-46666:222.

8809020056 Advises of NRC official hours for persons wishing to serve pleadings,papers or documents on NRC attys in Hearing Div of Ofc of General Counsel
SCINTO,J.F. Assistant General Counsel for Hearings, #388 6991, 88/08/24, AHRENS,P., AMIRIAN,A.N., ARMSTRONG,W. Affiliation Not Assigned, 3pp 46666,260-46666 262.

8809020024 Informs that time provided for Commission to review ALAB 896 expired.Commission declined review & decision became final agency action on 880824 Served on 880825.
CHILK,S.J. Office of the Secretary of the Commission, #388 6973, 88/08/25, Atomic Safety and Licensing Board Panel, 1p, 46666:174-46666:174.

8809020042 Memorandum & order (denying applicant motion for referral) * Applicant motion for referral & cross motion for referral by Commonwealth of MA atty general & New England Coalition on Nuclear Pollution denied Served on 880829.
SMITH,I.W. Atomic Safety and Licensing Board Panel, #388 6983, 88/08/26, Public Service Co. of New Hampshire, 10pp 46666,211-46666:220.

8809020054 Notifies of NRC official hours.All necessary legal & support staff of organizations should be advised of procedures Served on 880826.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel #388 6977, 88/08/26 Office of the General Counsel 1p 46666 259-46666:259.

8809020058 Motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 (petition for waiver of rules precluding financial qualification inquiry). * Request seeking info on Unit 1 financial qualification encl W/Svc list
BACKUS,R.A. Seacoast Anti-Pollution League, BACKUS,R.A. Hampton, NH BACKUS,R.A. Massachusetts, Commonwealth of, #388 6988, 88/08/26, Commissioners, 12pp, 46666:263-46666 274

8809120004 Forwards NRC proposed findings of fact & conclusions of law re sheltering issues,per 2-day extension of time granted by ASLB.
TURK,S.E. Assistant General Counsel for Hearings #388 7003 88/08/26, SMITH,I.W., HARBOUR,J., LINENBERGER,G. Atomic Safety and Licensing Board Panel 1p, 46752,083-46752:125.

-8809120012 NRC Staff proposed findings of fact & conclusions of law w/ respect to sheltering issues.* W/Certificate of Svc.
TURK,S.E. Assistant General Counsel for Hearings 88/08/26, 41pp, 46752:084-46752:125.

182 DOCKETED ITEMS

- 8809020084** Order * Advises that copies of submissions & correspondence re proceeding should be sent to author at stated address Served on 880831
WOLFE,S J Atomic Safety and Licensing Board Panel #388 6989 88/08/30 Office of the General Counsel 1p 46666 332 46666 332
- 8809120014** Applicant reply to proposed findings of fact & conclusions of law of other parties on shelter contentions * Certificate of Svc encl
LEWALD,G H, SELLECK,K A Public Service Co of New Hampshire LEWALD,G H Ropes & Gray #388 7015, 88/08/31 30pp 46752 199 46752 228
- 8809120032** Applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook plan for * W/ Certificate of Svc Related correspondence
TROUT,J P Public Service Co of New Hampshire TROUT,J P Ropes & Gray #388 7006 88/08/31 Office of the General Counsel 10pp 46752 298-46752 307
- 8809120018** New England Coalition on Nuclear Pollution Supplemental answer to applicant first set of interrogatories & first request for production of documents re RG 58 cable * Svc list encl Related correspondence
CURRAN,D New England Coalition on Nuclear Pollution CURRAN,D Harmon & Weiss #388 7016 88/09/01 Public Service Co of New Hampshire 4pp 46752 253 46752 256
- 8809120033** Offsite emergency planning issues * Advises that FEMA will respond to applicant first set of interrogatories & first request for production of documents re Seabrook plan after 881014 Related correspondence
FLYNN,H J Federal Emergency Management Agency #388 7020 88/09/01 TROUT,J P Public Service Co of New Hampshire TROUT,J P Ropes & Gray 1p 46752 295 46752 295
- 8809120039** Requests that RR Donovan be added to & EA Thomas be deleted from plant litigation svc list Certificate of Svc encl
FLYNN,H J Federal Emergency Management Agency #388 7022 88/09/01 SMITH,I W, HARBOUR,J, LINENBERGER,G Atomic Safety and Licensing Board Panel 6pp 46752 308 46752 313
- 8809120050** Memorandum * Advises that RR Pierce appointed as legal counsel to ASLB for proceeding to assist parties Served on 880906
SMITH,I W Atomic Safety and Licensing Board Panel #388 7010 88/09/02 2pp 46752 136-46752 137
- 8809120049** Commonwealth of MA atty general addl responses to interrogatories & production of documents * W/Certificate of Svc Related correspondence
TALBOT,P Massachusetts, Commonwealth of #388 7028 88/09/08 Public Service Co of New Hampshire 9pp 46752 138-46752 140
- 8809120134** Joint intervenors application for stay of order authorizing issuance of low power license * Severe environ & financial consequences will result from low power testing W/ Certificate of Svc
JONAS,S A Massachusetts, Commonwealth of JONAS,S A Seacoast Anti Pollution League JONAS,S A New England Coalition on Nuclear Pollution. #388 7035 88/09/06 Commissioners 8pp 46752,244 46752 251
- 8809140135** NRC Staff first set of interrogatories & first request for production of documents to towns of Amesbury,Newbury, Salisbury,West Newbury,Merrimack & city of Newburyport * Certificate of Svc encl Related correspondence
BERGQUIST,S A Assistant General Counsel for Hearings #388 7047, 88/09/06 Amesbury, MA 18pp 46788 243-46788 260
- 8809140141** NRC Staff first set of interrogatories & first request for production of documents to atty general of Commonwealth of MA,executive oic of public safety & Essex County * Certificate of Svc encl Related correspondence
BERGQUIST,S A Assistant General Counsel for Hearings #388 7048, 88/09/06 Massachusetts, Commonwealth of. 18pp 46788 126-46788,143
- 8809120136** Motion to amend bases * Requests that bases to amended contention of Atty General JM Shannon on notification sys be amended as stated,Supporting documentation & Certificate of Svc encl
JONAS,S A Massachusetts, Commonwealth of #388 7036 88/09/08 Atomic Safety and Licensing Board Panel 14pp 46752 230 46752 243
- 8809140108** Forwards floppy disk containing NRC proposed findings of fact & conclusions of law re sheltering issues W/o disk.
TURK,S E Assistant General Counsel for Hearings. #388 7046 88/09/08 SMITH,I W, HARBOUR,J, LINENBERGER,G Atomic Safety and Licensing Board Panel 1p 46786 261-46786 261
- 8809140189** Applicant motion for sanctions against Commonwealth of MA atty general for failure to comply w/Board discovery order.* Board should dismiss Bases A 3,A 5 & A 2 of amended contention on notification sys,W/Certificate of Svc
TROUT,J P Public Service Co. of New Hampshire TROUT,J P Ropes & Gray. #388 7055 88/09/08 Atomic Safety and Licensing Board Panel 37pp 46786,146-46786 182
- 8809120126** Memorandum & order (ruling on Commonwealth of MA atty general offer of proof & motion for reconsideration) * Motion denied Served on 880908
SMITH,I W, Atomic Safety and Licensing Board Panel #388 7033 88/09/08 Massachusetts, Commonwealth of 8pp 46752 127-46752 134
- 8809140012** Forwards applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I.B 2, memorandum in support of motion,statement of mail facts & affidavits of NK Woodward,GA Kotkowski & R Bergeron.
TROUT,J P Public Service Co. of New Hampshire TROUT,J P Ropes & Gray #388 7056 88/09/09 Docketing & Services Branch 1p 46785 101-46786-103.
- 8809140020** Applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I.B 2 (RG 58 coaxial cable). *
TROUT,J P. Public Service Co of New Hampshire TROUT,J P Ropes & Gray 88/09/09 Atomic Safety and Licensing Board Panel 2pp 46785-102 46785,103
- 8809140028** Memorandum in support of applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I.B 2 (RG 58 coaxial cable). * Board requested to enter summary disposition in favor of applicant
TROUT,J P. Public Service Co of New Hampshire. TROUT,J P Ropes & Gray. 88/09/09. Atomic Safety and Licensing Board Panel 21pp 46785-104-46785-124
- 8809140041** Affidavit of NK Woodward * Discusses environ qualification test program for RG-58 coaxial cable Supporting documentation encl
WOODWARD,N K Public Service Co of New Hampshire WOODWARD,N K TENERA Corp (subs of TERA Corp) 88/09/09 200pp 46785 125 46786 007
- 8809140052** Affidavit of GA Kotkowski * Discusses technical adequacy of RG 59 coaxial cable as substitute for RG 58 cable Supporting documentation encl
KOTKOWSKI,G A Public Service Co of New Hampshire 88/09/09 18pp. 46786 008 46786 028
- 8809140061** Affidavit of R Bergeron * Discusses meaning of color coding of RG 58 coaxial cable in facility & reasoning for assigning Operability Code A Supporting documentation & Certificate of Svc encl
BERGERON,R Public Service Co of New Hampshire 88/09/09 89pp 46786 029 46786 103
- 8809140064** Motion of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice * Requests leave to file encl suppl to petition re waiver or exception from util exemption to financial qualification
DEAN,G B Massachusetts, Commonwealth of #388 7042 88/09/09 Commissioners 3pp. 46785 018 46785 100
- 8809140068** Third suppl to MA Atty General JM Shannon petition under 10CFR2 758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification. * Supporting info & Certificate of Svc encl
DEAN,G B Massachusetts, Commonwealth of 88/09/09 Commissioners 81pp 46785 021 46785 100
- 8809140099** Forwards decision by US First Circuit Court of Appeals denying various petitions for review of Commission incorporation of realism doctrine in emergency planning regulations where govts decline to participate in planning.
TURK,S E Assistant General Counsel for Hearings. #388 7045 88/09/09 SMITH,I W, HARBOUR,J, LINENBERGER,G Atomic Safety and Licensing Board Panel 18pp 46786 262-46786 279
- 8809160071** Commonwealth of MA atty general further responses to Interrogatories 12,18 & 20(e) * W/Certificate of Svc Related correspondence
JONAS,S A Massachusetts, Commonwealth of #388 7069 88/09/09 Public Service Co of New Hampshire 8pp 46813 031-46813 038.
- 8809160014** Forwards RW Krimm 880902 memo to NRC & RW Donovan 880906 ltr to RH Strome of State of NH,served on svc list for hearing, Certificate of Svc encl
FLYNN,H J Federal Emergency Management Agency #388 7067, 88/09/12 Docketing & Services Branch 11pp 46812 323-46812 333
- 8809160032** Seacoast Anti Pollution League answers to applicant first set of interrogatories re Seabrook plan for Commonwealth of MA & motion for protective order * Svc list encl
BACKUS,R A Seacoast Anti Pollution League, BACKUS,R A Backus, Meyer & Solomon #388 7068 88/09/12, Public Service Co of New Hampshire 7pp 46813 002 46813 008
- 8809160078** Applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/respect to sirens contention * Motion should be denied on basis of failure to satisfy prerequisites for late filing,W/Certificate of Svc
DIGNAN,T G Public Service Co. of New Hampshire DIGNAN,T G Ropes & Gray #388 7070 88/09/12 Atomic Safety and Licensing Board Panel 9pp 46812 349 46812 357.
- 8809160090** New England Coalition on Nuclear Pollution petition for review of ALAB 899 * Petition should be granted on basis that integrity of RCS significantly paramount to safe operation of plant W/Certificate of Svc
CURRAN,D, FERSTER,A. New England Coalition on Nuclear Pollution CURRAN,D Harmon & Weiss #388 7071 88/09/12, Commissioners 81pp 46812 242-46812 322
- 8809190028** Forwards corrected first page of 880906 motion to amend bases of Commonwealth of MA atty general on amended contention of Atty General JM Shannon on notification sys for Commonwealth of MA W/Certificate of Svc
JONAS,S A. Massachusetts, Commonwealth of #388 7072 88/09/12 Docketing & Services Branch. 6pp. 46829 243-46829,248
- 8809190238** Applicant reply to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 (petition for waiver of rules precluding financial qualification inquiry). * Certificate of Svc encl
TROUT,J P Public Service Co of New Hampshire TROUT,J P Ropes & Gray #388 7089 88/09/12 Commissioners 46pp 46829 082-46829-137
- 8809190074** Commonwealth of MA atty general further response to Interrogatories 6 & 7 * Certificate of Svc encl Related correspondence
JONAS,S A. Massachusetts, Commonwealth of #388 7076 88/09/13 Public Service Co. of New Hampshire 7pp 46828 163-46829 169
- 8809160067** NRC Staff response to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 * Motion should be granted & Commonwealth of MA petition re financial qualification rules denied,W/Certificate of Svc
BERRY,G A Assistant General Counsel for Hearings. #388 7066 88/09/14 Commissioners 18pp 46813 013-46813 030
- 8809190053** Town of Amesbury motion for protective order. * Order requested prohibiting applicant from obtaining certain discovery,per applicant first set of interrogatories re Seabrook plan for communities.W/Certificate of Svc.
MCEACHERN,P, BROCK,M T Amesbury, MA MCEACHERN,P Shaines & McEACHERN #388 7074, 88/09/14, Atomic Safety and Licensing Board Panel 6pp 46829 236-46829,241.
- 8809190085** Town of Amesbury answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook ... * W/Certificate of Svc Related correspondence.
LORD,W. Amesbury, MA. #388 7075, 88/09/14 Public Service Co. of New Hampshire 11pp. 46829,225-46829-235.
- 8809190099** Motion of Commonwealth of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice *
DEAN,G D Massachusetts, Commonwealth of #388 7079, 88/09/15 Commissioners 3pp. 46829-170-46829-193.

DOCKETED ITEMS 183

--8809190105 Fourth Suppl to Commonwealth of MA Atty General JM Shannon petition under 10CFR2.758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Certificate of Svc encl
DEAN,G.B Massachusetts, Commonwealth of 88/09/15 Commissioners 21pp
46829 173 46820 193

8809190170 Order, * Period in which Commission may review ALAB-895 extended to 881017 per 10CFR2.772 Served on 880918
CHILK,S.J Office of the Secretary of the Commission #388 7080 88/09/15 Commissioners 1p 46829 162-46829 162

8809190293 Advice to Commission,Boards & parties * Forwards press release re changes in util mgt./Certificate of Svc.
DIGNAN,T.G Public Service Co of New Hampshire #388 7088 88/09/15 6pp
46829 083 46820 088

8809210003 Forwards motion of EA Thomas for leave to file response to applicant reply to proposed findings of fact & conclusions of law & NRC proposed findings of fact & conclusions of law
BARSANKE,J Public Service Co of New Hampshire #388 7098 88/09/15
SMITH,I.W, HARBOUR,J., LINENBERGER,G Atomic Safety and Licensing Board Panel 1p, 46843 001-46843 025

--8809210004 Motion of EA Thomas for leave to file response to applicant reply to proposed findings of fact & conclusions of law & NRC Staff proposed findings of fact & conclusions of law *
BARSANKE,J, NETSKI,C.M Federal Emergency Management Agency
BARSANKE,J, Sugarman & Associates 88/09/15 Atomic Safety and Licensing Board Panel 3pp 46843.002 46843 004

--8809210006 Response of EA Thomas to applicant reply to proposed findings of fact & conclusions of law & NRC Staff proposed findings of fact & conclusions of law * Certificate of Svc encl
BARSANKE,J, NETSKI,C.M Federal Emergency Management Agency
BARSANKE,J, Sugarman & Associates 88/09/15 Atomic Safety and Licensing Board Panel 21pp, 46843 005-46843 025

8809230015 Applicant supplemental responses to certain interrogatories of Commonwealth of MA atty general re amended contention on notification sys * Certificate of Svc encl Related correspondence
FEIGENBAUM,T.C, TROUT,J.F. Public Service Co of New Hampshire TROUT,J.F Ropes & Gray #388 7105 88/09/15 Massachusetts, Commonwealth of 7pp
46894 016 46894.022

8809230025 Applicant motion to withdraw applicant motion for sanctions against Commonwealth of MA atty general for failure to comply w/Board discovery order, * Permission to withdraw 880908 motion requested
TROUT,J.P Public Service Co of New Hampshire, TROUT,J.P Ropes & Gray #388 7106 88/09/15, Atomic Safety and Licensing Board Panel 3pp 46894 063-46894 072

--8809230028 Memorializes parties statements between Board & counsel for applicant, atty general of Commonwealth of MA & NRC on 880912 Certificate of Svc encl
TROUT,J.P Public Service Co of New Hampshire TROUT,J.P Ropes & Gray 88/09/15 WOLFE,S.J., HARBOUR,J., LUEBKE,E A Atomic Safety and Licensing Board Panel 7pp, 46894.066 46894 072

8809190177 Order * Period in which Commission may review ALAB 892 extended until 881017 Served on 880918
BATES,A.L Office of the Secretary of the Commission #388 7081 88/09/16 Commissioners, 1p, 46829,161 46829 161.

8809210017 City of Haverhill motion for protective order *
AMIRIAN,A.N, Haverhill, MA, #388 7101 88/09/16, Atomic Safety and Licensing Board Panel, 1p 46843 030-46843 038

--8809210019 City of Haverhill answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook Plan for Massachusetts communities
AMIRIAN,A.N, Haverhill, MA 88/09/16, Public Service Co of New Hampshire, 8pp
46843 031 46843 038,

8809210018 Motion to admit exercise contention or, in alternative, to reopen record * Board should admit contention set forth as Exhibit 1 Affidavit of RD Pollard encl
TRAFICANTE,J Massachusetts, Commonwealth of BROCK,M.T, Hampton, NH
BROCK,M.T, Shaines & McEachern, #388 7092, 88/09/16, Atomic Safety and Licensing Board Panel 14pp, 46843.039 46843 075

--8809210020 Affidavit of RD Pollard * Affidavit re adequacy of onsite emergency preparedness Certificate of Svc encl
POLLARD,R.D Union of Concerned Scientists 88/09/16 23pp, 46843 053-46843 075

8809210021 Town of Merrimac motion for protective order.*
AMIRIAN,A.N, Merrimac, MA #388 7102, 88/09/16 Atomic Safety and Licensing Board Panel 1p 46843-076-46843 084

--8809210025 Town of Merrimac answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook Plan for Massachusetts communities.
AMIRIAN,A.N Merrimac, MA 88/09/16 Public Service Co of New Hampshire 8pp, 46843.077-46843 084

8809210023 Intervenor motion to permit response to applicant reply findings * Board should reject applicant 880831 reply to proposed findings of fact & conclusions of law of other parties on shelter contentions.W/Certificate of Svc
BACKUS,R.A Seacoast Anti-Pollution League, BACKUS,R.A Backus, Meyer & Solomon BROCK,M.T, Hampton, NH, #388 7093, 88/09/16 Atomic Safety and Licensing Board Panel 24pp 46843 085-46843 108,

8809210032 Forwards motion & newly filed contention in proceeding submitted by various intervenors including atty general of Commonwealth of MA.NRC should direct onsite Licensing Board to accept motion in first instance.
TRAFICANTE,J Massachusetts, Commonwealth of #388 7103, 88/09/16, ZECH,L.W. Commissioners 39pp, 46843.118-46843 157,

8809230039 Town of Newberry (TON) motion for protective order * Order requested to prohibit applicant from obtaining certain discovery to extent objected to by TON, in first set of interrogatories & request for production of documents
HILL-WHILTON,R Newbury, MA HILL-WHILTON,R Lagoulis, Clark, Hill Whilton & McGuire #388 7108 88/09/16 Atomic Safety and Licensing Board Panel 2pp
46894 083 46894 093

--8809230056 Town of Newbury (TON) answers to applicant first set of interrogatories re contentions on Seabrook plan for Commonwealth of MA communities * W/Certificate of Svc
MACHROS,A Newbury, MA 88/09/14 Public Service Co of New Hampshire 8pp
46894 085 46894 093

8809230105 New England Coalition on Nuclear Pollution answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re Seabrook . * W/Svc list Related correspondence
CURRAN,D New England Coalition on Nuclear Pollution CURRAN,D Harmon & Weiss #388 7112 88/09/16 Public Service Co of New Hampshire 5pp 46894 154-46894 158,

8809260039 Town of Salisbury answers to interrogatories propounded by applicant * Certificate of Svc encl Related correspondence
GRAHAM,C.P Salisbury, MA #388 7118 88/09/16 Public Service Co of New Hampshire 13pp 46908 196 46908 208

8809260005 Forwards applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA, memo in support of applicant motion & affidavits of listed individuals, including TN Beard
TROUT,J.P Public Service Co of New Hampshire TROUT,J.P Ropes & Gray #388 7131 88/09/17 Docketing & Services Branch 2pp 46910 001-46910 317

--8809260017 Applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA * Decision in favor of applicant requested
TROUT,J.P Public Service Co of New Hampshire TROUT,J.P Ropes & Gray 88/09/14 Atomic Safety and Licensing Board Panel 2pp 46910 003 46910 004

--8809260027 Memorandum in support of applicant motion for summary disposition of Commonwealth of MA atty general amended contention on notification sys * Motion should be allowed. Mail facts not in dispute encl
TROUT,J.P, SMITH,J.B Public Service Co of New Hampshire, TROUT,J.P, Ropes & Gray 88/09/17 Atomic Safety and Licensing Board Panel 58pp 46910 005-46910 062

--8809260041 Affidavit of TN Beard * Addresses allegations in Contention Bases A 5 & B, 3 re time required to get vehicles dispatched & setup, Supporting info encl
BEARD,T.N Public Service Co of New Hampshire, 88/09/17 15pp 46910.063 46910 076

--8809260050 Affidavit of SN Caruso * Discusses allegations in Contention Bases A 4 & A, 6 re vehicular alert & notification sys vehicles Supporting info encl
CARUSO,S.N Public Service Co. of New Hampshire, 88/09/17, 17pp 46910 077-46910 092,

--8809260069 Affidavit of GJ Catapano * Addresses allegations in Contention Bases A 5 & A 14 re vehicular alert & notification sys Supporting info encl.
CATAPANO,G.J Public Service Co. of New Hampshire CATAPANO,G.J AllComm, Inc 88/09/17 23pp 46910 093 46910 114

--8809260077 Affidavit of EW Desmarais, * Addresses allegations in Contention Bases A 1, A 5, A 9, A 10, A 11, B, 1, B 3 & B, 4. Related info encl.
DESMARAIS,E.W Public Service Co. of New Hampshire 88/09/17 51pp, 46910.115-46910 164

--8809260087 Affidavit of RJ Falx * Addresses allegations in Contention Bases A.1 & A, 7 re vehicular alert & notification sys Supporting info encl.
FALX,R.J Public Service Co of New Hampshire FALX,R.J Wastingshouse Electric Corp 88/09/17 9pp 46910,165 46910 172

--8809260104 Affidavit of GA Harper * Discusses analysis to develop fastest-mile wind speed data used in structural analysis of vehicular alert & notification sys truck/crane combination
HARPER,G.A Public Service Co of New Hampshire, HARPER,G.A Yankee Atomic Electric Co 88/09/17 9pp 46910-173 46910 180

--8809260134 Affidavit of LM Jacobson * Discusses vehicular alert & notification sys Prof qualifications encl
JACOBSON,L.M. Public Service Co of New Hampshire 88/09/17 8pp, 46910-181-46910 185

--8809260142 Affidavit of DE Johnson, * Adresses allegations in Contention Contention Bases A, 4 & A 6 re applicant vehicular alert & notification sys vehicles Supporting documentation encl
JOHNSON,D.E Public Service Co. of New Hampshire, JOHNSON,D.E Yankee Atomic Electric Co 88/09/17 27pp 46910-186 46910,211

--8809260149 Affidavit of DN Keast * Discusses Contention Bases A, 7 re hearing damage to anyone within 100 ft of siren during operation Supporting info encl
KEAST,D.N Public Service Co of New Hampshire, KEAST,D.N. Warning System Services 88/09/17, 16pp, 46910 212-46910,226,

--8809260158 Affidavit of KD Kryter, * Addresses allegations in Contention Bases A, 7 re hearing damage from siren operation
KRYTER,K.D, Public Service Co of New Hampshire KRYTER,K.D, SRI International 88/09/17 14pp, 46910 227-46910,238,

--8809260168 Affidavit of EB Lieberman, * Addresses allegations in Contention Bases A 5 re effect of heavy traffic, nighttime conditions & snow & ice associated w/adverse winter conditions on vehicle speed in general
LIEBERMAN,E.B Public Service Co of New Hampshire, LIEBERMAN,E.B. KLD Associates, Inc, 88/09/17 18pp, 46910-240 46910 256

--8809260178 Affidavit of J Story * Discusses allegations in Contention Bases A 3 re vehicular alert & notification sys vehicles Prof qualifications encl.
STORY,J. Public Service Co of New Hampshire, 88/09/17 7pp 46910-257-46910 263,

184 DOCKETED ITEMS

--8809260193 Affidavit of E Stusnick * Addresses allegations in Contention A 1 Supporting documentation encl.
STUSNICK,E Public Service Co. of New Hampshire STUSNICK,E. Wyle Laboratories 88/09/17 44pp 46910 264-46910 306

--8809260208 Affidavit of LC Sutherland * Addresses allegations in Contention Bases A 7 & A 8 re hearing damage to anyone within 100 ft of siren during operation Certificate of Svc encl.
SUTHERLAND,L.C Public Service Co. of New Hampshire, SUTHERLAND,L.C Wyle Laboratories 88/09/17 11pp 46910 307-46910 317

8809230035 Applicant answer to joint intervenor application for stay of order authorizing issuance of low power license * Application should be denied Certificate of Svc encl.
DIGMAN,T.G Public Service Co. of New Hampshire, DIGMAN,T.G, Ropes & Gray #388 7107 88/09/19 Commissioners, 10pp 46894 073-46894 082

8809230061 Town of West Newbury motion for protective order.* Order requested to prohibit applicant from obtaining certain discovery set forth in applicant first set of Interrogatories & request for production of documents
MIZNER,J.H. West Newbury, MA. #388 7109 88/09/19 Atomic Safety and Licensing Board Panel 1p. 46894 094-46894 100

--8809230067 Town of West Newbury answers to applicant first set of Interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook plan for Commonwealth * Certificate of Svc encl.
PULKININ,T.E. West Newbury, MA 88/09/19, Public Service Co of New Hampshire, 6pp 46894 095 46894 100.

8809260109 Forwards stipulation to Seabrook plan on Commonwealth of MA communities,consolidating & clarifying applicant,intervenors & NRC contentions admitted by ASLB in 880722 & 0819 memoranda & orders Contentions J17 & J18 not included
CHANEI Assistant General Counsel for Hearings #388 7126, 88/09/19, SMITH,J.W., HARBOUR,J., LINENBERGER,G. Atomic Safety and Licensing Board Panel, 1p. 46908 244 46908 285

--8809260119 Stipulation as to contentions * Submits final wording on contentions on Seabrook plan for Commonwealth of MA communities.
CHANEI Assistant General Counsel for Hearings TRAFICONE,J. Massachusetts, Commonwealth of DIGMAN,T.G Public Service Co of New Hampshire 88/09/19, 41pp 46908 245 46908 285

8809300043 Seacoast Anti Pollution League contentions on graded exercise.* Svc list encl.
BACKUS,R.A. Seacoast Anti-Pollution League BACKUS,R.A Backus, Meyer & Solomon #388 7116 88/09/20 Atomic Safety and Licensing Board Panel 21pp. 46944 164 46944 184.

8809260033 Commonwealth of MA atty general exercise contentions submitted in response to June 1988 plant initial full participation exercise.* Supporting documentation & Certificate of Svc encl.
FIERCE,A.R Massachusetts, Commonwealth of #388 7117, 88/09/21 Atomic Safety and Licensing Board Panel 129pp. 46908 067 46908 195.

8809260040 Request to file reply of Commonwealth of MA atty general to applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/ respect to siren contentions * Supporting Info & Certificate of Svc encl.
JONAS,S.A. Massachusetts, Commonwealth of. #388 7119 88/09/21, Atomic Safety and Licensing Board Panel 14pp 46908 209 46908 222

8809260048 Town of Hampton & New England Coalition on Nuclear Pollution emergency planning contentions on 880828-29 exercise * Supporting documentation & Certificate of Svc encl.
MCEACHERN,P Hampton, NH MCEACHERN,P Shaines & McEachern, BROCK,M.T. New England Coalition on Nuclear Pollution #388 7120, 88/09/21, Atomic Safety and Licensing Board Panel. 11pp. 46908 223 46908 233.

8809260054 Order CL-88-07.* Applicant requested to provide basis for reasonable assurance that adequate funding for decommissioning will be available in event that full power license not granted within 30 days.Served on 880922
CHILK,S.J. Office of the Secretary of the Commission. #388 7121. 88/09/22, Office of the General Counsel 3pp. 46908 234-46908 236

I. Financial Information

8809020058 Motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 (petition for waiver of rules precluding financial qualification inquiry). * Request seeking info on Unit 1 financial qualification encl.W/Svc list.
BACKUS,R.A. Seacoast Anti Pollution League BACKUS,R.A Hampton, NH, BACKUS,R.A. Massachusetts, Commonwealth of. #388 6968 88/08/26, Commissioners 12pp. 46686 263-46686 274.

8809020233 Forwards detailed responses to NRC 880801 questions re util ability to provide financial coverage for cost of low power operation of facility & cost of any permanent shutdown of facility.Joint owners interim financial statements encl.
HARRISON,R.J. Public Service Co. of New Hampshire, 88/08/31, Document Control Branch (Document Control Desk). 83pp. 46734 003 46738 009

8809140064 Motion of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice.* Requests leave to file encl suppl to petition re waiver or exception from util exemption to financial qualification.
DEAN,G.B. Massachusetts, Commonwealth of #388 7042 88/09/09, Commissioners 3pp. 46785 018-46785 100

--8809140068 Third suppl to MA Atty General JM Shannon petition under 10CFR2.758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Supporting Info & Certificate of Svc encl.
DEAN,G.B. Massachusetts, Commonwealth of. 88/09/09 Commissioners 81pp 46785 021-46785 100.

8809190238 Applicant reply to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 (petition for waiver of rules precluding financial qualification inquiry). * Certificate of Svc encl.
TROUT,J.P. Public Service Co. of New Hampshire, TROUT,J.P. Ropes & Gray. #388 7088, 88/09/12 Commissioners, 46pp 46829 092-46829 137.

8809160067 NRC Staff response to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 * Motion should be granted & Commonwealth of MA petition re financial qualification rules denied W/Certificate of Svc
BERRY,G.A. Assistant General Counsel for Hearings #388 7068 88/09/14 Commissioners. 18pp. 46813 013 46813 030

8809190099 Motion of Commonwealth of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice *
DEAN,G.D. Massachusetts, Commonwealth of #388 7079, 88/09/15, Commissioners 3pp 46829 170 46829 193

--8809190105 Fourth Suppl to Commonwealth of MA Atty General JM Shannon petition under 10CFR2.758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Certificate of Svc encl.
DEAN,G.B. Massachusetts, Commonwealth of 88/09/15 Commissioners 21pp 46829 173 46829 193.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/09/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809070146 Partial response to FOIA request for documents App A documents available in PDR.NRC reviewing item F of request
GRIMSLEY,D NRC - No Detailed Affiliation Given 88/08/10 KUDLICK,M MHB Technical Associates 2pp 46713 007 46713 008.

--8805270825 Forwards technical assignment control form for review of 780124 G&W. FSD 2538 "Nuclear MSIV Sys"
BAER,R.L. Light Water Reactors Branch 2 80/03/25 MATTSON,R.J Division of Systems Safety. 2pp. 46713 009 46713 010

8809120091 Final response to FOIA request for documents Forwards documents listed in App A.Documents also available in PDR App B documents totally withheld (rel FOIA Exemption 5) App C documents partially withheld (rel FOIA Exemption 5).
GRIMSLEY,D H NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L. DocSearch Associates. 6pp 46770 060-46770 089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985.
AXELRAD,J.A Enforcement Staff, IE (Pre 870413), 88/12/13 BLAHJA,J.L Program Support & Analysis Staff, IE (Pre 870413), 13pp 46770 211-46770 223

8808300287 Concurs w/util 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" Assurance provided that program in place dealing w/boric acid leakage
BRINKMAN,D.S Project Directorate I-3, 88/09/29 HARRISON,R.J Public Service Co of New Hampshire, 3pp 46692 115-46692 117.

8809020105 Forwards safety evaluation accepting licensee control room habitability sys Concludes that proposed mod when implemented will satisfactorily eliminate single-failure problem described in SSER 7
NERSES,V Project Directorate I-3, 88/08/24, HARRISON,R.J Public Service Co. of New Hampshire, 2pp 46747 112-46747 117

--8809020113 Safety evaluation accepting licensee proposed mod to control room habitability sys
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/24 4pp 46747 114 46747 117

8809140419 Confirms schedule for issuance of FEMA findings & determinations on off site emergency plans.NRC understands that FEMA 881014 plan review rept will present FEMA findings on Seabrook Plan for Massachusetts Communities
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411) 88/09/09 KRIMM,R.W Federal Emergency Management Agency. 1p 46848 145 46848 145

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/22 Consolidated Edison Co. of New York, Inc 121pp 46702 311-46703 070.

8808180388 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/24, Consolidated Edison Co. of New York, Inc 122pp. 46713 218 46713 219.

8808300055 Responds to NRC Bulletin 88-005, "Nonconforming Mats Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ." Description of program established to support bulletin actions encl.
FEIGENBAUM,T.C Public Service Co. of New Hampshire, 88/08/25, Document Control Branch (Document Control Desk) 38pp. 46691 230 46691 319.

--8808300207 Rept for Heat Number L4517.
* J. Dirats & Co., Inc 64342, 88/08/05, 1p. 46691 319-46691 319.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411), 88/08/29, Consolidated Edison Co. of New York, Inc 123pp. 46713 095-46713 217.

8809080118 Responds to concerns noted in Insp Rept 50 443/88-07 Five allegations/ concerns reviewed by employee allegation resolution program investigation determined that allegations inaccurate or unrelated
THOMAS,G.S. Public Service Co. of New Hampshire 88/08/29 Document Control Branch (Document Control Desk) 7pp 46789 088 46789 094

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc 121pp 46712 244 46713 004

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp 46726 001-46726.123.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824.215 46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946 133-46946.252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947-013

R. Periodic operating reports & related correspondence

8809070467 Forwards "Seabrook Station,10CFR50.59 Safety Evaluations, Quarterly Rept,Apr-Jun 1988."
THOMAS,G.S. Public Service Co. of New Hampshire 88/08/31. Document Control Branch (Document Control Desk) 6pp. 46773 229 46773.234

8809140425 Monthly operating rept for Aug 1988 for Seabrook Station Unit 1 W/880908 ltr
NARDONE,P., THOMAS,G.S. Public Service Co. of New Hampshire 88/08/31. 7pp 46838.189 46838.195

S. Reportable occurrences, LERs & related correspondence

8809080129 LER 88-003 00.on 880729,Tech Spec action statement requirement not observed during containment manipulator crane area radiation monitor surveillance testing Caused by personnel error Surveillance procedure revised W/880819 ltr.
GWINN,R.A., THOMAS,G.S. Public Service Co. of New Hampshire, 88/08/26 3pp. 46789.312-46789-314.

8809190187 LER 88-006 00.on 870514,Tech Spec surveillance requirements not satisfied Caused by procedure inadequacy Change to plant surveillance procedures will be made to prevent recurrence of condition W/880915 ltr
GWINN,R.A., THOMAS,G.S. Public Service Co. of New Hampshire 88/09/07. 3pp 46898 044 46898-046

8809140121 LER 88-004-00.on 880810,vital buses E5 & E6 tripped on loss of offsite power causing actuation of diesel generator 1A onto bus E5.Caused by personnel error.Addl training will be established.W/880909 ltr
PUCKO,T.G., THOMAS,G.S. Public Service Co. of New Hampshire 88/09/09 4pp. 46937 031-46937-034

8809190353 Special rept.on 880811,fuel oil leak required engine shutdown & on 880812,Train B emergency diesel generator tripped Caused by incorrect setting of water jacket temp controller.Adjustment knob protected from misadjustment
THOMAS,G.S. Public Service Co. of New Hampshire 88/09/09 Document Control Branch (Document Control Desk). 2pp 46898.042 46898 043.

U. Congressional/Executive Correspondence

8808260346 Forwards quarterly rept for second quarter of CY88,per H R 97-850.
ROGERS,K.C. Commissioners. 88/08/23. BEVILL,T House of Rep., Appropriations 11pp. 46928 339-46928-349

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc 41pp 47065.001-47065-006

8809070146 Partial response to FOIA request for documents.App A documents available in PDR NRC reviewing Item F of request
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/10. KUDLICK,M. MHB Technical Associates. 2pp. 46713 007-46713-008

--8805270825 Forwards technical assignment control form for review of 790124 G&W-FSD 2538 "Nuclear MSIV Sys."
BAER,R.L. Light Water Reactors Branch 2. 80/03/25 MATTSON,R.J. Division of Systems Safety. 2pp. 46713 009 46713 010.

8808300287 Concurs w/utl 880527 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" Assurance provided that program in place dealing w/boric acid leakage
BRINKMAN,D.S. Project Directorate I-3 88/08/23. HARRISON,R.J. Public Service Co. of New Hampshire, 3pp. 46892-115-46892-117.

8809140419 Confirms schedule for issuance of FEMA findings & determinations on off-site emergency plans NRC understands that FEMA 881014 plan review rept will present FEMA findings on Seabrook Plan for Massachusetts Communities
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411) 88/09/09. KRIMM,R.W. Federal Emergency Management Agency 1p 46848 145 46848 145

E. NRC Safety Evaluation Report (SER), suppl & correspondence

8809080331 Forwards SSER 8 for review & concurrence Suppl intended to support issuance of 5% license for Unit 1 Concurrence requested by 880915.W/o encl
BOGER,B.A. Region 1, Ofc of the Director. 88/09/01 THADANI,A.C. Assistant Director for Systems RICHARDSON,J.E. Assistant Director for Engineering CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411) 1p 46782 340-46782 340

F. Security, medical, emergency & fire protection plans

8809090037 Final response to FOIA request for records re Shoreham offsite emergency plan App G documents available in PDR.App H documents withheld (ref FOIA Exemption 5) No further action being taken on appeal ltr dtd 880613
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/08/11. BELAIR,R.R. Kirkpatrick & Lockhart. 4pp. 46766 310 46766 313.

--8805040309 Requests regional ofcs,except Region 1,to provide staff necessary to support FEMA exercises at Shoreham on 880807 09 & at Seabrook on 880628 29 Nominations requested by 880509 Guidance encl.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 88/04/27. GRACE,J.N. Region 2, Ofc of the Director MARTIN,J.B. Region 5, Ofc of the Director. 3pp 46766 314 46766.318.

8809080137 Recommends approval of draft final rule on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power testing.
STELLO,V. Ofc of the Executive Director for Operations. SECY 88 246 88/09/01 32pp. 46919 058 46919 080

8809120136 Motion to amend bases * Requests that bases to amended contention of Atty General JM Shannon on notification sys be amended as stated Supporting documentation & Certificate of Svc encl.
JONAS,S.A. Massachusetts, Commonwealth of #388 7036 88/09/08 Atomic Safety and Licensing Board Panel. 14pp 46762 230-46762 243

8809140099 Forwards decision by US First Circuit Court of Appeals denying various petitions for review of Commission incorporation of realism doctrine in emergency planning regulations where govts decline to participate in planning.
TURNER,S.E. Assistant General Counsel for Hearings #388 7045 88/09/09 SMITH,I.W. Atomic Safety and Licensing Board Panel 18pp 46786 262-46786 278.

8809280005 Forwards applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA,memo in support of applicant motion & affidavits of listed individuals,including TN Beard.
TROUT,J.P. Public Service Co. of New Hampshire #388 7131 88/09/17 Docketing & Services Branch 2pp. 46910 001-46910 317.

--8809260027 Memorandum in support of applicant motion for summary disposition of Commonwealth of MA atty general amended contention on notification sys.* Motion should be allowed. Mat facts not in dispute encl
TROUT,J.P. Public Service Co. of New Hampshire 88/09/17. Atomic Safety and Licensing Board Panel 58pp 46910 005 46910 062

--8809260041 Affidavit of TN Beard * Addresses allegations in Contention Bases A 5 & B 3 re time required to get vehicles dispatched & setup.Supporting info encl
BEARD,T.N. Public Service Co. of New Hampshire. 88/09/17 15pp 46910 063-46910 076.

--8809260050 Affidavit of SN Caruso * Discusses allegations in Contention Bases A 4 & A 8 re vehicular alert & notification sys vehicles Supporting info encl
CARUSO,S.N. Public Service Co. of New Hampshire 88/09/17 17pp 46910 077-46910 092

--8809260077 Affidavit of EW Desmarais * Addresses allegations in Contention Bases A 1,A 5,A 9,A 10,A 11,B 1,B 3 & B 4 Related info encl.
DESMARAIS,E.W. Public Service Co. of New Hampshire 88/09/17 51pp. 46910-115-46910-164

--8809260087 Affidavit of RJ Faix * Addresses allegations in Contention Bases A.1 & A 7 re vehicular alert & notification sys Supporting Info encl
FAIX,R.J. Public Service Co. of New Hampshire. 88/09/17. 8pp. 46910 165-46910-172

--8809260142 Affidavit of DE Johnson.* Adresses allegations in Contention Contention Bases A.4 & A 6 re applicant vehicular alert & notification sys vehicles Supporting documentation encl.
JOHNSON,D.E. Public Service Co. of New Hampshire 88/09/17. 27pp. 46910.186-46910-211

--8809260149 Affidavit of DN Keast * Discusses Contention Bases A 7 re hearing damage to anyone within 100 ft of siren during operation Supporting Info encl.
KEAST,D.N. Public Service Co. of New Hampshire 88/09/17 16pp 46910-212-46910-228.

--8809260193 Affidavit of E Stusnick * Addresses allegations in Contention A.1.Supporting documentation encl
STUSNICK,E. Public Service Co. of New Hampshire 88/09/17 44pp. 46910 264-46910-306.

8809260033 Commonwealth of MA atty general exercise contentions submitted in response to June 1988 plant initial full- participation exercise * Supporting documentation & Certificate of Svc encl
FIERCE,A.R. Massachusetts, Commonwealth of #388 7117 88/09/21. Atomic Safety and Licensing Board Panel. 129pp 46908.087-46908-195.

186 DOCKETED ITEMS

8809260040 Request to file reply of Commonwealth of MA atty general to applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/ respect to siren contentions * Supporting info & Certificate of Svc encl JONAS, S A Massachusetts, Commonwealth of #388 7119 88/09/21 Atomic Safety and Licensing Board Panel 14pp 46908 209-46908 222

8809260048 Town of Hampton & New England Coalition on Nuclear Pollution emergency planning contentions on 880628-29 exercise * Supporting documentation & Certificate of Svc encl MCEACHERN, P Hampton, NH #388 7120 88/09/21, Atomic Safety and Licensing Board Panel 11pp 46908 223-46908 233

G. Adjudicatory correspondence

8809070009 Requests that notices of appearance, dtd 880809, be disregarded & re placed w/ encl notices due to incorrect info submitted TALBOT, P Massachusetts, Commonwealth of #388 6938 88/08/15 Docketing & Services Branch 6pp 46695 275 46695 280

8809020013 Seabrook OL case onsite emergency planning & technical issues * Forwards New England Coalition on Nuclear Pollution notice re summary disposition motion & answers to applicant interrogatories re RG 58 cable Related correspondence CURRAN, D New England Coalition on Nuclear Pollution, CURRAN, D Harmon & Weiss #388 6958 88/08/19 WOLFE, S J, LUEBKE, E A, HARBOUR, J Atomic Safety and Licensing Board Panel 1p 46666 157-46666 170

8809020020 New England Coalition on Nuclear Pollution (NECNP) answers to applicant first set of interrogatories & first request for production of documents re NECNP contentions re RG-58 cable * Related info & Svc list encl Related correspondence, CURRAN, D New England Coalition on Nuclear Pollution CURRAN, D Harmon & Weiss 88/08/19 Public Service Co of New Hampshire 13pp 46666 158-46666 170.

8809020038 Seabrook OL case offsite emergency planning issues * Forwards corrected Page 12 to New England Coalition on Nuclear Pollution proposed findings of fact & conclusions of law, correcting typo on Line 11 Svc list encl, CURRAN, D New England Coalition on Nuclear Pollution CURRAN, D Harmon & Weiss #388 6967 88/08/19 SMITH, I W, HARBOUR, J, LINENBERGER, G Atomic Safety and Licensing Board Panel 3pp 46666 208-46666 210.

8809020010 Seabrook OL case onsite emergency planning & technical issue * Advises that filings sent to ASLB on 880819 should be captioned under OL-1, onsite emergency planning issues W/ Certificate of Svc Related correspondence CURRAN, D New England Coalition on Nuclear Pollution, CURRAN, D Harmon & Weiss #388 6974, 88/08/24, WOLFE, S J, LUEBKE, E A, HARBOUR, J Atomic Safety and Licensing Board Panel 4pp 46666 136 46666 139

8809020016 New England Coalition on Nuclear Pollution notice of appeal of ASLB 88-558 01 QLR * Svc list encl CURRAN, D, TOUSLEY, D R, New England Coalition on Nuclear Pollution CURRAN, D Harmon & Weiss, #388 6971 88/08/24 3pp 46666 171-46666 173.

8809020044 Seabrook OL case offsite emergency planning issues * Forwards second corrected Page 12 to New England Coalition on Nuclear Pollution proposed findings of fact & conclusions of law CURRAN, D New England Coalition on Nuclear Pollution, CURRAN, D Harmon & Weiss #388 6972, 88/08/24 SMITH, I W, HARBOUR, J, LINENBERGER, G Atomic Safety and Licensing Board Panel 2pp 46666 221-46666 222.

8809020056 Advises of NRC official hours for persons wishing to serve pleadings, papers or documents on NRC attys in Hearing Div of Ofc of General Counsel SCINTO, J F, Assistant General Counsel for Hearings #388 6991, 88/08/24 AHRENS, P, AMIRIAN, A N, ARMSTRONG, W, Affiliation Not Assigned 3pp 46666 260 46666 262

8809020024 Informs that time provided for Commission to review ALAB-896 expired Commission declined review & decision became final agency action on 880824 Served on 880825 CHILK, S J Office of the Secretary of the Commission, #388 6973 88/08/25 Atomic Safety and Licensing Board Panel 1p 46666 174-46666 174.

8809020042 Memorandum & order (denying applicant motion for referral) * Applicant motion for referral & cross motion for referral by Commonwealth of MA atty general & New England Coalition on Nuclear Pollution denied Served on 880828 SMITH, I W, Atomic Safety and Licensing Board Panel #388 6983 88/08/26, Public Service Co of New Hampshire 10pp 46666 211-46666 220

8809020054 Notices of NRC official hours All necessary legal & support staff of organizations should be advised of procedures Served on 880828 SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel, #388 6977, 88/08/26, Office of the General Counsel 1p 46666 259-46666 259

8809020058 Motion for acceptance of addl reply to Commission order of 880714 re ALAB 895 (petition for waiver of rules precluding financial qualification inquiry). * Request seeking info on Unit 1 financial qualification encl W/Svc list BACKUS, R A Seacoast Anti-Pollution League BACKUS, R A Hampton, NH, BACKUS, R A Massachusetts, Commonwealth of, #388 6988 88/08/26, Commissioners 12pp 46666 263-46666 274

8809120004 Forwards NRC proposed findings of fact & conclusions of law re sheltering issues, per 2-day extension of time granted by ASLB TURK, S E, Assistant General Counsel for Hearings #388 7003 88/08/26, SMITH, I W, HARBOUR, J, LINENBERGER, G Atomic Safety and Licensing Board Panel, 1p 46752 083-46752 125

8809120012 NRC Staff proposed findings of fact & conclusions of law w/ respect to sheltering issues * W/Certificate of Svc TURK, S E, Assistant General Counsel for Hearings, 88/08/26 41pp, 46752 084-46752 125.

8809020084 Order * Advises that copies of submissions & correspondence re proceeding should be sent to author at stated address Served on 880831 WOLFE, S J Atomic Safety and Licensing Board Panel, #388 6989, 88/08/30 Office of the General Counsel 1p 46666 332 46666 332

8809120014 Applicant reply to proposed findings of fact & conclusions of law of other parties on shelter contentions * Certificate of Svc encl LEWALD, G H, SELLECK, K A Public Service Co of New Hampshire LEWALD, G H Ropes & Gray #388 7015 88/08/31 30pp 46752 199-46752 228

8809120032 Applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook plan for * W/ Certificate of Svc Related correspondence, TROUT, J P Public Service Co. of New Hampshire TROUT, J P, Ropes & Gray #388 7006 88/08/31, Office of the General Counsel, 10pp, 46752 298 46752 307

8809120018 New England Coalition on Nuclear Pollution Supplemental answer to applicant first set of interrogatories & first request for production of documents re RG 58 cable * Svc list encl, Related correspondence CURRAN, D New England Coalition on Nuclear Pollution CURRAN, D Harmon & Weiss #388 7016, 88/09/01, Public Service Co of New Hampshire 4pp, 46752 253 46752 256

8809120033 Offsite emergency planning issues * Advises that FEMA will respond to applicant first set of interrogatories & first request for production of documents re Seabrook plan after 881014, Related correspondence FLYNN, H J Federal Emergency Management Agency #388 7020 88/09/01 TROUT, J P, Public Service Co. of New Hampshire TROUT, J P, Ropes & Gray, 1p 46752 295 46752 295.

8809120039 Requests that RR Donovan be added to & EA Thomas be deleted from plant litigation svc list Certificate of Svc encl FLYNN, H J Federal Emergency Management Agency, #388 7022, 88/09/01 SMITH, I W, HARBOUR, J, LINENBERGER, G Atomic Safety and Licensing Board Panel 6pp 46752 308-46752 313

8809120050 Memorandum * Advises that RR Pierce appointed as legal counsel to ASLB for proceeding to assist parties. Served on 880906 SMITH, I W, Atomic Safety and Licensing Board Panel #388 7010 88/09/02 2pp 46752 136 46752 137

8809120049 Commonwealth of MA atty general addl responses to interrogatories & production of documents * W/Certificate of Svc, Related correspondence, TALBOT, P, Massachusetts, Commonwealth of, #388 7028, 88/09/06 Public Service Co of New Hampshire 9pp, 46752 138-46752 146.

8809120134 Joint intervenors application for stay of order authorizing issuance of low power license. * Severe environ & financial consequences will result from low power testing W/ Certificate of Svc, JONAS, S A Massachusetts, Commonwealth of JONAS, S A Seacoast Anti-Pollution League JONAS, S A New England Coalition on Nuclear Pollution #388 7035 88/09/06 Commissioners, 8pp 46752 244 46752 251

8809140135 NRC Staff first set of Interrogatories & first request for production of documents to towns of Amesbury, Newbury, Salisbury, West Newbury, Merrimac & city of Newburyport. * Certificate of Svc encl, Related correspondence, BERGQUIST, S A Assistant General Counsel for Hearings #388 7047, 88/09/06 Amesbury, MA, 18pp, 46786 243-46786 260.

8809140141 NRC Staff first set of Interrogatories & first request for production of documents to atty general of Commonwealth of MA, executive ofc of public safety & Essex County * Certificate of Svc encl, Related correspondence, BERGQUIST, S A Assistant General Counsel for Hearings, #388 7048 88/09/06 Massachusetts, Commonwealth of 18pp, 46786 126-46786 143

8809120136 Motion to amend bases. * Requests that bases to amended contention of Atty General JM Shannon on notification sys be amended as stated Supporting documentation & Certificate of Svc encl, JONAS, S A Massachusetts, Commonwealth of, #388 7036 88/09/08 Atomic Safety and Licensing Board Panel 14pp 46752 230-46752 243.

8809140108 Forwards floppy disk containing NRC proposed findings of fact & conclusions of law re sheltering issues, W/o disk, TURK, S E Assistant General Counsel for Hearings, #388 7046, 88/09/08 SMITH, I W, HARBOUR, J, LINENBERGER, G, Atomic Safety and Licensing Board Panel 1p, 46786 261-46786 261.

8809140189 Applicant motion for sanctions against Commonwealth of MA atty general for failure to comply w/ Board discovery order. * Board should dismiss Bases A 3, A 5 & A 2 of amended contention on notification sys W/ Certificate of Svc TROUT, J P, Public Service Co. of New Hampshire, TROUT, J P, Ropes & Gray #388 7055 88/09/08, Atomic Safety and Licensing Board Panel 37pp 46786 146 46786 182.

8809120126 Memorandum & order (ruling on Commonwealth of MA atty general offer of proof & motion for reconsideration) * Motion denied Served on 880909, SMITH, I W, Atomic Safety and Licensing Board Panel, #388 7033 88/09/09, Massachusetts, Commonwealth of, 8pp, 46752 127-46752 134

8809140012 Forwards applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I B 2, memorandum in support of motion, statement of mail facts & affidavits of NK Woodward, GA Kolkowski & R Bergeron, TROUT, J P, Public Service Co. of New Hampshire TROUT, J P, Ropes & Gray #388 7056 88/09/09, Docketing & Services Branch, 1p, 46785 101-46785 103.

8809140020 Applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I B 2 (RG-58 coaxial cable) * TROUT, J P, Public Service Co. of New Hampshire, TROUT, J P, Ropes & Gray 88/09/09 Atomic Safety and Licensing Board Panel, 2pp, 46785 102-46785 103.

8809140028 Memorandum in support of applicant motion for summary disposition of New England Coalition on Nuclear Pollution Contention I B 2 (RG 58 coaxial cable) * Board requested to enter summary disposition in favor of applicant, TROUT, J P, Public Service Co of New Hampshire TROUT, J P, Ropes & Gray, 88/09/09 Atomic Safety and Licensing Board Panel, 21pp, 46785 104 46785 124

8809140041 Affidavit of NK Woodward * Discusses environ qualification test program for RG-58 coaxial cable, Supporting documentation encl, WOODWARD, N K, Public Service Co. of New Hampshire, WOODWARD, N K, TENERA Corp (subs. of TERA Corp.), 88/09/08, 200pp, 46785 125-46786 007.

DOCKETED ITEMS 187

- 8809140052 Affidavit of GA Kotkowski * Discusses technical adequacy of RG-59 co axial cable as substitute for RG-58 cable. Supporting documentation encl. KOTKOWSKI, G A Public Service Co of New Hampshire 88/09/09 19pp 46786 008-46786 028
- 8809140061 Affidavit of R Bergeron * Discusses meaning of color coding of RG-58 coaxial cable in facility & reasoning for assigning Operability Code A Supporting documentation & Certificate of Svc encl BERGERON, R Public Service Co of New Hampshire, 88/09/09 69pp 46786 029-46786 103
- 8809140064 Motion of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice * Requests leave to file encl suppl to petition re waiver of exception from public util exemption from requirement of demonstration of financial qualification * Supporting info & Certificate of Svc encl DEAN, G B Massachusetts, Commonwealth of, #388 7042 88/09/09 Commissioners 3pp 46785 018-46785 100
- 8809140068 Third suppl to MA Atty General JM Shannon petition under 10CFR2.758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Supporting info & Certificate of Svc encl DEAN, G B Massachusetts, Commonwealth of, 88/09/09, Commissioners 81pp, 46785 021-46785 100
- 8809140099 Forwards decision by US First Circuit Court of Appeals denying various petitions for review of Commission incorporation of realism doctrine in emergency planning regulations where govts decline to participate in planning TURK, S E Assistant General Counsel for Hearings, #388 7045 88/09/09, SMITH, J W, HARBOUR, J, LINENBERGER, G, Atomic Safety and Licensing Board Panel, 18pp, 46786 282-46786 279
- 8809160071 Commonwealth of MA atty general further responses to interrogatories 12, 18 & 20(e) * W/Certificate of Svc. Related correspondence JONAS, S A Massachusetts, Commonwealth of, #388 7069, 88/09/09 Public Service Co of New Hampshire, 8pp, 46813 031-46813 038
- 8809160014 Forwards RW Krimm 880902 memo to NRC & RW Donovan 880906 ltr to RH Strome of State of NH, served on svc list for hearing, Certificate of Svc encl FLYNN, H J, Federal Emergency Management Agency, #388 7067 88/09/12, Docketing & Services Branch 11pp, 46812 323-46812 333
- 8809160032 Seacoast Anti Pollution League answers to applicant first set of interrogatories re Seabrook plan for Commonwealth of MA & motion for protective order * Svc list encl. BACKUS, R A Seacoast Anti Pollution League BACKUS, R A Backus, Meyer & Solomon #388 7068, 88/09/12, Public Service Co. of New Hampshire, 7pp, 46813 002-46813 008
- 8809160079 Applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/respect to srens contention. * Motion should be denied on basis of failure to satisfy prerequisites for late-filing W/Certificate of Svc DIGMAN, T G, Public Service Co of New Hampshire, DIGMAN, T G, Ropes & Gray, #388 7070, 88/09/12 Atomic Safety and Licensing Board Panel 8pp, 46812 340-46812 357
- 8809160090 New England Coalition on Nuclear Pollution petition for review of ALAB-899. * Petition should be granted on basis that integrity of RCS significantly paramount to safe operation of plant. W/Certificate of Svc. CURRAN, D, FERSTER, A New England Coalition on Nuclear Pollution, CURRAN, D Harmon & Weiss #388 7071, 88/09/12, Commissioners, 81pp 46812 242-46812 322
- 8809190028 Forwards corrected first page of 880808 motion to amend bases of Commonwealth of MA atty general on amended contention of Atty General JM Shannon on notification sys for Commonwealth of MA, W/Certificate of Svc JONAS, S A Massachusetts, Commonwealth of, #388 7072, 88/09/12, Docketing & Services Branch, 6pp 46829 243-46829 248
- 8809190238 Applicant reply to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 (petition for waiver of rules precluding financial qualification inquiry). * Certificate of Svc encl. TROUT, J P, Public Service Co. of New Hampshire TROUT, J P Ropes & Gray #388 7088, 88/09/12, Commissioners 46pp, 46829 092-46829 137
- 8809190074 Commonwealth of MA atty general further response to Interrogatories 6 & 7 * Certificate of Svc encl Related correspondence. JONAS, S A Massachusetts, Commonwealth of, #388 7078, 88/09/13, Public Service Co of New Hampshire, 7pp 46829 163-46829 169
- 8809160067 NRC Staff response to Intervenor's motion for acceptance of addl reply to Commission order of 880714 re ALAB-895 * Motion should be granted & Commonwealth of MA petition re financial qualification rules denied. W/Certificate of Svc, BERRY, G A Assistant General Counsel for Hearings, #388 7086, 88/09/14, Commissioners, 16pp, 46813 013-46813 030
- 8809190053 Town of Amesbury motion for protective order * Order requested prohibiting applicant from obtaining certain discovery, per applicant first set of Interrogatories re Seabrook plan for communities W/Certificate of Svc. MCEACHERN, P, BROCK, M T, Amesbury, MA, MCEACHERN, P, Shaines & McEachern, #388 7074, 88/09/14 Atomic Safety and Licensing Board Panel, 6pp, 46829 236-46829 241
- 8809190065 Town of Amesbury answers to applicant first set of Interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook, . * W/Certificate of Svc. Related correspondence. LORD, W, Amesbury, MA, #388 7075, 88/09/14, Public Service Co. of New Hampshire 11pp, 46829 225-46829 235
- 8809190099 Motion of Commonwealth of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice * DEAN, G B Massachusetts, Commonwealth of, #388 7079, 88/09/15 Commissioners, 3pp, 46829 170-46829 193
- 8809190105 Fourth Suppl to Commonwealth of MA Atty General JM Shannon petition under 10CFR2.758 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Certificate of Svc encl. DEAN, G B, Massachusetts, Commonwealth of, 88/09/15, Commissioners, 21pp 46829 173-46829 193
- 8809190170 Order * Period in which Commission may review ALAB 895 extended to 881017, per 10CFR2 772, Served on 880916, CHILK, S J, Office of the Secretary of the Commission #388 7080 88/09/15, Commissioners 1p 46829 162-46829 162
- 8809190293 Advice to Commission, Boards & parties * Forwards press release re changes in util mgt W/Certificate of Svc DIGMAN, T G Public Service Co. of New Hampshire, #388 7089 88/09/15 6pp, 46829 083-46829 088
- 8809210003 Forwards motion of EA Thomas for leave to file response to applicant reply to proposed findings of fact & conclusions of law & NRC proposed findings of fact & conclusions of law BASRSAAH, E J, Public Service Co. of New Hampshire #388 7088 88/09/15, SMITH, J W, HARBOUR, J, LINENBERGER, G Atomic Safety and Licensing Board Panel 1p, 46843 001-46843 025
- 8809210004 Motion of EA Thomas for leave to file response to applicant reply to proposed findings of fact & conclusions of law & NRC Staff proposed findings of fact & conclusions of law, BARSHAK, E J, NETSKI, C M Federal Emergency Management Agency BARSHAK, E J, Sugarman & Associates 88/09/15, Atomic Safety and Licensing Board Panel 3pp 46843 002-46843 004
- 8809210006 Response of EA Thomas to applicant reply to proposed findings of fact & conclusions of law & NRC Staff proposed findings of fact & conclusions of law * Certificate of Svc encl BARSHAK, E J, NETSKI, C M Federal Emergency Management Agency BARSHAK, E J, Sugarman & Associates 88/09/15, Atomic Safety and Licensing Board Panel, 21pp, 46843 005-46843 025
- 8809230015 Applicant supplemental responses to certain interrogatories of Commonwealth of MA atty general re amended contention on notification sys * Certificate of Svc encl. Related correspondence FEIGENBAUM, T C, TROUT, J F, Public Service Co. of New Hampshire, TROUT, J F Ropes & Gray, #388 7105, 88/09/15, Massachusetts, Commonwealth of, 7pp 46894 018-46894 022
- 8809230025 Applicant motion to withdraw applicant motion for sanctions against Commonwealth of MA atty general for failure to comply w/Board discovery order * Permission to withdraw 880908 motion requested TROUT, J P Public Service Co. of New Hampshire TROUT, J P, Ropes & Gray, #388 7106, 88/09/15, Atomic Safety and Licensing Board Panel 3pp 46894 063-46894 072
- 8809230028 Memorializes parties statements between Board & counsel for applicant, atty general of Commonwealth of MA & NRC on 880912. Certificate of Svc encl TROUT, J P Public Service Co. of New Hampshire, TROUT, J P, Ropes & Gray 88/09/15, WOLFE, S J, HARBOUR, J, LUEBKE, E A, Atomic Safety and Licensing Board Panel, 7pp 46894 066-46894 072
- 8809190177 Order, * Period in which Commission may review ALAB-892 extended until 881017, Served on 880916 BATES, A L Office of the Secretary of the Commission #388 7081, 88/09/16, Commissioners, 1p, 46829 161-46829 161
- 8809210017 City of Haverhill motion for protective order * AMIRIAN, A N Haverhill, MA #388 7101, 88/09/16, Atomic Safety and Licensing Board Panel, 1p 46843 030-46843 038
- 8809210019 City of Haverhill answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook Plan for Massachusetts communities AMIRIAN, A N Haverhill, MA 88/09/16, Public Service Co of New Hampshire, 8pp, 46843 031-46843 038
- 8809210018 Motion to admit exercise contention or, in alternative, to reopen record * Board should admit contention set forth as Exhibit 1. Affidavit of RD Pollard encl. TRAFICANTE, J, Massachusetts, Commonwealth of, BROCK, M T Hampton, NH BROCK, M T Shaines & McEachern, #388 7092, 88/09/16, Atomic Safety and Licensing Board Panel, 14pp, 46843 039-46843 075
- 8809210020 Affidavit of RD Pollard * Affidavit re adequacy of onsite emergency preparedness. Certificate of Svc encl. POLLARD, R D, Union of Concerned Scientists 88/09/16, 23pp, 46843 053-46843 075
- 8809210021 Town of Merrimac motion for protective order, * AMIRIAN, A N Merrimac, MA, #388 7102 88/09/16 Atomic Safety and Licensing Board Panel 1p, 46843 076-46843 084
- 8809210025 Town of Merrimac answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook Plan for Massachusetts communities AMIRIAN, A N Merrimac, MA, 88/09/16, Public Service Co. of New Hampshire, 8pp, 46843 077-46843 084
- 8809210023 Intervenor motion to permit response to applicant reply findings * Board should reject applicant 880831 reply to proposed findings of fact & conclusions of law of other parties on shelter contentions W/Certificate of Svc. BACKUS, R A, Seacoast Anti-Pollution League, BACKUS, R A Backus, Meyer & Solomon BROCK, M T, Hampton, NH, #388 7093 88/09/16, Atomic Safety and Licensing Board Panel 24pp, 46843 085-46843 108
- 8809210032 Forwards motion & newly filed contention in proceeding submitted by various intervenors including atty general of Commonwealth of MA NRC should direct onsite Licensing Board to accept motion in first instance TRAFICANTE, J, Massachusetts, Commonwealth of, #388 7103, 88/09/16, ZECH, L W, Commissioners 39pp 46843 119-46843 167
- 8809230039 Town of Newberry (TON) motion for protective order, * Order requested to prohibit applicant from obtaining certain discovery to extent objected to by TON, in first set of Interrogatories & request for production of documents HILL-WHILTON, R, Newbury, MA, HILL-WHILTON, R Lagoules, Clark, Hill-Whilton & McGuire, #388 7108, 88/09/16, Atomic Safety and Licensing Board Panel, 2pp 46894 083-46894 093

188 DOCKETED ITEMS

--8809230056 Town of Newbury (TON) answers to applicant first set of interrogatories re contentions on Seabrook plan for Commonwealth of MA communities.* W/Certificate of Svc
MACHIROSA Newbury, MA. 88/09/14 Public Service Co of New Hampshire 8pp 46894 085-46894 093

8809230105 New England Coalition on Nuclear Pollution answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re Seabrook * W/Svc list Related correspondence
CURRAN,D New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 7112 88/09/16 Public Service Co of New Hampshire 5pp. 46894-154-46894 158

8809260039 Town of Salisbury answers to interrogatories propounded by applicant * Certificate of Svc encl Related correspondence
GRAHAM,C.P Salisbury, MA. #388 7118. 88/09/16 Public Service Co of New Hampshire 13pp 46908 106-46908 208

8809260005 Forwards applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA, memo in support of applicant motion & affidavits of listed individuals, including TN Beard.
TROUT,J.P Public Service Co of New Hampshire. TROUT,J.P Ropes & Gray #388 7131 88/09/17 Docketing & Services Branch 2pp 46910 001-46910 317

--8809260017 Applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA * Decision in favor of applicant requested
TROUT,J.P. Public Service Co. of New Hampshire TROUT,J.P Ropes & Gray 88/09/14 Atomic Safety and Licensing Board Panel 2pp. 46910 003-46910 004

--8809260027 Memorandum in support of applicant motion for summary disposition of Commonwealth of MA atty general amended contention on notification sys * Motion should be allowed Mail facts not in dispute encl
TROUT,J.P. SMITH,J.B. Public Service Co. of New Hampshire. TROUT,J.P Ropes & Gray 88/09/17 Atomic Safety and Licensing Board Panel. 58pp. 46910 005-46910 052

--8809260041 Affidavit of TN Beard * Addresses allegations in Contention Bases A 5 & B 3 re time required to get vehicles dispatched & setup Supporting info encl
BEARD,T.N. Public Service Co of New Hampshire. 88/09/17. 15pp 46910.083-46910 078

--8809260050 Affidavit of SN Caruso * Discusses allegations in Contention Bases A.4 & A.6 re vehicular alert & notification sys vehicles Supporting info encl
CARUSO,S.N. Public Service Co of New Hampshire 88/09/17 17pp 46910 077-46910 092.

--8809260069 Affidavit of GJ Catapano * Addresses allegations in Contention Bases A 5 & A 14 re vehicular alert & notification sys Supporting info encl.
CATAPANO,G.J Public Service Co. of New Hampshire CATAPANO,G.J AllComm, Inc. 88/09/17 23pp 46910 093 46910.114.

--8809260077 Affidavit of EW Desmarais.* Addresses allegations in Contention Bases A 1 A 5 A 9 A 10 A 11 B 1 B 3 & B 4 Related info encl.
DESMARIS,E.W. Public Service Co of New Hampshire 88/09/17. 51pp 46910-115-46910 184.

--8809260087 Affidavit of RJ Faix * Addresses allegations in Contention Bases A.1 & A.7 re vehicular alert & notification sys Supporting info encl
FAIX,R.J Public Service Co. of New Hampshire FAIX,R.J Westlinghouse Electric Corp 88/09/17 9pp 46910 165-46910 172.

--8809260104 Affidavit of GA Harper.* Discusses analysis to develop fastest mile wind speed data used in structural analysis of vehicular alert & notification sys truck/crane combination
HARPER,G.A. Public Service Co. of New Hampshire HARPER,G.A Yankee Atomic Electric Co. 88/09/17. 9pp 46910 173 46910 180

--8809260134 Affidavit of LM Jacobson.* Discusses vehicular alert & notification sys Prof qualifications encl
JACOBSON,L.M Public Service Co. of New Hampshire 88/09/17. 6pp 46910.181-46910 185

--8809260142 Affidavit of DE Johnson.* Adresses allegations in Contention Contention Bases A 4 & A 6 re applicant vehicular alert & notification sys vehicles Supporting documentation encl.
JOHNSON,D.E Public Service Co of New Hampshire JOHNSON,D.E Yankee Atomic Electric Co 88/09/17. 27pp 46910-186-46910 211.

--8809260149 Affidavit of DN Keast.* Discusses Contention Bases A 7 re hearing damage to anyone within 100 ft of siren during operation Supporting info encl
KEAST,D.N. Public Service Co. of New Hampshire KEAST,D.N Warning System Services 88/09/17 16pp 46910 212-46910 226

--8809260158 Affidavit of KD Kryter.* Addresses allegations in Contention Bases A.7 re hearing damage from siren operation
KRYTER,K.D. Public Service Co. of New Hampshire KRYTER,K.D SRI International 88/09/17 14pp 46910.227-46910 239

--8809260168 Affidavit of EB Lieberman * Addresses allegations in Contention Bases A.5 re effect of heavy traffic, nighttime conditions & snow & ice associated w/adverse winter conditions on vehicle speed in general
LIEBERMAN,E.B Public Service Co. of New Hampshire. LIEBERMAN,E.B. KLD Associates, Inc 88/09/17. 18pp. 46910 240-46910 256

--8809260178 Affidavit of J Story.* Discusses allegations in Contention Bases A.3 re vehicular alert & notification sys vehicles. Prof qualifications encl.
STORY,J Public Service Co of New Hampshire. 88/09/17. 7pp 46910 257-46910 263.

--8809260193 Affidavit of E Stusnick.* Addresses allegations in Contention A 1. Supporting documentation encl
STUSNICK,E. Public Service Co of New Hampshire. STUSNICK,E. Wyle Laboratories 88/09/17 44pp. 46910 264-46910.306.

--8809260208 Affidavit of LC Sutherland * Addresses allegations in Contention Bases A.7 & A 8 re hearing damage to anyone within 100 ft of siren during operation. Certificate of Svc encl.
SUTHERLAND,L.C Public Service Co of New Hampshire. SUTHERLAND,L.C. Wyle Laboratories 88/09/17. 11pp 46910.307-46910.317.

8809230035 Applicant answer to joint intervenor application for stay of order authorizing issuance of low power license * Application should be denied Certificate of Svc encl.
DIGNAN,T.G Public Service Co. of New Hampshire DIGNAN,T.G Ropes & Gray #388 7107 88/09/19 Commissioners 10pp 46894 073-46894 082

8809230061 Town of West Newbury motion for protective order * Order requested to prohibit applicant from obtaining certain discovery set forth in applicant first set of interrogatories & request for production of documents
MIZNER,J.H. West Newbury, MA. #388 7109. 88/09/19. Atomic Safety and Licensing Board Panel 1p 46894 094-46894 100

--8809230067 Town of West Newbury answers to applicant first set of interrogatories & first request for production of documents to all parties & participating local govts re contentions on Seabrook plan for Commonwealth * Certificate of Svc encl
PULKKINEN,T.E West Newbury, MA. 88/09/19. Public Service Co of New Hampshire 6pp 46894 095-46894.100.

8809260109 Forwards stipulation to Seabrook plan on Commonwealth of MA communities, consolidating & clarifying applicant, intervenors & NRC contentions admitted by ASLB in 880722 & 0819 memoranda & orders Contentions J17 & J18 not included.
CHAN,E.I Assistant General Counsel for Hearings. #388 7126 88/09/19 SMITH,I.W. HARBOUR,J. LINENBERGER,G Atomic Safety and Licensing Board Panel 1p. 46908 244 46908 205

--8809260119 Stipulation as to contentions.* Submits final wording on contentions on Seabrook plan for Commonwealth of MA communities
CHAN,E.I Assistant General Counsel for Hearings TRAFICANTE,J Massachusetts, Commonwealth of DIGNAN,T.G Public Service Co. of New Hampshire 88/09/19 41pp. 46908-245 46908 285.

8809300043 Seacoast Anti-Pollution League contentions on graded exercise * Svc list encl.
BACKUS,R.A Seacoast Anti Pollution League BACKUS,R.A Backus, Meyer & Solomon #388 7116. 88/09/20. Atomic Safety and Licensing Board Panel 21pp 46944 164 46944 184

8809260033 Commonwealth of MA atty general exercise contentions submitted in response to June 1988 plant initial full participation exercise * Supporting documentation & Certificate of Svc encl
FIERCE,A.R. Massachusetts, Commonwealth of. #388 7119. 88/09/21 Atomic Safety and Licensing Board Panel 129pp. 46908-067-46908 195

8809260040 Request to file reply of Commonwealth of MA atty general to applicant answer to motion to amend basis filed by Commonwealth of MA atty general w/re spect to siren contentions * Supporting info & Certificate of Svc encl
JONAS,S.A. Massachusetts, Commonwealth of. #388 7119. 88/09/21 Atomic Safety and Licensing Board Panel 14pp 46908-209 46908 222

8809260048 Town of Hampton & New England Coalition on Nuclear Pollution emergency planning contentions on 880628-29 exercise * Supporting documentation & Certificate of Svc encl.
MCEACHERN,P Hampton, NH MCEACHERN,P Shaines & McEachern. BROCK,M.T New England Coalition on Nuclear Pollution. #388 7120 88/09/21 Atomic Safety and Licensing Board Panel 11pp 46908-223-46908 233.

8809260054 Order CLI 88-07 * Applicant requested to provide basis for reasonable assurance that adequate funding for decommissioning will be available in event that full power license not granted within 30 days. Served on 880922
CHILK,S.J. Office of the Secretary of the Commission. #388 7121 88/09/22 Office of the General Counsel. 3pp. 46908.234 46908-236.

I. Financial Information

8809140064 Motion of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice * Requests leave to file encl suppl to petition re waiver or exception from util exemption to financial qualification
DEAN,G.B Massachusetts, Commonwealth of. #388 7042. 88/09/09 Commissioners 3pp 46785 018 46785.100.

--8809140068 Third suppl to MA Atty General JM Shannon petition under 10CFR2.756 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Supporting info & Certificate of Svc encl
DEAN,G.B Massachusetts, Commonwealth of 88/09/09 Commissioners 81pp 46785 021-46785-100.

8809190238 Applicant reply to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB 895 (petition for waiver of rules precluding financial qualification inquiry) * Certificate of Svc encl.
TROUT,J.P Public Service Co of New Hampshire. #388 7089 88/09/12 Commissioners 46pp 46829.092-46829.137.

8809160067 NRC Staff response to intervenors motion for acceptance of addl reply to Commission order of 880714 re ALAB-895.* Motion should be granted & Commonwealth of MA petition re financial qualification rules denied W/Certificate of Svc
BERRY,G.A Assistant General Counsel for Hearings. #388 7066 88/09/14 Commissioners. 18pp. 46813.013-46813.030.

8809190099 Motion of Commonwealth of MA Atty General JM Shannon for leave to file document not authorized by Commission rules of practice.*
DEAN,G.D Massachusetts, Commonwealth of. #388 7079. 88/09/15 Commissioners. 3pp. 46829.170-46829-193

--8809190105 Fourth Suppl to Commonwealth of MA Atty General JM Shannon petition under 10CFR2.756 for waiver of or exception from public util exemption from requirement of demonstration of financial qualification * Certificate of Svc encl.
DEAN,G.B Massachusetts, Commonwealth of. 88/09/15 Commissioners. 21pp 46829-173-46829-193.

Q. Inspection reports, IE Bulletins & correspondence

- 8808190185** NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc 125pp 46690 054-46690.178.
- 8808160451** NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc 121pp 46702.311-46703 070
- 8808180368** Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713.218 46713 219
- 8808230112** NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713-095-46713.217.
- 8808260492** NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1903 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713:004
- 8808300018** NRC Info Notice 88 072, "Inadequacies In Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02, Consolidated Edison Co. of New York, Inc 122pp 46726:001-46726:123.
- 8809080339** NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS In PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824-215-46824.338.
- 8809120197** NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946:252.
- 8809130350** NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered In Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947:013

Uh Congressional/Executive Correspondence

- 8808260346** Forwards quarterly rept for second quarter of CY88,per H.R.97-850
ROGERS,K.G. Commissioners. 88/08/23. BEVILL,T House of Rep , Appropriations. 11pp 46929.339-46929.349.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1**A. Application/construction stage documents & correspondence**

- 8808120294** Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc 41pp. 47065.001-47065 006
- 8808290239** Forwards Rev 1 to ER-ME 01, "RCS Cold Sys Hydrostatic Test Rept"
COUNCIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/08/23. Document Control Branch (Document Control Desk). 2pp. 46977:217-46977:225.
- 8808290245** Rev 1 to ER-ME-01, "RCS Cold Hydrostatic Test Rept."
SKIGGS,M. TU Electric (formerly Texas Utilities Generating Co.). 88/08/18 7pp. 46677.219-46677:225.
- 8808300043** Notification of 880901 meeting w/uttl,Westinghouse & RL Cloud to review plant pressurizer surge line stratification.
WILSON,J.H. Ofc of Special Projects 88/08/25. GRIMES,C.I. Ofc of Special Projects. 5pp. 46693 202-46693:206.
- 8809010287** Forwards Corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively,reflecting reallocation of ownership interest. Safety evaluation & notice of issuance of amends also encl.
GRIMES,C.I. Ofc of Special Projects 88/08/25. COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 46744.098-46744:109.
- 8809010301** Corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively, reflecting reallocation of ownership interest in plant.
GRIMES,C.I. Ofc of Special Projects. 88/08/25 2pp. 46744-103-46744:104.
- 8809010304** Safety evaluation supporting corrections to Amends 9 & 8 to CPPR-126 & CPPR 127, respectively.
* Ofc of Special Projects 88/08/25. 3pp. 46744.105-46744.107
- 8809010307** Notice of Issuance of corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively,showing change in ownership interest.
GRIMES,C.I. Ofc of Special Projects. 88/08/25. 2pp 46744-108-46744:109.
- 8809020268** Forwards facility isolator test procedure for core cooling monitors,in response to Generic Ltr 82-33, "Requirements for Emergency Response Capability." Isolators scheduled to be tested as early as 880926.
COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/08/29. Document Control Branch (Document Control Desk) 6pp. 46745:113-46745:118.
- 8809010330** Change Notice 1 to notification of 880907 meeting w/uttl, Westinghouse & RL Cloud in Rockville,MD to discuss plant pressurizer surge line stratification.
WILSON,J.H. Ofc of Special Projects 88/08/30. GRIMES,C.I. Ofc of Special Projects 5pp. 46721-228-46721.230.
- 8809070100** Summary of 880818 meeting w/uttl & Westinghouse in Rockville,MD re application of leak-before-break methodology to pressurizer surge line Meeting notice,agenda,list of attendees & slides used in presentation encl.
WILSON,J.H. Ofc of Special Projects 88/08/31 Ofc of Special Projects 29pp 46776.247-46776 278
- 8809060302** Notification of 880913 meeting w/uttl in Glen Rose,TX to discuss removal of Plaste liner from svc water sys piping
GRIMES,C.I. Ofc of Special Projects. 88/09/02. PARTLOW,J.G. Ofc of Special Projects 4pp. 46763-342-46763.345
- 8809220042** Notification of 880921 forthcoming meeting w/uttl in Rockville,MD to discuss Chemical Engineering Branch FSAR review for Comanche Peak
WILSON,J.H. Ofc of Special Projects. 88/09/02. GRIMES,C.I. Ofc of Special Projects 4pp. 46930.036-46930 038.
- 8809150099** Forwards WG Council 880906 ltr to S Matthews,transmitting info requested by Texas Dept of Labor & Sids W/o encl.
COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/06 Document Control Branch (Document Control Desk) 1p 46864 318-46864.318
- 8809070156** Notification of 880907 meeting w/licensee in Rockville,MD to discuss pressurizer surge line thermal stratification.
TAMP,S. Project Directorate 14. 88/09/01 MURLEY,T.E., SNIEZEK,J., CRUTCHFIELD,D NRC - No Detailed Affiliation Given 3pp 46779.169 46779 171.
- 8809140340** Forwards uttl ASME Section XI program presentation from 880729 meeting w/NRC in Austin,TX per NRC request.Info should not be viewed as commitments
COUNCIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/07. Document Control Branch (Document Control Desk). 24pp 46845 029-46845.052.
- 8809140367** Responds to 880815 request for addl info re qualification of radiation protection manager candidate Util proposes to create new position of assistant radiation protection manager Responsibilities of assistant listed
COUNCIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/09/07. Document Control Branch (Document Control Desk). 4pp. 46842.292-46842.295.
- 8809150083** Forwards proprietary overhauls re pressurizer surge stratification leak-before break from 880907 presentation. Encl withheld.
BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/09/07. Document Control Branch (Document Control Desk). 2pp. 46859.354-46859 356
- 8809130001** Notification of 880921 meeting w/uttl in Rockville,MD to discuss Tech Specs for plant
WILSON,J.H. Ofc of Special Projects 88/09/09. GRIMES,C.I. Ofc of Special Projects. 4pp. 46833:311-46833:314.
- 8809160221** Change Notice 1 to notification of rescheduled 880922 meeting in Rockville,MD to discuss plant Tech Specs
WILSON,J.H. Ofc of Special Projects. 88/09/14 GRIMES,C.I. Ofc of Special Projects. 2pp. 46884:353 46884.354
- 8809230123** Advises of completion status of primary portion of S&W engineering functional evaluation (EFE) & requests NRC approval to integrate other planned EFE efforts
COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/14. Document Control Branch (Document Control Desk). 3pp. 46945:186-46945-188.
- 8809260186** Forwards Suppl 3 to "Human Factors CRDR of Comanche Peak Steam Electric Station," final rept Provides update of CRDR program activities re status of human engineering deficiencies.
COUNCIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/15 Document Control Branch (Document Control Desk). 3pp 46947:329-46947:354.
- 8809260191** Suppl 3 to "Human Factors CRDR of Comanche Peak Steam Electric Station."
* TU Electric (formerly Texas Utilities Generating Co.). 88/09/30. 23pp. 46947.332-46947:354
- 8809260159** Forwards current version of CPRT findings & related project commitments data base used to coordinate CPRT documents, findings,actions & related closure/tracking documents.
COUNCIL,W.G., BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/09/16. Document Control Branch (Document Control Desk). 165pp 46950 062-46950:226.
- 8809230170** Summary of 880907 meeting w/uttl in Rockville,MD re bounding analysis for stress condition pressurizer surge. List of attendees & presentation mail encl.Proprietary version of presentation slides also encl
MALLOY,M. Ofc of Special Projects 88/09/19 Ofc of Special Projects. 56pp. 46941.299 46941:359.
- 8809270004** Notification of 880929 meeting w/uttl in Rockville,MD to discuss FSAR changes under review by Plant Sys Branch.
WILSON,J.H. Ofc of Special Projects. 88/09/21 GRIMES,C.I. Ofc of Special Projects 4pp. 46989 017-46989 020.
- 8809260166** Notification of 880922 meeting w/uttl in Rockville,MD to discuss proposed changes to facility Tech Specs.
MALLOY,M. Ofc of Special Projects. 88/09/22 GRIMES,C.I. Ofc of Special Projects 4pp. 46989-075-46989:078.

F. Security, medical, emergency & fire protection plans

- 8808280046** Forwards Rev 5 to security training & qualification plan.Rev withheld (ref 10CFR73.21).
COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/08/22. Document Control Branch (Document Control Desk). 1p. 46654-305-46654.305.

190 DOCKETED ITEMS

8808260063 Forwards Rev 6 to plant physical security plan Encl withheld (ref 10CFR2 790(a)(4))
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/22 Document Control Branch (Document Control Desk) 1p. 46655 359 46655 359.

8809060159 Notification of 880908 meeting w/utl in Rockville, MD to discuss Rev 10 to emergency preparedness plan & related issues.
WILSON, J.H. Ofc of Special Projects 88/08/31. GRIMES, C.I. Ofc of Special Projects 4pp 46748 052-46748 055

8809140083 Corporate emergency mgt plan implementing procedures, including Rev 4 to CERF-108, "Release of Emergency-Related Info" & Rev 6 to EPP-204, "Activation of Technical Support Ctr (TSC) & TSC Personnel Duties" W/880907 ltr
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/07 78pp. 46839 348-46840 066

8809190255 Forwards Insp Repts 50-445/88 60 & 50-446/88 56 on 880809 11 No violations or deviations noted
WARNICK, R.F. Ofc of Special Projects 88/09/09 COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 3pp. 46885 306 46885 313

8809190257 Insp Repts 50-445/88 60 & 50-446/88 56 on 880809 11. No violations or deviations noted Major areas inspected operational status of emergency preparedness program
TERC, N.M., EVERETT, R.J. Region 4, Ofc of the Director 88/09/07 5pp. 46885 309-46885 313

8809260267 Summary of 880908 meeting w/utl in Rockville, MD re changes to emergency plan since Rev 6 was reviewed by staff & results of review documented in safety SER Meeting notice & list of attendees encl
WILSON, J.H. Ofc of Special Projects 88/09/20. Ofc of Special Projects. 11pp 46956 096 46956 110.

G. Adjudicatory correspondence

8809020090 Advises of official hours of NRC to serve pleadings, papers or documents in Hearing Div of Ofc of General Counsel
SCINTO, J.F. Assistant General Counsel for Hearings #388 6993 88/08/24. AHRENS, P. AMIRAN, A.N. ARMSTRONG, W. Affiliation Not Assigned 3pp. 46667 065 46667 067.

8809020052 Applicant answer to request for hearing & petition for leave to intervene by Citizens for Fair Util Regulation. Request should be denied based on inability to develop allegations. Certificate of Svc encl
EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.) EDGAR, G.L. Newman & Holtzinger. #388 6978 88/08/26. Commissioners 34pp. 46666 225-46666 258

8809020034 Advises that RL Griffin, counsel for Citizens for Fair Util Regulation, inadvertently omitted from svc list for applicant 880629 answer to request for hearing & petition for leave to intervene. W/Certificate of Svc
SCHMUTZ, T.A. TU Electric (formerly Texas Utilities Generating Co.) SCHMUTZ, T.A. Newman & Holtzinger. #388 6980 88/08/28. JULIAN, E. Dockaling & Services Branch. 4pp 46666 204 46666 207

8809020111 NRC Staff response in opposition to request for hearing & petition for leave to intervene by Citizens for Fair Util Regulation * Petitioner request should be denied Certificate of Svc encl
MOORE, J.E. Assistant General Counsel for Hearings. #388 7002 88/08/31. Commissioners 35pp 46667 080-46667 114

8809210055 Forwards Citizens for Fair Util Regulation first suppl to 880811 request for hearing & petition for leave to intervene
GRIFFIN, R.L. Citizens for Fair Utility Regulation. GRIFFIN, R.L. Griffin, R.L. #388 7097 88/09/12 Atomic Safety and Licensing Board Panel 1p 46843 168-46843 226.

8809210062 Citizen for Fair Util Regulation (CFUR) first suppl to 880811 request for hearing & petition for leave to intervene * CFUR 880811 request for hearing & petition for leave to intervene should be granted. W/Certificate of Svc
GRIFFIN, R.L. Citizens for Fair Utility Regulation GRIFFIN, R.L. Griffin, R.L. 88/09/12 Atomic Safety and Licensing Board Panel. 10pp 46843 169 46843 177

8809210067 Affidavit of JJ Macktal re oppressive terms of settlement agreement for addl safety concerns Related info encl
MACKTAL, J.J. TU Electric (formerly Texas Utilities Generating Co.). 88/09/09. 48pp 46843 178-46843 228

8809210015 Forwards amended Certificate of Svc
CAMPOS, L.G. TU Electric (formerly Texas Utilities Generating Co.) #388 7099 88/09/13 Atomic Safety and Licensing Board Panel. 2pp. 46843 028 46843 029

H. General correspondence

8809150108 Advises that HD Burner appointed as senior vice president, effective 880826.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/06. Document Control Branch (Document Control Desk) 1p 46863 320 46863 320.

J. Insurance & Indemnity Information

8808310192 Forwards Endorsement 4 to NELIA Certificate NW-167 & Endorsement 5 to MAELU Certificate MW-190.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/08/26 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp. 46717 356-46717 358.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp. 46690 054-46690 178.

8808260101 Forwards plant meteorological tower parameters for Jan Apr 1988, per open items from Insp Repts 50-445/88 07 & 50-446/88 06
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/19 Document Control Branch (Document Control Desk) 3pp 46669 138 46669 140

8808160451 NRC Info Notice 88 068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co of New York, Inc. 121pp 46702 311-46703 070

8808290010 Advises that date for dispositioning of DR C-88-03094 revised to 881023 contrary to commitment made in 880520 ltr responding to notice of violation item A.445/8827-V-01
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/22. Document Control Branch (Document Control Desk) 1p 46680 181 46680 181

8808290067 Responds to NRC 880722 ltr re violations noted in Insp Repts 50 445/88 46 & 50 446/88 44 Corrective actions. NCR 88-11586 issued & dispositioned Response to Item A will be provided by 880806
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/08/22. Document Control Branch (Document Control Desk) 4pp 46668 301-46668 304.

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218 46713 219

8808310083 Forwards revised response to open items from NRC Design Validation Program Insps, per addl discussions w/NRC Civil/ Structural Open Item C/S-51 completion date changed to 890428 & Design Basis Document will be revised by 880915
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/08/24. Document Control Branch (Document Control Desk). 28pp 46725 321-46725 349

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/20 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217

8809080131 Ack receipt of 880822 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 445/88-46 & 50-446/88 44
WARNICK, R.F. Ofc of Special Projects 88/08/30. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 46789 144-46789 148.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co of New York, Inc. 121pp 46712 244 46713 004

8809070555 Provides revised response to violations noted in Insp Repts 50-445/87 27 & 50-446/87-20. Corrective actions. safety-related motors containing unidirectional fans field checked & verified to have proper fan rotation.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01 Document Control Branch (Document Control Desk) 2pp. 46772 096-46772 097.

8809080184 Notifies that dispositioning of deficiency repts generated as result of review will extend beyond Sept. 1988 Date when full compliance will be achieved for EA 96-009 App B, Item 1B 2 revised to be no later than 881230.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01 Document Control Branch (Document Control Desk) 1p 46792 196 46792 198.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc 122pp. 46726 001-46728 123

8809090105 Forwards Insp Repts 50-445/88 47 & 50 446/88 42 on 880707- 0802. Violations noted under review for appropriate enforcement action.
GRIMES, C.I. Ofc of Special Projects. 88/09/02 COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 7pp 46807 015 46807 042

8809090108 Insp Repts 50-445/88-47 & 50-446/88-42 on 880702-0802. Violation noted Major areas inspected applicant actions on const deficiencies. Info Notice 85-024, previously identified items & removal of protective coating from piping.
PHILLIPS, H.S., LIVERMORE, H.H. Ofc of Special Projects 88/09/02. 21pp 46807 022-46807 042

8809140278 Responds to NRC 880722 ltr re violations noted in Insp Repts 50-445/88-46 & 50-446/88 44 Corrective actions. Procedure Change Notice PCN MMI-904-R3 3 written on 880827 to correct Step 5.3 10.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/06 Document Control Branch (Document Control Desk). 4pp 46840 273-46840 276

8809150201 Responds to NRC 880722 ltr re violations noted in Insp Repts 50-445/88-44 & 50-446/88 40. Corrective action appropriate procedures revised to require ventilation walkdown of temporary mods on 6-month basis
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/06. Document Control Branch (Document Control Desk). 5pp. 46857 058-46857 062

8809140162 Ack receipt of 880201 & 0901 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-445/87-27 & 50-446/87-20.
WARNICK, R.F. Ofc of Special Projects 88/09/07. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46836 054-46836 058

8809190255 Forwards Insp Repts 50-445/88 60 & 50-446/88-56 on 880809-11. No violations or deviations noted.
WARNICK, R.F. Ofc of Special Projects 88/09/09. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 3pp. 46885 306-46885 313

8809190257 Insp Repts 50-445/88 60 & 50-446/88-56 on 880809 11 No violations or deviations noted Major areas inspected: operational status of emergency preparedness program.
TERC, N.M., EVERETT, R.J. Region 4, Ofc of the Director. 88/09/07. 5pp 46885 309-46885 313

DOCKETED ITEMS 191

09200156 Discusses 880818 telcon re util operating requirements for use of mobile ab during radiochemistry confirmatory insp. Requests parking space for lab be provided
WARNICK, R.F. Region 4, Ofc of the Director 88/09/09 COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.), 4pp. 46900 285-46900 288.

09080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECOS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824 215 46824.336

09120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc 124pp 46946 133-46946 252.

09130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp 46946 253-46947 013

09260123 Responds to NRC 880819 ltr re violations noted in Insp Repts 80-445/88-51 & 80-446/88 47 Corrective actions Procedure ECE 5 02, Rev 1 revised to assure hat page replacement authorizations reviewed & approved by contractors
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/09/19. Document Control Branch (Document Control Desk). 3pp. 46957 170 46957 172

Reportable occurrences, LERs & related correspondence

09010341 Amend 2 to 870311 rept re potential problem w/static exter voltage regulator reset design provided as part of DSR/DSRV standby diesel generator Recommends that SEVR control circuits be modified to energize SERV on start signal
GUNTHER, B.C IMO Delaval, Inc. 88/08/17. NRC - No Detailed Affiliation Given. 3pp 46720 305 46720.307

08260123 Supplemental Deficiency Rept CP-87-70 re prebond pipe wall thickness Initially reported on 871228 Advises that post-bond pipe thickness insps being conducted under another field verification method
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/19. Document Control Branch (Document Control Desk) 1p 46658 283-46658 283

08310185 Supplemental Deficiency Rept CP-85-49 re unevaluated fluid transient in steam supply line for auxiliary feedwater pump Initially reported on 851220. Completion date for Unit 1 mods revised to 881229.
COUNCIL, W.G, BECK, J.W TU Electric (formerly Texas Utilities Generating Co.) 88/08/26. Document Control Branch (Document Control Desk) 1p. 46717.300-46717.360

09050315 Supplemental Deficiency Rept CP-86-16 re potential for zinc embrittlement of stainless steel instrument tubing during fire. Initially reported on 870121 Evaluations of issue determine that no fire zones require mod
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/31. Document Control Branch (Document Control Desk) 2pp 46758 008 46758 009

09080392 Supplemental Deficiency Rept CP-87-132 re unqualified Limitorque actuators Initially reported on 880105 Corrective actions for Unit 1 have been rescheduled for completion by 881214. Schedule for Unit 2 remains unchanged.
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/31. Document Control Branch (Document Control Desk). 1p. 46762 357-46762 357

09080396 Interim Deficiency Rept CP-88-033 re emergency diesel generator static exter voltage regulation circuitry deficiency. Initially reported on 880830. Evaluation of corrective action required to resolve deficiency continues
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/31. Document Control Branch (Document Control Desk) 2pp 46764 308-46764 307

09070007 Supplemental Deficiency Rept CP-87-23 re conduit unions. Initially reported on 870727 Corrective actions for Unit 1, scheduled for completion by 880831, rescheduled for completion by 881215. Unit 2 completion schedule unchanged.
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/31 Document Control Branch (Document Control Desk). 1p. 46783 360-46783 360

09070332 Supplemental Deficiency Rept CP-87-122 re various equipment nozzle load interfaces Initially reported on 880105 Stress calculation determined that no overstress condition in clip angles exists. Next rept will be submitted by 881212
COUNCIL, W.G, WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01. Document Control Branch (Document Control Desk). 2pp 46779.192-46779.193.

09070407 Supplemental Deficiency Rept CP-87-27 re condensate storage tank overpressurization Initially reported on 871202. Implementation of Unit 1 corrective actions continuing New completion date for Unit 1 activities is 881220.
COUNCIL, W.G, WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01 Document Control Branch (Document Control Desk). 1p 46779 168-46779.168.

09070416 Supplemental Deficiency Rept CP-87-07 re items procured w/ Q Code C other than A Initially reported on 880219
COUNCIL, W.G, MARSHALL, J.S TU Electric (formerly Texas Utilities Generating Co.) 88/09/01 Document Control Branch (Document Control Desk). 1p. 46713.348-46713 349.

09080143 Supplemental Deficiency Rept CP-87-121 re 6.9 kV/480V transformer bus bar clearance. Initially reported on 880106. Schedule date for modifying transformer design for remaining transformers revised New Unit 1 completion date is 881130.
COUNCIL, W.G, WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01. Document Control Branch (Document Control Desk) 1p. 46794 357-46794 357.

09130330 Supplemental Deficiency Rept CP-87-130 re svc water sys hammer & column separation at inlet & outlet of emergency diesel generator jacket water coolers Initially reported on 880513 Breakers to be installed in Unit 1 by 881213.
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/09/02. Document Control Branch (Document Control Desk). 1p 46830.071-46830 071.

8809140277 Supplemental Deficiency Rept CP-83-08 re ASME documentation for welded brackets on valves supplied by Fisher Controls Initially reported on 830423 NRC concerns re details of analysis resolved & replacement of valve brackets scheduled
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/09/09 Document Control Branch (Document Control Desk) 2pp 46837 360 46837 361

8809200376 Interim Deficiency Rept CP-88-30 re cold overpressure mitigation sys actuation during accident events. Initially reported on 880718. Evaluation continuing Next report will be submitted by 881102
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/09/12 Document Control Branch (Document Control Desk) 1p 46916 165 46916.165

8809190281 Supplemental Deficiency Rept CP-88-07 re reactor coolant pump wiring Initially reported on 880111 Unit 1 corrective actions rescheduled for completion by 881215 Unit 2 schedule remains unchanged
COUNCIL, W.G, MARSHALL, J.S TU Electric (formerly Texas Utilities Generating Co.) 88/09/13 Document Control Branch (Document Control Desk). 1p 46899.302-46899 302

8809230171 Interim Deficiency Rept CP 88 23 re tube steel mfg defects. Initially reported on 880314 Evaluation of impact upon safety of plant operations continuing. Next rept will be issued by 881116
COUNCIL, W.G, WOODLAND, D.R TU Electric (formerly Texas Utilities Generating Co.) 88/09/14. Document Control Branch (Document Control Desk) 1p. 46932.301-46932.301

8809230249 Supplemental Deficiency Rept CP-86-51 re anchor bolts supplied by Hilli Initially reported on 880204 Applicable design basis document revised to incorporate reduction in ultimate tensile capacity for Hilli bolts.
COUNCIL, W.G, BECK, J.W TU Electric (formerly Texas Utilities Generating Co.) 88/09/14. Document Control Branch (Document Control Desk) 2pp. 46932.144-46932 145.

8809280249 Interim Deficiency Rept CP-88-032 re chemical & vol control sys suction stabilizer. Initially reported on 880815 Evaluation continuing Next rept will be submitted by 880122
COUNCIL, W.G, WOODLAND, D.R TU Electric (formerly Texas Utilities Generating Co.) 88/09/14. Document Control Branch (Document Control Desk) 1p 46965.196-46965 196

8809280335 Supplemental Deficiency Rept CP-88-12 re Class 1E & Non Class 1E cable separation. Initially reported on 880111. Completion date for rerouting & redesignation of Unit 1 Cables E0140281 & EG140305 as non-Class 1E revised
COUNCIL, W.G, WOODLAND, D.R TU Electric (formerly Texas Utilities Generating Co.) 88/09/14. Document Control Branch (Document Control Desk). 1p. 46950 340-46950 340

8809280080 Supplemental Deficiency Rept CP-84 017 re flooding concerns Initially reported on 840816. Engineering walkdowns to determine interactions w/essential equipment, based on revised flood level rescheduled for 880915.
COUNCIL, W.G, MARSHALL, J.S TU Electric (formerly Texas Utilities Generating Co.) 88/09/15. Document Control Branch (Document Control Desk) 1p 46957.360-46957 360

8809280131 Supplemental Deficiency Rept CP-88-15 re containment max flood level Initially reported on 880118 Unit 1 corrective actions rescheduled for completion by 880216 & Unit 2 rescheduled for completion prior to fuel load.
COUNCIL, W.G, BECK, J.W TU Electric (formerly Texas Utilities Generating Co.) 88/09/16 Document Control Branch (Document Control Desk) 1p 46956.085-46956 085

8809280337 Supplemental Deficiency Rept CP-87-121 re 6.9KV/480V transformer bus bar clearance. Initially reported on 880106. Concludes that transformer mod at 810 ft not required based upon calculated clearance
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/09/19 Document Control Branch (Document Control Desk) 2pp 46956 227-46956 228

U. Congressional/Executive Correspondence

8808260346 Forwards quarterly rept for second quarter of CY88, per H.R 87-850.
ROGERS, K.C. Commissioners 88/08/23. BEVILL, T House of Rep., Appropriations 11pp. 46829 338-46829 349

V. Operator Examinations

8808260081 Notification of 880830 meeting w/util in Glen Rose, TX to discuss operator training program & operator exam results Meeting agenda encl
GRIMES, C.I Ofc of Special Projects 88/08/22 PARTLOW, J.G. Ofc of Special Projects. 5pp. 46689.201-46689 205

8809080176 Forwards proposed schedules for operator licensing & requalification exams.
COUNCIL, W.G TU Electric (formerly Texas Utilities Generating Co.) 88/08/31 HANNON, J Region 4, Ofc of the Director. 3pp 46797 148-46797 150

8809140255 Summary of 880830 meeting w/licensee representatives at util site re operator training program & license exam results W/list of attendees, agenda & view-graphs
GRIMES, C.I Ofc of Special Projects. 88/09/02 Ofc of Special Projects. 24pp 46839 241-46839 264

DOCKET 80-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc 41pp 47065.001-47065 006

192 DOCKETED ITEMS

8808290239 Forwards Rev 1 to ER-ME-01, "RCS Cold Sys Hydrostatic Test Rept"
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/08/23 Document Control Branch (Document Control Desk). 2pp 46677 217-46677 225

--**8808290245** Rev 1 to ER-ME-01, "RCS Cold Hydrostatic Test Rept"
SKIGGS, M. TU Electric (formerly Texas Utilities Generating Co.) 88/08/18 7pp 46677 219 46677 225

8808300043 Notification of 880901 meeting w/utl, Westinghouse & RL Cloud to review plant pressurizer surge line stratification.
WILSON, J.H. Ofc of Special Projects 88/08/25. GRIMES, C.I. Ofc of Special Projects 5pp 46693-202-46693.206

8809010237 Forwards Corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively, reflecting reallocation of ownership interest. Safety evaluation & notice of issuance of amends also encl.
GRIMES, C.I. Ofc of Special Projects. 88/08/25 COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46744 098 46744.109

--**8809010301** Corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively, reflecting reallocation of ownership interest in plant
GRIMES, C.I. Ofc of Special Projects 88/08/25. 2pp. 46744 103 46744.104.

--**8809010304** Safety evaluation supporting corrections to Amends 9 & 8 to CPPR-126 & CPPR-127, respectively.
* Ofc of Special Projects. 88/08/25 3pp. 46744 105 46744 107.

--**8809010307** Notice of Issuance of corrected Amends 9 & 8 to CPPR-126 & CPPR-127, respectively, showing change in ownership interest.
GRIMES, C.I. Ofc of Special Projects 88/08/25 2pp 46744-108-46744 109

8809020268 Forwards facility isolator test procedure for core cooling monitors, in response to Generic Ltr 82-33, "Requirements for Emergency Response Capability." Isolators scheduled to be tested as early as 880926
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/08/29, Document Control Branch (Document Control Desk). 6pp. 46745 113-46745.118.

8809010330 Change Notice 1 to notification of 880907 meeting w/utl, Westinghouse & RL Cloud in Rockville, MD to discuss plant pressurizer surge line stratification.
WILSON, J.H. Ofc of Special Projects 88/08/30, GRIMES, C.I. Ofc of Special Projects. 5pp 46721:226-46721.230

8809070100 Summary of 880818 meeting w/utl & Westinghouse in Rockville, MD re application of leak-before-break methodology to pressurizer surge line. Meeting notice, agenda, list of attendees & slides used in presentation encl.
WILSON, J.H. Ofc of Special Projects. 88/08/31. Ofc of Special Projects 28pp 46776-247-46776 278.

8809060302 Notification of 880913 meeting w/utl in Glen Rose, TX to discuss removal of Plastic liner from svc water sys piping
GRIMES, C.I. Ofc of Special Projects 88/09/02. PARTLOW, J.G. Ofc of Special Projects. 4pp. 46763-342-46763.345.

8809220042 Notification of 880921 forthcoming meeting w/utl in Rockville, MD to discuss Chemical Engineering Branch FSAR review for Comanche Peak
WILSON, J.H. Ofc of Special Projects 88/09/02 GRIMES, C.I. Ofc of Special Projects 4pp. 46930.036 46930 039.

8809070156 Notification of 880907 meeting w/licenses in Rockville, MD to discuss pressurizer surge line thermal stratification.
TAM, P.S. Project Directorate 1-4 88/09/01. MURLEY, T.E., SNIEZEK, J., CRUTCHFIELD, D. NRC - No Detailed Affiliation Given 3pp. 46779 169-46779.171

8809140387 Responds to 880815 request for addl info re qualification of radiation protection manager candidate. Utl proposes to create new position of assistant radiation protection manager. Responsibilities of assistant listed.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/07 Document Control Branch (Document Control Desk). 4pp 46842 292-46842.295.

8809150083 Forwards proprietary overheads re pressurizer surge stratification leak-before-break from 880907 presentation. Encl withheld.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/09/07. Document Control Branch (Document Control Desk). 2pp. 46859 354 46859 356.

8809130001 Notification of 880921 meeting w/utl in Rockville, MD to discuss Tech Specs for plant
WILSON, J.H. Ofc of Special Projects 88/09/09. GRIMES, C.I. Ofc of Special Projects. 4pp. 46833:311-46833 314.

8809160221 Change Notice 1 to notification of rescheduled 880922 meeting in Rockville, MD to discuss plant Tech Specs.
WILSON, J.H. Ofc of Special Projects 88/09/14. GRIMES, C.I. Ofc of Special Projects 2pp. 46884-353-46884-354.

8809230123 Advises of completion status of primary portion of S&W engineering functional evaluation (EFE) & requests NRC approval to integrate other planned EFE efforts.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/14. Document Control Branch (Document Control Desk) 3pp 46945:188-46945-188.

8809280186 Forwards Suppl 3 to "Human Factors CRDR of Comanche Peak Steam Electric Station," final rpt. Provides update of CRDR program activities re status of human engineering deficiencies.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/09/15. Document Control Branch (Document Control Desk). 3pp 46947:329-46947.354.

--**8809260191** Suppl 3 to "Human Factors CRDR of Comanche Peak Steam Electric Station."
* TU Electric (formerly Texas Utilities Generating Co.). 88/09/30. 23pp. 46947-332-46947-354.

8809280159 Forwards current version of CPRT findings & related project commitments data base used to coordinate CPRT documents, findings, actions & related closure/tracking documents.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/09/18. Document Control Branch (Document Control Desk). 165pp. 46950 062-46950.226.

8809230127 Informs of 880722 distribution of plant ASME Section III Code Control Manuals 37 & 38 to NRC.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/19 Document Control Branch (Document Control Desk) 1p. 46945 296 46945 296

8809230170 Summary of 880907 meeting w/utl in Rockville, MD re bounding analysis for stress condition pressurizer surge. List of attendees & presentation matl encl. Proprietary version of presentation slides also encl.
MALLOY, M. Ofc of Special Projects 88/09/19 Ofc of Special Projects 56pp 46941.299 46941.359.

8809270004 Notification of 880929 meeting w/utl in Rockville, MD to discuss FSAR changes under review by Plant Sys Branch
WILSON, J.H. Ofc of Special Projects 88/09/21 GRIMES, C.I. Ofc of Special Projects 4pp. 46969 017-46969.020.

F. Security, medical, emergency & fire protection plans

8809260048 Forwards Rev 5 to security training & qualification plan Rev withheld (ref 10CFR73.21).
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/22 Document Control Branch (Document Control Desk) 1p 46654 305 46654.305

8809260063 Forwards Rev 6 to plant physical security plan. Encl withheld (ref 10CFR2.790(a)(4)).
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/09/22. Document Control Branch (Document Control Desk) 1p. 46655 359-46655 359

8809060159 Notification of 880908 meeting w/utl in Rockville, MD to discuss Rev 10 to emergency preparedness plan & related issues
WILSON, J.H. Ofc of Special Projects. 88/08/31. GRIMES, C.I. Ofc of Special Projects 4pp. 46746 052-46746 055.

8809140083 Corporate emergency mgt plan implementing procedures, including Rev 4 to CERF-108, "Release of Emergency Related Info" & Rev 6 to EPP-204, "Activation of Technical Support Ctr (TSC) & TSC Personnel Duties." W/880907 ltr.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/07. 79pp 46838.348-46840.066

8809190255 Forwards Insp Repts 50-445/88-60 & 50-446/88-56 on 880809-11 No violations or deviations noted
WARNICK, R.F. Ofc of Special Projects. 88/09/09. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 3pp. 46885.306 46885.313.

--**8809190257** Insp Repts 50-445/88-60 & 50 446/88-56 on 880809-11 No violations or deviations noted. Major areas inspected: operational status of emergency preparedness program.
TERC, N.M. Region 4, Ofc of the Director. 88/09/07 5pp. 46885 309 46885 313

8809260287 Summary of 880908 meeting w/utl in Rockville, MD re changes to emergency plan since Rev 8 was reviewed by staff & results of review documented in safety SER. Meeting notice & list of attendees encl.
WILSON, J.H. Ofc of Special Projects. 88/09/20. Ofc of Special Projects. 11pp 46956.096 46956-110.

G. Adjudicatory correspondence

8809020090 Advises of official hours of NRC to serve pleadings, papers or documents in Hearing Div of Ofc of General Counsel.
SCINTO, J.F. Assistant General Counsel for Hearings #388 8803 88/09/24
AHRENS, P., AMIRIAN, A.N., ARMSTRONG, W. Affiliation Not Assigned. 3pp 46867.065-46867.067.

8809020052 Applicant answer to request for hearing & petition for leave to intervene by Citizens for Fair Util Regulation. Request should be denied based on inability to develop allegations. Certificate of Svc encl.
EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger #388 8978 88/08/26. Commissioners 34pp. 46866 226 46866.258.

8809020034 Advises that RL Griffin, counsel for Citizens for Fair Util Regulation, inadvertently omitted from svc list for applicant 880829 answer to request for hearing & petition for leave to intervene. W/Certificate of Svc.
SCHMUTZ, T.A. TU Electric (formerly Texas Utilities Generating Co.). SCHMUTZ, T.A. Newman & Holtzinger. #388 8980 88/08/29 JULIAN, E. Docketing & Services Branch. 4pp. 46868-204-46868.207

8809020111 NRC Staff response in opposition to request for hearing & petition for leave to intervene by Citizens for Fair Util Regulation. Petitioner request should be denied. Certificate of Svc encl.
MOORE, J.E. Assistant General Counsel for Hearings. #388 7002. 88/08/31. Commissioners. 35pp. 46867.080-46867.114.

8809210055 Forwards Citizens for Fair Util Regulation first suppl to 880811 request for hearing & petition for leave to intervene.
GRIFFIN, R.L. Citizens for Fair Utility Regulation, GRIFFIN, R.L. Griffin, R.L. #388 7097 88/09/12. Atomic Safety and Licensing Board Panel. 1p. 46843:168-46843-226.

--**8809210062** Citizen for Fair Util Regulation (CFUR) first suppl to 880811 request for hearing & petition for leave to intervene. CFUR 880811 request for hearing & petition for leave to intervene should be granted. W/Certificate of Svc
GRIFFIN, R.L. Citizens for Fair Utility Regulation. GRIFFIN, R.L. Griffin, R.L. 88/09/12. Atomic Safety and Licensing Board Panel. 10pp. 46843:169-46843:177.

--**8809210067** Affidavit of JJ Macktal re oppressive terms of settlement agreement for addl safety concerns. Related info encl.
MACKTAL, J.J. TU Electric (formerly Texas Utilities Generating Co.). 88/09/09. 48pp. 46843:178-46843:226.

8809210015 Forwards amended Certificate of Svc.
CAMPOS, L.G. TU Electric (formerly Texas Utilities Generating Co.). #388 7099. 88/09/13. Atomic Safety and Licensing Board Panel. 2pp. 46843:028-46843:029.

DOCKETED ITEMS 193

General correspondence

19150108 Advises that HD Burner appointed as senior vice president, effective 8/8/88.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/08 Document Control Branch (Document Control Desk) 1p 46863 320 46863.320

Insurance & Indemnity Information

18310192 Forwards Endorsement 4 to NELIA Certificate NW-167 & Endorsement 5 to LAELU Certificate MW-190.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/09/25 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp 6717-356-46717 356.

Inspection reports, IE Bulletins & correspondence

18190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Affected by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178

18260101 Forwards plant meteorological tower parameters for Jan-Apr 1988, per open items from Insp Repts 50-445/88-07 & 50-446/88-08.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/19 Document Control Branch (Document Control Desk) 3pp 46869 138-46869 140.

18180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves With Tied Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/22 Consolidated Edison Co. of New York, Inc. 121pp 46702-311-46703 070.

18290010 Advises that date for dispositioning of DR C-88 03094 revised to 881028 contrary to commitment made in 880820 ltr responding to notice of violation item 445/8827-V-01.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/22 Document Control Branch (Document Control Desk) 1p 46880-181-46880 181

18290067 Responds to NRC 880722 ltr re violations noted in Insp Repts 50-445/88-16 & 50-446/88-44. Corrective actions NCR 88-11586 issued & dispositioned. Response to item A will be provided by 880908.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/22 Document Control Branch (Document Control Desk) 4pp 46868 301-46868 304

18180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refueled Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/24 Consolidated Edison Co. of New York, Inc. 122pp 46713-218 46713-218

18310083 Forwards revised response to open items from NRC Design Validation Program Insps. per addl discussions w/NRC. Civil/ Structural Open Item C/S-51 complete on date changed to 880428 & Design Basis Document will be revised by 880915.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/09/24 Document Control Branch (Document Control Desk) 29pp 46725 321-16725-349.

18230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficient Tests." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713-217

18080131 Ack receipt of 880822 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-46 & 50-446/88-44.
WARNICK, R.F. Ofc of Special Projects, 88/09/30, COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46788-144-46789-148

18260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1960 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp 46712-244 46719-004

19070555 Provides revised response to violations noted in Insp Repts 50-445/87-27 & 50-446/87-20. Corrective actions safety-related motors containing unidirectional fans field checked & verified to have proper fan rotation.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01, Document Control Branch (Document Control Desk) 2pp 46772 096-16772 097.

19080164 Notifies that dispositioning of deficiency repts generated as result of review will extend beyond Sept 1988. Date when full compliance will be achieved for EA-88-208 App B, Item 1.8.2 revised to be no later than 881230.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01, Document Control Branch (Document Control Desk) 1p 46792 186-16792-196.

18300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02, Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726-123

19090105 Forwards Insp Repts 50-445/88-47 & 50-446/88-42 on 880707-0802. Violations noted under review for appropriate enforcement action.
PRIMES, C.I. Ofc of Special Projects, 88/09/02, COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 7pp 46807 015-46807-042.

1809090108 Insp Repts 50-445/88-47 & 50-446/88-42 on 880702-0802 Violation noted Major areas inspected-applicant actions on const deficiencies, Info Notice 85-224, previously identified items & removal of protective coating from piping.
HILLIPS, H.S., LIVERMORE, H.H. Ofc of Special Projects 88/09/02, 21pp 46607 022-46607-042.

19140278 Responds to NRC 880722 ltr re violations noted in Insp Repts 50-445/88-46 & 50-446/88-44. Corrective actions Procedure Change Notice PCN MM-904 R3-3 written on 880827 to correct Step 5.3.10.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/08, Document Control Branch (Document Control Desk) 4pp 46840-273-46840-276.

1809150201 Responds to NRC 880722 ltr re violations noted in Insp Repts 50-445/88-44 & 50-446/88-40. Corrective action appropriate procedures revised to require verification walkdown of temporary mods on 6 month basis.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/08 Document Control Branch (Document Control Desk) 5pp 46857 058-46857 062.

1809140162 Ack receipt of 880201 & 0901 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-445/87-27 & 50-446/87-20.
WARNICK, R.F. Ofc of Special Projects 88/09/07, COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46836 054-46836 058

1809190255 Forwards Insp Repts 50-445/88-60 & 50-446/88-56 on 880809-11. No violations or deviations noted.
WARNICK, R.F. Ofc of Special Projects 88/09/09, COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 3pp 46885 306 46885 313.

1809190257 Insp Repts 50-445/88-60 & 50-446/88-56 on 880809-11. No violations or deviations noted. Major areas inspected operational status of emergency preparedness program.
TERC, N.M., EVERETT, R.J. Region 4, Ofc of the Director, 88/09/07 5pp 46885 309-46885 313

1809200156 Discusses 880818 telcon re unit operating requirements for use of mobile lab during radiochemistry confirmatory Insp. Requests parking space for lab be provided.
WARNICK, R.F. Region 4, Ofc of the Director, 88/09/09, COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 4pp 46900 285-46900-288

1809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp 46824-215 46824-336

1809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252.

1809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013

1809280123 Responds to NRC 880819 ltr re violations noted in Insp Repts 50-445/88-51 & 50-446/88-47. Corrective actions Procedure ECE 5-02, Rev 1 revised to assure that page replacement authorizations reviewed & approved by contractors.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/09/19, Document Control Branch (Document Control Desk) 3pp 46957 170-46957 172

S. Reportable occurrences, LERs & related correspondence

1809010341 Amend 2 to 870311 rept re potential problem w/static exiter voltage regulator reset design provided as part of DSR/DSRV standby diesel generator. Recommends that SEVR control circuits be modified to energize SERV on start signal.
GUNTROM, B.C. IMO Delaval, Inc. 88/08/17 NRC - No Detailed Affiliation Given. 3pp 46720 305-46720 307.

1808260123 Supplemental Deficiency Rept CP-87-70 re prebend pipe wall thickness. Initially reported on 871228. Advises that post-bend pipe thickness insps being conducted under another field verification method.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/19, Document Control Branch (Document Control Desk) 1p 46858 283-46858 283

1808310185 Supplemental Deficiency Rept CP-85-49 re unevaluated fluid transient in steam supply line for auxiliary feedwater pump. Initially reported on 851220. Completion date for Unit 1 mods revised to 881229.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/08/28, Document Control Branch (Document Control Desk) 1p 46717 360-46717 360

1809080316 Supplemental Deficiency Rept CP-86-16 re potential for zinc embrittlement of stainless steel instrument tubing during fire. Initially reported on 870121. Evaluations of issue determine that no fire zones require mod.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/31, Document Control Branch (Document Control Desk) 2pp 46758 008-46758 009

1809060392 Supplemental Deficiency Rept CP-87-132 re unqualified Limitorque actuators. Initially reported on 880105. Corrective actions for Unit 1 have been rescheduled for completion by 881214. Schedule for Unit 2 remains unchanged.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/31, Document Control Branch (Document Control Desk) 1p 46762 357-46762 357

1809070007 Supplemental Deficiency Rept CP-87-23 re conduit unions. Initially reported on 870727. Corrective actions for Unit 1, scheduled for completion by 880831, rescheduled for completion by 881215. Unit 2 completion schedule unchanged.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/31, Document Control Branch (Document Control Desk) 1p 46783 360-46783 360.

1809070332 Supplemental Deficiency Rept CP-87-122 re various equipment nozzle load interfaces. Initially reported on 880105. Stress calculation determined that no overstress condition in clip angles exists. Next rept will be submitted by 881212.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01, Document Control Branch (Document Control Desk) 2pp 46779 192-46779 193.

1809070407 Supplemental Deficiency Rept CP-87-27 re condensate storage tank overpressurization. Initially reported on 871202. Implementation of Unit 1 corrective actions continuing. New completion date for Unit 1 activities is 881220.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01, Document Control Branch (Document Control Desk) 1p 46779 168-46779 168

194 DOCKETED ITEMS

8809080143 Supplemental Deficiency Rept CP 87-121 re 6.9 kV/480V transformer bus bar clearance initially reported on 880106. Schedule date for modifying transformer design for remaining transformers revised New Unit 1 completion date is 881130. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/01 Document Control Branch (Document Control Desk) 1p 46794 357-46794 357

8809130330 Supplemental Deficiency Rept CP 87-130 re svc water sys hammer & column separation at inlet & outlet of emergency diesel generator jacket water coolers initially reported on 880513. Breakers to be installed in Unit 1 by 881213. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.) 88/09/02 Document Control Branch (Document Control Desk) 1p 46830 071-46830 071

8809140277 Supplemental Deficiency Rept CP-83 08 re ASME documentation for welded brackets on valves supplied by Fisher Controls initially reported on 830423. NRC concerns re details of analysis resolved & replacement of valve brackets scheduled. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.) 88/09/09 Document Control Branch (Document Control Desk) 2pp 46837 360-46837 361

8809200375 Interim Deficiency Rept CP-88-30 re cold overpressure mitigation sys activation during accident events initially reported on 880718. Evaluation continuing. Next report will be submitted by 881102. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.) 88/09/12 Document Control Branch (Document Control Desk) 1p 46916 165-46916 165

8809190281 Supplemental Deficiency Rept CP 88 07 re reactor coolant pump wiring initially reported on 880111. Unit 1 corrective actions rescheduled for completion by 881215. Unit 2 schedule remains unchanged. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/13 Document Control Branch (Document Control Desk) 1p 46899 302-46899 302

8809230171 Interim Deficiency Rept CP 88 23 re tube steel mfg defects. Initially reported on 880314. Evaluation of impact upon safety of plant operations continuing. Next report will be issued by 881116. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/14 Document Control Branch (Document Control Desk) 1p 46932 301-46932 301

8809230249 Supplemental Deficiency Rept CP-86 51 re anchor bolts supplied by Hill initially reported on 880204. Applicable design basis document revised to incorporate reduction in ultimate tensile capacity for Hill bolts. COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/09/14 Document Control Branch (Document Control Desk) 2pp 46932 144-46932 145

8809260249 Interim Deficiency Rept CP-88-032 re chemical & vol control sys suction stabilizer initially reported on 880815. Evaluation continuing. Next report will be submitted by 890122. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/14 Document Control Branch (Document Control Desk) 1p 46965 196-46965 196

8809260335 Supplemental Deficiency Rept CP-88-12 re Class 1E & Non Class 1E cable separation initially reported on 880111. Completion date for rerouting & redesignation of Unit 1 Cables E0140291 & EG140305 as non Class 1E revised. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/09/14 Document Control Branch (Document Control Desk) 1p 46950 340-46950 340

8809260880 Supplemental Deficiency Rept CP 84-017 re flooding concerns. Initially reported on 840818. Engineering walkdowns to determine interactions w/essential equipment based on revised flood level rescheduled for 880915. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/09/15 Document Control Branch (Document Control Desk) 1p 46957 360-46957 360

8809260131 Supplemental Deficiency Rept CP 88-15 re containment max flood level initially reported on 880118. Unit 1 corrective actions rescheduled for completion by 880215 & Unit 2 rescheduled for completion prior to fuel load. COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/09/16 Document Control Branch (Document Control Desk) 1p 46956 095-46956 095

8809260337 Supplemental Deficiency Rept CP-87-121 re 6.9KV/480V transformer bus bar clearance initially reported on 880106. Concludes that transformer mod at 810 ft not required based upon calculated clearance. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.) 88/09/19 Document Control Branch (Document Control Desk) 2pp 46956 227-46956 228

U. Congressional/Executive Correspondence

8808260346 Forwards quarterly report for second quarter of CY88 per H.R. 97-850. ROGERS, K.C. Commissioners 88/08/23 BEVILL, T. House of Rep., Appropriations 11pp 46929 339-46929 349

V. Operator Examinations

8808260061 Notification of 880830 meeting w/util in Glen Rose, TX to discuss operator training program & operator exam results. Meeting agenda encl. GRIMES, C.I. Ofc of Special Projects. 88/08/22 PARTLOW, J.G. Ofc of Special Projects 5pp 46869 201-46869 205

8809080176 Forwards proposed schedules for operator licensing & requalification exams. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.) 88/09/31 HANNON, J. Region 4, Ofc of the Director. 3pp 46797 148-46797 150

8809140255 Summary of 880830 meeting w/licensee representatives at util site re operator training program & license exam results. W/list of attendees, agenda & viewgraphs. GRIMES, C.I. Ofc of Special Projects 88/09/02 Ofc of Special Projects. 24pp 46839 241-46839 264

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control. FORNEY, W.L. Region 3, Ofc of the Director 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director. 11pp 46898 231-46898 241

8809160165 Revised emergency plan implementing procedures, including Rev 2 to BZP 380 2, "Rad/Chem Response to Personnel Injuries & Serious Contamination or Exposures" & Rev 4 to BZP 380-7, "Estimation of Offsite Dose From Unplanned Release." Commonwealth Edison Co. 88/08/22 24pp 46885 238-46885 261.

8809260241 Rev 2 to Emergency Plan Implementing Procedure BZP 380 20, Attachments A & B W/880913 ltr. MCGUIRE, L. Commonwealth Edison Co. 88/08/22 3pp 46957 054-46957 056

8809010123 Informs of site visit on 880808 re emergency response facilities, per 880815 telcon & IE Info Notice 88 018 Outline for evaluating licensee accommodations for NRC site team encl. SHAFER, W.D. Region 3, Ofc of the Director 88/08/24 REED, C. Commonwealth Edison Co. 3pp 46742 358-46742 360.

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(g) & acceptable. SHAFER, W.D. Region 3, Ofc of the Director. 88/08/31 REED, C. Commonwealth Edison Co. 2pp 46806 193-46806 194

8809190342 Forwards Radiological Controls Team Insp Repts 50 454/88-13 & 50-455/88-13 on 880801-12. No violations noted. SHAFER, W.D. Region 3, Ofc of the Director 88/08/13 REED, C. Commonwealth Edison Co. 2pp 46899 253-46899 288.

8809190345 Team Insp Repts 50-454/88-13 & 50-455/88-13 on 880801-12. No violations noted. Major areas inspected: operation radiation protection, radwaste mgmt & non-radiological chemistry programs, including health physics organization. MILLER, D.E., GRANT, W.B., PAUL, R.A. Region 3, Ofc of the Director. 88/09/13 34pp 46899 255-46899 288.

8809230189 Forwards FEMA 880728 ltr containing offsite emergency preparedness findings of State of IL for 871014 exercise. No deficiencies & two weaknesses identified, involving corrective actions determined acceptable. SHAFER, W.D. Region 3, Ofc of the Director. 88/09/18 REED, C. Commonwealth Edison Co. 2pp 46947 198-46947 238.

8809230192 Forwards FEMA report on 871014 exercise of offsite radiological emergency response plans. TRAVERS, W.D. Emergency Preparedness Branch 88/08/18 NORELIUS, C.E. Region 3, Ofc of the Director 1p 46947 200-46947 238

P. Operating license stage documents & correspondence

8808260429 Forwards Amends 22 to Licenses NPF-37 & NPF 66 & Amends 11 to Licenses NPF-72 & NPF-77 & safety evaluation. Amends approves changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor. SANDS, S.P., OLSHAN, L.M. Project Directorate III-2, 88/08/05. BLISS, H.E. Commonwealth Edison Co. 4pp 46658 235-46658 261.

8808260442 Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77, approving changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor. MULLER, D.R. Project Directorate III-2, 88/08/05 14pp 46658 239-46658 252

8808260451 Safety evaluation supporting Amends 22 to Licenses NPF-37 & NPF 66 & Amends 11 to Licenses NPF-72 & NPF-77. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/05 9pp 46658 253-46658 261

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc ltr encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006.

8808310031 Forwards addl info re 880903 application for amends to Licenses NPF 37 & NPF-66 to increase storage capacity of spent fuel pit racks, including Sargent & Lundy Rept SAD 522, Rev 0 info withheld. CHYZANOWSKI, R. Commonwealth Edison Co. 88/08/17 MURLEY, T.E. Document Control Branch (Document Control Desk) 2pp 46723 132-46723 134

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5). App C documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc Search Associates. 5pp 46770 060-46770 089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 88/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223

8808260355 Forwards EGG-NTA-8028, "Technical Evaluation Rept, TMI Action - NUREG-0737 (II.D.1), Byron Units 1 & 2." Util provided acceptable response Rept in poses one addl requirement. Procedures to insp valves should be adopted. OLSHAN, L.N. Project Directorate III-2, 88/08/18, BLISS, H.E. Commonwealth Edison Co. 3pp 46653 240-46653 268

8808170132 "Technical Evaluation Rept, TMI Action - NUREG-0737 (II.D.1), Byron Units 1 & 2." MILLER, G.K., YUAN, C.Y., NALEZNY, C.L. EG&G Idaho, Inc (subs. of EG&G, Inc.) FIN A-6492 EGG-NTA-8028, 88/01/31 NRC - No Detailed Affiliation Given. 28pp 46653 243-46653 269.

DOCKETED ITEMS 195

808260275 Requests that util analyze allegation re possibility of unqualified contractor personnel performing eddy current testing Results of review should be submitted within 30 days of ltr receipt,Encl withheld (ref 10CFR2.790). GREENMAN,E.G. Region 3, Ofc of the Director 88/08/19 REED,C. Commonwealth Edison Co. 2pp. 46656.357-46656.358.

809010346 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50,App B requirements & acceptable. WRIGHT,G.C. Region 3, Ofc of the Director 88/08/19 REED,C. Commonwealth Edison Co. 2pp. 46742.071-46742.072

808290278 Forwards list of mods incorporated into vol reduction sys, safety evaluations & field change notices,per 880520 telcon. CHIRZANOWSKI,R. Commonwealth Edison Co. 88/08/23. MURLEY,T.E. Document Control Branch (Document Control Desk) 300pp. 46676.212-46677.215

809130311 Provides human engineering discrepancies & justification for schedule extensions per final DCRDR summary rept. HUNSDER,S.C. Commonwealth Edison Co. 88/08/25 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp. 46830.056-46830.058

809190300 Advises that util has requested State of IL EPA to have Outfalls 001(e) & 002(e) redesignated from const runoff to site stormwater runoff & to withdraw monitoring requirements for outfalls. CHIRZANOWSKI,R. Commonwealth Edison Co. 88/09/06 DAVIS,A.B. Region 3, Ofc of the Director. 1p. 46898.333-46898.333

809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization. MORGAN,W.E. Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk). 1p. 46999.322-46999.336

8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations." SHEWSKI,W. Commonwealth Edison Co. CE-1-A R52 88/09/13 12pp. 46999.323-46999.336.

809270009 Forwards safety evaluation supporting util inservice testing program for pumps & valves integral simulation test program addressed in rept covers first 10 yr intervals from 850916-950916 for Byron 1 & from 870821-970821 for Byron 2. OLSHAN,L.N. Project Directorate III-2 88/09/15 BLISS,H.E. Commonwealth Edison Co. 6pp. 46867.344-46868.026.

809270010 Safety evaluation rept re inservice testing program (IST) & requests for relief IST program & relief requests will provide reasonable assurance of operational readiness of pumps & valves. * Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/15. 5pp. 46967.350-46968.026.

809260160 Forwards request for addl info re Thot reduction program & proposed amendments to Licenses NPP-37,NPP-66,NPP-72 & NPP-75 revising Tech Spec re heat flux hot channel factor as function of core height. OLSHAN,L.N. Project Directorate III-2 88/09/16. BLISS,H.E. Commonwealth Edison Co. 8pp. 46945.336-46945.345.

3. Inspection reports, IE Bulletins & correspondence

808260012 Submits alternate schedule for establishing & implementing insp program as described in NRC Bulletin 88-009, "Thimble Tube Thinning in Westinghouse Reactors." Justification for deviation provided. MORGAN,W.E. Commonwealth Edison Co. 88/08/18. Document Control Branch (Document Control Desk). 3pp. 46654.030-46654.032

808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690.054-46690.178.

808260250 Forwards Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815 & notice of violation Requests supplemental response to violation re actions to be taken to permanently improve mod program for documentation. GREENMAN,E.G. Region 3, Ofc of the Director 88/08/19 REED,C. Commonwealth Edison Co. 2pp. 46670.040-46670.058

8808260267 Notice of violation from insp on 880701-0815 Violation noted from 880610-16,Level switch OLS-SX097 for CB basin deenergized,rendering CB essential svc water makeup pump incapable of starting automatically on low water level. GREENMAN,E.G. Region 3, Ofc of the Director. 88/08/19 1p. 46670.042-46670.042.

8808260299 Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815 Violation noted,Major areas inspected,licensee action on previous insp findings,LERs,bulletin followup,operations summary,training,refueling,surveillance & maint. HINDS,J.M. Region 3, Ofc of the Director. 88/08/19 17pp. 46670.043-46670.058

808160451 NRC Info Notice 88-066, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702.311-46703.070.

808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989,including insps,security & radiation control. FORNEY,W.L. Region 3, Ofc of the Director. 88/08/22 HAGUE,R.L. Region 3, Ofc of the Director 11pp. 46698.231-46698.241.

808180363 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713.218-46713.219.

808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713.095-46713.217.

8809020179 Forwards Safety Insp Rept 50-454/88-14 on 880810-12 No violations noted. HARRISON,J.J. Region 3, Ofc of the Director. 88/08/29 REED,C. Commonwealth Edison Co. 2pp. 46750.255-46750.261

8809020180 Safety Insp Rept 50-454/88-14 on 880810-12 No violations or deviations noted Major areas inspected facility mods associated w/snubber reduction,training & licensee action on previous insp findings. GAVULA,J.A., DANIELSON,D.H. Region 3, Ofc of the Director 88/08/29 5pp. 46750.257-46750.261.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244-46713.004

8808300016 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp. 46726.001-46726.123

8809160223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies,Inc & West Jersey Mfg Co mats complying w/ASME Code requirements Itemized list of components received encl. MORGAN,W.E. Commonwealth Edison Co. 88/09/08 Document Control Branch (Document Control Desk) 31pp. 46857.021-46857.051.

8809160237 Advises that util 880810 proposed alternate schedule for compliance w/ NRC Bulletin 88-009, "Thimble Tube Thinning in Westinghouse Reactors," acceptable. OLSHAN,L.N. Project Directorate III-2 88/09/13. BLISS,H.E. Commonwealth Edison Co. 2pp. 46884.355-46884.356

8809160342 Forwards Radiological Controls Team Insp Repts 50-454/88-13 & 50-455/88-13 on 880801-12 No violations noted. SHAFER,W.D. Region 3, Ofc of the Director 88/09/13 REED,C. Commonwealth Edison Co. 2pp. 46899.263-46899.288

8809160345 Team Insp Repts 50-454/88-13 & 50-455/88-13 on 880801-12 No violations noted Major areas inspected operation radiation protection,radwaste mgt & non-radiological chemistry programs,including health physics organization. MILLER,D.E., GRANT,W.B., PAUL,R.A. Region 3, Ofc of the Director 88/09/13 34pp. 46899.286-46899.286

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Radcirculation Operation Following LOCA." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824.336.

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26,Addl listed info re pumps & valves requested. GREENMAN,E.G. Region 3, Ofc of the Director 88/09/15. REED,C. Commonwealth Edison Co. 4pp. 46956.056-46956.058.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946.133-46946.252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946.253-46947.013

R. Periodic operating reports & related correspondence

8809010002 "Effluent & Waste Disposal Semiannual Rept for Jan-June 1988" W/ 880612 ltr. PLENIEWICZ,R. Commonwealth Edison Co. 88/06/30. 15pp. 46743.092-46743.106

8809190247 Monthly operating repts for Aug 1988 for Byron Nuclear Power Station W/ 880910 ltr. SPITZER,D.J., PLENIEWICZ,R. Commonwealth Edison Co. 88/08/31 14pp. 46697.281-46697.294.

S. Reportable occurrences, LERs & related correspondence

8808310084 LER 88-005-00 on 880804, stability trip enable annunciators & unit stability generator trip annunciator actuated resulting in reactor trip. Caused by microwave noise. Stability generator trips disabled. W/880825 ltr. TULON,T., PLENIEWICZ,R. Commonwealth Edison Co. 88/08/25. 4pp. 46699.080-46699.083.

8809140046 LER 87-018-01 on 870811, main feedwater pump thrust bearing wear annunciator activated in main control room. Caused by broken wire on proximity probe. Feedwater pump supervisory instrumentation repaired & recalibr W/880907 ltr. HIGGINS,T., PLENIEWICZ,R. Commonwealth Edison Co. 88/09/07. 4pp. 46845.117-46845.120

8809140055 LER 88-006-00 on 880826, fuel handling bldg booster fan actuated & dampers aligned to filter fuel handling bldg monitor sensed undervoltage condition & transferred to interlock mode. Caused by voltage transient W/880907 ltr. FLAHERTY,R., PLENIEWICZ,R. Commonwealth Edison Co. 88/09/07 4pp. 46840.267-46840.270

V. Operator Examinations

8809140188 Requests listed ref mail required for reactor/senior reactor operator licensing exams scheduled for wk of 880109. Forwards instructions. WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/09. REED,C. Commonwealth Edison Co. 10pp. 46840.117-46840.126.

196 DOCKETED ITEMS

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control
FORNEY, W.L. Region 3, Ofc of the Director. 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698 241

8809160165 Revised emergency plan implementing procedures, including Rev 2 to BZP 380-2, "Rad/Chem Response to Personnel Injuries & Serious Contamination or Exposures" & Rev 4 to BZP 380-7, "Estimation of Offsite Dose From Unplanned Release"
* Commonwealth Edison Co. 88/08/22. 24pp. 46885 238 46885 261.

8809260241 Rev 2 to Emergency Plan Implementing Procedure BZP 380-20, Attachments A & B, W/880913 ltr
MCGUIRE, L. Commonwealth Edison Co. 88/08/22. 3pp. 46957 054-46957 056

8809010123 Informs of site visit on 880908 re emergency response facilities, per 880815 telcon & IE Info Notice 88 018 Outline for evaluating licensee accommodations for NRC site team encl
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/24. REED, C. Commonwealth Edison Co. 3pp. 46742 358 46742 360.

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(a) & acceptable.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/31. REED, C. Commonwealth Edison Co. 2pp. 46806 193-46806 194.

8809190342 Forwards Radiological Controls Team Insp Repts 50-454/88-13 & 50 455/88-13 on 880801-12, No violations noted.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/09/13. REED, C. Commonwealth Edison Co. 2pp. 46899 253 46899 288

8809190345 Team Insp Repts 50-454/88-13 & 50-455/88-13 on 880801-12, No violations noted. Major areas inspected: operation radiation protection, radwaste mgmt & non-radiological chemistry programs, including health physics organization.
MILLER, D.E., SLAWINSKI, W.J., HOUSE, J.E. Region 3, Ofc of the Director. 88/09/13. 34pp. 46899 255 46899 288.

8809230189 Forwards FEMA 880728 ltr containing offsite emergency preparedness findings of State of IL for 871014 exercise. No deficiencies & two weaknesses identified, involving corrective actions determined acceptable.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/16. REED, C. Commonwealth Edison Co. 2pp. 46947 198 46947 238.

8809230192 Forwards FEMA rept on 871014 exercise of offsite radiological emergency response plans.
TRAVERS, W.D. Emergency Preparedness Branch. 88/08/18. NORELIUS, C.E. Region 3, Ofc of the Director. 1p. 46947 200 46947 238

P. Operating license stage documents & correspondence

8808260429 Forwards Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77 & safety evaluation Amends. Approves changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor.
SANDS, S.P., OLSHAN, L.M. Project Directorate III-2. 88/08/05. BLISS, H.E. Commonwealth Edison Co. 4pp. 46658 235-46658 261.

8808260442 Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77, approving changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor.
MULLER, D.R. Project Directorate III 2. 88/08/05. 14pp. 46658 239 46658 252.

8808260451 Safety evaluation supporting Amends 22 to Licenses NPF-37 & NPF 66 & Amends 11 to Licenses NPF-72 & NPF-77.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/05. 8pp. 46658 253 46658 261.

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8808310031 Forwards addl info re 880903 application for amends to Licenses NPF-37 & NPF-66 to increase storage capacity of spent fuel pit racks, including Sargent & Lundy Rept SAD 522, Rev 0, info withheld.
CHYZANOWSKI, R. Commonwealth Edison Co. 88/08/17. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 46723 132-46723 134.

8808260355 Forwards EGG-NTA-8028, "Technical Evaluation Rept, TMI Action - NUREG-0737 (II D.1), Byron Units 1 & 2." Unit provided acceptable response. Rept imposes one addl requirement: Procedures to insp valves should be adopted.
OLSHAN, L.N. Project Directorate III-2. 88/08/18. BLISS, H.E. Commonwealth Edison Co. 3pp. 46653 240-46653 268.

8808170132 "Technical Evaluation Rept, TMI Action - NUREG-0737 (II D.1), Byron Units 1 & 2."
MILLER, G.K., YUAN, C.Y., NALEZNY, C.L. EG&G Idaho, Inc (subs of EG&G, Inc.), FIN A-6492. EGG-NTA-8028. 88/01/31. NRC - No Detailed Affiliation Given. 28pp. 46653 243 46653 268.

8808260275 Requests that util analyze allegation re possibility of unqualified contractor personnel performing eddy current testing. Results of review should be submitted within 30 days of ltr receipt. Encl withheld (rel 10CFR2.790).
GREENMAN, E.G. Region 3, Ofc of the Director. 88/08/18. REED, C. Commonwealth Edison Co. 2pp. 46856 357-46856 358

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control.
FORNEY, W.L. Region 3, Ofc of the Director. 88/08/22. HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698 241.

8808290278 Forwards list of mods incorporated into vol reduction sys, safety evaluations & field change notices, per 880520 telcon.
CHYZANOWSKI, R. Commonwealth Edison Co. 88/08/23. MURLEY, T.E. Document Control Branch (Document Control Desk). 300pp. 46676 212 46677 215

8809130311 Provides human engineering discrepancies & justification for schedule extensions per final DCRDR summary rept.
HUNSADER, S.C. Commonwealth Edison Co. 88/08/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46830 056 46830 058.

8809190300 Advises that util has requested State of IL EPA to have Outfalls 001(c) & 002(e) redesignated from const runoff to site stormwater runoff & to withdraw monitoring requirements for outfalls.
CHYZANOWSKI, R. Commonwealth Edison Co. 88/09/06. DAVIS, A.B. Region 3, Ofc of the Director. 1p. 46898 333 46898 333

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization.
MORGAN, W.E. Commonwealth Edison Co. 88/09/13. Document Control Branch (Document Control Desk). 1p. 46999 322-46999 336

88 10050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations."
SHLEWSKI, W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999 323 46999 336

8809270009 Forwards safety evaluation supporting util inservice testing program for pumps & valves integral simulation test program addressed in rept covers first 10 yr intervals from 850918 850916 for Byron 1 & from 870821-970821 for Byron 2.
OLSHAN, L.N. Project Directorate III-2. 88/09/15. BLISS, H.E. Commonwealth Edison Co. 6pp. 46967 344 46968 028

8809270010 Safety evaluation rept re inservice testing program (IST) & requests for relief IST program & relief requests will provide reasonable assurance of operational readiness of pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/15. 5pp. 46967 350-46968 028.

8809260160 Forwards request for addl info re Thot reduction program & proposed amends to Licenses NPF-37, NPF 66, NPF-72 & NPF-75 revising Tech Spec re heat flux hot channel factor as function of core height.
OLSHAN, L.N. Project Directorate III-2. 88/09/16. BLISS, H.E. Commonwealth Edison Co. 8pp. 46945 338 46945 345.

Q. Inspection reports, IE Bulletins & correspondence

8808260012 Submits alternate schedule for establishing & implementing insp program as described in NRC Bulletin 88 009, "Thimble Tube Thinning in Westinghouse Reactors." Justification for deviation provided.
MORGAN, W.E. Commonwealth Edison Co. 88/08/18. Document Control Branch (Document Control Desk). 3pp. 46654 030-46654 032.

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054 46690 178.

8808260250 Forwards Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815 & notice of violation. Requests supplemental response to violation re actions to be taken to permanently improve mod program for documentation.
GREENMAN, E.G. Region 3, Ofc of the Director. 88/08/19. REED, C. Commonwealth Edison Co. 2pp. 46670 040-46670 058.

8808260267 Notice of violation from insp on 880701-0815. Violation noted from 880610-18, Level switch OLS-SX097 for OB basin deenergized, rendering OB essential svc water makeup pump incapable of starting automatically on low water level.
GREENMAN, E.G. Region 3, Ofc of the Director. 88/08/19. 1p. 46670 042-46670 042

8808260299 Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815. Violation noted. Major areas inspected: licensee action on previous insp findings, LERs, bulletin followup, operations summary, training, refueling, surveillance & maint.
HINDS, J.M. Region 3, Ofc of the Director. 88/08/19. 17pp. 46670 043-46670 058

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control.
FORNEY, W.L. Region 3, Ofc of the Director. 88/08/22. HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698 231-46698 241

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Roturbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/28. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123.

DOCKETED ITEMS 197

8809150223 Responds to NRC Bulletin 88-005 & Suppl 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co mails complying w/ASME Code requirements. Itemized list of components received encl
MORGAN, W.E. Commonwealth Edison Co. 88/09/08 Document Control Branch (Document Control Desk) 31pp 46857 021-46857 051

8809190342 Forwards Radiological Controls Team Insp Repts 50 454/88-13 & 50-455/88-13 on 880801-12 No violations noted.
SHAHER, W.D. Region 3, Ofc of the Director 88/09/13 REED, C. Commonwealth Edison Co. 2pp 46899 253 46899 288

8809190345 Team Insp Repts 50 454/88-13 & 50 455/88-13 on 880801-12 No violations noted. Major areas inspected operation radiation protection, radwaste mgt & non radiological chemistry programs, including health physics organization
MILLER, D.E., GRANT, W.B., PAUL, R.A. Region 3, Ofc of the Director 88/09/13, 34pp 46899, 255 46899 288.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc. 122pp 46824 215-46824:336

8809260172 Advises of generic inservice testing concerns identified by NRC as result of Insp on 880828-28 Addl listed info re pumps & valves requested
GREENMAN, E.G. Region 3, Ofc of the Director 88/09/15, REED, C. Commonwealth Edison Co. 4pp 46956 055 46956 058

8809120167 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co of New York, Inc. 125pp 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809010002 "Effluent & Waste Disposal Semiannual Rept for Jan June 1988" W/
880812 ltr
PLENIEWICZ, R. Commonwealth Edison Co. 88/08/30 15pp 46743, 092-46743 106.

8809190247 Monthly operating repts for Aug 1988 for Byron Nuclear Power Station. W/
880910 ltr.
SPITZER, D.J., PLENIEWICZ, R. Commonwealth Edison Co. 88/08/31. 14pp. 46897:281 46897, 294

S. Reportable occurrences, LERs & related correspondence

8808310093 LER 88 010 00, on 880721, reactor containment fan cooler 2A & essential svc water outlet process radiation monitor 2C alarmed On 880727, sample interval exceeded 12 h Tech Spec limit. Caused by personnel error. W/880825 ltr
BARRETT, S.P., PLENIEWICZ, R. Commonwealth Edison Co. 88/08/25 4pp. 46699:242-46699 245

8809200221 LER 87-015 01, on 870829, feedwater isolation (FI) actuated on high-2 steam generator level. Caused by personnel error in isolating wrong level transmitter. Technician disciplined, level transmitter unisolated & FI signal reset W/
880913 ltr
BRINOLE, D., PLENIEWICZ, R. Commonwealth Edison Co. 88/09/13 3pp. 46900 265-46900:267

V. Operator Examinations

8809140186 Requests listed ref mail required for reactor/senior reactor operator licensing exams scheduled for wk of 880109. Forwards instructions
WRIGHT, G.C. Region 3, Ofc of the Director. 88/09/09 REED, C. Commonwealth Edison Co. 10pp. 46840 117 46840 126.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

E. NRC Safety Evaluation Report (SER), suppl & correspondence

8809010051 Informs of changes to emergency planning program Personnel accessing site receive ltr describing expected action. Accountability guidelines provided to station dept heads & contractor supervisory personnel for review.
HUNSADER, S.C. Commonwealth Edison Co. 88/08/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46719 079-46719 080

F. Security, medical, emergency & fire protection plans

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989, including insps, security & radiation control
FORNEY, W.L. Region 3, Ofc of the Director 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director. 11pp. 46698, 231-46698-241

8809140337 Responds to violations noted in Insp Repts 50-456/88-19 & 50 457/88-19. Corrective actions: emergency action level being revised to include addl clarification as to when unusual event should be declared.
BLISS, H.E. Commonwealth Edison Co. 88/09/22 DAVIS, A.B. Region 3, Ofc of the Director. 6pp 46841:262-46841, 267.

8809010051 Informs of changes to emergency planning program Personnel accessing site receive ltr describing expected action. Accountability guidelines provided to station dept heads & contractor supervisory personnel for review.
HUNSADER, S.C. Commonwealth Edison Co. 88/08/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46719 079-46719 080.

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50 54(q) & acceptable
SHAHER, W.D. Region 3, Ofc of the Director. 88/08/31 REED, C. Commonwealth Edison Co. 2pp 46806 193-46806 194

8809150048 Forwards Insp Repts 50 456/88-20 & 50 457/88-20 re plant inattentive guard issue in response to 880822 ltr Safeguards info removed
BERSON, B.A. Region 3, Ofc of the Director 88/09/07 SAUNDERS, B.M. Commonwealth Edison Co. 1p 46884, 113 46884, 125

8809150081 Insp Repts 50 456/88-20 & 50-457/88-20 on 880620 Violation noted Major areas inspected compensatory measures & access control re NRC identified incident involving inattentiveness to duty issue of security officers
MADEDA, T.J., CREED, J.R., MALLETT, B.S. Region 3, Ofc of the Director. 88/07/01 7pp 46864 116 46864 122

8809150053 Requests for sanitized copy of all repts on util inattentive guard issue
SAUNDERS, B.M. Commonwealth Edison Co. 88/08/22 BERSON, B. Region 3, Ofc of the Director 3pp 46864, 123 46864, 125.

8809220284 Forwards Safety Insp Repts 50 456/88-22 & 50-457/88-22 on 880710 0827 No violations noted.
FORNEY, W.L. Region 3, Ofc of the Director 88/09/14 REED, C. Commonwealth Edison Co. 2pp 46928 117-46928 132.

8809220285 Insp Repts 50 456/88-22 & 50 457/88-22 on 880710 0827. No violations or deviations noted Major areas inspected. LER review, heat wave effect, startup test observation, verification, radiological protection & physical security
HINDS, J.M. Region 3, Ofc of the Director. 88/09/14. 14pp 46928 119-46928 132.

8809260198 Forwards notice of violation & proposed imposition of civil penalty from Insp Repts 50 456/88-20 & 50-457/88-20 on 880620 Encl withheld (ref 10CFR73 21).
DAVIS, A.B. Region 3, Ofc of the Director 88/09/16. REED, C. Commonwealth Edison Co. 3pp 46945 353-46945-355.

P. Operating license stage documents & correspondence

8808260429 Forwards Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77 & safety evaluation. Amends approves changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor.
SANDS, S.P., OLSHAN, L.M. Project Directorate III-2. 88/08/05 BLISS, H.E. Commonwealth Edison Co. 4pp 46658 235-46658 261.

8808260442 Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77, approving changes to Tech Specs to modify existing liquid rad waste effluent line flow monitor.
MULLER, D.R. Project Directorate III-2 88/08/05 14pp. 46658 239-46658 252.

8808260451 Safety evaluation supporting Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/05. 9pp 46658-263 46658, 261.

8808120284 Generic Ltr 88-14 to all holders of OIs or CPs for nuclear power reactor re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA, F.J., Associate Director for Projects (Post 870411). 88/08/08, Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 006

8809010031 Forwards addl info re 880903 application for amends to Licenses NPF-37 & NPF-66 to increase storage capacity of spent fuel pit racks, including Sargent & Lundy Rept SAD 522, Rev 0 info withheld
CHIRZANOWSKI, R. Commonwealth Edison Co. 88/08/17 MURLEY, T.E. Document Control Branch (Document Control Desk) 2pp 46723 132-46723, 134.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable.
WRIGHT, G.C. Region 3, Ofc of the Director 88/08/19 REED, C. Commonwealth Edison Co. 2pp 46742 071-46742, 072.

8808290279 Forwards list of mods incorporated into val reduction sys, safety evaluations & field change notices, per 880520 telcon
CHIRZANOWSKI, R. Commonwealth Edison Co. 88/08/23 MURLEY, T.E. Document Control Branch (Document Control Desk) 300pp 46676 212-46677 215.

8809010272 Forwards "Braidwood Unit 1 Cycle 1 Startup Rept Final Suppl."
HUNSADER, S.C. Commonwealth Edison Co. 88/08/25. DAVIS, A.B. Region 3, Ofc of the Director. 1p 46742, 221-46742 270

8809010277 "Braidwood Unit 1 Cycle 1 Startup Rept Final Suppl"
* Commonwealth Edison Co. 88/08/31 48pp 46742, 222 46742, 270

8809080406 Forwards rept on Limitorque operator lubrication for NRC review. Eight valves found w/mixtures of 12 to 33% of Sun EP50 mixed w/Exxon Nebula EPQ EP1 Mixed grease maintained lubricating capability & will perform Intended function
HUNSADER, S.C. Commonwealth Edison Co. 88/08/26. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 11pp 46780 185-46780, 185.

8808290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co Q Program for Nuclear Generating Stations." Rev made to change PACS part of char & consolidate PACS organization chart to reflect new organization
MORGAN, W.E. Commonwealth Edison Co. 88/09/13. Document Control Branch (Document Control Desk) 1p 46999, 322-46999, 336.

8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations"
SHEWSKI, W. Commonwealth Edison Co. CE-1-A R52. 88/09/13. 12pp. 46999, 332 46999, 336.

8809260180 Forwards request for addl info re Thot reduction program & proposed amends to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 revising Tech Spec re the flux hot channel factor as function of core height
OLSHAN, L.N. Project Directorate III-2 88/09/16. BLISS, H.E. Commonwealth Edison Co. 8pp 46945 338-46945-345.

198 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co of New York, Inc 125pp 46690 054 46690 178

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co of New York, Inc 121pp 46702 311-46703 070

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989,including insps,security & radiation control
FORNEY,W.L. Region 3, Ofc of the Director 88/08/22 HAGUE,R.L. Region 3, Ofc of the Director 11pp 46698 231-46698 241

8808300304 Forwards Exam Rept 50 456/OL-88-01 administered during wk of 880718-22
WRIGHT,G.C. Region 3, Ofc of the Director 88/08/22 REED,C. Commonwealth Edison Co 2pp 46691 036-46691 191

--8808300309 Exam Rept 50 456/OL-88-01 on 880718-22 Exam results three senior reactor operators & one reactor operator candidates failed exams
DAMOND,J., SUNDERLAND,P.R., HOPKINS,J.A. Region 3, Ofc of the Director. 88/08/18 128pp 46691 036-46691 191

8809140337 Responds to violations noted in Insp Repts 50 456/88-19 & 50 457/88-19 Corrective actions emergency action level being revised to include addl clarification as to when unusual event should be declared
BLISS,H.E. Commonwealth Edison Co 88/09/22 DAVIS,A.B. Region 3, Ofc of the Director 6pp 46841 262-46841 267

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co of New York, Inc. 122pp 46713 218 46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co of New York, Inc. 123pp 46713 095 46713 217

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co of New York, Inc 121pp 46712 244 46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co of New York, Inc 122pp 46726 001 46726 123

8809140024 Responds to discussion held during 880817 enforcement conference re grease mix within Limitorque valve operators Grease mixtures will perform intended function Lubricating capability not reduced
HUNSADER,S.C. Commonwealth Edison Co 88/09/02 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46836 350 46838 351

8809190186 Forwards addl info requested during 880728 telcon re utl 880715 response to Insp Rept 50-456/88-013 Brief chronology of moveable incore detection sys thimble cleaning & incore-excore calibr surveillance also encl
BLISS,H.E. Commonwealth Edison Co 88/09/02 DAVIS,A.B. Region 3, Ofc of the Director 4pp 46896 077-46896 080

8809130325 Informs that NRC intends to consider Violation B re control room ventilation sys as modified when reviewing response to notice of violation & proposed imposition of civil penalty
LIEBERMAN,J. Region 3, Ofc of the Director 88/09/07 O'CONNOR,J.T. Commonwealth Edison Co 1p 46830,070 46830 070

8809150046 Forwards Insp Repts 50-456/88-20 & 50 457/88-20 re plant inattentive guard issue in response to 880822 ltr Safeguards info removed
BERSON,B.A. Region 3, Ofc of the Director 88/09/07 SAUNDERS,B.M. Commonwealth Edison Co 1p 46864,113 46864-125.

--8809150081 Insp Repts 50 456/88-20 & 50-457/88-20 on 880820 Violation noted Major areas inspected compensatory measures & access control re NRC identified incident involving inattentiveness to duty issue of security officers
MADEJA,T.J., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 88/07/01. 7pp 46864 116 46864 122.

--8809150053 Requests for sanitized copy of all repts on utl inattentive guard issue
SAUNDERS,B.M. Commonwealth Edison Co 88/08/22 BERSON,B. Region 3, Ofc of the Director. 3pp 46864 123-46864-125.

8809150223 Responds to NRC Bulletin 88-005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co mails complying w/ASME Code requirements Itemized list of components received encl
MORGAN,W.E. Commonwealth Edison Co 88/09/08 Document Control Branch (Document Control Desk). 31pp 46857 021-46857 051.

8809210030 EN 88-074, on 880918, notice of violation & proposed imposition of civil penalty in amount of \$50,000 will be issued based on two examples of inattentiveness of security officers assigned as compensatory measures to vital area
ROSANO,R.P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/09/13. 1p. 46820-275-46820 275

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co of New York, Inc 122pp 46824-215 46824 336.

8809220284 Forwards Safety Insp Repts 50-456/88-22 & 50 457/88-22 on 880710-0827 No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director 88/09/14 REED,C. Commonwealth Edison Co 2pp 46928 117-46928 132

--8809220285 Insp Repts 50 456/88-22 & 50 457/88-22 on 880710 0827 No violations or deviations noted Major areas inspected LER review, heat wave effect, startup test observation, verification, radiological protection & physical security
HINDS,J.M. Region 3, Ofc of the Director. 88/09/14 14pp. 46928 119 46928 132

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26 Addl listed info re pumps & valves requested.
GREENMAN,E.G. Region 3, Ofc of the Director 88/09/15 REED,C. Commonwealth Edison Co 4pp. 46956 055 46956 058

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co of New York, Inc 124pp. 46946 133 46946 252

8809260198 Forwards notice of violation & proposed imposition of civil penalty from Insp Repts 50 456/88-20 & 50 457/88-20 on 880820 Encl withheld (ref 10CFR73.21)
DAVIS,A.B. Region 3, Ofc of the Director. 88/09/16 REED,C. Commonwealth Edison Co. 3pp 46945 353-46945 355

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co of New York, Inc. 125pp 46946 253 46947 013.

8809230007 Advises that NRC 880914 ltr forwarding safety insp repts incorrectly identified Insp Repts 50 456/88-22 & 50-457/88-22 as 50 456/87-22 & 50 457/87-22, respectively
FORNEY,W.L. Region 3, Ofc of the Director 88/09/23. REED,C. Commonwealth Edison Co 2pp. 46942 244 46942 245

R. Periodic operating reports & related correspondence

8808300057 "Semiannual Radioactive Effluent Rept for Jan-June 1988." W/ 880808 ltr
QUERIO,R.E. Commonwealth Edison Co. 88/06/30 16pp. 46693 158 46693 174

8809010194 Monthly operating repts for Jul 1988 for Braidwood Nuclear Power Station Units 1 & 2 W/880810 ltr
PETERSON,M.W., QUERIO,R.E. Commonwealth Edison Co. 88/07/31 14pp 46740-309 46740 322

8809190208 Monthly operating repts for Aug 1988 for Braidwood Nuclear Power Station W/880909 ltr
PETERSON,M.W., QUERIO,R.E. Commonwealth Edison Co 88/08/31 14pp 46896 046 46896 059

S. Reportable occurrences, LERs & related correspondence

8808260141 LER 88-017-00 on 880721, two Tech Spec composite samples not included in program. Caused by misinterpretation of amended Tech Spec requirements by non licensed chemist Correct interpretation of Tech Specs verified W/880816 ltr.
CRONIN,J.B., QUERIO,R.E. Commonwealth Edison Co 88/08/17 4pp 46670 065 46670 068.

8808260243 LER 88-018-00 on 880722, discovered that surveillance requirement for serial svc water isolation valves not performed after containment chiller returned to svc on 880821 Caused by procedural deficiency W/880817 ltr.
ROBISON,D.L., QUERIO,R.E. Commonwealth Edison Co. 88/08/17. 4pp. 46656 059 46656 062

8808300213 LER 88-019-00 on 880801, Train A & B control room ventilation automatically shifted to emergency wake-up mode Caused by momentary fluctuation in line voltage that dropped below 90 volts Equipment operation returned to normal W/ 880822 ltr.
STANCZAK,P., QUERIO,R.E. Commonwealth Edison Co 88/08/18. 4pp 46693 005-46693 008.

8809090043 LER 88-016-00, on 880811, reactor tripped due to improper administrative controls. Caused by cognitive personnel error Stable plant condition established following reactor trip W/ 880829 ltr.
CHOVAN,C., QUERIO,R.E. Commonwealth Edison Co 88/08/23. 5pp 46804 071-46804 075

V. Operator Examinations

8808300304 Forwards Exam Rept 50 456/OL-88-01 administered during wk of 880718-22
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/22 REED,C. Commonwealth Edison Co 2pp. 46691 036 46691-191

--8808300309 Exam Rept 50-456/OL-88-01 on 880718-22 Exam results, three senior reactor operators & one reactor operator candidates failed exams.
DAMOND,J., SUNDERLAND,P.R., HOPKINS,J.A. Region 3, Ofc of the Director 88/08/18. 128pp. 46691.036-46691.191.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

E. NRC Safety Evaluation Report (SER), supp's & correspondence

8809010051 Informs of changes to emergency planning program Personnel accessing site receive ltr describing expected action Accountability guidelines provided to station dept heads & contractor supervisory personnel for review.
HUNSADER,S.C. Commonwealth Edison Co. 88/08/25 MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46719,079-46719 080.

F. Security, medical, emergency & fire protection plans

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989 including insps, security & radiation control
FORNEY, W.L. Region 3, Ofc of the Director 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director 11pp 46698 231-46698 241.

8809140337 Responds to violations noted in Insp Repts 50-456/88-19 & 50-457/88-19 Corrective actions emergency action level being revised to include addl clarification as to when unusual event should be declared.
BLISS, H.E. Commonwealth Edison Co. 88/08/22 DAVIS, A.B. Region 3, Ofc of the Director 6pp 46841 262-46841 267

8809010051 Informs of changes to emergency planning program Personnel accessing site receive ltr describing expected action Accountability guidelines provided to station dept heads & contractor supervisory personnel for review
HUNSADER, S.C. Commonwealth Edison Co. 88/08/25 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp, 46719 079 46719 080

8809090048 Advises that 880809 Rev 6B to emergency plan consistent w/provisions of 10CFR50.54(c) & acceptable
SHAFFER, W.D. Region 3, Ofc of the Director 88/08/31 REED, C. Commonwealth Edison Co. 2pp, 46806 193-46806 194

8809150048 Forwards Insp Repts 50-456/88-20 & 50-457/88-20 re plant inattentive guard issue in response to 880822 ltr. Safeguards info removed
BERSON, B.M. Commonwealth Edison Co. 1p, 46864 113 46864 125.

-8809150081 Insp Repts 50-456/88-20 & 50-457/88-20 on 880820 Violation noted. Major areas inspected, compensatory measures & access control re NRC identified incident involving inattentiveness to duty issue of security officers.
MADEDA, T.J. Region 3, Ofc of the Director. 88/07/01 7pp, 46864 116-46864 122.

-8809150053 Requests for sanitized copy of all repts on util inattentive guard issue.
SAUNDERS, B.M. Commonwealth Edison Co. 88/08/22 BERSON, B. Region 3, Ofc of the Director 3pp, 46864 123-46864 125

8809220264 Forwards Safety Insp Repts 50-456/88-22 & 50-457/88-22 on 880710-0827 No violations noted
FORNEY, W.L. Region 3, Ofc of the Director. 88/09/14, REED, C. Commonwealth Edison Co. 2pp, 46928 117-46928 132.

-8809220285 Insp Repts 50-456/88-22 & 50-457/88-22 on 880710-0827 No violations or deviations noted Major areas inspected. LER review, heat wave effect, startup test observation, verification, radiological protection & physical security.
HINDS, J.M. Region 3, Ofc of the Director. 88/09/14 14pp, 46928 119-46928 132

8809260198 Forwards notice of violation & proposed imposition of civil penalty from Insp Repts 50-456/88-20 & 50-457/88-20 on 880820. Encl withheld (ref 10CFR73.21).
DAVIS, A.B. Region 3, Ofc of the Director. 88/09/16, REED, C. Commonwealth Edison Co. 3pp, 46945 353-46945 355

P. Operating license stage documents & correspondence

8808260429 Forwards Amends 22 to Licenses NPF-37 & NPF 66 & Amends 11 to Licenses NPF-72 & NPF-77 & safety evaluation Amends approves changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor
SANDS, S.P. Project Directorate III-2 88/08/05 BLISS, H.E. Commonwealth Edison Co. 4pp, 46658 235 46658 261

-8808260442 Amends 22 to Licenses NPF-37 & NPF-66 & Amends 11 to Licenses NPF-72 & NPF-77, approving changes to Tech Specs to modify existing liquid radwaste effluent line flow monitor
MULLER, D.R. Project Directorate III-2 88/08/05, 14pp 46658 239 46658 252.

-8808260451 Safety evaluation supporting Amends 22 to Licenses NPF-37 & NPF 66 & Amends 11 to Licenses NPF-72 & NPF-77.
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/05, 9pp 46658 253-46658 261.

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp, 47065 001-47065 006

8808310031 Forwards addl info re 880803 application for amends to Licenses NPF-37 & NPF-66 to increase storage capacity of spent fuel pit racks, including Sargent & Lundy Rept SAD 522, Rev 0, info withheld
CHYZANOWSKI, R. Commonwealth Edison Co. 88/08/17, MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp, 46723 132-46723 134.

8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1-A satisfies 10CFR50, App B requirements & acceptable.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/19, REED, C. Commonwealth Edison Co. 2pp, 46742 071-46742 072

8808290278 Forwards list of mods incorporated into vol reduction sys, safety evaluations & field change notices, per 880520 telcon.
CHYZANOWSKI, R. Commonwealth Edison Co. 88/08/23, MURLEY, T.E. Document Control Branch (Document Control Desk). 300pp, 46676 212-46677 215.

8809140050 Forwards info to support util 880511 request for temporary exemption from applicable parts of 10CFR50.49, Encl info addresses lack of insulation resistance measurements concern & provides legal analysis for meeting environ qualification.
HUNSADER, S.C. Commonwealth Edison Co. 88/08/31, MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 27pp 46839 191-46839 217

8809290065 Forwards Rev 52 to Topical Rept CE-1-A, "Commonwealth Edison Co QA Program for Nuclear Generating Stations." Rev made to change PACS part of charts & consolidate PACS organization chart to reflect new organization
MORGAN, W.E. Commonwealth Edison Co. 88/09/13 Document Control Branch (Document Control Desk). 1p, 46999 322-46999 336

-8810050335 Rev 52 to "Commonwealth Edison Co QA Program for Nuclear Generating Stations"
SHEWISKI, W. Commonwealth Edison Co. CE-1-A R52, 88/09/13, 12pp, 46999 323-46999 336

8809260160 Forwards request for addl info re Thot reduction program & proposed amends to Licenses NPF-37, NPF 66, NPF-72 & NPF-75 revising Tech Spec re heat flux hot channel factor as function of core height.
OLSHAN, L.N. Project Directorate III-2 88/09/16 BLISS, H.E. Commonwealth Edison Co. 8pp 46945 338 46945 345

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp, 46702 311-46703 070

8808300209 Forwards DRP Section 1A master activities plans for Aug 1988 to Jan 1989 including insps, security & radiation control.
FORNEY, W.L. Region 3, Ofc of the Director 88/08/22 HAGUE, R.L. Region 3, Ofc of the Director. 11pp, 46698 231-46698 241

8808300304 Forwards Exam Rept 50-456/OL-88 01 administered during wk of 880718-22.
WRIGHT, G.C. Region 3, Ofc of the Director 88/08/22, REED, C. Commonwealth Edison Co. 2pp 46691 036-46691 191

-8808300309 Exam Rept 50-456/OL-88 01 on 880718-22 Exam results, three senior reactor operators & one reactor operator candidates failed exams
DAMOND, D.J., BURDICK, T.M. Region 3, Ofc of the Director. 88/08/18, 128pp 46691 038-46691 191

8809140337 Responds to violations noted in Insp Repts 50-456/88-19 & 50-457/88-19 Corrective actions emergency action level being revised to include addl clarification as to when unusual event should be declared
BLISS, H.E. Commonwealth Edison Co. 88/08/22 DAVIS, A.B. Region 3, Ofc of the Director 6pp, 46841 262-46841 267

8808180386 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 218

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095 46713 217.

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DG Motor-Operated Valves" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809140024 Responds to discussion held during 880817 enforcement conference re grease mix within Limitorque valve operators Grease mixtures will perform intended function Lubricating capability not reduced
HUNSADER, S.C. Commonwealth Edison Co. 88/09/02 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp, 46838 350 46838 351.

8809150048 Forwards Insp Repts 50-456/88-20 & 50-457/88-20 re plant inattentive guard issue in response to 880822 ltr. Safeguards info removed
BERSON, B.M. Region 3, Ofc of the Director. 88/09/07, SAUNDERS, B.M. Commonwealth Edison Co. 1p 46864 113 46864 125.

-8809150081 Insp Repts 50-456/88-20 & 50-457/88-20 on 880820 Violation noted. Major areas inspected compensatory measures & access control re NRC identified incident involving inattentiveness to duty issue of security officers.
MADEDA, T.J., CREED, J.R., MALLETT, B.S. Region 3, Ofc of the Director 88/07/01, 7pp, 46864 116 46864 122.

-8809150053 Requests for sanitized copy of all repts on util inattentive guard issue.
SAUNDERS, B.M. Commonwealth Edison Co. 88/08/22 BERSON, B. Region 3, Ofc of the Director. 3pp, 46864 123-46864 125

8809150223 Responds to NRC Bulletin 88 005 & Suppls 1 & 2 re Piping Supplies, Inc & West Jersey Mfg Co mats complying w/ASME Code requirements. Itemized list of components received encl.
MORGAN, W.E. Commonwealth Edison Co. 88/09/08, Document Control Branch (Document Control Desk). 31pp 46857 021-46857 051.

8809210030 EN 88-074, on 880918, notice of violation & proposed imposition of civil penalty in amount of \$50,000 will be issued based on two examples of inattentiveness of security officers assigned as compensatory measures to vital area
ROSANO, R.P., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/09/13, 1p, 46920 275-46920 275.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp, 46824 215 46824 336.

8809220284 Forwards Safety Insp Repts 50-456/88-22 & 50-457/88-22 on 880710-0827 No violations noted.
FORNEY, W.L. Region 3, Ofc of the Director. 88/09/14 REED, C. Commonwealth Edison Co. 2pp 46928 117-46928 132.

200 DOCKETED ITEMS

8809220285 Insp Repts 50-456/88-22 & 50-457/88-22 on 880710 0827 No violations or deviations noted Major areas inspected LER review, heat wave effect, startup test observation, verification, radiological protection & physical security
HINDS, J.M. Region 3, Ofc of the Director 88/09/14 14pp 46928 119-46928,132

8809260172 Advises of generic inservice testing concerns identified by NRC as result of insp on 880822-26 Addl listed info re pumps & valves requested
GREENMAN, E.G. Region 3, Ofc of the Director 88/09/15 REED, C. Commonwealth Edison Co 4pp 46956 055-46956 058

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co of New York, Inc 124pp 46946 133-46946 252

8809260198 Forwards notice of violation & proposed imposition of civil penalty from Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. Encl withheld (ref 10CFR73.21).
DAVIS, A.B. Region 3, Ofc of the Director 88/09/16. REED, C. Commonwealth Edison Co 3pp 46945 353-46945 355

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc 125pp 46946 253-46947 013

8809230007 Advises that NRC 880914 ltr forwarding safety insp repts incorrectly identified Insp Repts 50-456/88-22 & 50-457/88-22 as 50-456/87-22 & 50-457/87-22, respectively
FORNEY, W.L. Region 3, Ofc of the Director 88/09/23. REED, C. Commonwealth Edison Co 2pp 46942 244-46942 245

R. Periodic operating reports & related correspondence

8809300057 "Semiannual Radioactive Effluent Rept for Jan-June 1988" W/ 880808 ltr.
QUERIO, R.E. Commonwealth Edison Co. 88/06/30 16pp 46693:159-46693 174

88093010194 Monthly operating repts for Jul 1988 for Braidwood Nuclear Power Station Units 1 & 2 W/880810 ltr
PETERSON, M.W., QUERIO, R.E. Commonwealth Edison Co 88/07/31. 14pp 46740 309-46740 322

8809190208 Monthly operating repts for Aug 1988 for Braidwood Nuclear Power Station W/880909 ltr.
PETERSON, M.W., QUERIO, R.E. Commonwealth Edison Co 88/08/31. 14pp 46896 046-46896 059

S. Reportable occurrences, LERs & related correspondence

8808310037 LER 88-019-00 on 880724, reactor manually tripped due to decreasing steam generator levels Caused by mispositioning of instrument air isolation valve in 90% closed position. Stated valves stroked & heaters checked W/880819 ltr
MELONE, C.A., QUERIO, R.E. Commonwealth Edison Co 88/08/19 6pp 46782 127-46782,132

8809090093 LER 88-012-01 on 880620, shorting switch on relay casing intentionally opened as part of reading on Phase B overcurrent protective relay resulted in voltage spike. Caused by defective test switch W/880824 ltr
HILL, L.H., QUERIO, R.E. Commonwealth Edison Co 88/08/24. 5pp 46806 195-46806,199

8809090096 LER 88-014-01 on 880622, reactor lnp occurred as result of fo to level on steam generator 2B. Caused by low static spring preload, dirt & grease partially blocking valve action Steam generator water level restored W/880824 ltr.
STROM, D., QUERIO, R.E. Commonwealth Edison Co 88/08/24 6pp 46806 188-46806 192

8809190176 RO on 880803, diesel generator 2A began losing speed upon entering test mode during monthly operability surveillance. Caused by abnormally high resistance in normally closed test mode contacts of 4EX3 relay.
HUNSADER, S.C. Commonwealth Edison Co. 88/09/09 DAVIS, A.B. Region 3, Ofc of the Director 3pp. 46893 064-46893 066.

. Operator Examinations

880300304 Forwards Exam Rept 50-456/OL-88-01 administered during wk of 880718-22
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/22. REED, C. Commonwealth Edison Co. 2pp 46691 038-46691 191

8808300309 Exam Rept 50-456/OL-88-01 on 880718 22 Exam results, three senior reactor operators & one reactor operator candidates failed exams
DAMOND, J., SUNDERLAND, P.R., HOPKINS, J.A. Region 3, Ofc of the Director 88/08/18. 128pp. 46691 038-46691 191.

DOCKET 50-456 RIVER BEND STATION, UNIT 1

Security, medical, emergency & fire protection plans

880300139 Forwards Insp Rept 50-458/88-14 on 880613-17 & notice of violation Notice of violation withheld (ref 10CFR73.21) Addl findings re lack of candor when NRC pursuing stated matters to be discussed in separate correspondence.
MARTIN, R.D. Region 4, Ofc of the Director. 88/08/22. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46698 303-46698 306.

8808300148 Partially withheld Insp Rept 50-458/88-14 on 880613-17 (ref 10CFR73.21). Violation noted Major areas inspected LERs, allegations, security procedures, mgmt effectiveness, security program audits & records & repts.
KELLY, J.A., EVERETT, R.J. Region 4, Ofc of the Director. 88/08/22. 1p 46698:306-46698,306.

8808070308 Responds to NRC ltr re violations noted in Insp Rept 50-458/85 67 Corrective actions revised procedures addressing escort control of visitors within protected area to enhance assignment of responsibility
BOOKER, J.E. Gulf States Utilities Co 88/08/31 Document Control Branch (Document Control Desk) 2pp. 46783.151-46783 152.

8809230222 Forwards Rev 10 to physical security plan Rev withheld (ref 10CFR73.21)
DEDDENS, J.C. Gulf States Utilities Co 88/09/16. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46942.137-46942:137

I. Financial information

8809020240 Forwards certified cash flow statement & annual rept as required by 10CFR140.21 for guarantee of funds in event of retrospective call under secondary financial protection program
BOOKER, J.E. Gulf States Utilities Co 88/08/25. Document Control Branch (Document Control Desk). 4pp 46745.001-46745 048.

K. Utility Final Safety Analysis Report (FSAR) & amends

8808300024 Rev 1 to updated SAR (USAR) for River Bend Station Unit 1, reflecting changes to facility as described in USAR for Mar 1987 to Mar 1988, changes to station QA program & editorial changes. W/880825 ltr.
BOOKER, J.E. Gulf States Utilities Co. 88/08/25 2,000pp. 46709 001-46712 243

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc 41pp 47085 001-47085,006.

8809010248 Forwards notice of consideration of issuance of amend to OL & opportunity for hearing re 880812 application for amend to License NPF-47 to reduce min water coverage for irradiated fuel & control rods during handling
PAULSON, W.A. Project Directorate IV. 88/08/17. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46720:189-46720:195

8809010252 Notice of consideration of issuance of amend to License NPF-47 & opportunity for hearing Amend revises Tech Specs to reduce min water coverage for irradiated fuel & control rods during handling per licensee 880812 amend application.
CALVO, J.A. Project Directorate IV. 88/08/17. 4pp. 46720.192-46720:195

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A Documents also available in PDF. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17. CONNOR, L. DocSearch Associates. 5pp. 46770 080-46770,089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770:211-46770 223.

8808290326 Summary of 880818 meeting w/util in Rockville, MD re license amend application to permit performance of leak rate tests of containment isolation valves in parallel w/refueling operations.
PAULSON, W.A. Project Directorate IV. 88/08/25. Project Directorate IV. 17pp 46683:246-46683,262.

8808300144 Summary of 880817 meeting w/util in Rockville, MD re util 5-yr business plan to improve safety & to reduce operating costs at plant. List of attendees & handouts encl
PAULSON, W.A. Project Directorate IV 88/08/25 Project Directorate IV. 15pp 46697.189-46697:203

8809020207 Forwards Amend 27 to License NPF-47 & safety evaluation Amend deletes organizational charts from Section 6.0 re administrative controls of Tech Specs & replaces them w/ functional description of offsite & onsite organizations
PAULSON, W.A. Project Directorate IV. 88/08/29. DEDDENS, J.C. Gulf States Utilities Co 3pp 46745 119-46745:136

8809020210 Amend 27 to License DPR-47, deleting organizational charts from Section 6.0 re administrative controls of Tech Specs & replacing them w/functional description of offsite & onsite organizations.
CALVO, J.A. Project Directorate IV. 88/08/29 12pp. 46745 122-46745:133

8809020212 Safety evaluation supporting Amend 27 to License DPR-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/29. 3pp. 46745:134-46745:136

8809020218 Forwards Amend 26 to License NPF-47 & safety evaluation Amend adds action requirements to Tech Spec 3.1.3.1 In event that scram discharge vent &/or drain valves become inoperable.
PAULSON, W.A. Project Directorate IV. 88/08/29. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46747:143-46747:155.

8809020220 Amend 26 to License NPF-47, adding action requirements to Tech Spec 3.1.3.1 in event that scram discharge vent &/or drain valves become inoperable
CALVO, J.A. Project Directorate IV. 88/08/29. 7pp. 46747.146-46747:152.

8809020224 Safety evaluation supporting Amend 26 to License NPF-47.
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/29. 3pp 46747.153-46747:155.

8809060400 Forwards Amend 26 to License NPF-47 & safety evaluation Amend delays implementation of neutron flux monitoring sys mods from prior startup from second refueling outage until refueling outage following NRC issuance of Rept NEDO-31558
PAULSON, W.A. Project Directorate IV. 88/08/29. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46755 227-46755,228.

DOCKETED ITEMS 201

--8809060401 Amend 28 to License NPF-47, delaying implementation of neutron flux monitoring sys mods from prior to startup from second refueling outage until refueling outage following NRC issuance of Topical Rept NEDO-31558, Mar 1988
CALVO, J.A. Project Directorate IV 88/08/29 3pp 46755,223 46755 225

--8809060404 Safety evaluation supporting Amend 28 to License NPF-47
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/29 3pp 46755 226-46755 228

8809070179 Advises of concern re prolonged low power operation on reliability of check valves & requests review of sub. Experience showed that accelerated wear & failure of some valves could occur due to undesirable flow operations
PAULSON, W.A. Project Directorate IV 88/09/01 DEDDENS, J.C. Gulf States Utilities Co. 4pp 46779,355-46779 358

8809140332 Ack granting of enforcement discretion to plant from provisions of Tech Spec 3.6.5.1, "Secondary Containment Integrity-Operating," per 880826 ltr. Enforcement discretion granted by NRC on 880826
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 DEDDENS, J.C. Gulf States Utilities Co. 2pp 46837 057-46837 058

8809190195 Advises that changes included in Rev 1 to QA program description submitted in 880825 ltr continue to meet requirements of 10CFR50, App B & acceptable
CALLAN, L.J. Region 4, Ofc of the Director 88/09/12 DEDDENS, J.C. Gulf States Utilities Co. 2pp 46885 359 46885 360

8809260042 Forwards NRR 880826 ltr ack receipt of petition filed by OCRE under 10CFR2.206 & FRN re BWR stability
PAULSON, W.A. Project Directorate IV 88/09/20 DEDDENS, J.C. Gulf States Utilities Co. 4pp 46966,220 46966 227

Q. Inspection reports, IE Bulletins & correspondence

8808260366 Responds to violations noted in Insp Rept 50 458/88-13 on 880501-0630 Corrective action on 880616, all personnel informed via memo re importance of control board awareness & annunciator status.
BOOKER, J.E. Gulf States Utilities Co. 88/08/18, Document Control Branch (Document Control Desk). 4pp 46654 335-46654 338

8808260385 Responds to Action Item e to NRC Bulletin 85-003, Suppl 1, "Motor Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Addl response will be provided in rept within 60 days
BOOKER, J.E. Gulf States Utilities Co. 88/08/18, Document Control Branch (Document Control Desk). 3pp 46669,071 46669 073

8808180195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19, Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8808260108 Forwards Exam Rept 50 458/OL-88 01 administered on 880612- 13 Two candidates passed exams & issued licenses One candidate failed
CALLAN, L.J. Region 4, Ofc of the Director. 88/08/19 DEDDENS, J.C. Gulf States Utilities Co. 2pp 46655 266-46655 325

--8808260114 Exam Rept 50 458/OL-88 01 on 880712-13 Exam results: two candidates passed all portions of exam & have been issued appropriate license. One candidate failed exam.
GRAVES, D.N., PELLET, J.L. Region 4, Ofc of the Director. 88/08/18 5pp. 46655 268-46655 325

8808180451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22, Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

8808300139 Forwards Insp Rept 50 458/88-14 on 880613-17 & notice of violation Notice of violation withheld (ref 10CFR73.21) Addl findings re lack of candor when NRC pursuing stated matters to be discussed in separate correspondence.
MARTIN, R.D. Region 4, Ofc of the Director. 88/08/22, DEDDENS, J.C. Gulf States Utilities Co. 3pp 46698 303-46698 306

--8808300148 Partially withheld Insp Rept 50 458/88-14 on 880613-17 (ref 10CFR73.21) Violation noted Major areas inspected, LERs, allegations, security procedures, mgt effectiveness, security program audits & records & repts.
KELLY, J.A., EVERETT, R.J. Region 4, Ofc of the Director 88/08/22 1p 46698 306-46698 308

8808180368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

8808310137 Ack receipt of 880818 ltr informing NRC of steps taken to correct violations noted in Insp 50 458/88-13.
CALLAN, L.J. Region 4, Ofc of the Director 88/08/26 DEDDENS, J.C. Gulf States Utilities Co. 2pp 46717 336 46717 337

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8809070308 Responds to NRC ltr re violations noted in Insp Rept 50-458/85 67, Corrective actions, revised procedures addressing escort control of visitors within protected area to enhance assignment of responsibility
BOOKER, J.E. Gulf States Utilities Co. 88/08/31 Document Control Branch (Document Control Desk). 2pp 46783,151-46783 152

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1800 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01, Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713 004

8809080304 Forwards Insp Rept 50-458/88-18 on 880808-12 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/01, DEDDENS, J.C. Gulf States Utilities Co. 2pp 46764 284-46764 305

--8809060307 Notice of violation from Insp on 880812. Violation noted test data for STP-051-4210, completed on 871013 incomplete in that Page 24 of 60 page procedure contained no test data
Region 4, Ofc of the Director 88/09/01, 2pp 46764 286-46764 287

--8809060316 Insp Rept 50 458/88 18 on 880808-12 Violations noted Major areas inspected surveillance procedures & records
BUNDY, H.F., SEIDLE, W.C. Region 4, Ofc of the Director 88/08/30 8pp 46764 288 46764 305

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809150102 Forwards Rev 3 to "Inservice Insp Plan First Interval," in response to Generic Ltrs 88 01 & 88 03.
BOOKER, J.E. Gulf States Utilities Co. 88/09/02, Document Control Branch (Document Control Desk) 1p 46852 018 46854 289

--8809150107 Rev 3 to "Inservice Insp-First Interval."
LORINO, J.W., CROWN, W. Gulf States Utilities Co. 88/08/16 1,000pp 46852 019 46854 280

8809140111 Informs that min flow value for RCIC pump verified by pump vendor as adequate in response to NRC Bulletin 88 004, "Potential Safety Related Pump Loss."
BOOKER, J.E. Gulf States Utilities Co. 88/09/08 Document Control Branch (Document Control Desk) 2pp 46841 117 46841 119

8809140233 Responds to NRC Bulletin 88 007 re power oscillations in BWRs All action items completed & implemented at plant, Abnormal Operating Procedure AOP 0024 revised & operator/ shift technical advisor training session developed
BOOKER, J.E. Gulf States Utilities Co. 88/08/08 Document Control Branch (Document Control Desk) 3pp 46846 210-46846 212

8809150017 Provides wtl 120 day response to NRC Bulletin 88 005 including Suppls 1 & 2, "Nonconforming Mats Supplied by Piping Supplies, Inc at Folsom, NJ & West Jersey Mfg Co at Williamstown, NJ."
BOOKER, J.E. Gulf States Utilities Co. 88/09/08, Document Control Branch (Document Control Desk) 48pp 46849 160-46849 205

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14, Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 338

8809120187 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16, Consolidated Edison Co. of New York, Inc. 124pp 46846 133-46846 282

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46846 253 46847 013

R. Periodic operating reports & related correspondence

8809060168 "Gulf States Util's Annual Rept Per 10CFR50.59(b)(2), Mar 1987 - Mar 1988." W/880829 ltr
BOOKER, J.E. Gulf States Utilities Co. 88/03/01, 78pp 46757 154-46757 232

8809080064 "Semiannual Radioactive Effluent Release Rept for Jan June 1988." W/ 880831 ltr
FANTACCI, C.L., CARGILLE, M., BOOKER, J.E. Gulf States Utilities Co. 88/08/30, 32pp 46793 325-46793 356

8809260313 Monthly operating rept for Aug 1988 for River Bend Station Unit 1 W/ 880915 ltr
COLE, R.E. Gulf States Utilities Co. 88/08/31 5pp 46956 017-46956 021

S. Reportable occurrences, LERs & related correspondence

8809010258 Special rept on 880531, temp in diesel generators 1A & 1B control rooms exceeded Tech Spec 3/4 7.8 & 6.9 2 limits. Util evaluating various approaches to decrease temp
BOOKER, J.E. Gulf States Utilities Co. 88/08/24, Document Control Branch (Document Control Desk). 3pp 46740 095 46740 097

8808310126 PNO-IV-88 070 on 880826, reactor scrammed due trip of main turbine after brush failure of main generator exciter. Although water level has not dropped to Level 2, HPCS pump did start & may have injected Power restored to Div III bus.
MADSEN, G.L. Region 4, Ofc of the Director. 88/08/25 1p 46699 046-46699 046

8808310152 LER 88 008 02 on 880301, unsealed fire barrier penetrations discovered in control bldg fire wall on 70 ft elevation. Similar events occurred on 880311, 17, 24, 0412 & 14 Addl openings discovered Fire watches imposed. W/880826 ltr.
ENGLAND, L.A., BOOKER, J.E. Gulf States Utilities Co. 88/08/26 34pp 46786 286-46786 318

8809010296 Special rept on 880727, temp in main steam tunnel rose above Tech Specs 3/4 7.8 limit of 135 F for more than 8 h. Caused by inoperable unit cooler fan due to motor to fan connection mechanical failure Unit cooler driver repaired.
BOOKER, J.E. Gulf States Utilities Co. 88/08/28 Document Control Branch (Document Control Desk) 2pp 46742 271-46742 272

8809010305 Special rept on 880521, invalid failure of Div II diesel generator occurred during performance of surveillance testing. Caused by operator error. Diesel generator successfully retested
BOOKER, J.E. Gulf States Utilities Co. 88/08/26 Document Control Branch (Document Control Desk). 3pp 46743 158-46743 160

202 DOCKETED ITEMS

8809020253 RO on 880825,main generator tripped causing turbine trip & reactor scram Cause of initiation being investigated
BOOKER,J E Gulf States Utilities Co 88/08/26 Document Control Branch (Document Control Desk) 3pp 46745 191-46745 193

8809070321 LER 87 030-01 on 871118,surveillance requirement for Tech Spec 3.7.8, "Area Temp Monitoring," not properly performed for reactor plant component cooling sys Caused by inadequate procedure Surveillance procedures reviewed W/880830 ltr ENGLAND,L A, BOOKER,J E Gulf States Utilities Co 88/08/30 6pp 46781.324-46781 329

8809080276 Summary of Operating Reactor Events Meeting 88 35 on 880830, including summary of reactor scrams for wk ending 880828 Significant event identified for input to NRC Performance Indicator Program
JAUDON,J P Events Assessment Branch 88/08/30 ROSSI,C E Division of Operational Events Assessment (Post 870411) 15pp 46800 289 46800 303

8809140085 RO on 880906,main generator tripped causing turbine trip & reactor scram Following reactor scram,HPCS sys initiated & injected into reactor vessel for approx 48 s HPCS injection terminated on reactor vessel high water level
BOOKER,J E Gulf States Utilities Co 88/09/06 Document Control Branch (Document Control Desk) 3pp 46841 098 46841 100

8809140089 PNO-IV 88 075 on 880906,reactor scrammed from 100% power Caused by main generator trip due to loss of normal station transformer,probably caused by cat crawling into transformer NCUE declared because HPCS & RCIC sys initiated
MADSEN,G L Region 4, Ofc of the Director 88/09/06 1p 46842 042-46842 042

8809140408 Notification of 880915 meeting w/util in West Feliciana Parish,LA to discuss 880825 reactor trip & licensee followup actions re spurious RCIC & HPCS initiation & hot reactor coolant incursion into HPCS piping
PAULSON,W A Project Directorate IV 88/09/06 CALVO,J A Project Directorate IV, 4pp 46842 355 46842 358

8809160263 LER 88 016 00 on 880815,RWCU sys isolation occurred Caused by not performing surveillance test procedure steps in proper sequence Personnel involved counseled on event & technicians received training re procedures W/880812 ltr ENGLAND,L A, BOOKER,J E Gulf States Utilities Co 88/09/12 4pp 46885.225 46885 228

8809230184 LER 88-017 00 on 880819,operations personnel discovered that required hourly fire watch insp interval for containment bldg exceeded Fire watch insp group will be under direction of electrical maint shift foreman W/880919 ltr ENGLAND,L A, BOOKER,J E Gulf States Utilities Co 88/09/19 4pp 46932 163 46932 166

V. Operator Examinations

8808260108 Forwards Exam Rept 50-458/OL 88 01 administered on 880612- 13 Two candidates passed exams & issued licenses One candidate failed
CALLAN,L J Region 4, Ofc of the Director 88/08/19 DEDDENS,J C Gulf States Utilities Co 2pp 46655 266 46655 325

8808260114 Exam Rept 50-458/OL-88-01 on 880712-13 Exam results two candidates passed all portions of exam & have been issued appropriate license,One candidate failed exam
GRAVES,D N, PELLET,J L Region 4, Ofc of the Director 88/08/18, 58pp 46655 268 46655 325

8808310057 Forwards results summary sheet for 880711-12 operator licensing exams W/o end
GRAVES,D N Region 4, Ofc of the Director 88/08/23 ANDREWS,D L Gulf States Utilities Co 1p 46700 351-46700 351

8809080096 Forwards utl estimate for operator licensing exams for FY89 FY92,per Generic Ltr 88-13, "Operator Licensing Exams "
BOOKER,J E Gulf States Utilities Co 88/09/01 Document Control Branch (Document Control Desk) 3pp 46788 321-46788 323

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA,F J Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc 41pp 47065 001-47065 006

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8809140190 Forwards SALP Rept 50-461/87-01 for Sept 1986 - Aug 1987.
DAVIS,A B Region 3, Ofc of the Director 87/11/13, GERSTNER,W C Illinois Power Co 2pp 46839 278-46839 314

8809140196 SALP Rept 50-461/87-01 for Sept 1986 - Aug 1987
* Region 3, Ofc of the Director 87/11/13 36pp 46839 278 46839 314

8809120042 Informs that review of results of investigation of allegations re turnover of security supervisors completed. Investigation sufficient to support conclusions & determine that turnover has no impact on effectiveness of security
NORELIUS,C E Region 3, Ofc of the Director, 88/09/02, GERSTNER,W C Illinois Power Co, 2pp 46813 156-46813 159

8809120045 Responds to NRC 880705 ltr re violations noted in Insp Rept 50-461/88-23 No corrective actions required,Vacant positions filled w/qualified personnel
HOLTZSCHER,D L Illinois Power Co 88/08/04 DAVIS,A B, Region 3, Ofc of the Director, 2pp 46813 158 46813 159

8809230214 Rev 2 to Emergency Plan Implementing Procedure RA-17, "Radiological Control of Emergency Operations Facility"
EVANS,K, HALL,S P, WADDELL,D W Illinois Power Co 88/09/09, 20pp, 46942.068 46942 088

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88 14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment,Svc list encl MIRAGLIA,F J Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc, 41pp 47065 001-47065 006.

8808290085 Forwards Amend 8 to License NPF 62 & safety evaluation Amend revises Tech Spec 4 8 2 1 d 2 b re emergency dc battery loads to accurately reflect 4 h Div II battery emergency loading profile.
STEVENS,J A Project Directorate III-2, 88/08/15 SPANGENBERG,F Illinois Power Co 12pp 46681 049 46681 075.

8808290095 Amend 8 to License NPF-62, revising Tech Spec 4 8 2 1 d 2 b re emergency dc battery loads to accurately reflect 4 h Div II battery emergency loading profile
MULLER,D R Project Directorate III 2 88/08/15, 4pp 46681.061-46681 064

8808290109 Safety evaluation supporting Amend 8 to License NPF 62
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/15, 2pp 46681 065 46681 066.

8808290126 Forwards environ assessment & finding of no significant impact re 871030 request to change Tech Specs re emergency dc battery loads
STEVENS,J A Project Directorate III 2 88/08/15 SPANGENBERG,F Illinois Power Co 1p 46681 067-46681 071

8808290136 Notice of environ assessment & finding of no significant impact re application for amend to License NPF-62, revising Tech Spec 4 8 2 1 d 2 b in order to accurately reflect 4 h Div II battery emergency loading profile
OLSHAN,L N Project Directorate III 2 88/08/04 4pp 46681.068 46681 071

8808290145 Forwards notice of issuance of Amend 8 to License NPF 62 Amend issued in response to 871030 request.
STEVENS,J A Project Directorate III-2 88/08/15 SPANGENBERG,F Illinois Power Co 1p 46681 072-46681 075

8808290152 Notice of Issuance of Amend 8 to License NPF-62, revising Tech Spec 4 8 2.1.d 2 b re emergency dc battery loads to accurately reflect 4 h Div II battery emergency loading profile
MULLER,D R Project Directorate III-2, 88/08/15, 3pp, 46681.073 46681 075.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (rel FOIA Exemption 5) App C documents partially withheld (rel FOIA Exemption 5)
GRIMSLEY,D H NRC - No Detailed Affiliation Given, 88/08/17 CONNOR,L Doc-Search Associates 5pp, 46770.060 46770 089.

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD,J A, Enforcement Staff, IE (Pre 870413), 88/12/13 BLAHA,J L, Program Support & Analysis Staff, IE (Pre 870413) 13pp 46770 211-46770 223.

8809300016 Forwards listed documents per Section 3.2 of environ protection plan in response to provisional variance request submitted to NRC via 880726 ltr
HOLTZSCHER,D L Illinois Power Co 88/08/19 Document Control Branch (Document Control Desk), 13pp 46698 273 46698 285

8808290167 Informs of final costs for OL review,including unbilled contractual costs
HOLLOWAY,C J License Fee Management Branch FIN A 0422, 88/08/24 HALL,D D Illinois Power Co 3pp, 46690.221-46690 223

8809080135 Forwards environ assessment & finding of no significant impact re 871030 application for amend to License NPF 62 concerning process & effluent radiation monitoring sys
STEVENS,J A Project Directorate III-2 88/08/30 SPANGENBERG,F, Illinois Power Co, 4pp, 46758.010-46758 021.

8809080146 Environ assessment & finding of no significant impact supporting 871030 application for amend to License NPF-62
MULLER,D R Project Directorate III-2, 88/08/30, 8pp, 46758.014-46758 021.

8809080411 Informs that 880711 submittal re amend to License NPF 62 fails to provide adequate technical basis to allow NRC to reach appropriate decision Submittal did not include safety evaluation addressing technical basis
STEVENS,J A Project Directorate III-2 88/08/30, HOLTZSCHER,D L Illinois Power Co 5pp 46768 009 46768 013

8809080188 Forwards Amend 9 to License NPF 62 & safety evaluation Amend revises Tech Spec re trip setpoint & allowable values for turbine bldg temp monitors
STEVENS,J A Project Directorate III-2, 88/09/02, SPANGENBERG,F Illinois Power Co 3pp 46792 323-46792 332

8809080189 Amend 9 to License NPF-62, revising Tech Specs re trip setpoint & allowable value for turbine bldg temp monitors.
MULLER,D R Project Directorate III-2 88/09/02, 4pp 46792 326-46792 329.

8809080201 Safety evaluation supporting Amend 9 to License NPF 62
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/02 3pp 46792 330-46792 332

8809120107 Application for amend to License NPF-62, revising Tech Spec to support Cycle 2 in max extended operating domain & w/ reduced feedwater temps Supporting documentation encl Fee paid NEDC-31546P withheld.
HALL,D F Illinois Power Co 88/09/06, Document Control Branch (Document Control Desk), 9pp 46813 164-46813 257.

8809120108 Proposed Tech Specs re max extended operating domain.
* Illinois Power Co, 88/09/06, 66pp 46813 172-46813 239

8809120111 Rev 0 to "Supplemental Reload Licensing Submittal for Clinton Power Station Unit 1 Reload 1, Cycle 2."
LAMBERT,P A, PENTZIE,N C, CHARNLEY,J S, General Electric Co, 23A591 R00 88/08/31 18pp 46813 240-46813 257

DOCKETED ITEMS 203

8809130009 Advises that until 870723 changes to initial test program described in Chapter 14 of FSAR acceptable, per discussion provided.
STEVENSON, J.A. Project Directorate III-2. 88/09/06. HOLTZSCHER, D.L. Illinois Power Co. 2pp. 46828-287-46828-291

8809190382 Ack receipt of 880815 response to NRC 880707 ltr concerning allegations re radiation protection activities at plant.
MORELUS, C.E. Region 3, Ofc of the Director. 88/09/06. GERSTNER, W.C. Illinois Power Co. 2pp. 46889,036-46889,041

8809190363 Forwards summary of results of investigation of Allegation RII-88 A 0050 re radiation protection practices at plant, per NRC 880701 request.
HOLTZSCHER, D.L. Illinois Power Co. 88/08/15. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 46899,038-46899,041.

8809200387 Informs that Rev 2 to offsite dose calculation manual acceptable as interim ref. based on review by EG&G. Final rev should address discrepancies, suggestions & technical issues.
STEVENSON, J.A. Project Directorate III-2. 88/09/06. HOLTZSCHER, D.L. Illinois Power Co. 3pp. 46910,318-46910,346

88092310095 "Technical Evaluation Rept for Evaluation of Offsite Dose Calculation Manual Through Rev 2, Clinton Power Station, Unit 1"
BOHN, T.S., SERRANO, W., FREEMAN, A.L. EG&G Idaho, Inc. (subs of EG&G, Inc.) FIN D 6034, EG&G-PHY-8097. 88/06/30. NRC - No Detailed Affiliation Given. 26pp. 46910,321-46910,346.

8809210047 Forwards Amend 10 to License NPF 62 & safety evaluation. Amend revises Tech Spec Sections 3/4.3.7, 1/3/4.3.7.11 & 3/4.3.7.12 re radiation monitoring instrumentation.
STEVENSON, J.A. Project Directorate III-2. 88/09/14. SPANGENBERG, F. Illinois Power Co. 4pp. 46920,125-46920,154

8809210052 Amend 10 to License NPF 62, revising Tech Spec Sections 3/4.3.7.1, 3/4.3.7.11 & 3/4.3.7.12 re radiation monitoring instrumentation.
MULLER, D.F. Project Directorate III-2. 88/09/14. 18pp. 46920,129-46920,146.

8809210057 Safety evaluation supporting Amend 10 to License NPF 62.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/14. 3pp. 46920,147-46920,149.

8809210063 Forwards notice of Issuance of Amend 10 to License NPF 62, per until 871030 request.
STEVENSON, J.A. Project Directorate III-2. 88/09/14. SPANGENBERG, F. Illinois Power Co. 1p. 46920,150-46920,154

8809210068 Notice of Issuance of Amend 10 to License NPF-62, changing Tech Spec Sections 3/4.3.7.1, 3/4.3.7.11 & 3/4.3.7.12 re radiation monitoring instrumentation.
MULLER, D.F. Project Directorate III-2. 88/09/14. 4pp. 46920,151-46920,154

8809220214 Responds to request for NRC assistance on allegation re containment integrity & inservice testing program. Safety significance of not performing inservice testing of certain affected valves during first yr of plant operation minimal.
STEVENSON, J.A. Project Directorate III-2. 88/09/16. MILLER, H.J. Region 3, Ofc of the Director. 7pp. 46918,182-46918,188.

Q. Inspection reports, IE Bulletins & correspondence

8809140190 Forwards SALP Rept 50-461/87-01 for Sept 1986 - Aug 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 87/11/13. GERSTNER, W.C. Illinois Power Co. 2pp. 46839,275-46839,314.

8809140196 SALP Rept 50-461/87-01 for Sept 1986 - Aug 1987.
Region 3, Ofc of the Director. 87/11/13. 36pp. 46839,275-46839,314

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Blinding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46890,054-46890,178

8808160451 NRC Info Notice 88-068, "Sealpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702,311-46703,070

8808180348 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713,218-46713,219.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiency." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713,095-46713,217

8809070548 Forwards Safety Insp Rept 50-461/88-18 on 880707-28 & 0810-17. No violations noted.
HARRISON, J.J. Region 3, Ofc of the Director. 88/08/30. GERSTNER, W.C. Illinois Power Co. 2pp. 46768,050-46768,058.

8809070550 Insp Rept 50-461/88-18 on 880707-28 & 0810-17. No violations noted. Major areas inspected, allegations made by former employees of utility contractor, employed during const of plant, indicating that certain requirements of ASME Code violated.
SCHAPKER, J.F., DANIELSON, D.H. Region 3, Ofc of the Director. 88/08/30. 7pp. 46768,052-46768,058

8809080147 Ack receipt of 880801 ltr re environ qualification violations noted in Insp Rept 50-461/88-10. Provides clarification of points in insp rept re enforcement conference held on 880331 to discuss butt splice testing.
DAVIS, A.B. Region 3, Ofc of the Director. 88/08/30. HALL, D.P. Illinois Power Co. 2pp. 46789,047-46789,063.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712,244-46713,004.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726,001-46726,123

8809090181 Advises that selection of applicable safety related valves, valves max differential pressures & program to assure valve operability requested by Item e of IE Bulletin 85-003, found acceptable.
GREENMAN, E.G. Region 3, Ofc of the Director. 88/09/02. GERSTNER, W.C. Illinois Power Co. 2pp. 46804,095-46804,096

8809200074 Responds to IE Bulletin 88-007, "Power Oscillations in BWRs." All licensed reactor operators & shift technical advisors performing shift duties have been briefed on LaSalle Unit 2 event.
HALL, D.P. Illinois Power Co. 88/09/13. Document Control Branch (Document Control Desk). 3pp. 46912,355-46912,357

8809090339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824,215-46824,336

8809220144 Responds to NRC Bulletin 88-005, Suppl 2, "Nonconforming Mfg Supplied by Piping Supplies, Inc. at Folsom, New Jersey & West Jersey Mfg Co. at Williamstown, New Jersey."
HALL, D.P. Illinois Power Co. 88/09/14. Document Control Branch (Document Control Desk). 10pp. 46920,330-46920,339.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46946,133-46946,252

8809260280 Forwards Safety Insp Rept 50-461/88-21 on 880810 0906 & notice of violation.
KNOP, R.C. Region 3, Ofc of the Director. 88/09/16. GERSTNER, W.C. Illinois Power Co. 2pp. 46966,297-46966,313.

8809260284 Notice of violation from insp on 880810 0906. Violations noted condition adverse to quality identified but not promptly corrected & NRC not notified within 4 h of spill of 79 gallons of sulfuric acid in waste water sys on 880804.
KNOP, R.C. Region 3, Ofc of the Director. 88/09/16. 2pp. 46966,299-46966,300

8809260287 Safety Insp Rept 50-461/88-21 on 880810 0906. Violations noted. Major areas inspected on site followup of written repts of nonroutine events, operational safety verification, monthly maint & surveillance observation & training effectiveness.
COOPER, R.W. Region 3, Ofc of the Director. 88/09/16. 13pp. 46966,301-46966,313.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946,253-46947,013

R. Periodic operating reports & related correspondence

8809070130 "Clinton Power Station Semiannual Radioactive Effluent Release Rept, Jan-June 1988." W/880829 ltr.
HOLTZSCHER, D.L. Illinois Power Co. 88/08/30. 46pp. 46776,174-46776,220.

8809200140 Monthly operating rept for Aug 1988 for Clinton Power Station Unit 1 W/ 880814 ltr.
HOLTZSCHER, D.L. Illinois Power Co. 88/08/31. 6pp. 46900,234-46900,239

S. Reportable occurrences, LERs & related correspondence

8808290308 Special rept on 880803, accident monitoring instrumentation for HVAC stack declared inoperable for more than 72 h. Caused by underway work to perform routine channel calibr. Plant condition rept initiated.
HOLTZSCHER, D.L. Illinois Power Co. 88/08/22. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 46684,057-46684,058

8809130061 LER 88-020-00 on 880806, discovered that Div II shutdown svc water radioactive liquid effluent monitor incorrectly declared operable. Caused by vague communications. Departmental responsibilities clarified W/880902 ltr.
MILLER, D.W., HOLTZSCHER, D.L. Illinois Power Co. 88/09/02. 6pp. 46839,053-46839,058

8809140153 RO on 880801, HPSC initiated & injected water into reactor for 28 s during maint surveillance activities on reactor water level transmitter injection valve & HPSC pump secured. Notification of unusual event lasted approx 10 minutes.
HOLTZSCHER, D.L. Illinois Power Co. 88/09/02. Document Control Branch (Document Control Desk). 2pp. 46837,209-46837,210

8809160294 LER 88-021-00 on 880811, RWCU high differential flow signal caused div II RWCU containment isolation valves to close, isolating RWCU sys. Caused by failure of bypass switch. Switch replaced & faulty switch returned to mfg W/880911 ltr.
CAMILLERI, T.J., HOLTZSCHER, D.L. Illinois Power Co. 88/08/11. 5pp. 46885,203-46885,207.

8809150164 LER 88-017-01 on 880624, Agastat GP relay failed resulting to relay contact oxide buildup, loss of control signal & reactor scram. Caused by GE design error. Relay contacts cleaned or replaced & tested. Reported per Part 21 W/880912 ltr.
FREEMAN, R.D., HALL, D.P. Illinois Power Co. 88/09/12. 11pp. 46849,206-46849,216.

8809270055 Requests investigation rept re potential equipment tampering of non-safety related equipment reported on 880812 to evaluate adequacy of investigation.
MALLET, B.S. Region 3, Ofc of the Director. 88/09/16. GERSTNER, W.C. Illinois Power Co. 2pp. 46950,045-46950,046.

204 DOCKETED ITEMS

V. Operator Examinations

8809140190 Forwards SALP Rept 50-461/87-01 for Sept 1986 - Aug 1987
DAVIS, A.B. Region 3, Ofc of the Director 87/11/13. GERSTNER, W.C. Illinois Power Co 2pp 46839 276 46839 314

-8809140196 SALP Rept 50 461/87-01 for Sept 1986 - Aug 1987
* Region 3, Ofc of the Director 87/11/13 36pp 46839 278 46839 314

8809140157 Forwards schedules reflecting exam dates to support initial licensing & upgrade exams in response to Generic Ltr 88 13, "Operator Licensing Exams." Schedule for requalification exams also encl
HOLTZSCHER, D.L. Illinois Power Co 88/09/02 HANNON, J. Operator Licensing Branch 3pp 46839 317-46839 319

DOCKET 50-462 CLINTON POWER STATION, UNIT 2

A. Application/construction stage documents & correspondence

8808290157 Informs of final costs for OL review, including unbilled contractual costs
HOLLOWAY, C.J. License Fee Management Branch FIN A-0422 88/08/24
HALL, D.D. Illinois Power Co 3pp 46690 221-46690 223

DOCKET STN-50-470 CESSAR SYSTEM 80

A. Application/construction stage documents & correspondence

8809080061 Informs of finalizing review of QA program description of Rev 5 to CESSAR Topical Rept CENPD-210 & anticipates transmitting review to NRC by third quarter 1988. Submittal will address remaining QA questions in "road map."
SCHERER, A.E. Combustion Engineering, Inc. 88/08/02 VISSING, G. Standardization & Special Project Directorate, 1p 46792 183-46792 183

8809190298 Forwards addl info re CESSAR-DC, Chapter 4, in response to NRC 880628 request
SCHERER, A.E. Combustion Engineering, Inc. 88/09/09. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate, 5pp 46908 355-46908 358.

F. Security, medical, emergency & fire protection plans

8809210116 Forwards summary of sabotage protection considerations & draft requirements for sabotage design from EPHI advanced LWR requirements document, per NRC 871208 ltr Basis for program listed
SCHERER, A.E. Combustion Engineering, Inc. 88/09/14 VISSING, G.S. Standardization & Non-Power Reactor Project Directorate 4pp 46920 112-46920 115

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

8808260090 Requests plans for addressing issue of trespassing onto owner controlled property at site & to provide assurance that unauthorized persons warned or advised of protective actions per NUREG-0854, Section II.J
O'CONNOR, P.W. Project Directorate IV, 88/08/19 WITHERS, B.D. Wolf Creek Nuclear Operating Corp 4pp 46654 048-46654 051.

8808300244 Advises that 880707 changes to emergency plan meet provisions of 10CFR 50.54(c) & acceptable.
CALLAN, L.J. Region 4, Ofc of the Director, 88/08/24 WITHERS, B.D. Wolf Creek Nuclear Operating Corp 2pp 46898 289 46898 300.

8809060205 Responds to NRC 880729 ltr re violations noted in Insp Rept 50 482/88-19 Corrective actions Fire Protection Impairment Control Procedure ADM 13-103 revised to identify requirement for obtaining fire impairment permit when door left opened.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp 88/08/29 Document Control Branch (Document Control Desk) 2pp 46758 300-46758 301

8809060323 Forwards Insp Rept 50-482/88-21 on 880711-15 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp 46767 348-46768 008

-8809060327 Notice of violation from Insp on 880711-15. Violation noted. fire impairment permit not issued for fire dampers undergoing post mod testing
* Region 4, Ofc of the Director 88/09/02. 2pp 46767 350 46767 351.

8809190206 Forwards final SALP Rept 50-482/88-14 for period Mar 1987 - Mar 1988. Corrective actions discussed in 880720 SALP mgt meeting & 880819 written response to SALP board rpt responsive to NRC concerns & recommendations.
MARTIN, R.D. Region 4, Ofc of the Director 88/09/12. WITHERS, B.D. Wolf Creek Nuclear Operating Corp 3pp 46887 130-46887 224.

-8809190214 Responds to SALP Insp Rept 50-482/88-14 Response reflects discussion held between NRC & util during 880720 SALP conference. Mgt support for fire protection program remains strong.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/19 MARTIN, R.D. Region 4, Ofc of the Director. 21pp 46887 204-46887 224.

8809210092 Forwards Insp Rept 50-482/88 200 on 880806-17. Weaknesses in organization ability to determine causes of plant sys & component problems, six potential enforcement findings & two observations noted
HOLAHAN, G.M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/09/16 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 8pp 46919 300-46919 333

-8809210096 Insp Rept 50-482/88-200 on 880806-17 Potential enforcement findings & observations noted. Major areas inspected line organization support & contribution to plant quality & quality verification organization abilities re deficiencies.
CORREIA, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411), HOPKINS, P.C. MOORE, R.L. Region 2, Ofc of the Director. 88/09/16 26pp 46919 308-46919 333.

8809260008 Forwards "1988 Radiological Emergency Preparedness Exercise Objectives." Provides util, local & state objectives
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/09/19 Document Control Branch (Document Control Desk) 1p 46957 178-46957 201.

-8809260014 "1988 Radiological Emergency Preparedness Exercise Objectives"
MOLES, K.J. Wolf Creek Nuclear Operating Corp 88/08/19 23pp 46957 178 46957 201.

8809260088 Revised radiological emergency response plan implementing procedures, including Rev 3 to EPP 01-1.0, "Control Room Organization" & Rev 8 to Epp 01-3.2, "Followup Notifications." W/880919 ltr
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/09/19 200pp 46948 001 46948 338.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. See list encl
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc. 41pp 47065 001-47065 006

8809120091 Final response to FOIA request for documents. Forwards documents listed in App A. Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/09/17 CONNOR, L. Doc Search Associates, 5pp 46770 060 46770 089.

-8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13 BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223

8808260390 Forwards notice of consideration of issuance of amend to License NPF-42 & opportunity for hearing re 880226 request to revise Tech Specs 3/4.7.6, "Control Room Emergency Ventilation Sys," 3/4.7.7 & 3/4.9.13.
O'CONNOR, P.W. Project Directorate IV, 88/08/18 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp 46656 082-46656 081

-8808260391 Notice of consideration of issuance of amend to License NPF-42 & opportunity for hearing on 880226 request to revise Tech Specs 3/4.7.6, "Control Room Emergency Ventilation Sys" & 3/4.7.7, "Emergency Exhaust Sys."
WIGGINTON, D.L. Project Directorate IV, 88/08/18. 6pp 46656 086 46656 091.

8808260500 Advises that util 880531 response to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Boundary Components in PWR Plants" provided assurance that program will be in place by 880930 dealing w/ boric acid leakage.
O'CONNOR, P.W. Project Directorate IV, 88/08/18. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp 46649 071-46649 073.

8808260352 Responds to 850515 submittal & 850531 amend, on behalf of Nuclear Awareness Network requesting enforcement action concerning facility. Request denied for reasons stated in encl director's decision under 10CFR 2.206
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/22 GARDE, B.P. Government Accountability Project 5pp 46656 201-46656 231

8808260352 Responds to 850515 submittal & 850531 amend, on behalf of Nuclear Awareness Network requesting enforcement action concerning facility. Request denied for reasons stated in encl director's decision under 10CFR 2.206
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). #388 6965. 88/08/22. GARDE, B.P. Government Accountability Project 3pp 46749 257 46749 300.

-8809080321 Director's Decision DD-88-14, denying 850515 petition for enforcement action for safety allegations at plant, per 10CFR 2.206.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/22. 12pp 46749 280-46749 271.

-8809080324 Notice of issuance of Director's Decision DD-88-14, denying 10CFR 2.206 petition for NRC to take possession of util quality files & to investigate other safety allegations.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/22 3pp 46749 272-46749 300

8809140282 Forwards notice of consideration of issuance of amend to License NPF 42 & proposed NSHC determination & opportunity for hearing to revise Tech Spec 5.3.1 re fuel assemblies
O'CONNOR, P.W. Project Directorate IV, 88/08/29. WITHERS, B.D. Wolf Creek Nuclear Operating Corp 3pp 46841 286 46841 296.

-8809140284 Notice of consideration of issuance of amend to License NPF 42 & proposed NSHC determination & opportunity for hearing. Amend revises Tech Spec 5.3.1 re fuel assemblies.
CALVO, J.A. Project Directorate IV, 88/08/29. 7pp 46841 290-46841 296

8809060386 Forwards safety evaluation accepting util program for equipment classification & vendor interface based on review of 831115, 840229 & 870528 submittals re Generic Ltr 83-28, Item 2.1, "Equipment Classification."
O'CONNOR, P.W. Project Directorate IV, 88/09/01. WITHERS, B.D. Kansas Gas & Electric Co. 4pp 46758 001-46758 007.

-8809060390 Safety evaluation accepting licensee program for equipment classification & vendor interface.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/01. 3pp 46758 005-46758 007.

8809070338 Provides addl info re pump & valve inservice testing program. Relief Request 11, per PW O'Connor 880815 request. Pump curve for fuel pool cooling pump 01A & ref differential pressure (d/p) vs actual d/p data used to trend pump test data encl.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/09/01. Document Control Branch (Document Control Desk), 7pp 46776 153-46776 159.

DOCKETED ITEMS 205

8809140279 Discusses impact of prolonged low power operation on reliability of check valves as result of 851121 water hammer event at San Onofre Unit 1. Review of plant configuration to preclude similar occurrence requested.
O'CONNOR, P.W. Project Directorate IV, 88/09/06 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 46838 127-46838 130

Q. Inspection reports, IE Bulletins & correspondence

8809260168 Forwards payment of \$100,000, per NRC 880317 notice of violation & proposed imposition of civil penalty.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/18. LIEBERMAN, J. Ofc of Enforcement (Post 870413) 1p. 46656 048 46656 048

8809190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mgt by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co. of New York, Inc. 125pp. 46690 054-46690 178.

8809160451 NRC Info Notice 88-068, "Selfpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8809160368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8809230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29. Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8809060205 Responds to NRC 880729 ltr re violations noted in Insp Rept 50-482/88-10. Corrective actions Fire Protection Impairment Control Procedure ADM 13-103 revised to identify requirement for obtaining fire impairment permit when door left opened.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/29. Document Control Branch (Document Control Desk) 2pp. 46768 300-46768 301.

8809260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

8809300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809060323 Forwards Insp Rept 50-482/88-21 on 880711-15 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/02. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 46767 348-46768 008.

8809060327 Notice of violation from Insp on 880711-15. Violation noted: fire impairment permit not issued for fire dampers undergoing post mod testing.
* Region 4, Ofc of the Director. 88/09/02. 2pp. 46767 350-46767 351

8809060332 Insp Rept 50-482/88-21 on 880711-15. Violation noted. Major areas inspected. Nonlicensed staff training program, licensed operator training program & related followup items.
HUNTER, D.R., PICK, G.A., GAGLIARDO, J.E. Region 4, Ofc of the Director. 88/08/17. 17pp. 46767 352-46768 008.

8809190206 Forwards final SALP Rept 50-482/88-14 for period Mar 1987 - Mar 1988. Corrective actions discussed in 880720 SALP mgt meeting & 880819 written response to SALP board re: responsive to NRC concerns & recommendations.
MARTIN, R.D. Region 4, Ofc of the Director. 88/09/12. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 46887 130-46887 224.

8809190212 Final SALP Rept 50-482/88-14 for Mar 1987 - Mar 1988. Overall performance acceptable.
* Region 4, Ofc of the Director. 88/03/31. 70pp. 46887 133-46887 203.

8809190214 Responds to SALP Insp Rept 50-482/88-14. Response reflects discussion held between NRC & util during 880720 SALP conference. Mgt support for fire protection program remains strong.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/19. MARTIN, R.D. Region 4, Ofc of the Director. 21pp. 46887 204-46887 224.

8809200080 Advises that maint team Insp scheduled to be performed during wks of 880919 & 1030.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/12. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 46900 160-46900 161

8809190289 Responds to NRC Bulletin 88-005, "Nonconforming Matts Supplied by Piping Supplies, Inc. at Folsom, NJ & West Jersey Manufacturing Co. at Williamstown, NJ." Provides results of record review, testing & analysis of flanges supplied.
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 88/09/13. Document Control Branch (Document Control Desk). 15pp. 46895 286 46895 300

8809060339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336.

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp. 46948 133-46948 252.

8809210092 Forwards Insp Rept 50-482/88-200 on 880806-17. Weaknesses in organization ability to determine causes of plant sys & component problems, six potential enforcement findings & two observations noted.
HOLAHAN, G.M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/09/16. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 8pp. 46918 300 46918 333.

8809210095 Insp Rept 50-482/88-200 on 880806 17. Potential enforcement findings & observations noted. Major areas inspected. Line organization support & contribution to plant quality & quality verification organization abilities re deficiencies.
CORREIA, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411) HOPKINS, P.C., MOORE, R.L. Region 2, Ofc of the Director. 88/09/16. 26pp. 46919 308 46919 333

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp. 46946 263-46947 013

R. Periodic operating reports & related correspondence

8809070085 "Semiannual Radioactive Effluent Release Rept for Jan June 1988." W/ 880829 ltr.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/30. 86pp. 46781 205-46781 290.

8809200133 Monthly operating rept for Aug 1988 for Wolf Creek Generating Station. W/ 880914 ltr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/31. 7pp. 46919 279 46919 285

S. Reportable occurrences, LERs & related correspondence

8809260068 LER 88-014 00 on 880821. ESFAS auxiliary feedwater pump low suction pressure instrumentation channel check procedure found not to meet Tech Spec 4.3.2.1 requirements. Caused by contractor & personnel error. Procedure changed. W/ 880919 ltr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/21. 4pp. 46966 071-46966 074.

8809010355 LER 88-012-00 on 880728. Control room ventilation isolation signal occurred. Caused by failed photocell resulting in low signal output condition. Photocell assembly replaced. W/ 880829 ltr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/29. 6pp. 46721 061-46721 066.

8809060232 LER 88-013 00 on 880802. Control room ventilation isolation signal occurred due to chlorine monitor. Caused by paper tape bunching up on chlorine monitor. Paper tape replaced & no further problems identified w/ monitor. W/ 880829 ltr.
WILLIAMS, M.G., WITHERS, B.A. Wolf Creek Nuclear Operating Corp. 88/08/29. 7pp. 46767 335 46767 341.

8809200015 PNO-IV 88-076 on 880913. One electrician died & one injured after receiving electrical shock while pulling 480 volt cables in overhead on second level of auxiliary bldg. Caused by electrician slipping & grabbing conduit for support.
CHAMBERLAIN, D. Region 4, Ofc of the Director. 88/09/13. 2pp. 46919 288-46919 289.

8809190141 PNO-IV 88-076A on 880913. Movement of conduit apparently cut energized cable & junction box became energized. Electrocuted contract electrician. Licensee continuing investigation of event & inspectors monitoring actions.
CHAMBERLAIN, D. Region 4, Ofc of the Director. 88/09/15. 1p. 46993 106-46993 106.

V. Operator Examinations

8809060359 Forwards proposed operator licensing exam schedule, per NRC 880808 Generic Ltr 88-13.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/08/30. HANNON, J. Operator Licensing Branch. 3pp. 46755 249 46755 251

8809070352 Forwards ref mail requirements, written exam administration requirements & NRC rules & guidelines for operator licensing exams scheduled for wk of 881128. Approved ref mail listed in Encl 1 to be forwarded by 880928.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/01. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 11pp. 46774 260 46774 260.

8809060323 Forwards Insp Rept 50-482/88-21 on 880711-15 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/02. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 46767 348-46768 008

8809060327 Notice of violation from Insp on 880711-15. Violation noted: fire impairment permit not issued for fire dampers undergoing post-mod testing.
* Region 4, Ofc of the Director. 88/09/02. 2pp. 46767 350-46767 351

8809060332 Insp Rept 50-482/88-21 on 880711-15. Violation noted. Major areas inspected. Nonlicensed staff training program, licensed operator training program & related followup items.
HUNTER, D.R., PICK, G.A., GAGLIARDO, J.E. Region 4, Ofc of the Director. 88/08/17. 17pp. 46767 352-46768 008.

DOCKET STN-60-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8808300074 Temporary Change Notice 88-0482 to Rev 9 to Emergency Plan Implementing Procedure EIP-ZZ-00230, "Accountability & Evacuation."
HARVEY, S.P. Union Electric Co. 88/08/18. 3pp. 46703 268-46703 270.

206 DOCKETED ITEMS

8809090014 Forwards Rev 14 to physical security plan Rev withheld (ref 10CFR73.21) SCHNELL,D F Union Electric Co 88/08/24 DAVIS,A B Region 3, Ofc of the Director 2pp. 46833 151-46833 152

8809130037 Informs that util will accept listed documented training until NRC-wide training program for unescorted access becomes established SCHNELL,D F Union Electric Co 88/09/31 Document Control Branch (Document Control Desk) 4pp 46835 338-46835 341

8809260236 Temporary Change Notice TCN 88-0615 to Rev 6 to Emergency Plan Implementing Procedure EIP-ZZ-A0020, "Maintaining Emergency Preparedness." LEWIS,D R Union Electric Co 88/09/13 3pp 46856.149 46856 152.

8809230252 Advises that 880824 Rev 14 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable MALLET,B S Region 3, Ofc of the Director 88/09/15 SCHNELL,D F Union Electric Co 2pp 46944 017 46944 018

H. General correspondence

8808290197 Requests info re changes expected in 1,000 MWe reactors in which fuel design & operating life changed. DREY,K Drey, K 88/08/18 ALEXION,T W Project Directorate III 3 3pp 46885 265-46885 266

P. Operating license stage documents & correspondence

8809140316 Responds to NRC request for determination of eligibility for inclusion in Natl Register of Historic Places Recommends procedures followed under 36CFR63.3 & 800.4(c) & seek eligibility w/Missouri State Historic Preservation Officer. Interior, Dept. of, National Park Service 88/06/09 PERKINS,K E Division of Reactor Projects - I/II (Post 870411) 3pp 46841 197-46841 199

8809070056 Suggests that NRC propose to state historic preservation officer that properties identified by util are eligible for inclusion in Natl Register re properties threatened w/damage from operations & maint activities W/o encls. KING,T F Advisory Council on Historic Preservation, 88/07/22 PERKINS,K E, ALEXION,T, Project Directorate III 3 3pp. 46783 307-46783 309

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA,F J Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc. 41pp 47065 001-47065 006

8809120091 Final response to FOIA request for documents.Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY,D H NRC - No Detailed Affiliation Given 88/08/17 CONNOR,L Doc-Search Associates 5pp 46770.060 46770 089

--8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul Nov 1985 AXELRAD,J A, Enforcement Staff, IE (Pre 870413) 86/12/13 BLAHA,J L Program Support & Analysis Staff, IE (Pre 870413), 13pp 46770 211-46770 223

8809010186 Advises that Rev 11 to operating QA manual consistent w/ provisions of 10CFR50, App B & acceptable. WRIGHT,G C Region 3, Ofc of the Director 88/08/26 SCHNELL,D F Union Electric Co 1p 46720 360 46720 360

8809010326 Advises that 880527 response to Generic Ltr 88-05 describing commitment to boric acid leakage monitoring & preventative program fulfills requirement ALEXION,T W Project Directorate III-3 88/08/30, SCHNELL,D F, Union Electric Co 2pp 46743 207-46743 208

8809120073 Application for amend to License NPF-30,changing steam generator low low level trip circuitry by adding environ allowance modifier.W/safety evaluation.WCAP-11884 & WCAP-11883 Proprietary WCAP-11883 withheld (ref 10CFR2.790). SCHNELL,D F Union Electric Co 88/08/30 Document Control Branch (Document Control Desk) 32pp 46825 055-46825 319

--8809120077 Submits application for withholding proprietary WCAP-11883, "Implementation of Steam Generator Low Low Level Reactor Trip Time Delay & Environ Allowance Modifier in Callaway Plant" from public disclosure (ref 10CFR2.790) WISEMAN,R A Westinghouse Electric Corp 88/08/26 MURLEY,T E Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46826 087-46826 088.

--8809120083 Affidavit of Westinghouse requesting that proprietary info be withheld from public disclosure (ref 10CFR2.790). WISEMAN,R A Westinghouse Electric Corp 78/07/13 10pp. 46825 089 46825 089

--8809120090 Proposed Tech Specs re steam generator level reactor trip mod * Union Electric Co 88/08/30 77pp. 46825.099-46825 201

--8809120094 "Implementation of Steam Generator Low Low Level Reactor Trip Time Delay & Environ Allowance Modifier in Callaway Plant." LEACH,C E, GONGAWARE,B L, TULEY,C R Westinghouse Electric Corp WCAP. 11884. 88/08/31 118pp 46825 202-46825 319

8809190018 Forwards "Semiannual Radioactive Effluent Release Rept,Jan- June 1988" & Rev 5 to "Callaway Plant Offsite Dose Calculation Manual" SCHNELL,D F Union Electric Co. 88/08/31. Document Control Branch (Document Control Desk). 3pp 46827 310-46826 088.

--8809190025 "Callaway Plant Offsite Dose Calculation Manual." * Union Electric Co. 88/02/29 119pp 46827.328-46828.088

8809070369 Forwards requested response to NRC questions re plant post-accident noble gas monitoring sys info to justify location of noble gas effluent monitoring sys encl SCHNELL,D F Union Electric Co. 88/09/02 Document Control Branch (Document Control Desk) 7pp. 46776.160-46776.166.

Q. Inspection reports, IE Bulletins & correspondence

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co of New York, Inc 125pp. 46690 054-46690 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co of New York, Inc 121pp. 46702.311 46703 070

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Rebuilt Valves " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc 122pp. 46713.218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/08/28 Consolidated Edison Co of New York, Inc 123pp 46713.095 46713 217

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc 121pp. 46712.244 46713 004.

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp. 46726.001-46726 123

8809140107 Forwards response to NRC Bulletin 88 005 & Suppls 1 & 2 re matts supplied by West Jersey Mfg & Piping Supplies Inc No matts found subj to bulletin SCHNELL,D F, Union Electric Co 88/09/09. Document Control Branch (Document Control Desk) 18pp 46844 290 46844.317.

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co of New York, Inc 122pp. 46824 215-46824 336.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946.133 46946 252

8809230258 Forwards Safety Insp Rept 50-483/88 18 on 880815-19 No violations noted HARRISON,J J Region 3, Ofc of the Director 88/09/16 SCHNELL,D F Union Electric Co. 2pp 46943.249-46943 261

--8809230261 Insp Rept 50 483/88-18 on 880815 19.No violations noted Major areas inspected.maint activities using selected portions of Insp Modules 62700,62702,62705 & 62720 EICK,S D, CARTER,T H, REYNOLDS,S A. Region 3, Ofc of the Director 88/09/16 11pp. 46943 251-46943 261

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control " Svc list encl ROSSI,C E Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co of New York, Inc. 125pp 46946.253 46947 013

R. Periodic operating reports & related correspondence

8809150161 Monthly operating rept for Aug 1988 for Callaway Plant Unit 1 W/880908 ltr. MOSER,T A, BLOSSER,J D. Union Electric Co 88/08/31. 6pp 46857 015 46857 020

8809190018 Forwards "Semiannual Radioactive Effluent Release Rept,Jan- June 1988" & Rev 5 to "Callaway Plant Offsite Dose Calculation Manual." SCHNELL,D F, Union Electric Co. 88/08/31 Document Control Branch (Document Control Desk) 3pp 46827 310 46828 088

--8809070082 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988 " * Union Electric Co 88/08/30. 15pp 46827.313-46827 327.

--8809190025 "Callaway Plant Offsite Dose Calculation Manual " * Union Electric Co 88/02/29. 119pp 46827 328-46828 088.

V. Operator Examinations

8809140127 Forwards proposed operator licensing exam schedule format in response to 880808 Generic Ltr 88-13. SCHNELL,D F, Union Electric Co 88/09/07. HANNON,J. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp 46844.349-46844 352

8809140334 Requests encl listed ref mail by 60 days prior to operator & senior operator licensing exams scheduled for wk of 890123 WRIGHT,G C Region 3, Ofc of the Director. 88/09/09. SCHNELL,D F Union Electric Co 10pp. 46844.148 46844.157.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

DOCKETED ITEMS 207

8808260057 Responds to NRC concerns re emergency operating procedures. Procedure OPGP03-ZA-0027 will be revised by 880901 & will include listed items, including formalizing process for conversion of Unit 1 to Unit 2 procedures. VAUGHN, G.E. Houston Lighting & Power Co. 88/08/22 Document Control Branch (Document Control Desk). 3pp. 46856 040-46856 042.

8808300011 Forwards response to notice of violations from Enforcement Action EA 88-165 Action taken to address two violations. Response withheld. VAUGHN, G.E. Houston Lighting & Power Co. 88/08/23 Document Control Branch (Document Control Desk). 2pp. 46892,007-46892 008.

8809020275 Forwards app to SALP Board Repts 50-498/87-65 & 50-499/87-65 for 1987 App contains summary of 880413 meeting at plant to discuss repl. MARTIN, R.D. Region 4, Ofc of the Director. 88/08/26 GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46746 340-46747 010

8809020279 App to SALP Board Repts 50-498/87-65 & 50-499/87-65 for 1987 * Region 4, Ofc of the Director. 88/08/26 29pp. 46746 342-46747 010

8809140084 Ack receipt of 880715 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-52, 50-498/87-54, 50-498/87-59, 50-498/87-66, 50-499/87-52, 50-499/87-54, 50-499/87-59 & 50-499/87-66 Encl withheld. CALLAN, L.J. Region 4, Ofc of the Director. 88/09/07 GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46837 017-46837 018

8809150168 Notification of 880915 enforcement conference w/ licensee in Arlington, TX to discuss improper fire watches described in NRC Investigation Rept Case 4-88 004 & violation re improper close out of maint work request. HOLLER, E. Region 4, Ofc of the Director. 88/09/09 Region 4, Ofc of the Director. 2pp. 46849 350-46849 351.

8809190253 Confirms 880915 enforcement conference in Region IV ofc to discuss violation noted in Investigation Rept Case 4-88 004 re improper fire watches & failure to include appropriate acceptance criteria in closing maint work request. CALLAN, L.J. Region 4, Ofc of the Director. 88/09/09 GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46898,067-46898 069

8809200202 Responds to NRC 880811 ltr re deficiencies noted in Insp Repts 50-498/88-42 & 50-499/88-42. Corrective actions procedures governing use of Quinton com. munications consoles will be modified to provide accurate operating instructions. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/14 Document Control Branch (Document Control Desk). 3pp. 46913 346-46913 348

J. Insurance & Indemnity Information

8809080052 Requests exemption from 10CFR50.54(w), "Property Insurance" Support- ing info encl Fee paid. GOLDBERG, J.H. Houston Lighting & Power Co. 88/08/30, Document Control Branch (Document Control Desk). 8pp. 46791,255-46791 262

P. Operating license stage documents & correspondence

8808120294 Generic ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc list encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp. 47065 001-47065 006

8808300316 Forwards addl info re NRC questions on use of high density spent fuel racks w/ three proprietary drawings. Proprietary drawings withheld. MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/19, Document Control Branch (Document Control Desk). 18pp. 46703 146-46703 177

8808300340 Rev 1 to Procedure 8709 00 0500, "Rack Handling & Installation Instructions." LINDER, R. U.S. Tool & Die, Inc. 88/07/28 12pp. 46703 164-46703 177

8809010035 Forwards requested addl info re thermowell mounted RTDs, in response to 871218 telcon Response revised to clarify effect of change in RTD time response on both line break analyses. MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/24 Document Control Branch (Document Control Desk). 4pp. 46721 312-46721 315.

8809020225 Summary of 880810 meeting w/ util, Westinghouse & BNL re status of stud- ies on BMH thimble tube wear problems. Discussions & licensee handout withheld. MILANO, P.D. Project Directorate IV. 88/08/26, Project Directorate IV. 5pp. 46745 222-46745 226.

8809060395 Advises that 880715 request for NRC concurrence to use optical disk docu- ment imaging sys for storage & retrieval of record copy of licensee QA records ac- ceptable based on licensee commitment to follow listed guidelines. DICK, G.F. Project Directorate IV. 88/08/28, GOLDBERG, J.H. Houston Lighting & Power Co. 5pp. 46755 018-46755 022.

8809080014 Forwards revised responses to NRC questions re use of high density spent fuel racks & info from US Tool & Die re addl forces on rack walls due to reduced rack to wall distance at north end of spent fuel pool. MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/30, Document Control Branch (Document Control Desk). 107pp. 46791 149-46791 254.

8809090023 Defines scope & responsibilities & provides timetable for completion of review of emergency operating procedures, per 880822 commitment. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/02, Document Control Branch (Document Control Desk). 3pp. 46815 331-46815 333.

8809140220 Corrected ltr providing suppl to response to NRC concerns re emergency operating procedures. Suppl defines scope & responsibilities for review & provides timetable for completion. Task 1 will be completed by 880930. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/02, Document Control Branch (Document Control Desk). 4pp. 46845 207-46845 210

8809130074 Forwards notice of consideration of issuance of amend to License NPF-76 & opportunity for hearing re 880308 request to improve operational reliability of toxic gas monitoring sys & reduce number of unnecessary ESF activations. DICK, G.F. Project Directorate IV. 88/09/05 GOLDBERG, J.H. Houston Lighting & Power Co. 4pp. 46839 152-46839 159

8809130077 Notice of consideration of issuance of amend to License NPF-76 & op- portunity for hearing re revising Tech Specs re toxic gas monitoring sys. CALVO, J.A. Project Directorate IV. 88/09/05, 4pp. 46839 156-46839 159

8809130169 Forwards notice of consideration of issuance of amend to License NPF-76 & opportunity for hearing re 880224 application to modify radiation monitor logic. DICK, G.F. Project Directorate IV. 88/09/05 GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46835 324-46835 331

8809130176 Notice of consideration of issuance of amend to License NPF-76 & op- portunity for hearing on 880224 request to modify Tech Specs re radiation monitor logic. CALVO, J.A. Project Directorate IV. 88/09/05 4pp. 46835 328-46835 331

8809180301 Forwards notice of consideration of issuance of amend to License NPF-76 & opportunity for hearing re 880308 & 28 requests for expansion of spent fuel pool storage capacity by using high density spent fuel racks. DICK, G.F. Project Directorate IV. 88/09/09 GOLDBERG, J.H. Houston Lighting & Power Co. 6pp. 46885 208-46885 219

8809180304 Notice of consideration of issuance of amend to License NPF-76 & op- portunity for hearing Amend would permit expansion of spent fuel pool storage capac- ity by using high-density spent fuel racks. CALVO, J.A. Project Directorate IV. 88/09/09, 6pp. 46885 214-46885 219

8809270059 Advises that util completed rev of RCS flow rate surveillance process on 880902 & that Westinghouse revising & finalizing analyses to support Tech Spec rev to RCS flow rate values. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/09, Document Control Branch (Document Control Desk). 3pp. 46971 252-46971 254.

Q. Inspection reports, IE Bulletins & correspondence

8808030085 Forwards Insp Repts 50-498/88-35 & 50-499/88-35 on 880516 0624 No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/07/20 GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46774 079-46774 100.

8808030091 Insp Repts 50-498/88-35 & 50-499/88-35 on 880516-0624. No violations or deviations noted. Major areas inspected: preoperational testing QA program, including control of records, audits, design control & maint of equipment. ELLERSHAW, L.E., TAYLOR, R.G., BARNES, I. Region 4, Ofc of the Director. 88/07/14 16pp. 46774 082-46774 087.

8808190195 NRC Info Notice 88-060, "Movable Contact Finger Binding in HFA Relays Mtg by GE." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46890 054-46890 170.

8808160451 NRC Info Notice 88-088, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070.

8808300011 Forwards response to notice of violations from Enforcement Action EA-88-185 Action taken to address two violations. Response withheld. VAUGHN, G.E. Houston Lighting & Power Co. 88/08/23 Document Control Branch (Document Control Desk). 2pp. 46892,007-46892 008

8808310073 Responds to NRC 880812 ltr re violations noted in Insp Rept 50-498/88-39 Events addressed in encl LERs Surveillance scheduling procedure to require gen- eration of test packages will be revised by 880826. VAUGHN, G.E. Houston Lighting & Power Co. 88/08/23, Document Control Branch (Document Control Desk). 8pp. 46702 096-46702 120

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refur- bished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24, Consolidated Edison Co. of New York, Inc. 122pp. 46713 218-46713 219

8808310104 Ack receipt of 880805 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/88-36 & 50-499/88-36. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/25, GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46699 308-46699 310.

8809020182 Forwards Insp Repts 50-498/88-58 & 50-499/88-58 on 880808-12 No vi- olations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/25, GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46747 103-46747 111.

8809020183 Insp Repts 50-498/88-58 & 50-499/88-58 on 880808-12. No violations or deviations noted. Major areas inspected: testing of pipe supports & restraint sys. JOHNSON, C.E., STETKA, T.F. Region 4, Ofc of the Director. 88/08/24, 7pp. 46747 105-46747 111

8809020275 Forwards app to SALP Board Repts 50-498/87-65 & 50-499/87-65 for 1987 App contains summary of 880413 meeting at plant to discuss repl. MARTIN, R.D. Region 4, Ofc of the Director. 88/08/26 GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46746 340-46747 010.

8809020279 App to SALP Board Repts 50-498/87-65 & 50-499/87-65 for 1987 * Region 4, Ofc of the Director. 88/08/26, 29pp. 46746 342-46747 010.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficien- cies." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29, Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217.

8809060376 Forwards Insp Repts 50-498/88-56 & 50-499/88-56 on 880808-12. No vi- olations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/29, GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46764 312-46764 319.

208 DOCKETED ITEMS

--8809060380 Insp Repts 50-498/88-56 & 50-499/88-56 on 880606-12 No violations or deviations noted Major areas inspected exam & review of preoperational test program & procedure verification
MURPHY,M.E., SEIDLE,W.C. Region 4, Ofc of the Director 88/08/25 6pp 46764 314-46764 319

8809060363 Forwards Insp Repts 50-498/88-47 & 50-499/88-47 on 880701-31 & notice of violation
CALLAN,L.J. Region 4, Ofc of the Director 88/08/31 GOLDBERG,J.H. Houston Lighting & Power Co 3pp 46758 067-46758 081

--8809060366 Notice of violation from insp on 880701-31 Violations noted failure to perform surveillances in accordance w/Tech Specs & failure to maintain nitrogen gas pressure on electrical penetrations in Unit 2 after equipment turnover
* Region 4, Ofc of the Director 88/08/31 2pp 46758 070-46758 071

--8809060370 Insp Repts 50-498/88-47 & 50-499/88-47 on 880701-31 Violations noted Major areas inspected ESF sys walkdown, monthly surveillance observation & operational safety verification
BESS,J.E. GARRISON,D.L., HOLLER,E. Region 4, Ofc of the Director. 88/08/29 10pp 46758 072-46758 081

8809130013 Forwards Insp Repts 50-498/88-49 & 50-499/88-49 on 880815-19 No violations or deviations noted
CALLAN,L.J. Region 4, Ofc of the Director. 88/08/31 GOLDBERG,J.H. Houston Lighting & Power Co. 2pp 46830 039-46830 044

--8809130015 Insp Repts 50-498/88-49 & 50-499/88-49 on 880815-19 No violations noted Major areas inspected piping sys for as built verification in Unit 2 Unit 1 not inspected.
GILBERT,L.D., GARRISON,D.L., BARNES,I. Region 4, Ofc of the Director. 88/08/26 4pp 46830 041-46830 044

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01. Consolidated Edison Co. of New York, Inc 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

8809060346 Forwards Insp Repts 50-498/88-50 & 50-499/88-50 on 880711-15 & 25-29 No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/02. GOLBERG,J.H. Houston Lighting & Power Co. 3pp. 46764.011-46764 032.

--8809060354 Insp Repts 50-498/88-50 & 50-499/88-50 on 880711-15 & 880725-29 No violation noted Major areas inspected review of LERs,10CFR21 repts,generic ltr action item followup,TMI action item followup & observation of planned trip
HUNNICUTT,D.M., MCKERNON,T.C., BUNDY,H.F. Region 4, Ofc of the Director. 88/09/01 19pp. 46764.014-46764 032

8809140087 Forwards Insp Repts 50-498/88-48 & 50-499/88-48 on 880711-15,25-29 & 0808 12 Enforcement conference scheduled for 880915 to discuss understanding of violation noted, reasons for occurrence & corrective actions
CALLAN,L.J. Region 4, Ofc of the Director 88/09/02 GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 46836.207-46836 218.

--8809140070 Insp Repts 50-498/88-46 & 50-499/88-46 on 880711-15,25-29 & 0808 12 Violation noted.Major areas inspected operational safety verifications,electrical as-built,electrical components/sys work observation & records review.
VICKREY,R.B., EVANS,R., GAGLIARDO,J.E. Region 4, Ofc of the Director. 88/09/01 10pp 46836 209-46836 218.

8809140075 Forwards Insp Repts 50-498/88-53 & 50-499/88-53 on 880725-29 No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/02 GOLDBERG,J.H. Houston Lighting & Power Co 2pp 46836 219-46836-227.

--8809140076 Insp Repts 50-498/88-53 & 50-499/88-53 on 880725 29.No violations or deviations noted.Major areas inspected,review of onsite & offsite safety review committees & review of licensee program for audits & implementation.
JOHNSON,C.E., STETKA,T.F. Region 4, Ofc of the Director. 88/09/31, 7pp 46836 221-46836-227

8809140084 Ack receipt of 880715 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-52, 50-498/87-54,50-498/87-59,50-498/87-56,50-499/87-52, 50-499/87 54,50-499/87-59 & 50-499/87 66 Encl withheld.
CALLAN,L.J. Region 4, Ofc of the Director 88/09/07. GOLDBERG,J.H. Houston Lighting & Power Co 2pp 46837 017-46837 018.

8809140171 Ack receipt of 880823 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/88-39 & 50-499/88 39.
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/07 GOLDBERG,J.H. Houston Lighting & Power Co. 2pp 46841,297-46841-298

8809190209 Forwards response to NRC Bulletin 88-005,Suppls 1 & 2 re matts supplied by West Jersey Mfg Co,Piping Supplies,Inc & Chews Landing Metal Mfgs Inc.
GOLDBERG,J.H. Houston Lighting & Power Co 88/08/08. Document Control Branch (Document Control Desk). 17pp 46893 249-46893-265

8809150168 Notification of 880915 enforcement conference w/licensee in Arlington,TX to discuss improper fire watches described in NRC Investigation Rept Case 4-88-004 & violation re improper close out of maint work request
HOLLER,E. Region 4, Ofc of the Director. 88/09/09 Region 4, Ofc of the Director 2pp 46849,350-46849-351.

8809190253 Confirms 880915 enforcement conference in Region IV ofc to discuss violation noted in Investigation Rept Case 4-88-004 re improper fire watches & failure to include appropriate acceptance criteria in closing maint work request.
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/09. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 46896.087-46896 089.

8809190197 Ack receipt of 880819 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-488/88-38 & 50-499/88-38.
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/12. GOLDBERG,J.H. Houston Lighting & Power Co 2pp. 46899-305-46899 312

8809060339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc 122pp 46824 215-46824 336

8809200202 Responds to NRC 880811 ltr re deficiencies noted in Insp Repts 50-488/88-42 & 50-499/88-42 Corrective actions procedures governing use of Qumtron communications consoles will be modified to provide accurate operating instructions
VAUGHN,G.E. Houston Lighting & Power Co. 88/09/14. Document Control Branch (Document Control Desk) 3pp 46913 346-46913 348

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc 124pp. 46946.133-46946 252

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946 253-46947 013

8809230298 Ack receipt of 880803 ltr re violations noted in Insp Repts 50-498/88-24,50-498/88 11 & 50-499/88-11
CALLAN,L.J. Region 4, Ofc of the Director. 88/09/19 GOLDBERG,J.H. Houston Lighting & Power Co. 2pp 46942 057-46942 067

8809260034 Ack receipt of 880803 response to violation noted Insp Rept 50-498/88-24 Reevaluation of Violation 498/88 24 01 indicated licensee documentation of station problems & failures adequate Related notice of violation cancelled
CALLAN,L.J. Region 4, Ofc of the Director 88/09/19 GOLDBERG,J.H. Houston Lighting & Power Co 2pp 46966 079-46966 080

R. Periodic operating reports & related correspondence

8808310047 "Semiannual Radioactive Effluent Release Rept for 880308 0630." W/ 880823 ltr.
VAUGHN,G.E. Houston Lighting & Power Co 88/08/30 300pp 46700 073-46700 344

8809220035 Monthly operating rept for Aug 1988 for South Texas Project Electric Generating Station Unit 1 W/880912 ltr
FORSYTH,M., MCBURNETT,M.A. Houston Lighting & Power Co. 88/08/31 16pp 46820 314-46820 328.

S. Reportable occurrences, LERs & related correspondence

8808260003 LER 88-045-00 on 880719,reactor trip on over temp/delta temp alarm Caused by personnel error Detailed instructions on qualified display process insys reset to applicable procedures & technicians trained W/880810 ltr.
AYALA,C.A., VAUGHN,G.E. Houston Lighting & Power Co 88/08/18 6pp 46654 158-46654-163.

8808300301 PNO IV 88-069 on 880824,util 100 h NSSS acceptance test completed Upon completion of review of startup test results by plant operations review committee,util will be in position to begin commercial operation State of TX in formed
HOLLER,E. Region 4, Ofc of the Director. 88/08/24 1p 46782 001-46782 001.

8809010240 LER 88-046-00 on 880729,reactor containment bldg purge high radiation alarm received in control room,resulting in containment ventilation isolation Caused by failure of purge isolation monitor Power supply replaced W/880828 ltr
AYALA,C.A., VAUGHN,G.E. Houston Lighting & Power Co 88/08/28 6pp 46740,162-46740,166.

8809010382 LER 88-047-00 on 880802,automatic actuation of control room ventilation to recirculation mode occurred Caused by momentary high level reading on HC1 channel of single toxic gas analyzer Subcommittee studying problem W/880828 ltr
AYALA,C.A., VAUGHN,G.E. Houston Lighting & Power Co 88/08/28, 6pp 46742 048-46742 052.

8809060399 PNO-IV-88 072.on 880830,shutdown began from approx 45% power to repair main steam vent line leak coming from a sock weld Licensee will insp similar socket welds on main steam & main feed lines inside containment during shutdown
HOLLER,E. Region 4, Ofc of the Director 88/08/30 1p. 46758 352-46758 352.

8809190371 Special rept on 880813 & 26,nonvald failures occurred on standby diesel generator 13 Caused by spurious failure of jacket water temp shutdown switch to reset when Generator 13 started Trip & reset setpoint for jacket water recalibr.
VAUGHN,G.E. Houston Lighting & Power Co 88/09/12 Document Control Branch (Document Control Desk) 4pp. 46898 950-46898,953

8809200264 LER 88-048-00.on 880818,reactor tripped as result of main turbine trip.Caused by failure of stator cooling water pump discharge check valve to close.Stator cooling water pump discharge check valve packing replaced.W/880913 ltr.
AYALA,C.A., VAUGHN,G.E. Houston Lighting & Power Co. 88/09/13 5pp 46905 255-46905,259

V. Operator Examinations

8808260053 Forwards ref matt requirements,written exam administration requirements & NRC rules & guidelines for license exams & facility review requirements for operator license exams scheduled during wks of 881107 & 14
CALLAN,L.J. Region 4, Ofc of the Director. 88/08/17. GOLDBERG,J.H. Houston Lighting & Power Co. 11pp. 46654.170-46654-180.

8809020275 Forwards app to SALP Board Repts 50-498/87-85 & 50-499/87 66 for 1987.App contains summary of 880413 meeting at plant to discuss rept.
MARTIN,R.D. Region 4, Ofc of the Director 88/08/26. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 46746 340-46747,010.

--8809020279 App to SALP Board Repts 50-498/87-85 & 50-499/87-65 for 1987.
* Region 4, Ofc of the Director 88/08/26 28pp. 46746:342-46747,010.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

A. Application/construction stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co of New York, Inc 41pp 47065 001-47065 006

8808300316 Forwards addl info re NRC questions on use of high density spent fuel racks w/three proprietary drawings Proprietary drawings withheld MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/19 Document Control Branch (Document Control Desk) 18pp 46703 146-46703.177

--8808300340 Rev 1 to Procedure 8709 00-0500, "Rack Handling & Installation Instructions" LINDER, R. U.S. Tool & Die, Inc. 88/07/26 12pp 46703.164 46703 177

8809010035 Forwards requested addl info re thermowell mounted RTDs, in response to 871218 telcon. Response revised to clarify effect of change in RTD time response on both line break analyses MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/24. Document Control Branch (Document Control Desk) 4pp 46721 312-46721 315

8809020225 Summary of 880810 meeting w/util, Westinghouse & BNL re status of studies on BML thimble tube wear problems Discussions & licensee handout withheld MILANO, P.D. Project Directorate IV 88/08/26. Project Directorate IV, 5pp. 46745-222 46745.226.

8809060395 Advises that 880715 request for NRC concurrence to use optical disk document imaging sys for storage & retrieval of record copy of licensee QA records acceptable based on licensee commitment to follow listed guidelines DICK, G.F. Project Directorate IV, 88/08/29 GOLDBERG, J.H. Houston Lighting & Power Co 5pp. 46755 016 46755 022

8809080014 Forwards revised responses to NRC questions re use of high density spent fuel racks & info from US Tool & Die re addl forces on rack walls due to reduced rack-to-wall distance at north end of spent fuel pool MCBURNETT, M.A. Houston Lighting & Power Co. 88/08/30 Document Control Branch (Document Control Desk). 107pp. 46701.149 46701.254.

8809090023 Defines scope & responsibilities & provides timetable for completion of review of emergency operating procedures, per 880822 commitment. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/02. Document Control Branch (Document Control Desk) 3pp 46815.331-46815.333.

8809140220 Corrected ltr providing suppl to response to NRC concerns re emergency operating procedures. Suppl defines scope & responsibilities for review & provides timetable for completion Task 1 will be completed by 880930 VAUGHN, G.E. Houston Lighting & Power Co. 88/09/02 Document Control Branch (Document Control Desk) 4pp 46845.207-46845.210.

F. Security, medical, emergency & fire protection plans

8808260057 Responds to NRC concerns re emergency operating procedures. Procedure OPG03-ZA-0027 will be revised by 880901 & will include listed items, including formalizing process for conversion of Unit 1 to Unit 2 procedures VAUGHN, G.E. Houston Lighting & Power Co. 88/08/22. Document Control Branch (Document Control Desk), 3pp 46856 040-46856 042

8809020276 Forwards app to SALP Board Repts 50 498/87-85 & 50 499/87-85 for 1987. App contains summary of 880413 meeting at plant to discuss rept MARTIN, R.D. Region 4, Ofc of the Director. 88/08/26 GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46746.340-46747 010

--8809020279 App to SALP Board Repts 50-498/87-85 & 50 499/87-85 for 1987
* Region 4, Ofc of the Director. 88/08/26. 29pp 46746 342-46747 010.

8809140138 Requests meeting w/Region IV to discuss schedule for lock down security schedule of facility. Meeting tentatively scheduled for 880908. BAILEY, J.N. Houston Lighting & Power Co. 88/09/02 Document Control Branch (Document Control Desk), 3pp. 46839 315 46839.316.

8809140084 Ack receipt of 880715 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 498/87-52, 50 498/87-54, 50 498/87-59, 50 499/87 66, 50-499/87-52, 50 499/87-54, 50-499/87-59 & 50 498/87 66 Encl withheld CALLAN, L.J. Region 4, Ofc of the Director. 88/09/07. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46837 017-46837 018.

8809190253 Confirms 880915 enforcement conference in Region IV ofc to discuss violation noted in Investigation Rept Case 4-88 004 re improper fire watches & failure to include appropriate acceptance criteria in closing maint work request CALLAN, L.J. Region 4, Ofc of the Director. 88/09/09. GOLDBERG, J.H. Houston Lighting & Power Co 3pp. 46896.067-46896.069

8809200202 Responds to NRC 880811 ltr re deficiencies noted in Insp Repts 50-498/88-42 & 50-499/88-42 Corrective actions, procedures governing use of Quintron communications consoles will be modified to provide accurate operating instructions. VAUGHN, G.E. Houston Lighting & Power Co. 88/09/14. Document Control Branch (Document Control Desk) 3pp 46913 346-46913 346

J. Insurance & indemnity information

8809060052 Requests exemption from 10CFR60.54(w), "Property Insurance." Supporting info encl. Fee paid GOLDBERG, J.H. Houston Lighting & Power Co. 88/08/30 Document Control Branch (Document Control Desk), 8pp. 46791 255 46791 262

Q. Inspection reports, IE Bulletins & correspondence

8808030085 Forwards Insp Repts 50-498/88-35 & 50-499/88-35 on 880516 0624. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director 88/07/20. GOLDBERG, J.H. Houston Lighting & Power Co 3pp. 46774 079-46774 100.

--8808030091 Insp Repts 50 498/88-35 & 50 499/88-35 on 880516 0624 No violations or deviations noted Major areas inspected, preoperational testing QA program, including control of records, audits, design control & maint of equipment ELLERSHAW, L.E., TAYLOR, R.G., BARNES, J. Region 4, Ofc of the Director 88/07/14 16pp 46774 082 46774 097.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19. Consolidated Edison Co of New York, Inc 125pp 46690 054-46690 178

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co of New York, Inc. 121pp 46702 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co of New York, Inc. 122pp 46713 218-46713 219

8808310104 Ack receipt of 880805 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 498/88-36 & 50 499/88-36. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/25 GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46699 309 46699 310.

8809020182 Forwards Insp Repts 50 498/88-58 & 50-499/88-58 on 880808-12 No violations or deviations noted CALLAN, L.J. Region 4, Ofc of the Director 88/08/25 GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46747.103 46747.111.

--8809020183 Insp Repts 50-498/88-58 & 50 499/88 58 on 880808-12 No violations or deviations noted Major areas inspected testing of pipe supports & restraint sys. JOHNSON, C.E., STETKA, T.F. Region 4, Ofc of the Director 88/08/24 7pp. 46747.105-46747.111.

8809020275 Forwards app to SALP Board Repts 50-498/87-85 & 50 499/87-85 for 1987. App contains summary of 880413 meeting at plant to discuss rept MARTIN, R.D. Region 4, Ofc of the Director 88/08/26. GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46746 340-46747 010

--8809020279 App to SALP Board Repts 50 498/87 65 & 50 499/87 65 for 1987.
* Region 4, Ofc of the Director. 88/08/26 29pp. 46746 342-46747 010

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficient class." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217.

8809060376 Forwards Insp Repts 50 498/88-56 & 50 499/88 56 on 880808 12 No violations noted. CALLAN, L.J. Region 4, Ofc of the Director 88/08/29. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46764.312-46764.319.

--8809060380 Insp Repts 50 498/88-56 & 50 499/88-56 on 880808-12 No violations or deviations noted Major areas inspected, exam & review of preoperational test program & procedure verification MURPHY, M.E., SEIDLE, W.C. Region 4, Ofc of the Director. 88/08/25 6pp 46764 314-46764 318.

8809060363 Forwards Insp Repts 50-498/88 47 & 50 499/88-47 on 880701-31 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/31. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46758 067-46758 081.

--8809060366 Notice of violation from Insp on 880701-31. Violations noted, failure to perform surveillances in accordance w/Tech Specs & failure to maintain nitrogen gas pressure on electrical penetrations in Unit 2 after equipment turnover.
* Region 4, Ofc of the Director. 88/08/31 2pp. 46758 070-46758 071.

--8809060370 Insp Repts 50-498/88 47 & 50-499/88-47 on 880701-31. Violations noted Major areas inspected. ESF sys walkdown, monthly surveillance observation & operational safety verification. BESS, J.E., GARRISON, D.L., HOLLER, E. Region 4, Ofc of the Director. 88/08/29 10pp 46758.072-46758 081.

8809130013 Forwards Insp Repts 50-498/88 49 & 50 499/88-49 on 880815 19. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/31 GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46830.039-46830 044.

--8809130015 Insp Repts 50 498/88 49 & 50 499/88-49 on 880815-19. No violations noted. Major areas inspected piping sys for as-built verification in Unit 2 Unit 1 not inspected. GILBERT, L.D., GARRISON, D.L., BARNES, J. Region 4, Ofc of the Director. 88/08/26 4pp. 46830 041-46830 044.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713 004

8808030018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726.001-46726 123

8809060346 Forwards Insp Repts 50-498/88-50 & 50-499/88-50 on 880711-15 & 25-29. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director 88/08/02. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46764.011-46764 032

210 DOCKETED ITEMS

- 8809060354 Insp Repts 50 498/88 50 & 50 499/88 50 on 880711-15 & 880725 29 No violation noted Major areas inspected review of LERs, 10 CFR 21 repts, generic ltr action item followup, TMI action item followup & observation of planned trip
HUNNICUTT, D.M., MCKERNON, T.O., BUNDY, H.F. Region 4, Ofc of the Director. 88/09/01 19pp 46764 014-46764 032
- 8809090179 Forwards "Preservice Insp Summary Rept of Steam Generator Tubing"
BAILEY, J.N. Houston Lighting & Power Co 88/09/02 Document Control Branch (Document Control Desk) 2pp 46798 346 46799 074
- 8809090145 "Preservice Insp Summary Rept of Steam Generator Tubing"
HANING, J.L., BEVERLY, R.L., MCINTYRE, A.C. Houston Lighting & Power Co 88/08/31 75pp 46798 348-46799 074
- 8809140067 Forwards Insp Repts 50-498/88 46 & 50 499/88 46 on 880711-15, 25-29 & 0808-12 Enforcement conference scheduled for 880915 to discuss understanding of violation noted, reasons for occurrence & corrective actions
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46836 207-46836 218
- 8809140070 Insp Repts 50 498/88 46 & 50-499/88 46 on 880711-15, 25-29 & 0808-12 Violation noted Major areas inspected operational safety verifications, electrical as-built, electrical components/sys work observation & records review.
VICKREY, R.B., EVANS, R., GAGLIARDO, J.E. Region 4, Ofc of the Director 88/09/01 10pp 46836 209-46836 218
- 8809140075 Forwards Insp Repts 50 498/88-53 & 50 499/88-53 on 880725-29 No violations or deviations noted
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02 GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46836 219 46836 227
- 8809140076 Insp Repts 50-498/88 53 & 50 499/88-53 on 880725-29 No violations or deviations noted Major areas inspected review of onsite & offsite safety review committees & review of licensee program for audits & implementation
JOHNSON, C.E., STETKA, T.F. Region 4, Ofc of the Director 88/08/31 7pp. 46836 221-46836 227
- 8809140084 Ack receipt of 880715 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/87-52, 50-498/87 54, 50-499/87-59, 50 498/87-56, 50 499/87-52, 50 499/87-54, 50-499/87 59 & 50 499/87-56 Encl withheld
CALLAN, L.J. Region 4, Ofc of the Director 88/09/07 GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46837 017-46837 018
- 8809140171 Ack receipt of 880823 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 498/88-39 & 50 499/88-39.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/07 GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46841 297-46841 298.
- 8809190209 Forwards response to NRC Bulletin 88-005, Suppls 1 & 2 re matts supplied by West Jersey Mfg Co, Piping Supplies, Inc & Chews Landing Metal Mfgs Inc.
GOLDBERG, J.H. Houston Lighting & Power Co. 88/09/08. Document Control Branch (Document Control Desk) 17pp 46893 249 46893 265
- 8809190253 Confirms 880915 enforcement conference in Region IV ofc to discuss violation noted in Investigation Rept Case 4 88 004 re improper fire watches & failure to include appropriate acceptance criteria in closing maint work request
CALLAN, L.J. Region 4, Ofc of the Director 88/09/09. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46898 067-46898 069
- 8809190197 Ack receipt of 880819 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-498/88 38 & 50 499/88 38
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/12. GOLDBERG, J.H. Houston Lighting & Power Co 2pp 46899 305 46899 312
- 8809200339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336
- 8809200202 Responds to NRC 880811 ltr re deficiencies noted in Insp Repts 50 498/88-42 & 50 499/88-42 Corrective actions procedures governing use of Quinton communications consoles will be modified to provide accurate operating instructions
VAUGHN, G.E. Houston Lighting & Power Co 88/09/14 Document Control Branch (Document Control Desk) 3pp 46913 348-46913 348.
- 8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16. Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252
- 8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013
- 8809230298 Ack receipt of 880803 ltr re violations noted in Insp Repts 50 498/88-24, 50 498/88-11 & 50-499/88-11.
CALLAN, L.J. Region 4, Ofc of the Director. 88/09/19 GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46942 057-46942 067.
- 8809260046 Ack receipt of 880708 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-499/88-24. Addl info re use of plant procedures & procedures used to control info re status of equipment & components requested
CALLAN, L.J. Region 4, Ofc of the Director 88/09/19. GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46956 184-46956 185

S. Reportable occurrences, LERs & related correspondence

- 8809070324 Final deficiency rept re cracking of ESF diesel generator heads initially reported on 880801. Precautions added to ESF diesel generator instruction manual to ensure engine timing checked out prior to operation following maint
GOLDBERG, J.H. Houston Lighting & Power Co. 88/08/30. Document Control Branch (Document Control Desk) 4pp 46780 338-46780 341.

V. Operator Examinations

- 8808260053 Forwards ref mail requirements, written exam administration requirements & NRC rules & guidelines for license exams & facility review requirements for operator license exams scheduled during wks of 881107 & 14
CALLAN, L.J. Region 4, Ofc of the Director 88/08/17. GOLDBERG, J.H. Houston Lighting & Power Co 11pp 46654 170 46654 180
- 8809020275 Forwards app to SALP Board Repts 50 498/87 65 & 50 499/87 65 for 1987 App contains summary of 880413 meeting at plant to discuss rept
MARTIN, R.D. Region 4, Ofc of the Director. 88/08/26 GOLDBERG, J.H. Houston Lighting & Power Co 2pp. 46746 340-46747 010.
- 8809020279 App to SALP Board Repts 50-498/87-65 & 50 499/87 65 for 1987
Region 4, Ofc of the Director 88/08/26 29pp. 46746 342 46747 010

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

- 8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08 Consolidated Edison Co. of New York, Inc. 41pp 47065 001 47065 006
- 8809070272 Forwards SASSI analysis & further clarification of elastic half space analysis providing confirmation that finite element methodology used for plant design basis sufficiently conservative
SORENSEN, G.C. Washington Public Power Supply System 88/08/29 Document Control Branch (Document Control Desk) 44pp 46774 320-46775 002.

G. Inspection reports, IE Bulletins & correspondence

- 8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46890 054 46890 178
- 8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070
- 8809060153 Forwards Readiness Review Module C3-02 Concrete Insp Rept 50 508/88 02 Concrete const completed at time of work stoppage deemed acceptable assuming open items resolved Listed items will be pursued during future reviews & insps
PATE, R.J. Region 5, Ofc of the Director. 88/08/22 MAZUR, D.W. Washington Public Power Supply System. 4pp. 46800 184 46800 238
- 8809080157 Readiness Review Module C3 02 Concrete Insp Rept 50 508/88 02 on 880915-880603. Major areas inspected results of program review of completed concrete work, including planning/mobilization & problem history review.
TOTH, A.D., RUBENSTEIN, L., PATE, R.J. Region 5, Ofc of the Director 88/08/22 39pp 46800 198 46800 236

- 8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

- 8809060281 Forwards corrected Page 1 of NRC 880822 ltr forwarding Insp Rept 50-508/88 02 re readiness review Module C3 02 concrete Ltr issued w/o date annotated on first page.
PATE, R.J. Region 5, Ofc of the Director 88/08/26 MAZUR, D.W. Washington Public Power Supply System 2pp. 46768 014-46768 015

- 8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095-46713 217

- 8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004.

- 8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726 001-46726 123

- 8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp. 46824 215 46824 336.

- 8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252

- 8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946 253-46947 013.

DOCKET STN-50-518 HARTSVILLE NUCLEAR PLANT, UNIT 1**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2. GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp 46896 336 46897 155

DOCKET STN-50-519 HARTSVILLE NUCLEAR PLANT, UNIT 2**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2. GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp 46896 336 46897 155.

DOCKET STN-50-520 HARTSVILLE NUCLEAR PLANT, UNIT 3**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2. GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp 46896 336 46897 155.

DOCKET STN-50-521 HARTSVILLE NUCLEAR PLANT, UNIT 4**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2. GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12 Document Control Branch (Document Control Desk). 180pp 46896 336 46897 155

DOCKET STN-50-526 PALO VERDE NUCLEAR STATION, UNIT 1**F. Security, medical, emergency & fire protection plans**

8808300330 Advises that 871104 Amend 18 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. MONTGOMERY, J.L. Region 5, Ofc of the Director. 88/08/24. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 3pp. 46774:098-46774:100

8809070048 Forwards Amend 7 to security training & qualification plan. Amend withheld (ref 10CFR2.790(d)). KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/29 Document Control Branch (Document Control Desk). 1p 46779:348-46779:349.

8809070150 Forwards public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 8 to EPIP-11, "Technical Support Ctr/Satellite Activation." W/ release memo. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/09/12 Document Control Branch (Document Control Desk). 2pp 46780 001-46780 337.

8809070287 Public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 8 to EPIP-11, "Technical Support Ctr/Satellite Activation." * Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/12, 275pp. 46780:003 46780 337.

I. Financial information

8809080059 Forwards 1987 annual repts for participants that jointly own plant. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/30. Document Control Branch (Document Control Desk). 1p. 46799:231-46800:182.

8809080068 "Public Svc Co of New Mexico Annual Rept 1987." GEIST, J.D. Public Service Co of New Mexico. 87/12/31. 40pp. 46799:232-46799:271.

8809080074 "Southern California Edison Co 1987 Annual Rept." ALLEN, H.P. Southern California Edison Co. 87/12/31. 52pp. 46799:272-46799:324

8809080080 "El Paso Electric Co 1987 Annual Rept." WALL, E.R. El Paso Electric Co. 87/12/31. 77pp. 46799:325-46800 041.

8809080086 "Salt River Project Annual Rept 1987-88." * Salt River Project. 87/12/31. 32pp. 46800:042-46800:073.

8809080090 "Arizona Public Svc Co 1987 Annual Rept." FURLEY, K.L., DE MICHELE, O.M. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 87/12/31. 34pp. 46800:074-46800:134.

8809140393 "Los Angeles Dept of Water & Power 1986-87 Annual Rept." CARUSO, R.J., LANE, P.H. Los Angeles Dept of Water & Power. 87/12/31. 48pp 46800:135 46800 182

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety related equipment Svc list encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08 Consolidated Edison Co of New York, Inc. 41pp 47065 001 47065 006.

8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR. App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5) GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR, L. Doc Search Associates. 5pp 46770 060 46770 089

8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 88/12/13. BLAHA, J.L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223

8808310006 Informs that 870922 proposed changes to FSAR Section 3.5 re design of Category 1 structures acceptable. DAVIS, M.J. Project Directorate V. 88/08/24. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 5pp 46699:178-46699 182

8808310028 Forwards request for addl info re implementation of TMI Action Item II K.3.5, "Automatic Trip of Reactor Coolant Pumps," because C E revised approved generic topical repts CEN 268 & CEN-268, Suppl 1. DAVIS, M.J. Project Directorate V. 88/08/24. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 8pp 46699:123-46699:130.

8809010109 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, deleting organization charts from Tech Specs Section 6.2, Figures 6.2-1 & 6.2-2 Fee paid. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/25. Document Control Branch (Document Control Desk). 4pp 46720 145-46720 167

8809010175 Proposed Tech Specs deleting Section 6.2, Figures 6.2-1 & 6.2-2 re offsite & onsite organization charts. * Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/25. 18pp. 46720:160 46720 167.

8809090159 Forwards proprietary Rev 1 to CEN-358(V) P-A & nonproprietary Rev 1 to CEN 358(V)-NP-A, "Modified Statistical Combination of Uncertainties." Proprietary rept withheld (ref 10CFR2.790) KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/30. Document Control Branch (Document Control Desk). 6pp 46801 025 46801 000.

8809090167 Rev 1 to "Modified Statistical Combination of Uncertainties" * Combustion Engineering, Inc. CEN-358(V) NP-A R01 88/05/31. 51pp. 46801 031-46801 080

8809150147 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, modifying senior reactor operator license requirements for operations manager Fee paid. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/08 Document Control Branch (Document Control Desk). 6pp 46855:339-46855:353

8809150148 Proposed Tech Specs 6.3.1, modifying senior reactor operator license requirements for operations manager * Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/09/08. 8pp. 46855:345-46855:353.

8809230129 Forwards Amends 36,23 & 12 to Licenses NPF 41, NPF-51 & NPF-74, respectively, revising Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys. DAVIS, M.J. Project Directorate V. 88/09/08. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 4pp 46945:198 46945:237.

8809230134 Amends 36,23 & 12 to Licenses NPF 41, NPF-51 & NPF-74, respectively, revising Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys. KNIGHTON, G.W. Project Directorate V. 88/09/08. 33pp 46945:202 46945:234

8809230140 Safety evaluation supporting Amends 36,23 & 12 to Licenses NPF-41, NPF-51 & NPF-74, respectively * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/08. 3pp 46945:235-46945:237.

8809200183 Commits to provide addl info re Implementation of TMI Action Item II K.3.5 by 881130 per NRC 880824 request. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/09/11. Document Control Branch (Document Control Desk). 1p 46900:146-46900:145.

Q. Inspection reports, IE Bulletins & correspondence

8808300179 Forwards Insp Repts 50-528/88-25, 50-529/88-24 & 50-530/88-23 on 880718-22. No violations or deviations noted. PATE, R.J. Region 5, Ofc of the Director. 88/08/12. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46693 024-46693 035

8808300181 Insp Repts 50-528/88-25, 50-529/88-24 & 50-530/88-23 on 880718-22. No violations or deviations noted. Major areas inspected, vital areas & equipment in plant & followup of enforcement items, open items & bulletins/notices/Part 21. BURDOIN, J.F., COE, D.H. Region 5, Ofc of the Director. 88/08/11. 10pp. 46693 026-46693 035

8808300295 Ack receipt of 880701 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-528/88-13 & 50-529/88-14. YUHAS, G.P. Region 5, Ofc of the Director. 88/08/18. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 1p 46698:346-46698:357.

212 DOCKETED ITEMS

8809060342 Forwards Insp Repts 50-528/88-26,50-529/88-25 & 50-530/88-24 on 880801-05 No items of noncompliance noted
YUHAS,G.P. Region 5, Ofc of the Director 88/08/18 KARNER,D. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46764 356 46764 360.

--8809060351 Insp Repts 50-528/88-26,50-529/88-25 & 50-530/88-24 on 880801-15 No violations noted Major areas inspected followup item involving plant water chemical analysis & item of noncompliance re radiological effluent sampling
TENBROOK,W.K., YUHAS,G.P. Region 5, Ofc of the Director. 88/08/18, 3pp. 46764 358 46764 360

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mig by GE." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp 46690 054-46690 178

8808190451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702 311-46703 070

8808190368 Suppl 1 to NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218 46713 219

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp. 46713 095 46713 217

8809070301 Forwards addl info re evaluation results for auxiliary feedwater pumps & status of review for remaining pumps,per NRC Bulletin 88-004 concerning potential loss of safety-related pumps due to deficiencies in flow design.
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/28 Document Control Branch (Document Control Desk) 2pp 46783 149-46783 150

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/01. Consolidated Edison Co. of New York, Inc. 121pp. 46712 244-46713 004

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp. 46726 001-46726 123

8809140222 Responds to NRC 880805 ltr re violations noted in Insp Repts 50-528/88-19 & 50-530/88-18 Formal valve lineup conducted to restore mispositioned valves Night order issued defining need to follow applicable procedure
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/08 Document Control Branch (Document Control Desk) 6pp 46840 111-46840 116.

8809200152 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2 re mfg of pipe fittings & flanges
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/12 Document Control Branch (Document Control Desk). 12pp 46900 240-46900 251.

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/14. Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809120197 NRC Info Notice 88-075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133-46946 252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/19. Consolidated Edison Co. of New York, Inc. 125pp 46946 253-46947 013.

R. Periodic operating reports & related correspondence

8809060032 "Semiannual Radioactive Effluent Release Rept,Jan-June 1988." W/ 880829 ltr
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/30 58pp 46782 276 46782 333.

8808260071 Monthly operating repts for Jul 1988 for Palo Verde Nuclear Generating Station,Units 1,2 & 3.W/880815 ltr.
BLOOM,T.J., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/31 16pp 46667 335 46667 350.

8809220139 Monthly operating repts for Aug 1988 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/880813 ltr.
BLOOM,T.J., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/31 16pp. 46921 001-46921 016

S. Reportable occurrences, LERs & related correspondence

8808260205 LER 88-016 02: on 880514,reactor trip occurred Caused by nonconservative operator performance during reactor startup Info utilized for estimated critical condition will be corrected W/880815 ltr.
SHRIVER,T.D., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/15. 19pp. 46654 112-46654 130.

8808260419 LER 88-019-00 on 880722,ESF inadvertently actuated while replacing relay.Caused by personnel error due to physical layout of work location.Event discussed w/technicians W/880816 ltr
SHRIVER,T.D., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/16. 5pp. 46656 293 46656 297.

8809060002 Special Rept 1-SR 88-006 on 880817,30 day ACTION statement for oper ability of seismic monitoring sys exceeded Caused by seismic accelerometer trigger card (setpoint) out of calibr Card recalibr Sys returned to operable status on 880818
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/24 Document Control Branch (Document Control Desk) 2pp. 46753 343-46753 344

8809070449 PNO-V-88 055 on 880827,reactor tripped on low steam generator level Plant stabilized in Mode 3 after trip Post-trip review performed & plant equipment operated properly.Plant restarted on 880830
RICHARDS,S., POLICH,T. Region 5, Ofc of the Director 88/08/30 1p 46778 359 46779 359

8809140167 Special Rept 1-SR-88-007 on 880815, radiation monitoring unit inoperable for greater than 72 h,per Tech Specs 6.9.2 & 3.3.3.8 Channel source rod arm slide cam was binding on metal canister Slide cam reworked to prevent binding
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/31 Document Control Branch (Document Control Desk) 2pp. 46842 218-46842 219

8809260264 Suppl to Special Rept 1-SR-85 010 on 850509,emergency diesel generators A & B failed to attain required voltage,frequency & speed Caused by inadequate design of heater control sys Mod to replace temp control valves implemented
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/12 Document Control Branch (Document Control Desk). 3pp 46950 235 46950 237

V. Operator Examinations

8809070298 Responds to Generic Ltr 88-13,providing best estimate of operator licensing exam requirements for FY89 92
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/01. Document Control Branch (Document Control Desk) 3pp. 46776 241 46776 243

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8808300330 Advises that 871104 Amend 16 to security plan consistent w/ provisions of 10CFR50 54(p) & acceptable
MONTGOMERY,J.L. Region 5, Ofc of the Director 88/08/24, KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 3pp. 46774 098 46774 100.

8809070048 Forwards Amend 7 to security training & qualification plan Amend withheld (ref 10CFR2.790(d)).
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/29. Document Control Branch (Document Control Desk) 1p 46779 349 46779 349

8809070150 Forwards public version of revised emergency plan implementing procedures,including Rev 6 to EPIP-02, "Emergency Classification" & Rev 6 to EPIP-11, "Technical Support Ctr/Satellite Activation." W/release memo
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/12. Document Control Branch (Document Control Desk). 2pp. 46780 001-46780 337.

--8809070287 Public version of revised emergency plan implementing procedures,including Rev 6 to EPIP-02, "Emergency Classification" & Rev 6 to EPIP-11, "Technical Support Ctr/ Satellite Activation."
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/12 275pp. 46780 003 46780 337.

I. Financial Information

8809080059 Forwards 1987 annual repts for participants that jointly own plant.
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/30. Document Control Branch (Document Control Desk) 1p. 46799 231-46800 182.

--8809080066 "Public Svc Co of New Mexico Annual Rept 1987."
GEIST,J.D. Public Service Co. of New Mexico. 87/12/31 40pp 46799 232-46799 271.

--8809080074 "Southern California Edison Co 1987 Annual Rept "
ALLEN,H.P. Southern California Edison Co 87/12/31. 52pp 46798 272-46799 324

--8809080080 "El Paso Electric Co 1987 Annual Rept "
WALL,E.R. El Paso Electric Co. 87/12/31. 77pp 46799 325 46800 041

--8809080086 "Salt River Project Annual Rept 1987-88."
* Salt River Project. 87/12/31 32pp 46800 042-46800 073

--8809080090 "Arizona Public Svc Co 1987 Annual Rept "
TURLEY,K.L., DE MICHELE,O.M. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 87/12/31 34pp 46800 074-46800 134

--8809140393 "Los Angeles Dept of Water & Power 1986 87 Annual Rept."
CARUSO,R.J., LANE,P.H. Los Angeles Dept. of Water & Power 87/12/31. 48pp 46800 135-46800 182.

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp 47065 001-47065 008.

DOCKETED ITEMS 213

8809010257 Informs that radiographic exams performed on selected piping welds of various sizes & locations on 880127 No new areas of microbiologically induced corrosion/pitting or size or population changes of affected areas noted
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/21 Document Control Branch (Document Control Desk) 2pp 46740 360 46740 361

8808310006 Informs that 870922 proposed changes to FSAR Section 3.5 re design of Category 1 structures acceptable
DAVIS,M.J. Project Directorate V 88/08/24 KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 5pp 46699 178 46699 182

8808310028 Forwards request for addl info re implementation of TMI Action Item II,K.3.5, "Automatic Trip of Reactor Coolant Pumps," because C-E revised approved generic topical repts CEN 268 & CEN-268, Suppl 1
DAVIS,M.J. Project Directorate V 88/08/24 KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 8pp 46699 123-46699 130.

8809010109 Application for amends to Licenses NPF-41,NPF-51 & NPF-74, deleting organization charts from Tech Specs Section 6.2, Figures 6.2-1 & 6.2-2 Fee paid
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/25 Document Control Branch (Document Control Desk) 4pp 46720 145 46720 167.

--**8809010175** Proposed Tech Specs deleting Section 6.2, Figures 6.2-1 & 6.2-2 re offsite & onsite organization charts
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.), 88/08/25 18pp 46720 150 46720 167

8809090159 Forwards proprietary Rev 1 to CEN-356(V)-P-A & nonproprietary Rev 1 to CEN-356(V) NP-A, "Modified Statistical Combination of Uncertainties" Proprietary repl withheld (ref 10CFR2 790).
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/30 Document Control Branch (Document Control Desk) 6pp 46801,025-46801,080

8809130031 Advises that CEN-375(V)-P, "Palo Verde Unit 2 End of Cycle 1 Surveillance Exam Rept," marked as proprietary, will be withheld from public disclosure (ref 10CFR2.790 & Section 103(b) of Atomic Act of 1954).
DAVIS,M.J. Project Directorate V 88/09/01 MCGILL,P.L. Combustion Engineering, Inc 4pp 46834 137-46834 140

8809150147 Application for amends to Licenses NPF-41,NPF-51 & NPF 74, modifying senior reactor operator license requirements for operations manager Fee paid.
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/09/06 Document Control Branch (Document Control Desk) 6pp 46855 338 46855 353

--**8809150148** Proposed Tech Specs 6.3.1, modifying senior reactor operator license requirements for operations manager
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.), 88/09/06 9pp 46855 345 46855 353

8809230129 Forwards Amends 36.23 & 12 to Licenses NPF-41,NPF-51 & NPF-74, respectively & safety evaluation Amends revise Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys
DAVIS,M.J. Project Directorate V. 88/09/06 KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 4pp 46945 198-46945 237.

--**8809230134** Amends 36.23 & 12 to Licenses NPF-41,NPF-51 & NPF-74, respectively, revising Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys
KNIGHTON,G.W. Project Directorate V. 88/09/06 33pp. 46945 202-46945 234

--**8809230140** Safety evaluation supporting Amends 36.23 & 12 to Licenses NPF-41,NPF-51 & NPF-74, respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06 3pp. 46945 235 46945 237.

8809200183 Commits to provide addl info re implementation of TMI Action Item II,K.3.5 by 881130 per NRC 880824 request.
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.).
88/09/11. Document Control Branch (Document Control Desk) 1p 46900 145-46900 145

G. Inspection reports, IE Bulletins & correspondence

8808300179 Forwards Insp Repts 50-528/88-25,50-529/88-24 & 50-530/88-23 on 880718-22 No violations or deviations noted.
PATER,J. Region 5, Ofc of the Director. 88/08/12 KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46693,024 46693 035.

--**8808300181** Insp Repts 50-528/88-25,50-529/88-24 & 50-530/88-23 on 880718-22. No violations or deviations noted Major areas inspected vital areas & equipment in plant & followup of enforcement items, open items & bulletins/notices/Part 21.
BURDOIN,J.F., COE,D.H. Region 5, Ofc of the Director 88/08/11 10pp. 46693 026 46693 035

8809300295 Ack receipt of 880701 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-528/88-13 & 50 529/88-14
YUHAS,G.P. Region 5, Ofc of the Director 88/08/18 KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 1p. 46695 346-46695 357.

8809060342 Forwards Insp Repts 50 528/88-26,50-529/88-25 & 50 530/88-24 on 880801 05 No items of noncompliance noted
YUHAS,G.P. Region 5, Ofc of the Director. 88/08/18. KARNER,D. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46764 356 46764 360.

--**8809060351** Insp Repts 50-528/88-26,50-529/88-25 & 50-530/88-24 on 880801-15 No violations noted Major areas inspected, followup item involving plant water chemical analysis & item of noncompliance re radiological effluent sampling
TENBROOK,W.K., YUHAS,G.P. Region 5, Ofc of the Director. 88/08/18. 3pp. 46764 358 46764 360

8808190195 NRC Info Notice 88 069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc. 125pp. 46690,054-46690 178.

8808160451 NRC Info Notice 88 068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc 121pp 46702 311 46703 070

8808180388 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Refurbished Valves " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713 218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc 123pp 46713 085 46713 217

8809070301 Forwards addl info re evaluation results for auxiliary feedwater pumps & status of review for remaining pumps, per NRC Bulletin 88 004 concerning potential loss of safety-related pumps due to deficiencies in flow design
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/28. Document Control Branch (Document Control Desk) 2pp 46783 149-46783 150

8808260492 NRC Info Notice 88 071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc 121pp 46712 244-46713 004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor-Operated Valves." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc 122pp. 46726 001-46726 123

8809200152 Forwards response to NRC Bulletin 88-005 & Suppls 1 & 2 re mfg of pipe fittings & flanges
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.).
88/09/12. Document Control Branch (Document Control Desk), 12pp 46900 240 46900 251

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215-46824 336

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp 46946 133-46946 252

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control " Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp 46946 253 46947 013.

R. Periodic operating reports & related correspondence

8809060032 "Semiannual Radioactive Effluent Release Rept, Jan June 1988 " W/ 880829 ltr.
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/30. 58pp 46762 276 46762 333

8808260071 Monthly operating repts for Jul 1988 for Palo Verde Nuclear Generating Station, Units 1,2 & 3 W/880815 ltr.
BLOOM,T.J., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/31 16pp. 46687 335 46687 350

8809220139 Monthly operating repts for Aug 1988 for Palo Verde Nuclear Generating Station Units 1,2 & 3.W/880913 ltr
BLOOM,T.J., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/31. 16pp 46821 001-46821 016

S. Reportable occurrences, LERs & related correspondence

8809020057 LER 88 006 00 on 880726,B train loss of power ESF actuation occurred.Caused by inadequate plant design & installation of temporary ventilation trunk Ventilation trunk removed from transformer leads w/o incident W/880825 ltr.
SHRIVER,T.D., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/25 7pp 46748 256-46748 262.

V. Operator Examinations

8809070264 Advises that request to allow J Turner to complete 76 h of training as extra man on shift to meet requirements for multi-unit licensee granted Turner shall not operate any of controls or direct evolution unless under supervision
PATER,J. Region 5, Ofc of the Director 88/08/31 HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 1p 46777 360-46777 360

8809070298 Responds to Generic Ltr 88 13, providing best estimate of operator licensing exam requirements for FY89-92
KARNER,D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.).
88/09/01. Document Control Branch (Document Control Desk) 3pp. 46776 241-46776 243.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

214 DOCKETED ITEMS

F. Security, medical, emergency & fire protection plans

8808300330 Advises that 871104 Amend 16 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable
MONTGOMERY, J.L. Region 5, Ofc of the Director 88/08/24 KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 3pp 46774 098-46774:100.

8809070048 Forwards Amend 7 to security training & qualification plan Amend withheld (ref 10CFR2.790(d))
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/29 Document Control Branch (Document Control Desk) 1p. 46779 349 46779 349

8809070160 Forwards public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 8 to EPIP-11, "Technical Support Ctr/Satellite Activation" W/release memo
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/12 Document Control Branch (Document Control Desk) 2pp. 46760 001-46760 337

8809070287 Public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 8 to EPIP-11, "Technical Support Ctr/Satellite Activation"
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/12 275pp. 46760 003-46760 337

I. Financial information

8809080059 Forwards 1987 annual repts for participants that jointly own plant.
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/30 Document Control Branch (Document Control Desk) 1p 46789 231-46800 182

8809080066 "Public Svc Co of New Mexico Annual Rept 1987"
GEIST, J.D. Public Service Co. of New Mexico. 87/12/31. 40pp 46789 232-46789 271

8809080074 "Southern California Edison Co 1987 Annual Rept."
ALLEN, H.P. Southern California Edison Co. 87/12/31 52pp 46789 272-46789 324

8809080080 "El Paso Electric Co 1987 Annual Rept"
WALLER, R. El Paso Electric Co. 87/12/31. 77pp 46789 325 46800 041

8809080086 "Salt River Project Annual Rept 1987-88."
* Salt River Project 87/12/31. 32pp 46800 042-46800 073.

8809080090 "Arizona Public Svc Co 1987 Annual Rept"
TURLEY, K.L., DE MICHELE, O.M. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 87/12/31. 34pp 46800 074-46800 134.

8809100393 "Los Angeles Dept of Water & Power 1985-87 Annual Rept"
CARUSO, R.J., LANE, P.H. Los Angeles Dept. of Water & Power 87/12/31. 48pp. 46800 135 46800 182

P. Operating license stage documents & correspondence

8808120294 Generic Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47085.001-47085 006

8808310006 Informs that 870922 proposed changes to FSAR Section 3.5 re design of Category 1 structures acceptable
DAVIS, M.J. Project Directorate V. 88/08/24 KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 5pp. 46699.178 46699 182.

8808310028 Forwards request for addl info re implementation of TMI Action Item II K 3.5, "Automatic Trip of Reactor Coolant Pumps," because C-E revised approved generic topical repts CEN-268 & CEN-288, Suppl 1
DAVIS, M.J. Project Directorate V. 88/08/24, KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 8pp 46699.123 46699 130.

8809010109 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, deleting organization charts from Tech Specs Section 6.2, Figures 6.2-1 & 6.2-2 Fee paid.
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/25 Document Control Branch (Document Control Desk) 4pp. 46720.145-46720 167.

8809010175 Proposed Tech Specs deleting Section 6.2, Figures 6.2-1 & 6.2-2 re offsite & on-site organization charts
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/25. 18pp 46720 150 46720 167

8809090159 Forwards proprietary Rev 1 to CEN-358(V)-P-A & nonproprietary Rev 1 to CEN-358(V) NP A, "Modified Statistical Combination of Uncertainties." Proprietary rept withheld (ref 10CFR2.790)
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/30 Document Control Branch (Document Control Desk). 8pp 46801.025-46801 080

8809150147 Application for amends to Licenses NPF-41, NPF-51 & NPF-74, modifying senior reactor operator license requirements for operations manager Fee paid
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/06 Document Control Branch (Document Control Desk) 6pp. 46855 338-46855 353

8809150148 Proposed Tech Specs 6.3.1, modifying senior reactor operator license requirements for operations manager
* Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/09/06. 8pp. 46855 345-46855 353.

8809230129 Forwards Amends 36,23 & 12 to Licenses NPF-41, NPF-51 & NPF-74, respectively & safety evaluation Amends revise Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys.
DAVIS, M.J. Project Directorate V. 88/09/06, KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 4pp. 46945.198 46945 237

8809230134 Amends 36,23 & 12 to Licenses NPF-41, NPF-51 & NPF-74, respectively, revising Tech Specs to modify monitoring requirements for hydrogen & oxygen in waste gas holdup sys
KNIGHTON, G.W. Project Directorate V. 88/09/06 33pp 46945 202-46945 234.

8809230140 Safety evaluation supporting Amends 36,23 & 12 to Licenses NPF-41, NPF-51 & NPF-74, respectively
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06 3pp 46945 235 46945 237.

8809200183 Commits to provide addl info re implementation of TMI Action Item II K 3.5 by 881130 per NRC 880824 request
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/11 Document Control Branch (Document Control Desk) 1p. 46900 145 46900 145.

Q. Inspection reports, IE Bulletins & correspondence

8808300179 Forwards Insp Repts 50-528/88-25, 50-529/88-24 & 50-530/88-23 on 880718 22. No violations or deviations noted
PATE, R.J. Region 5, Ofc of the Director 88/08/12, KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46693 024-46693 035.

8808300181 Insp Repts 50-528/88-25, 50-529/88-24 & 50-530/88-23 on 880718-22 No violations or deviations noted. Major areas inspected, vital areas & equipment in plant & followup of enforcement items, open items & bulletins/notices/Part 21.
BURDOIN, J.F., COE, D.H. Region 5, Ofc of the Director 88/08/11 10pp 46693 026 46693 035

8809060342 Forwards Insp Repts 50-528/88-26, 50-529/88 25 & 50-530/88 24 on 880801 05. No items of noncompliance noted
YUHAS, G.P. Region 5, Ofc of the Director. 88/08/18 KARNER, D. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46764 356 46764 360.

8809060351 Insp Repts 50-528/88 26, 50-529/88-25 & 50-530/88 24 on 880801-15 No violations noted. Major areas inspected, followup item involving plant water chemical analysis & item of noncompliance re radiological effluent sampling
TENBROOK, W.K., YUHAS, G.P. Region 5, Ofc of the Director 88/08/18 3pp 46764 358 46764 360

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/10 Consolidated Edison Co. of New York, Inc. 125pp 46890 054-46890 178

8808180451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp. 46702 311-46703 070

8808180368 Suppl 1 to NRC Info Notice 88 048, "Licensee Rept of Defective Returned Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 122pp 46713 218-46713 219

8808230112 NRC Info Notice 88 070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713 095-46713 217

8809070301 Forwards addl info re evaluation results for auxiliary feedwater pumps & status of review for remaining pumps, per NRC Bulletin 88 004 concerning potential loss of safety-related pumps due to deficiencies in flow design
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/29 Document Control Branch (Document Control Desk). 2pp 46783 148-46783 150

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp. 46712.244 46713.004

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/02 Consolidated Edison Co. of New York, Inc. 122pp 46726.001-46726 123

8809140222 Responds to NRC 880805 ltr re violations noted in Insp Repts 50-528/88-18 & 50-530/88-18. Formal valve lineup conducted to restore mispositioned valves. Night order issued defining need to follow applicable procedure
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/06 Document Control Branch (Document Control Desk) 6pp 46840 111-46840 118.

8809200152 Forwards response to NRC Bulletin 88 005 & Suppls 1 & 2 re mfg of pipe fittings & flanges.
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/09/12 Document Control Branch (Document Control Desk) 12pp. 46900 240 46900 251

8809080339 NRC Info Notice 88-074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824 215-46824 336.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti-Pump Circuitry." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946:133-46946:252.

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946:253-46947 013.

R. Periodic operating reports & related correspondence

8809060032 "Semiannual Radioactive Effluent Release Rept., Jan-June 1988 " W/ 880829 ltr.
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co)
88/06/30 56pp 46762.276-46762.333

8808260071 Monthly operating repts for Jul 1988 for Palo Verde Nuclear Generating Station, Units 1, 2 & 3, W/880815 ltr
BLOOM, T.J., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co) 88/07/31 16pp 46667 335-46667 350

8809220139 Monthly operating repts for Aug 1988 for Palo Verde Nuclear Generating Station, Units 1, 2 & 3, W/880913 ltr
BLOOM, T.J., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co) 88/08/31 16pp. 46921.001-46921 016

S. Reportable occurrences, LERs & related correspondence

8808290250 Special Rept 3 SR 88 004 on 880725, reactor vessel water level sys Channel B declared inoperable. Caused by previous failures on 880219 & 0706 of malfunctioning heated junction thermocouples mechanism Channel will be restored
HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/08/22 Document Control Branch (Document Control Desk). 2pp. 46683 067-46683 068.

8809140245 Special Rept 3-SR-88 005, on 880818, high range noble gas monitor RU-142 inoperable for greater than 72 h, per Tech Spec 3.3.3.6, Action 42(b). Approved work document initiated to troubleshoot cause of monitor malfunction & rework
HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.)
88/09/08. Document Control Branch (Document Control Desk). 2pp 46837.076-46837 077

V. Operator Examinations

8809070298 Responds to Generic Ltr 88-13, providing best estimate of operator license exam requirements for FY89-92
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.).
88/09/01 Document Control Branch (Document Control Desk). 3pp 46776.241-46776 243.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR**A. Application/construction stage documents & correspondence**

8808120294 Generic Ltr 88-14 to all holders of OLs or CPs for nuclear power reactors re Instrument air supply sys problems affecting safety related equipment. Svc list encl.
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/08/08. Consolidated Edison Co of New York, Inc 41pp 47065-001-47065 006

DOCKET STN-50-553 PHIPPS BEND NUCLEAR STATION, UNIT 1**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2.
GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk) 180pp 46896-336-46897-155

DOCKET STN-50-554 PHIPPS BEND NUCLEAR STATION, UNIT 2**Q. Inspection reports, IE Bulletins & correspondence**

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2.
GRIDLEY, R.L. Tennessee Valley Authority. 88/09/12. Document Control Branch (Document Control Desk). 180pp. 46896.336-46897.155.

DOCKET STN-50-566 YELLOW CREEK NUCLEAR PLANT, UNIT 1**A. Application/construction stage documents & correspondence**

8809060259 Forwards status of site stabilization activities, per R Auluck request. TVA has completed all major site stabilization activities at plant w/only minor maint activities remaining.
GRIDLEY, R. Tennessee Valley Authority 88/08/26. Document Control Branch (Document Control Desk). 3pp 46762:359-46762:361.

8809060319 Forwards order revoking CPPR-172 & CPPR-173 & NRC staff evaluation of site stabilization plan per 871024 ltr from util.
BLACK, S. Ofc of Special Projects 88/08/29 WHITE, S.A. Tennessee Valley Authority. 3pp 46763:315-46763:332.

--8809060333 Order revoking CPPR-172 & CPPR-173, per util 851024 request
STELLO, V. Ofc of the Executive Director for Operations 88/08/29. Tennessee Valley Authority. 3pp. 46763 318-46763:320.

--8809060335 NRC staff evaluation of site stabilization plan for withdrawal of CPPR-172 & CPPR-173.
* NRC - No Detailed Affiliation Given 88/08/29. 12pp. 46763:321-46763:332.

Q. Inspection reports, IE Bulletins & correspondence

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2.
GRIDLEY, R.L. Tennessee Valley Authority 88/09/12 Document Control Branch (Document Control Desk) 180pp. 46896 336 46897-155

DOCKET STN-50-567 YELLOW CREEK NUCLEAR PLANT, UNIT 2**A. Application/construction stage documents & correspondence**

8809060259 Forwards status of site stabilization activities, per R Auluck request. TVA has completed all major site stabilization activities at plant w/only minor maint activities remaining.
GRIDLEY, R. Tennessee Valley Authority. 88/08/26 Document Control Branch (Document Control Desk) 3pp. 46762 359 46762 361.

8809060319 Forwards order revoking CPPR-172 & CPPR-173 & NRC staff evaluation of site stabilization plan per 871024 ltr from util.
BLACK, S. Ofc of Special Projects 88/08/29 WHITE, S.A. Tennessee Valley Authority. 3pp 46763:315 46763 332

--8809060333 Order revoking CPPR-172 & CPPR-173, per util 851024 request
STELLO, V. Ofc of the Executive Director for Operations 88/08/29 Tennessee Valley Authority 3pp. 46763 318 46763 320

--8809060335 NRC staff evaluation of site stabilization plan for withdrawal of CPPR-172 & CPPR-173
* NRC - No Detailed Affiliation Given 88/08/29. 12pp 46763.321 46763 332

Q. Inspection reports, IE Bulletins & correspondence

8809190131 Forwards list of TVA suppliers for fasteners over last 10 yrs, in response to NRC Bulletin 87-002, Suppls 1 & 2.
GRIDLEY, R.L. Tennessee Valley Authority 88/09/12 Document Control Branch (Document Control Desk) 180pp. 46896-336 46897.155

DOCKET 50-601 RESAR SP/90**K. Utility Final Safety Analysis Report (FSAR) & amendments**

8809070414 Forwards proprietary & nonproprietary versions of Amend 3 to WAPWR RESAR-SP/90 PDA Module 3, "Introduction & Site." Proprietary version withheld (ref 10CFR2.790)
JOHNSON, W.J. Westinghouse Electric Corp 88/08/25. Document Control Branch (Document Control Desk). 2pp. 46781:330-46781:357

--8809070424 Requests withholding of Amend 3 to WAPWR RESAR-SP/90 PDA Module 3, "Radiation Protection" (ref 10CFR2.790)
WIESEMAN, R.A. Westinghouse Electric Corp. 88/08/25. Document Control Branch (Document Control Desk) 10pp. 46781:332-46781 341.

--8809070442 Amend 3 to Module 3, "Introduction & Site."
* Westinghouse Electric Corp RESAR SP/90 PDA A03 88/08/31. 16pp 46781.342-46781.357.

R. Periodic operating reports & related correspondence

8809160315 Forwards status rept for Aug 1988 re std plant design technical reviews.
MILLER, C.L. Standardization & Non-Power Reactor Project Directorate. 88/09/14
SHAO, L. Division of Engineering & Systems Technology (Post 870411). GRIMES, B. Division of Reactor Inspection & Safeguards (Post 870411). CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 16pp. 46884:325-46884:340.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR**Q. Inspection reports, IE Bulletins & correspondence**

8809130006 Ack receipt of 880624 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 192/88 02 & 50 602/88 02.
CALLAN, L.J. Region 4, Ofc of the Director 88/09/02. KLEIN, D.E. Texas, Univ. of, Austin, TX. 2pp. 46835:346 46835:347.

DOCKET 50-603 ALCHEMIE CENTRIFUGE ENRICHMENT PLANT**A. Application/construction stage documents & correspondence**

8808260369 Forwards revised attachments to 871117 application for license
SMELSER, J.H. All Chemical Isotope Enrichment, Inc 88/08/17 THOMPSON, H.L. Document Control Branch (Document Control Desk). 1p. 46654:058 46654:069.

--8809010210 Revised attachments to 871117 application for license re 10CFR50.33, "General Info" & nonapplicability & exemptions requirements.
* All Chemical Isotope Enrichment, Inc. 88/08/17. 11p. 46654:059-46654 069.

8809120054 Forwards comments on 880817 ltr from AlChemE, Inc re radiological hazards. Clarification desired
WEST, C.P. Tennessee, State of. 88/08/30. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46813.314-46813.316.

216 DOCKETED ITEMS

8809190107 Forwards notice of issuance of environ assessment & finding of no significant impact & environ assessments re 871107 application to construct & operate facility for enriching stable isotopes
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/08 SMELSER,J.H. All Chemical Isotope Enrichment, Inc 3pp. 46888 001-46888 087

--**8809190109** Notice of issuance of environ assessment re const & operation of AlChemIE facility & finding of no significant impact re 871107 application
ROUSE,L.C. Fuel Cycle Safety Branch. 88/09/08 6pp 46888 004-46888 009

--**8809190110** Notice of issuance of environ assessment re const of AlChemIE facility - 2 Oliver Springs & finding of no significant impact re 871107 application
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/08. 5pp 46888 010-46888 014

--**8809190113** Environ assessment re const & operation of AlChemIE Facility 1 CPDF.
* Office of Nuclear Material Safety & Safeguards,Director 88/09/30 36pp 46888.015 46888 050

--**8809190117** Environ assessment re const of AlChemIE Facility 2 Oliver Springs
* Office of Nuclear Material Safety & Safeguards,Director 88/09/30. 37pp 46888 051-46888 087.

8809260004 Forwards enhanced facts re adequacy of funding for decontamination & decommissioning (D&D) of facilities Intends to establish funded reserve for D&D at completion of sale of unclassified equipment not needed for production
THOMPSON,H.L. All Chemical Isotope Enrichment, Inc 88/09/12 THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. 4pp 46947:239 46947:328.

--**8809260011** "Assessment of Costs for Decommissioning of AlChemIE,Inc Centrifuge Plant Demonstration Facility,Oak Ridge,TN "
* International Technology Corp 87/11/11 31pp. 46947:243-46947 273

--**8809260012** "Assessment of Costs for Decommissioning of AlChemIE, Inc - Oliver Springs Facility."
* International Technology Corp 87/11/03 54pp 46947 274 46947:328.

F. Security, medical, emergency & fire protection plans

8809190084 Requests that 880722 & 0812 ltrs re security sys components be withheld from public disclosure (ref 10CFR2 790(d)).
SMELSER,J.H. All Chemical Isotope Enrichment, Inc 88/08/31. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director 3pp 46889:113 46889.115.

G. Adjudicatory correspondence

8809140043 Recommends that RA Dopp & JK Everly from Div of Security advise & assist Board & parties in proceeding,per 10CFR2.904 & 880721 prehearing conference in Knoxville,TN.
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7039 88/08/31. MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel. 2pp 46786 281-46786 282

8809140108 Advises that NRC review of licensee applications complete & currently in internal review & approval process Status repts will continue to be provided.
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7050 88/09/01. MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel 1p. 46786 110 46786 110

8809140086 Forwards State of TN 880830 ltr.NRC reviewing comments contained on sheet attached to ltr.
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7044 88/09/09 MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel. 3pp 46786 107-46786 109.

8809190220 Forwards NRC environ assessment & notices of environ assessment re proposed const & operation of facilities W/o encls.
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7085 88/09/14. MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel 2pp 46829.138 46829.139

DOCKET 50-604 ALCHEMIE CENTRIFUGE ENRICHMENT PLANT

A. Application/construction stage documents & correspondence

8808260375 Forwards revised attachments to 871117 application for license
SMELSER,J.H. All Chemical Isotope Enrichment, Inc. 88/08/17. THOMPSON,H.L. Document Control Branch (Document Control Desk) 1p. 46670 027-46670 037.

--**8809020082** Revised attachments to 871117 application to license re 10CFR50.33, "General Info," nonapplicability & exemption requests.
* All Chemical Isotope Enrichment, Inc. 88/08/17. 10pp. 46670.028-46670 037.

8809120054 Forwards comments on 880817 ltr from AlChemIE,Inc re radiological hazards Clarification desired
WEST,C.P. Tennessee, State of. 88/08/30. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. 3pp 46813.314 46813:316.

8809190107 Forwards notice of issuance of environ assessment & finding of no significant impact & environ assessments re 871107 application to construct & operate facility for enriching stable isotopes.
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/08. SMELSER,J.H. All Chemical Isotope Enrichment, Inc 3pp 46888 001-46888 087.

--**8809190110** Notice of issuance of environ assessment re const of AlChemIE facility - 2 Oliver Springs & finding of no significant impact re 871107 application.
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/08. 5pp. 46888 010 46888 014.

--**8809190117** Environ assessment re const of AlChemIE Facility 2 Oliver Springs.
* Office of Nuclear Material Safety & Safeguards,Director. 88/09/30. 37pp. 46888.051-46888 087.

8809260004 Forwards enhanced facts re adequacy of funding for decontamination & decommissioning (D&D) of facilities Intends to establish funded reserve for D&D at completion of sale of unclassified equipment not needed for production
THOMPSON,H.L. All Chemical Isotope Enrichment, Inc. 88/09/12. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director 4pp 46947:239 46947:328

--**8809260012** "Assessment of Costs for Decommissioning of AlChemIE, Inc - Oliver Springs Facility."
* International Technology Corp 87/11/03 54pp 46947 274-46947 328.

F. Security, medical, emergency & fire protection plans

8809190084 Requests that 880722 & 0812 ltrs re security sys components be withheld from public disclosure (ref 10CFR2 790(d)).
SMELSER,J.H. All Chemical Isotope Enrichment, Inc. 88/08/31. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director 3pp 46889.113 46889 115

G. Adjudicatory correspondence

8809140043 Recommends that RA Dopp & JK Everly from Div of Security advise & assist Board & parties in proceeding,per 10CFR2.904 & 880721 prehearing conference in Knoxville,TN
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7039. 88/08/31. MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel. 2pp 46786:281-46786 282.

8809140108 Advises that NRC review of licensee applications complete & currently in internal review & approval process.Status repts will continue to be provided
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7050 88/09/01. MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel 1p 46786 110 46786 110

8809140086 Forwards State of TN 880830 ltr.NRC reviewing comments contained on sheet attached to ltr
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7044 88/09/09 MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel. 3pp. 46786 107-46786 109.

8809190220 Forwards NRC environ assessment & notices of environ assessment re proposed const & operation of facilities W/o encls
BORDENICK,B.M. Assistant General Counsel for Hearings #388 7085 88/09/14 MARGULIES,M.B., LUEBKE,E.A., PARIS,O.H. Atomic Safety and Licensing Board Panel. 2pp. 46829.138-46829.139

DOCKET STN-50-605 GE ADVANCED BWR DESIGN

A. Application/construction stage documents & correspondence

8809160120 Forwards request for addl info re GE application for certification of advanced BWR design for response by 881115
SCALETTI,D.C. Standardization & Non-Power Reactor Project Directorate 88/09/12 MARRIOTT,P.W. General Electric Co. 13pp. 46908.325-46908 337.

8809160103 Forwards addl info re SSAR for advanced BWR,per NRC 880707 request & committed responses to DC Scaletti 880222 request Mfg will amend SSAR w/re-sponses in Dec.
MARRIOTT,P.W. General Electric Co. 88/09/14 MILLER,C.L. Standardization & Non-Power Reactor Project Directorate 104pp 46911.136 46911:249.

8809230178 Forwards request for addl info re GE application for certification of advanced BWR design for response by 881121 in order to maintain review schedule
SCALETTI,D.C. Standardization & Non-Power Reactor Project Directorate 88/09/20 MARRIOTT,P.W. General Electric Co. 16pp. 46945.261-46945 276.

R. Periodic operating reports & related correspondence

8809160315 Forwards status rept for Aug 1988 re std plant design technical reviews
MILLER,C.L. Standardization & Non-Power Reactor Project Directorate 88/09/14 SHAO,L. Division of Engineering & Systems Technology (Post 870411). GRIMES,B. Division of Reactor Inspection & Safeguards (Post 870411). CONGEL,F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 16pp. 46884 325-46884:340

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE MEMORIAL INSTITUTE, COLUMBUS, OH

8809120152 Application for amend to License SNM-7,authorizing controlled field studies utilizing max of 3 Ci C-14 for conducting field studies w/nucleide labeled compounds.Fee paid.
TOY,H.L. Battelle Memorial Institute, Columbus Laboratories 88/08/05. ROUSE,L. Office of Nuclear Material Safety & Safeguards,Director. 6pp. 46813.331-46813 338

8809070307 Forwards Insp Rept 70-0008/88 02 on 880719-20 No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 88/09/01. MADIA,W.J. Battelle Memorial Institute, Columbus Laboratories 2pp 46783.237-46783 243.

--**8809070315** Health & Safety Insp Rept 70-0008/88-02 on 880719-20 No noncompliance noted.Major areas inspected:mgt & organization controls,waste generator requirements & transportation activities.
FRANCE,G.M., SCHUMACHER,M. Region 3, Ofc of the Director. 88/09/01. 6pp 46783 239-46783:243.

8809080270 Ack receipt of 880314 application for renewal of License SNM-7 Existing license will not expire until NRC determination re renewal made.
ROUSE,L.C. Fuel Cycle Safety Branch. 88/09/01. TOY,H.L. Battelle Memorial Institute, Columbus Laboratories 1p. 46798 037-46798:037.

DOCKET 70-0025 ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA

8809120146 Forwards revised "Onsite Radiological Contingency Plan for Rockwell Intl Operations" per discussion w/insp team
REMLEY,M.E. Rockwell International Corp 88/07/26 ROUSE,L.C. Fuel Cycle Safety Branch 3pp. 46811.204-46811.314

--**8809140396** "Onsite Radiological Contingency Plan for Rockwell Intl Operations"
* Rockwell International Corp 88/07/25 109pp 46811 207-46811.314

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

8809220146 Responds to 880218 ltr requesting clarification re placement of guards at MAA portals Each MAA entrance portal,including exterior entrance portal,must be manned by armed guards
BRACHEW Licensing Branch 88/04/04 BOYD,C.C. Babcock & Wilcox Co 1p 46930.016-46930.016

8809220177 Advises that License Condition 8.1 added to Amend SG-1 to License SNM-42 re shipper/receiver differences statistically significant at 95% confidence level except those involving 50 g or less of U-235.
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 88/04/06 BOYD,C.C. Babcock & Wilcox Co 1p 46927.137-46927.137

8809210183 Advises that 880115 submittal of revised Chapter 8 to FNMCP acceptable
MCCORKLE,G.W. Licensing Branch. 88/05/26. BOYD,C.C. Babcock & Wilcox Co. 2pp. 46928 251 46928.252.

8809220052 Requests submission of rev to fundamental nuclear mail control plan that adequately addresses encl questions &/or concerns W/o encl.
MCCORKLE,G.W. Licensing Branch. 88/05/26 BOYD,C.C. Babcock & Wilcox Co 1p. 46927.136-46927.136.

8808300099 Forwards Insp Rept 70 0027/88-18 on 880806-10,0705-06 & 18 22 Violations noted & under consideration for enforcement action
GRACE,J.N. Region 2, Ofc of the Director 88/08/17. TETRAULT,R.E. Babcock & Wilcox Co. 2pp 46698.242-46698.259

--**8808300100** Insp Rept 70 0027/88-18 on 880806 0718.Violations & weaknesses noted.Major areas inspected operations,nuclear criticality safety,radiation protection,mail control & accounting & physical protection.
LEE,T.D., CLINE,W.E. Region 2, Ofc of the Director 88/08/16 16pp 46698.244 46698 259.

8808300211 Confirms arrangements made during 880816 telcon re enforcement conference to be held on 880824 in Atlanta,GA to discuss apparent violation in nuclear criticality safety area.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19. TETRAULT,R.E. Babcock & Wilcox Co. 1p. 46777.093 46777.093.

8808300268 Advises that 880823 mgt meeting rescheduled for 880907 Proposed meeting agenda encl
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19 TETRAULT,R.E. Babcock & Wilcox Co 2pp 46703.289-46703.290.

8808300324 Forwards summary of 880808 meeting in Atlanta,GA re status of corrective actions in area of nuclear criticality safety.
GRACE,J.N. Region 2, Ofc of the Director. 88/08/19 TETRAULT,R.E. Babcock & Wilcox Co. 5pp. 46692.042-46692.102.

--**8808300327** Submits transcript of author opening remarks at 880808 meeting w/NRC.
TETRAULT,R.E. Babcock & Wilcox Co. 88/08/09 GRACE,J.N. Region 2, Ofc of the Director. 25pp 46692.047 46692 087.

--**8808300334** Rev 0 to A61-3, "Nuclear Criticality Safety Evaluations"
KIDD,B.O. Babcock & Wilcox Co 88/08/03. 4pp. 46692.088-46692.091.

--**8808300335** Rev 0 to A61-5, "Nuclear Criticality Safety Interpretations"
BOYD,C.C. Babcock & Wilcox Co. 88/08/06. 5pp. 46692 092-46692.098.

--**8808300336** Rev 2 to A61-11, "Naval Nuclear Fuel Div-Reactor Lab Nuclear Criticality Safety Audits"
BOYD,C.C. Babcock & Wilcox Co. 88/08/04 6pp. 46692.087-46692.102.

8809010047 Forwards Insp Rept 70 0027/88-21 on 880711-15.No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/08/19. TETRAULT,R.E. Babcock & Wilcox Co 2pp. 46739.286 46739.289

--**8809010049** Partially withheld Insp Rept 70-0027/88-21 on 880711-15 (ref 10CFR2 790(d) & 73.21) No violations or deviations noted.Major areas inspected measurement control & statistics & followup on Inspector items & enforcement matters
JONES,D.W., MCALPINE,E.J. Region 2, Ofc of the Director 88/08/19 1p 46739.288 46739 289.

8808260438 Supports 880707 request for extension until end of Sept 1988 to incorporate NRC comments & expand submittal of FNMCP per 10CFR74 51(c) but believes of no significant impact on meeting Mar 1989 target of FNMCP approval.
SMITH,C.N. Licensing Branch. 88/08/25 BOYD,C.C. Babcock & Wilcox Co. 1p. 46689 074-46689.074.

8809190237 Application for amend to License SNM-42,amending Section IV, "Radiation Safety Specs." Fee paid.
BOYD,C.C. Babcock & Wilcox Co. 88/08/26. ROUSE,L.C. NRC - No Detailed Affiliation Given 8pp. 46897.346-46897.352.

8809190138 Application for amend to License SNM-42,proposing changes to License Conditions 6,7 & 8 as result of minor discrepancies discovered during internal audit program & closer inventory of byproduct matl.Fee paid.
BOYD,C.C. Babcock & Wilcox Co 88/08/29. ROUSE,L.C. NRC - No Detailed Affiliation Given. 3pp. 46895.125-46895.127.

8809160022 Forwards summary of 880824 enforcement conference discussing Insp Rept 70 0027/88-18 re failure to comply w/nuclear criticality safety requirements Review of issues continuing to determine appropriate enforcement action
GRACE,J.N. Region 2, Ofc of the Director 88/08/30 TETRAULT,R.E. Babcock & Wilcox Co 34pp 46897 183-46897.216

8809150018 Forwards Insp Rept 70 0027/88-22 on 880801-05 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/09/02 TETRAULT,R.E. Babcock & Wilcox Co. 2pp 46864 110 46864 112

--**8809150028** Partially withheld Insp Rept 70 0027/88-22 on 880801-05 No violations or deviations noted (ref 10CFR2 790) Major areas inspected measurements
SEYMOUR,D.A., MCALPINE,E.J. Region 2, Ofc of the Director 88/09/02 1p 46864 112-46864.112

8809160007 Authorizes resumption of normal fuel processing operations per posted nuclear safety limits,approved procedures & prudent safety practices in compact reactor fuel area
GRACE,J.N. Region 2, Ofc of the Director. 88/09/02 TETRAULT,R.E. Babcock & Wilcox Co 1p. 46899.133 46899.133

8809150088 Forwards Amend 15 to License SNM 42 & SER Amend incorporates re revised Section IV, "Radiation Safety Specs."
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/09 BOYD,C.C. Babcock & Wilcox Co 1p 46857 052-46857.057

--**8809150091** Amend 15 to License SNM 42 for B&W,reflecting changes to radiation safety specs
ROUSE,L.C. Fuel Cycle Safety Branch 88/09/09 3pp. 46857.053-46857.055

--**8809150094** SER supporting application for amend to License SNM-42.
SOONG,S., BINDER,G.H. Fuel Cycle Safety Branch 88/09/08 1p. 46857 056-46857 056

--**8809150095** Refers to 880826 ltr requesting amend to License SNM 42 which would allow individual,under supervision of radiation protection group to leave contaminated area for decontamination purposes
ROUSE,L.C. Fuel Cycle Safety Branch. 88/09/09. Fuel Cycle Safety Branch. 1p 46857.057-46857.057

8809220176 Discusses NRC understanding from 880908 conversation re removal of 4.8 liter containers from U recovery facility prior to operation of Compact Reactor fuel facility.Handling of U bearing solutions should be done per procedures
GRACE,J.N. Region 2, Ofc of the Director. 88/09/09. TETRAULT,R.E. Babcock & Wilcox Co. 1p 46928.140 46928 140.

8809250071 Responds to NRC 880817 ltr re violation noted in Insp Rept 70-0027/88-20 Corrective action-all stacks & sampled gaseous discharges suspected of wetting will have correction factor applied.
TETRAULT,R.E. Babcock & Wilcox Co 88/09/15. Document Control Branch (Document Control Desk). 3pp. 46956 215 46956 217.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

8808260474 Forwards Rev 1 to application for renewal of License SNM-145 & revised "Environ Analysis,Nuclear Svc Operations,Apollo, PA" Fee paid
CULBERSON,D.G. Babcock & Wilcox Co. 88/07/19. ROUSE,L.C. Fuel Cycle Safety Branch. 3pp 46852.156 46853.187

--**8808260485** Revised "Environ Analysis,Nuclear Svc Operations,Apollo,PA."
* Babcock & Wilcox Co. 88/06/30 113pp 46852.159 46852 271.

--**8808260507** Application for amend to License SNM-145
CULBERSON,D.G. Babcock & Wilcox Co. 88/06/30 252pp 46862.272-46863.187

8809260318 Responds to apparent violations noted in combined Insp Repts 70-135/88-03 & 70-364/88-03 from 880531-0803 Insp. Respiratory protection manual being revised to ensure that equipment selection based on expected peak concentration.
CULBERSON,D.G. Babcock & Wilcox Co. 88/08/31. BELLAMY,R.R. Region 1, Ofc of the Director. 5pp 46956 221-46956.225

8809260333 Responds to notice of violation from combined Insp Repts 70-135/88-01 & 70 364/88-01.Procedures being revised to address specific labelling requirements as well as revs & licensee required reviews & approvals by 881115
CULBERSON,D.C. Babcock & Wilcox Co. 88/09/12. BELLAMY,R.R. Region 1, Ofc of the Director 4pp. 46956 229 46956 231

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

8809220004 Advises of an opportunity to be granted exemption from requirement of 10CFR70 58(g)(3) re appropriate investigative & corrective action to reconcile shipper/receiver differences.
BRACHEW Licensing Branch. 88/04/15. COLLOPY,T. UNC Resources, Inc. 1p. 46928.157-46928 157.

8809220188 Offers exemption from stated requirement of 10CFR70.58(g)(3) provided to B&W on 880406.If request submitted re corrective action to reconcile shipper/receiver differences statistically significant.
BRACHEW Licensing Branch 88/04/15 HENSLEY,K.D. Nuclear Fuel Services, Inc. (subs of Getty Oil Co). 1p 46927 183 46927.183

8809210275 Advises that License Conditions SG-2 & 2.1 to License SNM-124 revised to incorporate Rev 116 to FNMCP & to incorporate Rev 110,Section 8.0 & Rev 112,Section 1.0, respectively.
MCCORKLE,G.W. Licensing Branch 88/05/26 HENSLEY,K.D. Nuclear Fuel Services, Inc (subs of Getty Oil Co). 2pp. 46928.188-46928.189

8809220153 Forwards revised process monitoring alarm limits,included as table in App D,Rev 105 of FNMCP.Encl withheld (ref 10CFR2 790(d)).
HENSLEY,K.D. Nuclear Fuel Services, Inc. (subs of Getty Oil Co). 88/06/06. BRACHEW,E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 46927.209-46927.209.

218 DOCKETED ITEMS

8809220275 Forwards licensee safeguards guidance group Bulletin 38 quarterly status rept per 850527 commitment re licensee continuing efforts in implementation of sub bulletin Encl withheld
JOHNSON,S.C. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 88/07/08
MCCORKLE,G.W. Division of Safeguards & Transportation (Post 870413) 1p
46927 176 46927:176

8808260486 Forwards Insp Rept 70 0143/88-20 on 880711-15 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/08/18 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46654 302-46654 304

--8808260489 Partially withheld Insp Rept 70 0143/88-20 on 880711-15 No violations or deviations noted Major areas inspected measurements & followup on previous insp findings
BATES,J.W., MCALPINE,E.J. Region 2, Ofc of the Director 88/08/18 1p 46654 304-46654 304

8809120249 Application for amend to License SNM-124 Encls withheld (ref 2 790), Fee paid
HENSLEY,K.D. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 88/08/18
BRACHE,W. Division of Safeguards & Transportation (Post 870413) 1p. 46813 313 46813 313

8809130284 Forwards final rept of Natl Inst for Occupational Safety & Health investigation of complaints of kidney disorders in workers at Nuclear Fuel Svc, Inc
STOHR,J.P. Region 2, Ofc of the Director 88/08/29 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 1p 46826 318-46827:006

--8809280038 Summary rept of investigation of complaints of kidney disorders in workers at Nuclear Fuel Svc, Inc
THUN,M.J., SCHOBERS,S., STAYNER,L. National Institute of Occupational Safety & Health. HETA 88-381 88/08/31 48pp 46826 319 46827 006

8809210261 Forwards Rev 18 to physical safeguards plan re records retention, organizational changes & drawings, W/o encl
JOHNSON,S.C. Nuclear Fuel Services, Inc. (subs of Getty Oil Co) 88/08/31
MCCORKLE,G.W. Licensing Branch. 1p. 46928 255-46928 255

8809090064 Forwards computer listing from 766 sys of violations for which Nuclear Fuel Svcs cited in 1988, 1987 & 1988 & App C, 10CFR2, giving examples of various severity levels of violations
SWIFT,J.J. Fuel Cycle Safety Branch 88/09/01 HOFER,M. Affiliation Not Assigned 1p 46807 323 46807 323

8809200053 Forwards Insp Rept 70 0143/88-26 on 880822-26 No violations or deviations noted Rept withheld (ref 10CFR2 790(d) & 73.21)
CLINE,W.E. Region 2, Ofc of the Director 88/09/07 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46918 112-46919:113

8809200151 Forwards Insp Rept 70 0143/88-16 on 880503 0811 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/09/07 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46918 048 46918 050.

--8809200157 Partially withheld Insp Rept 70 0143/88-16 on 880503 0811 (ref 10CFR95) Two program weaknesses noted Major areas inspected measurement control & statistics.
JONES,D.W., MCALPINE,E.J. Region 2, Ofc of the Director 88/09/07 1p 46918 050-46918 050.

8809200197 Forwards Proprietary Insp Rept 70-0143/88-24 on 880815 19 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/09/07 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46905 192-46905 193

8809200228 Forwards Insp Rept 70 0143/88-23 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/09/07 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46900 329 46900 335

--8809200232 Insp Rept 70 0143/88-23 on 880725 29 No violations or deviations noted Major areas inspected facility operations, maint & mods, nuclear criticality safety, radiation protection & radwaste mgt, mail control & physical protection
LEE,T.D., MCALPINE,E.J. Region 2, Ofc of the Director. 88/09/07 5pp 46900 331-46900 335

8809220223 Forwards Insp Rept 70 0143/88-22 on 880801 05 No violations or deviations noted
CLINE,W.E. Region 2, Ofc of the Director 88/09/09 LONG,J.A. Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 46934 161-46934 164

--8809220225 Insp Rept 70-0143/88-22 on 880801 05 No violations or deviations noted Major areas inspected facility operations & internal control, records & repts
TODD,G.A., MCALPINE,E.J. Region 2, Ofc of the Director 88/09/09 1p. 46934 163-46934 164

8809260157 Forwards Insp Rept 70-0143/88-25 on 880815-19 No violations or deviations noted
COLLINS,D.M. Region 2, Ofc of the Director. 88/09/14 LONG,J.A. Nuclear Fuel Services, Inc. (subs of Getty Oil Co) 2pp 46966 174 46966 184.

--8809260162 Insp Rept 70-0143/88-25 on 880815-19 No violations or deviations noted Major areas inspected radiation protection program, radwaste mgt program, radioactive mail transportation activities & followup on previously identified items
HOSEY,C.M., COLLINS,T.R. Region 2, Ofc of the Director 88/09/14 5pp 46966 176-46966 184

DOCKET 70-0152 PURDUE UNIV., WEST LAFAYETTE, IN

8809260258 Application for amend to License SNM-142, reflecting relocation of radiological control to civil engineering bldg
SCHWEITZER,J.F. Purdue Univ., West Lafayette, IN 88/08/01 Region 3, Ofc of the Director. 3pp 46856 130-46856 132.

8809230164 Forwards Amend 2 to License SNM-142, changing storage location for Pu-238 wastes SER also encl
ROUSE,L.C. Fuel Cycle Safety Branch. 88/09/21 SCHWEITZER,J.F. Purdue Univ., West Lafayette, IN. 1p 46945 141 46945 145

--8809230167 Amend 2 to License SNM-142 for Purdue Univ. authorizing use of U enriched in U-235 isotopes for unrestricted use, per guidelines for decontamination of facilities
ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729) 88/09/21 3pp 46945 142-46945 144

--8809230169 Safety evaluation supporting 880801 application for amend to License SNM-142, relocating Pu-239 waste due to relocation of radiological control
HORN,M.L. Fuel Cycle Safety Branch 88/09/21. 1p 46945 145-46945 145

DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

8809220130 Application for amend to License SNM 414, changing Conditions 10 & 11 to permit storage & maint activities re automated reactor insp sys in metals & hafnium complex at site, Fee paid
CULBERSON,D.G. Babcock & Wilcox Co 88/08/23 ROUSE,L.C. Fuel Cycle Safety Branch. 19pp. 46930 065 46930 083

8809260318 Responds to apparent violations noted in combined Insp Repts 70 135/88-03 & 70 364/88 03 from 880531 0603 Insp Respiratory protection manual being revised to ensure that equipment selection based on expected peak concentration
CULBERSON,D.G. Babcock & Wilcox Co 88/08/31. BELLAMY,R.R. Region 1, Ofc of the Director. 5pp 46956 221-46956 225

8809260333 Responds to notice of violation from combined Insp Repts 70 135/88-01 & 70-364/88 01 Procedures being revised to address specific labeling requirements as well as reys & licensee required reviews & approvals by 881115
CULBERSON,D.G. Babcock & Wilcox Co 88/09/12 BELLAMY,R.R. Region 1, Ofc of the Director 4pp 46956 220-46956 231

DOCKET 70-0371 UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT

8809210259 Advises of additon of License Condition 8.1 to Amend SG 1 License SNM 388 allowing licensee to take investigative & corrective action when shipper/receiver differences exceed twice estimated standard deviation of difference estimator
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413) 88/05/16 COLLOPY,T. UNC Resources, Inc. 2pp. 46928 208 46928 209.

8809210124 Advises that review of 871224 Rev 0 to FNMP completed Requests reys to plan that adequately address questions generated from review Reys to be submitted by Jul 1988
MCCORKLE,G.W. Licensing Branch 88/05/31. COLLOPY,T.J. UNC Resources, Inc. 1p 46920 298-46920 298

8809210266 Clarifies near-term NRC/DOE comparability recommendations of posting guards at mail access area portals & discusses definition of mail access area
MCCORKLE,G.W. Licensing Branch 88/06/01. GIGLIOTTI,R.J. UNC Resources, Inc. 1p 46920 295-46920 295

8808260347 Forwards Safeguards Insp Rept 70-0371/88-07 on 880712-15 No violations noted
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/09. KAUFMAN,N.C. United Nuclear Corp. (subs of UNC Resources, Inc.). 2pp 46856 082-46856 096

--8808260348 Mail Control & Accounting Insp Rept 70-0371/88-07 on 880712-15 Major areas inspected nuclear mail control & accounting, including facility operations & internal controls & records & repts.
RATTA,A.D., KEIMIG,R.R. Region 1, Ofc of the Director. 88/08/09 3pp 46856 094 46856 096

8809120100 Requests extension of 30-day reconciliation period required by 10CFR70.51 for 880715 inventory Extension will enable completion of analysis of mail Fee paid
COLLOPY,T.J. UNC Resources, Inc. 88/08/11 MCCORKLE,G.W. Licensing Branch. 1p 46815 358 46815 356

8809070354 Requests approval for removal of admin ofc trailer, Plan ensuring no SNM or classified mail contained in trailer encl.
GIGLIOTTI,R.J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/08/18 MCCORKLE,G.W. Licensing Branch 3pp 46783 313-46783 315

8809090064 Requests meeting w/NRC to discuss comprehensive program to achieve strengthening of health physics program, in response to Insp Rept 70 0371/88 02 Suggests that meeting be held during wk of 880912 or 19.
GREGG,R.J. United Nuclear Corp. (subs. of UNC Resources, Inc.) 88/08/25 EBNETER,S.D. Region 1, Ofc of the Director 1p. 46798 119-46798 119

DOCKET 70-0622 ARMY, DEPT. OF, DOVER, NJ

8809010226 Advises that 880727 changes to Category II physical security plan consist ent w/provision of 10CFR73.67(a) & (d) & acceptable. Listed license condition issued effective immediately.
MCCORKLE,G.W. Licensing Branch. 88/08/09. Army, Dept of, Armament Research & Development Command 1p. 46720 045-46720 045

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

8808260183 Forwards announcement of criticality alarm sys workshop sponsored by DOE, W/o encl
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/16 MCGOVERN,J.J. Cintichem, Inc. 1p. 46658 360-46658 360

DOCKETED ITEMS 219

8808260421 Forwards Safety Insp Rept 70-0687/88 05 on 880628-30 & notice of violation Requests actions to ensure that existence of contamination in unrestricted areas identified, per 880630 confirmatory action ltr
EBNETER,S.D. Region 1, Ofc of the Director 88/08/22 MCGOVERN,J.J. Cinlichem, Inc 2pp 46855 346-46855 358

--8808260423 Notice of violation from Insp on 880628-30, Violations noted: no running log of SNM inventory maintained to demonstrate that quantity in area complies w/ limits
* Region 1, Ofc of the Director 88/08/22. 2pp 46855 350-46855 351

--8808260426 Insp Rept 70-0687/88 05 on 880628 30 Violations noted, Major areas inspected nuclear criticality safety, operations, radiation protection, nonroutine events & followup on Inspector identified problems
ROTH,J., PASCIAK,W.J. Region 1, Ofc of the Director 88/08/22. 7pp 46855 352-46855 358

8809070181 Ack receipt of 880812 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50 054/88-01 & 70 0887/88-04
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23 MCGOVERN,J.J. Cinlichem, Inc 2pp 46779 156 46779 161

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

8809020186 Forwards Safety Insp Rept 70-0698/88 01 on 880502 03 No violations noted
KINNEMAN,J.D. Region 1, Ofc of the Director. 88/08/12 GIGLIO,J.M. Westinghouse Electric Corp 2pp. 46747.011-46747 035

--8809020188 Insp Rept 70 0698/88-01 on 880502-03 No violations noted Major areas inspected scope of program, review of contamination incident, survey of waste processing facilities & radiation safety oversight of contractor workers
COSTELLO,F., KINNEMAN,J. Region 1, Ofc of the Director. 88/07/27. 23pp 46747 013 46747 035

DOCKET 70-0734 GA TECHNOLOGIES, INC., SAN DIEGO, CA

8809210164 Ack receipt of 880701 ltr informing NRC of steps taken to correct deviations noted in Insp Rept 70-0734/88 04.
MONTGOMERY,J.L. Region 5, Ofc of the Director. 88/07/12. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc /General Atomic Co.). 1p. 46920 301-46920 301.

8808260091 Forwards announcement of criticality alarm sys workshop sponsored by DOE W/o encl
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/16 ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 46855,265-46855 265.

8809090250 Requests release of Areas B1 & B3 to unrestricted use pending favorable rept of Oak Ridge Associated Univs 880620- 29 study
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc /General Atomic Co.). 88/08/22. ROUSE,L. Fuel Cycle Safety Branch. 4pp 46806,337-46806 340.

8808300343 Forwards semiannual effluent rept for Jan-June 1988 Table I lists data on radiological gaseous & particulate effluent released to unrestricted areas from facilities handling SNM.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 88/08/25. MARTIN,J.B. Region 5, Ofc of the Director 2pp 46701.001-46701 006

--8808300346 Semiannual rept consisting of 1988 gas & particulate effluents, liquid effluents & non radiological effluent data
* General Atomics (formerly GA Technologies, Inc /General Atomic Co.). 88/08/30. 4pp. 46701 003 46701 006

8809220298 Forwards Amend 11 to License SNM-696, authorizing possession of 16 TRIGA fuel elements at Univ of Missouri, Rolla, MO. Authorization subj to License Condition 30 SER encl.
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/16 ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc /General Atomic Co.). 1p. 46930.017-46930.025.

--8809220300 Amend 11 to License SNM-696 for General Atomics, authorizing possession of 16 TRIGA fuel elements at Univ of Missouri.
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/16 5pp. 46930 018-46930.022.

--8809220304 Safety evaluation supporting Amend 11 to License SNM 696.
MCCAUGHEY,D.A. BIDINGER,G.H. Fuel Cycle Safety Branch 88/08/16. 2pp 46930 023-46930.024.

--8809220307 Discusses categorical exclusion for amend re 880908 request for possession of 16 TRIGA fuel elements located at Univ of MO.
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/16 Fuel Cycle Safety Branch 1p. 46930.025-46930.025.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

8808260119 Forwards announcement of criticality alarm sys workshop sponsored by DOE W/o stated encl.
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/16 CUNNINGHAM,G.E. General Electric Co. 1p 46856.047-46856 047.

8809150203 Tnp rept of 880801-05 visit to GE Vallecitos Nuclear Ctr in Pleasanton, CA re completion of previously identified items, preplanned Insp modules & procedures & new improvements
COMFORT,G.C. Fuel Cycle Safety Branch. 88/09/08. Fuel Cycle Safety Branch. 2pp. 46891:133 46891 134.

8809210034 Forwards Safety Insp Rept 70-0754/88-02 on 880801-05 & 0825. No violations noted
MONTGOMERY,J.L. Region 5, Ofc of the Director 88/09/13. DARMITZEL,R.W. General Electric Co. 2pp. 46929 242-46929 255.

--8809210036 Safety Insp Rept 70 0754/88 02 on 880801 05 & 25 No violations noted Major areas inspected mgt organization & controls, training & retraining, criticality safety, operations reviews & transportation of radioactive materials
BROCK,B.L., PRENDERGAST,K., THOMAS,R.D. Region 5, Ofc of the Director 88/09/13 12pp 46929 244 46929 255.

DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

8808260023 Issues Amend 5 to License SNM-778, authorizing repairs & mods to radio active & contaminated components, laundry operations & rev of surface frequency in snack bars & vending machine areas in unrestricted areas Amend, SER & 880822 ltr encl
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/22 OLSEN,A.F. Babcock & Wilcox Co 1p 46669 169 46669 176

--8808260026 Amend 5 to License SNM-778 for B&W, authorizing use of listed malls in licensee research lab
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/22. 3pp. 46669 170 46669 172

--8808260028 SER re 880614 amend application to repair & modify radioactive & contaminated equipment for R&D purposes
SOONG,S., SWIFT,J.J. Fuel Cycle Safety Branch 88/08/22 2pp 46669.173 46669.174.

--8808260030 Discusses licensee 880614 request for categorical exclusion for Amend 5 to License SNM 778.
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/22 Fuel Cycle Safety Branch. 2pp 46669 175 46669 176.

DOCKET 70-0854 ISOTOPIC ANALYSIS, INC., TULSA, OK

8809260031 Safety Insp on 880919 of License SNM 791. Insp findings, records of package receipt surveys not properly maintained & hood face velocity monthly checks not performed for period of Feb 1984 - Dec 1986.
HOLLEY,W.L. Region 4, Ofc of the Director * Isotopic Analysis, Inc 88/08/19 1p. 46950.328 46950.328.

DOCKET 70-0920 RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY

8809020123 Forwards proprietary response to NRC 880718 ltr re security violation noted in Insp Repts 50 225/88 02 & 70-0920/88 01 concerning effectiveness of RPI public safety guard checks of reactor critical facility security sys. Response withheld
HARRIS,D.R. Rensselaer Polytechnic Institute, Troy, NY. 88/08/16. BELLAMY,R.R. Region 1, Ofc of the Director. 1p 46750.304-46750 304.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

8809080067 Forwards changed page to Rev 2 to physical security plan. Page withheld
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL 88/08/28. Document Control Branch (Document Control Desk) 1p. 46799.230-46799 230.

8809080182 Ack receipt of 880620 ltr transmitting Rev 2 to SPERT assembly facility physical security plan. Changes consistent w/ 10CFR70.32 & acceptable. One change requires further clarification.
CLINE,W.E. Region 2, Ofc of the Director. 88/08/31 TULENKO,J.S. Florida, Univ. of, Gainesville, FL. 2pp 46789 227-46789 228

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8809190202 Forwards addl info & clarifications in support of 880120 application for amend to License SNM 1067 to increase weight of enriched U that can be processed from 4.1 to 5%, per NRC 880125 meeting request.
SCHERER,A.E. Combustion Engineering, Inc. 88/07/28. ROUSE,L.C. Fuel Cycle Safety Branch. 101pp. 46907 151-46907 250

8809210200 Responds to 880606 request for delay in performing physical inventory Temporary license condition issued.
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413) 88/06/24 SCHERER,A.E. Combustion Engineering, Inc. 1p. 46920 297-46920 297.

8809190254 Requests that NRC grant condition to License SNM-1067, authorizing possession of U-235 up to 5.0 weight %, but not allowing processing of fuel above 4.1 weight % & terminating condition upon approval of amend request
SCHERER,A.E. Combustion Engineering, Inc 88/07/28. ROUSE,L.C. Fuel Cycle Safety Branch. 3pp. 46896.086 46896 088

8808260020 PNO-I 88 082-on 880812, loss of offsite electrical power occurred. Cause not stated Inspector will be on site on 880815 to review status of facility.
ROTH,J., JOYNER,J. Region 1, Ofc of the Director. 88/08/12 1p. 46856 185-46856 185.

8808290056 Forwards summary of enforcement conference on 880803 in Region I re violations noted in Insp Repts 70-1100/88 05 & 70-1100/88 06 concerning area of radiological controls, transportation & mail control.
EBNETER,S.D. Region 1, Ofc of the Director. 88/08/18. MCGILL,P.L. Combustion Engineering, Inc. 2pp 46676.154 46676 199.

--8808290059 Notification of 880803 meeting w/ licensee in King of Prussia, PA to discuss deficiencies in facility radiation protection, transportation & mail controls from Insp Repts 70-1100/88-05 & 70-1100/88-06
ROTH,J. Region 1, Ofc of the Director. 88/07/28 Region 1, Ofc of the Director 44pp. 46676.156-46676 199

8808300329 Forwards Safeguards Insp Rept 70-1100/88 07 on 880725-29 No violations noted.
BELLAMY,R.R. Region 1, Ofc of the Director 88/08/18 MCGILL,P.L. Combustion Engineering, Inc. 2pp. 46697.184-46697 188.

220 DOCKETED ITEMS

--8808300341 Insp Rept 70-1100/88-07 on 880725-29 No violations noted Major areas inspected nuclear matl control,accounting & physical security,including facility operations & internal controls & physical protection measures for SNM
DELLA,A, KEIMIG,R.R. Region 1, Ofc of the Director 88/08/18 3pp 46697,186-46697 188

8808290051 Transmits addl info & clarifications requested by Bidingar including,tabulation of affected pages & rev numbers & provides proposed change pages supporting amend request
SCHERER,A.E. Combustion Engineering, Inc 88/08/19 ROUSE,L.C. Office of Nuclear Material Safety & Safeguards,Director 7pp 46686 348 46686 354

8808260478 Amended application for amend to License SNM 1067,to facilitate orderly change for processing U 235
SCHERER,A.E. Combustion Engineering, Inc 88/08/23 ROUSE,L.C. Fuel Cycle Safety Branch 3pp. 46655 225-46655 227

8809010037 PNO I 88 089 on 880825,facility lost offsite electrical power Caused by tree falling across electrical wires leading into facility Operations at facility terminated,employees sent home & monitoring sys switched to emergency power
ROTH,J, PASCIAK,W. Region 1, Ofc of the Director 88/08/25 1p 46720 130-46720 130

8809080105 Notification of Significant Meeting 88-137 w/utl in King of Prussia,PA for SALP Board meeting
ROTH,J. Region 1, Ofc of the Director 88/08/26 Region 1, Ofc of the Director 2pp. 46793 360 46793 361

8809070462 Forwards Amend 14 to License SNM 1067,authorizing use of U enriched to max 5% weight in U-235,per licensee 880816 application
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/29 MCGILL,P.L. Combustion Engineering, Inc 2pp 46776 227-46776 236

--8809070471 Amend 14 to License SNM-1067 for C.E,authorizing use of listed matls,including 500,000 kg U enriched to more than 5% w/o U 235
ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870728), 88/08/29 4pp 46776 229-46776 232

--8809070477 Safety evaluation supporting Amend 14 to License SNM-1067
BIDINGER,G.H., SWIFT,J.J. Fuel Cycle Safety Branch 88/08/29 3pp 46776.233 46776 235

--8809070480 Advises that environ assessment & EIS for licensee 880816 application for amend to License SNM-1067 to increase weight percent of enriched U processed not warranted
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/29 Fuel Cycle Safety Branch 1p 46776 236-46776 236

8809140281 Effluent monitoring rept for Jan-June,1988
SCHERER,A.E. Combustion Engineering, Inc 88/08/30 RUSSELL,W.T. Region 1, Ofc of the Director 2pp 46845 114 46845 114

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

8809220201 Requests granting of allowances to certain licensing requirements described in encl Encl withheld Fee paid
WINSLOW,T.P. General Electric Co 88/05/09 BROWN,W.B. Office of Nuclear Material Safety & Safeguards,Director 1p. 46930 102-46930 102

8809220022 Advises that Temporary License Condition 4.2 added,effective immediately,to Safeguards Amend SG 2 to License SNM 1097 in response to 880509 request for exemption from commitment to perform onsite receipt measurement of low enriched U
MCCORKLE,G.W. Licensing Branch 88/06/13 WINSLOW,T.P. General Electric Co 1p 46927 194-46927 194.

8808290150 Forwards changes to fundamental nuclear matl control plan re control & accounting procedures for safeguarding licensed SNM Changes withheld (ref 10CFR2.790)
WINSLOW,T.P. General Electric Co. 88/08/02 CLINE,W.E. Region 2, Ofc of the Director 1p. 46781-360-46781-360.

8808280334 Forwards rev to design info questionnaire Note sent to NMSS describing changes also encl Encls withheld (ref 10CFR2.790)
WINSLOW,T.P. General Electric Co 88/08/12 MCCORKLE,G.W. Division of Safeguards & Transportation (Post 870413) 1p 46654 034-46654,034

8808260416 Forwards revs to FNMCP Attachments Include descriptive listing of changes made Encl withheld (ref 10CFR2.790(d))
WINSLOW,T.P. General Electric Co 88/08/19 GRACE,J.N. Region 2, Ofc of the Director 1p 46669 227-46669 227

8808300216 Responds to 880727 ltr re violations noted in Insp Rept 70-1113/88-08 on 880523 27 Corrective actions/memo distributed to radiation protection personnel clearly identifying responsibility of performance overchecks.
WINSLOW,T.P. General Electric Co 88/08/26 Document Control Branch (Document Control Desk) 9pp 46698 314 46698 324

8808310168 Responds to NRC 880727 ltr re violations noted in Insp 70-1113/88-08 on 880523-27 Corrective actions Procedure NSI O-2.0 will be revised to delineate & emphasize required 4 h min interval between event & sample collection.
WINSLOW,T.P. General Electric Co. 88/08/28 Document Control Branch (Document Control Desk) 7pp. 46725-226-46725,234

8809070291 Advises that 880819 rev to FNMCP consistent w/provisions of 10CFR70.32(c) & acceptable.
CLINE,W.E. Region 2, Ofc of the Director 88/08/26 LEES,E.A. General Electric Co 2pp 46776 298-46776 299

8809130105 Forwards Insp Rept 70-1113/88-11 on 880725-0802.No violations or deviations noted.
CLINE,W.E. Region 2, Ofc of the Director. 88/08/29 LEES,E.A. General Electric Co. 1p. 46828,089 46828 091

--8809130107 Partially withheld Insp Rept 70-1113/88 11 on 880725 0802 (ref 10CFR2.790) No deviations or violations noted Major areas inspected physical inventory,independent insp effort & actions on previous findings
CLAY,E.L., BATES,J.W., MCALPINE,E.J. Region 2, Ofc of the Director 88/08/29 1p 46828,091-46828 091.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC

8808300054 Forwards Amend 15 to License SNM 1107,reflecting changes to radiological contingency plan
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/24 NARDI,A.J. Westinghouse Electric Corp. 1p. 46698,174-46698 178

--8808300064 Amend 15 to License SNM 1107,authorizing use of 75,000 kg U 235,g U-233 & 15 g Pu 238 & Pu-239 sealed sources
ROUSE,L.C. Fuel Cycle Safety Branch. 88/08/25 1p 46698 175 46698 176

--8808300072 SER supporting application for amend to License SNM 1107, revising 880812 radiological contingency plan
BIDINGER,G.H., SWIFT,J.J. Fuel Cycle Safety Branch. 88/08/24 1p 46698 176. 46698 177

--8808300080 Advises that Westinghouse 880812 annual rev to radiological contingency plan met listed conditions & that neither environ assessment nor environ impact statement warranted for sub proposed action
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/26 Fuel Cycle Safety Branch 1p 46698 178-46698,178

8809200046 Responds to NRC 880802 ltr re violations noted in Insp Rept 70 1151/88 08 on 880620-24 Corrective actions,procedure & practice implemented to require that all bulk containers be routinely recorded into item control sys
LOCH,E.P. Westinghouse Electric Corp 88/08/31. STORR,J.P. Region 2, Ofc of the Director. 2pp. 46918 079-46918 080.

DOCKET 70-1201 BABCOCK & WILCOX CO., LYNCHBURG, VA

8808030153 Forwards license condition re shutdown of low enriched U fuel fabrication activities for 880809 0909 period in response to licensee 880531 ltr
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 88/07/05 WATTERS,J.P. Babcock & Wilcox Co 2pp 46849 975 46849,076

8808260284 Submits advance notice that licensed activities will be restarted effective 880815,per 880709 temporary shutdown amend
WATTERS,J.P. B&W Fuel Co 88/08/08, ROUSE,L.C. Office of Nuclear Material Safety & Safeguards,Director. 2p 46654 105 46654 106

8808260050 Forwards announcement of criticality alarm sys workshop sponsored by DOE W/o encl.
ROUSE,L.C. Fuel Cycle Safety Branch 88/08/16 WATTERS,J.P. Babcock & Wilcox Co 1p 46856 025 46856,025

DOCKET 70-1257 ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA

8809210172 Advises that 880508 revised FNMCP re max quality of waste matl that can be measured each inventory justified & approval will not adversely effect common defense & security.
MCCORKLE,G.W. Licensing Branch 88/05/19, SCHNEIDER,R.A. Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc.). 2pp. 46928-263-46928 254

8809070437 Notifies that during activation of between lagoon liners sampling sys on 880528,solution obtained from sampling heads for Lagoons 3 & 4 Lagoon 3 inventory reduced & potential breaches repaired Lagoon 4 emptied of solution & blow sand
MALODY,C.W. Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc) 88/08/26. MARTIN,J.B. Region 5, Ofc of the Director. 2pp 46784,271-46784 272

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

8809200198 Notifies of transient shipment of SNM of moderate strategic significance,per 10CFR73.72 (a) requirements Details of shipment provided
QUAIN,P. Transnuclear, Inc 88/09/12. HILLMAN Division of Safeguards & Transportation (Post 870413) 3pp. 46915,088 46915,080.

DOCKET 70-1500 WASHINGTON HOSP. CENTER, WASHINGTON, DC

8808260253 PNO I-88-085, on 880818,apparent loss of Coratomic Model C 101 pacemaker,containing 250 mg Po-238 discovered Surveys made & personnel interviewed w/o success Search continuing
COURTMANCHE,S., PICCONE,J. Region 1, Ofc of the Director. 88/08/22 1p 46856,243 46856 243.

DOCKET 70-1507 HENRY FORD HOSP., DETROIT, MI

8809080215 Discusses safety insp of Licenses 21-04109-08,SNM-1456 & 21-04109-16 on 880817-18 & forwards notice of violation No violations noted for License SNM 1456.
WIEDEMAN,D.G. Region 3, Ofc of the Director. 88/09/01. SEARCY,B. Henry Ford Hosp, Detroit, MI 1p 46803-254 46803-256.

--8809080285 Notice of violation from insp on 880817-18,violations noted. teletherapy room radiation monitor battery backup nonfunctional & no other sources of backup power utilized.
WIEDEMAN,D.G. Region 3, Ofc of the Director. 88/09/01 2pp 46803-256 46803 256

DOCKETED ITEMS 221

DOCKET 70-2786 GENERAL ELECTRIC CO., SAN JOSE, CA

8809160016 Advises that 880721 request for approval of route from Port of Oakland, CA to GE facility in Pleasanton, CA for transport of spent reactor fuel meets regulatory requirements in accordance w/10CFR73.37 through 881231.
MACDONALD, C.E. Transportation Branch 88/08/26 KIRKLAND, M.W. General Electric Co. 7pp 46895-066 46895-072

DOCKET 70-2932 TEXAS UTILITIES GENERATING CO., DALLAS, TX

8809150119 Forwards corrected Amend 4 to License SNM-1912, providing clarification re transfer of ownership in 10 installments as set forth in 880325 agreement
ROUSE, L.C. Fuel Cycle Safety Branch 88/09/08 COUNSEL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 2pp 46855-354-46855-358

--8809150122 Corrected Amend 4 to License SNM-1912 for Texas Util Electric Co., transferring ownership in 10 installments per 880325 agreement
ROUSE, L.C. Division of Industrial & Medical Nuclear Safety (Post 870729), 88/09/08 3pp 46855-356-46855-358

DOCKET 70-3018 HOUSTON LIGHTING & POWER CO., HOUSTON, TX

8809090079 Forwards License SNM-1983, authorizing receipt, possession, insp & storage of enriched U contained in U-235 fuel assemblies. Amend 3 to Indemnity Agreement B-108 also encl for review & acceptance
ROUSE, L.C. Fuel Cycle Safety Branch, 88/08/30, VAUGHN, G.E. Houston Lighting & Power Co. 2pp 46806-070-46806-109

--8809090081 License SNM-1983 for Houston Lighting & Power Co., authorizing receipt, possession, insp & storage of U in fuel assemblies
ROUSE, L.C. Division of Industrial & Medical Nuclear Safety (Post 870729), 88/08/30 2pp. 46806-081-46806-082

--8809090084 SER supporting until 880405 application for license to receive, possess, return & store unirradiated nuclear fuel assemblies
MCCAUGHEY, D.A., SWIFT, J.J. Fuel Cycle Safety Branch 88/08/30 9pp 46806-083-46806-091.

--8809090088 Environ assessment re 880405 application for license to permit receipt, possession & storage of SNM in form of unirradiated nuclear fuel assemblies
HORN, M.L., SWIFT, J.J. Fuel Cycle Safety Branch 88/08/17 3pp 46806-092-46806-094.

--8809090091 Notice of consideration of issuance of License SNM-1983 to authorize receipt, possession, insp & storage of enriched U contained in U-235 fuel assemblies
ROUSE, L.C. Fuel Cycle Safety Branch, 88/08/22 15pp. 46806-095-46806-109.

DOCKET 70-3047 INLAND STEEL MINING CO., VIRGINIA, MN

8808260065 Discusses reporting requirements for transfers of SNM or source material Repts required for any transfer, receipt or inventory change of 1 g or more U or thorium of foreign origin source material
GRAMANN, R.H. NRC - No Detailed Affiliation Given 88/08/24 PORTER, C. Inland Steel Mining Co. 1p 46656-141-46656-141.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0128 AMOCO OIL CO.

8809140230 Requests 6 month extension on Certificates of Compliance 9126, 9127 & 9128. Licensees to submit consolidated applications by 890430 for review & renewal of certificates. Fee paid.
ROUGHAN, C.M. Amersham Corp 88/08/25 MACDONALD, C. Transportation Branch 2pp 46840-314 46840-315.

DOCKET 71-0173 PACIFIC NORTHWEST LABORATORIES

8809010270 Forwards QA Program Approval for Radioactive Matl Packages 0173, Rev 3.
MACDONALD, C.E. Transportation Branch 88/08/25 RICHMOND, W.D. Battelle Memorial Institute, Pacific Northwest Laboratory. 1p. 46720-313-46720-314.

--8809010274 QA program approval for radioactive matl package 0173, Rev 3
MACDONALD, C.E. Transportation Branch. 88/08/25. 1p. 46720-314 46720-314.

DOCKET 71-0361 MODEL: PAT-1, ENERGY, DEPT. OF

8808290014 Application for renewal of Certificate of Compliance: 0361 for PAT-1 package.
MAUCK, C.J. Energy, Dept. of. 88/08/15 MACDONALD, C.E. Transportation Branch 2pp 46684-053 46684-054

8809200182 Forwards Certificate of Compliance 0361, Rev 3 for Model PAT-1 packaging, per 880815 request & approval record
MACDONALD, C.E. Transportation Branch 88/09/14 MCCALLUM, E. Energy, Dept. of. 1p 46911-321-46911-326.

--8809200191 Certificate of Compliance 0361, Rev 3, for Model PAT-1.
MACDONALD, C.E. Transportation Branch, 88/09/14. 5pp 46911-322-46911-326.

DOCKET 71-0486 NUS CORP.

8808300005 Requests renewal of Q/A manual - Rev 1, per 10CFR71. Fee paid.
MOONEY, J.L. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/08/19 GORDON, L. Transportation Branch. 1p. 46693-345-46693-346.

DOCKET 71-0657 N.V. ENTERPRISES

8809010264 Forwards QA program approval for Radioactive Matls Packages 0657, Rev 0
MACDONALD, C.E. Transportation Branch 88/08/25. COX, N.V. Enterprises 1p 46720-311-46720-312

--8809010266 QA program approval for radioactive matl package 0657, Rev 0
MACDONALD, C.E. Transportation Branch 88/08/25. 1p. 46720-312-46720-312

DOCKET 71-0658 GENERAL DYNAMICS, CHARLESTON, SC

8808300001 Requests approval for facility QA program for transporting packages of radioactive matl. Fee paid
HATZIS, C. General Dynamics Corp 88/08/15 MACDONALD, C.E. Transportation Branch 4pp 46692-030-46692-034

DOCKET 71-0659 TRI STATE ASSOCIATES, INC.

8809090050 Forwards QA program for use, maint & repair of shipping containers for radioactive matl. for review & acceptance. Fee paid
DUNN, J. TRI State Associates, Inc. 88/08/26. GORDON, L. NRC - No Detailed Affiliation Given. 1p 46803-257-46803-265

--8809090101 Rev A to "QA Program for Use, Maint & Repair of Shipping Containers for Radioactive Matl."
* TRI State Associates, Inc. 88/08/26 7pp. 46803-258-46803-265.

DOCKET 71-3002 MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.

8808300045 Forwards addl info re SAR on Japanese NR-10 cask sent by Transnuclear on 880729, for disposal.
WAGLER, M.E. Transportation, Dept. of. 88/08/17. MACDONALD, C.E. Transportation Branch 8pp. 46692-022-46692-029

DOCKET 71-5800 MODEL: ORNL TRITIUM TARGET CONTAINER

8809130319 Requests registration as user of Certificates of Compliance 9039 & 5800.
SIMON, J.T. IDM Corp. (International Digital Modeling Corp.) 88/08/29 NRC - No Detailed Affiliation Given. 2pp. 46834-135 46834-136

DOCKET 71-5939 MODEL: GE-1500, GENERAL ELECTRIC CO.

8808290062 Requests to be removed from list as user of GE-1500 shipping cask.
SYLVIA, B.R. Detroit Edison Co. 88/08/10. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 2pp 46669-283-46669-284

8809010202 Notification of deletion as user of Model 1500, per 880810 request
MACDONALD, C.E. Transportation Branch. 88/08/25 SYLVIA, B.R. Detroit Edison Co 1p 46721-311 46721-311

DOCKET 71-5957 MODEL: BMI-1, BATTTELLE COLUMBUS LABORATORY

8809010193 Notification of registration as user of Model BMI-1, per 880617 request
MACDONALD, C.E. Transportation Branch 88/08/25 WILKINSON, B.W. Michigan State Univ., East Lansing, MI. 1p. 46722-281-46722-281.

8809200245 Forwards request for info re 880530 application for amend to license & 880715 supplemental info for Model BMI-1 package. Requests that NRC be advised within 30 days from date of ltr when info will be provided
MACDONALD, C.E. Transportation Branch 88/09/15. STRACK, R.A. Cintichem, Inc 2pp 46916-189 46916-190

DOCKET 71-5980 MODEL: GE-600, GENERAL ELECTRIC CO.

8809200035 Discusses shipment of Radiating Sterilizers, Inc. Cs-137 Cs-137 source capsules, contained in Model GE 600, suspected of leaking Pressure drop tests will be performed to ensure that leak-tight seal at ref spec
MACDONALD, C.E. Transportation Branch 88/09/07. Transportation Branch 1p 46912-360-46912-360

DOCKET 71-6003 MODEL: M-130, ENERGY, DEPT. OF

8809090055 Forwards Rev 10 to Certificate of Compliance 6003 for Model M-130, per 810714 request.
MACDONALD, C.E. Transportation Branch 88/08/30. ENGEL, W.P. Energy, Dept. of 1p 46806-135-46806-144

--8809090057 Certificate of Compliance 6003, Rev 10, for Model M-130 Approval record encl.
MACDONALD, C.E. Transportation Branch. 88/08/30. 9pp. 46806-136-46806-144

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

8809230049 Forwards Rev 3 to Certificate of Compliance 6553 for Model Paducah Tiger, per 880610 application.
MACDONALD, C.E. Transportation Branch. 88/09/19 MCCALLUM, E. Energy, Dept. of. 2pp 46943-220-46943-224

--8809230052 Certificate of Compliance 6553, Rev 03, for Model Paducah Tiger. Approval record encl.
MACDONALD, C.E. Transportation Branch. 88/09/19 3pp 46943-222-46943-224.

222 DOCKETED ITEMS

DOCKET 71-6539 MODEL: MH-1A, ENERGY, DEPT. OF

8809140328 Informs that SAR for packaging on MH-1A cask may be released to public
MCCALLUM,E.J. Energy, Dept. of 88/08/24 MACDONALD,C.E. Transportation
Branch. 2pp. 46838 196-46838.197

DOCKET 71-6678 MODEL: LP-50, ENERGY, DEPT. OF

8809010313 Informs that info on drawing revs re 870829 application for renewal of Cer-
tificate of Compliance 6678 will be delivered by 880921 No changes have been made
except for valve replacement
MAUCK,C.J. Energy, Dept. of 88/08/17. MACDONALD,C.E. Transportation Branch
2pp. 46740 057-46740 058.

DOCKET 71-6717 MODEL: 6717-B, GAMMA INDUSTRIES, INC

8808290025 Requests registration as user of Models USA-9056 B, USA 6717 B(U),USA-
9036-B & USA 9126 B(U)
WAINWRIGHT,R Owensby & Kritikos, Inc 88/08/09 Louisiana, State of 2pp
46686 331-46686 332

8809010179 Notification of registration as user of Certificates of Compliance 6717,9036
& 9056,per 880627 request
MACDONALD,C.E. Transportation Branch 88/08/25 BRUTON,J.P. Sowego Testing
Service, Inc 1p. 46744 050 46744 050

8809010231 Notification of registration as user of Certificates of Compliance
6717,9036,9056,9126,9127,9128,9133 & 9135.
MACDONALD,C.E. Transportation Branch 88/08/25 JUNEAU,B Global X-Ray &
Testing Corp. 1p. 46740 059 46740 059

8809010314 Notification of registration as user of Certificates of Compliance
6717,9032,9033,9036,9056,9156 & 9157
MACDONALD,C.E. Transportation Branch 88/08/25 FINKENBINDER,T Sowego
Testing Service, Inc. 1p. 46744 087-46744 087.

8809010342 Notification of registration as user of Certificates of Compliance
6717,9036,9056 & 9126,per 880809 request
MACDONALD,C.E. Transportation Branch. 88/08/25 WAINWRIGHT,R Owensby &
Kritikos, Inc 1p. 46740 323-46740 323.

8809060265 Notification of registration as user of Certificates of Compliance 6717,9036
& 9056 in response to 880728 request
MACDONALD,C.E. Transportation Branch. 88/09/01. HOLDEN,B. Holden X Ray Ser-
vice. 1p. 46764 007-46764 007.

8809060293 Notification of registration as user of Certificates of Compliance 6717,9036
& 9056 in response to 880701 request.
MACDONALD,C.E. Transportation Branch. 88/09/01 RUSSELL,H.K. Mississippi X-
Ray Service 1p 46753.118-46753.118.

8809070141 Informs of registration as user of Certificates of Compli-
ance 6717,9032,9033,9036,9056 & 9135,per 880722 request QA program approved by
NRC required for registration per 10CFR71.12
MACDONALD,C.E. Transportation Branch 88/09/01 ROCKETT,D.R. McDermott, Inc
1p. 46776 173-46776 173

DOCKET 71-9001 MODEL: IF-300, GENERAL ELECTRIC CO.

8809140320 Informs of investigation info & corrective steps taken re nonconforming
hardware found installed in cavity fill & drain line sys adjacent to upper & lower
Precon valves of IF-304 fuel shipping cask on 880811.
WHEADON,W.C. Pacific Nuclear Systems, Inc 88/08/30 MACDONALD,C.E. Division
of Safeguards & Transportation (Post 870413) 16pp 46842 221 46842.235

DOCKET 71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.

8809020005 Forwards drawings of shipping canisters for shipment of decayed rod &
melted Fermi 1 fuel assemblies
WELLS,A.H. Nuclear Assurance Corp 88/08/22 MACDONALD,C.E. Division of Safe-
guards & Transportation (Post 870413). 3pp 46744 304 46744 307.

8809130022 Forwards Certificate of Compliance 9010,Rev 25 for Model NLI 1/2 ship
ping package per 880825 request
MACDONALD,C.E. Transportation Branch. 88/08/05 WELLS,A.H. Nuclear Assurance
Corp 4pp 46830 088 46830 103

--8809130026 Certificate of Compliance 9010,Rev 25,for Model NLI-1/2
MACDONALD,C.E. Transportation Branch. 88/09/05 11pp 46830 093 46830.103.

8809200280 Advises that Certificate of Compliance 9010 for Model NLI-1/2 amended
as listed in response to 880608 request.
MACDONALD,C.E. Transportation Branch 88/09/14 WELLS,A.H. Nuclear Assurance
Corp 2pp 46899 338-46899 339

DOCKET 71-9015 MODEL: TN-8, -8L, TRANSNUCLEAR, INC.

8809200372 Forwards Rev 15 to Certificate of Compliance 9015 for Model TN 8 ship-
ping package,per 10CFR71.12 & 49CFR173.471
MACDONALD,C.E. Transportation Branch. 88/09/15. NOLAN,D. Transnuclear, Inc.
3pp. 46919.182-46919 190

--8809200377 Certificate of Compliance 9015,Rev 15,for Models TN-8 & TN-8L Approval
record encl.
MACDONALD,C.E. Transportation Branch. 88/09/15. 6pp. 46919:185 46919 190.

DOCKET 71-9016 MODEL: TN-9, TRANSNUCLEAR, INC.

8809200360 Forwards Rev 8 to Certificate of Compliance 9016 for Model TN-9.
MACDONALD,C.E. Transportation Branch. 88/09/15. NOLAN,D. Transnuclear, Inc
2pp 46918 051-46918 057

--8809200368 Certificate of Compliance 9016,Rev 8,for Model TN-9
MACDONALD,C.E. Transportation Branch 88/09/15. 5pp 46918 053 46918 057

DOCKET 71-9022 MODEL: CE-250-2, COMBUSTION ENGINEERING, INC.

8808260503 Forwards incident rept on shipping container,Model CE 250 2 Shipping
container found damaged on 880714 Damage occurred during handling at Windsor as
result of improper handling & handling device not properly maintained
SCHERER,A.E. Combustion Engineering, Inc. 88/08/15 THOMPSON,H.L. Office of
Nuclear Material Safety & Safeguards,Director 4pp. 46658 277-46658 281.

DOCKET 71-9029 MODEL: 676 & 676E, TECH/OPS, INC.

8809200385 Requests registration as user of Model 676 projector.
MOHRBACHER,J.A. United States Testing Co, Inc 88/09/07. MACDONALD,C.E.
Transportation Branch 2pp 46916.172 46916 173

DOCKET 71-9032 MODEL: 650, TECH/OPS, INC.

8808310100 Forwards request by USS Hunley to register as user of Amersham Model
650 source changer,per 10CFR71.12(c)(3)
MALINOSKI,J.W. Navy, Dept. of, Naval Sea Systems Command. 88/08/18 Transpor-
tation Branch 1p 46699 047-46699 049.

--8808310107 Requests registration,for USS Hunley,as user of Model 650 source chang-
er for shipping package
BEAN,C.D. Navy, Dept. of 88/08/05 Office of Nuclear Material Safety &
Safeguards,Director 2pp. 46699.048 46699 049.

8809010314 Notification of registration as user of Certificates of Compliance
6717,9032,9033,9036,9056,9156 & 9157
MACDONALD,C.E. Transportation Branch 88/08/25 FINKENBINDER,T Sowego
Testing Service, Inc 1p. 46744.087-46744 087.

8809070141 Informs of registration as user of Certificates of Compli-
ance 6717,9032,9033,9036,9056 & 9135,per 880722 request QA program approved by
NRC required for registration per 10CFR71 12
MACDONALD,C.E. Transportation Branch. 88/09/01. ROCKETT,D.R. McDermott, Inc
1p. 46776 173 46776 173.

8809130126 Notices of registration as user of Certificate of Compliance 9032,per
880816 request
MACDONALD,C.E. Transportation Branch. 88/09/05 MALINOSKI,J.W. Navy, Dept
of, Naval Sea Systems Command 1p. 46834 170 46834.170

DOCKET 71-9033 MODEL: 660 & 660E, TECH/OPS, INC.

8809010314 Notification of registration as user of Certificates of Compliance
6717,9032,9033,9036,9056,9156 & 9157
MACDONALD,C.E. Transportation Branch 88/08/25 FINKENBINDER,T Sowego
Testing Service, Inc. 1p. 46744.087-46744 087.

8809070141 Informs of registration as user of Certificates of Compli-
ance 6717,9032,9033,9036,9056 & 9135,per 880722 request QA program approved by
NRC required for registration per 10CFR71 12
MACDONALD,C.E. Transportation Branch. 88/09/01. ROCKETT,D.R. McDermott, Inc
1p. 46776 173-46776 173

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

8808290025 Requests registration as user of Models USA-9056-B, USA 6717-B(U),USA
9036-B & USA 9126-B(U).
WAINWRIGHT,R Owensby & Kritikos, Inc. 88/08/09. Louisiana, State of 2pp
46686 331-46686 332.

8809010179 Notification of registration as user of Certificates of Compliance.6717,9036
& 9056,per 880627 request
MACDONALD,C.E. Transportation Branch. 88/08/25. BRUTON,J.P. Sowego Testing
Service, Inc 1p. 46744.050-46744 050.

8809010190 Notification of registration as user of Models C-1 & SPEC 2-T,per 880801
request
MACDONALD,C.E. Transportation Branch 88/08/25 HANSON,F.L. Houston Inspec-
tion Services, Inc (formerly Houston Inspection Laboratories, Inc 1p. 46718 039-
46718 039

8809010231 Notification of registration as user of Certificates of Compliance
6717,9036,9056,9126,9127,9128,9133 & 9135
MACDONALD,C.E. Transportation Branch 88/08/25. JUNEAU,B Global X-Ray &
Testing Corp 1p. 46740.059 46740 059.

8809010314 Notification of registration as user of Certificates of Compliance
6717,9032,9033,9036,9056,9156 & 9157.
MACDONALD,C.E. Transportation Branch 88/08/25 FINKENBINDER,T Sowego
Testing Service, Inc. 1p. 46744 087-46744 087

8809010342 Notification of registration as user of Certificates of Compliance
6717,9036,9056 & 9126,per 880809 request.
MACDONALD,C.E. Transportation Branch 88/08/25 WAINWRIGHT,R. Owensby &
Kritikos, Inc. 1p 46740 323-46740 323

8809020110 Notification of registration as user of Certificates of Compliance 9036 &
9056,per 880721 request
MACDONALD,C.E. Transportation Branch. 88/08/25 BLANCHARD,C.M. J.A. Jones
Applied Research Co 1p 46746.046-46746 046.

8808310120 Informs of termination of review of 880718 applications re Models C-1 &
SPEC-2T shipping packages,per licensee 880706 request.
MACDONALD,C.E. Transportation Branch 88/08/30 DICHARRY,R.D. Source Pro-
duction & Equipment Co., Inc. 1p. 46717.355-46717 355.

DOCKETED ITEMS 223

8809060265 Notification of registration as user of Certificates of Compliance 6717,9036 & 9056 in response to 880726 request
MACDONALD,C.E. Transportation Branch 88/09/01. HOLDEN,B. Holden X-Ray Service 1p 46764.007-46764.007.

8809060293 Notification of registration as user of Certificates of Compliance 6717,9036 & 9056 in response to 880701 request
MACDONALD,C.E. Transportation Branch 88/09/01 RUSSELL,H.K. Mississippi X-Ray Service 1p 46753.118-46753.118.

8809070141 Informs of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056 & 9135,per 880722 request.QA program approved by NRC required for registration per 10CFR71.12
MACDONALD,C.E. Transportation Branch 88/09/01. ROCKETT,D.R. McDermott, Inc. 1p 46776.173-46776.173.

DOCKET 71 9039 MODEL: 715, TECH/OPS, INC.

8809130319 Requests registration as user of Certificates of Compliance 9039 & 5800 SIMON,J.T. IDM Corp (International Digital Modeling Corp) 88/09/29. NRC - No Data Affiliation Given. 2pp 46834.135-46834.136.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.

8809290025 Requests registration as user of Models USA 9056-B, USA 6717-B(U),USA-9036-B & USA-9126-B(U).
WAINWRIGHT,R. Owensby & Kritikos, Inc. 88/08/09. Louisiana, State of. 2pp. 46656.331-46656.332.

8809010179 Notification of registration as user of Certificates of Compliance 6717,9036 & 9056,per 880827 request.
MACDONALD,C.E. Transportation Branch. 88/08/25 BRUTON,J.P. Sowege Testing Service, Inc. 1p 46744.050-46744.050

8809010190 Notification of registration as user of Models C-1 & SPEC 2-T,per 880801 request.
MACDONALD,C.E. Transportation Branch 88/08/25. HANSON,F.L. Houston Inspection Services, Inc (formerly Houston Inspection Laboratories, Inc. 1p. 46719.099-46719.099

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135
MACDONALD,C.E. Transportation Branch. 88/08/25. JUNEAU,B. Global X-Ray & Testing Corp. 1p. 46740.059-46740.059.

8809010314 Notification of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056,9155 & 9157
MACDONALD,C.E. Transportation Branch. 88/08/25 FINKENBINDER,T Sowege Testing Service, Inc. 1p 46744.087-46744.087.

8809010319 Notification of registration as user of Certificate of Compliance 9056 per 880808 request
MACDONALD,C.E. Transportation Branch. 88/08/25 SIMPSON,H.H. Colton Houston, Inc. 1p 46744.086-46744.086

8809010342 Notification of registration as user of Certificates of Compliance 6717,9036,9056 & 9126,per 880909 request.
MACDONALD,C.E. Transportation Branch. 88/08/25 WAINWRIGHT,R. Owensby & Kritikos, Inc. 1p. 46740.323-46740.323.

8809020110 Notification of registration as user of Certificates of Compliance 9036 & 9056,per 880721 request
MACDONALD,C.E. Transportation Branch. 88/08/25 BLANCHARD,C.M J.A. Jones Applied Research Co 1p. 46746.046-46746.046.

8809020149 Notification of registration as user of Certificate of Compliance 9056,per 880612 request.
MACDONALD,C.E. Transportation Branch. 88/08/25. FOSTER,C.L. Alpha Quality Services 1p 46747.141-46747.141.

8809310120 Informs of termination of review of 880718 applications re Models C-1 & SPEC-2T shipping packages,per licensee 880706 request
MACDONALD,C.E. Transportation Branch 88/08/30. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 46717.355-46717.355.

8809060265 Notification of registration as user of Certificates of Compliance 6717,9036 & 9056 in response to 880726 request.
MACDONALD,C.E. Transportation Branch. 88/09/01. HOLDEN,B. Holden X-Ray Service 1p. 46764.007-46764.007.

8809060293 Notification of registration as user of Certificates of Compliance 6717,9036 & 9056 in response to 880701 request.
MACDONALD,C.E. Transportation Branch 88/09/01. RUSSELL,H.K. Mississippi X-Ray Service. 1p. 46753.118-46753.118

8809070141 Informs of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056 & 9135,per 880722 request QA program approved by NRC required for registration per 10CFR71.12
MACDONALD,C.E. Transportation Branch 88/09/01. ROCKETT,D.R. McDermott, Inc 1p. 46776.173-46776.173.

DOCKET 71-9070 MODEL: N-55, NUCLEAR PACKAGING, INC.

8809200293 Denies request for registration as user under 10CFR71.12,per 880509 request.Valid QA program must be obtained prior to registration.Reg Guide 7.10, "Establishing QA Programs for Packaging Used in Transport..." encl W/o encl
MACDONALD,C.E. Transportation Branch. 88/09/15. SELLERS,S. Halliburton Co. 1p. 46911.019-46911.019.

DOCKET 71-9079 MODEL: NUPAC 14D-2.0, WESTINGHOUSE-HITTMAN NUCLEAR

8809140370 Requests removal from list of users of NUPAC 14D 2.0 shipping cask,as holder of License NPF-43 Subj cask not presently used at facility
SYLVIA,B.R. Detroit Edison Co 88/08/30. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director 2pp. 46846.174-46846.175

8809200283 Advises that recipient has been deleted as user of NuPac Model 14D-2.0,per 880830 request
MACDONALD,C.E. Transportation Branch. 88/09/15 SYLVIA,B.R. Detroit Edison Co 1p 46918.058-46918.058

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

8809200255 Notification of registration as user of Certificate of Compliance 8081.
MACDONALD,C.E. Transportation Branch 88/09/15. SULLIVAN,D.W. New York, State Univ. of, Buffalo, NY 1p 46911.320-46911.320.

DOCKET 71-9102 MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.

8809010325 Requests addl info re Model NPI 20WC 6 shipping package Response requested within 30 days from ltr date
MACDONALD,C.E. Transportation Branch 88/08/25. TURKANIS,M.M. Neutron Products, Inc 2pp 46726.359-46726.360

8809190108 Forwards revised Drawing D-240160 in response to NRC 880825 ltr re discrepancies between subj drawing & requirements for 20WC 6 overpack per 49CFR178.194.W/one oversize drawing
SCHWEDERER,F. Neutron Products, Inc 88/09/07. MACDONALD,C.E. Transportation Branch 3pp 46865.342-46865.345.

DOCKET 71-9108 MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.

8809130270 Application for renewal of Certificate of Compliance 9108 for Model 6-75.Fee paid.
PAQUIN,P.L. Chem-Nuclear Systems, Inc 88/08/28 MACDONALD,C.E. Transportation Branch 2pp. 46830.045-46830.053.

-8809130278 Rev 3 to "SAR for CNSI Model 6-75 Type A Radwaste Shipping Cask."
Chem Nuclear Systems, Inc 88/08/28. 6pp. 46830.047-46830.055.

DOCKET 71-9126 MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135
MACDONALD,C.E. Transportation Branch. 88/08/25. JUNEAU,B. Global X-Ray & Testing Corp. 1p. 46740.059-46740.059

8809010342 Notification of registration as user of Certificates of Compliance 6717,9036,9056 & 9126,per 880809 request
MACDONALD,C.E. Transportation Branch. 88/08/25. WAINWRIGHT,R. Owensby & Kritikos, Inc 1p 46740.323-46740.323

8809140230 Requests 6-month extension on Certificates of Compliance 9126,9127 & 9128.Licensee to submit consolidated applications by 890430 for review & renewal of certificates. Fee paid
ROUGHAN,C.M. Amersham Corp. 88/08/25 MACDONALD,C. Transportation Branch. 2pp. 46840.314-46840.315

DOCKET 71-9127 MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135.
MACDONALD,C.E. Transportation Branch 88/08/25. JUNEAU,B. Global X-Ray & Testing Corp 1p 46740.059-46740.059.

8809140230 Requests 6 month extension on Certificates of Compliance 9126,9127 & 9128.Licensee to submit consolidated applications by 890430 for review & renewal of certificates. Fee paid.
ROUGHAN,C.M. Amersham Corp 88/08/25. MACDONALD,C. Transportation Branch. 2pp. 46840.314-46840.315.

DOCKET 71-9128 MODEL: C-8, GAMMA INDUSTRIES, INC.

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135.
MACDONALD,C.E. Transportation Branch. 88/08/25. JUNEAU,B. Global X-Ray & Testing Corp. 1p. 46740.059-46740.059

DOCKET 71-9132 MODEL: T-3, ENERGY, DEPT. OF

8808260170 Forwards Amend 1 to Rev 5 of Consolidated T-3 cask SAR,as result of NRC review of 880524 amend to Certificate of Compliance 9132 to include addl payloads of spent fuel.
MAUCK,C.J. Energy, Dept. of. 88/08/05 MACDONALD,C.E. Division of Safeguards & Transportation (Post 870413). 2pp 46658.284-46658.331

-8809010365 Amend 1 to Rev 5 to "Consolidated T-3 Cask SAR."
Energy, Dept of 88/07/31. 46pp 46658.286-46658.331.

DOCKET 71-9133 MODEL: C-10, GAMMA INDUSTRIES, INC.

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135
MACDONALD,C.E. Transportation Branch 88/08/25 JUNEAU,B. Global X-Ray & Testing Corp. 1p. 46740.059-46740.059.

224 DOCKETED ITEMS

DOCKET 71-9135 MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.

8809010231 Notification of registration as user of Certificates of Compliance 6717,9036,9056,9126,9127,9128,9133 & 9135 MACDONALD,C E Transportation Branch 88/08/25 JUNEAU,B Global X Ray & Testing Corp. 1p 46740 059 46740 059

8809070141 Informs of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056 & 9135,per 880722 request QA program approved by NRC required for registration per 10CFR71.12 MACDONALD,C E Transportation Branch 88/09/01 ROCKETT,D R McDermott, Inc 1p 46776 173 46776 173

DOCKET 71-9151 MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR

8809070040 Application for amend to Certificate of Compliance 9151 for Model HN-100 Series 3 shipping package Drawings revised to clearly reflect location of shield plug gasket, studs & alignment pins W/two proprietary drawings ROY,B A Hitlman Nuclear & Development Corp (subs of Hitlman Corp.) 88/08/22 MACDONALD,C E NRC - No Detailed Affiliation Given 6pp 46748 096 46748 101

8809200332 Forwards Rev 12 to Certificate of Compliance 9151 for Model HN 100, Series 3, CNS 14-170, Series III & LN 14-170, Series I & NES 1 shipping packages MACDONALD,C E Transportation Branch 88/09/14 ROY,B A Westinghouse Hitlman Nuclear, Inc 7pp 46916 225 46916 237

--8809200340 Certificate of Compliance 9151, Rev 12, for Model HN-100, Series 3, CNS 14-170 Series III, LN 14-170 Series I & NES 1 shipping packages MACDONALD,C E Transportation Branch 88/09/14 5pp 46916 232 46916 237

DOCKET 71-9156 MODEL: IR 50, INDUSTRIAL NUCLEAR CO.

8809010314 Notification of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056,9156 & 9157 MACDONALD,C E Transportation Branch 88/08/25 FINKENBINDER,T Sowego Testing Service, Inc 1p 46744 087 46744 087

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

8809010314 Notification of registration as user of Certificates of Compliance 6717,9032,9033,9036,9056,9156 & 9157 MACDONALD,C E Transportation Branch 88/08/25 FINKENBINDER,T Sowego Testing Service, Inc 1p 46744 087 46744 087

DOCKET 71-9163 MODEL: GNG-20, GULF NUCLEAR, INC.

8809130349 Requests extension until 880331 to provide addl info re renewal of Type B Certificate 9136 issued to Gulf Nuclear GNG 20 ROUGHAN,C M Amersham Corp 88/08/29 MACDONALD,C E Transportation Branch 2pp 46834 174 46834 175

8809260183 Forwards Rev 3 to Certificate of Compliance 9163 for Model GNG-20 MACDONALD,C E Transportation Branch 88/09/20 ROUGHAN,C Amersham Corp 2pp 46965 200 46965 204

--8809260188 Certificate of Compliance 9163, Rev 3, for Model GNG 20. MACDONALD,C E Transportation Branch 88/09/20 3pp 46965 202 46965 204

DOCKET 71-9176 MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.

8809140323 Requests registration as user of radioactive materials shipping casks Types 14-210 L, 14 210 H & 10-142 BRADHAM,O S South Carolina Electric & Gas Co 88/08/30 MACDONALD,C E NRC - No Detailed Affiliation Given 1p 46844 128 46844 129

8809200240 Notices of registration as user of Certificates of Compliance 9176 & 9208, per 880830 request MACDONALD,C E Transportation Branch 88/09/15 BRADHAM,O S South Carolina Electric & Gas Co 1p 46919 278 46919 278

DOCKET 71-9183 MODEL: NAC-1, NUCLEAR ASSURANCE CORP.

8809220208 Requests addl info identified in encl re 880525 request for approval for Model NAC-1 package MACDONALD,C E Transportation Branch 88/09/15 WELLS,A H Nuclear Assurance Corp. 3pp 46927 187 46927 189

DOCKET 71-9187 MODEL: 865, TECH/OPS, INC.

8809130018 Informs of registration as user of Certificate of Compliance 9187 per 880810 request MACDONALD,C E Transportation Branch 88/09/05 MERCADO,D P Lockheed Missiles & Space Co, Inc. 1p 46830 226 46830 226

DOCKET 71-9200 MODEL: 125-B, ENERGY, DEPT. OF

8808290310 Responds to 880721 ltr Nuclear Packaging w/ll provide requested info by 881201 TEMUS,C J Pacific Nuclear Systems, Inc. 88/08/16 MACDONALD,C E Transportation Branch 1p 46677 348 46677 349

DOCKET 71-9208 MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.

8808260491 Requests registration as user of Model 10-142 MUSOLF,D Northern States Power Co 88/08/15 MACDONALD,C E Transportation Branch 1p 46654 026 46654 027

8808260494 Requests registration as user of Model 10 142 HANNEN,R L Iowa Electric Light & Power Co 88/08/16 MACDONALD,C E Transportation Branch 2pp 46654 308 46654 309

8809140323 Requests registration as user of radioactive materials shipping casks Types 210 L, 14 210 H & 10 142 BRADHAM,O S South Carolina Electric & Gas Co 88/08/30 MACDONALD,C E NRC - No Detailed Affiliation Given 1p 46844 128 46844 129

8809200240 Notices of registration as user of Certificates of Compliance 9176 & 9208, per 880830 request MACDONALD,C E Transportation Branch 88/09/15 BRADHAM,O S South Carolina Electric & Gas Co 1p 46919 278 46919 278

DOCKET 71-9214 MODEL: DHLW, GA TECHNOLOGIES, INC.

8809130256 Informs that licensee will respond to request for addl info re application for defense high level waste cask by 880415 ZIMMER,A General Atomics (formerly GA Technologies, Inc /General Atomics) 88/08/24 MACDONALD,C E Transportation Branch 2pp 46834 141 46834 142

DOCKET 71-9218 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

8808280090 Requests registration as user of Model CNS 1-13G radioactive materials shipping cask Requests that future info re package be sent to listed address SULLIVAN,D W Buffalo Materials Research Center 88/08/15 MACDONALD,C E Transportation Branch 2pp 46676 203 46676 203

8809010216 Notification of registration as user of Certificate of Compliance 9151, per 880815 request MACDONALD,C E Transportation Branch 88/08/25 SULLIVAN,D W Buffalo Materials Research Center 1p 46720 355 46720 355

8809120142 Requests registration as user of Chem Nuclear Sys, Inc Model CNS 1-13G radioactive materials shipping cask Package identification number for cask is USA 125-B(1) Future info on package should be forwarded to listed address SULLIVAN,D W New York State Univ. of Albany, NY 88/08/25 MACDONALD,C E Transportation Branch 2pp 46813 284 46813 295

DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF

8808280060 Forwards revised testing plan for TRUPACT-II Test Units 1 & 2 at Sandia QUINN,G J Pacific Nuclear Systems, Inc 88/08/16 CHAPPELL,R Transportation Branch 6pp 46684 047 46684 052

8809140234 Forwards revised Figure 7.1-1 showing orientation of TRUPACT II Test Unit 1 for pool fire test Test unit will be placed in fire pool support std in horizontal position QUINN,G J Nuclear Packaging, Inc. 88/08/07 CHAPPELL,R Transportation Branch 5pp 46846 205 46846 209

DOCKET 71-9222 MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC

8809200108 Requests registration as user of Hitlman Nuclear Model HN 215H radioactive materials shipping cask HESS,J E General Public Utilities Corp - GPU Service Corp 88/08/16 MACDONALD,C E Transportation Branch 2pp 46919 288 46919 287

DOCKET 71-9224 MODEL: HN-190-2, WESTINGHOUSE HITTMAN NUCLEAR, INC.

8808260497 Requests registration as user of Model HN 190-2 HANNEN,R L Iowa Electric Light & Power Co 88/08/16 MACDONALD,C E Transportation Branch 1p 46670 038 46670 039

8808260499 Requests registration as user of Model HN-190 2 MUSOLF,D Northern States Power Co 88/08/17 MACDONALD,C E Transportation Branch 1p 46654 028 46654 029

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP

8808260412 "SAR for Nuclear Assurance Corp Legal Weight Truck Cask T-88004" Nuclear Assurance Corp 88/03/31 800pp 46671 079 46673 298

8808290155 Forwards corrected Rev 1 for Incorporation into LWT SAR for quarter 8808 model Describes results of drop tests WELLS,A H Nuclear Assurance Corp 88/08/17 MACDONALD,C E Division of Safety guards & Transportation (Post 870413), 107pp, 46876 005 46876 113

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0003 CAROLINA POWER & LIGHT CO.

8809120138 Application for amend to License SNM-2502, raising Tech Spec 2.4.1 beta & gamma contamination on surface of dry shielded canister from current limit to 2200 dis/min/100 cm2 & raise limit to current limit of 2,200 dis/min/100 cm2 Fee paid UTLEY,E E Carolina Power & Light Co 88/08/11 ROUSE Division of Industrial & Medical Nuclear Safety (Post 870729) 5pp 46811 315 46812 241

--8809120139 Proposed Tech Specs raising limits in beta & gamma contamination on surface of dry shielded canister from current limit to 220,000 dis/min/100 cm2 & raising alpha limit to 2,200 dis/min/100 cm2 Carolina Power & Light Co 88/08/11, 216pp, 46811 320 46812 241

8809060208 Forwards Amend 4 to "ISFSI SAR for HB Robinson Plant," LOFLIN,L I Carolina Power & Light Co 88/08/15 ROBERTS,J P NRC - No Detailed Affiliation Given 4pp 46762 078 46762 103

DOCKETED ITEMS 225

--8809120127 Amend 4 to ISFSI SAR.
* Carolina Power & Light Co 88/08/15 19pp 46762 083 46762 103

8809140301 Forwards "Personnel Exposure & Monitoring Rept HB Robinson ISFSI, Jan-June 1986" Rept for 1987 personnel exposures will be submitted by 880830 MORGAN, R E. Carolina Power & Light Co 88/09/06 Document Control Branch (Document Control Desk) 1p 46840,278-46840,279

--8809140317 "Personnel Exposure & Monitoring Rept HB Robinson ISFSI, Jan- Dec 1986"
* Carolina Power & Light Co 88/12/31. 1p 46840 279-46840 279

8809140453 Notification of 880824 meeting w/util in Rockville, MD to discuss license amend application for plant ISFSI.
STURZ, F. Fuel Cycle Safety Branch. 88/09/08 ROUSE, L C Fuel Cycle Safety Branch 3pp. 46837,227-46837,229.

8809230215 Submits rept of individual whole body exposures for FY87 in compliance w/ License SNM-2602 & 880816 ltr Submittals RNP/88 0347 & RNP/88 0348 to be supplemented to provide corrected whole body exposure data for License DPR-23 MORGAN, R E. Carolina Power & Light Co 88/09/19, Document Control Branch (Document Control Desk) 3pp. 46845 001-46845 003.

DOCKET 72-0004 DUKE POWER CO., 50-259

8809070043 Forwards request for info for NRC review of NUTECH Topical Rept, NUH-002, Rev 1. Some calculations provided do not appear to correspond to NUTECH design
ROBERTS, J.P. Fuel Cycle Safety Branch. 88/08/31 MCCONAGHY, W J, NUTECH[®] Engineers, Inc 4pp 46777:342 46777 345

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

- 8807280361** Staff requirements memo re 880621 briefing in Rockville, MD re proposed rule on fitness for duty at nuclear power plants.
CHILK, S.J. Office of the Secretary of the Commission. M880821E 88/07/18
STELLO, V. Ofc of the Executive Director for Operations 1p 46848 078-46849,078.
- 8808260305** Staff requirements memo re 880811 briefing in Rockville, MD on status & results of B&W reassessment of B&W reactors
CHILK, S.J. Office of the Secretary of the Commission. M880811 88/08/23
STELLO, V. Ofc of the Executive Director for Operations. 2pp. 46856 183 46856:184
- 8808260311** Staff requirements memo re Commission 880816 briefing in Rockville, MD concerning proposed maint rule & status of efforts to develop performance indicators Requesting of data from industry suggested
CHILK, S.J. Office of the Secretary of the Commission. M880816. 88/08/24.
STELLO, V. Ofc of the Executive Director for Operations 1p. 46853 183 46853 183
- 8808260329** Staff requirements memo re Commission 880815 briefing by CNWRA & staff re status of establishing expert contractor technical assistance for review of nuclear waste issues. Paper summarizing CNWRA planned activities requested
CHILK, S.J. Office of the Secretary of the Commission. M880815. 88/08/24.
STELLO, V. Ofc of the Executive Director for Operations. 1p. 46854,033 46854-033
- 8808300310** Corrected Page 1 to transcript of Advisory Committee on Nuclear Waste 880628 briefing in Rockville, MD Pg 1-29
* Commissioners. 88/08/29. 3pp 46892 112-46892-114
- 8809010121** Staff requirements memo re Commission 880809 briefing in Rockville, MD on key licensing issues associated w/DOE development of advanced commercial reactor designs.
CHILK, S.J. Office of the Secretary of the Commission. M880809B. 88/08/30 Office of the Secretary of the Commission. 1p. 46719,098 46719-098.
- 8809010306** Staff requirements memo re Commission 880804 affirmation/ discussion & vote in Rockville, MD concerning SECY-88-164, SECY-88-184 & SECY 88-162
CHILK, S.J. Office of the Secretary of the Commission. 88/08/12 STELL, V. Ofc of the Executive Director for Operations. 4pp. 46743-342-46743:345.
- 8809130196** Staff requirements memo re 880805 affirmation/discussion & vote in Rockville, MD, approving interim rules to 10CFR170 & 171 re NRC collection of required fees mandated by Congress Encl mods also approved
CHILK, S.J. Office of the Secretary of the Commission. M880805B. 88/08/12.
STELLO, V. Ofc of the Executive Director for Operations. 3pp. 46836,228 46836-230
- 8809150210** Transcript of 880908 briefing in Rockville, MD re final rule on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Pg 1-28.
* Commissioners. 88/09/08. 32pp. 46884 240-46884 272.
- 8809150216** Transcript of 880907 briefing in Rockville, MD re proposed rule on degraded operators Pg 1-35. Viewgraphs encl.
* Commissioners. 88/09/07. 64pp. 46884,273-46884:324
- 8809190002** Transcript of 880912 meeting in Rockville, MD re briefing of severe accident policy for future LWRs. Pg 1-45.
* Commissioners. 88/09/12. 77pp. 46827:036-46827:115.
- 8809220012** Staff requirements memo re 880908 briefing in Rockville, MD on final rule on emergency planning & preparedness.
CHILK, S.J. Office of the Secretary of the Commission. M880908. 88/09/18.
STELLO, V. Ofc of the Executive Director for Operations 1p. 46927:095-46927:095.
- 8809230042** Staff requirements memo re 880908 briefing in Rockville, MD on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.
CHILK, S.J. Office of the Secretary of the Commission M880908. 88/09/20
STELLO, V. Ofc of the Executive Director for Operations 1p. 46944:014-46944:014.
- 8809230046** Staff requirements memo re 880907 briefing in Rockville, MD on proposed rule requiring engineering degraded reactor operators at nuclear power plants & other options to assure technical expertise & professionalism at facilities
CHILK, S.J. Office of the Secretary of the Commission. M880907 88/09/20.
STELLO, V. Ofc of the Executive Director for Operations. 1p 46932:276 46932-276.
- 8809300079** Forwards documents to be placed into Nuclear Documents Sys Advanced copy of documents forwarded to PDR on 880913 under FOIA 84-61
URBAN, P.A. Assistant General Counsel for Adjudications & Opinions. 88/09/18.
COLLINS, M. NRC - No Detailed Affiliation Given. 1p 46990,241-46991:078.
- 8809300125** Sanitized transcript of 830913 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pg 1-78.
* Commissioners. 83/09/13 34pp 46990:286-46990:318.
- 8809300126** Sanitized transcript of 830921 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pg 1-73
* Commissioners. 83/09/21. 72pp. 46990:320-46991:030.
- 8809300128** Sanitized transcript of 830923 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pg 1-87
* Commissioners. 83/09/23 46pp. 46991:031-46991:077

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

- 8809090070** Transcript of ACRS Ad Hoc Subcommittee on Pilgrim Restart 880826 meeting in Plymouth, MA. Pg 1-232. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards 88/08/26 307pp. 46768,059-46769,004.
- 8809090071** Transcript of ACRS Subcommittee on Safety Philosophy Technology & Criteria 880901 meeting in Bethesda, MD Pg 1-199. Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/09/01. 211pp. 46763:104-46763:314.

- 8809140003** Transcript of ACRS Subcommittee on Maint Practices & Procedures 880907 meeting in Bethesda, MD Pg 1-208. Supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards 88/09/07 250pp. 46801 113-46802 052
- 8809160157** Transcript of ACRS 341st 880908 general meeting in Bethesda, MD Pg 1-220 Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards 88/09/08. 352pp 46847 154-46848 144
- 8809180159** Transcript of ACRS 341st general meeting on 880909 in Bethesda, MD Pg 221-460. Supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards 88/09/09 317pp 46835 001-46835,319

ADVCOM NRC ADVISORY COMMITTEE

- 8808300310** Corrected Page 1 to transcript of Advisory Committee on Nuclear Waste 880628 briefing in Rockville, MD Pg 1-29
* Commissioners. 88/08/29 3pp 46892 112-46892-114
- 8809150306** Transcript of Advisory Panel for Decontamination of TMI-2 880907 meeting in Harrisburg, PA. Pg 1-109. Supporting documentation encl
* Advisory Council for Decontamination of TMI Unit 2. 88/09/07 127pp. 46950 009-46950 120.
- 8809210135** Transcript of Advisory Committee on Nuclear Waste fourth meeting on 880914 in Bethesda, MD Pg 263-445 Supporting documentation encl
* Advisory Committee on Nuclear Waste. 88/09/14. 221pp 46865 346 46866 192
- 8809210137** Transcript of Advisory Committee on Nuclear Waste fourth meeting on 880913 in Bethesda, MD. Pg 1-262. Supporting documentation encl
* Advisory Committee on Nuclear Waste 88/09/13 264pp 46866 193 46867 123.
- 8809220199** Lists comments re development of proposed policy statement on exemptions from regulatory control from practices whose public health & safety impacts are below regulatory concern.
MOELLER, D.W. Advisory Committee on Nuclear Waste. 88/09/15. ZECH, L.W. Commissioners. 6pp. 46911:086 46911 091
- 8809220181** Recommends NRC bring study of high density polyethylene high integrity containers to closure, per 880913-14 meeting Low corrosion rate could result in container that satisfies NRC criteria
MOELLER, D.W. Advisory Committee on Nuclear Waste. 88/09/16 ZECH, L.W. Commissioners. 2pp. 46928,138 46928 139

COMMISSION NRC COMMISSIONERS

- 8808260157** Responds to 880820 ltr expressing concerns re restart of facility Emergency plans in place that include measures for evacuation of plume exposure pathway EP2.
ZECH, L.W. Commissioners. 88/08/18. DWIGHT, G.E. Scituate, MA 4pp 46669:242-46669:254.
- 8808260158** Expresses concerns re reopening facility Evacuation plan not in place & leukemia study results should be in hand before restart.
DWIGHT, G.E. Scituate, MA. 88/08/29 ZECH, L.W. Commissioners 1p 46669,254-46669,254.
- 8808260346** Forwards quarterly rept for second quarter of CY88, per H R 97-850.
ROGERS, K.C. Commissioners 88/08/23. BEVILL, T. House of Rep, Appropriations. 11pp. 46929:339-46929:349
- 8808290041** Weekly info rept for wk ending 880819
HOYLE, J.C. Ofc of the Executive Director for Operations 88/08/24. 30pp 46784:345-46785,017.
- 8808290286** Ack receipt of 880727 ltr re trip to FRG in Sept & meetings w/Minister Topfer & other German officials.
ZECH, L.W. Commissioners 88/08/18. HOHLEFELDER Germany, Federal Republic of. 1p. 46668 011-46668,013.
- 8808290290** Replies to Aggerwall 880721 ltr re participation in "Symposium on Nuclear Power Plant Aging." Sends regrets.
* Germany, Federal Republic of. 88/07/27. ZECH, L.W. Commissioners 2pp. 46668,012-46668:013.
- 8808290342** Forwards NRC 880819 Announcement 89 re fitness-for-duty policy & SECY-88-129, per 880729 request. Encl clarifies importance that Commission places on fitness-for duty programs for nuclear power plants w/o SECY-88-129
ZECH, L.W. Commissioners. 88/08/18. MARKEY, E.J. House of Rep. 3pp. 46668 001-46668 006
- 8808290348** Discusses Commission inaction on issuance of regulations establishing fitness for duty requirements at nuclear power plants Failure by Commission to act & put into place programs places public health & safety at unnecessary risk
MARKEY, E.J. House of Rep. 88/07/29. ZECH, L.W. Commissioners. 2pp. 46668 004-46668 006
- 8808300076** Forwards answers to recipient 871119 ltr re operation of plant during 1982-83. NRC satisfied w/operation
ZECH, L.W. Commissioners 88/02/17. SHARP, P.R. House of Rep., Energy & Commerce. 11pp 46703:243-46703:267.
- 8808300085** Advises that encl list of clients willing to cooperate w/NRC re investigation of plant.
MILLER, J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 88/05/08 BURCH, R.H. Region 2, Ofc of the Director. 4pp 46703:254-46703,257.

228 NONDOCKETED ITEMS

- 8808300088 Supplis 880506 ltr re proposal of terms & conditions for employee interviews at plant for NRC investigation of allegations.
MILLER,J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward 86/07/10
ZECH,L.W., ASSELSTINE,J.K., BERNTHAL,F.M. Commissioners 3pp 46703 258-46703 260.
- 8808300090 Submits position on proposed terms & conditions re investigative interviews at plant,per 880506 & 0710 ltrs
HAYES,B. Office of Investigations 86/08/08 MILLER,J.H. Balch, Bingham, Baker, Hawthorne, Williams & Ward. 4pp 46703.261-46703 264
- 8808300095 Discusses allegations re licensee operation of plant w/ damaged fuel in 1892-83
SHARP,P.R. House of Rep., Energy & Commerce 87/11/19 ZECH,L.W. Commissioners 3pp. 46703 265 46703 267.
- 8808300089 Responds affirmatively to 880720 request for reimbursable detail of JA Axelrad to Monitored Retrievable Storage Review Commission to serve as Commission executive director & general counsel for 18 months
ZECH,L.W. Commissioners 88/08/17. RADIN,A. Monitored Retrievable Storage Review Commission 1p 46698 307-46698 308
- 8808300094 Requests to detail JA Axelrad to Monitored Retrievable Storage Review Commission to serve as Commission executive director & general counsel for 18 months
RADIN,A. Monitored Retrievable Storage Review Commission 86/07/20 ZECH,L.W. Commissioners 1p. 46698 308 46698 308
- 8808300142 Expresses NRC full support for plan for federal response to catastrophic earthquake & appreciation for opportunity to participate in catastrophic disaster response group meeting, per 880801 ltr.
ZECH,L.W. Commissioners 88/08/18. BECTON,J.W. Federal Emergency Management Agency. 1p 46691.348 46691 350
- 8808300145 Requests confirmation that EL Jordan appropriate official for extending invitation to participate in workshop scheduled in late Sept or early Oct 1988 re catastrophic disaster response group
BECTON,J.W. Federal Emergency Management Agency 88/08/01. ZECH,L.W. Commissioners. 2pp 46691 349 46691 350
- 8808300146 Discusses State of VT continued participation in NRC State Liaison Program.
ZECH,L.W. Commissioners 88/08/18 KUNIN,M.M. Vermont, State of 1p 46697 204-46697 206
- 8808300150 Discusses State of NJ continued participation in NRC State Liaison Program
ZECH,L.W. Commissioners. 88/08/18 KEAN,T.H. New Jersey, State of 1p 46697.205-46697 205
- 8808300153 Discusses State of MD continued participation in NRC State Liaison Program.
ZECH,L.W. Commissioners. 88/08/18. SCHAEFER,W.D. Maryland, State of. 1p, 46697.206-46697.206
- 8809010329 Summary of CRGR Meeting 141 on 880714 re proposed generic ltr, "Instrument Air Supply Problems Affecting Safety Related Equipment" & proposed draft rule to require college degrees for senior reactor operators.
JORDAN,E.L. Committee to Review Generic Requirements 88/08/15. STELLO,V. Ofc of the Executive Director for Operations 7pp. 46885 001-46885 001
- 8809150131 Comments on advance notice of proposed rulemaking re degree requirements for senior operators,per SECY-87-101 Author regrets that ACRS not in agreement w/Commission concerning method to be used to achieve Commission goals.
ZECH,L.W. Commissioners COMTR 87-3. 87/08/28 ROBERTS., BERNTHAL, CARR Commissioners. 1p 46885 033-46885 033.
- 8809160137 Comments on advanced notice of proposed rulemaking re degree requirements for senior operators Author agrees w/Carr that Commission goals should be identified in proposed rule
BERNTHAL,F.M. Commissioners COMTR 87-3 87/09/01 CHILK,S. Office of the Secretary of the Commission 28pp. 46885 034-46885 081
- 8809020137 Weekly info rept for wk ending 880828.
HOYLE,J.C. Ofc of the Executive Director for Operations 88/08/30. 31pp. 46751 178-46751 208.
- 8809090044 Partial response to FOIA request for documents Forwards App C document Documents available in PDR
GRIMSLEY,D.H. Office of Administration & Resources Management, Director (Post 870413). 88/08/15. WEISSMAN,S. California, State of 2pp 46769.005-46769.006.
- 8809120089 Board Notification 82-04 forwarding info re pressurized thermal shock
EISENHUT,D.G. Division of Licensing (800428-851124) 82/01/20. PALLADINO,N. Commissioners. 2pp. 46769 007-46769 019.
- 8809090086 Weekly info rept for wk ending 880902.
HOYLE,J.C. Ofc of the Executive Director for Operations. 88/09/07. 31pp. 46801:082-46801:112
- 8809090111 Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87-444 Documents or portions of documents continue to be withheld (ref FOIA Exemption 5).
CHILK,S.J. Office of the Secretary of the Commission, 88/08/12. HAMLIN,J.B. Shaw, Pittman, Potts & Trowbridge. 11pp. 46769.300-46769 326.
- 8809090119 Requests that Committee review disagreement between NRC & NRC Inspector i Yin over technical issues arising from licensee design control measures for small & large bore piping sys & advise Commission on resolution.
PALLADINO,N.J. Commissioners 84/04/04 EBERSOLE,J.C. ACRS - Advisory Committee on Reactor Safeguards 1p. 46769 314-46769 314
- 8809090123 Requests comments on listed issues prior to Commission action on full power license for plant
PALLADINO,N.J. Commissioners. 84/04/13. EBERSOLE,J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46769 315-46769 321.
- 8809090128 Forwards for review, revised order. Changes based on suggestions made by Roberts & Bernthal W/o encl
PALLADINO,N.J. Commissioners 83/11/07 GILINSKY Commissioners 1p 46769 322-46769 322
- 8809090131 Comments on 10CFR55.25 re administration of operating test prior to initial criticality, per NRC brief in plant case
PALLADINO,N.J. Commissioners 84/11/02 BRIGGS,W.H. Solicitor. 2pp 46769 323-46769 324.
- 8809090135 Approves SECY-81-115A re prehearing conference order, as modified by attached page W/o encl
AHEARNE,J. Commissioners. 81/03/09 HENDRIE Commissioners 1p. 46769 325-46769 325
- 8809090139 Forwards draft of dissenting views re notice of violation. W/o encl
AHEARNE,J. Commissioners 82/02/08 PALLADINO Commissioners. 1p. 46769 328-46769 328
- 8809090117 Final response to FOIA request Forwards App A document App B documents withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/18 FELTON,J.M. Nuclear Licensing Reports 4pp 46777 011-46777 017.
- 8809160177 Final response to FOIA request for documents App A records released App B document available in PDR Forwards App C documents Documents also available in PDR App D documents withheld (ref FOIA Exemptions 2 & 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/30 FELTON,J.M. Nuclear Licensing Reports 8pp. 46832 078 46833 148
- 8809160188 Forwards series of questions re subcommittee exam of Commission activities & relationship w/ utility licensees
BREAUX,J.B. Senate, Environment & Public Works. 88/01/27 ZECH,L.W. Commissioners 50pp 46832 086 46832 135.
- 8809160211 Forwards remaining answers to 880127 questions re Ofc of Investigations, training & qualification of nuclear power plant personnel, NRC proposed policy statement on maint & NRC policy statement on enforcement
ZECH,L.W. Commissioners 88/03/01 BREAUX,J. Senate, Environment & Public Works. 16pp. 46832.216 46832 231
- 8809160291 Responds to 880121 ltr re several questions from colleagues on Committee on Environ & Public Works Resolution 395 will not occur until Commission developed permanent organizational plan for integrating investigative functions.
ZECH,L.W. Commissioners 88/01/29. STAFFORD,R.T. BURDICK,Q.N. SIMPSON,A.K. Senate, Environment & Public Works 8pp. 46833.028 46833 076
- 8809160300 Responds to 880121 ltr from several congressmen expressing reservations re Commission announcement on future status of NRC Ofc of Investigations
ZECH,L.W. Commissioners 88/01/29. SHARP,P.R., DINGELL,J. House of Rep., Energy & Commerce UDALL,M.K. House of Rep., Interior & Insular Affairs 8pp 46833.078 46833 084
- 8809160305 Responds to 880117 request for legislative history on Congressional coling of 38 positions for Ofc of Investigations. Commissions FY82 budget did not include separate category for Investigations.
KAMMERER,C. Office of Congressional Affairs (pre 870413) 88/01/24 ASSELSTINE,J.K. Commissioners 5pp 46832 359-46833 009
- 8809160307 Advises that effective 880201, Ofc of Investigations will report to Deputy Director for Regional Operations. Within 60 days Commission intends to develop permanent organizational plan for integrating investigative functions
ZECH,L.W. Commissioners 88/01/21 STELLO,V. Ofc of the Executive Director for Operations 10pp. 46833.085 46833 094
- 8809160313 Advises that listed Commissioners approved proposed SRM & ltr to Congress. Commissioner Roberts noted that key consideration in step two, "to assure more efficient & cost-effective utilization of staff resources," is reassignment
CHILK,S.J. Office of the Secretary of the Commission 88/01/20 ZECH Commissioners 2pp. 46833.095-46833 096
- 8809160318 Advises of proposal to respond to Conference Committee Report direction that functions of Ofc of Investigations be consolidated under EDO by two step approach that will carry out directive
ZECH,L.W. Commissioners. COMLZ-88 2 88/01/19. ROBERTS., BERNTHAL, CARR Commissioners 10pp. 46833.097-46833 106.
- 8809160320 Advises of briefing for House Subcommittee on Energy & Power on 880331 re new reporting arrangements.
BRADBURN,J. Congressional Affairs 88/03/29. ZECH, ROBERTS, BERNTHAL Commissioners. 1p 46833 137-46833 138.
- 8809160325 Advises that encl ltr sent to Chairman Whitten & Stennis outlining measures taken by Commission to implement conferees directive to consolidate investigative activities under mgmt of EDO
ZECH,L.W. Commissioners 88/01/21. BEVILL,T. House of Rep., Appropriations 2pp 46833.139 46833 139.
- 8809160328 Informs of action taken by Commission in response to directive in conference committee report on HJ Res 395 re organizational structure of NRC
ZECH,L.W. Commissioners. 88/01/21 STENNIS,J.C., WHITTEN,J.L. Senate, Appropriations 2pp. 46833 140 46833 141.
- 8809160330 Informs that Commission has decided that, effective 880201, Ofc of Investigations will report to Deputy Executive Director for Regional Operations.
ZECH,L.W. Commissioners 88/01/21 BREAUX,J.B. Senate. 1p 46833 142-46833 142
- 8809160331 Informs of serious concerns re directive & apprises of interests & intentions re structure of NRC investigative functions
STAFFORD,R.T., BURDICK,Q.N., SIMPSON,A.K. Senate, Environment & Public Works. 88/01/21. ZECH,L.W. Commissioners 5pp 46833.143 46833 147.
- 8809190010 Discusses language appearing on statement of managers accompanying HJ Res 395 re continuing resolution for FY88.
UDALL,M., DINGELL,J. House of Rep., Interior & Insular Affairs. GEJDENSON,S. House of Rep. 88/01/21. ZECH,L.W. Commissioners 2pp. 46833.107-46833 108

--8809190014 Forwards answers to detailed questions re Commission decision to direct Ofc of Investigations to report to Commission through Executive Director for Operations rather than directly
AECH,L.W. Commissioners 88/02/26 GLENN,J., ROTH,W.V. Senate, Governmental Affairs 7pp 46833 109 46833,115

--8809190017 Requests participation in establishing Ofc of Investigations (OI) Organizational Review Group to prepare recommended organization, for approval by Commission, integrating functions of OI within EDO.
ZECH,L.W. Commissioners 88/02/02 THOMPSON,H. Office of Nuclear Material Safety & Safeguards, Director BIRD,P. NRC - No Detailed Affiliation Given FITZGERALD,J. Office of the General Counsel 1p 46833 116 46833 116

--8809190036 Requests suspension of actions until Senate had time to fully consider issues, including S 908.
GLENN,J.H., ROTH,W.V. Senate, Governmental Affairs 88/01/26, ZECH,L.W. Commissioners 13pp, 46833 117-46833 128

--8809190360 Advises that author sent encl ltr to Chairmen Whitten & Stennis outlining measures which Commission taking to implement conference directive to consolidate investigative activities under mgt of EDO.
ZECH,L.W. Commissioners. 88/01/21 JOHNSTON,J.B. Senate, Appropriations 1p 46833 148 46833,148

8809190155 Weekly info rept for wk ending 880909
HOYLE,J.C. Ofc of the Executive Director for Operations 88/09/14 33pp, 46897,309-46897,341.

8809210080 Forwards NRC responses to 880525 questions re TVA nuclear program.
ZECH,L.W. Commissioners 88/06/21 DINGELL,J.D. House of Rep., Energy & Commerce 21pp, 46929 205-46929 235

--8809210083 Requests addl info on listed issues re TVA nuclear program compliance w/NRC regulations
DINGELL,J.D. House of Rep., Energy & Commerce, 88/05/25, LANDO,W.Z. Commissioners 3pp 46929 227-46929 229.

--8809210132 Summary of 880414 meeting w/HSBI representatives to discuss upcoming NRC enforcement conference on I&H.
DOMER,J.A. NRC - No Detailed Affiliation Given, 88/04/18 NRC - No Detailed Affiliation Given 5pp, 46929 230-46929 235

8809210097 Forwards Joint US-Soviet press release discussing Aug 1988 visit to Soviet Union & protocol of first meeting of Joint Coordinating Committee for Civilian Nuclear Reactor Safety
ZECH,L.W. Commissioners 88/09/07, BREAU,X.J.B. Senate, Environment & Public Works, SHARP,P.R. House of Rep., Energy & Commerce, JOHNSTON,J.B. House of Rep., Appropriations 47pp 46929,292-46929 338

8809210118 Submits names of KE Perkins, TE Murley & N Zuber as nominees for Excelsior Award, per 880728 telcon
ROGERS,K.C. Commissioners. 88/08/26 MORELLA,C.A. House of Rep. 1p 46920 289-46920 289.

8809210122 Forwards Vol 11, Number 1 to NUREG 0900, "Rept to Congress on AOs," for First Quarter 1988, w/o encl.
ROGERS,K.C. Commissioners. 88/08/23, WRIGHT,J. House of Rep., Speaker of the House BUSH,G.H. Senate, President of the Senate, 2pp 46920 287-46920 288

8809210199 Lists comments re development of proposed policy statement on exemptions from regulatory control from practices whose public health & safety impacts are below regulatory concern
MOELLER,D.W. Advisory Committee on Nuclear Waste, 88/09/15 ZECH,L.W. Commissioners. 6pp 46911 084-46911 091.

8809220028 Advises that prior commitments preclude author attendance at 880909 meeting to hear JN Barkenbus discuss proposal for US-Soviet cooperation in const & testing of new generation of nuclear reactors
ZECH,L.W. Commissioners. 88/09/02 SERFATY,S. Johns Hopkins Univ., Baltimore, MD. 1p 46918 189 46918-190

--8809220128 Extends invitation to attend 880909 meeting at Foreign Policy Inst to hear JN Barkenbus discuss proposal for US-Soviet cooperation in const & testing of new generation of nuclear reactors.
SERFATY,S. Johns Hopkins Univ., Baltimore, MD. 88/08/16 ZECH,L.W. Commissioners 1p 46918 190-46918 190

8809230176 Responds to 880513 ltr re concerns about potential generic implications of MOU negotiated for Church Rock, NM mill tailings site MOU should not be delayed
ZECH,L.W. Commissioners. 88/08/04, SIMPSON,A.K. Senate, Environment & Public Works 28pp, 46943,282 46943,290.

--8809230181 Discusses Commission consideration in entering into MOU w/ EPA, setting forth approach to apply in Comprehensive Environ Response Compensation & Liability Act of 1980
SIMPSON,A.K. Senate, Environment & Public Works. 88/05/13, ZECH,L.W. Commissioners 3pp, 46943 288-46943 290

8809230188 Comments on draft 1988 Mission Plan amend, per 880829 request. Plan should specifically ack DOE commitment to develop complete high quality license application
ZECH,L.W. Commissioners. 88/09/16 HERRINGTON,J.S. Energy, Dept. of. 7pp, 46943,014-46943 020

8809230190 Invites State of NE continued participation in NRC state liaison officer program. Understands that M McNabb, most recent state liaison officer from policy research & energy ofc, vacated position.
ZECH,L.W. Commissioners 88/09/16, ORR,K.A. Nebraska, State of. 1p, 46943 291-46943 291.

8809230196 Responds to comments & questions re regulatory trends in US & Republic of Korea. C-E will pursue design certification & will revise Sys 80 std design to meet requirements of NRC severe accident & standardization policy statements
ZECH,L.W. Commissioners. 88/09/12, SHIK KIM,J. Korea, Republic of (South Korea) 2pp 46943,008-46943 013.

--8809230199 Submits questions from South Korean engineers re value of design certification program for C-E Sys 80 & Sys 80 plus designs
SHIK KIM,J. Korea, Republic of (South Korea) 88/09/12, ZECH,L.W. Commissioners. 4pp 46943 010-46943 013.

8809230207 Nominates GA Arlotta & TE Murley for distinguished executive svc award & S Richardson for executive achievement award
ZECH,L.W. Commissioners 88/09/12 BONOSARO,C.A. Senior Executives Association/Professional Development League 11pp 46951,001-46951 017

--8809230208 Invites nominations for executive achievement award & distinguished executive svc award Nominations due by 880915
BONOSARO,C.A. Senior Executives Association/Professional Development League 88/09/12 ZECH,L.W. Commissioners 1p 46951 012 46951 012

--8809230210 Invites nominations for executive achievement award & distinguished executive svc award Nominations due by 880915.
BONOSARO,C.A. Senior Executives Association/Professional Development League 88/09/12, NRC - No Detailed Affiliation Given 5pp 46951 013 46951 017.

8809230211 Provides partial response to 880802 request for assessment of documents re adequacy of IAEA safeguards procedures to detect loss or diversion of significant quantities of nuclear matl
ZECH,L.W. Commissioners 88/09/16 GLENN,J. Senate, Governmental Affairs 2pp 46925 309 46925,330.

--8809230212 Discusses measurement of uncertainties at large-scale (800 tons per yr) nuclear fuel reprocessing plants NRC estimated that uncertainties could be as high as between 200 300 kg of plutonium per yr at facility
GLENN,J. Senate, Governmental Affairs 88/08/02 ZECH,L.W. Commissioners 20pp 46925 311-46925 330

8809300079 Forwards documents to be placed into Nuclear Documents Sys. Advanced copy of documents forwarded to PDR on 880913 under FOIA 84 61.
URBAN,P.A. Assistant General Counsel for Adjudications & Opinions 88/09/16 COLLINS,M. NRC - No Detailed Affiliation Given 1p, 46990 241-46990 078.

--8809300092 Submits position on Commission action on recipient conduct in Appellate FOIA matter. Author voted w/Commission majority to support Chairman 830629 ltr
AHEARNE Commissioners 83/06/30 CUMMINGS,J. Office of Inspector & Auditor 4pp, 46990,256-46990,259.

--8809300095 Discusses 830629 memo of admonition re Appellate FOIA matter. Due to contradictory repts, copies of tapes & transcripts of all Commission meetings wherein subj discussed requested.
CUMMINGS,J.J. Office of Inspector & Auditor. 83/07/05, PALLADINO Commissioners. 1p, 46990 260 46990,260.

--8809300098 Assures Chairman & other commissioners that notwithstanding differing opinions re Appellate FOIA matter, author will continue to provide Commission w/efforts in directing activities of Ofc of Inspector & Auditor.
CUMMINGS,J.J. Office of Inspector & Auditor 83/07/15, PALLADINO Commissioners 1p 46990 261-46990 261.

--8809300099 Requests that copies of tapes &/or transcripts of Commission discussions on Appellate FOIA matter & any documentation re subj be provided Reasons for requesting documentation listed.
CUMMINGS,J.J. Office of Inspector & Auditor. 83/12/20, PALLADINO Commissioners. 2pp, 46990 262-46990 263.

--8809300102 Partially deleted memo re 821103 05 travel from Columbus, OH to Washington, DC, 821103 09 travel from Cincinnati, OH to Washington, DC & NRC handling of expenses incurred in connection w/travel.
CUMMINGS,J.J. Office of Inspector & Auditor 83/08/26 PALLADINO Commissioners 1p 46990 264-46990 264

CONTRACT NRC CONTRACTS AND MODIFICATIONS

8809010339 Notification of contract execution, Mod 7, to "Newspaper Clipping Svcs" Contractor: Press Intelligence, Inc.
HUGHES,A. Contract Administration Branch. NRC 10 86-211. 88/08/12 PHILLIPS,J.D., REDMOND,J. NRC - No Detailed Affiliation Given. 1p, 46741 339 46741 341

--8809010343 Mod 7, deobligating excess funds while closeout process continues, to "Newspaper Clipping Svcs"
JONES,J.M. Press Intelligence, Inc. EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515) NRC-10-86-211 88/08/12. 2pp, 46741 340-46741 341

8809060286 Notification of contract execution, Mod 3, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources" Contractor: Ebasco Svcs, Inc.
HAGEY,H. Contract Administration Branch FIN D-1781 NRC-03 87-119, 88/08/19, BAJWA,S.S. Policy Development & Technical Support Branch (Post 870411) PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p, 46758 182-46758 185.

--8809060295 Mod 3, revising indirect rates & changing name & mailing address of project officer, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources."
COSTELLO,J.J. Ebasco Services, Inc. (subs of Enserch Corp.), EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515), FIN D-1781 NRC-03-87-119 88/08/19 3pp 46758 183-46758 185.

8809060330 Notification of contract execution, Mod 32, to "Technical Assistance for Facilities Requiring Special Assistance," Contractor: Parameter, Inc.
MEEHAN,B. Contract Administration Branch FIN D-2101 NRC-05-86 156, 88/08/17, GRIMES,C.J. Ofc of Special Projects CORLEY,D.J. NRC - No Detailed Affiliation Given 1p, 46764 001-46764 003.

--8809060350 Mod 32, providing incremental funding to, "Technical Assistance for Facilities Requiring Special Assistance"
* Parameter, Inc. EDGEWORTH,P. Division of Contracts & Property Management (Post 880515), FIN D-2101, NRC 05 86-156, 88/08/17 2pp, 46764 002-46764 003.

230 NONDOCKETED ITEMS

- 8809060406** Notification of contract execution, Mod 4, to "Text Processing Svcs" Contractor Keyboard Communications, Inc. FIELDS, J.A. Division of Contracts & Property Management (Post 880515) NRC-10 87-174 88/08/08 PHILLIPS, J. Office of Administration & Resources Management, Director (Post 870413) JOHANSEN, J. NRC - No Detailed Affiliation Given 1p 46755 046 46755 049
- 8809060407** Mod 4, revising NRC working hours, pickup & delivery times, changing second point of origin address & mail address & telephone number of project officer & replacing key personnel to "Text Processing Svcs" BRIGGS, H.J. Keyboard Communications, Inc. MAGAN, T.F. Division of Contracts & Property Management (Post 880515) NRC-10 87-174 88/08/08 3pp 46755 047-46755 049
- 8809070041** Notification of contract execution, Mod 8, to "Technical Support Svcs for Data Telecommunication Equipment" Contractor SBA Subcontractor Pallen-Johnson Assoc, Inc. DORSEY, M. Contract Administration Branch FIN B-1869 NRC-10-85 263 88/08/19, EYSYMONTT, G.P., BROWNELL, B. NRC - No Detailed Affiliation Given 1p 46784.074-46784 075.
- 8809070052** Mod 8, providing incremental funding, to "Technical Support Svcs for Data Telecommunication Equipment" * Small Business Administration * Pallen Johnson Associates, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN B-1869 NRC-10 85-263 88/08/19 1p 46784 075-46784 075
- 8809070088** Notification of contract execution, Mod 19, to "Automated Data Processing Sys Maint" Contractor SBA Subcontractor Technassociates, Inc. KNOX, E. Contract Administration Branch FIN D-1391 NRC-33-86-266 88/08/15 EYSYMONTT, G.P., KOZOSKY, S. NRC - No Detailed Affiliation Given 1p 46784 076 46784 078
- 8809070093** Mod 19, increasing contract ceiling & providing incremental funding, to "Automated Data Processing Sys Maint" * Small Business Administration * Technassociates, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN D-1391, NRC 33 86 266 88/08/15 2pp 46784 077-46784 078.
- 8809070160** Notification of contract execution, Mod 3, to "Purchase of Electronic Telephone Instruments" Contractor Tele Com Products, Inc. VELEZ, P. Contract Administration Branch FIN D-1883, NRC-39 88-177, 88/08/11 EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413) WOODALL, K. NRC - No Detailed Affiliation Given 1p 46783 194-46783 196
- 8809070166** Mod 3, raising contract ceiling & obligated funds, to "Purchase of Electronic Telephone Instruments" DEALMEIDA, T. Tele-Com Products, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN D-1883 NRC-39 88-177, 88/08/11 2pp 46783 195-46783 196
- 8809070168** Notification of contract execution, to "Provide V.22 bis/ Modems," Contractor Video & Telecommunications, Inc. SMITH, P.A. Contract Negotiation Branch-2 FIN D-1883 NRC-39 88-179, 88/08/31 EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413), BROWNELL, B. NRC - No Detailed Affiliation Given 1p 46790.227-46790 270
- 8809070176** Contract, "Provide V.22 bis/Modems," awarded to Video & Telecommunications, Inc. BIANCHIETTA, P.J. Video Telecommunications, Inc. SMITH, P.A. Division of Contracts & Property Management (Post 880515) FIN D-1883, NRC-39 88-179 88/08/31, 43pp 46790 228 46790 270
- 8809070450** Notification of contract execution, Mod 2, to "Equipment in Support of Video Telcon Pilot Program" Contractor Concept Communications, Inc. FLYNN, M.J. Contract Negotiation Branch-1 FIN B-8155 NRC-39 88-180, 88/08/31, AMENTA, J. Deputy Director for Administration (Post 870413) KIRK, I. NRC - No Detailed Affiliation Given 1p 46776 222-46776 223
- 8809070457** Mod 2, deobligating funds due to price reduction for audioplex boards, to "Equipment in Support of Video Telcon Pilot Program" HAYNES, L.S. Concept Communications, Inc. WIGGINS, E.J. Division of Contracts (870413 880514) FIN B-8155, NRC-39 88-180, 88/08/31, 2pp, 46776 222-46776 223
- 8809070539** Notification of contract execution, Mod 9, to "Lease of Telecommunication Equipment" Contractor AT&T Info Sys FLYNN, M.J. Contract Negotiation Branch-1, NRC-33 87-238, 88/08/30, EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413), WOODALL, K. NRC - No Detailed Affiliation Given 1p 46783.159 46783 161.
- 8809070543** Mod 9, deobligating funds for Region II location, to "Lease of Telecommunication Equipment," LUETTERS, R.H. AT&T Information Systems WIGGINS, E.J. Division of Contracts & Property Management (Post 880515) NRC-33-87-238, 88/08/30, 2pp, 46783 160-46783 161.
- 8809130128** Notification of contract execution, Mod 3, to "Relocation Svcs for NRC Employees" Contractor Howard Relocation Group HUGHES, A. Contract Administration Branch NRC-10-87-352, 88/08/22, McDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413) SCHEMM, P. NRC - No Detailed Affiliation Given 1p, 46827 033-46827 035.
- 8809130281** Mod 3, deobligating excess funds while closeout process continues, to "Relocation Svc for NRC Employees" * Howard Relocation Group HAGAN, T.F. Division of Contracts & Property Management (Post 880515), NRC-10-87-352, 88/08/22, 2pp, 46827 034-46827 035
- 8809130240** Notification of contract execution, Mod 8, to "Earthquake Potential & Max Credible Earthquake for Diablo Canyon Power Plant." Contractor Univ of Nevada-Reno, Mackay School of Mines. BELL, S. Contract Administration Branch FIN D-1325, NRC-03-85-059, 88/08/29 BAJWA, S.S. Office of Nuclear Reactor Regulation, Director (Post 870411) POSLUSNY, C. NRC - No Detailed Affiliation Given 1p, 46833 231-46833 234
- 8809130265** Mod 8, providing funding for within scope changes & extending period of performance of contract to, "Earthquake Potential & Max Credible Earthquake for Diablo Canyon Power Plant." RONALD, A. Nevada, Univ of, Reno, NV HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN D-1235 NRC 03 85 059 88/08/29 3pp 46833 232 46833 234
- 8809130360** Notification of contract execution, Mod 23, to "Fuel Cycle Licensing Assistance" Contractor Science Applications Intl Corp MEEHAN, B. Contract Administration Branch NRC-02-87-004 88/09/08 FUNCHES, J.L. Office of Nuclear Material Safety & Safeguards, Director LOYSEN, P. NRC - No Detailed Affiliation Given 1p 46828 274 46828 276
- 8809140030** Mod 23, revising G&A base shown in Mod 21, to "Fuel Cycle Licensing Assistance" Contractor Science Applications Intl Corp RODEHAU, T.J. Science Applications International Corp (formerly Science Applications, Inc.) EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515), NRC-02-87-004, 88/09/08 2pp, 46828 275 46828 276
- 8809140123** Notification of contract execution, Mod 5, to "Translation Svcs" Contractor SCITRAN HUGHES, A. Contract Administration Branch, NRC-10 86-235, 88/08/15 PHILLIPS, J.H. Office of Administration & Resources Management, Director (Post 870413), LARKINS, P. NRC - No Detailed Affiliation Given 1p 46837 007 46837 008
- 8809140132** Mod 5, decreasing contract ceiling amount & amount obligated, to "Translation Svcs" FEITIS, M. SCITRAN HAGAN, T.F. Division of Contracts & Property Management (Post 880515) NRC-10 86-235, 88/08/15 1p 46837 008 46837 008
- 8809200368** Notification of contract execution, Mod 21, to "Document Registration, Announcement, Marketing & Purchases." Contractor Dept of Commerce, Natl Technical Info Svcs DORSEY, M. Contract Administration Branch FIN D-1860, NRC-10 75-106 88/09/16 MASON, E.B. Policy & Program Management Staff (Post 870413) SCOTT, S. NRC - No Detailed Affiliation Given 1p 46916 239-46916 239.
- 8809200371** Mod 21, increasing funds to "Document Registration, Announcement, Marketing & Purchases" * Commerce, Dept of HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN D 1860 NRC-10 75-106, 88/09/16 1p, 46916 239-46916 239
- 8809200378** Notification of contract execution, Mod 8 to "Facility Sys Analysis Support" Contractor Science Applications Intl, Corp. MEEHAN, B. Contract Administration Branch WEST, K.S. NRC - No Detailed Affiliation Given, FIN D-1011, NRC-02-85 007 88/09/16, WEST, K.S. NRC - No Detailed Affiliation Given 1p, 46911 118 46911 120.
- 8809200380** Mod 8, providing incremental funding, to "Facility Sys Analysis Support" Science Applications International Corp, (formerly Science Applications, Inc.) EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN D-1011, NRC-02 85 007, 88/09/16 1p 46911.120-46911.120
- 8809210117** Notification of contract execution, Mod 3, to "Local Telephone Svc for Region I," Contractor Bell Telephone of Pennsylvania. DORSEY, M. Contract Administration Branch FIN C-1009 NRC-28-88 267 88/09/15 GODY, A. Region I, Ofc of the Director YATCZILLA, G. NRC - No Detailed Affiliation Given 1p, 46920 155 46920 156
- 8809210121** Mod 3, adding incremental funds & increasing contract ceiling amount, to "Local Telephone Svc for Region I," WALDEYER, J.T. Bell of Pennsylvania, HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN C 1009, NRC 28 88-267, 88/09/15 1p 46920 156-46920 156
- 8809210123** Notification of grant execution, Mod 1, to "Development of Guidelines to Select Anchor Values for Human Error Probability Estimation in Nuclear Power Operations" Contractor George Mason Univ BRENNAN, P.A. Contract Administration Branch FIN G-1126, NRC-04 88-135, 88/09/15, GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413) RYAN, T.G. NRC - No Detailed Affiliation Given 1p 46929 262-46929 263
- 8809210133** Mod 1, providing incremental funding, to "Development of Guidelines to Select Anchor Values for Human Error Probability Estimation in Nuclear Power Operations" * George Mason Univ, Fairfax, VA HAGAN, T.F. Division of Contracts & Property Management (Post 880515), FIN G-1126, NRC 04-88-135 88/09/15, 1p 46929 263 46929 263.
- 8809210136** Notification of contract execution, Mod 15, to "Program to Support Operator Licensing Activities" Contractor Sonalysts Inc BELL, S. Contract Administration Branch FIN D-1332, NRC-03-86-054 88/09/15 BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411) PULSIPHER, K. NRC - No Detailed Affiliation Given 1p, 46929, 290-46929 291.
- 8809210138** Mod 15, providing incremental funding, to "Program to Support Operator Licensing Activities," * Sonalysts, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN D-1332, NRC-03 86 054 88/09/15, 1p 46929 291-46929 291.
- 8809210141** Notification of contract execution, Mod 4, to "General Course in NDE Technology & Codes," Contractor Brand Exam Svcs & Testing Co. PAGE, M. Contract Administration Branch FIN B 8752, NRC 05-86-167, 88/09/15 SPESSARD, R.L. Division of Operational Assessment (Post 870413) ANDERSON, R. NRC - No Detailed Affiliation Given 1p, 46929, 256-46929 257.
- 8809210144** Mod 4, providing funds & dates for fourth training course, to "General Course in NDE Technology & Codes" * Brand Examination Services & Testing Co. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515), FIN B-8752 NRC 05-86-167 88/09/15 1p 46929 257-46929 257.
- 8809210198** Notification of contract execution, Mod 15, to "Technical Assistance in NRC Insp & Enforcement Operations," Contractor Parameter, Inc. MEEHAN, B. Contract Administration Branch, FIN B-8729 NRC-05-85-157, 88/09/16 BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411) WEST, S. NRC - No Detailed Affiliation Given 1p, 46929, 236 46929 237

--8809210203 Mod 15, providing incremental funds, to "Technical Assistance in NRC Insp & Enforcement Operations."
* Parameter, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN B-8729 NRC-05-85-157 88/09/16 1p 46929 237-46926 237

8809210207 Notification of contract execution, Mod 12, to "Operation of CNWRA - FFRDC" Contractor Southwest Research Inst
MACE, M.H. Contract Administration Branch NRC-02-88-005 88/09/13
FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870411) BUNTING, J. NRC - No Detailed Affiliation Given. 3pp 46926 210-46926 233

--8809210215 Mod 12, accelerating program architecture & revising authorized funding to "Operation of CNWRA - FFRDC"
CHATTEN, R.E. Southwest Research Institute MACE, M.H. Division of Contracts & Property Management (Post 880515) NRC-02-88-005 88/09/13 21pp, 46926 213 46926 233

8809210220 Notification of contract execution, Mod 2, to "Specialized Technical Training of NRC Inspectors in Area of Radiation Protection" Contractor RF Weston, Inc
PAGE, M. Contract Administration Branch FIN B-8799 NRC-26-87-419, 88/09/15
SPESSARD, R.L. Division of Operational Assessment (Post 870413). ANDERSON, R.L. NRC - No Detailed Affiliation Given 1p 46929 203-46929 204

--8809210225 Mod 2, increasing funds to "Specialized Technical Training of NRC Inspectors in Area of Radiation Protection."
* Roy F. Weston, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN B-8799 NRC-26-87-419 88/09/15 1p 46929 204-46929 204

8809210235 Notification of contract execution, Mod 11, to "Archival Storage & Related Svcs." Contractor Data Base Co, Inc
DORSEY, M. Contract Administration Branch NRC-10-86-256 88/09/15 MAGEE, W.A. Division of Information Support Services (Post 870413) DAVIS, W. NRC - No Detailed Affiliation Given. 1p 46929 201-46929 202

--8809210244 Mod 11, changing project officer, to "Archival Storage & Related Svcs."
* Data Base, Inc. HAGAN, T.F. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) NRC-10-86-256, 88/09/15 1p 46929 202-46929 202.

8809210250 Notification of contract execution, Mod 2, to "Physical Dependencies in Accident Sequence Analysis." Contractor MIT
BRENNAN, P. Contract Administration Branch FIN G-1135, NRC-04-88-143, 88/09/15, GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870411). RASMUSON, D. NRC - No Detailed Affiliation Given 1p, 46929 115-46929 116.

--8809210252 Mod 2, adding incremental funding to fully fund grant, to "Physical Dependencies in Accident Sequence Analysis."
* Massachusetts Institute of Technology, Cambridge, MA HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN G-1135 NRC-04-88-143, 88/09/15, 1p, 46929 116-46929 116.

8809230018 Notification of contract execution, Mod 7, to "Lease/Purchase of Westinghouse PWR Simulator" Contractor, Westinghouse
BELLS, S. Contract Administration Branch FIN B-8778 NRC-05-87-116 88/09/14
JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. SHOWE, S. NRC - No Detailed Affiliation Given. 1p, 46943 226-46943 227.

--8809230021 Mod 7, exercising option for lease of simulator, subj to availability of funds in FY89, to "Lease/Purchase of Westinghouse PWR Simulator."
HAMRICK, N.P. Westinghouse Electric Corp. HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN B-8778 NRC-05-87-116 88/09/14, 2pp 46943 226-46943 227.

8809230048 Notification of contract execution, Mod 4, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources." Contractor: Resource Technical Svcs, Inc
PAGE, M. Contract Administration Branch FIN B-8786, NRC-03-87-119, 88/09/20, BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p, 46942 049-46942 050.

--8809230050 Mod 4, providing incremental funding, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources."
* Resource Technical Services, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515). FIN B-8786, NRC-03-87-119 88/09/20 1p, 46942 050 46942 050.

8809260016 Notification of contract execution, Mod 1, to "Open Market Procurement of Nonstandard Sys Furniture Components for One White Flint North" Contractor, Haworth, Inc
FLEENOR, C.M. Contract Administration Branch. FIN D-2467 NRC-10-87-456 88/09/22 SPRINGER, M.I. Ofc of Consolidation (Post 870413) ISELIN, R. NRC - No Detailed Affiliation Given. 1p 46966 286-46966 286.

--8809260022 Mod 1, providing incremental funding, to "Open Market of Nonstandard Sys Furniture Components for One White Flint North."
* Haworth, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515). FIN D-2467, NRC-10-87-456, 88/09/22 1p, 46966 286-46966 286

8809260024 Notification of contract execution, Mod 31, to "Computer Timesharing & Related Svcs." Contractor, NIH
DORSEY, M. Contract Administration Branch FIN B-1666 NRC-25-82-312, 88/09/22, SCOTT, S. Division of Information Support Services (Post 870413) 1p 46957 299-46957 300.

--8809260026 Mod 31, increasing funding, to "Computer Timesharing & Related Svcs."
* Health & Human Services, Dept. of, U.S. Public Health Service. FIN B-1666, NRC-25-82-312 88/09/22, 1p, 46957 300-46957 300.

8809260307 Notification of contract execution, Mod 2, to "On-Call Maint for USNRC Microcomputers & Related Equipment." Contractor, Automation Mgt Consultants, Inc
KNOX, E. Contract Administration Branch. FIN B-8174, NRC-39-88-170 88/09/21 MACWILLIAMS, M. Division of Computer & Telecommunications Services (Post 870413). MAHONEY, K. NRC - No Detailed Affiliation Given 1p, 46945 336-46945 337.

--8809260312 Mod 2, increasing funds, to "On-Call Maint for US NRC Microcomputers & Related Equipment."
* Automatic Management Consultants, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515) FIN B-8174 NRC-39-88-170 88/09/21 1p 46945 337-46945 337

8809260322 Notification of contract execution, Mod 1, to "On-Call Maint of NRC Peripheral Computer Equipment." Contractor Computer Maint & Parts Corp
BAZIN, J.P. Division of Contracts & Property Management (Post 880515) FIN D-1917 NRC-39-88-249 88/09/21 EYSYMONT, G.P. Division of Computer & Telecommunications Services (Post 870413) JOHNSON, C. NRC - No Detailed Affiliation Given 1p 46966 122 46966 126

--8809260329 Mod 1, incorporating payments under time & labor & labor-hour contracts, to "On-Call Maint of NRC Peripheral Computer Equipment."
STOVALL, W.D. Computer Maintenance & Parts Corp. SMITH, P.A. Division of Contracts & Property Management (Post 880515) FIN D-1917 NRC-39-88-240, 88/09/21 4pp, 46966 123 46966 126

8809260330 Notification of contract execution, Mod 24, to "Fuel Cycle Licensing Assistance." Contractor, Science Applications Intl Corp
MEEHAN, B. Contract Administration Branch NRC-02-87-004 88/09/21 FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870413), 1p 46966 186 46966 186

--8809260332 Mod 24, extending period of performance, to "Fuel Cycle Licensing Assistance."
RODEHAN, T.J. Science Applications International Corp. (formerly Science Applications, Inc.) EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) NRC-02-87-004 88/09/21, 1p 46966 186 46966 186.

8809270068 Notification of contract execution. "MVS/VM Sys Programming Support," awarded to Data Computer Corp of America
MCLEAREN, T. Contract Negotiation Branch-1, FIN D 1902 NRC-39-88-245 88/09/24 SCOTT, S. Division of Information Support Services (Post 870413) BARROW, D. NRC - No Detailed Affiliation Given 3pp 46967 301-46967 301

--8809270069 Contract "MVS/VM Sys Programming Support," awarded to Data Computer Corp of America.
SMITH, L.P. Data Computer Corp. of America WIGGINS, E. Division of Contracts & Property Management (Post 880515). FIN D 1902 NRC-39-88-246 88/09/24, 118pp 46967 186-46967 301.

8809270075 Notification of contract execution, Mod 4, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources." Contractor Ebasco Svcs, Inc
PAGE, M. Division of Contracts & Property Management (Post 880515) FIN D-1781 NRC-03-87-119 88/09/20 BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411) 1p, 46971 246 46971 247

--8809270077 Mod 4, increasing funds, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources."
* Ebasco Services, Inc. (subs. of Enserch Corp.). EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN D 1781, NRC-03-87-119, 88/09/20 1p, 46971 247-46971 247.

8809270085 Notification of contract execution, Mod 2, to "Regulatory Process" Contractor: Regulatory Group Inc
MEEHAN, B. Contract Administration Branch, NRC-38-86-365, 88/09/16, GOLDMAN, P. Ofc of Personnel (Post 870413) BASSIN, C. NRC - No Detailed Affiliation Given. 1p, 46971 249 46971 251.

--8809270088 Mod 2, allowing reimbursement for travel costs to Regions III & IV for course presentation & to raise calling accordingly.
RODENBECK, A. Regulatory Group, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) NRC-38-86-365, 88/09/16 2pp 46971 250-46971 251.

8809270091 Notification of contract execution, Mod 7, to "Technical Assistance in Developing & Implementing Programs & Procedures for Insp of Operating Reactors During Outage." Contractor Parameter, Inc.
PAGE, M. Division of Contracts & Property Management (Post 880515) ALLISON, D. NRC - No Detailed Affiliation Given FIN D-2205, NRC-05-86-158, 88/09/16, SPESSARD, R.L. Division of Operational Events Assessment (Post 870411) WEST, S., ALLISON, D. NRC - No Detailed Affiliation Given 1p, 46950 047-46950 050.

--8809270093 Mod 7, adding name of AEOD project officer, providing incremental AEOD funding in amount of \$100,000 to "Technical Assistance in Developing & Implementing Programs & Procedures for Insp of Operating Reactors During Outages."
LOFF, R.A. Parameter, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515). FIN D-2205 NRC-05-86-158 88/09/16, 3pp, 46950 048-46950 050.

8809270106 Notification of contract execution, Mod 30, to "Reactor Effluent & Environ Radioactivity Stds." Contractor NBS.
MEEHAN, B. Division of Contracts & Property Management (Post 880515). FIN B-5118 NRC-05-72-100, 88/09/13, BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY, R. NRC - No Detailed Affiliation Given. 1p, 46970 134-46970 136.

--8809270107 Mod 30, providing incremental funding & extending period of performance, to "Reactor Effluent & Environ Radioactivity Stds."
MCGUFFIN, J.C. National Institute of Standards & Technology (formerly National Bureau of Standards. EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515) FIN B-5118, NRC-05-72-100, 88/09/13 2pp, 46970 135-46970 136.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

8809070146 Partial response to FOIA request for documents App A documents available in PDR, NRC reviewing item F of request
GRIMSLEY, D. NRC - No Detailed Affiliation Given 88/09/10. KUDLICK, M. MHB Technical Associates, 2pp, 46713 007-46713 094.

232 NONDOCKETED ITEMS

- 8005270825 Forwards technical assignment control form for review of 790124 G&W-FSD 2536 "Nuclear MSIV Sys." BAER, R.L. Light Water Reactors Branch 2 80/03/25 MATTSON, R.J. Division of Systems Safety. 2pp. 46713 009-46713 010.
- 8011200491 Responds to request for input re util 790403 proposal for use of 24 inch ball valve for main steam isolation Applicant should proceed w/procurements & installation Valve integrity can be ascertained by inservice insp & testing CHECK, P.S. Assistant Director for Plant Systems 80/11/10 TEDESCO, R.L. Assistant Director for Licensing 2pp 46713 011 46713 012
- 8112110007 Records 811119 telcon re 810102 memo on use of Gulf & Western ball valves for MSIVs BAGCHI, G. NRC - No Detailed Affiliation Given. 81/11/20 JOHNSTON, W. NRC - No Detailed Affiliation Given. 1p. 46713 016 46713 019.
- 8404050449 Discusses 840217 memo re inconsistencies in revised draft SER input Deletion of MSIV leakage control sys was not reviewed until recently NOVAK, T.M. Assistant Director for Licensing 84/03/13. MULLER, D.R. Assistant Director for Radiation Protection 3pp. 46713 013 46713 015
- 8412050571 Forwards Equipment Qualification Branch SER input re seismic & dynamic qualification of Seismic Category I mechanical & electrical equipment & pump & valve operability assurance program KNIGHT, J.P. Assistant Director for Comp & Structures Engineering (Post 830201). 84/11/26 NOVAK, T.M. Assistant Director for Licensing 10pp 46713 020-46713 048
- 8611040400 Forwards request for addl info re MSIV operability at facility, based on initial review of util rept entitled, "Final Rept 10CFR50 55(e) MSIV Actuators," forwarded by util 861021 ltr. LUCKAS, W.J. Brookhaven National Laboratory, FIN A-3349 86/10/31 BERKSON, H. Planning & Program Analysis Staff (851125-870411) 3pp. 46713 058 46713 060
- 8702120481 Forwards safety evaluation re operability of modified MSIVs during first fuel cycle w/refurbished seat & ball Modified MSIV actuator design & closure time operability acceptable LAINAS, G.C. Assistant Director for Technical Support (BWR). 87/02/05 ADENSAM, E. BWR Project Directorate 3. 2pp. 46713 061-46713 071.
- 8702250407 Forwards Electrical, Instrumentation & Control Sys Branch safety evaluation re design mods to MSIV actuator control sys Sys complies w/required regulatory acceptance criteria, including IEEE Std 279 & GDC 21 SALP input also encl LAINAS, G.C. Assistant Director for Technical Support (BWR). TAC 64108 87/02/07 ADENSAM, E. BWR Project Directorate 3 1p 46713 072-46713 072
- 8705080957 Forwards safety evaluation & SALP input supporting proposed Tech Specs changes re changing MSIVs from hydraulic actuated ball valves to air operated Wye pattern globe valves. HODGES, M.W. Division of Engineering & Systems Technology (Post 870411) TAC 64871. 87/04/30 CAPRA, R.A. Project Directorate I-1 1p 46713 080 46713 080.
- 8705280381 Submits daily highlight Plant will be brought critical on 870520 or 21 Licensee replaced ball type MSIVs w/wye-pattern globe valves due to leakage problems Licensee amends re MSIVs issued & const deficiencies identified in license resolved. NEIGHBORS, J.D. Project Directorate I-1 87/05/20 MURLEY, T. SNIJEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given 1p 46713 094-46713 094.
- 8706030016 Forwards SER supporting util 870311 & 0407 requests for proposed mods to MSIV actuation control sys. Mods comply w/ 10CFR50 55a(h) & GDC 21. SALP input also encl THADANI, A.C. Assistant Director for Systems, TAC 64871 87/05/04 BOGER, B.A. Assistant Director for Region I Reactors 1p. 46713 088-46713 088.
- 8809070234 Safety evaluation accepting util latest design mods to MSIV actuation control sys, per IEEE 279 & GDC 21. * Office of Nuclear Reactor Regulation, Director (851125 870411). 87/02/07 7pp. 46713 073 46713 079
- 8809070246 Safety evaluation accepting util 870311 proposed changes to Tech Specs Tables 2.2-1, 3.6.1.2-1 & 3.6.3-1 re MSIV closure setpoint * Office of Nuclear Reactor Regulation, Director (Post 870411) 87/04/30, 7pp 46713 081-46713 087.
- 8809070258 SER accepting util 870301 & 0407 requests for rev to Tech Specs, modifying MSIV actuation control sys, per IEEE Std 279 & GDC 21 * NRC - No Detailed Affiliation Given. 87/05/04 5pp. 46713 089-46713 093
- 8809070378 Safety evaluation concurring w/applicant 880703 exemption request re testing of 16 relief valves, per 10CFR50, App J. * Office of Nuclear Reactor Regulation, Director (851125 870411). 86/08/27, 9pp 46713 049-46713 057.
- 8809070157 FOIA request for listed central files documents to be made available at PDR. KUDLICK, M. MHB Technical Associates. 88/06/30, GRIMSLEY, D.H. Office of Administration & Resources Management, Director (Post 870413) 2pp. 46713 005-46713 006
- 8809070302 FOIA request for documents re safeguards events occurring in 1987 not included in any published revs of NUREG-0526, "Safeguards Summary Event List." BOLEY, K. Public Citizen's Critical Mass Energy Project. 86/06/10. GRIMSLEY, D. NRC - No Detailed Affiliation Given 2pp. 46733 348-46733 349.
- 8809070316 Final response to FOIA request for documents re safeguards events. App A documents available in PDR. App B documents withheld (ref FOIA Exemption 3). GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/08/11 BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 46733 350 46733 356
- 8809070430 FOIA request for Congressman Geldenson 880427 ltr & 27 Ofo Investigations policies ref in Chairman Zech 880505 ltr. FELTON, J.M. Nuclear Licensing Reports 88/06/23 GRIMSLEY, D.H. Office of Administration & Resources Management, Director (Post 870413). 1p 46733 357-46733 357
- 8809070441 Final response to FOIA request. Ofo of Investigations 26 policies available in PDR S Geldenson 880427 & LW Zech 880605 ltrs encl GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/17, FELTON, J.M. Nuclear Licensing Reports. 1p. 46733 358-46733 360
- 8809070485 Requests clarification re whether 27 policies governing authority of director of Ofo of Investigations will remain in place under reorganization that took effect on 880201 GEJDENSON, S. House of Rep., Interior & Insular Affairs 88/04/27 ZECH, L.W. Commissioners 1p 46733 359 46733 360
- 8809070506 FOIA request for contract for keying of occupational radiation exposure info awarded as result of RFP RS RES-88 078 issued on 871120 ROMANOW, V. Logistics Applications Inc. 88/08/09 NRC - No Detailed Affiliation Given 1p 46734 001-46734 001
- 8809070517 Final response to FOIA request Contract NRC 04 88 078 already available in PDR GRIMSLEY, D.H. NRC - No Detailed Affiliation Given NRC-04 88 078. 88/08/16 ROMANOW, V. Logistics Applications Inc. 1p 46734 002 46734 002
- 8809080230 FOIA request for documents written by Ofo of Enforcement under "Enforcement Guidance Memo" UNNERSTALL, K. Newman & Holtzinger 88/06/29 GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 880515) 1p 46769 053 46769 053
- 8809080234 Partial response to FOIA request for documents Forwards App B documents App A documents maintained in PDR Records also available under listed FOIA GRIMSLEY, D. Division of Rules & Records (870413 880514) 88/08/10 UNNERSTALL, K. Newman & Holtzinger 6pp 46769 054-46769 154.
- 8103110626 Advises that proposed health physics appraisal violation, re inability of personnel to complete radioactivity survey in specified time, is invalid Util had apparently taken more than acceptable corrective measures THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201). EGM-81-05. 81/01/28. KEPPLER, J.G. Region 3, Ofo of the Director. 2pp. 46769 062-46769 063
- 8103160027 Discusses Insp repts & formats of escalated enforcement cases. Guidance provided for review & implementation of new enforcement policy THOMPSON, D. Director's Ofo, Enforcement & Investigation Staff, IE (Pre 820201) ENG 81 07 81/02/04 SNYDER, G. Region 1, Ofo of the Director UPRIGHT, C. Region 2, Ofo of the Director. NORELIUS, C. Region 3, Ofo of the Director. 2pp 46769 064 46769 065
- 8103260951 Forwards criteria to determine if enforcement action should be initiated to comply w/800919 orders re environ qualification of electrical equipment. THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201) EGM 81-09. 81/02/11. GRIER, B.H. Region 1, Ofo of the Director O'REILLY, J.P. Region 2, Ofo of the Director. KEPPLER, J.G. Region 3, Ofo of the Director. 3pp 46769 071-46769 073
- 8104280814 Discusses selection of interim enforcement criteria severity levels Duration & identification of event, good faith & prior enforcement history & gravity of violation considered when amount of civil penalty determined. THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201) 81/03/13 GRIER, B.H. Region 1, Ofo of the Director. O'REILLY, J.P. Region 2, Ofo of the Director. KEPPLER, J.G. Region 3, Ofo of the Director. 3pp 46769 089-46769 098.
- 8104300429 Summarizes results of NRC discussions of 801224 & 28 memos re selection of severity levels. Concurs w/proposed selection in Caribbean Gulf refining case Disagrees w/downgrading of security level in Browns Ferry security case THOMPSON, D. Director's Ofo, Enforcement & Investigation Staff, IE (Pre 820201) EGM-81-03. 81/01/12. O'REILLY, J.P. Region 2, Ofo of the Director. 1p 46769 060-46769 080
- 8104300433 Responds to request for guidance on selection of appropriate enforcement action re St Francis Hosp & Medical Ctr Concurs w/position that civil penalties are inappropriate THOMPSON, D. Director's Ofo, Enforcement & Investigation Staff, IE (Pre 820201) EGM 81-04. 81/01/12 GRIER, B.H. Region 1, Ofo of the Director. 1p. 46769 061-46769 081.
- 8106230171 Suggests changes in abbreviations for notice of violation & proposed imposition of civil penalties to be applied to EGM 81-18 THOMPSON, D. Director's Ofo, Enforcement & Investigation Staff, IE (Pre 820201) EGM 81-18 81/06/03. CARLSON, R. Region 1, Ofo of the Director (810301-820201) UPRIGHT, C. Region 2, Ofo of the Director (810301-820201) STREETER, J. Region 3, Ofo of the Director (810301-820201) 7pp. 46769 097-46769 103
- 8106240088 Agrees that no civil penalties should be imposed on Severity Level III violation Use of unauthorized personnel handling radioactive materials should be classified as Severity Level IV. THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201). 81/02/17. GRIER, B.H. Region 1, Ofo of the Director (810301-820201). 1p. 46769 066-46769 086.
- 8106240090 Advises that use of unauthorized personnel handling radioactive materials will be classified as Severity Level IV violation. GRIER, B.H. Region 1, Ofo of the Director (810301-820201). 81/01/30 THOMPSON, D. Ofo of Inspection & Enforcement, Director (820201-870413) 4pp 65419-141-65419 141.
- 8107160046 Provides std language re Paperwork Reduction Act of 1980 to be inserted as last paragraph of notices of violation/ proposed imposition of civil penalties/ltrs & orders that require fewer than 10 persons to respond THOMPSON, D. Ofo of Inspection & Enforcement, Director (820201-870413). EGM-81-18. 81/06/18. CARLSON, R. Region 1, Ofo of the Director (810301-820201) ALDERSON, C. Region 2, Ofo of the Director (810301-820201) STREETER, J. Region 3, Ofo of the Director (810301-820201). 2pp. 46769 112-46769 113
- 8107200027 Notifies that Footnote 17 to interim enforcement policy re assignment of severity level as primary event will no longer be used. Violations contributing to primary problem or event will be assigned own severity level. THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201) EGM 81-20. 81/07/06 CARLSON, R. Region 1, Ofo of the Director (810301-820201). ALDERSON, C. Region 2, Ofo of the Director (810301-820201). STREETER, J. Region 3, Ofo of the Director (810301-820201). 1p. 46769 116-46769 118.

NONDOCKETED ITEMS 233

- 8107200031 Outlines practice used in timing of press releases on enforcement actions, in response to NRC 810618 memo Requests that uniformly be applied to all cases
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM 81-21 81/07/06 O'REILLY, J.P. Region 2, Ofc of the Director (810301-820201) 2pp 46769,117-46769 118
- 810920779 Forwards std format & language to be used for notices of violation in civil penalty enforcement actions
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM-81-18B 81/07/30 CARLSON, R. Region 1, Ofc of the Director (810301-820201) UPRIGHT, C. Region 2, Ofc of the Director (810301-820201) STREETER, J. Region 3, Ofc of the Director (810301-820201), 6pp 46769 106 46769,111
- 811020332 Discusses citations re noncompliance w/physical protection rules
WESSMAN, R.H. Enforcement & Investigation Staff, IE (Pre 820201), EGM-81-28 81/09/08 CARLSON, R. Region 1, Ofc of the Director (810301-820201), ALDERSON, C. Region 2, Ofc of the Director (810301-820201) STREETER, J. Region 3, Ofc of the Director (810301-820201), 2pp 46769 121-46769,122
- 8112210062 Submits std paragraph re 10CFR2.790 to be used in transmittal ltr to licensees
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201) EGM-81-30 81/11/03 CARLSON, R., ALDERSON, C., WARNICK, R. Enforcement & Investigation Staff, IE (Pre 820201), 2pp 46769 123 46769 123
- 8203240109 Requests all enforcement actions involving severity level III or higher level violations or severity level IV violations occurring after enforcement conference be forwarded for review by IE headquarters
LIEBERMAN, J. Ofc of Enforcement Staff, IE (Pre 870413), 82/01/26 HAYNES, R.C. Region 1, Ofc of the Director, O'REILLY, J.P. Region 2, Ofc of the Director KEPPLE, J.G. Region 3, Ofc of the Director, 1p, 46769 125 46769 125
- 8205120056 Requests addl info for proposed civil penalty packages, including reason for assigning event specific severity level, degree of safety significance associated w/ event & basis for determining amount of proposed civil penalty.
LIEBERMAN, J. Ofc of Inspection & Enforcement, Director (820201-870413) EGM 82-03 82/03/22 CARLSON, R.T. Region 1, Ofc of the Director, ALDERSON, C. Region 2, Ofc of the Director WARNICK, R. Region 3, Ofc of the Director 2pp 46769,126-46769 129.
- 8208120358 Discusses appropriate classification of cases involving violations of 10CFR20.207(a) or (b) re storage of licensed matl in unrestricted areas where access possible &/or where constant surveillance not maintained
LIEBERMAN, J. Ofc of Inspection & Enforcement, Director (820201-870413), EGM 82 05 82/06/01, CARLSON, R. Region 1, Ofc of the Director ALDERSON, C. Region 2, Ofc of the Director, WARNICK, R. Region 3, Ofc of the Director, 2pp 46769 130-46769 131.
- 8305120134 Forwards, "Guidance for Suppl 1, Severity Level I.A.2, I.B.1, I.I.C.1 & I.I.C.2 Violations," to ameliorate interpretation problems & provide sufficient direction
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) EGM-83 01 83/04/07, ALLEN, J.M. Region 1, Ofc of the Director O'REILLY, J.P. Region 2, Ofc of the Director, KEPPLE, J.G. Region 3, Ofc of the Director 5pp, 46769 133-46769,137
- 8409120034 Submits revised implementation practices for reactor cases Revised practices will lead to higher quality & more timely & uniform enforcement w/less tension within staffs.
DEYOUNG, R.C. Ofc of Inspection & Enforcement, Director (820201-870413) EGM-84 02, 84/08/30 MURLEY, T.E. Region 1, Ofc of the Director, O'REILLY, J.P. Region 2, Ofc of the Director, KEPPLE, J.G. Region 3, Ofc of the Director, 2pp 46769 139-46769 140.
- 8905100328 Requests that JW Fletcher be added to distribution of any insp rept, confirmatory action ltr, notice of violation or order issued re Veterans Admin (VA) facility in order to provide info at higher level in VA organization
LIEBERMAN, J. Ofc of Enforcement (Post 870413), EGM-88-04 88/04/08 RUSSELL, W.T. Region 1, Ofc of the Director GRACE, J.N. Region 2, Ofc of the Director, DAVIS, A.B. Region 3, Ofc of the Director 1p, 46769 144-46769,144.
- 8909080269 Forwards std forms for listed types of orders.
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM 81-10, 81/04/14, CARLSON, R. Region 1, Ofc of the Director (810301-820201) UPRIGHT, C. Region 2, Ofc of the Director (810301-820201), STREETER, J. Region 3, Ofc of the Director (810301-820201), 15pp, 46769,074-46769,088.
- 8909080311 Requests that listed changes in EGM 81-18 be made re std boiler plate language for notice of violation & proposed imposition of civil penalties
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM 81-18A, 81/08/05 CARLSON, R. Region 1, Ofc of the Director (810301-820201) UPRIGHT, C. Region 2, Ofc of the Director (810301-820201) STREETER, J. Region 3, Ofc of the Director (810301-820201), 2pp 46769 104-46769,105.
- 8909080318 Provides std language to be inserted as last paragraph in transmittal ltr to licensee for notice of violation & proposed imposition of civil penalties
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM 81-19A 81/11/05 CARLSON, R. Region 1, Ofc of the Director (810301-820201) ALDERSON, C. Region 2, Ofc of the Director (810301-820201), WARNICK, R. Region 3, Ofc of the Director (810301-820201), 2pp, 46769:114-46769:115.
- 8909080323 Forwards three examples of situations where regional analysis determined reduction in severity level appropriate. W/o encl
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM-81-22, 81/07/27, CARLSON, R. Region 1, Ofc of the Director (810301-820201) ALDERSON, C. Region 2, Ofc of the Director (810301-820201), STREETER, J. Region 3, Ofc of the Director (810301-820201), 1p 46769 119-46769:119.
- 8909080326 Documents agreement w/proposed course of action as set forth in 810730 memo & per 810606 telcon.
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201), EGM-81-23, 81/08/07, KEPPLE, J.G. Region 3, Ofc of the Director (810301-820201), 1p, 46769 120 46769:120.
- 8909080327 Informs that enforcement guidance memo (EGM) will continue to be issued for no other purpose than to use EGM numbering sys as means for ready ref of documents.
LIEBERMAN, J. Ofc of Enforcement Staff, IE (Pre 870413) 82/02/10 CARLSON, R.T. Region 1, Ofc of the Director ALDERSON, C. Region 2, Ofc of the Director WARNICK, R. Region 3, Ofc of the Director 1p, 46769,124-46769:124.
- 8909080336 Requests that enforcement policy published in FR on 820309 be implemented as listed
LIEBERMAN, J. Ofc of Enforcement Staff, IE (Pre 870413) 82/03/29 CARLSON, R. Region 1, Ofc of the Director ALDERSON, C. Region 2, Ofc of the Director WARNICK, R. Region 3, Ofc of the Director, 2pp 46769,126 46769 127
- 8909080345 Requests that regional administrator concur in action on civil penalty cases prior to bringing action to director for formal concurrence
LIEBERMAN, J. Ofc of Inspection & Enforcement, Director (820201-870413) EGM-82-06 82/06/16 CARLSON, R. Region 1, Ofc of the Director ALDERSON, C. Region 2, Ofc of the Director WARNICK, R. Region 3, Ofc of the Director 1p 46769,132-46769 132
- 8909080351 Informs that complete enforcement action should include listed items for packages sent to headquarters
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) 84/08/28 HOLODY, D. Region 1, Ofc of the Director, PUCKETT, M. Region 2, Ofc of the Director, SCHULTZ, B. Region 3, Ofc of the Director 1p 46769 138-46769 138
- 8909080362 Responds to 850816 memo re expedited processing of escalated enforcement mail & requests that enforcement staff implement policy
TAYLOR, J.M. Ofc of Inspection & Enforcement, Director (820201-870413) EGM-85-07, 86/09/24 MARTIN, R.D. Region 4, Ofc of the Director, 1p 46769,141 46769 141
- 8909080370 Requests info on all cases involving failure to control or account for licensed matl, per Info Notice 88 007.
LIEBERMAN, J. Ofc of Enforcement (Post 870413) EGM 88 02 88/03/14 HOLODY, D. Region 1, Ofc of the Director JENKINS, G. Region 2, Ofc of the Director GROBE, J. Region 3, Ofc of the Director 1p 46769 142-46769,142
- 8909080375 Advises that it would be helpful if regional transmittal memo to author would indicate not for public release w/o Ofc of Enforcement approval.
LIEBERMAN, J. Ofc of Enforcement (Post 870413) EGM 88 03 88/03/21, HOLODY, D. Region 1, Ofc of the Director, JENKINS, G. Region 2, Ofc of the Director, GROBE, J. Region 3, Ofc of the Director 1p 46769 143 46769 143.
- 8909080383 Reminds staff that correspondence w/licensee re enforcement action or lack of enforcement action requires review & concurrence by Ofc of Enforcement.
LIEBERMAN, J. Ofc of Enforcement (Post 870413) EGM-88 05 88/06/10 RUSSELL, W.T. Region 1, Ofc of the Director GRACE, J.N. Region 2, Ofc of the Director, DAVIS, A.B. Region 3, Ofc of the Director 1p 46769 145-46769 145
- 8909080393 Provides listed guidance to assist in preparation of escalated enforcement packages
LIEBERMAN, J. Ofc of Enforcement (Post 870413), GL 88 07 88/06/21, RUSSELL, W.T. Region 1, Ofc of the Director GRACE, J.N. Region 2, Ofc of the Director, DAVIS, A.B. Region 3, Ofc of the Director 9pp 46769,146-46769 154
- 8909090037 Final response to FOIA request for records re Shoreham offsite emergency plan App G documents available in PDR App H documents withheld (ref FOIA Exemption 5). No further action being taken on appeal ltr dtd 880613.
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/11 BELAIR, R.H. Kirkpatrick & Lockhart 4pp, 46766,310 46766 325
- 8905040309 Requests regional ofcs, except Region I, to provide staff necessary to support FEMA exercises at Shoreham on 880607 09 & at Seabrook on 880628-29. Nominations requested by 880508, Guidance encl.
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director, 88/04/27 GRACE, J.N. Region 2, Ofc of the Director DAVIS, A.B. Region 3, Ofc of the Director, MARTIN, R.D. Region 4, Ofc of the Director 3pp 46766 314 46766 318
- 8909090048 Advises that Region III employees J Foster & M Smith will attend 880607-09 exercises at plant
SHAFER, W.D. Region 3, Ofc of the Director, 88/05/11 ZECH, G.G. Incident Response Branch 1p 46766 319 46766 319
- 8909090051 Advises that Region IV employees, C Hackney & G Bates will be available to assist FEMA during plant exercises
KNAPP, M.R. Region 4, Ofc of the Director, 88/05/10, WEISS, B. Incident Response Branch 1p, 46766 320 46766 320.
- 8909090053 Designates A Boland & W Goersen to participate in plant 880607-09 exercises, per 880427 memo Milestones for exercise evaluation & plan review encl
GRACE, J.N. Region 2, Ofc of the Director, 88/05/10, JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director, 5pp, 46766,321-46766 325
- 8909090044 Partial response to FOIA request for documents. Forwards App C document Documents available in PDR
GRIMSLEY, D.H. Office of Administration & Resources Management, Director (Post 870413), 88/08/15, WEISSMAN, S. California, State of, 2pp 46769,005-46769,019
- 8202120089 Board Notification 82 04 forwarding info re pressurized thermal shock
EISENHUT, D.G. Division of Licensing (800428 851124), 82/01/20 PALLADINO, N., GILINSKY, BRADFORD Commissioners 2pp, 46769,007-46769,019.
- 8909090061 FOIA request for SECY-88-50 & SECY-88-50A re pipe wall thinning
NELSON, J.M. Affiliation Not Assigned, 88/08/13, GRIMSLEY, D.H. Division of Rules & Records (870413 880514), 2pp 46766 326-46766 327.
- 8909090063 Final response to FOIA request for SECY-88-50 & SECY-88-50A re pipe wall thinning. Forwards documents Documents also available at PDR.
GRIMSLEY, D.H. Division of Rules & Records (870413-880514) 88/08/18 NELSON, J.M. Affiliation Not Assigned 2pp, 46766 328-46766:335.
- 8905230074 SECY 88 050A Provides summary of meeting w/NUMARC, EPRI & INPO on status of industry erosion/corrosion program Plant insps will be completed by Oct 1988 & addl regulatory requirements prepared by Dec 1988.
STELLO, V. Ofc of the Executive Director for Operations, 88/05/10, 4pp 46766,336-46766,339
- 8909090066 SECY-88-050 Discusses status rept on pipe wall thinning (responses to NRC Bulletin 87-01 on pipe wall thinning in nuclear power plants) Review indicates pipe wall thinning widespread for single- & two phase carbon steel sys.
STELLO, V. Ofc of the Executive Director for Operations IEB-87-001 88/02/22, 6pp 46766 330-46766:335.

234 NONDOCKETED ITEMS

- 8809090095** Appeals denial of FOIA request for release of documents listed in Apps E & F, originally withheld
HAMLIN, J.B. Shaw, Pittman, Potts & Trowbridge 88/05/05 CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46769 275-46769 289
- 8809090098** Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants Forwards documents listed in App C Documents also available in PDR
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/17 UNNERSTALL, K. Newman & Holtzinger 2pp. 46766 272-46766 309
- 8809090284** Discusses selection of severity levels for enforcement guidance memos. Agrees w/ classification of case cited in encl O'Reilly 810219 memo attachment. W/o encl
THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201). EGM 81-12. 81/02/25. SNYDER, G. Region 1, Ofc of the Director UPRIGHT, C. Region 2, Ofc of the Director STREETEY, J. Region 3, Ofc of the Director 2pp 46766 275-46766 275.
- 8809090503** Discusses Region 2 selection of severity level re event that violated Tech Specs limiting condition for operation. Agrees w/ position as another example of selection of severity level per 810313 memo
THOMPSON, D. Enforcement & Investigation Staff, IE (Pre 820201). EGM-81-09 81/03/16. CARLSON, R. Region 1, Ofc of the Director UPRIGHT, C. Region 2, Ofc of the Director STREETEY, J. Region 3, Ofc of the Director 1p 46766 285-46766 285.
- 8501210322** Advises of completion of review of 840412 memo re appropriate enforcement actions for NUREG-0737 on ordered dates Majority of items covered by orders issued prior to 1984 now complete.
EISENHUT, D.G. Division of Licensing (800428 851124). 85/01/09 AXELRAD, J. Enforcement Staff, IE (Pre 870413) 2pp 46766 306-46766 309
- 8809090109** Discusses selection of Severity Level IV for 810114 loss of heat tracing at Robinson 2 Mitigating circumstances listed.
O'REILLY, J.P. Region 2, Ofc of the Director. 81/02/19. THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 3pp 46766 276-46766 278
- 8809090113** Discusses process for selection of severity level for drywell pressure sensor isolation at Peach Bottom 2
MCCABE, E.C. Reactor Projects Sec 2B, Projects Br 2, Div of Resident & Project Inspection, R2 81/07/14. GRIER, B.H. Region 1, Ofc of the Director (810301-820201). 2pp 46766 279-46766 280
- 8809090118** Discusses severity of violation of auxiliary feedwater flow restriction at Calvert Cliffs, Unit 1 from 801217-810112 Severity Level IV classification recommended
MCCABE, E.C. Reactor Projects Sec 2B, Projects Br 2, Div of Resident & Project Inspection, R2 EGM 81-12. 81/07/15. GRIER, B.H. Region 1, Ofc of the Director (810301-820201) 2pp 46766 281-46766 282
- 8809090160** Discusses selection of severity level re containment valve open during operation & inoperable high pressure scram at Univ of Missouri at Columbia research reactor
KEPPLER, J.G. Region 3, Ofc of the Director (810301-820201). EGM 81-02 81/07/21 THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 2pp 46766 283-46766 284
- 8809090172** Forwards detailed discussion of selection of severity level re disabling all svc water sys on 801209 at Brunswick Unit 2 Citation will be issued on 810316
O'REILLY, J.P. Region 2, Ofc of the Director (810301-820201) 81/03/10. THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 3pp 46766 286-46766 288.
- 8809090206** Agrees w/ regional analysis & conclusion that no civil penalty be issued to utility for violations involving excess whole body dose Draft forwarding ltr, insp rept & notice of violation encl
THOMPSON, D. Enforcement & Investigation Staff, R1 EGM-81-25. 81/09/14. CARLSON, R. Region 1, Ofc of the Director (810301-820201). ALDERSON, C. Region 2, Ofc of the Director (810301-820201) STREETEY, J. Region 3, Ofc of the Director (810301-820201). 6pp 46766 289-46766 294
- 8809090213** Forwards draft documentation re Severity Level III violation No civil penalty will be assessed since utility taking steps to ensure proper dose limits assigned to workers under age of 18
O'REILLY, J.P. Region 2, Ofc of the Director (810301-820201) 81/08/05. THOMPSON, D. Enforcement & Investigation Staff, R1. 6pp 46766 295-46766 300
- 8809090222** Documents agreement re proposed course of action per 810902 memo Based on DOT interpretation mail shipped meets DOT requirements
THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) EGM 81-20. 81/08/14. ALDERSON, C. Region 2, Ofc of the Director (810301-820201). 1p 46766 301-46766 301
- 8809090226** Supports utility denial of Severity Level III violation for punctured drums on basis that shipment met requirements for bulk shipment per 49FR173 392(d). Draft response to utility & DOT ltr to utility encl
ALDERSON, C. Region 2, Ofc of the Director (810301-820201). 81/09/02. THOMPSON, D. Director's Ofc, Enforcement & Investigation Staff, IE (Pre 820201) 3pp. 46766 302-46766 304.
- 8809090238** Forwards 850209 memo from NRR containing guidance on implementation of actions required by NUREG 0737.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413) EGM 85 02 85/02/04 HOLODY, D. Region 1, Ofc of the Director. PUCKETT, M. Region 2, Ofc of the Director SCHULTZ, B. Region 3, Ofc of the Director 3pp 46766 305-46766 305
- 8809090111** Responds to 880505 appeal of denial of documents & portions of documents identified on encl Apps E & F in 880425 response to FOIA 87-444. Documents or portions of documents continue to be withheld (ref FOIA Exemption 5).
CHILK, S.J. Office of the Secretary of the Commission. 88/08/12 HAMLIN, J.B. Shaw, Pittman, Potts & Trowbridge. 11pp 46769 300-46769 326
- 8809090119** Requests that Committee review disagreement between NRC & NRC Inspector Yin over technical issues arising from licensee design control measures for small & large bore piping sys & advise Commission on resolution
PALLADINO, N.J. Commissioners 84/04/04. EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p 46769 314-46769 314.
- 8809090123** Requests comments on listed issues prior to Commission action on full power license for plant
PALLADINO, N.J. Commissioners 84/04/13 EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards 1p 46769 315-46769 321
- 8809090128** Forwards for review revised order Changes based on suggestions made by Roberts & Bernthal W/o encl
PALLADINO, N.J. Commissioners 83/11/07. GILINSKY, ROBERTS, ASSELSTINE Commissioners 1p 46769 322-46769 322
- 8809090131** Comments on 10CFR55.25 re administration of operating test prior to initial criticality, per NRC brief in plant case
PALLADINO, N.J. Commissioners 84/11/02 BRIGGS, W.H. Solicitor 2pp. 46769 323-46769 324
- 8809090135** Approves SECY 81-115A re prehearing conference order, as modified by attached page W/o encl
AHEARNE, J. Commissioners 81/03/09 HENDRIE, GILINSKY, BRADFORD Commissioners 1p 46769 325-46769 325
- 8809090139** Forwards draft of dissenting views re notice of violation W/o encl
AHEARNE, J. Commissioners 82/02/08 PALLADINO, GILINSKY, BRADFORD Commissioners. 1p. 46769 326-46769 326
- 8809090119** Requests that Committee review disagreement between NRC & NRC Inspector Yin over technical issues arising from licensee design control measures for small & large bore piping sys & advise Commission on resolution.
PALLADINO, N.J. Commissioners 84/04/04. EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards. 1p 46769 314-46769 314
- 8809090123** Requests comments on listed issues prior to Commission action on full power license for plant.
PALLADINO, N.J. Commissioners 84/04/13 EBERSOLE, J.C. ACRS - Advisory Committee on Reactor Safeguards 1p 46769 315-46769 321
- 8809090128** Forwards for review revised order. Changes based on suggestions made by Roberts & Bernthal W/o encl
PALLADINO, N.J. Commissioners 83/11/07 GILINSKY, ROBERTS, ASSELSTINE Commissioners 1p 46769 322-46769 322
- 8809090131** Comments on 10CFR55.25 re administration of operating test prior to initial criticality, per NRC brief in plant case.
PALLADINO, N.J. Commissioners. 84/11/02 BRIGGS, W.H. Solicitor 2pp 46769 323-46769 324
- 8809090135** Approves SECY-81-115A re prehearing conference order, as modified by attached page. W/o encl.
AHEARNE, J. Commissioners 81/03/09 HENDRIE, GILINSKY, BRADFORD Commissioners 1p 46769 325-46769 325
- 8809090139** Forwards draft of dissenting views re notice of violation W/o encl.
AHEARNE, J. Commissioners 82/02/08 PALLADINO, GILINSKY, BRADFORD Commissioners 1p. 46769 326-46769 326
- 8809090117** Final response to FOIA request Forwards App A document App B documents withheld (ref FOIA Exemption 5)
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/18 FELTON, J.M. Nuclear Licensing Reports. 4pp 46777 011-46777 017
- 8809090122** Confirms that EPA will consider late comments on advance notice of proposed rulemaking (ANPRM) Commission & SECY staff informed by phone
DIRCKS, W.J. Ofc of the Executive Director for Operations 83/12/14 PALLADINO, GILINSKY, ROBERTS Commissioners 1p 46777 016-46777 017
- 8809090136** FOIA request for documents listing all LERs w/ corresponding cause codes as ref by T. Novak of AEOD in recent symposium in Paris & info on why NRC looks that cause codes potentially good indicators of nuclear plant performance.
BOLEY, K. Public Citizen's Critical Mass Energy Project 88/06/10 GRIMSLEY, D. NRC - No Detailed Affiliation Given 3pp. 46766 209-46766 211
- 8809090143** Final response to FOIA request re all LER documents Forwards App A document Document also available in PDR
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/18 BOLEY, K. Public Citizen's Critical Mass Energy Project. 2pp 46766 212-46766 247
- 8805130022** SECY-88-103 Informs Commission of status of performance indicator (PI) program & requests approval of staff plan to include new PIs in program
STELLO, V. Ofc of the Executive Director for Operations 88/04/15 31pp. 46768 217-46768 247
- 8809090152** Appeals denial of FOIA request for documents re plant Requests that NRC response be as detailed as possible in order to better enable client to determine need for further legal action
BELAIR, R.R. Kirkpatrick & Lockhart 88/06/23. Ofc of the Executive Director for Operations 6pp 46769 020-46769 025
- 8809090156** FOIA request for documents re manual on procedures for inspecting by-product material facilities & any applicable field notes
KUROWSKI, L.G. Laesser & Schreiber, Inc 88/07/20. Region 3, Ofc of the Director 1p 46769 155-46769 155.
- 8809090156** Responds to portion of 880623 ltr appealing DH Grimsley 880526 response to FOIA request. Denied portions of record can now be released.
STELLO, V. Ofc of the Executive Director for Operations 88/08/17 BELAIR, R.R. Kirkpatrick & Lockhart. 2pp 46769 026-46769 052
- 8809090169** Confirms content of 880303 telcon re numbered Paragraph 2 of FOIA Request 88 63. Paragraph clarified to read as stated. NRC response to request due on 880317. Task action plan for evaluation of request to operate plant at 25% power encl
GIBSON, L.C. Kirkpatrick & Lockhart 88/03/16. BROWN, N. NRC - No Detailed Affiliation Given. 16pp. 46769 033-46769 052
- 8809090157** Final response to FOIA request for documents re insp procedures & notes. Forwards documents listed on App A. Documents also available in PDR.
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/16. KUROWSKI, L.G. Laesser & Schreiber, Inc 2pp 46769 156-46769 274

NONDOCKETED ITEMS 235

- 8809090282 Package of IE Insp Manual Procedures 83890,83822 & 82701 & Chapters 0330,2800 & 2820 & outlines for well logging insp field notes,industrial & academic insp rept & limited scope for distribution to specific licensees checklist
* NRC - No Detailed Affiliation Given 85/04/10 120pp 46769 150-46769-274
- 8809090176 Appeals denial of FOIA request for documents re nonproprietary versions of proposal which resulted in ref contracts & info on NRC technical evaluation.
LOFY,R A Parameter, Inc NRC-03-87-119 01 88/07/18 Ofc of the Executive Director for Operations 2pp. 46766 340-46766 341
- 8809090178 Responds to appeal re denial of FOIA request for documents. Document contains financial cost & pricing info which could cause competitive harm to companies Document withheld (ref FOIA Exemptions 4 & 5)
STELLO,V. Ofc of the Executive Director for Operations 88/08/18. LOFY R A Parameter, Inc 2pp. 46766-342-46766 348
- 8809090203 Appeals partial denial of records made available in response to FOIA 88 271 Requests that case number & allegation for listed DOJ referral dates be made available
FELTON,J M Nuclear Licensing Reports 88/06/23 STELLO Ofc of the Executive Director for Operations 1p. 46766.349 46766 349.
- 8809090214 Final response to FOIA request for licensee/owners for Nine Mile Point Nuclear Station.
GRIMSLEY,D H. NRC - No Detailed Affiliation Given 88/08/18 DISTEFANO,J,G DISTEFANO, J.G 1p 46777.080-46777 080
- 8809090218 FOIA request for documents re names of licensee & names of owners
DISTEFANO,J,G DISTEFANO, J.G 88/08/04 Office of Governmental & Public Affairs (Post 870413). 2pp 46777.081-46777 082.
- 8809090241 Responds to 880623 appeal of Grimsley 880603 response to FOIA request for Ofc of investigations list of cases ref to DOJ Previously withheld info will continue to be withheld (ref FOIA Exemptions 5 & 7) Appeal denied
STELLO,V. Ofc of the Executive Director for Operations 88/08/12 FELTON,J.M. Nuclear Licensing Reports 2pp 46766.350 46766 356
- 8809090245 FOIA request for technical & price proposals & executed contract submitted by winning vendor for Solicitation RS-PER 88-364.
KNOX,J.A Bell Atlantic Education Services, Inc 88/07/07 SMITH,P NRC - No Detailed Affiliation Given. 1p. 46766.205 46766 205
- 8809090248 Final response to FOIA request Contract already available in PDR App A documents withheld (ref FOIA Exemption 4).
GRIMSLEY,D H. NRC - No Detailed Affiliation Given. 88/09/07 CAPE,R,E Bell Atlantic Education Services, Inc. 3pp. 46766 206 46766 208.
- 8809090269 Final response to FOIA request Forwards App E documents.Apps D & E documents available in PDR.Charges for search, duplication & postage listed.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/18 MCMILLAN,J A O'Melveny & Myers. 11pp. 46766-248-46766-271.
- 8809090278 Forwards testimony of CA Lovejoy re financial qualifications of applicant
CONNERT,B Atomic Energy Commission. 68/01/30. WELLS,A A Atomic Energy Commission PAXTON,H.C. Los Alamos National Laboratory. PIGFORD,T M. California, Univ. of, Berkeley, CA 1p 46768.261-46768-261.
- 8809090281 Testimony of CA Lovejoy on financial qualification of will re design & const of plant
LOVEJOY,C.A. Pacific Gas & Electric Co. LOVEJOY,C.A. Atomic Energy Commission 68/01/30. 6pp. 46766.282-46766-287.
- 8809090283 Forwards "Preliminary Aspects of PG&E Application for CP at Nuclear Power Plant at Proposed Diablo Canyon Site," for review by committee.
MORRIS,P.A. Atomic Energy Commission. 87/04/14 PALLADINO,N J. ACRS - Advisory Committee on Reactor Safeguards. 1p 46768 268-46768 268
- 8809120128 "Preliminary Aspects of PG&E Application for CP for Nuclear Power Plant at Proposed Diablo Canyon Site"
* Atomic Energy Commission. 87/04/14. 3pp. 46766-269-46766 271.
- 8809120074 FOIA request documents of IE regional assessments & rankings by region in area of performance assessment of enforcement activities & any supporting clarification & documentation rankings from 1982 to present
CONNOR,L. Doc-Search Associates 87/12/23. Division of Rules & Records (870413-850514) 1p. 46770.059 46770 059.
- 8809120091 Final response to FOIA request for documents Forwards documents listed in App A Documents also available in PDR App B documents totally withheld (ref FOIA Exemption 5) App C documents partially withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17. CONNOR,L. Doc-Search Associates. 6pp 46770.060 46770 238.
- 8305090714 Discusses IE plan for assessment of regional implementation of IE programs, based on 820708-07 meeting in Region III IE office procedure on conduct of regional assessment revised.Cooperation in efforts requested.
DEYOUNG,R.C. Ofc of Inspection & Enforcement, Director (820201-870413) 82/08/23. HAYNES,R.E. Region 1, Ofc of the Director O'REILLY,J. Region 2, Ofc of the Director, KEPPLER,J. Region 3, Ofc of the Director 45pp 46770-090-46770 134
- 8306270494 Forwards Operating Reactor Programs Branch assessment rept of Region III Implementation of SALP program for operating reactors Comments should be submitted by 830609 for inclusion in summary rept.
TAYLOR,J.M. Div of Quality Assurance,Safeguards & Inspection Programs,IE (830103-850212) 83/05/24 KEPPLER,J.G. Region 3, Ofc of the Director. 11pp 46770.149-46770 158.
- 8809120106 Requests comments on encl draft IE Procedure 200 re appraisal of regional implementation by 820811.
DEYOUNG,R.C. Ofc of Inspection & Enforcement, Director (820201-870413). 82/05/24. HAYNES,R.C. Region 1, Ofc of the Director. O'REILLY,J P Region 2, Ofc of the Director. KEPPLER,J.G. Region 3, Ofc of the Director. 25pp. 46770 065-46770 089.
- 8809120116 Forwards structure for IE evaluation of overall regional performance thru 830531 & requests one page summary assessment for each assigned
SNIEZEK,J H Ofc of Inspection & Enforcement, Director (820201-870413). 83/05/10 TAYLOR,J.M. Div of Quality Assurance,Safeguards & Inspection Programs,IE (830103 850212). JORDAN,E.L. Div of Emergency Preparedness & Engineering Response,IE(850212 870413) AXELRAD,J.A Enforcement Staff, IE (Pre 870413) 14pp 46770 135 46770 148
- 8809120120 Advises that D Rosano will visit on 840411-12 to review relevant notices of violations & to discuss findings w/ safeguards personnel responsible for insp results.
BLACKWOOD,E.B. Enforcement Staff, IE (Pre 870413) 84/04/06 HOLODY,D J Region 1, Ofc of the Director 3pp. 46770.160 46770 162
- 8809120123 Forwards new SES contract for regional administrators review & signatures Encl 3 provides guidance on type of info that should be considered in developing individual program area plans.
DIRCKS,W.J Ofc of the Executive Director for Operations 84/07/10 MURLEY,T.E Region 1, Ofc of the Director. O'REILLY,J.P. Region 2, Ofc of the Director KEPPLER,J.G Region 3, Ofc of the Director. 48pp 46770.163-46770 210
- 8809120137 Forwards assessments by Enforcement Staff of regional performance in enforcement area from Jul-Nov 1985
AXELRAD,J.A Enforcement Staff, IE (Pre 870413) 85/12/13 BLAHA,J L. Program Support & Analysis Staff, IE (Pre 870413). 13pp 46770 211-46770 223.
- 8809120143 Forwards response of Director of Enforcement Staff to Region IV comments on IE assessment of regional enforcement program & Region IV IE program of assessment of 880613.
TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 86/07/08 MARTIN,R.D. NRC - No Detailed Affiliation Given 12pp 46770 224-46770 235
- 8809120145 Forwards Region IV program of assessment provided to EDO in response to 880421 request
MARTIN,R.D. Ofc of Inspection & Enforcement, Director (820201 870413) 86/06/13 TAYLOR,J.M. Ofc of Inspection & Enforcement, Director (820201-870413). 2pp. 46770.236-46770 238.
- 8809120181 FOIA request for records listed on attachment ref to in Commission 880629 transcript on "Initial Briefing by Advisory Committee on Nuclear Waste"
FELTON,J.M. Nuclear Licensing Reports. 88/08/04 GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 2pp 46769 350 46769 351
- 8809120182 Partial response to FOIA request for documents Forwards App A Documents also available in PDR
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/22 FELTON,J M Nuclear Licensing Reports 2pp. 46769 352 46770 058
- 8809120184 Provides updated guidance for licensing of incineration of radwaste.Updated guidance supersedes Policy & Guidance Directive FC 84-3,did 840813.
CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413) 84/12/05 NRC - No Detailed Affiliation Given. 16pp. 46768.354 46770 009
- 8809120185 Submits comments on ACRS Subcommittee on Waste Mgt 880505 rept, "Below Regulatory Concern," & "De Minimis," concepts for ACRS consideration Rept on nuclear waste regulation encl
STELLO,V. Ofc of the Executive Director for Operations 88/08/27 FRALEY,R ACRS - Advisory Committee on Reactor Safeguards. 48pp 46770 010 46770 058
- 8809120210 FOIA request for documents re NRC policy & practices on Investigating allegations of wrongdoing in nuclear projects & info concerning RA Fortuna 880307 memo to WJ Ward.
HALL,A Government Accountability Project 88/08/30 NRC - No Detailed Affiliation Given. 2pp 46770 244 46770 245
- 8809120211 Final response to FOIA request for documents Forwards App B documents App A & B documents available in PDR Addl records may be found in PDR under FOIA-88 349
GRIMSLEY,D. NRC - No Detailed Affiliation Given. 88/08/23 HALL,A Government Accountability Project. 3pp. 46770.248 46770 292
- 8806130026 Forwards V Stello draft memo & charter establishing Investigation Referral Board for review of investigation requests to Ofc of Investigations Review & comments requested by 880620
SNIEZEK,J H Regional Operations & Generic Requirements, EDO (Pre 870413). 86/06/04 NRC - No Detailed Affiliation Given 8pp 46770.278 46770 285.
- 8712100369 Submits Rev 1 to Ofc Ltr 1000 re procedures for requesting Ofc of Investigations to conduct investigations into matters involving wrongdoing by licensees employees or contractors & notifying ofc of potential wrongdoing
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 87/12/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp 46770 268-46770 277.
- 8804010083 Submits NRR Ofc Ltr 1002 re timing of disclosure to licensees of pending investigations &/or criminal referrals.
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 88/03/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp 46770 261-46770 267.
- 8809120215 Submits Rev 3 to Ltr 1-27,establishing policies & procedures for mgt of allegations,including allegations re DOE or contractors on high level waste program
THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards,Director. 88/07/01. Office of Nuclear Material Safety & Safeguards,Director. 2pp. 46770 248-46770 250
- 8809120217 Ofc Ltr 1003,establishing policies & procedures for mgt of allegations in NRR & establishing NRR Allegation Review Board responsible for direction & oversight of allegation mgt process in NRR.
MURLEY,T.E Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/01. Office of Nuclear Reactor Regulation, Director (Post 870411) 10pp. 46770.251-46770 260

236 NONDOCKETED ITEMS

- 8809120227 Forwards policy statement re handling of late allegations, per LJ Chandler 841010 note Review & concurrence by C O B 841026 requested
CUNNINGHAM, G H Regional Operations & Generic Requirements, EDO (Pre 870413) 84/10/25 DENTON, H R Office of Nuclear Reactor Regulation, Director (Post 870411) DEYOUNG, R C Ofc of Inspection & Enforcement, Director (820201-870413) MURLEY, T E Region 1, Ofc of the Director 7pp 46770 286-46770 292
- 8809120218 FOIA request for NRC response to OMB Bulletin 88-11, "Federal Info Sys & Technology Planning"
TAYLOR, N Federal Sources, Inc 88/08/11 McDONALD, W NRC - No Detailed Affili-
ation Given 1p 46769 327-46769 327
- 8809120222 Final response to FOIA request for documents re NRC response to OMB
Bulletin 88-11, "Federal Info Sys & Technology Planning" Forwards App A
document Document also available in PDR
GRIMSLEY, D H NRC - No Detailed Affiliation Given 88/08/30 TAYLOR, N Federal
Sources, Inc 2pp 46769 328-46769 334
- 8809120229 Forwards overview of NRC info technology plans & priorities in response
to OMB Bulletin 88-11, "Federal Info Sys & Technology Planning"
McDONALD, W G Office of Administration & Resources Management, Director (Post
870413) 88/07/20 MACRAE, J B Office of Management & Budget 5pp 46769 330-
46769 334
- 8809120238 Appeals denial of FOIA request for undated draft memo
FELTON, J M Nuclear Licensing Reports 88/07/18 STELLO Ofc of the Executive Di-
rector for Operations 1p 46769 335-46769 340
- 8809120239 Final response to FOIA request for documents App B document withheld
(ref FOIA Exemption 5)
GRIMSLEY, D NRC - No Detailed Affiliation Given 88/08/23 KUDLICK, M MHB
Technical Associates 3pp 46770 239-46770 243.
- 8809120243 Responds to 880718 appeal of DH Grimsley 880714 response denying one
record subj to FOIA request for documents of 880607 & 18 meetings re mails pro-
gram audit & certification of radiographers VL Miller 880714 memo encl.
STELLO, V Ofc of the Executive Director for Operations. 88/08/29 FELTON, J M Nu-
clear Licensing Reports 2pp 46769 341-46769 349
- 8809120247 Summary of 880616 meeting w/American Society for Nondestructive
Testing re industrial radiographer safety personnel certification program Draft memo of
meeting also encl
MILLER, V L Medical, Academic & Commercial Use Safety Branch 88/07/14 Medi-
cal, Academic & Commercial Use Safety Branch 7pp 46769 343-46769 349
- 8809150245 FOIA request for revs, supps & clarifications & documents re NUREG/CR
3899, "Util Financial Stability & Availability of Funds for Decommissioning"
PHILLIS, M T Bishop, Cook, Purcell & Reynolds. 88/03/23 GRIMSLEY, D H NRC - No
Detailed Affiliation Given 1p 46815 136-46815 138.
- 8809150253 Final response to FOIA request for documents Forwards App A
documents, Charges for search & review of records identified on App A stated
GRIMSLEY, D NRC - No Detailed Affiliation Given 88/08/23 PHILLIS, M T Bishop,
Cook, Purcell & Reynolds 2pp 46815 137-46815 309.
- 8809150259 Marked-up "Analysis of Safety & Cost of Internal & External Funding for
Decommissioning Review of Comments Submitted to NRC on Proposed Amends Pub-
lished 850211 in FR, Vol 50, Number 28, Pp 5,600-5,625"
SIEGEL, J J Siegel, J J 86/03/31 31pp 46815 139-46815 169
- 8809150263 Revised "Analysis of Safety & Cost of Internal & External Funding for
Decommissioning Review of Comments Submitted to NRC on Proposed Amends Pub-
lished 850211 in FR, Vol 50, Number 28, Pp 5,600-5,625"
SIEGEL, J J Siegel, J J 86/04/30 34pp 46815 170-46815 203
- 8809150266 "Cost & Availability of Funds for Decommissioning/Analysis of Internal &
External Funding"
SIEGEL, J J Siegel, J J 86/05/31 30pp 46815 204-46815 233.
- 8809150277 Summarizes findings as reported in encl document, "Cost & Availability of
Funds for Decommissioning/Analysis of Internal & External Funding"
SIEGEL, J J Siegel, J J 87/11/14 SERPAN, C NRC - No Detailed Affiliation Given
2pp 46815 234-46815 309.
- 8809150265 Partial response to FOIA request for documents Forwards App T
documents Apps S & T documents available in PDR.
GRIMSLEY, D NRC - No Detailed Affiliation Given. 88/08/22. JONES, C Affiliation Not
Assigned 3pp. 46815 087-46815 131
- 8809150271 Ack receipt of 870715 ltr informing NRC of steps taken to correct viola-
tions noted in Insp Rept 50-272/83-37 Violations occurred as stated in notice of vio-
lation & appropriately classified in aggregate at Seventy Level III.
RUSSELL, W T. Region 1, Ofc of the Director EA 84 036 88/03/21
MILTENBERGER, S Public Service Electric & Gas Co. of New Jersey 6pp.
46815 090-46815 095
- 8809150274 Discusses Insp Rept 50-272/83-37 on 831205 06 & forwards notice of
violation
RUSSELL, W T. Region 1, Ofc of the Director, EA 84 036. 87/06/15 MCNEILL, C A
Public Service Electric & Gas Co. of New Jersey. 3pp 46815 096-46815 098.
- 8809150284 Notice of violation from Insp on 831205 06 & 840116-20. Violations
noted fire protection features not provided for certain redundant trains of equipment
&/or cabling located outside primary containment
RUSSELL, W T. Region 1, Ofc of the Director EA-84 036. 87/06/15 3pp. 46815 099-
46815 101.
- 8809150288 Discusses Insp Rept 50-271/83-26 on 830819 0802 & forwards notice of
violation.
RUSSELL, W T. Region 1, Ofc of the Director EA-84-007 87/06/15 MURPHY, W P
Vermont Yankee Nuclear Power Corp. 3pp. 46815 102-46815 104.
- 8809150292 Notice of violation from Insp on 830829 0802 Violation noted, fire protec-
tion features not provided for certain redundant trains of equipment &/or cabling nec-
essary to achieve & maintain hot shutdown conditions
RUSSELL, W T. Region 1, Ofc of the Director EA-84-007 87/06/15, 25pp. 46815 105-
46815 131.
- 8809150314 Partial response to FOIA request for document re SECY-88 69, "Current &
Potential Applicability of De Minimis & Below Regulatory Concern Concepts to Com-
mission Policies" Document available in PDR
GRIMSLEY, D H NRC - No Detailed Affiliation Given 88/08/30 FELTON, J M Nuclear
Licensing Reports 2pp 46815 132-46815 135
- 8809160085 Partial response to FOIA request for documents re plant Forwards App C
documents Documents also available in PDR & LPDR in Plymouth Public Library in
Plymouth, MA
GRIMSLEY, D NRC - No Detailed Affiliation Given 88/08/23 JOHNSON, G E Swidler
& Berlin 3pp 46814 001-46815 086
- 8702030158 Confirms that final response to 10CFR2 206 petition re restart date for
plant will be submitted by 870331, per discussion Related info encl
JORDAN, E L Div of Emergency Preparedness & Engineering Response, IE (850212
870413) 2 206 87/01/28 KRIMM, R W Federal Emergency Management Agency
240pp 46814 027-46814 309
- 8809160091 Forwards package on FEMA self initiated review & interim finding on off
site emergency planning at plant Commonwealth of MA planning found inadequate to
protect health & safety of public W/o encl
IGNE, E ACRS - Advisory Committee on Reactor Safeguards 87/08/27 MOELLER, D
ACRS - Advisory Committee on Reactor Safeguards 1p 46814 004-46814 004
- 8809160102 Summary of 820209 meeting w/util re current status of util response to
NRC order, List of attendees & description of changes in util organization encl
CHAI, G J Enforcement Staff, IE (Pre 870413) 82/02/09 Enforcement Staff, IE (Pre
870413) 13pp 46814 005-46814 017
- 8809160104 Discusses Commonwealth of MA proposal for alternative to imposition of
civil penalty in amount of \$450,000
FARRISH, R Office of the General Counsel 2 206. 82/03/02 Office of the General
Counsel. 1p 46814 018-46814 018
- 8809160118 Forwards documents re background info on util violation of
10CFR50 44, per request
CARLSON, R T Enforcement & Investigation Staff, R1 81/07/24 WESSMAN, R En-
forcement Br, Enforcement & Investigation Staff, IE (Pre 820201) 6pp 46814 019-
46814 024
- 8809160123 Requests submittal of schedule for installation & testing of containment
atmospheric dilution sys within 60 days, per Rev 2 to Reg Guide 1.7
IPOLITO, T A Atomic Energy Commission - Deputy Director for Reactor Projects 78/
03/14 ANDOGNINI, G C Boston Edison Co. 2pp 46814 025-46814 026
- 8809160248 Discusses restart of plant, per NRC 870427 confirmation of action ltr or
denial continued shutdown until problems identified in SALP reviews resolved EDO
scheduled to address Commission in Aug 1988 on licensee readiness for restart
BOEHNER, P ACRS - Advisory Committee on Reactor Safeguards CAL 88/03/23
ACRS - Advisory Committee on Reactor Safeguards. 1p 46814 310-46814 310
- 8809160254 Requests that further processing of payment of civil penalty by util & de-
posit of payment in US Treasury be stayed until deposition of Commonwealth of MA
petition
KENNY, P J Massachusetts, Commonwealth of. EA-81-063 82/03/19 HAYNES, R C
Region 1, Ofc of the Director. 1p 46814 311-46814 311
- 8809160265 Requests that further processing of payment of civil penalty in amount of
\$550,000 by util be stayed until deposition of Commonwealth of MA petition
KENNY, P J Massachusetts, Commonwealth of. EA 81-063 82/03/22
DEYOUNG, R C Ofc of Inspection & Enforcement, Director (820201-870413) 1p
46814 312-46814 312
- 8809160270 Advises of suspension of work on containment atmospheric dilution sys
described in Amend 35 to FSAR Action taken pending rev to Reg Guide 1.7.
FELDMANN, M J Boston Edison Co. 74/06/13 Atomic Energy Commission, Director
ate of Licensing 1p. 46814 313-46815 086
- 8809160162 FOIA request for 880307 memo ref to in encl 880331 article by J
Anderson, draft answers prepared by Fortuna & Ward for Breaux Subcommittee & re-
sponse sent by NRC to subcommittee.
FELTON, J M Nuclear Licensing Reports 88/04/21. GRIMSLEY, D H Division of
Rules & Records (870413 880514) 2pp 46832 076-46832 077
- 8809160168 Partial response to FOIA request for documents Forwards App E
documents App D & E documents available in PDR App E documents being placed at
LPDR in Plymouth, MA
GRIMSLEY, D NRC - No Detailed Affiliation Given 88/08/25. JOHNSON, G E Swidler
& Berlin. 4pp 46831 033-46832 075
- 8702190275 Requests review of encl info re safety classification of refueling interlocks
at facility & assistance in resolving matter prior to restart.
KANE, W F Region 1, Ofc of the Director. 87/01/06 BEHNERO, R Division of Boiling
Water Reactor (BWR) Licensing (851125-870411). 9pp 46831 248-46831 260
- 8803300047 Forwards Augmented Insp Team outstanding issues re improvement of
plant ability to cope w/future similar event, for tracking & followup
DURR, J P NRC - No Detailed Affiliation Given 88/01/20. WIGGINS, J T NRC - No
Detailed Affiliation Given. 7pp 46832 049-46832 055.
- 8809160173 Advises that encl Investigation Rept 50-293/81-37 re mail false state-
ment incident scheduled for issuance on 820318 Incident does not appear to involve
deliberateness on part of util nor employees Supporting documentation encl.
HAYNES, R C Region 1, Ofc of the Director. 82/03/10 DEYOUNG, R C Ofc of In-
spection & Enforcement, Director (820201-870413). CUMMINGS, J M. Office of In-
spector & Auditor. 133pp. 46831 040-46831 247.
- 8809160184 Forwards transcript of testimony presented to Special Joint Committee on
870427
KANE, W F Region 1, Ofc of the Director 87/05/01. FORMAN, P V. Massachusetts,
Commonwealth of. 1p 46831 261-46831 261
- 8809160189 Transcript of WF Kane testimony before Special Joint Committee on In-
vestigation & Study of Pilgrim Station re 860412 shutdown & deficiencies
identified, incomplete rept of committee on plant encl.
KANE, W F. Region 1, Ofc of the Director. 87/04/27 37pp 46831 262-46831 298

NONDOCKETED ITEMS 237

- 8809160191 Summary of 870814 meeting w/utill,FEMA & Commonwealth of MA in FEMA Region 1 Ofc re FEMA Region 1 self initiated review & interim finding dtd 870804
LAZARUS,W J Region 1, Ofc of the Director 87/08/17 Region 1, Ofc of the Director 2pp 46831 299 46831 300
- 8809160196 Expresses appreciation for repts submitted to NRC by Commonwealth of MA Dept of Public Health & S Cobb re results of epidemiological studies in communities around plant Commonwealth of MA responsible for reviewing concerns
KANE,W F Region 1, Ofc of the Director 87/09/17 ALEXANDER,L R Massachusetts, Commonwealth of 2pp 46831 301-46831 302
- 8809160199 Proposes listed agenda items for 871008 meeting in King of Prussia,PA,including status of NRC review of security violations reported by util & allegations of excessive overtime,per 870930 telcon
AGNES,P W, Massachusetts, Commonwealth of 87/10/01, MILLER,M NRC - No Detailed Affiliation Given. 10pp 46831 303 46831.312
- 8809160201 Summarizes 871008 meeting w/Commonwealth of MA re concerns & status of NRC position on emergency planning,safety enhancements & mgt deficiencies re plant Meeting agenda & list of attendees encl.
MILLER,M T, Region 1, Ofc of the Director. 87/12/04, DEAN,G Massachusetts, Commonwealth of 4pp, 46831 313-46831 316
- 8809160205 Forwards info re allegation process,OL amend process,NRC policy on overtime at plant & generic emergency procedures for containment venting,per 871008 request,W/o stated encls Related info encl
MILLER,M T, Region 1, Ofc of the Director 87/11/10 BARRY,C V, Massachusetts, Commonwealth of. 9pp 46831 317-46831.325
- 8809160207 Responds to 871112 request for comments on util restart plan for plant & on results at plant to date
BARRY,C V, Massachusetts, Commonwealth of. 88/01/04 RUSSELL,W T, Region 1, Ofc of the Director. 4pp 46831.326 46831 329.
- 8809160239 "Rept on Emergency Preparedness for Incident at Pilgrim Nuclear Power Station."
BARRY,C V, Massachusetts, Commonwealth of 87/12/16. 37pp 46831:330 46832.048.
- 8809160244 Confirms discussions re 880209 informational meeting between Region 1 staff & representatives of local & state govts & certain residents living in area of plant.
AGNES,P W, Massachusetts, Commonwealth of. 88/02/05 MILLER,M Region 1, Ofc of the Director. 2pp. 46832.056-46832.057.
- 8809160251 Forwards transcripts of oral statements made during public meetings held by NRC on 880218 in Plymouth,MA, to receive public comments on plant restart plan
RUSSELL,W T, Region 1, Ofc of the Director. 88/04/05 BARRY,C V, Massachusetts, Commonwealth of. 1p. 46832 058 46832 058
- 8809160255 "Emergency Preparedness"
BELLAMY,R R Region 1, Ofc of the Director 88/05/11 10pp 46832.059 46832.068
- 8809160261 Requests right to participate as observer in augmented team insp scheduled for 880606 & to designate addl associate observers to assist G Minor in selected phases of insp
BARRY,C V, Massachusetts, Commonwealth of. 88/05/27. RUSSELL,W T, Region 1, Ofc of the Director 1p 46832 069 46832.071
- 8809160268 Informs that Governor Dukakis & Atty General Shannon agree to abide by "Guidelines for Accompaniment on Integrated Assessment Team Insp," sub] to resolution of encl items brought to Zech attention W/o encl
BARRY,C V, Massachusetts, Commonwealth of 88/07/08 RUSSELL,W T Region 1, Ofc of the Director. 1p 46832.072-46832 075.
- 8809160172 Final response to FOIA request for documents Forwards App J documents Apps J & K documents available in PDR Apps L & M documents partially & totally withheld, respectively (ref FOIA Exemption 5)
GRIMSLEY,D H NRC - No Detailed Affiliation Given 88/08/31. BELAIR,R R, Kirkpatrick & Lockhart. 8pp. 46831:001-46831:032.
- 8809160176 Partially withheld memo forwarding responses to prehearing questions for hearing on NRC emergency planning rule change to be held by House Subcommittee on Energy & Environ, for comments by C.O.B. on 870423.
BRADBURN,J C, Congressional Affairs 87/04/22. ZECH, ROBERTS, ASSELSTINE Commissioners. 8pp. 46831:009-46831 032
- 8809160177 Final response to FOIA request for documents.App A records released App B document available in PDR Forwards App C documents Documents also available in PDR App D documents withheld (ref FOIA Exemptions 2 & 5).
GRIMSLEY,D H. NRC - No Detailed Affiliation Given 88/08/30 FELTON,J M, Nuclear Licensing Reports. 8pp 46832:078 46833:148
- 8810240061 Discusses establishment of Investigation Referral Board to review requests for investigations,provide central focus for referrals to Ofc of Investigations & assign priorities & schedules commensurate w/agencywide needs.
STELLO,V Ofc of the Executive Director for Operations 88/10/20. DAVIS,J G, DENTON,H R., TAYLOR,J M NRC - No Detailed Affiliation Given. 5pp. 46832:297-46832 306.
- 8706120280 Discusses Investigation Referral Board (IRB) established as integrated senior mgt review board to examine proposed requests for investigations IRB referral board review of 6- month trial period encl
STAROSTECKI,R. NRC - No Detailed Affiliation Given 87/05/21. STELLO,V Ofc of the Executive Director for Operations. 13pp. 46832:284-46832:296.
- 8706120287 Forwards proposed IRB recommendations resulting from Ofc of Investigation referrals,for review,comments & suggestions. Response requested by 870427.
STAROSTECKI,R. Region 1, Ofc of the Director. 87/04/10. ALLAN,J M Region 1, Ofc of the Director. GRACE,J N, Region 2, Ofc of the Director. DAVIS,A B, Region 3, Ofc of the Director. 12pp. 46832:323-46832 358
- 8809160188 Forwards series of questions re subcommittee exam of Commission activities & relationship w/utill licensees
BREAUX,J B, Senate, Environment & Public Works. 88/01/27. ZECH,L W, Commissioners. 50pp 46832 086 46832:135.
- 8809160194 Responds to 850117 request for legislative history on Congressional celling of 38 positions for Ofc of Investigations
KAMMERER,C NRC - No Detailed Affiliation Given 88/01/24 ASSELSTINE,J K Commissioners. 42pp. 46832 136 46832 185.
- 8809160203 Requests response to Ofc of Investigation answer to Breaux/Simpson be forwarded to Commissioner for review
HAYES,B B, NRC - No Detailed Affiliation Given 88/02/19 NRC - No Detailed Affiliation Given 30pp 46832.186-46832 215
- 8809160211 Forwards remaining answers to 880127 questions re Ofc of Investigations,training & qualification of nuclear power plant personnel,NRC proposed policy statement on maint & NRC policy statement on enforcement.
ZECH,L W, Commissioners 88/03/01. BREAUX,J Senate, Environment & Public Works 16pp 46832 216 46832 231.
- 8809160220 Provides list of changes found in final response to Ofc of Investigations answers to assigned 880127 questions Changes that went to Congress from NRC rendered authors answers either incorrect or misleading.
WARD,W J, Office of Investigations 88/03/07 HAYES,B B Office of Investigations 15pp. 46832.232 46832 246
- 8809160222 Discusses review of 880307 ltr against questions sent to Breaux/Simpson on 880301 & also against last version of questions sent to EDO & Ofc of Congressional Affairs
REHM,T A, Ofc of the Executive Director for Operations 88/03/10 TAYLOR,J M Ofc of the Executive Director for Operations. 5pp 46832 247-46832 251
- 8809160231 Informs that Subcommittee on Nuclear Regulation completing investigations & series of hearings on issues re organization & operation of NRC & on relationship w/industry it regulates.
BREAUX,J Senate, Environment & Public Works. 88/02/10 HAYES,B B, NRC - No Detailed Affiliation Given. 1p. 46832.252-46832.252
- 8809160233 Informs that Subcommittee on Nuclear Regulation completing investigations & series of hearings on issues re organization & operation of NRC & on NRC relationship w/industry it regulates
BREAUX,J, Senate, Environment & Public Works 88/02/10 FORTUNA,R NRC - No Detailed Affiliation Given. 1p. 46832.253-46832.253
- 8809160241 Advises that,effective immediately,all correspondence from Ofc of Investigations should be routed through J Taylor.
WARD,W J, Office of Investigations 88/02/10 Office of Investigations 8pp. 46832:254-46832:261.
- 8809160246 Testimony of BB Hayes re proposals to restructure NRC
HAYES,B B Office of Investigations 88/04/26. 7pp 46832 262-46832.268.
- 8809160250 Forwards draft responses to listed 880127 questions from Senators Breaux & Simpson W/o encl
BRADBURN,J C, NRC - No Detailed Affiliation Given 88/02/18. ZECH, ROBERTS, BERNTHAL Commissioners. 1p 46832 269 46832:269
- 8809160258 Forwards revised answers to "Breaux-Simpson" Questions 14-26 w/exception of 15(E) & 23 W/o encl.
CALLAHAN,M NRC - No Detailed Affiliation Given 88/02/25 JONES,B, LOPEZ-OTIN,M., KAGAN,C NRC - No Detailed Affiliation Given 1p 46832 270 46832 283
- 8809160291 Responds to 880121 ltr re several questions from colleagues on Committee on Environ & Public Works Resolution 395 will not occur until Commission develop permanent organizational plan for integrating investigative functions
ZECH,L W Commissioners 88/01/29 STAFFORD,R T., BURDICK,Q N, SIMPSON,A K, Senate, Environment & Public Works 8pp 46833 068 46833 076
- 8809160300 Responds to 880121 ltr from several congressmen expressing reservations re Commission announcement on future status of NRC Ofc of Investigations
ZECH,L W, Commissioners. 88/01/29 SHARP,P R, DINGELL,J, House of Rep., Energy & Commerce. UDALL,M K House of Rep., Interior & Insular Affairs 9pp 46833:076-46833:084.
- 8809160305 Responds to 850117 request for legislative history on Congressional celling of 38 positions for Ofc of Investigations Commissions FY92 budget did not include separate category for investigations
KAMMERER,C, Office of Congressional Affairs (pre 870413). 88/01/24. ASSELSTINE,J K, Commissioners 5pp. 46832 358-46833 009
- 8809160307 Advises that effective 880201,Ofc of Investigations will rept to Deputy Director for Regional Operations Within 60 days Commission intends to develop permanent organizational plan for integrating investigative functions
ZECH,L W, Commissioners 88/01/21 STELLO,V, Ofc of the Executive Director for Operations 10pp 46833.085 46833 084.
- 8809160310 Forwards background documents dating from 820101 re proposal to place Ofc of Investigations under EDO.
BRADBURN,J C, Congressional Affairs 88/03/02. SHARP,P R, House of Rep., Energy & Commerce. 3pp. 46833:130-46833.136.
- 8809160313 Advises that listed Commissioners approved proposed SRM & ltrs to Congress Commissioner Roberts noted that key consideration in step two, "to assure more efficient & cost-effective utilization of staff resources," is reassignment
CHILK,S J, Office of the Secretary of the Commission. 88/01/20. ZECH Commissioners 2pp. 46833:095 46833:096
- 8809160316 Advises of proposal to respond to Conference Committee Rept direction that functions of Ofc of Investigations be consolidated under EDO by two step approach that will carry out directive
ZECH,L W, Commissioners COMLZ-88-2. 88/01/19 ROBERTS., BERNTHAL, CARR Commissioners. 10pp. 46833.097-46833:106
- 8809160320 Advises of briefing for House Subcommittee on Energy & Power on 880331 re new reporting arrangements.
BRADBURN,J, Congressional Affairs. 88/03/29. ZECH, ROBERTS, BERNTHAL Commissioners. 1p 46833.137-46833.138.

238 NONDOCKETED ITEMS

--8809160325 Advises that encl ltr sent to Chairman Whitten & Stennis outlining measures taken by Commission to implement conferees directive to consolidate investigative activities under mgt of EDO.
ZECH,L.W. Commissioners 88/01/21 BEVILL,T. House of Rep., Appropriations 2pp 46833 139 46833 139

--8809160328 Informs of action taken by Commission in response to directive in conference committee re HJ Res 395 re organizational structure of NRC
ZECH,L.W. Commissioners. 88/01/21. STENNIS,J.C., WHITTEN,J.L. Senate, Appropriations 2pp 46833.140 46833 141

--8809160330 Informs that Commission has decided that, effective 880201, Ofc of Investigations will report to Deputy Executive Director for Regional Operations.
ZECH,L.W. Commissioners. 88/01/21 BREAU,X.J.B. Senate 1p 46833.142-46833 142

--8809160331 Informs of serious concerns re directive & appraisals of interests & intentions re structure of NRC investigative functions
STAFFORD,R.T., BURDICK,Q.N., SIMPSON,A.K. Senate, Environment & Public Works 88/01/21 ZECH,L.W. Commissioners 5pp 46833 143 46833.147.

--8809160334 Forwards NRC initial FY85 base table for distribution to respective appropriation & authorization committees
TRINER,E.G. Office of Resource Management, Director (Pre 870413) 84/11/08 KAMMERER,C.C. Office of Congressional Affairs (pre 870413) 15pp 46833 010-46833 052

--8809190010 Discusses language appearing on statement of managers accompanying HJ Res 395 re continuing resolution for FY85.
UDALL,M., DINGELL,J. House of Rep., Interior & Insular Affairs. GEJDENSON,S. House of Rep. 88/01/21. ZECH,L.W. Commissioners 2pp. 46833 107-46833 108

--8809190014 Forwards answers to detailed questions re Commission decision to direct Ofc of Investigations to report to Commission through Executive Director for Operations rather than directly
ZECH,L.W. Commissioners 88/02/26. GLENN,J., ROTH,W.V. Senate, Governmental Affairs. 7pp 46833:109-46833.115.

--8809190017 Requests participation in establishing Ofc of Investigations (OI) Organizational Review Group to prepare recommended organization, for approval by Commission, integrating functions of OI within EDO.
ZECH,L.W. Commissioners 88/02/02 THOMPSON,H. Office of Nuclear Material Safety & Safeguards, Director BIRD,P. NRC - No Detailed Affiliation Given. FITZGERALD,J. Office of the General Counsel. 1p. 46833:116-46833.116

--8809190038 Requests suspension of actions until Senate had time to fully consider issues, including S 908
GLENN,J.H., ROTH,W.V. Senate, Governmental Affairs 88/01/28. ZECH,L.W. Commissioners 13pp 46833 117-46833:128

--8809190360 Advises that author sent encl ltr to Chairmen Whitten & Stennis outlining measures which Commission taking to implement conferees directive to consolidate investigative activities under mgt of EDO.
ZECH,L.W. Commissioners 88/01/21 JOHNSTON,J.B. Senate, Appropriations. 1p. 46833.148 46833.148.

8809180209 Appeals denial of FOIA for documents re Commission administration of U Mill Tailings Radiation Control Act of 1978.
BREMBERG,B.P. Affiliation Not Assigned 88/07/13. Ofc of the Executive Director for Operations 5pp 46816 001-46816 005.

8809160214 Responds to 880913 appeal of FOIA request for three categories of records re U Mill Tailings Radiation Control Act of 1978 Appeal partially granted & partially denied (ref FOIA Exemption 5).
STELLO,V. Ofc of the Executive Director for Operations 88/09/31 BREMBERG,B.P. Affiliation Not Assigned 2pp. 46816 006 46816 031

--8809160217 Forwards two recommendations for legislation re confiscation of byproduct mail & retention & use of surety funds, per 880112 memo. W/o encls.
MARTIN,R.D. Region 4, Ofc of the Director 88/02/04 REHM,T.A. Ofc of the Executive Director for Operations 2pp. 46816-008-46816.031.

8809300079 Forwards documents to be placed into Nuclear Documents Sys Advanced copy of documents forwarded to PDR on 880913 under FOIA 84-61.
URBAN,P.A. Assistant General Counsel for Adjudications & Opinions 88/09/16. COLLINS,M. NRC - No Detailed Affiliation Given 1p. 46890.241-46891.078

--8809300082 Requests that four-page affidavit forwarded on 880918 be replaced by encl affidavit
URBAN,P. Assistant General Counsel for Adjudications & Opinions. 88/09/22. SHELBOURNE,B. Public Document Branch COLLINS,M. NRC - No Detailed Affiliation Given. 1p 46890-242-46890 253

--8809300084 Partially deleted affidavit of JJ Cummings.
CUMMINGS,J.J. NRC - No Detailed Affiliation Given. 84/06/21 11pp. 46890.243-46890.253.

--8809300088 Requests that encl documents be placed in PDR file retrievable w/ref to FOIA-84-61.
PARLER,W.C. Office of the General Counsel. 88/09/13 SHELBOURNE,E. Public Document Branch. 1p. 46890-254-46890 255.

--8809300092 Submits position on Commission action on recipient conduct in Applegate FOIA matter Author voted w/Commission majority to support Chairman 830629 ltr.
AHEARNE Commissioners 83/08/30. CUMMINGS,J. Office of Inspector & Auditor. 4pp 46890-256-46890 259.

--8809300095 Discusses 830629 memo of admonition re Applegate FOIA matter Due to contradictory repts, copies of tapes & transcripts of all Commission meetings wherein subj discussed requested
CUMMINGS,J.J. Office of Inspector & Auditor 83/07/05. PALLADINO Commissioners 1p 46890.260-46890 260

--8809300098 Assures Chairman & other commissioners that notwithstanding differing opinions re Applegate FOIA matter, author will continue to provide Commission w/efforts in directing activities of Ofc of Inspector & Auditor.
CUMMINGS,J.J. Office of Inspector & Auditor. 83/07/15 PALLADINO Commissioners 1p. 46890-261-46890 261

--8809300099 Requests that copies of tapes &/or transcripts of Commission discussions on Applegate FOIA matter & any documentation re subj be provided Reasons for requesting documentation listed
CUMMINGS,J.J. Office of Inspector & Auditor 83/12/20 PALLADINO Commissioners 2pp 46890 262-46890 263.

--8809300102 Partially deleted memo re 821103-05 travel from Columbus, OH to Washington, DC; 821103-09 travel from Cincinnati, OH to Washington, DC & NRC handling of expenses incurred in connection w/travel
CUMMINGS,J.J. Office of Inspector & Auditor 83/08/26 PALLADINO Commissioners. 1p. 46890-264-46890 264.

--8809300118 Partially deleted memo discussing Applegate expenses
* NRC - No Detailed Affiliation Given 83/01/07. PUGLISE,A. Office of Resource Management, Director (Pre 870413). 21pp 46890 265-46890 285.

--8809300125 Sanitized transcript of 830913 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pp 1-78.
* Commissioners 83/09/13. 34pp. 46890.286 46890 319

--8809300126 Sanitized transcript of 830921 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pp 1-73
* Commissioners 83/09/21. 72pp 46890 320 46891 030.

--8809300128 Sanitized transcript of 830923 closed meeting on mgt/ organization & internal personnel matters in Washington, DC. Pp 1-87
* Commissioners. 83/09/23 46pp. 46891-031-46891-077

--8810040248 Partially withheld memo re improprieties on travel voucher.
RESNER,M.E. Office of Inspector & Auditor 83/08/28. CUMMINGS,J.J. Office of Inspector & Auditor. 1p. 46891.078-46891.078.

GEN TEC IS GENERIC TECHNICAL ISSUES

8802100081 Summary of CRGR Meeting 127 on 871223 re proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nuclear Power Plants" Committee recommended forwarding ofc package to EDO following incorporation of CRGR comments
JORDAN,E.L. Committee to Review Generic Requirements. 88/01/11. STELLO,V. Ofc of the Executive Director for Operations 37pp 46874 070-46874 106

--8809160144 Requests that 871230 comment memo be included as part of minutes of CRGR Meeting 127 since author does not agree w/consensus that each CRGR member responsible for assuring that minutes accurately reflect member views.
ROSS,D. Office of Nuclear Regulatory Research, Director (Post 860720). IEB-85 001. 87/12/31. JORDAN,E. NRC - No Detailed Affiliation Given 4pp 46874 107-46874.110

--8809160167 Provides agenda for CRGR Meeting 127 on 871223 in Bethesda, MD Items to be reviewed include proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nuclear Power Plants" & Generic Issue 93, "Steam Binding"
JORDAN,E.L. Committee to Review Generic Requirements IEB 85 001. 87/12/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director MARTIN,T.F. Region 1, Ofc of the Director ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 46874:114-46874.115.

--871100236 Advises that Generic Issue 93 on steam binding of auxiliary feedwater pump has been resolved. No addl requirements beyond IEB Bulletin 85 001 needed Draft generic ltr for resolving issue encl Requests affirmation that CRGR review not needed.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) IEB 85-001 87/11/02 JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 3pp. 46874:116-46874:167.

--8712230246 Forwards CRGR summary & issue identification for CRGR Meeting 127 on 871223 proposed Generic ltr on resolution of Generic Safety Issue 93, "Steam Binding of Auxiliary Feedwater Pumps."
SAKENAS,C.A. Committee to Review Generic Requirements. IEB-85 001 87/12/18. JORDAN,E.L., BERNERO,R.M., SNEZEK,J.H. NRC - No Detailed Affiliation Given. 10pp. 46874.168 46874.181.

--8809160272 Forwards CRGR summary for proposed resolution of USI A 47, "Safety Implications of Control Sys in LWR Nuclear Power Plants" Matter scheduled for review at CRGR Meeting 127 on 871223 in Bethesda, MD.
CHIRAMAL,M. Reactor Operations Analysis Branch 87/12/16. JORDAN,E.L. Committee to Review Generic Requirements BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director. SNEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp 46874 236-46874 241

--8711050137 Comments on proposed resolution of USI A-47, "Safety Implications of Control Sys on LWR Nuclear Power Plants." Concurs w/USI A-47 package to be issued to CRGR based on satisfactory resolution of listed recommendations
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/10/19. BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp 46874-242-46874 244

--8809160285 Forwards proposed resolution of USI A-47, "Safety Implications of Control Sys in LWR Nuclear Power Plants," for review & approval.
BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) 87/11/09. JORDAN,E. Committee to Review Generic Requirements 4pp. 46874 245-46875 332

8804140381 Summary of CRGR Meeting 130 on 880309 re proposed draft resolution of USI A-40, "Seismic Design" & proposed generic ltr that would allow licensees to remove organization charts from plant Tech Specs W/o encls
JORDAN,E.L. Committee to Review Generic Requirements 88/03/23. STELLO,V. Ofc of the Executive Director for Operations 2pp 45118:060-45118.061.

8804140381 Summary of CRGR Meeting 130 on 880309 re proposed draft resolution of USI A-40, "Seismic Design" & proposed generic ltr that would allow licensees to remove organization charts from plant Tech Specs.
JORDAN,E.L. Committee to Review Generic Requirements. 88/03/23. STELLO,V. Ofc of the Executive Director for Operations. 17pp. 46873:195-46873.211.

--8802260122 Submits items re resolution of USI A-40, "Seismic Design Criteria," on which public comments should be sought. Data indicates that results of deconvolution in analysis of deeply embedded foundations questionable
BAGCHI, G. Structural & Geosciences Branch 88/02/12 BAER, R. Engineering Issues Branch (870413-880716). 2pp 46873.212-46873.219

--8803210547 Forwards issue identification, summary & agenda items for CRGR Meeting 130 on 880309 re review of proposed draft resolution for USI A-40, "Seismic Design Criteria"
CONRAN, J. H. Committee to Review Generic Requirements 88/03/08 JORDAN, E. L. Committee to Review Generic Requirements. BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. ROSS, D. F. Office of Nuclear Regulatory Research, Director (Post 880720). 6pp 46873.220-46873.227

--8803070309 Notification of CRGR Meeting 130 on 880309 to review proposed draft resolution for USI A-40 "Seismic Design," & discuss NUREG/CR-4991 "Evaluation & Proposed Improvements to Effectiveness of NRC Generic Communications"
JORDAN, E. L. Committee to Review Generic Requirements. 88/02/29. BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. MARTIN, T. T. Region 1, Ofc of the Director. ROSS, D. F. Office of Nuclear Regulatory Research, Director (Post 880720). 2pp 46873.228-46873.229

8805110236 Summary of 880223 meeting w/CRGR List of attendees & all recommended changes to be coordinated w/CRGR staff encl. Items addressed listed.
JORDAN, E. L. Committee to Review Generic Requirements 88/04/14 STELLO, V. Ofc of the Executive Director for Operations 26pp. 46860.001-46861.031.

--8802250361 Notification of CRGR Meeting 129 on 880223 in Bethesda, MD. G. Arlotta will present proposed Rev 2 to Reg Guide 1.100 for CRGR review CRGR review of proposed resolution for USI A-40 rescheduled to Meeting 130
JORDAN, E. L. Committee to Review Generic Requirements. 88/02/16 BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. MARTIN, T. T. Region 1, Ofc of the Director. ROSS, D. F. Office of Nuclear Regulatory Research, Director (Post 880720). 9pp. 46860.032-46860.040.

--8802280008 Discusses proposed position on use of seismic experience data base for resolution of USI A-46, "Seismic Qualification of Equipment in Operating Plants." Use of data base recommended.
SPEIS, T. P. Division of Safety Review & Oversight (851125-870411). 88/08/21. NOVAK, T. M. Division of Pressurized Water Reactor Licensing - A (851125-870411). 2pp. 46860.086-46860.092

--8805160165 Discusses CRGR review of proposed resolution of USI-A-40, "Seismic Design Criteria." Proposed USI A-40 resolution will be issued for public comment
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 880720). 88/02/02 JORDAN, E. L. Committee to Review Generic Requirements 150pp. 46860.107-46861.031.

8807190092 Submits revised agenda for CRGR Meeting 141 on 880714 in Bethesda, MD. Items for review include proposed generic ltr on instrument air problems & proposed draft rule to require college degrees for senior reactor operators
JORDAN, E. L. Committee to Review Generic Requirements 88/07/08. BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. PAPERIELLO, C. J. Region 3, Ofc of the Director. ROSS, D. F. Office of Nuclear Regulatory Research, Director (Post 880720). 2pp 46867.124-46869.263.

--8809160163 Requests review of proposed resolution of USI A-46, "Shutdown DHR Requirements," described in encl memo to Commission. Draft NUREG-1289 & NUREG 1292 also encl
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 880720). 88/06/08. JORDAN, E. L. Office for Analysis & Evaluation of Operational Data, Director. 720pp. 46867.183-46869.263.

8808260250 Forwards Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815 & notice of violation. Requests supplemental response to violation re actions to be taken to permanently improve mod program for documentation.
GREENMAN, E. G. Region 3, Ofc of the Director 88/08/19 REED, C. Commonwealth Edison Co 2pp. 46670.040-46670.058.

--8808260299 Safety Insp Repts 50-454/88-11 & 50-455/88-11 on 880701-0815. Violation noted Major areas inspected. licensee action on previous insp findings, LERs, bulletin followup, operations summary, training, refueling, surveillance & maint.
HINDS, J. M. Region 3, Ofc of the Director. 88/08/19 17pp 46670.043-46670.058

8808300126 Summary of CRGR Meeting 142 on 880727
JORDAN, E. L. Committee to Review Generic Requirements. 88/08/03 STELLO, V. Ofc of the Executive Director for Operations 2pp. 46698.355-46698.356

8808300135 Forwards biweekly listing of generic communications under consideration or being developed by NRC. List includes all proposed generic communications reported by 880817.
BERLINGER, C. H. Generic Communications Branch. GL-87-11. 88/08/23. FADDEN, D. L. Institute of Nuclear Power Operations. 5pp. 46693.051-46693.055.

8808300188 Discusses resolution of Generic Issue 124 re auxiliary feedwater sys reliability Resolution relied on audit of several parameters that effect availability & reliability of auxiliary feedwater sys
HARBUCK, C. C. Project Directorate IV, TAC 88188. 88/08/24. CAMPBELL, T. G. Arkansas Power & Light Co 11pp 46691.023-46691.033.

8808310154 Informs of util plans to resolve Generic Ltr 87-02 & Unresolved Safety Issue A-46, "Seismic Qualification of Electrical Equipment." Intends to join Seismic Qualification Util Group as alternative for addressing ltr.
HAIRSTON, W. G. Alabama Power Co. GL-87-02. 88/08/19 Document Control Branch (Document Control Desk). 1p. 46699.045-46699.045.

8809010327 Forwards biweekly listing of generic communications reported to NRC through 880801 & under development by NRC.
BERLINGER, C. H. Generic Communications Branch. GL-87-11. 88/08/04 FADDEN, D. L. Institute of Nuclear Power Operations 5pp. 46744.295-46744.299

8809010329 Summary of CRGR Meeting 141 on 880714 re proposed generic ltr, "Instrument Air Supply Problems Affecting Safety-Related Equipment" & proposed draft rule to require college degrees for senior reactor operators
JORDAN, E. L. Committee to Review Generic Requirements. 88/08/15 STELLO, V. Ofc of the Executive Director for Operations. 2pp 46740.194-46740.195.

8809010329 Summary of CRGR Meeting 141 on 880714 re proposed generic ltr, "Instrument Air Supply Problems Affecting Safety-Related Equipment" & proposed draft rule to require college degrees for senior reactor operators
JORDAN, E. L. Committee to Review Generic Requirements. 88/08/15. STELLO, V. Ofc of the Executive Director for Operations 7pp 46865.001-46865.061.

8809020176 Forwards Safety Insp Repts 50-262/88-12 & 50-306/88-12 on 880625-0806 & notice of violation
AXELSON, W. L. Region 3, Ofc of the Director 88/08/22 LARSON, C. E. Northern States Power Co 2pp 46750.264-46750.279.

--8809020178 Insp Repts 50-292/88-12 & 50-306/88-12 on 880625-0806 Violations noted Major areas inspected previous insp findings, plant operational safety, maint, surveillance, ESF sys, LER followup & preparation for refueling.
BURGESS, B. Region 3, Ofc of the Director. 50-306/88-12 88/08/22 13pp. 46750.267-46750.279.

8809130070 Forwards Insp Rept 50-220/88-28 on 880801-05 No violations noted.
DURR, J. P. Region 1, Ofc of the Director. 88/09/07. MANGAN, C. V. Niagara Mohawk Power Corp 2pp 46833.238-46833.239.

8809140405 Discusses resolution of Generic Issue 124 re auxiliary feedwater sys reliability response to staff assessment rept. Evaluation of condensate pumps as method of accomplishing safety function of emergency feedwater sys encl.
HOWARD, D. R. Arkansas Power & Light Co. ZCAH098804 88/09/02. CALVO, J. A. Division of Reactor Projects - III, IV, & Special Projects (Post 870411). 23pp 46846.129-46846.151

8809150085 Lists issues & specific actions re near term actions in prioritization & resolution of generic issues per discussion during 880405 meeting Informs of Commission briefing on generic issues program scheduled on 880512
SPEIS, T. P. Office of Nuclear Regulatory Research, Director (Post 880720) 88/04/13 Office of Nuclear Regulatory Research, Director (Post 880720) 3pp. 46873.312-46873.314.

8809190245 Clarifies 880524 response to Generic Ltr 88-03 re steam binding of auxiliary feedwater pumps to resolve Safety Issue 93. Check valves modified to preclude back leakage associated w/binding.
HAIRSTON, W. G. Alabama Power Co. GL-88-03. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46887.360-46887.360.

8809220089 NUREG/CR-5210 TECHNICAL FINDINGS DOCUMENT FOR GENERIC ISSUE 51. IMPROVING THE RELIABILITY OF OPEN-CYCLE SERVICE-WATER SYSTEMS
NEITZEL, D. A., JOHNSON, K. I. Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2977. PNL-8823. 88/08/31 Division of Engineering (Post 870413) 119pp. 46880.250-46881.003.

8809270049 Forwards findings from investigation of Generic Issue 23, "Reactor Coolant Pump (RCP) Seal Integrity." NRC requested to confirm that no safety concerns for RCP seals provided high temp qualified O-rings installed during normal maint.
NEWTON, R. A. Westinghouse Operating Plant Owners Group. CG-88-38 88/09/20. MURLEY, T. E. Office of Nuclear Reactor Regulation, Director (Post 870411) BAER, R. L. JACKSON, J. E. Division of Engineering Safety (880720-870413) 9pp. 46870.153-46870.161

I&E INSPECTION AND ENFORCEMENT

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI, C. E. Division of Operational Events Assessment (Post 870411) 88/08/22 Consolidated Edison Co. of New York, Inc. 121pp 46702.311-46703.070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI, C. E. Division of Operational Events Assessment (Post 870411) IEIN-88-048 88/08/24 Consolidated Edison Co. of New York, Inc 122pp 46713.218-46713.219.

--8808090172 Comments on NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Believes rept title misleading & valves counterfeit not refurbished. Notice should be amended.
BRONGER, B. Henry Vogt Machine Co. IEIN 88-048 88/08/01. ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 2pp 46713.220-46713.339.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding in HFA Relays Mfg by GE." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411) 88/08/19 Consolidated Edison Co. of New York, Inc 125pp 46690.054-46690.178.

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI, C. E. Division of Operational Events Assessment (Post 870411) IEIN 88-001 88/08/29 Consolidated Edison Co. of New York, Inc. 123pp 46713.095-46713.217

8808260020 PNO-I-88-082 on 880812, loss of offsite electrical power occurred. Cause not stated Inspector will be on site on 880815 to review status of facility.
ROTH, J., JOYNER, J. Region 1, Ofc of the Director. 88/08/12 1p. 46656.185-46656.185

8808260236 PNO-I-88-087 on 880823, possible therapy misadministration at Rochester General Hosp reported Error made in entering wedge factors into software during process of upgrading computer software causing patients to receive excessive doses MCGRATH, J. Region 1, Ofc of the Director. 88/08/23. 1p 46656.258-46656.258

8808260253 PNO-I-88-085 on 880816, apparent loss of Coratomic Model C-10 pacemaker, containing 250 mg Po-238 discovered Surveys made & personnel interviewed w/o success. Search continuing
COURTMANCHE, S., PICCONE, J. Region 1, Ofc of the Director. 88/08/22. 1p 46656.243-46656.243.

8808260269 PNO-I-88-086 on 880822, Unit 2 experienced one out-of-three actuation & chlorine detection sys. Unit 1 actuated on two-out-of-three coincidence. Bottled & pressurization sys began to discharge into control room. Addl tests performed.
TRIPPL, L. Region 1, Ofc of the Director. 88/08/23 2pp. 46654.052-46654.053

240 NONDOCKETED ITEMS

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event" Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co. of New York, Inc. 121pp 46712 244-46713.004

8808290044 PNO-II-88-048, on 880812, plant lost power to 18 of 30 annunciator panels, due to failure in associated power supply inverter Licensee investigating cause of power supply failure & NRC closely monitoring situation
CARROLL, R. Region 2, Ofc of the Director. 88/08/12 1p 46686 252 46686 252

8808290054 PNO-II 88-048A on 880811, medical device malfunction occurred at licensee hosp in Mobile, AL due to probable end cap loss of afterloading device No contamination detected on external of device or in treatment State will perform final survey
TROJANOWSKI, R., WOODRUFF, R. L. Region 2, Ofc of the Director. 88/08/12 2pp. 46684 039-46684 040.

8808290088 PNO II 88-050 on 880816, approx 3,100 gallons of slightly radioactive water released from spent fuel pit by vent valve on failed pump Cause under investigation Hourly sampling underway. Sandbags placed around spill areas
LEWIS, M., CHRISTENSEN, H. Region 2, Ofc of the Director. 88/08/16. 2pp 46686.046-46686 047

8808300018 NRC Info Notice 88 072, "Inadequacies in Design of DC Motor Operated Valves" Svc list encl
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/09/02. Consolidated Edison Co. of New York, Inc. 122pp 46728 001 46726 123

8808300021 PNO-V-88 053 on 880821, safety injection tank declared inoperable & reactor shut down due to actuating relief valve Containment entered, valve gagged & tank repressurized
JOHNSON, P., CALDWELL, C., HUEY, R. Region 5, Ofc of the Director. 88/08/22 1p 46693-283-46693.283

8808300041 EN-88-070 on or about 880825, notice of violation & proposed imposition of civil penalty of \$1,000 will be issued based on 14 violations noted during insp
FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EN-88 070 88/08/22. 1p 46693 207-46693.207.

8808300081 EN 88 069 notice of violation & proposed imposition of civil penalty in amount of \$100,000 on or about 880825 Action based on violations involving overexposure of individual during refueling outage.
FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-88-158. 88/08/22 1p. 46693 094-46693 094

8808300301 PNO-IV-88 069 on 880824, util 100 h NSSS acceptance test completed Upon completion of review of startup test results by plant operations review committee, util will be in position to begin commercial operation State of TX informed
HOLLER, E. Region 4, Ofc of the Director. 88/08/24 1p 46782.001-46782.001

8808300318 PNO I 88 088 on 880825, FBI confiscated licensed reactor operator vehicle due to alleged drug distribution Operator unescorted access withdrawn & resident Inspector informed Region I prepared to respond to media inquiries.
LINVILLE, J. Region 1, Ofc of the Director. 88/08/25. 1p 46777.094 46777 094

8808300339 PNO I-88-050A on 880818, spent fuel pit cooling sys pump failed resulting in unplanned spillage of some 3,100 gallons of spent fuel pit water at plant Backup pump installed Util continuing work to decontaminate HX room.
LEWIS, M., CHRISTENSEN, H. Region 2, Ofc of the Director. 88/08/17 2pp 46698 301-46698 302.

8808310109 PNO-IV-88-058, on 880822, metal cylinder bearing radiation warning label found in Roswell, NM. Police & firemen cordoned off area & called state radiation protection personnel
HACKNEY, C. Region 4, Ofc of the Director. 88/08/23 1p. 46723.353 46723.353.

8808310126 PNO IV-88 070, on 880825, reactor scrambled due trip of main turbine after brush failure of main generator exciter. Although water level has not dropped to Level 2, HPCS pump did start & may have injected Power restored to Div III bus
MADSEN, G. L. Region 4, Ofc of the Director. 88/08/25. 1p. 46699.046 46699.046

8808310155 PNO-IV-88 071 on 880828, Region IV signed MOU w/EPA re inactive United Nuclear Corp Churchrock U Mill site MOU provides that NRC assert lead regulatory role over vendor & confirms that NRC regulations will be applied inside site
HALL, R. E. Region 4, Ofc of the Director. 88/08/26 1p 46699.305 46699.305

8809010037 PNO-I 88-069, on 880825, facility lost offsite electrical power Caused by tree falling across electrical wires leading into facility Operations at facility terminated, employees sent home & monitoring sys switched to emergency power
ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/08/25 1p. 46720:130-46720:130.

8809010040 EN-88 068 on 880824, notice of violation & proposed imposition of civil penalty in amount of \$1,000 issued to licensee for listed violations, including failure to adequately secure gauge against unauthorized removal.
FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-88-172. 88/08/19 1p 46720.331-46720 331.

8809010044 PNO I 88-084, on 880818, TMI-2 control room alteration occurred Licensee operator protected area access suspended pending investigation of accident & resident inspectors closely following licensee actions re event.
CONTE, R., COWGILL, C. Region 1, Ofc of the Director. 88/08/18. 1p. 46740.344-46740.344.

8809020245 PNO I 88 084A, on 880829, resident inspectors informed of results of drug testing on licensee reactor operator involved in altercation described in PNO I 88-084. Licensee terminated employee on basis of positive test results
CONTE, R., COWGILL, C. Region 1, Ofc of the Director. 88/08/30. 1p. 46745:277-46745:277

8809020248 PNO-I-88-080A, updates PNO-I-88-080 re misadministration to brachytherapy patient at Memorial Hosp for Cancer & Allied Diseases. Implants involved I-192 & not radium as originally reported Procedures re implant removal instituted.
MCGRATH, J. Region 1, Ofc of the Director. 88/08/29. 2pp. 46745.278-46745.279.

8809020252 PNO I-88-080 on 880826, New York City Dept of Health notified Region I of Memorial Hosp for Cancer & Allied Diseases re pt of brachytherapy misadministration involving use of radium. Sources not removed from patient in timely fashion.
MCGRATH, J. Region 1, Ofc of the Director. 88/08/26. 1p 46745.280 46745 280

8809060049 EN 88 071 order suspending license & order to show cause, effective immediately, issued on 880829 to licensee Violation based on licensee inadequate knowledge of NRC regulations
FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA 88 166 88/08/29 1p 46754 049 46754 049

8809060377 PNO IV-88-074 on 880901, addl case of personnel heat exhaustion & transport of contaminated individual occurred Individual became ill after 25 minutes in area w/WBGT of 86.6 F Program to reduce risk of exhaustion instituted
HAAG, B. Region 4, Ofc of the Director. 88/09/01 2pp 46764 292 46764 293.

8809060399 PNO IV 88-072 on 880830, shutdown began from approx 45% power to repair main steam vent line leak coming from a sock weld. Licensee will insp similar socket welds on main steam & main feed lines inside containment during shutdown
HOLLER, E. Region 4, Ofc of the Director. 88/09/30 1p 46758 352-46758 352

8809060403 PNO IV 88 073 on 880830, personnel heat exhaustion occurred due to physical exertion while wearing anticontamination clothing in high temp environ Personnel treated in hosp Restrictions placed on future work activities
HAAG, R. Region 4, Ofc of the Director. 88/08/30 1p 46758 124 46758 124

8809070355 PNO I 88 091 on 880831, Unit 1 tripped from full power as result of main turbine trip Cause unknown Unit 2 tripped from full power due to high steam generator (SG) level resulting from SG feed regulating valve failing open.
BORCHARDT, W., SWETLAND, P. Region 1, Ofc of the Director. 88/09/01. 1p 46779 144-46779 144

8809070449 PNO-V-88 055 on 880827, reactor tripped on low steam generator level Plant stabilized in Mode 3 after trip. Post-trip review performed & plant equipment operated properly. Plant restarted on 880830
RICHARDS, S., POLICH, T. Region 5, Ofc of the Director. 88/08/30 1p. 46779 359 46779 359

8809080202 PNO I 88-092 on 880901, injured contaminated contractor employee removed from site after falling 20 ft from platform Worker suffered broken wrist & facial cut w/ 600 dpm contamination Worker successfully decontaminated
JOHNSON, T., LINVILLE, J. Region 1, Ofc of the Director. 88/09/02 2pp. 46791 358 46791 359

8809080339 NRC Info Notice 88 074, "Potentially Inadequate Performance of ECCS in PWRS During Recirculation Operation Following LOCA." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp 46824 215 46824 336

8809120147 PNO II 88 051 on 880826, plant personnel were moving spent fuel cask using transporter to remote dry cask storage area on site & transporter tilted about six degrees Licensee used steel bed plates to jack up & support transporter.
SCOTT, M. Region 2, Ofc of the Director. 88/08/29 2pp 46815 340 46815.341.

8809120197 NRC Info Notice 88 075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/18 Consolidated Edison Co. of New York, Inc. 124pp 46846 133 46846 252

8809130130 PNO II 88-053 on 880830, licensee commenced orderly shutdown in order to facilitate testing of svc water (SW) sys associated w/containment fan coolers Results of SW testing last wk indicated negative pressures Addl pump maint needed
CARROLL, R. E. Region 2, Ofc of the Director. 88/09/01. 1p. 46833 350 46833 350.

8809130288 PNO II 88-052A on 880831, augmented insp team dispatched to investigate partial loss of water from refueling cavity Licensee submits justification for continued operation NRC plans to meet w/licensee to discuss actions
SCOTT, M. Region 2, Ofc of the Director. 88/09/02 1p 46830 069-46830 069

8809130350 NRC Info Notice 88 076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control" Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46846.253-46847-013.

8809140040 PNO-III 88 077 on 880903, fuel assembly stuck in upper guide structure Containment integrity established by closing personnel & equipment hatches. Special tools fabricated & tested to remove assembly & recovery procedures prepared
BURGESS, B. L., AXELSON, W. L. Region 3, Ofc of the Director. 88/09/08 2pp. 46844 174 46844.175

8809140089 PNO IV-88 075 on 880906, reactor scrambled from 100% power. Caused by main generator trip due to loss of normal station transformer, probably caused by cat crawling into transformer. NOUE declared because HPCS & RCIC sys initiated
MADSEN, G. L. Region 4, Ofc of the Director. 88/09/06 1p. 46842.042 46842.042.

8809140148 PNO V-88 056 on 880830, Unit 1 experienced reactor trip from 99% power due to main feed pump trip Also, on 880901, Unit 2 experienced reactor trip from 100% power due to seismic trip signal incidents under investigation
NARBUT, P., MENDOZA, M. Region 5, Ofc of the Director. 88/09/02 4pp. 46839 272-46839-275.

8809140154 PNO I-88-008 on 880908, licensee security notified by sheriff dept that bomb threat received Perimeter patrols increased & access to site closed. Nothing unusual discovered during search of site Suspected caller taken into custody
MARSHALL, C., COWGILL, C. Region 1, Ofc of the Director. 88/09/09 1p 46842:220-46842:220

8809140314 PNO III 88-079 on 880907, unidentified primary coolant sys leakage approached Tech Spec limit of 1 gpm Caused by leak from 3/8 inch instrument line on reactor coolant pump HX due to vibration/rubbing. Shutdown initiated for maint & repairs.
BURGESS, B., AXELSON, W. Region 3, Ofc of the Director. 88/09/08. 1p. 46837.211-46837-211.

8809140330 PNO II-88-052 on 880517, partial loss of water in refueling cavity occurred due to seal failure during refueling outage Review of circumstances planned.
SCOTT, M. Region 2, Ofc of the Director. 88/08/31. 1p 46837 005-46837.005

NONDOCKETED ITEMS 241

8809140418 PNO-III 88 078 on 880904, fire occurred in two charcoal adsorber tanks in offgas sys Cause under investigation Nitrogen purge of tanks performed & temps reduced
COOPER, R., KNOP, R. Region 3, Ofc of the Director 88/09/06 2pp. 46841 165-46841-168

8809140436 PNO-OSP 88-014 on 880908, increase in auxiliary bldg radiation levels detected by health physics personnel Cause under investigation. No alarm received but licensee decided to evacuate auxiliary bldg
LIAW, B.D. Ofc of Special Projects 88/09/09 1p 46838 112-46838 112

8809190139 Requests processing of encl documents re 3M compiled by NMSS & regions through NRC Document Control Sys & forwarding to PDR
BEVERIDGE, G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 88/08/25. LANHAM, D. Document Control Branch (Document Control Desk) 1p 46958 178-46964 263.

8809210190 PNO-I-88 043 on 880420, received correspondence from Event/lo Crator, Inc. reporting loss of 1 & 1/2 days production due to facility & product contamination of NHD, Inc. Model P-2021 static eliminator containing Po-210. SE452 - SE455 encl.
WHITE, J., JOYNER, J. Region 1, Ofc of the Director SE451 88/04/20 8pp 46964, 009 46964, 014

8809190141 PNO-IV-88 076A on 880913, movement of conduit apparently cut energized cable & junction box became energized electrocuting contract electrician Licensee continuing investigation of event & inspectors monitoring actions.
CHAMBERLAIN, D. Region 4, Ofc of the Director 88/09/15. 1p. 46893, 108-46893, 108.

8809190151 PNO-I-88-095 on 880915, licensee employee died from apparent anoxia or drowning Victim jumped into condensate storage tank in efforts to assist diver fallen from internal ladder before having donned breathing apparatus.
LIMOTH, D. Region 1, Ofc of the Director. 88/09/15. 1p. 46896, 320-46896 320

8809190400 EN 88-073 on 880915, notice of violation & proposed imposition of civil penalty will be issued based on inability of shared diesel to respond for approx 2 months & operating ungrounded 125-volt dc battery sys as grounded
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/09/12 1p. 46899, 247-46899, 247.

8809200015 PNO IV-88-076 on 880913, one electrician died & one injured after receiving electrical shock while pulling 480 volt cables in overhead on second level of auxiliary bldg. Caused by electrician slipping & grabbing conduit for support.
CHAMBERLAIN, D. Region 4, Ofc of the Director. 88/09/13. 2pp 46919 288-46919, 289.

8809200054 PNS I-88 007 on 880912, two I-131 capsules reported missing by ER Squibb & Sons. Capsules were shipped to Roswell Park Memorial Hosp in Buffalo, NY on 880907. Sources may have been disposed inadvertently w/ shipping package.
MILLER, M., PICCONE, J. Region 1, Ofc of the Director. 88/09/14 1p. 46911, 020-46911, 020.

8809200335 EN 88 072 on 880913, notice of violation & proposed imposition of civil penalty in amount of \$8,000 issued to licensee based on failure to maintain surveillance & post & rope off area where industrial radiography performed
JOHANSEN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA 88-155 88/09/08. 1p 46912, 343 46912 343.

8809210030 EN 88-074 on 880916, notice of violation & proposed imposition of civil penalty in amount of \$50,000 will be issued based on two examples of inattentiveness of security officers assigned as compensatory measures to vital area.
ROSANO, R.P., LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA-88-174, 88/09/13. 1p. 46920, 275 46920 275

8809210168 Advises that Rev 1 of draft closeout rept on Bulletin 80-14, NUREG/CR-5190, acceptable subj to changes indicated in marked-up encl.
BERLINGER, C.H. Generic Communications Branch. NRC 05-95-157-02. IEB 80 14. 88/09/15. FOLEY, W.J. Parameter, Inc. 17pp. 46920:231-46920, 247

8809210195 EN 88-077 on 880920, notice of violation & proposed imposition of civil penalty in amount of \$1,800 will be issued to licensee Action based on failures to calibrate, perform surveys & evaluate personnel dosimetry.
JOHANSEN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA 87-205. 88/09/15. 1p. 46919, 335-46919, 335

8809210197 EN 88-076 on 880920, notice of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued to licensee based on two events violating limiting conditions for operation.
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-88-202, 88/09/14 1p 46920:310-46920 310.

8809210201 EN-88-075 on 880919, notice of proposed imposition of civil penalty in amount of \$50,000 will be issued to licensee. Action based on violation of equipment qualification requirements of 10CFR50.49.
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). GL-88 07 88/09/14. 1p. 46920:294-46920, 294.

8809230005 PNO-I-88-094 on 880912, two capsules containing 0.5 mCi I-131 each & shipped to Roswell Park Memorial Hosp on 880907, reported missing. Sources may have been disposed w/ shipping package inadvertently Rept previously issued as PNO-I-88-07
MILLER, M., PICCONE, J. Region 1, Ofc of the Director. 88/09/14. 1p 46932:278-46932, 278.

8809230006 PNO-I 88 093 on 880804, apparent loss of sealed source containing radioactive mail reported. Licensee plans to release advisory to all NIH employees on Bethesda, MD campus w/ descriptions Rept previously issued as PNO-I 88 05.
PELCHAT, J., GLENN, J. Region 1, Ofc of the Director. 88/08/04. 1p 46932:277-46932, 277.

8809230115 PNO-II-88 055 on 880911, unit declared alert due to loss of all AC power. Caused by personnel error. Power restored by closure of standby breakers State of SC & county agencies informed.
BONSER, B., PEEBLES, T. Region 2, Ofc of the Director. 88/09/12. 1p. 46932:299-46932, 299.

8809230119 PNO-I-88 096 on 880917, licensee shut down unit to troubleshoot &/or repair cause of high flow in seal leak-off line 1 for reactor coolant pump D
CONTE, R., COWGILL, C. Region 1, Ofc of the Director. 88/09/19 1p 46932 298-46932 298

8809230146 PNS-I-88-007 on 880918, site exterior lighting lost due to wiring failure in switching device Supplementary security personnel called in to provide compensatory measures Electricians completed jumpering failed switching device
MARSHALL, C., COWGILL, C. Region 1, Ofc of the Director. 88/09/19 1p 46944 341-46944 341.

8809230147 PNO-II-88 054. Coalition Against Shearon Harns notified local law enforcement of plant demonstration scheduled for 880912-13 Civil disobedience expected Plant security & FBI notified. Local media interest anticipated
CARROLL, R. Region 2, Ofc of the Director 88/09/12. 2pp. 46942 250 46942, 251.

8809230277 PNO-II 88 080 on 880916, Troxler moisture-density gauge containing 10 mCi Cs-137 & 40 mCi Am-241 stolen from locked trailer at temporary job site in Indianapolis, IN Gauge mfg & local sheriff dept notified.
BURGIN, R.E., MALLETT, B.S. Region 3, Ofc of the Director. 88/09/16. 1p. 46943 005 46943 005.

8809260262 PNO-II 88-056 on 880914, Unit 1 shut down Caused by determination that both emergency diesel generators would be overloaded if loss of offsite power occurred between 5 & 60 minutes after LOCA Condition exists for both units
CANTRELL, F.S. Region 2, Ofc of the Director. 88/09/14. 1p 46956 206 46956 206

8809260308 PNO-I 88 087 on 880920, licensee noticed that 2 mCi Co 60 missing from shipping container when surveys of container measured background radiation levels Licensee also notice damage to handles on container & absence of padlock
MILLER, J., WALLACE, W. Region 1, Ofc of the Director. 88/09/20 2pp 46965 246-46965 247.

8809260339 PNO-II-88 081 on 880918, reactor operators observed decrease in flow through offgas sys, coupled w/ drop in generator electrical output & decrease in main condenser vacuum Plant shut down for investigation into offgas problem
COOPER, R.W., KNOP, R.C. Region 3, Ofc of the Director 88/09/19. 2pp. 46956 209 46956 210.

8809270065 EN-88-078 on 880921, notice of violation & proposed imposition of civil penalty in amount of \$75,000 issued to licensee based on violation of equipment qualification requirements of 10CFR50.49
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA 88 148 88/09/16 1p 46971, 248-46971 248.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

8809060027 Forwards comments on Ofc of Technology Assessment Rept, "Evaluation of Options for Managing Greater-Than-Class C Low Level Radwaste." Mechanism should not await availability of high level waste repository.
ROLES, G.W. Division of Low Level Waste Management & Decommissioning (Post 870413). 88/08/11. MCCABE, G.H. Congress (Joint & Rotating Committees, etc) 8pp 46751:210 46751 218

8809220164 Approves of NRC consideration of generating "approved" vendors list to exclude vendors of substandard products
RYAN, J.E., HARRIS, J.E. WFI Nuclear Products, Inc 88/08/25. STELLO, V. NRC - No Detailed Affiliation Given 2pp. 46927, 024-46927 025

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8804140381 Summary of CRGR Meeting 130 on 880309 re proposed draft resolution of USI A-40, "Seismic Design" & proposed generic ltr that would allow licensees to remove organization charts from plant Tech Specs
JORDAN, E.L. Committee to Review Generic Requirements, 88/03/23 STELLO, V. Ofc of the Executive Director for Operations 17pp. 46873:195-46873 211.

8809210647 Forwards issue identification, summary & agenda items for CRGR Meeting 130 on 880309 re review of proposed draft resolution for USI A-40, "Seismic Design Criteria."
CONRAN, J.H. Committee to Review Generic Requirements. 88/03/08. JORDAN, E.L. Committee to Review Generic Requirements BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 860720). 6pp. 46873, 220 46873 227.

8809270309 Notification of CRGR Meeting 130 on 880309 to review proposed draft resolution for USI A 40 "Seismic Design," & discuss NUREG/CR-1991 "Evaluation & Proposed Improvements to Effectiveness of NRC Generic Communications."
JORDAN, E.L. Committee to Review Generic Requirements. 88/02/29. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. MARTIN, T.T. Region 1, Ofc of the Director. ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp 46873:228-46873 228.

8807190092 Submits revised agenda for CRGR Meeting 141 on 880714 in Bethesda, MD. Items for review include proposed generic ltr on instrument air problems & proposed draft rule to require college degrees for senior reactor operators
JORDAN, E.L. Committee to Review Generic Requirements 88/07/08 BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. PAPERILL, C.J. Region 3, Ofc of the Director. ROSS, D.F. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 46867:124-46867, 263.

8809160163 Requests review of proposed resolution of USI A-45, "Shutdown DHR Requirements," described in encl memo to Commission. Draft NUREG-1288 & NUREG-1292 also encl.
BECK, JORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 88/06/08. JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director 720pp. 46867:193 46867, 263.

8808120294 Generic Ltr 88-14 to all holders of OLS or CPs for nuclear power reactors re instrument air supply sys problems affecting safety-related equipment. Svc ltr encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411). IEN-87-028. 88/08/08. Consolidated Edison Co. of New York, Inc. 41pp. 47065:001-47065 006.

242 NONDOCKETED ITEMS

8808260090 Requests plans for addressing issue of trespassing onto owner controlled property at site & to provide assurance that unauthorized persons warned or advised of protective actions per NUREG 0654, Section II.J. O'CONNOR, P.W. Project Directorate IV 88/08/19. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 46654.048-46654.051

8808260095 Advises of intent to comply w/Section 4.2.4.3 of SER (NUREG-0891) by using GE post-irradiation fuel surveillance program. KEMPER, J.S. Philadelphia Electric Co. 88/08/16. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46653.229-46653.230.

8808260325 Forwards Insp Rept 50-219/88 15 on 880523-0726 & notice of violation JOHNSTON, W.V. Region 1, Ofc of the Director. 88/08/19. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46655.237-46655.264.

-8808260339 Insp Rept 50-219/88 15 on 880523-0726 Violations noted. Major areas inspected licensee action in response to Mark I containment mod requirements of NUREG-0661, review of design analyses & plant unique analysis repl. CHAUDHARY, S.K., ROMNEY, N.D., STROSNIDER, J.R. Region 1, Ofc of the Director 88/08/15 25pp. 46655.240-46655.264.

8808260355 Forwards EGG NTA 8028, "Technical Evaluation Rept, TMI Action - NUREG 0737 (II.D.1), Byron Units 1 & 2." Util provided acceptable response Rept imposes one addl requirement Procedures to insp valves should be adopted. OLSHAN, L.N. Project Directorate III 2 TAC 58200 88/08/18. BLISS, H.E. Commonwealth Edison Co. 3pp. 46653.240-46653.269.

-8808170132 EGG-NTA-8028 "Technical Evaluation Rept, TMI Action - NUREG 0737 (II.D.1), Byron Units 1 & 2." MILLER, G.K., YUAN, C.Y., MALEZNY, C.L. EG&G Idaho, Inc (subs. of EG&G, Inc). FIN A-8492. 88/01/31. NRC - No Detailed Affiliation Given. 28pp. 46653.243-46653.269.

8808260473 Forwards FEMA analysis of "Zion Nuclear Power Station Site Specific Off-site Radiological Emergency Alert & Notification Sys QA Verification." Alert & notification sys installed around facility satisfies NUREG-0654 requirements. PETERSON, G.C. Federal Emergency Management Agency. 88/08/08. STELLO, V. Ofc of the Executive Director for Operations 1p. 46657.001-46658.101.

8808260161 Advises that 880426 Rev 17 to emergency plan meets planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E. Submission of all revs to emergency plan in accordance w/ Section 11 P of NUREG 0654 encouraged. COLLINS, D.M. Region 2, Ofc of the Director. 88/08/15. CONWAY, W.F. Florida Power & Light Co. 2pp. 46668.305-46668.306.

8808260221 Forwards Repts 4 B in NUREG-1308, Rev 1 & J Burger 880703 & 14 repls per telcon request. W/o encls. LAROCHE, G. Fuel Cycle Safety Branch 88/08/23. DREY, L. Affiliation Not Assigned. 1p. 46665.259-46665.259

8808260233 Forwards summary rept on radioactive matl in West Lake Landfill (NUREG-1308, Rev 1), per request. W/o encl. LAROCHE, G. Fuel Cycle Safety Branch. 88/08/23. CALDWELL, N. Hazelwood, MO. 1p. 46669.251-46669.251

8808300003 Forwards Insp Rept 50-285/88-23 on 880701-31 & notice of violation Actions taken re previously identified Insp findings also examined & discussed in rept Paragraph 5. CALLAN, J. Region 4, Ofc of the Director. IEIN-88 046. 88/08/19. MORRIS, K.J. Omaha Public Power District. 2pp. 46693.287-46693.328.

-8808300008 Insp Rept 50-285/88-23 on 880701-31 Violations noted Major areas inspected previously identified items, operational safety verification, plant tours, safety-related sys walkdown & monthly maint. surveillance & security observations. HARRELL, P.H., REIS, T., WESTERMAN, T.F. Region 4, Ofc of the Director. IEB-88-005. 88/08/19 38pp. 46693.291-46693.328

8808300028 Forwards info in support of uhl 880816 response to Generic Ltr 88-01 re IGSCC program at plant, including Rev 1 to SIR-97-015, "Welds II Residual Stress Analysis of Resistance Heating Stress Improvement Welded Pipes." BRONKS, J.C. New York Power Authority (formerly Power Authority of the State of New York). JPN 88 043. 88/08/19. Document Control Branch (Document Control Desk). 10pp. 46696.153-46696.243.

8808300126 Summary of CRGR Meeting 142 on 880727. JORDAN, E.L. Committee to Review Generic Requirements. 88/08/03. STELLO, V. Ofc of the Executive Director for Operations 2pp. 46698.355-46698.356.

8808300191 Forwards Rev 15 to physical security plan Rev incorporates changes made under Rev 14 into NUREG-0908 plan rewrite, includes organizational changes, deletes exemption & makes several other changes Rev withheld. CONWAY, W.F. Florida Power & Light Co. L-88 369. 88/08/26. Document Control Branch (Document Control Desk). 2pp. 46693.021-46693.022

8808300204 Advises of determination that petitions for rulemaking PRM 50-51.50-51A & 50-51B filed by ANI & MAERP Reinsurance Assoc. et al would be considered eligible for fast-track processing under NRC Regulations Handbook, per 880817 ltr. GILLESPIE, F.P. Program Management, Policy Development & Analysis Staff (Post 870411). 88/08/24. McDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413) 12pp. 46693.009-46693.020.

8808300224 Forwards response to Generic Ltr 88-01 re NRC position on IGSCC in BWR austenitic stainless steel piping Insp plans still not in complete compliance w/ NUREG 0313, Rev 2. Intent of subJ NUREG adopted in response to plant IGSCC experience. WILSON, R.F. General Public Utilities Corp. - GPU Service Corp. GL-88-01. 88/08/12. Document Control Branch (Document Control Desk) 2pp. 46692.309-46693.004.

-8808300263 TR-050 R00 Rev 0 to "Response to Generic Ltr 88-01 & NUREG-0313, Rev 2." COVILL, D., LORENZO, R., CAPODANNO, G.R. General Public Utilities Corp. - GPU Service Corp. GL-88-01. 88/08/10. 55pp. 46692.311-46693.004.

8808300299 Forwards Rev 14 to Emergency Plan PLP-201 & Rev 0 to Emergency Procedure PEP-100, "Emergency Action Levels (EALs) Users Guide" Comparison between EALs & NUREG-0654, App 1 requirements also encl. WATSON, R.A. Carolina Power & Light Co. NRC-838. 88/08/24. Document Control Branch (Document Control Desk). 107pp. 46697.273-46698.055

8808310171 Documents that SPDS declared fully operational in accordance w/SAR on 880208 after successfully completing various tests & operator training, per NUREG 0737 & uhl 870409 ltr. MROCZKA, E.J. Northeast Nuclear Energy Co (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities A04135. 88/08/24. Document Control Branch (Document Control Desk) 2pp. 46726.357-46726.358.

8808310240 Forwards "Summary Rept on Radioactive Matl in West Lake Landfill," (NUREG-1308, Rev 1) W/o encl. LAROCHE, G. Fuel Cycle Safety Branch 88/08/23. CALDWELL, N. Hazelwood, MO. 1p. 46699.142-46699.142

8809010051 Informs of changes to emergency planning program Personnel accessing site receive ltr describing expected action. Accountability guidelines provided to station dept heads & contractor supervisory personnel for review. HUNSADER, S.C. Commonwealth Edison Co. 5039K. 88/08/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46719.079-46719.080.

8809010122 Forwards "Transportation Risk Study Outline for DES Titled 'CES on Transportation of Radioactive Matl in US,'" for review, comment &/or concurrence. PIERCE, R.N. Center for Nuclear Waste Regulatory Analyses NRC-02-88 005. 88/08/22. COOK, J.R. Division of Safeguards & Transportation (Post 870413). 2pp. 46739.344-46739.380

8809010164 Comment opposing proposed rule 10CFR71 re transportation regulations compatibility w/IAEA. Rule would introduce three undesirable features which serve to make compliance more confusing, more expensive & less uniform. JEFFERSON, R.M. Affiliation Not Assigned. 53FR21550 00001. 88/08/16. Docking & Services Branch 3pp. 46654.099-46654.101

8809010185 Forwards addl info re progress in resolving Priority 1 human engineering discrepancies described in licensee 861230 "DCRDR Summary Rept," per JJ Stefano request. MUSOLF, D. Northern States Power Co. TAC 56140. 88/08/25. Document Control Branch (Document Control Desk) 11pp. 46742.273-46742.283

8809020206 Forwards Safety Insp Rept 50-336/88-10 on 880510 17 & notice of deviation Attention directed to number of emergency operating procedures technical concerns & deficiencies. GALLO, R.M. Region 1, Ofc of the Director. 88/08/23. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 46747.065-46747.068.

-8809020208 Notice of violation from Insp on 880510 17 Violation noted, licensee did not incorporate guidance into plant-specific Emergency Operating Procedure 2532, "Loss of Primary Coolant" or justify omission of guidance. Region 1, Ofc of the Director. GL-82-33. 88/08/23. 1p. 46747.069-46747.069

8809060116 Forwards safety evaluation concluding that DCRDR program meets requirements of Item I.D.1, per NUREG-0660, as clarified by Suppl 1 to NUREG-0737. SILVER, H. Project Directorate II-2. TAC 56115. 88/08/29. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 6pp. 46747.257-46747.264.

8809060137 NUREG 0304 V13 N02 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL) Compilation For Second Quarter 1988, April-June. Division of Freedom of Information & Publications Services (Post 880515). 88/08/31 51pp. 46690.001-46690.053

8809060147 NUREG/CR-4920 V05 ASSESSMENT OF SEVERE ACCIDENT PREVENTION AND MITIGATION FEATURES-PWR, ICE-CONDENSER CONTAINMENT DESIGN. HSU, C.J., PERKINS, K.R., LUCKAS, W.J. Brookhaven National Laboratory. FIN A 3828. BNL-NUREG-52070. 88/07/30. Division of Reactor & Plant Systems (870413. 880716). 137pp. 46688.222-46688.359

8809060157 NUREG/CR-4920 V04 ASSESSMENT OF SEVERE ACCIDENT PREVENTION AND MITIGATION FEATURES-PWR, LARGE DRY CONTAINMENT DESIGN. PERKINS, K.R., HSU, C.J., LEHNER, J.R. Brookhaven National Laboratory. FIN A 3828. BNL-NUREG-52070. 88/07/31. Division of Reactor & Plant Systems (870413. 880716). 129pp. 46688.093-46688.221

8809060174 NUREG/CR-4920 V03 ASSESSMENT OF SEVERE ACCIDENT PREVENTION AND MITIGATION FEATURES-BWR, MARK III CONTAINMENT DESIGN. FITZPATRICK, R., LEHNER, J.R., ELTAWILA, F. Brookhaven National Laboratory. FIN A-3825. BNL-NUREG-52070. 88/07/31. Division of Reactor & Plant Systems (870413. 880716). 77pp. 46687.109-46687.183

8809060181 NUREG/CR-4920 V02 ASSESSMENT OF SEVERE ACCIDENT PREVENTION AND MITIGATION FEATURES-BWR, MARK II CONTAINMENT DESIGN. LEHNER, J.R., HSU, C.J., ELTAWILA, F. Brookhaven National Laboratory. FIN A 3825. BNL-NUREG-52070. 88/07/31. Division of Reactor & Plant Systems (870413. 880716). 110pp. 46687.001-46687.108.

8809060193 NUREG/CR-4920 V01 ASSESSMENT OF SEVERE ACCIDENT PREVENTION AND MITIGATION FEATURES-BWR, MARK I CONTAINMENT DESIGN. PRATT, W.T., ELTAWILA, F., PERKINS, K.R. Brookhaven National Laboratory. FIN A 3825. BNL-NUREG-52070. 88/07/31. Division of Reactor & Plant Systems (870413. 880716). 88pp. 46688.007-46688.092

8809060195 NUREG/CR-5203 DYNAMIC AMPLIFICATION OF ELECTRICAL CABLES. BANDYOPADHYAY, HOFMAYER, C.H., KASSIR, M.K. Brookhaven National Laboratory. FIN A-3278. BNL-NUREG-52159. 88/08/30. Division of Engineering (Post 870413) 56pp. 46689.306-46689.361.

8809060196 NUREG/CR-5131 PRELIMINARY REVIEW OF MASS TRANSFER AND FLOW VISUALIZATION STUDIES AND TECHNIQUES RELEVANT TO THE STUDY OF EROSION-CORROSION OF REACTOR PIPING SYSTEMS. KUZAY, T.M., HALLE, H.J., KASZA, K.E. Argonne National Laboratory. FIN A-2212. ANL-88-20. 88/07/31. Division of Engineering (Post 870413) 28pp. 46687.339-46688.008.

8809060200 NUREG/CR-5149 EROSION CORROSION OF PWR FEEDWATER PIPING SURVEY OF EXPERIENCE, DESIGN, WATER CHEMISTRY AND MATERIALS. JONAS, O. Argonne National Laboratory. JONAS, O. Jonas, Inc. FIN A-2212. ANL-88 23. 88/06/30. Division of Engineering (Post 870413). 105pp. 46687.238-46687.338

NONDOCKETED ITEMS 243

8809060206 NUREG-0090 V11 N01 REPORT TO CONGRESS ON ABNORMAL OCCURRENCES, January-March 1988
* Office for Analysis & Evaluation of Operational Data, Director 88/07/31. 56pp 46887 184 46887 237

8809060246 NUREG/CR-5198 INHALED 238 PUO(2) AND/OR TOTAL-BODY GAMMA RADIATION Early Mortality And Morbidity In Rats And Dogs.
FILIPY,R.E., DECKER,J.R., LAI,Y.L. Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2268. PNL 6586 88/08/31 Division of Regulatory Applications (Post 870413) 250pp 46689.001 46689 305.

8809060338 Redistributed ltr forwarding Amends 31 & 30 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s.
ROOD,H. Project Directorate V TAC 62161 88/09/01 SHIFFER,J.D. Pacific Gas & Electric Co. 4pp 46758 162-46758 181

8809060345 Forwards summary rept on radioactive matl in West Lake Landfill (NUREG 1308, Rev 1) W/o encl.
LAROUCHE,G. Fuel Cycle Safety Branch. 88/08/31 GUILFORD,N.G. Laidlaw Industries, Inc 1p. 46779 350-46779 350.

8809060367 Forwards summary rept on radioactive matl in West Lake Landfill (NUREG 1308, Rev 1), per telcon request W/o encl.
LAROUCHE,G. Fuel Cycle Safety Branch. 88/08/31 MEYER,P. Bridgeton, MO 1p 46758:359 46758 359.

8809070073 Forwards summary rept on radioactive matl in West Lake landfill (NUREG 1308) W/o encl.
LAROUCHE,G. Fuel Cycle Safety Branch 88/08/31 OCCOR,J. Illinois, State of 1p. 46779 350-46779 350.

8809070264 Advises that request to allow J Turner to complete 76 h of training as extra man on shift to meet requirements for multi unit license granted Turner shall not operate any of controls or direct evolution unless under supervision
PATE,R.J. Region 5, Ofc of the Director. 88/08/31 HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 1p 46777 350-46777 350

8809070285 Forwards summary rept on radioactive matl in West Lake Landfill (NUREG 1308, Rev 1), per telcon request W/o encl.
LAROUCHE,G. Fuel Cycle Safety Branch. 88/08/31 ARNOLD,J. Bridgeton, MO. 1p. 46781.283 46781.283.

8809070302 FOIA request for documents re safeguards events occurring in 1987 not included in any published revs of NUREG-0525, "Safeguards Summary Event List."
BOLEY,K. Public Citizen's Critical Mass Energy Project 88/08/10. GRIMSLEY,D. NRC - No Detailed Affiliation Given 2pp. 46733-348-46733.349.

8809070318 Advises that expected date of submittal for LERs & suppls will be considered firm commitment, although not considering dates still consistent w/NUREG-1022 Submittal dates for stated LERs discussed
MORRIS,K.J. Omaha Public Power District, LIC-88-761. 88/08/30. Document Control Branch (Document Control Desk). 1p. 46784-148 46784-148.

8809070486 Forwards SER accepting proposed fire protection improvement program Continued rigorous implementation of program will increase improvements in overall safety of plant.
BLACK,S. Ofc of Special Projects TAC 62261 88/08/31 WHITE,S.A. Tennessee Valley Authority. 2pp. 46787-327-46787.331

-8809070470 SER accepting licensee fire protection improvement program for plant
* Ofc of Special Projects, GL-88-10 88/08/31. 3pp 46787 329 46787.331.

8809080081 Forwards updated "Toxic Chemical Study Chlorine," per T Chan request.
COCKFIELD,D.W. Portland General Electric Co. 88/09/02. Document Control Branch (Document Control Desk) 1p. 46792-351-46792-361

-8809080082 "Toxic Chemical Study"
* Portland General Electric Co 88/01/31 10pp. 46792-352-46792.361

8809080101 Application for amend to License DPR-49, consisting of Tech Spec Change 225, revising Tech Spec Section 3.2 to reflect setpoints change for uninterruptible AC & instrument AC electrical sys undervoltage relays. Fee paid.
ROTHERT,W.G. Iowa Electric Light & Power Co. NG 88-2871 88/08/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 46797:124 46797-141.

8809080159 Forwards Rev 4 to licensee response to Suppl 1 to NUREG 0737 consisting of Rev 2 to "Winter Guide for Emergency & Abnormal Procedures"
TUCKER,H.B. Duke Power Co. 88/08/30 Document Control Branch (Document Control Desk). 2pp 46797:183-46797-324.

-8809080160 Rev 2 to "Winter Guide for Emergency & Abnormal Procedures"
* Duke Power Co. 88/08/25 140pp. 46797 185-46797:324.

8809080196 Forwards responses to SER on B&W Owners Group safety & performance improvement program Responses address primarily Suppl 1 to NUREG-1231
RUTHERFORD,N.A. Babcock & Wilcox Operating Plants Owners Group OG 280. 88/08/22. CRUTCHFIELD,D. Division of Reactor Projects - I/II (Post 870411). 12pp. 46797.171-46797:182.

8809090022 Advises that Rev 6 updating Monticello SAR & Rev 12 to operation QA plan for both plants acceptable
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/31. LARSON,C.E. Northern States Power Co. 1p 46803 355-46803:355

8809090082 Forwards NUREG/CR-0672, Addendum 3, "Technology, Safety & Costs of Decommissioning Ref BWR Power Station," estimating decommission costs for plant, per 880706 meeting, W/o NUREG/CR-0672, Addendum 3
STELLO,V. Ofc of the Executive Director for Operations 88/08/29 STERZINGER,G. Vermont, State of 3pp. 46808-322-46809.168.

8809090096 Partial response to FOIA request for memos re selection of severity levels for various violations at nuclear plants Forwards documents listed in App C: Documents also available in PDR.
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/17 UNNERSTALL,K. Newman & Holtzinger. 2pp. 46768.272-46768:274.

-8801210322 Advises of completion of review of 840412 memo re appropriate enforcement actions for NUREG 0737 on ordered dates Majority of items covered by orders issued prior to 1984 now complete
EISENHUT,D.G. Division of Licensing (800428-851124). 85/01/09 AXELRAD,J. Enforcement Staff, IE (Pre 870413) 2pp 46766 306-46766 309

-8809090238 Forwards 850209 memo from NRR containing guidance on implementation of actions required by NUREG 0737.
AXELRAD,J.A. Enforcement Staff, IE (Pre 870413) EGM-85 02 85/02/04 HOLODY,D. Region 1, Ofc of the Director. PUCKETT,M. Region 2, Ofc of the Director. SCHULTZ,B. Region 3, Ofc of the Director. 3pp 46766 305 46766:305

8809090117 Final response to FOIA request Forwards App A document App B documents withheld (ref FOIA Exemption 5)
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given 88/08/18. FELTON,J.M. Nuclear Licensing Reports. 4pp. 46777-011 46777 017

8809090137 Forwards FEMA 880729 ltr & "FEMA Evaluation Rept of Alert & Notification Sys for Artificial Island Nuclear Generating Stations," stating that sys meets NUREG 0854/FEMA-REP-1, Rev 1 & FEMA-REP-10 requirements Caveat of 44CFR350 removed.
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/30. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 2pp 46807 043-46807:321

8809090177 Forwards Insp Rept 50-220/88 28 on 880601-05. No violations noted.
DURR,J.P. Region 1, Ofc of the Director. 88/09/07. MANGAN,C.V. Niagara Mohawk Power Corp 2pp 46833-238 46833 290

-8809130076 Insp Rept 50-220/88-28 on 880801-05. No violations or deviations noted Major areas inspected until action re NUREG 0661 containment mod requirements Viewgraphs & agenda from 880426 meeting concerning torus wall thinning encl.
CHAUDHARY,S.K., CARRASCO,J., WEBER,M. Region 1, Ofc of the Director. 88/09/06 51pp. 46833.240 46833 290

8809130080 Forwards safety evaluation supporting 871110 request for relief from exam requirements for pressurizer surge line NRC has determined that requirements impractical for items for which relief being granted.
STOLZ,J.F. Project Directorate I-4. TAC 66640 88/09/06. SIEBER,J.D. Duquesne Light Co 2pp. 46828 282-46828.286.

-8809130104 Safety evaluation supporting util 871110 request for relief from inservice insp requirements
* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/09/06. 3pp 46828 284-46828 286

8809130097 NUREG/BR 0051 V08 N4 POWER REACTOR EVENTS July August 1987.
* Office for Analysis & Evaluation of Operational Data, Director. 88/08/31 61pp 46777 018 46777.079.

8809130311 Provides human engineering discrepancies & justification for schedule extensions per final DCRDR summary rept
HUNSADER,S.C. Commonwealth Edison Co. 5028K 88/08/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp. 46830 055 46830:058

8809130350 NRC Info Notice 88-076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/09/19 Consolidated Edison Co. of New York, Inc 125pp. 46946 253 46947-013

8809140024 Responds to discussion held during 880817 enforcement conference re grease mix within limitorque valve operators Grease mixtures will perform intended function Lubricating capability not reduced
HUNSADER,S.C. Commonwealth Edison Co. 5076K 88/09/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46838-350 46838 351.

8809140050 Forwards info to support util 880511 request for temporary exemption from applicable parts of 10CFR50.49 Encl info addresses lack of insulation resistance measurements concern & provides legal analysis for meeting environ qualification
HUNSADER,S.C. Commonwealth Edison Co. 88/08/31. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 27pp. 46839-191-46839:217

8809140357 NUREG/CR-5126 TAC2D STUDIES OF MARK I CONTAINMENT DRYWELL SHELL MELT-THROUGH.
WEINGART,D.J.J., BERGERON,K.D. Sandia National Laboratories. FIN A-1188. SAND88-1407. 88/08/31. Program Management, Policy Development & Analysis Staff (Post 870413) 67pp 46802 203-46802:272.

8809140366 NUREG/CR 5043 CONTAINMENT PENETRATION SYSTEM (CPS) TESTS UNDER ACCIDENT LOADS
CRAPO,H.S., STEELE,R. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6322. EG&G-2524 88/08/31. Division of Engineering (Post 870413). 78pp. 46802:121-46802:202.

8809140371 NUREG-1317 DRAFT REGULATORY OPTIONS FOR NUCLEAR PLANT LICENSE RENEWAL. Draft For Comment.
* Division of Safety Issue Resolution (Post 880717). 88/08/31 65pp. 46802:053-46802:120.

8809150047 Responds to 880328 request for addl info re reactor coolant pump trip issue, per NUREG 0737, Item II K 3.5.
WIDELL,R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 3F0988-03. 88/09/01. Document Control Branch (Document Control Desk). 12pp. 46846-302-46846:313.

8809150197 Informs that util will not be able to respond to control room habitability review, NUREG-0737, Item III D.3.4 prior to 881101, due to extensive nature required to develop responses for info requested.
MEDFORD,M.O. Southern California Edison Co. 88/09/09. Document Control Branch (Document Control Desk). 1p. 46873:329-46873:329

8809150246 FOIA request for revs, suppls & clarifications & documents re NUREG/CR-3899, "Util Financial Stability & Availability of Funds for Decommissioning."
PHILLIS,M.T. Bishop, Cook, Purcell & Reynolds. 88/09/23. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 46815:136-46815:136.

244 NONDOCKETED ITEMS

8809150268 NUREG-0040 V12 N02 LICENSEE CONTRACTOR AND VENDOR IN SPECTATION STATUS REPORT Quarterly Report, April-June 1988 (White Book)
* Division of Reactor Inspection & Safeguards (Post 870411) 88/08/31, 67pp
46803 001-46803 060

8809150272 NUREG/CR-2000 V07 N7 LICENSEE EVENT REPORT (LER) COMPILATION For Month Of July 1988
* Oak Ridge National Laboratory FIN A-8135, ORNL/NSIC 200, 88/08/31, Office for Analysis & Evaluation of Operational Data, Director. 92pp, 46802 273 46802 359

8809150278 NUREG/CR-5132 SEVERE ACCIDENT INSIGHTS REPORT
PRATT, W.T. Brookhaven National Laboratory FIN A-3825 BNL-NUREG 52143 88/04/30, Division of Reactor & Plant Systems (870413 880716) 42pp 46803.061-46803 094

8809150286 NUREG/CR-5090 EFFECTS OF TEMPERATURE AND HUMIDITY ON RESPIRATOR FIT UNDER SIMULATED WORK CONDITIONS
SKAGGS, B.J., LOIBL, J.M., CARTER, K.D. Los Alamos National Laboratory FIN A-7005, LA-11236 88/07/31, Division of Regulatory Applications (Post 870413) 44pp 46803 095-46803 138

8809150089 Forwards certificate for radioactive liquid waste equipment & piping certification compliance per NUREG-1057 & 880708 request
TAM, P.S. Project Directorate I-4 TAC 68861, 88/08/30 SIEBER, J.D. Duquesne Light Co 3pp 46808 338-46808 340

8809160318 Requests encl list of addl info re unit startup be submitted within 30 days in order for NRC to resolve technical issues.
BLACK, S. Ofc of Special Projects, IEB 79 02 88/09/12 WHITE, S.A Tennessee Valley Authority, 3pp 46885 200-46885 202

8809190022 Forwards Amends 31 & 30 to Licenses DPR-80 & DPR 82, respectively & safety evaluation. Amends decrease max closure time for containment vacuum/pressure relief valves from 10 s to 5 s.
ROOD, H. Project Directorate V TAC 62161, 88/08/29 SHIFFER, J.D Pacific Gas & Electric Co 4pp, 46893 093-46893 105

8809190031 Forwards FEMA 880808 ltr & evaluation stating that alert & notification sys installed around plant satisfies NUREG-0654 FEMA REP-1, Rev 1 & FEMA 43 requirements.
SHAFER, W.D. Region 3, Ofc of the Director 88/09/08 REED, C Commonwealth Edison Co 2pp, 46886 014-46886 122

8809190046 Forwards safety evaluation supporting util 880325 request for relief from frequency of augmented insp of feedwater nozzle/sparger. Request for mod of frequencies of visual & liquid insps denied.
ABELSON, H. Project Directorate I-1 TAC 67829, 88/09/13 BRONS, J.C New York Power Authority (formerly Power Authority of the State of New York) 2pp 46895.117-46895 124

-8809190050 Safety evaluation supporting util 880325 request to reduce augmented insp frequency for feedwater nozzle/sparger. Insps may be performed every third refueling outage. Request to modify frequency of visual & liquid penetrant insps denied.
* Office of Nuclear Reactor Regulation, Director (Post 870411), GL-81-11 88/09/13, 2pp 46895 118-46895 124

8809190291 Monthly operating rept for Aug 1988 for Pilgrim, W/880913 ltr
HAMILTON, P., BIRD, R.G. Boston Edison Co, BECO 88-134, 88/08/31 7pp 46895.197 46895 203

8809190383 Application for amends to Licenses DPR-70 & DPR-75, Incorporating Tech Specs for reactor head vents per Generic Ltr 83-37 & NUREG-0737, Item II.B.1 requirements Fee paid
MILTENBERGER, S. Public Service Electric & Gas Co of New Jersey, GL 83-37, 88/09/12, Document Control Branch (Document Control Desk), 6pp, 46898 071-46898 080

-8809190385 Proposed Tech Specs, Incorporating Info for reactor head vents per Generic Ltr 83-37 & NUREG-0737, Item II.B.1 requirements.
* Public Service Electric & Gas Co of New Jersey GL-83-27, 88/09/12 4pp, 46898 077-46898 080

8809200034 Responds to concern noted in Insp Rept 50 410/87-22, Item 10 & Insp Rept 50 410/88-13 re inability to take post-accident samples due to power supplies being divisionalized on post-accident sampling sys Concern can be resolved via procedure
MANGAN, C.V. Niagara Mohawk Power Corp NMP2L 1184, 88/09/15, Document Control Branch (Document Control Desk), 2pp, 46912 348 46912 349

8809200338 Notification of 880922 meeting w/util & Science Applications Intl Corp at site in Monticello, MN to discuss categorization of human engineering discrepancies & schedule for resolving discrepancies per util DCRDR.
STEFANO, J.J. Project Directorate III-1, GL-82-33 88/08/16, MURLEY, T., SNIEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given, 2pp, 46918 067-46918 068

8809210122 Forwards Vol 11, Number 1 to NUREG 0900, "Rept to Congress on AOs," for First Quarter 1988, W/o encl.
ROGERS, K.C. Commissioners, 88/08/23 WRIGHT, J. House of Rep., Speaker of the House BUSH, G.H. Senate, President of the Senate, 2pp, 46920 287-46920 288

8809210168 Advises that Rev 1 of draft closeout rept on Bulletin 80-14, NUREG/CR-5180, acceptable subj to changes indicated in marked up encl.
BERLINGER, C.H. Generic Communications Branch NRC-05 85-157-02, IEB-80-14, 88/09/15, FOLEY, W.J. Parameter, Inc. 17pp, 46920 231-46920 247

8809220014 NUREG/CR 5158 V01 WORLDWIDE ACTIVITIES ON THE REDUCTION OF OCCUPATIONAL EXPOSURE AT NUCLEAR POWER PLANTS.
KHAN, T.A. Brookhaven National Laboratory, FIN A-3269, BNL-NUREG 52088, 88/08/30, Division of Regulatory Applications (Post 870413), 46pp, 46884 193-46884 239

8809220018 NUREG/CR-5083 DESIGN, CONSTRUCTION AND INSTRUMENTATION OF A 1/6-SCALE REINFORCED CONCRETE CONTAINMENT BUILDING.
HORSCHEL, D.S. Sandia National Laboratories, FIN A-1249 SAND88-0030, 88/08/31, Division of Engineering (Post 870413), 250pp 46881 004-46881 311

8809220023 NUREG/CR-2850 V07 POPULATION DOSE COMMITMENTS DUE TO RADIOACTIVE RELEASES FROM NUCLEAR POWER PLANT SITES IN 1985
BAKER, D.A. Battelle Memorial Institute, Pacific Northwest Laboratory FIN B 2243 PNL 4221 88/08/31, Division of Budget & Analysis (Post 870413) 160pp 46883 330 46884 123

8809220039 NUREG/CR-5156 REVIEW OF EROSION-CORROSION IN SINGLE PHASE FLOWS
CRAGNOLINO, G., CZAJKOWSKI, C., SHACK, W.J. Brookhaven National Laboratory FIN A-2212, ANL 88-25 88/08/30 Division of Engineering (Post 870413) 105pp 46878 263-46879 008

8809220040 NUREG/CR-5170 A REVIEW OF RESEARCH CONDUCTED BY LOS ALAMOS NATIONAL LABORATORY FOR THE NRC WITH EMPHASIS ON THE MAXEY FLATS, KY, SHALLOW LAND WASTE BURIAL SITE
FOWLER, E.B., POLZER, W.L. Los Alamos National Laboratory FIN A-7040 LA-11354 MS 88/08/31, Division of Engineering (Post 870413) 68pp 46884 124 46884 192

8809220043 NUREG/CP-0064 SECOND CNSI WORKSHOP ON DUCTILE FRACTURE TEST METHODS
LOSS, F.J. Materials Engineering Associates, Inc FIN B-8900 MEA-2313 88/08/31, Division of Engineering (Post 870413) 150pp 46879 010 46879 336

8809220046 NUREG/CR-5200 EVALUATION OF RISKS ASSOCIATED WITH AOT AND STI REQUIREMENTS AT THE ANO 1 NUCLEAR POWER PLANT
SAMANTA, P.K., WONG, S.M., CARBONARO, J. Brookhaven National Laboratory, FIN A 3230, BNL-NUREG 52024, 88/08/31 Division of Reactor & Plant Systems (870413 880716), 78pp 46883 092-46883 169

8809220049 NUREG/CR 4993 A STANDARD PROBLEM FOR HECTR-MAAP COMPARISON Incomplete Burning
WONG, C.C. Sandia National Laboratories FIN A-1246 SAND87-1858 88/08/31, Division of Systems Research (Post 880717) 115pp 46879 337-46880 094

8809220053 NUREG/CR-5212 EMERGENCY ENVIRONMENTAL SAMPLING AND ANALYSIS FOR RADIOACTIVE MATERIAL FACILITIES
STOETZEL, G.A., LYNCH, T.P. Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2884-7 PNL-6826 88/08/31 Division of Regulatory Applications (Post 870413) 85pp 46883 170 46883 247

8809220058 NUREG/CR-4857 CADET A DECISION SUPPORT SYSTEM FOR LIGHT WATER REACTOR SAFETY
NICOLOSI, S.L., HESSE, D.J. Battelle Memorial Institute, Columbus Laboratories FIN D 1595 BMI-2146 88/09/30, Division of Reactor Accident Analysis (870413 880716) 151pp, 46880 095-46880 249

8809220060 NUREG/CR-5233 A COMPUTER CODE FOR FIRE PROTECTION AND RISK ANALYSIS OF NUCLEAR PLANTS
SINGHAL, A.K., HABCHI, S.D., PRZEKAS, A.J. CFD Research Corp FIN D-2041, 88/09/30, Division of Engineering (Post 870413), 80pp, 46883 248 46883 326

8809220089 NUREG/CR-5210 TECHNICAL FINDINGS DOCUMENT FOR GENERIC ISSUE 51: IMPROVING THE RELIABILITY OF OPEN-CYCLE SERVICE-WATER SYSTEMS
NEITZEL, D.A., JOHNSON, K.I. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN B 2977, PNL-6823 88/08/31, Division of Engineering (Post 870413), 118pp 46880 250-46881 003

8809220092 NUREG/CR-5031 SIGNIFICANCE OF IN-STRUCTURE GENERATED MOTION IN SEISMIC QUALIFICATION TESTS OF CABINET MOUNTED ELECTRICAL DEVICES
THINNES, G., GLOZMAN, V. EG&G Idaho, Inc. (subs of EG&G, Inc.) FIN A 6322 EGG 2523, 88/07/31, Division of Engineering (Post 870413) 400pp, 46877 170-46878 282

8809220096 NUREG/CR-5184 RELAP5/MOD2 MODELS AND CORRELATIONS
DIMENNA, R.A., LARSON, J.R., JOHNSON, R.W. EG&G Idaho, Inc. (subs of EG&G, Inc.), FIN A 6868 EGG 2531 88/08/31 Division of Reactor & Plant Systems (870413-880716), 400pp, 46881 312-46883 091

8809220097 NUREG/CR 4747 V02 AN AGING FAILURE SURVEY OF LIGHT WATER REACTOR SAFETY SYSTEMS AND COMPONENTS.
MEALE, B.M., SATTERWHITE, D. EG&G Idaho, Inc. (subs of EG&G, Inc.) FIN A 6389 EGG-2473, 88/07/31, Division of Engineering (Post 870413) 400pp 46875 333-46877 169

8809220115 Submits addl info re NUREG 0737, I.D. 1, "Performance Testing of Relief & Safety Valves," Ltr identifies pressurizer block valves & PORV planned for installation after Sept 1989 & partially responds to Item 1
SMEDLEY, R.W. Consumers Power Co, TAC 44604 88/09/14 Document Control Branch (Document Control Desk) 3pp 46930 134 46930 138

8809220241 Forwards prioritization evaluation of Generic Issues III D 1 1(2), "Review Info on Provisions for Leak Detection" & III D 1 1(3), "Develop Proposed Sys Acceptance Criteria," that will be incorporated into NUREG-0933
BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 880720) 88/09/01, ARLOTTO, G.A. Division of Engineering (Post 870413) 6pp 46928 177-46928 182

8809220258 Forwards notice of withdrawal of application for amends to Licenses DPR-58 & DPR-74 re control room habitability concerns of NUREG 0737, Item III.D.3.4 & requirements of Generic Ltr 83-37
STANG, J.F. Project Directorate III-1 GL-83-37 88/09/20, ALEXICH, M.P. Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.), 3pp 46928 133-46928 137

-8809220261 Notice of withdrawal of application for amends to Licenses DPR-58 & DPR-74 re control room habitability concerns of NUREG-0737, Item III D 3 4 & requirements of Generic Ltr 83-37.
STANG, J.F. Project Directorate III-1 GL-83-37, 88/09/20, 2pp 46928 136-46928 137

8809230091 Reiterates request for documents supporting resolution of issues subj to facility aspects of inquiry rept into NRC regulation of TVA & addressed in NUREG-1232 Vol 2.
STOCKTON, P., MYERS, H. NRC - No Detailed Affiliation Given, 88/08/08, DENTON, H., BRADBURN, J. NRC - No Detailed Affiliation Given, 27pp 46932 243 46932 269

8809230240 Informs of mods during future refueling outages to raise temp of loop seal water to allow sufficient flashing of water to steam, reducing postulated loadings on downstream piping below code values per NUREG-0737, Item II D 1
HAIRSTON, W.G. Alabama Power Co. 88/09/16 Document Control Branch (Document Control Desk) 2pp 46944 352-46944 353

8809260005 Forwards applicant motion for summary disposition on amended contention on notification sys of atty general for Commonwealth of MA, memo in support of applicant motion & affidavits of listed individuals, including TN Beard
TROUT, J.P. Public Service Co of New Hampshire #388 7131 OL-1 88/09/17 Docketing & Services Branch 2pp, 46910 001-46910, 317

8809260077 Affidavit of EW Desmarais * Addresses allegations in Contention Bases A 1, A 5, A 9, A 10, A 11, B 1, B 3 & B 4 Related info encl
DESMARAIS, E.W. Public Service Co of New Hampshire OL-1 88/09/17, 51pp 46910, 115-46910 164

8809260087 Affidavit of RJ Fax * Addresses allegations in Contention Bases A 1 & A 7 re vehicular alert & notification sys Supporting info encl
FAIX, R.J. Public Service Co of New Hampshire OL-1, 88/09/17 9pp 46910:165-46910 172.

8809280214 NUREG/CR-5164 A SIMPLIFIED MODEL FOR CALCULATING EARLY OFFSITE CONSEQUENCES FROM NUCLEAR REACTOR ACCIDENTS
MADNI, K. CAZZOLLE, G. KHATIB-RAHBAR Brookhaven National Laboratory, FIN A-3259 BNL-NUREG-52153 88/07/31 Division of Reactor Accident Analysis (870413 680716) 172pp 46954, 054-46954 226.

8809280245 NUREG/CR-4811 THE ECONOMIC COSTS OF RADIATION-INDUCED HEALTH EFFECTS Estimation And Simulation
NIEVES, L.A. TAWIL, J.J. Battelle Memorial Institute, Pacific Northwest Laboratory FIN B 2999 PNL 6097 88/08/31 Office of Nuclear Reactor Regulation, Director (Post 870411) 210pp 46953 088 46953 288

8809280278 NUREG-0938 V07 N02 NRC REGULATORY AGENDA Quarterly Report, April-June 1988.
* Division of Freedom of Information & Publications Services (Post 880515), 88/08/31 110pp 46953 289 46954 053.

8809290018 NUREG 0940 V07 N02 ENFORCEMENT ACTIONS SIGNIFICANT ACTIONS RESOLVED, Quarterly Progress Report, April-June 1988.
* Ofc of Enforcement (Post 870413) 88/08/31, 331pp 46952-100-46953 070.

8809290028 NUREG 0430 V08 N02 LICENSED FUEL FACILITY STATUS REPORT, Inventory Difference Data, July-December 1987, (Gray Book II)
* Office of Nuclear Material Safety & Safeguards, Director, 88/09/30, 18pp, 46953 071 46953 087.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

8808030350 Advises that Tech Specs Branch has in progress, short term effort to study Tech Specs surveillance requirements that are performed during power operation for both PWRs & BWRs as part of Tech Specs Improvements program.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411), 88/07/26 RUSSELL, W.T. Region 1, Ofc of the Director, GRACE, J.N. Region 2, Ofc of the Director, DAVIS, A.B. Region 3, Ofc of the Director, 6pp, 46895 095 46895 007.

8808160451 NRC Info Notice 88-068, "Setpoint Testing of Pressurizer Safety Valves W/ Filled Loop Seals Using Hydraulic Assist Devices." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22, Consolidated Edison Co. of New York, Inc 121pp, 46702, 311-46703 070.

8808180368 Suppl 1 to NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) IEIN-88-048 88/08/24 Consolidated Edison Co of New York, Inc 122pp 46713 218-46713 219.

8808190195 NRC Info Notice 88-069, "Movable Contact Finger Binding In HFA Relays Mfg by GE." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 88/08/19 Consolidated Edison Co of New York, Inc 125pp 46690 054-46690 178

8808230112 NRC Info Notice 88-070, "Check Valve Inservice Testing Program Deficiencies." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), GL-87-06, 88/08/29 Consolidated Edison Co of New York, Inc, 123pp, 46713 095-46713 217.

8808250192 Forwards NRC Info Notice 88-046 & Invoices identifying recipient as customer of circuit breakers W/o encls.
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411), 88/08/18, Congress (Joint & Rotating Committees, etc) 1p 46718 357-46718 357.

8808260150 Forwards addl Invoices re potentially defective electrical equipment that might involve either NASA or contractor W/o encl.
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411) 88/08/18, RODNEY, G. National Aeronautics & Space Admin. 2pp 46670 128-46670 129.

8808260173 Forwards Info Notice 88-046 describing circumstances re supply of refurbished circuit breakers to nuclear power plants W/o stated encl
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411), IEIN 88-046, 88/08/18 New York, State of, 2pp, 46669 236-46669 237.

8808260223 Forwards NRC Info Notice 88-046 re potentially defective refurbished circuit breakers supplied to plants & Invoices identifying recipient as receiver of breakers, for info W/o encls
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411), IEIN 88-046, 88/08/18 Washington Suburban Sanitary Commission 2pp, 46658, 358-46658 359

8808260473 Forwards FEMA analysis of "Zion Nuclear Power Station Site-Specific Offsite Radiological Emergency Alert & Notification Sys QA Verification." Alert & notification sys installed around facility satisfies NUREG-0654 requirements.
PETERSON, G.C. Federal Emergency Management Agency, 88/08/08, STELLO, V. Ofc of the Executive Director for Operations 1p, 46657, 001-46658 01.

8808260480 "Zion Nuclear Power Station Site-Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."
* Federal Emergency Management Agency, 88/08/20, 200pp, 46657 002-46658 101.

8808260492 NRC Info Notice 88-071, "Possible Environ Effect of Reentry of COSMOS 1900 & Request for Collection of Licensee Radioactivity Measurements Attributed to That Event." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/01 Consolidated Edison Co of New York, Inc 121pp 46712 244-46713 004

8808290077 Forwards FEMA post exercise assessment of 871215 plant exercise of radiological emergency plans of State of NY FEMA considers offsite radiological emergency preparedness adequate to provide reasonable assurance.
EBNETER, S.D. Region 1, Ofc of the Director 88/08/19 CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York) 2pp 46684 326-46685 039.

8808290080 "Post-Exercise Assessment 871215, Exercise of Radiological Emergency Preparedness Plans of State of NY & Oswego County for New York Power Authority."
* Federal Emergency Management Agency, 88/08/03 72pp 46684 326-46685 039.

8808300018 NRC Info Notice 88-072, "Inadequacies in Design of DC Motor Operated Valves." Svc list encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/09/02 Consolidated Edison Co. of New York, Inc, 122pp 46726 001-46726 123

8808300075 Requests drafting & issuance of info notice based on encl draft generic ltr re NRC-administered requalification exams, as result of complete rev to NRC program HANNON, J.N. Operator Licensing Branch, 88/08/23, BERLINGER, C. Generic Communications Branch 4pp, 46777, 104 46777, 107.

8808300092 Requests review of responses to questions asked during Feb 1988 trip to Japan in preparation of 881010 visit for further discussions w/Japanese Ministry of Intl Trade & Industry
MILLER, C.L. Standardization & Non-Power Reactor Project Directorate 88/08/25 SHAO, L. Division of Engineering & Systems Technology (Post 870411), ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411) CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411) 3pp, 46692 001-46692 003.

8808300135 Forwards biweekly listing of generic communications under consideration or being developed by NRC. List includes all proposed generic communications reported by 880817.
BERLINGER, C.H. Generic Communications Branch GL 87-11 88/08/23 FADDEN, D.L. Institute of Nuclear Power Operations 5pp 46693, 051-46693 055.

8808300142 Expresses NRC full support for plan for federal response to catastrophic earthquake & appreciation for opportunity to participate in catastrophic disaster response group meeting, per 880801 ltr.
ZECH, L.W. Commissioners 88/08/18 BECTON, J.W. Federal Emergency Management Agency, 1p, 46691 348-46691 350

8808300145 Requests confirmation that EL Jordan appropriate official for extending invitation to participate in workshop scheduled in late Sept or early Oct 1988 re catastrophic disaster response group.
BECTON, J.W. Federal Emergency Management Agency 88/08/01, ZECH, L.W. Commissioners 2pp, 46691 349-46691 350.

8808310125 Summarizes tentative conclusions drawn during 880803 meeting of Emergency Operating Procedure-1 team leaders re accelerated insps of Mark I BWRs
MARTIN, T.T. Associate Director for Inspection & Technical Assessment (Post 870411) 88/08/23, MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp, 46713 349 46713 352

8808310184 Forwards for info AEOD case study rept, "Svc Water Sys Failures & Degradations in LWRs."
STELLO, V. Ofc of the Executive Director for Operations 88/08/29, ZECH, ROBERTS, GARR Commissioners, 2pp, 46725 074-46725 227.

8808310189 AEOD/C801 "Svc Water Sys Failures & Degradations in LWRs," case study rept.
LAM, P., LEEDS, E. Office for Analysis & Evaluation of Operational Data, Director, 88/08/31, 300pp, 46725 078 46725 227.

8808310193 Advises that addl Invoices & orders found identifying DOE facilities as customers of potentially defective electrical equipment. Invoice encl W/o encl
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411), 88/08/18, BARBER, R. Energy, Dept. of, 2pp, 46739, 248-46739 249

8809010008 Summary of Operating Reactors Events Meeting 88-34 on 880823.
JAUDON, J.P. Events Assessment Branch, OREM-88-034, 88/08/23, ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 15pp, 46722 340-46722 354

8809010208 Forwards NRC Info Notice 88-046 to State of AZ Air National Guard re circumstances under which defective refurbished electrical equipment may have been supplied to nuclear power plants W/o encls
GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411) IEIN 88-046, 88/08/18, Arizona, State of 2pp 46654 104-46654 105.

8809010327 Forwards biweekly listing of generic communications reported to NRC through 880801 & under development by NRC.
BERLINGER, C.H. Generic Communications Branch GL-87-11, 88/08/04 FADDEN, D.L. Institute of Nuclear Power Operations 5pp, 46744 295-46744 299.

8809020130 Informs of concurrence w/Commission paper re severe accident policy implementation for future designs. Comments for consideration listed.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411), 88/08/26, BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 880720), 6pp, 46746 291-46746 295

8809060247 Request for OMB review & supporting statement re 10CFR70 domestic licensing of SNM. Estimated respondent burden is 64,706 h.
MCDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413), OMB 3150-0009, 88/08/01, 20pp, 46764 259-46764 278.

8809060368 Forwards NRC six-month working list of Intl meetings. Lead participants at each asterisked meeting required to clear his or her position w/both EDO & GPA prior to undertaking travel.
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413), 88/07/15 STELLO, V. Ofc of the Executive Director for Operations 15pp, 46782, 133-46782 148.

246 NONDOCKETED ITEMS

- 8809080276** Summary of Operating Reactor Events Meeting 88/35 on 880830, including summary of reactor scrams for wk ending 880828. Significant event identified for input to NRC Performance Indicator Program. JAUDON, J.P. Events Assessment Branch. OREM 88/035 88/08/30 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp. 46800 269 46800 303.
- 8809080339** NRC Info Notice 88/074, "Potentially Inadequate Performance of ECCS in PWRs During Recirculation Operation Following LOCA." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/14 Consolidated Edison Co. of New York, Inc. 122pp. 46824.215-46824 336.
- 8809090137** Forwards FEMA 880729 ltr & "FEMA Evaluation Rept of Alert & Notification Sys for Artificial Island Nuclear Generating Stations," stating that sys meets NUREG-0654/FEMA REP-1, Rev 1 & FEMA-REP-10 requirements. Caveat of 44CFR350 removed. BELLAMY, R.R. Region 1, Ofc of the Director, 88/08/30 MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46807 043-46807 321.
- 8809120024** Forwards revised response to Issue 8 re NRC participation in nuclear power reactor emergency exercises, in response to 880818 memo. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/09/06 NUSSBAUMER, D.A. State, Local & Indian Tribe Programs. 2pp. 46825 043-46825 044.
- 8809120197** NRC Info Notice 88/075, "Disabling of Diesel Generator Output Circuit Breakers by Anti Pump Circuitry." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/16 Consolidated Edison Co. of New York, Inc. 124pp. 46946 133 46946 252.
- 8809120222** Final response to FOIA request for documents re NRC response to OMB Bulletin 88-11, "Federal Info Sys & Technology Planning." Forwards App A document. Document also available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/30 TAYLOR, N. Federal Sources, Inc. 2pp. 46769 326-46769 334.
- 8809120229** Forwards overview of NRC info technology plans & priorities in response to OMB Bulletin 88-11, "Federal Info Sys & Technology Planning." McDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413). 88/07/20. MACRAE, J.B. Office of Management & Budget. 5pp. 46769.330-46769.334.
- 8809130020** Forwards ballots for ANS-6.1.2, "Neutron & Gamma Ray Cross Sections for Nuclear Protection Calculations for Nuclear Power Plants" & ANS 14.1, "Operation of Fast Pulse." ANS-14.1 approved & ANS-6.1.2 approved w/comments. RUBENSTEIN, L.S. Assistant Director for Region IV Reactors & Special Projects. 88/08/29 RABY, T.M. National Institute of Standards & Technology (formerly National Bureau of Standards). 5pp. 46828 301 46828 305.
- 8809130113** Responds to 880810 request for comments on proposed EPA guidelines for implementing provision of NEPA. Commends EPA for providing requirements that are comprehensive, clearly written & can be met readily by affected agencies. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/31 SANDERSON, R.E. Environmental Protection Agency. 2pp. 46833 330-46833 337.
- 8809130119** Forwards filing guidance for federal agencies preparing EIS for implementing procedural provisions of NEPA. Requests informal review before FR publication & implementation by 880902. SANDERSON, R.E. Environmental Protection Agency. 88/08/10. STELLO, V. Ofc of the Executive Director for Operations. 6pp. 46833.332 46833 337.
- 8809130120** Forwards Commission biweekly notice of applications & amends to OL in volving NSHC published in FR on 880810, for info. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/23 BREAU, J.B. Senate, Environment & Public Works. UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce. 31pp. 46830 104-46830 133.
- 8809130167** Forwards evaluation of responses to Temporary Instruction 2500/23, "Evaluate BWR Licensee Radiological Controls for Drywell During Spent Fuel Movement." CUNNINGHAM, L.J. Radiation Protection Branch. 88/08/24 EBNETER, S.D. Region 1, Ofc of the Director. STOHR, J.P. Region 2, Ofc of the Director. NORELUS, C.E. Region 3, Ofc of the Director. 15pp. 46836 267-46836 281.
- 8809130191** Expresses appreciation on behalf of attendees of operator licensing examiner training conference, for presentation on team bldg. Successful in relating concepts of team bldg to job of being NRC licensing examiner. HANNON, J.N. Operator Licensing Branch. 88/08/25 FREEDMAN, D. Defense Systems Management College. 3pp. 46836.304-46836.306.
- 8809130247** Discusses license condition for possession of byproduct mail to be irradiated in nonpower reactor facilities, per 880518-19 Reactor Health Physics Counterpart meetings. CRUTCHFIELD, D.D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/08/18 EBNETER, S.D. Region 1, Ofc of the Director. STOHR, J.P. Region 2, Ofc of the Director. HIND, J.A. Region 3, Ofc of the Director. 4pp. 46836 259-46836 266.
- 8808020170** Forwards minutes of Reactor Health Physics Counterpart 880518-19 meetings. Minutes revised in response to comments on 880614, W/o encl. CUNNINGHAM, L.J. Radiation Protection Branch. 88/07/13 SHANBAKY, M.M. Region 1, Ofc of the Director. 2pp. 46836.263-46836 266.
- 8809130327** Forwards Commission biweekly notice of applications & amends to OLs in volving NSHC published in FR on 880727 for info, W/o encls. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/25 BREAU, J.B. Senate, Environment & Public Works. UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 46826.070 46826.071.
- 8809130350** NRC Info Notice 88/076, "Recent Discovery of Phenomenon Not Previously Considered in Design of Secondary Containment Pressure Control." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/19 Consolidated Edison Co. of New York, Inc. 125pp. 46946.253 46947 013.
- 8809140343** Forwards biweekly listing of proposed generic communications being considered or under development by NRC, including info notices, generic ltrs & proposed generic communications. BERLINGER, C.H. Generic Communications Branch. 88/09/08. FADDEN, D.L. Institute of Nuclear Power Operations. 5pp. 46842 269 46842 273.
- 8809140420** Requests technical exchange between NRC & Barnett Way re improvement of effectiveness of Tech Specs. BUTCHER, E.J. Technical Specifications Branch. 88/08/18. JENKINS, P.D. United Kingdom, Govt of. 2pp. 46908 305 46908 306.
- 8809150156** Transcript of FEMA 880615 public meeting in Patchogue, NY re util/Pp 1-131. Federal Emergency Management Agency. 88/08/15. 131pp. 46848 314 46847 084.
- 8809160014** Forwards RW Knmm 880902 memo to NRC & RW Donovan 880906 ltr to RH Strome of State of NH, served on svc list for hearing. Certificate of Svc encl. FLYNN, H.J. Federal Emergency Management Agency. #388 7067 OL. 88/09/12. Docketing & Services Branch. 11pp. 46812.323-46812.333.
- 8809160085** Partial response to FOIA request for documents re plant. Forwards App C documents. Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth, MA. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/08/23 JOHNSON, G.E. Swidler & Berlin. 3pp. 46814.001-46814.026.
- 88092003158** Confirms that final response to 10CFR2.206 petition re restart date for plant will be submitted by 870331, per discussion. Related info encl. JORDAN, E.L. Div of Emergency Preparedness & Engineering Response, IE(850212 870413). 2206 87/01/28. KRIMM, R.W. Federal Emergency Management Agency. 240pp. 46814.027 46814 309.
- 8809190031** Forwards FEMA 880808 ltr & evaluation stating that alert & notification sys installed around plant satisfies NUREG 0654 FEMA-REP-1, Rev 1 & FEMA-43 requirements. SHAFER, W.D. Region 3, Ofc of the Director. 88/09/08. REED, C. Commonwealth Edison Co. 2pp. 46886.014-46887 122.
- 8809190139** Requests processing of encl documents re 3M compiled by NMSS & regions through NRC Document Control Sys & forwarding to PDR. BEVERIDGE, G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 88/08/26. LANHAM, D. Document Control Branch (Document Control Desk). 1p. 46858.178-46864 283.
- 8809200275** Forwards std order for DOE work re determination of mode of failure of 3M static elimination devices, for acceptance. FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870413). 88/02/16. BELLOW, J. Energy, Dept of. 8pp. 46960.322-46960 326.
- 8809200038** Submits conclusions re assessment of radiological risk associated w/ leaking Po-210 static eliminators, based on stated info. Little hazard from external radiation exists. SE169 through SE173 encl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. SE168 88/02/17. YOUNG, F.E. Food & Drug Administration. 16pp. 46958 327-46958 342.
- 8809200158** Forwards preliminary results from Region I lab, BNL & INEL analysis of products from Block Drug Co., Inc. No alpha contamination detected in any sample examined. SE188 encl. WHITE, J.R. Region 1, Ofc of the Director. SE187. 88/02/12. OLSEN, M. Food & Drug Administration. 7pp. 46960.203 46960 209.
- 8809190160** Forwards plant evacuation time estimate & traffic mgt plan. No state comments until review w/local officials completed. FEMA comments requested. BOULAY, R.J. Massachusetts, Commonwealth of. 88/03/10. THOMAS, E.A. Federal Emergency Management Agency. 1p. 46889.026 46890 088.
- 8809190204** Forwards info requested, per 880517 ltr re notifications during earthquake. Informs of NRC emergency operations dir in event regional contact cannot be made. COLLINS, D.M. Region 2, Ofc of the Director. 88/06/03. HALL, P.E. Federal Emergency Management Agency. 2pp. 46898 004-46898 005.
- 8809220249** Forwards rept of NRC investigation into allegations re harassment & intimidation of inspectors at TVA plants. Allegations substantiated. GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09. McDONALD, D.J. National Board of Boiler & Pressure Vessel Inspectors. 2pp. 46927 210 46927 211.
- 8809230011** Suffolk County, State of NY & town of Southampton response to NRC Staff motion for schedule for litigation of June 1988 exercise. Reasonable schedule for contention phase of proceeding should be established. Certificate of Svc encl. McMURRAY, C.M. Suffolk County, NY. McMURRAY, C.M. Kirkpatrick & Lockhart. ZAHNLEUTER, R.J. New York, State of. #388 7113, OL-3. 88/09/19. Atomic Safety and Licensing Board Panel. 16pp. 46894.001-46894.015.
- 8809230189** Forwards FEMA 880728 ltr containing offsite emergency preparedness findings of State of IL for 871014 exercise. No deficiencies & two weaknesses identified, involving corrective actions determined acceptable. SHAFER, W.D. Region 3, Ofc of the Director. 88/09/18. REED, C. Commonwealth Edison Co. 2pp. 46947 198-46947 238.
- 8809230192** Forwards FEMA rept on 871014 exercise of offsite radiological emergency response plans. TRAVERS, W.D. Emergency Preparedness Branch. 88/08/18. NORELUS, C.E. Region 3, Ofc of the Director. 1p. 46947.200-46947 238.
- 8809260073** Requests util provide schedule for resolution of issues noted in encl FEMA review of offsite emergency plan to ensure that plan inadequacies & areas requiring corrective action corrected. BROWN, S.W. Project Directorate I-2. 88/09/19. LEONARD, J.D. Long Island Lighting Co. 4pp. 46949 211-46949 216.
- 8809260075** Forwards regional assistance committee review comments for util local offsite radiological emergency response plan & post-exercise assessment for 880607 09 exercise. SABLE, J.M. Federal Emergency Management Agency. 88/09/08. PETERSON, G. Federal Emergency Management Agency. 27pp. 46949 217-46950 044.

-8809260078 "Post Exercise Assessment for 880607-09 Exercise of Local Emergency Response Organization (LERO) for Shoreham Nuclear Power Station."
* Federal Emergency Management Agency 88/09/02 61pp. 46950 001-46950.044.

8809260338 Forwards "Post Exercise Assessment for 880607-09 Exercise of Local Emergency Response Organization (LERO),Shoreham Nuclear Power Station"
PETERSON,G.C Federal Emergency Management Agency 88/09/09 STELLO,V
Ofc of the Executive Director for Operations 29pp 46949,020-46949 210

PR PROPOSED RULE

8805020350 Proposed rule 10CFR140, "Facility Form Nuclear Liability Insurance Policy,Miscellaneous Amends" Proposed rule will add supplementary insurance to make available single insurance policy to cover onsite worker claims
CHILK,S.J Office of the Secretary of the Commission 53FR15049 88/04/21, 35pp 46717,001-46717 035

8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators,Minutes for CRGR Meeting 48 & analysis of public comments also encl W/o minutes & analysis
SAKENAS,C.A Committee to Review Generic Requirements. 88/07/08.
JORDAN,E.L, GOLDBERG,J.R. NRC - No Datafiled Affiliation Given BERNERO,R.M
Office of Nuclear Material Safety & Safeguards,Director 3pp. 46892 116 46892 351

-8809160253 Comment opposing proposed rules 10CFR50 & 55 re rulemaking to enhance levels of engineering & accident mgt expertise on shift.
KEISER,H.W. Pennsylvania Power & Light Co 51FR49561 00159 88/09/25.
CHILK,S.J Office of the Secretary of the Commission 11pp 46892 141-46892 151

-8809160257 Comment opposing proposed rules 10CFR50 & 55 re degree requirements for senior operators at nuclear power plants.
OWEN,W.H Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 51FR19561 00155, 88/09/26. CHILK,S.J. Office of the Secretary of the Commission. 2pp 46892,152-46892,157

-8809160260 Comment opposing proposed rules 10CFR50 & 51 re degree requirements for senior operators at nuclear power plants
ULLRICH,W.T American Nuclear Society 51FR19561 00154 88/09/25 CHILK,S.J.
Office of the Secretary of the Commission. 10pp. 46892:158-46892:173

-8809160262 Comment opposing proposed rules 10CFR50 & 55 re degree requirements for senior operators at nuclear power plants.
PETERSON,J. Professional Reactor Operator Society 51FR19561 00157. 88/09/26.
Docketing & Services Branch 22pp 46892,174 46892,195

-8809160268 Comment opposing proposed rules 10CFR50 & 55 re degree requirements for senior operators at nuclear power plants
GEJDENSON,S. House of Rep. 51FR19561 00108, 88/07/21, ZECH,L. Commissioners
1p 46892,196 46892:196

-8809160267 Comment opposing proposed rules 10CFR50 & 55 re degree requirements for senior operators at nuclear power plants.
GOODMAN,L.S Affiliation Not Assigned. 51FR19561 00043 88/07/14. Docketing & Services Branch. 6pp 46892,197-46892,202

-8809160269 Comment opposing proposed rules 10CFR50 & 55 re degree requirements for senior operators at nuclear power plants
RIVERA,J.E. Affiliation Not Assigned. 51FR19561 00059, 88/07/18. Office of the Secretary of the Commission 3pp 46892 203 46892 214.

8808240331 Ack receipt of 880722 ltr to Chairman Zech recommending that NRC promote development of standardized designs & suggesting waiver of certification of fees for sub designs.Informs of review of comments re fees resulting from encl publication.
STELLO,V. Ofc of the Executive Director for Operations. 88/08/12. GARRISH,T.J. Energy, Dept of. 3pp. 46828:224-46828,248.

-8808240335 Informs that DOE supports initiatives taken toward standardization of future nuclear power plants & encourages Commission to consider measures that would promote development of advanced LWRs or other new reactors
GARRISH,T.J. Energy, Dept. of. 88/07/22. ZECH,L.W. Commissioners. 1p 46828 247-46828:248.

8808260271 Forwards Interim rulemaking notice for 10CFR171 re annual fees for nuclear power plants for FY88.Final rule will apply to fees for FY89 W/o encl.
MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 88/08/17 BREAUX,J.B. Senate, Environment & Public Works 1p. 46658:235-46658,235.

8808260278 Forwards Interim rulemaking notice for 10CFR171 re annual fees for nuclear reactors for FY88 Final rule will apply to fees for FY89 W/o encl
MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 51FR24078, 88/08/17 SHARP,P.R. House of Rep., Energy & Commerce 1p 46849,059 46849,059.

8808290008 Forwards Interim rulemaking for changes to 10CFR171 published in FR W/o encl.
MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 53FR24077, 88/08/17. JOHNSTON,J.B. Senate, Appropriations 1p. 46683 344-46683,344.

8808290035 Forwards Interim rulemaking for changes to 10CFR171 published in FR Interim rulemaking would increase current percentage for collections of annual fees under 10CFR171 for operating plants from 33% to 45% W/o encl
MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 53FR24077, 88/08/17. BEVILL,T. House of Rep., Appropriations. 1p. 46683:241-46683:241

8808290121 Forwards Interim rulemaking for changes to 10CFR171, published in FR W/o encl.
MCDONALD,W.G. Office of Administration & Resources Management, Director (Post 870413). 53FR24077 88/08/17. UDALL,M.K House of Rep., Interior & Insular Affairs 1p. 46680,262-46680,262.

8809010048 Comment on proposed rule 10CFR53 re training & experience criteria for all individuals who use byproduct matl for clinical procedures in practice of medicine as published in FR.
MAY,B. American College of Radiology. 53FR18845 00043. 88/08/22. Office of the Secretary of the Commission 13pp. 46669,003-46669,015.

8809010077 Comment on proposed rule 53CFR18845 re training & experience criteria for all individuals who use byproduct matl for clinical procedures in practice of medicine as published in FR on 880525.
SNUDER,K Affiliation Not Assigned. 53FR18845 00044. 88/08/01. NRC - No Datafiled Affiliation Given. 2pp 46669 001-46669 002

8809010084 Comment on proposed rule 53fr18845 re radiation safety training & experience criteria Basics of radiation safety do not require extended training periods beyond medical or technical professional levels
MCKEOWN,J.A Presbyterian University Hosp of Pittsburgh, Pittsburgh, PA 53FR18845 00047, 88/08/18 Office of the Secretary of the Commission 2pp. 46669 016-46669 017.

8809010090 Comment on proposed rule 10CFR53 re training & experience , criteria for medical use of byproduct matl.
CULANZ,E.J. Joint Review Committee on Educational Programs in Nuclear Medicine Technology. 53FR18845 00045 88/08/12 CHILK,S.J Office of the Secretary of the Commission 15pp 46669 018-46669 031.

8809010099 Comment supporting proposed rule 35 re training & experience criteria on medical use of radiological byproduct matl.
OWEN,J.W American Hospital Association 53FR18845 00046 88/08/17 CHILK,S.J Office of the Secretary of the Commission 4pp. 46669 042-46669 045

8809010100 Comments on proposed rule 10CFR35 re training & experience criteria for users of byproduct matl Major points,supported by personal experiences,addressed
WILSON,M.A. Affiliation Not Assigned. 53FR18845 00041. 88/08/18. Docketing & Services Branch 3pp 46654 075 46654 077

8809010103 Comment opposing proposed rule 10CFR35 re training criteria for medical profts using radioactive matls in clinical practice Five wks training not adequate to ensure safe handling of matls
* Affiliation Not Assigned. 53FR18845 00040 88/08/17. Docketing & Services Branch 1p. 46654:074 46654 074

8809010107 Comments re proposed rule 10CFR34 re safety requirements for industrial radiography equipment Strongly opposes visual indicator on crank out exposure devices & approves requirement for device to secure pigtail source
DICHARRY,R.D. Affiliation Not Assigned. 53FR18845 00086. 88/08/15. Office of the Secretary of the Commission 3pp 46654,071-46654,073

8809010111 Comment supporting proposed rule 10CFR35 re training.
WATERS,R.J. Affiliation Not Assigned. 53FR18845 00042 88/08/16 Office of the Secretary of the Commission. 1p. 46654 070 46654 070.

8809010120 Comment opposing proposed rule 10CFR35 re training for individuals handling nuclides for nuclear cardiology & certain therapeutic applications.Min training period of 6 months recommended.
STRAUSS,H.W. Affiliation Not Assigned. 53FR18845 00038 88/08/19. Docketing & Services Branch 2pp. 46654,078 46654 078

8809010133 Comment on proposed rule 10CFR35 re training & experience criteria for medical use of byproduct matl.Proposed criteria appropriate & should be developed w/qualification that training for technologists & dosimetrists be more specific.
VETTER,R.J. Mayo Clinic,Rochester, MN 53FR18845 00039. 88/08/16. Docketing & Services Branch. 2pp 46654:080 46654 081

8809010136 Comment supporting proposed rule 10CFR35 re training & experience criteria for cardiologists in medical use of byproduct matl.Proposal to allow credit for overall training experience in cardiovascular physiology logical & fair
FRIEDMAN,W.F. Affiliation Not Assigned. 53FR18845 00035 88/08/16. Docketing & Services Branch 1p 46654,082-46654,082

8809010145 Comment on proposed rule 10CFR35 re training & experience criteria for medical use of byproduct matl issue is among most important issues to come before NRC in recent yrs.
LAVEN,D.L. Affiliation Not Assigned. 53FR18845 00037. 88/08/17. Docketing & Services Branch. 14pp. 46654 083 46654 096

8809010154 Comment supporting proposed rule 10CFR35 re training criteria for users in nuclear cardiology.
RITCHIE,J.L. Affiliation Not Assigned. 53FR18845 00034. 88/08/17. Office of the Secretary of the Commission. 1p. 46654 097 46654 097.

8809010159 Comment opposing proposed rule 10CFR35 re training & experience criteria for medical use of byproduct matl. Teletherapy training criteria for non-certified technologists too extreme
WOCHOS,J.F. Affiliation Not Assigned. 53FR18845 00033. 88/08/15 Docketing & Services Branch. 1p. 46654,098 46654,098

8809010164 Comment opposing proposed rule 10CFR71 re transportation regulations compatibility w/IAEA.Rule would introduce three undesirable features which serve to make compliance more confusing,more expensive & less uniform.
JEFFERSON,R.M. Affiliation Not Assigned. 53FR21550 00001. 88/08/15. Docketing & Services Branch. 3pp 46654,099 46654,101.

8809010173 Comment supporting proposed rule 10CFR35 re length of time required for certification for use of radioisotope matls by physicians Total training period of 4 months adequate.
DUNN,M American College of Chest Physicians. 53FR18845 00032 88/08/16 Docketing & Services Branch 1p. 46668:380 46668:380.

8809010182 Comment supporting proposed rule 10CFR34 re safety requirements for industrial radiography equipment.Concurs w/ idea of audible,personal dosimeters
WEAVER,M.L. Rockbestos Co. 53FR18845 00085, 88/08/13. Docketing & Services Branch 2pp. 46654,102-46654,103.

8809010261 Forwards DOE comments on NRC draft technical position on info needs to demonstrate compliance w/EPA proposed groundwater protection stds in 40CFR182.A-C.
MANN,S.A. Energy, Dept. of. 53FR23489 00001. 88/08/19. Rules & Procedures Branch. 1p 46720:315-46720:328.

-8809010269 Preliminary, "DOE Response to NRC Draft Technical Position on Info Needs to Demonstrate Compliance W/EPA Proposed Groundwater Protection Stds."
* Energy, Dept. of. 53FR23469 00001. 88/08/31. 12pp 46720,316-46720,328.

248 NONDOCKETED ITEMS

- 8809010288** Comment supporting proposed rule 10CFR53 re safety requirements for industrial radiographic equipment
* Affiliation Not Assigned 53FR18845 00089 88/08/30 NELLIS,D.O. Office of Nuclear Regulatory Research, Director (Post 860720) 3pp 46669 048 46669 050
- 8809010292** Comment supporting proposed rule 10CFR35 re restatement & redefinition of presently accepted criteria for training & experience when applied to trainees in nuclear cardiology
HEALY,B. American Heart Association 53FR18845 00054 88/08/11 Docketing & Services Branch 1p 46696 001-46696 001
- 8809010317** Comment supporting proposed rule 10CFR35 re training & experience in cardiovascular clinical procedures
ISKANDRIAN,A.S. Affiliation Not Assigned 53FR18845 00051 88/07/12 MCKEOWN,J.A. NRC - No Detailed Affiliation Given 2pp 46669 032-46669 033
- 8809010322** Comment on proposed rule 10CFR35 re training & experience criteria re medical use of byproduct material NRC proposed rules unnecessary. Current certification process adequately ensures entry level competency
DREW,H.M. Nuclear Medicine Technology Certification Board 53FR18845 00055 88/08/23 Docketing & Services Branch 8pp 46669 034 46669 041
- 8809010328** Comment on proposed rule 10CFR35 re medical use of byproduct material, training & experience criteria Hosp programs of sufficient duration & scope to provide adequately trained personnel & NRC should develop research training criteria
* Presbyterian-University Hosp of Pittsburgh, Pittsburgh, PA 53FR18845 00052 88/07/14 NRC - No Detailed Affiliation Given 2pp 46669 046-46669 047
- 8809020117** Comment opposing rule 10CFR35 re training & experience criteria for job classification of technician
BOYD,M. Affiliation Not Assigned 53FR18845 00053 88/08/24 NRC No Detailed Affiliation Given 1p 46695 358-46695 358
- 8809020129** Comment on proposed rule 10CFR35 re training & experience criteria for technicians Proposed rulemaking does not apply to medical technologists
CARDELLA,J.C. Presbyterian-University of Pennsylvania Medical Center, Philadelphia, 53FR18845 00049 88/07/12 MCKEOWN,J. Presbyterian Univ of Pennsylvania Medical Center, Philadelphia, 1p 46695 357-46695 357
- 8809020133** Comment on proposed rule 10CFR35 re proposed training & experience criteria
LYONS,E.L. Presbyterian Univ. of Pennsylvania Medical Center, Philadelphia, 53FR18845 00050 88/07/19 NRC - No Detailed Affiliation Given 2pp 46695 355 46695 356
- 8809020136** Comment on proposed rule 10CFR35 re medical use of byproduct material training & experience criteria
POLLYCOVE,M. American College of Nuclear Physicians, GROOT,B.Y., HALL,A. Society of Nuclear Medicine 53FR18845 00056 88/08/24 Docketing & Services Branch 95pp 46696 002-46696 093
- 8809020156** Comment opposing proposed rule 10CFR35 re training & experience criteria for individuals using byproduct material for clinical purposes
SAUNDERS,J.J. Presbyterian Univ. of Pennsylvania Medical Center, Philadelphia, 53FR18845 00048 88/08/19 MCKEOWN,J. Presbyterian Univ of Pennsylvania Medical Center, Philadelphia, 1p 46695 354-46695 354
- 8809070086** Proposed rule 10CFR50, "Cooperation W/States at Commercial Nuclear Power Plants & Other Nuclear Production or Utilization Facilities, Policy Statement" Rule would provide NRC full cooperation w/state govts re public health
CHILK,S.J. Office of the Secretary of the Commission 53FR21981 88/06/08, 9pp 46716,345-46716 353
- 8809070246** "Retention Periods for Records," 10CFR4.11,25,30,31,32,34, 35,40,50,60,81,70,71,73,74,75,95 & 110 final rule Definite retention period established for each record NRC applicant or licensee for license required to maintain.
STELLO,V. Ofc of the Executive Director for Operations 52FR41442. 88/05/13 92pp 46775 272-46775 002
- 8809070250** Comment supporting proposed rule 10CFR50 policy statement on cooperation w/states at commercial nuclear plants & other nuclear production or utilization facilities
EURE,J.A. Iowa, State of 53FR21981 00001 88/06/22 Docketing & Services Branch 1p 46713 347-46713 347
- 8809070482** Comment supporting proposed rule 10CFR35 to restrict use & handling of radioactive material by untrained or unqualified persons
HUFF,W.J. Affiliation Not Assigned 53FR18845 00060 88/08/23, Docketing & Services Branch 2pp 46740 133-46740 134
- 8809070495** Comment supporting proposed rule 10CFR35 re medical use of byproduct material Recommends that 2 months of 6 month period be counted from general training in cardiovascular physiology & cardiopulmonary resuscitation
GOULD,K.L. Affiliation Not Assigned 53FR18845 00059, 88/08/17, Docketing & Services Branch, 1p 46740,132-46740 132
- 8809070552** Comment supporting proposed rule 10CFR35 re medical use of byproduct material Training requirements for physicians should be same, no matter what specialty physician or what organ sys involved in procedure
LINTON,O.W. American College of Radiology 53FR18845 00084 88/08/24 Docketing & Services Branch 10pp 46740 122-46740 131
- 8809070556** Comment on proposed rule 10CFR35 re medical use of byproduct material Suggests that some type of program be developed to register radiation therapists employed in radiation therapy profession
GOBBARD,P.S. Field Memorial Hosp., Richmond, IN 53FR18845 00062, 88/08/18 Office of the Secretary of the Commission 4pp 46740 118-46740 121
- 8809070559** Comment opposing proposed rule 10CFR50 re licensee flexibility during national crisis Deferral of issuance of final rule until proper implementation guidance formulated encouraged
PRESTON,B.A. Public Service Electric & Gas Co. of New Jersey 53FR27174 00003, 88/08/17, CHILK,S.J. Office of the Secretary of the Commission 3pp 46713,344-46713 346
- 8809070560** Comment opposing proposed rule 10CFR35 re medical use of byproduct material, training & experience criteria.
SMITH,J. Affiliation Not Assigned 53FR18845 00065, 88/08/25 Docketing & Services Branch, 1p 46713,343-46713,343
- 8809070563** Comment supporting proposed rule 10CFR35 re training & experience criteria to use byproduct material
CHAMBERS,C.E. Milton S. Hershey Medical Center, Hershey, PA 53FR18845 00066 88/08/19 Docketing & Services Branch 2pp 46713 341 46713,342
- 8809070568** Comment opposing proposed rule 10CFR50 re licensee action during national security emergency. More than sufficient authority to accomplish objective exists in 10CFR2.204, 50.54(x) & 50.103
EDWARDS,D.W. Yankee Atomic Electric Co 53FR27174 00004 88/08/18 Docketing & Services Branch 1p 46713 340 46713 340
- 8809080007** Comment on proposed rule 10CFR35 re training & experience criteria for persons using radioactive materials in or on humans Advises training & experience for therapeutic use of radiopharmaceuticals should include use of site-specific antibodies.
LASH,T.R. Illinois, State of, Dept of Nuclear Safety 53FR18845 00061 88/08/22 Docketing & Services Branch 3pp 46713 350-46713,361.
- 8809080033** Comment opposing proposed rule 10CFR35 re registered radiation technologists Mandatory yearly continuing education programs coupled w/grandfathering may be alternative.
PUYEAR,R.J. Affiliation Not Assigned 53FR18845 00057 88/08/17 NRC No Detailed Affiliation Given 2pp 46717 129 46717 130
- 8809080042** Comment opposing proposed rule 10CFR35 re nuclear cardiology training. Two months of 6 month required training should be counted from general training in related fields & included in new 3-yr training requirement for board eligibility
BERENSON,G.S. Affiliation Not Assigned 53FR18845 00058 88/08/19 Docketing & Services Branch 1p 46717,128-46717 128
- 8809080054** Comment supporting proposed rule 10CFR35 re training & experience criteria for cardiologists in medical use of byproduct material.
GOLDSCHLAGER,N. San Francisco General Hosp. San Francisco, CA 53FR18845 00068 88/08/22 Office of the Secretary of the Commission 1p 46740 142 46740 142
- 8809080055** Comment supporting proposed rule 10CFR35 re training & experience criteria for individuals using byproduct material for clinical procedures in practice of medicine Supports proposed American Board of Internal Medicine certification
BALL,J.R. American College of Physicians 53FR18845 00069, 88/08/24 Docketing & Services Branch 2pp 46716 358 46716,359
- 8809080057** Comment supporting proposed rule 10CFR35 re training & experience for cardiologists in medical use of byproduct material.
FRANKL,W.S. Hahnemann Univ. Hosp., Philadelphia, PA (formerly Hahnemann Medical Coll & Hosp) 53FR18845 00070 88/08/22 Office of the Secretary of the Commission 1p 46740 141-46740 141.
- 8809080062** Comment opposing proposed rule 10CFR35 re training & experience criteria for radiation therapy radiologist to use byproduct material.
DEHNEY,J.R. Reid Memorial Hosp., Richmond, IN, 53FR18845 00072 88/08/24 Docketing & Services Branch, 1p 46740,140-46740 140.
- 8809080070** Comment opposing proposed rule 10CFR35 re training & experience criteria for medical use of byproduct material. Urges NRC to establish standards for continuing & entry level education
THOMPSON,P. St Francis College, Ft. Wayne, IN, 53FR18845 00071 88/08/24 Docketing & Services Branch 2pp 46740 138-46740 139.
- 8809080079** Comment supporting proposed rule 10CFR35 re training & experience criteria for cardiologists & medical use of byproduct material
ABELMANN,W.H. Beth Israel Hosp., Boston, MA, 53FR18845 00073 88/08/19 Docketing & Services Branch 1p 46740,137-46740 137.
- 8809080087** Comment supporting proposed rule 10CFR35 re training & experience criteria for use of byproduct material.
HUTTER,A.M. Massachusetts General Hosp., Boston, MA, 53FR18845 00074 88/08/24 Docketing & Services Branch, 1p 46740 136 46740 136
- 8809080098** Comment on proposed revision to rule 10CFR71 re radioactive material transport Suggests addition of definition for term "licensee of the Commission" to indicate that term includes licenses issued by Agreement States.
SLABACK,L.A. National Institute of Standards & Technology (formerly National Bureau of Standards 53FR21550 00002 88/08/08, Docketing & Services Branch 3pp 46717-123 46717 125
- 8809080103** Comment opposing proposed rule 10CFR35 re training & experience criteria for cardiologists in medical use of byproduct material.
RUBENFIRE,M. Sinai Hosp. of Detroit, Detroit, MI, 53FR18845 00075 88/08/24 Docketing & Services Branch, 1p 46740,135-46740 135.
- 8809080122** Comment supporting proposed rule 10CFR50 re licensee action during national security. Definition of "national security emergency" needed & rev to 10CFR50.73(a)(2)(c) should be revised to include reporting requirements of proposed 10CFR50.54(d).
SULLIVAN,J.L. General Public Utilities Corp. - GPU Service Corp 53FR27174 00002, 88/08/22 CHILK,S.J. Office of the Secretary of the Commission, 1p 46716 360 46716 360.
- 8809080146** "Licensing Requirements for Independent Storage of Spent Nuclear Fuel & High Level Radwaste," 10CFR2.19,20,21,61,70, 72,73,75 & 150 final rule
CHILK,S.J. Office of the Secretary of the Commission 51FR19106 88/08/12 148pp 46717 131-46717-278.
- 8809080152** Comment supporting proposed rule 10CFR50 re licensee action during national security emergency
COLVIN,J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage 53FR27174 00001, 88/08/15, CHILK,S.J. Office of the Secretary of the Commission, 2pp 46717,128-46717 127
- 8809080166** Comment supporting proposed rule 10CFR35 re nuclear cardiology training programs Supports guidelines submitted by American College of Cardiology/American Heart Assoc Joint Task Force on Nuclear Cardiology
WINTERS,W.L. American College of Cardiology, 53FR18845 00067, 88/08/22, Docketing & Services Branch 1p 46717,279-46717,279.

NONDOCKETED ITEMS 249

8809090213 Comment supporting proposed rule 10CFR35 re training & experience criteria for physicians to use byproduct mats for clinical procedures in practice of medicine. Concurs w/min 1 yr training in nuclear medicine. ALAZRAKI,N.P. Emory Univ., Atlanta, GA 53FR18845 00063, 88/08/23 MCELROY,N.L. Office of Nuclear Material Safety & Safeguards, Director 2pp 46713 357-46713 358

8809090210 Proposed rule 10CFR50, "Revision of Backfitting Process for Power Reactors." Rule would clarify when economic costs may be considered in backfitting nuclear power plants. CHILK,S.J. Office of the Secretary of the Commission 52FR34223 88/05/31, 34pp, 46749 223-46749 256

8809090219 Final rule 10CFR50, "Station Blackout." Amended regulations require that light water cooled nuclear power plants be capable of withstanding total loss of ac electric power, "station blackout," for specified duration. CHILK,S.J. Office of the Secretary of the Commission 51FR9828 88/06/13 59pp, 46748,102-46748 160

8809090292 Forwards regulatory history index for Decommissioning Rule 53FR24018, per DL Meyer 880708 request. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40 2 01, 88/09/09 Document Control Branch (Document Control Desk) 1p 46916 032 46824 214.

8812230254 Forwards comments on amends to final rules 10CFR30,40,50,51, 70 & 72 re general requirements for decommissioning nuclear facilities. Recommends that regulatory analysis be upgraded to include listed info. SPEIS,T.P. Division of Safety Review & Oversight (851125 870411) AA40 2 04 86/12/15 ARLOTTO,G.A. Division of Engineering Technology (Pre 860720) 5pp 46818 246-46818 252.

8812290143 Comments on 861113 final rule amends on general requirements for decommissioning nuclear facilities, per request On Page 129, definition of "decommissioning" should be clarified to indicate whether decommissioning includes termination. ERICKSON,P.B. Standardization & Special Project Directorate AA40 2 13 86/12/19 COTA,P. Safety Program Evaluation Branch 1p, 46818,350-46818,350

8812310221 Discusses amends to final rules 10CFR30,40,50,51,70 & 72 re decommissioning items Decommissioning approaches described in rules could impact insp resources. Editorial suggestions can be found in encl marked up pages of regulatory analysis. MCKEE,P.F. Operating Reactor Program Br, Div of Inspection Programs, IE (850212-870413) AA40 2 09, 86/12/24, SHAO,L.C. Division of Engineering Safety (860720-870413), 5pp 46818 276 46818,280.

8808050242 Summarizes CRGR Meeting 116 re NRC review of GEIS on decommissioning. JORDAN,E.L. Committee to Review Generic Requirements AA40 2 42 87/07/31, ARLOTTO,G.A. Office of Nuclear Regulatory Research, Director (Post 860720) 1p, 46820 282-46820,282

8809140083 Forwards revised final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning of nuclear facilities, incorporating recommendations of CRGR 116th meeting on 870610. Rule package ready for action by OGC indicating no legal objection. BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 44 87/08/25, STELLO,V. Ofc of the Executive Director for Operations 8pp 46820 303-46821-013

8801130361 SECY-87-309 Commission paper recommending that Commission approve publication of final rule amends to 10CFR30,40,50,51,70 & 72 by setting forth technical & financial requirements for decommissioning nuclear facilities. Related info encl. STELLO,V. Ofc of the Executive Director for Operations AA40-2 48, 87/12/17 353pp, 46821-242-46822 234.

8809090132 Requests assistance in reviewing encl final rule amends on decommissioning alternatives, planning for decommissioning, financial assurance & environ review requirements. SHAO,L.C. Division of Engineering Safety (860720 870413) AA40-2 03 86/11/13, CUNNINGHAM,C.E. Division of Fuel Cycle & Material Safety (Pre 870413) BROWNING,R.E. Division of Waste Management (Pre 870413) BURNETT,R.F. Division of Safeguards (Pre 870413), 150pp, 46818,046-46818 247

8809090150 Forwards marked-up draft final rule & regulatory analysis re general requirements for decommissioning nuclear facilities. GRIMSLEY,D.H. Division of Rules & Records (Pre 870413), AA40-2 05, 86/12/11 SHAO,L.C. Division of Engineering Safety (860720-870413), 5pp 46818 253-46818,257.

8809090153 Forwards comments re safeguards aspects of rule package concerning decommissioning, per 881113 request. BURNETT,R.F. Division of Safeguards (Pre 870413), AA40-2 06 86/12/15 SHAO,L.C. Division of Engineering Safety (860720-870413), 2pp 46818 258 46818,259.

8809090161 Submits comments on final decommissioning rule & notifies of concurrence w/subj rule package. NASH,D.A. Assistant Director for State & Licensee Relations, AA40-2 07, 86/12/10, SHAO,L.C. Division of Engineering Safety (860720 870413) 14pp, 46818 260 46818 273

8809090174 Submits comments on Nov 1986 rulemaking package containing final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning in general, rulemaking package reads better & is more thoroughly detailed. BROWNING,R.E. Division of Waste Management (Pre 870413) AA40 2 08, 86/12/17, SHAO,L.C. Division of Engineering Safety (860720 870413), 2pp, 46818 274-46818,275.

8809090229 Forwards annotated comments received from OGC containing div review of final rule on decommissioning. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 10, 86/12/10, Office of Nuclear Regulatory Research, Director (Post 860720), 62pp, 46818 281-46818,342.

8809090233 Submits comments on proposed final rule for amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities. ROUSE,L.C. Advanced Fuel & Spent Fuel Licensing Branch, AA40-2 11, 86/12/10 CROW,W.T. Uranium Fuel Licensing Branch 1p 46818 343 46818 343.

8809090239 Forwards comments on proposed final rule amends 10CFR30,40, 50,51,70 & 72 re general requirements for decommissioning nuclear facilities. Comments provided to F Cardile at 861215 meeting. CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413), AA40 2 12 86/12/17 SHAO,L.C. Division of Engineering Safety (860720 870413), 6pp, 46818 344 46818 349

8809090244 Documents 870213 telcon w/W Balke re decommissioning rule amends. CARDILE,F. NRC - No Detailed Affiliation Given AA40-2 14, 87/02/17 NRC - No Detailed Affiliation Given 1p 46818 351 46818 351

8809090247 Notifies that Region 1 has no comments on final rule re decommissioning, per J Gutierrez 861215 telcon. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 15 86/12/15 NRC - No Detailed Affiliation Given 1p 46818,352 46818 352

8809090249 Comments on publication of final rule amends to 10CFR30,40, 50,51,70 & 72 on general requirements for decommissioning nuclear facilities. Concurrence indicated based on cursory review. STORR,J.P. Region 2, Ofc of the Director AA40-2 16 86/12/11, SHAO,L.C. Division of Engineering Safety (860720 870413) 1p, 46818 353 46818,353.

8809090259 Notifies that proposed final rule amends to 10CFR30,40,50, 51,70 & 72 re general requirements for decommissioning nuclear facilities reviewed & endorsed. KEPLER,J.G. Region 3, Ofc of the Director AA40-2 17, 86/12/10, SHAO,L.C. Division of Engineering Safety (860720 870413) 2pp 46818 354 46818 355

8809090265 Comments on proposed final rule amends to 10CFR30,40,50,51, 70 & 72 re general requirements for decommissioning, per 861113 request. Concurrence given. Proposed rule to address residual radioactivity levels needed as well. BANGART,R.L. Region 4, Ofc of the Director, AA40 2 18 86/12/31, SHAO,L.C. Division of Reactor System Safety (860720-870413) 1p 46818,356-46818 356.

8809090277 Notifies that proposed FR notice & proposed regulatory analysis re final rule amends to 10CFR30,40,50,51,70 & 72 on requirements for decommissioning nuclear facilities reviewed w/o comment. KIRSCH,D.F. Region 5, Ofc of the Director, AA40-2 19, 86/12/15 SHAO,L.C. Division of Reactor System Safety (860720 870413), 1p, 46818 357 46818 357.

8809120172 Forwards marked up draft text reflecting comments & suggestions re proposed decommissioning rule, per request. Comments provided by author & GJ Konzek, SMITH,R.I. Battelle Memorial Institute, Pacific Northwest Laboratory AA40-2 20 87/01/05 FELDMAN,C. Office of Nuclear Regulatory Research, Director (Post 860720) 22pp 46818,358-46818,015.

8809120206 Requests concurrence w/ encl paper containing final rule amends to 10CFR30,40,50,51,70 & 72 to include technical & financial requirements & licensing procedures for decommissioning nuclear facilities. BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) AA40 2 21, 87/02/27, THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (Post 870411) TAYLOR,J.M. Ofc of Enforcement (Post 870413) 225pp, 46819,016-46819 228

8809120235 Submits comments on final rulemaking package on decommissioning, did 870227 Package generally appropriate for establishing technical, administrative & financial criteria for different categories of licensees. BROWNING,R.E. Division of Waste Management (Pre 870413), AA40 2 22, 87/03/12, CUNNINGHAM,R.E. NRC - No Detailed Affiliation Given, 6pp 46819 229-46819,234

8809120240 Forwards decommissioning package, including draft public announcement. Concurrence based on stipulation that some changes to draft public announcement be made w/o encl. INGRAM,F.L. Office of Public Affairs AA40-2 23, 87/03/03 SERPAN,C. Division of Engineering Safety (860720-870413), 222pp 46819 338-46820,201.

8809120242 Forwards concurrence page from Ofc of Insp & Enforcement on final decommissioning rule. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 24, 87/03/17 Office of Nuclear Regulatory Research, Director (Post 860720), 2pp 46819 237-46819,238

8809120244 Forwards annotated comments received from Ofc of General Counsel containing review of ofc concurrence version of final rule on decommissioning, w/o encl. CARDILE,F. NRC - No Detailed Affiliation Given, AA40-2 25 87/03/13, NRC - No Detailed Affiliation Given 36pp 46819 239 46819 274

8809120246 Comments on final rule on general requirements for decommissioning nuclear facilities, per request. Concurrence w/final rule subj to incorporation of stated comments. HICKEY,J. NRC - No Detailed Affiliation Given, AA40-2 28, 87/03/08 CROW,B. NRC - No Detailed Affiliation Given, 1p, 46819,275-46819 275

8809120248 Forwards annotated comments received from R O'Connell, NMSS, on final rule for decommissioning. CARDILE,F. NRC - No Detailed Affiliation Given AA40-2 27, 87/04/01, NRC - No Detailed Affiliation Given, 6pp, 46819 276-46819,280.

8809120250 Forwards concurrence page for NRR on final rule on decommissioning. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 29, 87/03/13 Office of Nuclear Regulatory Research, Director (Post 860720), 2pp, 46818,282-46819 283

8809120251 Lists comments on final decommissioning rule. Ofc of State Programs concurs in rule as transmitted by 870227 memo. KERR,G.W. Office of State Programs, Director (Pre 870413), AA40-2 30, 87/03/11, BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720), 9pp 46819 284-46819 292.

250 NONDOCKETED ITEMS

- 8809130252 Forwards comments on final rule that would amend 10CFR30,40,50,51,70 & 72 re technical & financial requirements & licensing procedures for decommissioning of nuclear facilities Concurrence noted
NORRY,P.G. Office of Administration (Pre 870413) AA40 2 31 87/03/12
BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) 2pp 46819 293-46819 318
- 8809130248 Notifies that Pages 49 through 65 of draft decommissioning rule reviewed Text thoroughly satisfactory, reflects author views & extremely well written
SIEGEL,J.J. Wharton School, PA AA40-2 32 86/12/19 CARDILE,F. NRC - No Detailed Affiliation Given. 1p 46819 319-46819 319
- 8809130262 Notifies that final rule amend to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities reviewed, per 870227 request Concurrence subj to listed qualifications
THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director AA40-2 33 87/04/02 BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46819 320-46819 320
- 8809130268 Notifies that final rule amends for decommissioning nuclear facilities reviewed, per request, Concurrence subj to condition that list of NRC regulations covering transportation, on Page 95, be modified to include 10CFR73
BURNETT,R.F. Division of Safeguards (Pre 870413) AA40 2 34 87/03/11
CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413) 1p 46819 321-46819 321
- 8809130271 Responds to 870227 request for concurrence on final rule amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities Concurrence given based on general review
GRACE,J.N. Region 2, Ofc of the Director AA40 2 35 87/03/20 BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46819 322-46819 322
- 8809130279 Forwards, for consideration, Commission paper recommending that final rule amends to 10CFR30,40,50,51,70 & 72 re requirements for decommissioning nuclear facilities be approved for publication
BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 36, 87/04/15 STELLO,V. Ofc of the Executive Director for Operations 10pp 46819 323-46819 337.
- 8809130303 Forwards summary & issue identification for CRGR Meeting 115 re proposed final rule amends to 10CFR30,40,50,51,70 & 72 concerning requirements for decommissioning nuclear facilities Meeting scheduled for 870527
COX,T.H. Office for Analysis & Evaluation of Operational Data, Director AA40 2 38 87/05/18 JORDAN,E.L. Committee to Review Generic Requirements
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director, MARTIN,T.T. Region 1, Ofc of the Director 12pp 46820 202-46820 213.
- 8809130309 Advises that Commission approved proposed amends to 10CFR30,40,50,51,70 & 72 re decommissioning criteria for nuclear power facilities subj to listed conditions per SECY-84-354
HOYLE,J.C. Office of the Secretary of the Commission AA40 2 39, 85/01/04
DIRCKS,W.J. Ofc of the Executive Director for Operations 3pp 46820 214-46820 216
- 8809130314 Forwards, for signature, FR notice containing proposed amends to 10CFR30,40,50,51,70 & 72 re decommissioning criteria for nuclear facilities, per SECY-84-354 Notice revised to Commission comments as summarized in JC Hoyle 850104 memo.
MINOGUE,R.B. Office of Nuclear Regulatory Research, Director (Post 860720), AA40-2 40 85/01/25 CHILK,S.J. Office of the Secretary of the Commission 2pp 46820 217-46820 218
- 8809130320 Forwards annotated comments for M Malsch & J Mapes of Ofc of General Counsel on final rule re decommissioning.
CARDILE,F. NRC - No Detailed Affiliation Given AA40 2 41 87/06/15 NRC - No Detailed Affiliation Given 63pp 46820 219-46820 281
- 8809130337 Forwards revised rule package on final amends re criteria for decommissioning facilities, per SJ Chilk 870921 request Subj package includes final generic EIS based on discussions w/Ofc of General Counsel & conforming to 10CFR51.94
BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720), AA40-2 47, 87/10/16 STELLO,V. Ofc of the Executive Director for Operations 200pp, 46821 014-46821 240
- 8809130353 Notifies that final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning requirements for nuclear facilities Apart from stated concern re internal reserve, Ofc of General Counsel has no legal objection to rule
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle AA40 2 48 87/11/05 ARLOTTO,G.A. Division of Engineering (Post 870413), 1p 46821-241-46821 241
- 8809130358 Advises that Commission has approved final rule amending 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning nuclear facilities, subj to listed conditions, per SECY 87-309.
CHILK,S.J. Office of the Secretary of the Commission AA40-2 50 88/03/02 STELLO,V. Ofc of the Executive Director for Operations 1p, 46822 235-46822 235.
- 8809140342 Requests that publication of encl final rule amends to 10CFR30,40,50,51,70 & 72 concerning general requirements for decommissioning nuclear facilities be arranged, per Secretary of Commission 880520 memo & SECY-88-94.
ARLOTTO,G.A. Division of Engineering (Post 870413) AA40 2 54 88/05/26
MEYER,D.L. Office of Administration & Resources Management, Director (Post 870413) 2pp, 46823 288-46824 174
- 8809140365 10CFR30,40,50,51,70 & 72, "General Requirements for Decommissioning Nuclear Facilities," effective 860727 Amended regulations address decommissioning planning needs, timing, funding methods & environ review requirements
NRC - No Detailed Affiliation Given, AA40-2 59 88/08/27 40pp, 46824 175-46824 214
- 8809140401 Annotated memo addressing two concerns arising from 870319 meeting w/recipients.
SEEMAN,M.J. NRC - No Detailed Affiliation Given, AA40 2 28 87/03/20,
FELDMAN,C., CARDILE,F. NRC - No Detailed Affiliation Given 1p 46819 281-46819 281.
- 8612230254 Forwards comments on amends to final rules 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning nuclear facilities Recommends that regulatory analysis be upgraded to include listed info
SPEIS,T.P. Division of Safety Review & Oversight (851125-870411), AA40 2 04 86/12/15 ARLOTTO,G.A. Division of Engineering Technology (Pre 860720) 5pp 46818 248-46818 252
- 8612290143 Comments on 861113 final rule amends on general requirements for decommissioning nuclear facilities, per request On Page 129, definition of "decommission" should be clarified to indicate whether decommissioning includes termination
ERICKSON,P.B. Standardization & Special Project Directorate, AA40-2 13 86/12/19 COTA,P. Safety Program Evaluation Branch 1p, 46818 350-46818 350.
- 8612310221 Discusses amends to final rules 10CFR30,40,50,51,70 & 72 re decommissioning items Decommissioning approaches described in rules could impact insp resources Editorial suggestions can be found in encl marked up pages of regulatory analysis
MCKEE,P.F. Operating Reactor Program Br, Div of Inspection Programs, IE (850212 870413) AA40 2 09, 86/12/24 SHAO,L.C. Division of Engineering Safety (850720 870413) 5pp, 46818 276-46818 280
- 8708050242 Summarizes CRGR Meeting 116 re NRC review of GEIS on decommissioning
JORDAN,E.L. Committee to Review Generic Requirements AA40 2 42 87/07/31 ARLOTTO,G.A. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46820 282-46820 282
- 8709140083 Forwards revised final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning of nuclear facilities, incorporating recommendations of CRGR 116th meeting on 870610 Rule package ready for action by OGC Indicating no legal objection
BECKJORD,E.S. Office of Nuclear Regulatory Research, Director (Post 860720), AA40 2 44, 87/08/25, STELLO,V. Ofc of the Executive Director for Operations 8pp 46820 303-46821 013
- 8801130361 SECY-87-309 Commission paper recommending that Commission approve publication of final rule amends to 10CFR30,40,50,51,70 & 72 by setting forth technical & financial requirements for decommissioning nuclear facilities Related info encl.
STELLO,V. Ofc of the Executive Director for Operations, AA40-2 49 87/12/17 353pp 46821 242-46822 234
- 8809090132 Requests assistance in reviewing encl final rule amends on decommissioning alternatives, planning for decommissioning, financial assurance & environ review requirements
SHAO,L.C. Division of Engineering Safety (860720 870413), AA40-2 03, 88/11/13 CUNNINGHAM,C.E. Division of Fuel Cycle & Material Safety (Pre 870413)
BROWNING,R.E. Division of Waste Management (Pre 870413) BURNETT,R.F. Division of Safeguards (Pre 870413) 150pp 46818 048-46818 247.
- 8809090150 Forwards marked up draft final rule & regulatory analysis re general requirements for decommissioning nuclear facilities
GRIMSLEY,D.H. Division of Rules & Records (Pre 870413), AA40 2 05, 86/12/11 SHAO,L.C. Division of Engineering Safety (860720-870413), 5pp, 46818 253-46818 257
- 8809090153 Forwards comments re safeguards aspects of rule package concerning decommissioning, per 861113 request
BURNETT,R.F. Division of Safeguards (Pre 870413), AA40-2 06, 86/12/15, SHAO,L.C. Division of Engineering Safety (860720-870413), 2pp, 46818 258-46818 259
- 8809090161 Submits comments on final decommissioning rule & notifies of concurrence w/subj rule package.
NASH,D.A. Assistant Director for State & Licensee Relations AA40-2 07, 86/12/10 SHAO,L.C. Division of Engineering Safety (860720-870413), 14pp 46818 260-46818 273.
- 8809090174 Submits comments on Nov 1986 rulemaking package containing final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning In general, rulemaking package reads better & is more thoroughly detailed.
BROWNING,R.E. Division of Waste Management (Pre 870413) AA40-2 08 86/12/17, SHAO,L.C. Division of Engineering Safety (860720 870413) 2pp, 46818 274-46818 275
- 8809090229 Forwards annotated comments received from OGC containing div review of final rule on decommissioning.
CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720), AA40 2 10, 86/12/10, Office of Nuclear Regulatory Research, Director (Post 860720) 62pp, 46818 261-46818 342
- 8809090233 Submits comments on proposed final rule for amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities
ROUSE,L.C. Advanced Fuel & Spent Fuel Licensing Branch AA40 2 11, 86/12/10 CROW,W.T. Uranium Fuel Licensing Branch 1p, 46818 343-46818 343
- 8809090239 Forwards comments on proposed final rule amends 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning nuclear facilities Comments provided to F Cardile at 861215 meeting
CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413), AA40-2 12 86/12/17, SHAO,L.C. Division of Engineering Safety (860720 870413) 6pp, 46818 344-46818 349.
- 8809090244 Documents 870213 telcon w/W Balke re decommissioning rule amends
CARDILE,F. NRC - No Detailed Affiliation Given, AA40-2 14, 87/02/17, NRC - No Detailed Affiliation Given. 1p, 46818 351-46818 351
- 8809090247 Notifies that Region I has no comments on final rule re decommissioning, per J Gutierrez 861215 telcon.
CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720) AA40 2 15, 86/12/15 NRC - No Detailed Affiliation Given. 1p, 46818 352-46818 352

NONDOCKETED ITEMS 251

- 8809090249 Comments on publication of final rule amends to 10CFR30.40, 50, 51, 70 & 72 on general requirements for decommissioning nuclear facilities. Concurrence indicated based on cursory review
STOHR, J.P. Region 2, Ofc of the Director AA40-2 16 86/12/11 SHAO, L.C. Division of Engineering Safety (860720-870413). 1p. 46818:353-46818:353.
- 8809090259 Notifies that proposed final rule amends to 10CFR30.40, 50, 51, 70 & 72 re general requirements for decommissioning nuclear facilities reviewed & endorsed
KEPPLER, J.G. Region 3, Ofc of the Director AA40-2 17 86/12/10 SHAO, L.C. Division of Engineering Safety (860720-870413). 2pp 46818:354-46818:355
- 8809090265 Comments on proposed final rule amends to 10CFR30.40, 50, 51, 70 & 72 re general requirements for decommissioning nuclear facilities reviewed & endorsed
Proposed rule to address residual radioactivity levels needed as well.
BANGART, R.L. Region 4, Ofc of the Director AA40-2 18 86/12/31 SHAO, L.C. Division of Reactor System Safety (860720-870413). 1p. 46818:356-46818:358.
- 8809090277 Notifies that proposed FR notice & proposed regulatory analysis re final rule amends to 10CFR30.40, 50, 51, 70 & 72 on requirements for decommissioning nuclear facilities reviewed w/o comment
KIRSCH, O.F. Region 5, Ofc of the Director AA40-2 19 86/12/15 SHAO, L.C. Division of Reactor System Safety (860720-870413). 1p. 46818:357-46818:357
- 8809120172 Forwards marked up draft text reflecting comments & suggestions re proposed decommissioning rule, per request Comments provided by author & GJ Konzek SMITH, R.I. Battelle Memorial Institute, Pacific Northwest Laboratory, AA40-2 20 87/01/05 FELDMAN, C. Office of Nuclear Regulatory Research, Director (Post 860720). 22pp. 46818:358-46818:015
- 8809120206 Requests concurrence w/ encl paper containing final rule amends to 10CFR30.40, 50, 51, 70 & 72 to include technical & financial requirements & licensing procedures for decommissioning nuclear facilities
BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 21 87/02/27 THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (Post 870411). TAYLOR, J.M. Ofc of Enforcement (Post 870413). 22pp 46818:016-46818:028
- 8809120235 Submits comments on final rulemaking package on decommissioning, did 870227. Package generally appropriate for establishing technical, administrative & financial criteria for different categories of licensees
CROWNING, R.E. Division of Waste Management (Pre 870413) AA40-2 22 87/03/12 CUNNINGHAM, R.E. NRC - No Detailed Affiliation Given. 6pp. 46818:229-46818:234.
- 8809120240 Forwards decommissioning package, including draft public announcement Concurrence based on stipulation that some changes to draft public announcement be made w/o encl.
INGRAM, F.L. Office of Public Affairs, AA40-2 23 87/03/03 SERPAN, C. Division of Engineering Safety (860720-870413). 22pp. 46818:338-46818:201.
- 8809120242 Forwards concurrence page from Ofc of Insp & Enforcement on final decommissioning rule.
CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 24 87/03/17. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp 46818:237-46818:238.
- 8809120244 Forwards annotated comments received from Ofc of General Counsel containing review of o/c concurrence version of final rule on decommissioning w/o encl
CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 25 87/03/13 NRC - No Detailed Affiliation Given. 3pp. 46818:239-46818:274.
- 8809120246 Comments on final rule on general requirements for decommissioning nuclear facilities, per request Concurrence w/final rule subj to incorporation of stated comments.
HICKEY, J. NRC - No Detailed Affiliation Given AA40-2 26 87/03/06 CROW, B. NRC - No Detailed Affiliation Given 1p. 46818:275-46818:275.
- 8809120248 Forwards annotated comments received from R O'Connell, NMSS, on final rule for decommissioning.
CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 27 87/04/01. NRC - No Detailed Affiliation Given. 5pp. 46818:276-46818:280.
- 8809120250 Forwards concurrence page for NRR on final rule on decommissioning.
CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 28 87/03/13. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 46818:282-46818:283
- 8809120251 Lists comments on final decommissioning rule, Ofc of State Programs concurs in rule as transmitted by 870227 memo.
KERR, G.W. Office of State Programs, Director (Pre 870413). AA40-2 30 87/03/11. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 9pp 46818:284-46818:292.
- 8809120252 Forwards comments on final rule that would amend 10CFR30.40, 50, 51, 70 & 72 re technical & financial requirements & licensing procedures for decommissioning of nuclear facilities Concurrence noted
NORRY, P.G. Office of Administration (Pre 870413). AA40-2 31 87/03/12. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 26pp 46818:293-46818:318.
- 8809130248 Notifies that Pages 49 through 65 of draft decommissioning rule reviewed Text thoroughly satisfactory, reflects author views & extremely well-written.
SIEGEL, J.J. Wharton School, PA AA40-2 32 86/12/19. CARDILE, F. NRC - No Detailed Affiliation Given. 1p. 46818:319-46818:319.
- 8809130252 Notifies that final rule amend to 10CFR30.40, 50, 51, 70 & 72 on general requirements for decommissioning nuclear facilities reviewed, per 870227 request. Concurrence subj to listed qualifications.
THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. AA40-2 33 87/04/02. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 1p. 46818:320-46818:320.
- 8809130258 Notifies that final rule amends for decommissioning nuclear facilities reviewed, per request Concurrence subj to condition that list of NRC regulations covering transportation, on Page 95, be modified to include 10CFR73.
BURNETT, R.F. Division of Safeguards (Pre 870413). AA40-2 34 87/03/11. CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413) 1p. 46818:321-46818:321.
- 8809130271 Responds to 870227 request for concurrence on final rule amends to 10CFR30.40, 50, 51, 70 & 72 on general requirements for decommissioning nuclear facilities Concurrence given based on general review
GRACE, J.N. Region 2, Ofc of the Director, AA40-2 35 87/03/20 BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46818:322-46818:322.
- 8809130279 Forwards, for consideration, Commission paper recommending that final rule amends to 10CFR30.40, 50, 51, 70 & 72 re requirements for decommissioning nuclear facilities be approved for publication.
BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 36 87/04/15 STELLO, V. Ofc of the Executive Director for Operations 10pp 46818:323-46818:337.
- 8809130303 Forwards summary & issue identification for CRGR Meeting 115 re proposed final rule amends to 10CFR30.40, 50, 51, 70 & 72 concerning requirements for decommissioning nuclear facilities. Meeting scheduled for 870527.
COX, T.H. Office for Analysis & Evaluation of Operational Data, Director. AA40-2 38 87/05/18 JORDAN, E.L. Committee to Review Generic Requirements. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director MARTIN, T.T. Region 1, Ofc of the Director. 12pp 46820:202-46820:213.
- 8809130309 Advises that Commission approved proposed amends to 10CFR30.40, 50, 51, 70 & 72 re decommissioning criteria for nuclear power facilities subj to listed conditions, per SECY-84-354.
HOYLE, J.C. Office of the Secretary of the Commission. AA40-2 39 86/01/04. DIRCKS, W.J. Ofc of the Executive Director for Operations 3pp 46820:214-46820:216
- 8809130314 Forwards, for signature, FR notice containing proposed amends to 10CFR30.40, 50, 51, 70 & 72 re decommissioning criteria for nuclear facilities, per SECY-84-354. Notice revised to Commission comments as summarized in JC Hoyle 850104 memo
MINOGUE, R.B. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 40 86/01/25 CHILK, S.J. Office of the Secretary of the Commission 2pp 46820:217-46820:218.
- 8809130320 Forwards annotated comments for M Matsch & J Mapes of Ofc of General Counsel on final rule re decommissioning
CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 41 87/06/15. NRC - No Detailed Affiliation Given. 63pp 46820:219-46820:281
- 8809130337 Forwards revised rule package on final amends re criteria for decommissioning facilities, per SJ Chik 870921 request Subj package includes final generic EIS based on discussions w/Ofc of General Counsel & conforming to 10CFR51.84
BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720) AA40-2 47 87/10/18 STELLO, V. Ofc of the Executive Director for Operations 200pp. 46821:014-46821:240.
- 8809130353 Notifies that final rule amends to 10CFR30.40, 50, 51, 70 & 72 re decommissioning requirements for nuclear facilities. Apart from stated concern re Internal reserve, Ofc of General Counsel has no legal objection to rule
TREBY, S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AA40-2 48 87/11/05. ARLOTTO, G.A. Division of Engineering (Post 870413). 1p 46821:241-46821:241.
- 8809130358 Advises that Commission has approved final rule amending 10CFR30.40, 50, 51, 70 & 72 re general requirements for decommissioning nuclear facilities, subj to listed conditions, per SECY-87-309.
CHILK, S.J. Office of the Secretary of the Commission. AA40-2 50 88/03/02 STELLO, V. Ofc of the Executive Director for Operations. 1p. 46822:235-46822:235
- 8809140342 Requests that publication of encl final rule amends to 10CFR30.40, 50, 51, 70 & 72 concerning general requirements for decommissioning nuclear facilities be arranged, per Secretary of Commission 880520 memo & SECY-88-94.
ARLOTTO, G.A. Division of Engineering (Post 870413) AA40-2 54 88/05/26 MEYER, D.L. Office of Administration & Resources Management, Director (Post 870413). 2pp. 46823:288-46824:174
- 8809140365 10CFR30.40, 50, 51, 70 & 72, "General Requirements for Decommissioning Nuclear Facilities," effective 860727. Amended regulations address decommissioning planning needs, timing, funding methods & environ review requirements.
NRC - No Detailed Affiliation Given. AA40-2 59 88/06/27. 40pp. 46824:176-46824:214
- 8809140401 Annotated memo addressing two concerns arising from 870319 meeting w/recipients.
SEEMAN, M.J. NRC - No Detailed Affiliation Given AA40-2 28 87/03/20. FELDMAN, C., CARDILE, F. NRC - No Detailed Affiliation Given 1p. 46818:261-46818:261.
- 8812230254 Forwards comments on amends to final rules 10CFR30.40, 50, 51, 70 & 72 re general requirements for decommissioning nuclear facilities. Recommends that regulatory analysis be upgraded to include listed info.
SPEIS, T.P. Division of Safety Review & Oversight (851125-870411). AA40-2 04 86/12/16 ARLOTTO, G.A. Division of Engineering Technology (Pre 860720) 5pp 46818:248-46818:252.
- 8812290143 Comments on 861113 final rule amends on general requirements for decommissioning nuclear facilities, per request. On Page 128 definition of "decommission" should be clarified to indicate whether decommissioning includes termination.
ERICKSON, P.B. Standardization & Special Project Directorate AA40-2 13 86/12/19 COTA, P. Safety Program Evaluation Branch 1p. 46818:350-46818:350.
- 8812310221 Discusses amends to final rules 10CFR30.40, 50, 51, 70 & 72 re decommissioning items. Decommissioning approaches described in rules could impact insp resources. Editorial suggestions can be found in encl marked-up pages of regulatory analysis.
MCKEE, P.F. Operating Reactor Program Br.Div of Inspection Programs, IE (850212-870413). AA40-2 09 86/12/24 SHAO, L.C. Division of Engineering Safety (860720-870413) 5pp. 46818:276-46818:280.
- 8708050242 Summarizes CRGR Meeting 116 re NRC review of GEIS on decommissioning
JORDAN, E.L. Committee to Review Generic Requirements. AA40-2 42 87/07/31. ARLOTTO, G.A. Office of Nuclear Regulatory Research, Director (Post 860720). 1p. 46820:282-46820:282.

252 NONDOCKETED ITEMS

- 8709140083 Forwards revised final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning of nuclear facilities, incorporating recommendations of CRGR 116th meeting on 870610. Rule package ready for action by OGC indicating no legal objection. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). AA40 2 44. 87/08/25. STELLO, V. Ofc of the Executive Director for Operations. 8pp. 46820 303-46821.013.
- 8801130361 SECY-87-309 Commission paper recommending that Commission approve publication of final rule amends to 10CFR30,40,50,51,70 & 72 by setting forth technical & financial requirements for decommissioning nuclear facilities Related info encl. STELLO, V. Ofc of the Executive Director for Operations. AA40 2 49. 87/12/17 353pp. 46821:242-46822.234.
- 8809090150 Forwards marked up draft final rule & regulatory analysis re general requirements for decommissioning nuclear facilities. GRIMSLEY, D.H. Division of Rules & Records (Pre 870413). AA40-2 05 86/12/11. SHAO, L.C. Division of Engineering Safety (860720 870413). 5pp. 46818 253 46818 257.
- 8809090153 Forwards comments re safeguards aspects of rule package concerning decommissioning, per 861113 request. BURNETT, R.F. Division of Safeguards (Pre 870413). AA40-2 06 86/12/15. SHAO, L.C. Division of Engineering Safety (860720 870413). 2pp. 46818.258 46818.259.
- 8809090161 Submits comments on final decommissioning rule & notifies of concurrence w/ subj rule package. NASH, D.A. Assistant Director for State & Licensee Relations. AA40-2 07. 86/12/10. SHAO, L.C. Division of Engineering Safety (860720 870413). 14pp. 46818 260 46818 273.
- 8809090174 Submits comments on Nov 1986 rulemaking package containing final rule amends to 10CFR30,40,50,51,70 & 72 re decommissioning in general, rulemaking package reads better & is more thoroughly detailed. BROWNING, R.E. Division of Waste Management (Pre 870413). AA40-2 08 86/12/17. SHAO, L.C. Division of Engineering Safety (860720 870413). 2pp. 46818 274-46818 275.
- 8809090229 Forwards annotated comments received from OGC containing div review of final rule on decommissioning. CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 10. 86/12/10. Office of Nuclear Regulatory Research, Director (Post 860720). 62pp. 46818 281-46818.342.
- 8809090233 Submits comments on proposed final rule for amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities. ROUSE, L.C. Advanced Fuel & Spent Fuel Licensing Branch. AA40 2 11 86/12/10. CROW, W.T. Uranium Fuel Licensing Branch. 1p. 46818.343 46818.343.
- 8809090239 Forwards comments on proposed final rule amends 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning nuclear facilities Comments provided to F Cardile at 861215 meeting. CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). AA40 2 12. 86/12/17. SHAO, L.C. Division of Engineering Safety (860720-870413). 6pp. 46818 344-46818 349.
- 8809090244 Documents 870213 telcon w/ W Belka re decommissioning rule amends. CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 14 87/02/17. NRC - No Detailed Affiliation Given. 1p. 46818.351-46818.351.
- 8809090247 Notifies that Region I has no comments on final rule re decommissioning, per J Gutierrez 861215 telcon. CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 15. 86/12/15. NRC - No Detailed Affiliation Given. 1p. 46818 352-46818.352.
- 8809090249 Comments on publication of final rule amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities Concurrence indicated based on cursory review. STORR, J.P. Region 2, Ofc of the Director. AA40 2 16 86/12/11. SHAO, L.C. Division of Engineering Safety (860720-870413). 1p. 46818 353-46818 353.
- 8809090259 Notifies that proposed final rule amends to 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning nuclear facilities reviewed & endorsed. KEPPLER, J.G. Region 3, Ofc of the Director. AA40-2 17. 86/12/10. SHAO, L.C. Division of Engineering Safety (860720 870413). 2pp. 46818.354 46818 355.
- 8809090285 Comments on proposed final rule amends to 10CFR30,40,50,51,70 & 72 re general requirements for decommissioning, per 861113 request Concurrence given. Proposed rule to address residual radioactivity levels needed as well. BANGART, R.L. Region 4, Ofc of the Director. AA40-2 18. 86/12/31. SHAO, L.C. Division of Reactor System Safety (860720 870413). 1p. 46818.356 46818.356.
- 8809090277 Notifies that proposed FR notice & proposed regulatory analysis re final rule amends to 10CFR30,40,50,51,70 & 72 on requirements for decommissioning nuclear facilities reviewed w/o comment. KIRSCH, D.F. Region 5, Ofc of the Director. AA40 2 19. 86/12/15. SHAO, L.C. Division of Reactor System Safety (860720-870413). 1p. 46818.357-46818.357.
- 8809120172 Forwards marked-up draft text reflecting comments & suggestions re proposed decommissioning rule, per request. Comments provided by author & GJ Konzak. SMITH, R.I. Battelle Memorial Institute, Pacific Northwest Laboratory. AA40-2 20. 87/01/05. FELDMAN, C. Office of Nuclear Regulatory Research, Director (Post 860720). 22pp. 46818:358-46819.015.
- 8809120206 Requests concurrence w/ encl paper containing final rule amends to 10CFR30,40,50,51,70 & 72 to include technical & financial requirements & licensing procedures for decommissioning nuclear facilities. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). AA40 2 21. 87/02/27. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (Post 870411). TAYLOR, J.M. Ofc of Enforcement (Post 870413). 225pp. 46819 016-46819 228.
- 8809120235 Submits comments on final rulemaking package on decommissioning, did 870227. Package generally appropriate for establishing technical, administrative & financial criteria for different categories of licensees. BROWNING, R.E. Division of Waste Management (Pre 870413). AA40-2 22 87/03/12. CUNNINGHAM, R.E. NRC - No Detailed Affiliation Given. 6pp. 46818.229-46819 234.
- 8809120240 Forwards decommissioning package, including draft public announcement Concurrence based on stipulation that some changes to draft public announcement be made w/o encl. INGRAM, F.L. Office of Public Affairs. AA40 2 23 87/03/03. SERPAN, C. Division of Engineering Safety (860720 870413). 222pp. 46819 338-46820 201.
- 8809120242 Forwards concurrence page from Ofc of Insp & Enforcement on final decommissioning rule. CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 24. 87/03/17. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 46819 237-46819.238.
- 8809120244 Forwards annotated comments received from Ofc of General Counsel containing review of ofc concurrence version of final rule on decommissioning w/o encl. CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 25 87/03/13. NRC - No Detailed Affiliation Given. 36pp. 46819.239 46819 274.
- 8809120246 Comments on final rule on general requirements for decommissioning nuclear facilities, per request. Concurrence w/ final rule subj to incorporation of stated comments. HICKEY, J. NRC - No Detailed Affiliation Given. AA40 2 26 87/03/06. CROW, B. NRC - No Detailed Affiliation Given. 1p. 46818.275-46819.275.
- 8809120248 Forwards annotated comments received from R O'Connell, NMSS, on final rule for decommissioning. CARDILE, F. NRC - No Detailed Affiliation Given. AA40-2 27. 87/04/01. NRC - No Detailed Affiliation Given. 5pp. 46819.276-46819.280.
- 8809120250 Forwards concurrence page for NRR on final rule on decommissioning. CARDILE, F. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 29. 87/03/13. Office of Nuclear Regulatory Research, Director (Post 860720). 2pp. 46819 282-46819.283.
- 8809120251 Lists comments on final decommissioning rule, Ofc of State Programs concurs in rule as transmitted by 870227 memo. KERR, G.W. Office of State Programs, Director (Pre 870413). AA40 2 30. 87/03/11. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 9pp. 46819.284-46819.292.
- 8809120252 Forwards comments on final rule that would amend 10CFR30,40,50,51,70 & 72 re technical & financial requirements & licensing procedures for decommissioning of nuclear facilities. Concurrence noted. NORRIS, P.G. Office of Administration (Pre 870413). AA40-2 31. 87/03/12. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 26pp. 46819:293-46819.318.
- 8809130248 Notifies that Pages 49 through 65 of draft decommissioning rule reviewed. Text thoroughly satisfactory, reflects author views & extremely well written. SIEGEL, J.J. Wharton School, PA. AA40-2 32. 86/12/19. CARDILE, F. NRC - No Detailed Affiliation Given. 1p. 46819:319-46819:319.
- 8809130262 Notifies that final rule amend to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities reviewed, per 870227 request. Concurrence subj to listed qualifications. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. AA40-2 33. 87/04/02. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 1p. 46819.320-46819.320.
- 8809130266 Notifies that final rule amends for decommissioning nuclear facilities reviewed, per request Concurrence subj to condition that list of NRC regulations covering transportation, on Page 85, be modified to include 10CFR73. BURNETT, R.F. Division of Safeguards (Pre 870413). AA40-2 34. 87/03/11. CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 4p. 46819 321-46819.321.
- 8809130271 Responds to 870227 request for concurrence on final rule amends to 10CFR30,40,50,51,70 & 72 on general requirements for decommissioning nuclear facilities Concurrence given based on general review. GRACE, J.N. Region 2, Ofc of the Director. AA40-2 35 87/03/20. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). 1p. 46819 322-46819.322.
- 8809130279 Forwards, for consideration, Commission paper recommending that final rule amends to 10CFR30,40,50,51,70 & 72 re requirements for decommissioning nuclear facilities be approved for publication. BECKJORD, E.S. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 38 87/04/15. STELLO, V. Ofc of the Executive Director for Operations. 10pp. 46819:323-46819.337.
- 8809130303 Forwards summary & issue identification for CRGR Meeting 115 re proposed final rule amends to 10CFR30,40,50,51,70 & 72 concerning requirements for decommissioning nuclear facilities. Meeting scheduled for 870527. COX, T.H. Office for Analysis & Evaluation of Operational Data, Director. AA40-2 39. 87/05/18. JORDAN, E.L. Committee to Review Generic Requirements. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. MARTIN, T.T. Region 1, Ofc of the Director. 12pp. 46820.202-46820.213.
- 8809130309 Advises that Commission approved proposed amends to 10CFR30,40,50,51,70 & 72 re decommissioning criteria for nuclear power facilities subj to listed conditions, per SECY-84-354. HOYLE, J.C. Office of the Secretary of the Commission. AA40-2 39. 85/01/04. DIRCKS, W.J. Ofc of the Executive Director for Operations. 3pp. 46820:214 46820.216.
- 8809130314 Forwards, for signature, FR notice containing proposed amends to 10CFR30,40,50,51,70 & 72 re decommissioning criteria for nuclear facilities, per SECY-84-354. Notice revised to Commission comments as summarized in JC Hoyle 850104 memo. MINOQUE, R.B. Office of Nuclear Regulatory Research, Director (Post 860720). AA40-2 40. 85/01/25. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46820:217-46820.218.

PERSONAL AUTHOR INDEX 285

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BLOUGH, A. R.	8809140304*	50-283 Q	BRADHAM, O. S.	8809010171	50-395 R	BROWN, W. R.	8809280198*	REVIEW GR P
BLOUGH, A. R.	8809190355	50-293 R	BRADHAM, O. S.	8809020274	50-395 R	BROWNING, R. E.	8809090174*	PR
BLOUGH, A. R.	8809260009	50-293 R	BRADHAM, O. S.	8809070534	50-395 P	BROWNING, R. E.	8809120235*	PR
BLOUNT, P. F.	8809070541	50-280 R	BRADHAM, O. S.	8809130056	50-395 P	BROWNING, R. E.	8809140398	WASTE MGT
BLUSAUGH, R.	8809140066*	40-3453	BRADHAM, O. S.	8809140323	71-9176	BROWNLEE, V. L.	8809300236	50-369 Q
BLUSAUGH, R. E.	8809060186	40-3453	BRADHAM, O. S.	8809150280	50-395 Q	BROWNLEE, V. L.	8809300238*	50-369 Q
BLUSAUGH, R. E.	8809060267	40-3453	BRADHAM, O. S.	8809200254	50-395 Q	BROWNLEE, V. L.	8809300352	50-425 Q
BLUSAUGH, R. E.	8809070084	40-3453	BRADHAM, O. S.	8809200383	50-395 P	BROWNLEE, V. L.	8809310052	50-425 Q
BLUSAUGH, R. E.	8809180076	40-3453	BRADHAM, O. S.	8809220118	50-395 R	BROWNLEE, V. L.	8809310054*	50-425 Q
BLUE, L. A.	8809020276*	50-395 R	BRADHAM, O. S.	8809230231	50-395 P	BROWNLEE, V. L.	8809010168	50-413 Q
BOEHNE, P. A.	8809160248*	50-293 Q	BRADLEY, E. J.	8809260185	50-395 S	BROWNLEE, V. L.	8809010170*	50-413 Q
BOEHNE, P. A.	8809010102*	50-296 P	BRADLEY, E. J.	8809010140	50-277 P	BROWNLEE, V. L.	8809070076	50-269 Q
BOEHNE, P. A.	8809010243*	50-247 P	BRADLEY, E. J.	8809010287	50-277 P	BROWNLEE, V. L.	8809080374	50-413 Q
BOEHNE, P. A.	8809020025*	50-247 P	BRADLEY, E. J.	8809090224	50-277 P	BROWNLEE, V. L.	8809080384	50-369 Q
BOEHNE, P. A.	8809080331	50-443 E	BRADLEY, E. J.	8809120051	50-277 P	BROWNLEE, V. L.	8809140272	50-321 Q
BOEHNE, P. A.	8809120322*	50-286 P	BRADLEY, E. J.	8809140207	50-277 P	BROWNLEE, V. L.	8809140311	50-321 Q
BOEHNE, P. A.	8809130095*	50-461 P	BRADLEY, E. J.	8809140219	50-277 P	BROWNLEE, V. L.	8809190161	50-413 Q
BOEHNE, P. A.	8809260129*	50-62 Q	BRADLEY, E. J.	8809150174	50-352 P	BROWNLEE, V. L.	8809200205	50-369 Q
BOEHNE, P. A.	8809070302	FOIA	BRADLEY, E. J.	8809150178*	50-352 P	BROWNLEE, V. L.	8809200207*	50-369 Q
BOEHNE, P. A.	8809090136	FOIA	BRADLEY, E. J.	8809200050	50-352 P	BRUBAKER, P. D.	8809200209*	REVIEW GR P
BONANO, E. J.	8809220080	WASTE RES	BRADY, R. J.	8809160077*	REVIEW GR P	BRUNET, J. R.	8809290076	50-255 F
BONANO, E. J.	8809180056	WASTE RES	BRAM, S. B.	8809260110	50-247 P	BRUNET, J. R.	8809290182	50-255 F
BONANO, E. J.	8809180063	WASTE RES	BRAM, S. B.	8809280128	50-247 V	BRUNET, J. R.	8809020014	50-255 F
BONNETT, D. M.	8809220071*	50-250 R	BRAM, S. B.	8809300275	50-247 Q	BRUNET, J. R.	8809070072	50-255 F
BONNETT, D. M.	8809220073*	50-250 R	BRAM, S. B.	8809300325	50-3 F	BRUNET, J. R.	8809070187	50-255 F
BONGIOVANNI, A.	8809140417*	50-373 Q	BRAM, S. B.	8809310131	50-247 Q	BRUNET, J. R.	8809120069	50-255 F
BONNEAU, C.	8809010267*	50-263 P	BRAM, S. B.	8809310153	50-247 S	BRUNET, J. R.	8809150305	50-255 F
BONNETT, R. G.	8809080222*	PROJ.	BRAM, S. B.	8809010346	50-247 P	BRUNET, J. R.	8809150307	50-255 F
BONOSARO, C. A.	8809230208*	COMMISSION	BRAM, S. B.	8809020029	50-247 S	BRUNETT, J. R.	8809290040	50-255 F
BONOSARO, C. A.	8809230210*	COMMISSION	BRAM, S. B.	8809070483	50-247 P	BRUNO, R. J.	8809140145	50-266 F
BONSON, B.	8809020115	50-287 S	BRAM, S. B.	8809070486*	50-247 P	BUCHANAN, W. L.	8809180382	50-255 F
BOOKER, J. E.	8809260366	50-458 Q	BRAM, S. B.	8809080140	50-3 F	BUCKLEY, B. C.	8809260452	50-400 P
BOOKER, J. E.	8809260385	50-458 Q	BRAM, S. B.	8809140142	50-247 P	BUCKLEY, B. C.	8809020009	50-324 P
BOOKER, J. E.	8809300024	50-458 K	BRAM, S. B.	8809140225	50-247 S	BUCKLEY, B. C.	8809080365	50-400 P
BOOKER, J. E.	8809310152	50-458 S	BRAM, S. B.	8809140227	50-247 Q	BUCKLEY, B. C.	8809070546	50-324 P
BOOKER, J. E.	8809010258	50-458 S	BRAM, S. B.	8809180224	50-247 Q	BUCKLEY, B. C.	8809140410	50-400 P
BOOKER, J. E.	8809010298	50-458 S	BRAM, S. B.	8809230066	50-247 F	BUCKLEY, B. C.	8809220312	50-400 Q
BOOKER, J. E.	8809010305	50-458 S	BRAM, S. B.	8809230247	50-247 V	BUCKLEY, B. C.	8809220334	50-324 P
BOOKER, J. E.	8809020240	50-458 I	BRAM, S. B.	8809260255	50-247 S	BUCKLEY, B. C.	8809260044	50-324 Q
BOOKER, J. E.	8809020263	50-458 S	BRANCH, M. W.	8809260277*	50-327 Q	BUCKNAM, R. C.	8809060179*	WASTE RES
BOOKER, J. E.	8809080158	50-458 R	BRAND, E. B.	8809190315	50-309 S	BUDD, T.	8809210093*	REVIEW GR P
BOOKER, J. E.	8809070308	50-458 Q	BREAUX, J.	8809160231*	FOIA	BUNCH, W. G.	8809070110	40-8908
BOOKER, J. E.	8809070321	50-458 S	BREAUX, J.	8809160233*	FOIA	BUNCH, W. G.	8809070119	40-8908
BOOKER, J. E.	8809080084	50-458 R	BREAUX, J. B.	8809160188*	FOIA	BUNDY, H. F.	8809080316*	50-458 Q
BOOKER, J. E.	8809080096	50-458 V	BREMBERG, B. P.	8809160209	FOIA	BUNDY, H. F.	8809080354*	50-458 Q
BOOKER, J. E.	8809140085	50-458 S	BRENNAN, P.	8809210250	CONTRACT	BUNTING, J. O.	8809310009	WASTE MGT
BOOKER, J. E.	8809140111	50-458 Q	BRENNAN, P. A.	8809210123	CONTRACT	BUNTING, J. O.	8809300184	WASTE MGT
BOOKER, J. E.	8809140233	50-458 Q	BRESLAU, B.	8809220218*	50-324 Q	BUNTING, J. O.	8809060190	WASTE MGT
BOOKER, J. E.	8809150017	50-458 Q	BREY, H. L.	8809150213	50-267 P	BUNTING, J. O.	8809120191	WASTE MGT
BOOKER, J. E.	8809150102	50-458 Q	BRIDGES, J. A.	8809160300	PR	BUNTING, J. O.	8809130329	WASTE MGT
BOOKER, J. E.	8809160263	50-458 S	BRIGGS, E. M.	8809300048*	50-333 P	BUNTING, J. O.	8809230253	WASTE MGT
BOOKER, J. E.	8809230184	50-458 S	BRIGGS, H. J.	8809060407*	CONTRACT	BURAM, R. G.	8809310142	50-387 S
BORCHERT, W.	8809070355	50-272 S	BRIGHT, G. O.	8809020086	50-320 G	BURDICK, Q. N.	8809160331*	FOIA
BORCHERT, H. R.	8809290288*	REVIEW GR P	BRINDLE, D.	8809200221	50-455 S	BURDICK, T. M.	8809080309*	50-456 V
BORDENICK, B. M.	8809140043	50-603 G	BRINKMAN, D. S.	8809300287	50-443 P	BURDOIN, J. F.	8809300181*	50-628 Q
BORDENICK, B. M.	8809140086	50-603 G	BROCK, B. L.	8809210036*	70-754 G	BURGER, C. W.	8809300353*	50-425 Q
BORDENICK, B. M.	8809140108	50-603 G	BROCK, M. T.	8809180053	50-443 G	BURGESS, B.	8809020178*	50-262 Q
BORDENICK, B. M.	8809190220	50-603 G	BROCK, M. T.	8809180053	50-443 G	BURGESS, B.	8809140314	50-315 S
BORDINE, T. C.	8809220204	50-255 P	BROCK, M. T.	8809210018	50-443 G	BURGESS, B. L.	8809300091*	50-255 Q
BOSTED, C. J.	8809140215*	50-397 Q	BROCK, M. T.	8809210023	50-443 G	BURGESS, G. W.	8809270126	50-220 F
BOULAY, R. J.	8809230118	PR	BROCK, M. T.	8809260048	50-443 G	BURGIN, R. E.	8809230277	I&E
BOYD, C. C.	8809300335*	70-27	BROCKMAN, K. E.	8809070116*	50-369 V	BURNETT, J. R.	8809300219	50-255 F
BOYD, C. C.	8809300336*	70-27	BROCKMAN, K. E.	8809070283*	50-259 V	BURNETT, P. T.	8809300331*	50-321 Q
BOYD, C. C.	8809180138	70-27	BRONGER, B.	8809080172*	I&E	BURNETT, P. T.	8809070170*	50-260 Q
BOYD, C. C.	8809190237	70-27	BRONS, J. C.	8809290235	50-206 P	BURNETT, R. F.	8809030153	70-1201
BOYD, C. C.	8809230179	TOPREP	BRONS, J. C.	8809300028	50-333 P	BURNETT, R. F.	8809080153*	PR
BOYD, M.	8809020117	PR	BRONS, J. C.	8809300169	50-206 P	BURNETT, R. F.	8809130288*	PR
BOYD, W. A.	8809080093*	50-412 P	BRONS, J. C.	8809300172*	50-206 P	BURNETT, R. F.	8809210200	70-1100
BOYLE, M. L.	8809260396	50-245 P	BRONS, J. C.	8809300182*	50-206 P	BURNETT, R. F.	8809210259	70-371
BOYLE, M. L.	8809260506	50-245 P	BRONS, J. C.	8809010076	50-333 P	BURNETT, R. F.	8809220177	70-27
BOYLE, M. L.	8809290352	50-245 P	BRONS, J. C.	8809010114*	50-333 P	BURNS, B. S.	8809260320*	TOPREP
BOYLE, M. L.	8809300029	50-245 P	BRONS, J. C.	8809010150	50-333 P	BURSKI, R. F.	8809290007	50-382 P
BRAC, T. C.	8809080229	50-207 R	BRONS, J. C.	8809010151*	50-333 P	BURSKI, R. F.	8809290012	50-382 Q
BRACHE, W.	8809020256	QA999	BRONS, J. C.	8809060219*	50-286 P	BURSKI, R. F.	8809290173	50-382 Q
BRACHE, W.	8809090177	QA999	BRONS, J. C.	8809140454	50-286 Q	BURSKI, R. F.	8809020019	50-382 R
BRACHE, W.	8809150089	QA999	BRONS, J. C.	8809150203	50-333 P	BURSKI, R. F.	8809140447	50-382 P
BRACHE, W.	8809220004	70-143	BRONS, J. C.	8809190041	50-333 Q	BURSKI, R. F.	8809150115	50-382 Q
BRACHE, W.	8809220146	70-27	BRONS, J. C.	8809190391	50-333 P	BURSKI, R. F.	8809150133	50-382 V
BRACHE, W.	8809220186	70-143	BRONS, J. C.	8809190393*	50-333 P	BURSKI, R. F.	8809160311	50-382 F
BRADBURN, J.	8809160320*	FOIA	BRONS, J. C.	8809060213	50-286 P	BURSKI, R. F.	8809190288	50-382 K
BRADBURN, J. C.	8809160176*	FOIA	BROTHERS, M. H.	8809080149*	50-213 P	BURSKI, R. F.	8809220026	50-382 R
BRADBURN, J. C.	8809160250*	FOIA	BROTT, N.	8809190380	50-255 F	BUSCHBOM, R. L.	8809060245	NUREG
BRADBURN, J. C.	8809160310*	FOIA	BROWN, S.	8809190080	50-322 F	BUTCHER, E. J.	8809300133	REVIEW GR P
BRADHAM, O. S.	8809260052	50-395 Q	BROWN, S.	8809230071	50-322 F	BUTCHER, E. J.	8809300174	TOPREP
BRADHAM, O. S.	8809260435	50-395 F	BROWN, S. W.	8809230194	50-322 P	BUTCHER, E. J.	8809140420	ORG
BRADHAM, O. S.	8809300283	50-395 S	BROWN, W. R.	8809260073	50-322 F	BUTCHER, R. C.	8809070380*	50-416 Q
BRADHAM, O. S.	8809010124	50-395 P		8809190201*	REVIEW GR P	BUTLER, D. S.	8809260387*	50-282 Q

286 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BUTLER,W R	8809020242*	50 272	P	CAMILLERI,T J	8809160284	50 461	S	CHAFFEE,A E	8809220279	50 344	F
BUTLER,W R	8809020249*	50 277	P	CAMPBELL	8809200008*	50 313	P	CHAMBERLAIN,D.	8809020201*	50 382	Q
BUTLER,W R	8809070201*	50 354	P	CAMPBELL,G G	8808290120	50-259	S	CHAMBERLAIN,D	8809020270	50 382	Q
BYRAM,R G	8809130039	50 387	S	CAMPBELL,G G	8808280306	50-259	R	CHAMBERLAIN,D	8809190141	50 482	S
BYRAM,R G	8809230057	50-387	S	CAMPBELL,G G	8808290312*	50 259	R	CHAMBERLAIN,D.	8809200015	50 482	S
BYRAM,R G	8809230254	50-388	S	CAMPBELL,G G	8809070562	50 280	S	CHAMBERS,C E	8809070563	PR	
CACCIAPOUTI,R	8809270100*	50 29	P	CAMPBELL,G G	8809150012	50-296	S	CHAN,E I	8809260109	50-443	G
CALDWELL,C	8808300021	50 361	S	CAMPBELL,R D	8809060075*	50-155	P	CHAN,E I	8809260119*	50 443	G
CALDWELL,C W	8809220106*	50 206	Q	CAMPBELL,T G	8809070376	50 313	P	CHAN,T L	8809260107	50 344	P
CALDWELL,J L	8808260489*	50-338	Q	CAMPBELL,T G	8809200220	50 313	Q	CHAN,T L.	8809080408	50 344	P
CALLAHAN,M	8809160258*	FOIA		CAMPBELL,T G	8809220305	50-313	P	CHANEY,H D	8809010058*	50-382	Q
CALLAN,J L	8809220333	50 285	F	CAMPOS,I G	8809210015	50 445	G	CHARNLEY,J S	8809270051	TOPREP	
CALLAN,L J	8808030085	50 498	Q	CANNON,W C	8809060245	NUREG		CHARNLEY,J S	8808030338*	50 331	P
CALLAN,L J	8808260033	50-498	V	CANTRELL,F S	8808260489*	50-338	Q	CHARNLEY,J S	8809120111*	50 481	P
CALLAN,L J	8808260108	50-458	V	CANTRELL,F S	8809290073*	50-280	Q	CHARNLEY,J S.	8809230081*	50 374	P
CALLAN,L J	8808300003	50 285	Q	CANTRELL,F S	8809140384*	50 280	Q	CHARNOFF,G	8809260264*	REVIEW GR P	
CALLAN,L J	8808300027	50 313	Q	CANTRELL,F S	8809160031*	50-280	P	CHARNOFF,G	8809260264*	REVIEW GR P	
CALLAN,L J	8808300239	50 298	Q	CANTRELL,F S	8809160037*	50-280	Q	CHARTRAND,T A	8809150305	50 255	F
CALLAN,L J	8808300244	50-482	F	CANTRELL,F S	8809260262	50 280	S	CHASE,G	8809020266	40 8452	
CALLAN,L J	8808300271	50 267	Q	CANTRELL,F S	8809300016*	50 280	S	CHASE,G.	8809080402	40 8452	
CALLAN,L J	8808300297	50 267	Q	CAPODANNO,G R.	8808300263*	50-219	P	CHATTEN,R E	8809210215*	CONTRACT	
CALLAN,L J	8808300311	50 285	Q	CAPOZZIA P	8809220324*	50-327	P	CHAUBALD,M	8809200348	50 286	F
CALLAN,L J	8808310032	50-313	Q	CAPRA,R A	8809010289*	50 333	P	CHAUBARD,M.	8808260347*	50-286	F
CALLAN,L J	8808310041	50 382	F	CAPRA,R A	8809130336*	50 220	P	CHAUDHARY,S K.	8808260339*	50 219	Q
CALLAN,L J	8808310104	50 498	Q	CAPRA,R A	8809290300	50-220	F	CHAUDHARY,S K	8808290281*	50 213	Q
CALLAN,L J	8808310137	50-458	Q	CAPSTICK,R W	8808310077	50 271	R	CHAUDHARY,S K	8809020032*	50 277	Q
CALLAN,L J	8809010052	50-382	Q	CAPSTICK,R W	8809150308	50 271	P	CHAUDHARY,S K	8809130076*	50 220	Q
CALLAN,L J	8809010374	50 313	V	CAPSTICK,R W	8809210126	50-271	P	CHECK,P S	8011200491*	50 410	P
CALLAN,L J	8809020182	50 498	Q	CAPSTICK,R W	8809260189	50-271	P	CHENERY,S G	8809090189	PR	
CALLAN,L J	8809020199	50-382	Q	CAPSTICK,R W	8809260195	50 271	P	CHEUNG,L	8809260003*	50 309	Q
CALLAN,L J	8809060011	50-382	Q	CARBONARO,J	8809220046	50-313	P	CHEUNG,L	8809260225*	50 293	Q
CALLAN,L J	8809060296	50 382	V	CARDELLA,J C	8809020129	PR		CHILDS,W.V.	8809200238	50-333	S
CALLAN,L J	8809060304	50 458	Q	CARDILE,F	8809090092	PR		CHILK,S.J.	8711040272*	REVIEW GR P	
CALLAN,L J	8809060323	50-482	Q	CARDILE,F	8809090229*	PR		CHILK,S J	8805020350	PR	
CALLAN,L J	8809060346	50 498	Q	CARDILE,F.	8809090244*	PR		CHILK,S J.	8807280361	10CFR	
CALLAN,L J	8809060363	50 498	Q	CARDILE,F	8809090247*	PR		CHILK,S.J.	8808260305	10CFR	
CALLAN,L J	8809060376	50 498	Q	CARDILE,F	8809120242*	PR		CHILK,S J	8808260311	10CFR	
CALLAN,L J	8809070265	50-267	Q	CARDILE,F	8809120244*	PR		CHILK,S.J.	8808260329	10CFR	
CALLAN,L J	8809070352	50 482	V	CARDILE,F	8809120246*	PR		CHILK,S.J.	8809010121	10CFR	
CALLAN,L J	8809070502	50 298	P	CARDILE,F	8809120250*	PR		CHILK,S J	8809010306	10CFR	
CALLAN,L J	8809130003	50-285	Q	CARDILE,F	8809130320*	PR		CHILK,S J.	8808020024	50 443	G
CALLAN,L J	8809130006	50-182	Q	CARGILL,E M	8809080084	50 458	R	CHILK,S J.	8809020045	50 341	G
CALLAN,L J	8809130013	50 498	Q	CARLSON,R T	8809160116*	50-293	Q	CHILK,S J.	8809020060	50 352	G
CALLAN,L J	8809130164	50 313	F	CARNS,N S	8809070058	50-382	S	CHILK,S.J.	8809070068	PR	
CALLAN,L J	8809130196	50-313	F	CARPENITO,F L	8809090274*	50 29	P	CHILK,S J.	8809080146	PR	
CALLAN,L J	8809140067	50 498	Q	CARRASCO,J	8809130076*	50 220	Q	CHILK,S J	8809090010	PR	
CALLAN,L J	8809140075	50-488	Q	CARRASCO,J E	8809020032*	50-277	Q	CHILK,S.J.	8809090019	PR	
CALLAN,L J	8809140084	50-498	Q	CARRION,R P	8809120151*	50-259	Q	CHILK,S J	8809080111	50 275	P
CALLAN,L J	8809140171	50 498	Q	CARRION,R P.	8809140336*	50 261	Q	CHILK,S J	8809090158	PR	
CALLAN,L J	8809140199	50 362	Q	CARROLL,K.	8809190085	50 29	R	CHILK,S J.	8809120015	50-327	G
CALLAN,L J	8809140318	50-267	Q	CARROLL,R	8808290044	50 400	S	CHILK,S J	8809120043	50 250	G
CALLAN,L J	8809140332	50 458	P	CARROLL,R	8809230147	50 400	S	CHILK,S J	8809130198	10CFR	
CALLAN,L J	8809160317	50 287	Q	CARROLL,R E	8809130130	50-261	S	CHILK,S J	8809130358*	PR	
CALLAN,L J	8809190152	50-298	Q	CARSON,B H	8809080173	50-387	R	CHILK,S J	8809150329	PR	
CALLAN,L J	8809190195	50-458	P	CARTER,K D	8809150286	NUREG		CHILK,S J	8809160010	PR	
CALLAN,L J	8809190197	50 498	Q	CARTER,T H	8808300212*	50 315	Q	CHILK,S J	8809180040	50-440	G
CALLAN,L J	8809190222	50 285	V	CARTER,T H	8809230261*	50-483	Q	CHILK,S J	8809180152*	REVIEW GR P	
CALLAN,L J	8809190253	50 498	Q	CARTWRIGHT,W R.	8809140353	50-280	S	CHILK,S J	8809180313*	FOIA	
CALLAN,L J	8809200031	50 313	Q	CARTWRIGHT,W R.	8809150001	50-338	Q	CHILK,S J	8809190170	50 443	G
CALLAN,L J	8809200075	50 267	Q	CARTWRIGHT,W R.	8809150295	50 280	Q	CHILK,S J	8809210101*	WASTE MGT	
CALLAN,L J	8809200080	50-482	Q	CARTWRIGHT,W R	8809190174	50-280	P	CHILK,S J.	8809210148*	WASTE MGT	
CALLAN,L J	8809200116	50 298	Q	CARTWRIGHT,W R	8809190200	50-280	F	CHILK,S J	8809220012	10CFR	
CALLAN,L J	8809200169	50 285	F	CARTWRIGHT,W R	8809200104	50 280	F	CHILK,S J	8809230042	10CFR	
CALLAN,L J	8809220290	50 285	Q	CARTWRIGHT,W R	8809200124	50 280	R	CHILK,S J	8809230046	10CFR	
CALLAN,L J	8809230135	50-267	V	CARTWRIGHT,W R	8809200145	50-338	P	CHILK,S J.	8809230074	PR	
CALLAN,L J	8809230281	50 285	Q	CARTWRIGHT,W R	8809200267	50-338	R	CHILK,S J	8809260054	50 443	G
CALLAN,L J	8809230298	50 498	Q	CARTWRIGHT,W R	8809210024	50 338	Q	CHILK,S J	8809270038	PR	
CALLAN,L J	8809260034	50 498	Q	CARTWRIGHT,W R	8809220185	50 280	F	CHIRAMAL,M	8809160272*	REVIEW GR P	
CALLAN,L J	8809260046	50 498	Q	CARTWRIGHT,W R	8809220192	50-338	P	CHO,N	8809080047	NUREG	
CALLAN,L J	8809260137	50 285	Q	CARTWRIGHT,W R.	8809270131	50-280	Q	CHO,N	8809080157	NUREG	
CALLAN,L J	8809280323	50-267	Q	CARUSO,R J	8809140393*	50-528	I	CHOU,R C	8809120151*	50 259	Q
CALVO,J A	8808260010*	50 313	P	CARUSO,S N	8809280050*	50-443	G	CHOU,R C	8809220182*	50 289	Q
CALVO,J A	8808260079*	50-313	P	CARVILLA F	8809210166*	REVIEW GR P		CHOULES,N C.	8808300212*	50 315	Q
CALVO,J A	8808260184*	50-368	P	CARY,S	8809060119	40 8907	G	CHOVAN,C	8809080043	50-458	S
CALVO,J A.	8809010252*	50 458	P	CASE,D T	8809020026	50 322	G	CHRISTENSEN,H	8808290088	50-251	S
CALVO,J A	8809020210*	50-458	P	CASE,D T	8809020026	50-322	G	CHRISTENSEN,H.	8808300339	50 251	S
CALVO,J A	8809020220*	50 458	P	CASE,J B	8809210239*	WASTE MGT		CHRISTMAN,J N	8809020050	50 322	G
CALVO,J A	8809080401*	50 458	P	CASE,J M	8809020226	QA899		CHRISTMAN,J N	8809020050	50-322	G
CALVO,J A	8809130077*	50 498	P	CASTRO,B	8809130305	50 254	S	CHRISTMAN,J N.	8809020102	50-322	G
CALVO,J A	8809130176*	50-498	P	CATAPANO,G J.	8809260069*	50-443	G	CHRISTMAN,J N	8809020102	50-322	G
CALVO,J A	8809140284*	50 482	P	CATAPANO,G J.	8809260069*	50-443	G	CHRISTMAN,J N.	8809120030	50 322	G
CALVO,J A.	8809160297*	50-313	P	CATCHPOLE,G J	8809020213	40 8926		CHRISTMAN,J.N.	8809120030	50-322	G
CALVO,J A	8809160304*	50-498	P	CATCHPOLE,G J	8809060076	40 8926		CHRZANOWSKI,R.	8808290278	50-454	P
CALVO,J A	8809200233	50-313	P	CATCHPOLE,G J	8809060178	40-8926		CHRZANOWSKI,R	8808310031	50-454	P
CALVO,J A.	8809230030*	50-267	P	CATLETT,C R	8809120092	WASTE RES		CHRZANOWSKI,R	8809190300	50 454	P
CALVO,J A	8809230138*	50-267	P	CAZZOLIE G.	8809280214	NUREG		CICOTTE,G R.	8809080298*	50 397	Q
CALVO,J A.	8809280053	50-382	P	CENTOLANZI,P	8809220025	50-382	R	CICOTTE,G.R.	8808220082*	50 397	Q
CAMERON,D F	8809260118*	50 277	Q	CESARE,J G	8809200111	50-416	R	CILMBERG,R L	8809150096*	QA898	

PERSONAL AUTHOR INDEX 287

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
CIPRIANI, J.	8808310014	50-346	R	COLLINS, D. M.	8808160028	50-321	F	CONWAY, W. F.	8809080187	50-250	R
CIPRIANI, J.	8809260032	50-346	R	COLLINS, D. M.	8809160288	50-413	Q	CONWAY, W. F.	8809080288	50-250	Q
CLARK, R.	8809160245	50-352	Q	COLLINS, D. M.	8808190204	ORG		CONWAY, W. F.	8809090047	50-250	R
CLARKIN, K.	8809080182	40-8714		COLLINS, D. M.	8809160221	50-424	F	CONWAY, W. F.	8809120144	50-250	R
CLAY, E. L.	8809130107	70-1113		COLLINS, D. M.	8809200093	50-338	Q	CONWAY, W. F.	8809130161	50-335	F
CLEVELAND, J. E.	8808080313	40-8905		COLLINS, D. M.	8809230075	50-324	F	CONWAY, W. F.	8809140329	50-335	Q
CLEVELAND, J. E.	8809140143	40-8905		COLLINS, D. M.	8809230079	50-302	Q	CONWAY, W. F.	8809160195	50-335	P
CLINE, W. E.	8808260013	50-369	Q	COLLINS, D. M.	8809260122	50-62	Q	CONWAY, W. F.	8809150232	50-389	P
CLINE, W. E.	8808260486	70-143		COLLINS, D. M.	8809260125	50-62	Q	CONWAY, W. F.	8809160224	REVIEW GR	P
CLINE, W. E.	8808260512	50-338	Q	COLLINS, D. M.	8809260157	70-143		CONWAY, W. F.	8809160298	50-251	S
CLINE, W. E.	8808280015	50-280	Q	COLLINS, D. M.	8809280170	50-335	Q	CONWAY, W. F.	8809190120	50-251	S
CLINE, W. E.	8808290030	50-395	F	COLLINS, D. M.	8809280178	50-335	Q	CONWAY, W. F.	8809190166	50-251	S
CLINE, W. E.	8808290072	50-302	F	COLLINS, D. M.	8809280248	50-321	Q	CONWAY, W. F.	8809190189	50-250	R
CLINE, W. E.	8808290105	50-250	F	COLLINS, S.	8809060250	50-335	Q	CONWAY, W. F.	8809190171	50-250	R
CLINE, W. E.	8808300100	70-27		COLLINS, S. J.	8808260046	50-293	Q	CONWAY, W. F.	8809190173	50-250	Q
CLINE, W. E.	8808300106	50-338	F	COLLINS, S. J.	8809090103	50-293	Q	CONWAY, W. F.	8809190175	50-250	S
CLINE, W. E.	8808300113	50-280	F	COLLINS, S. J.	8809140303	50-293	Q	CONWAY, W. F.	8809190178	50-335	S
CLINE, W. E.	8808310068	50-424	Q	COLLINS, T. R.	8809260162	70-143		CONWAY, W. F.	8809190205	50-335	F
CLINE, W. E.	8809010047	70-27		COLLINS, T. R.	8809260272	50-259	Q	CONWAY, W. F.	8809190242	50-335	V
CLINE, W. E.	8809060257	50-269	Q	COLLOPY, T. J.	8809120100	70-371		CONWAY, W. F.	8809190286	50-250	P
CLINE, W. E.	8809070291	70-1113		COLVIN, J. F.	8809080152	PR		CONWAY, W. F.	8809190358	50-335	Q
CLINE, W. E.	8809070300	50-395	F	COLVIN, J. F.	8809210013	REVIEW GR	P	CONWAY, W. F.	8808200121	50-335	P
CLINE, W. E.	8809070408	50-416	Q	COMFORT, G. C.	8809150203	70-754		CONWAY, W. F.	8809200354	50-335	F
CLINE, W. E.	8808080948	50-250	Q	CONGEL, F. J.	8809300013	REVIEW GR	P	CONWAY, W. F.	8808220070	50-250	R
CLINE, W. E.	8809080182	70-1088		CONGEL, F. J.	8807060445	REVIEW GR	P	CONWAY, W. F.	8808230295	50-251	S
CLINE, W. E.	8809130105	70-1113		CONGEL, F. J.	8809010230	REVIEW GR	P	CONWAY, W. F.	8809260179	50-250	S
CLINE, W. E.	8809150018	70-27		CONGEL, F. J.	8809140419	50-443	P	CONWAY, W. F.	8809260211	50-250	V
CLINE, W. E.	8809200053	70-143		CONGEL, F. J.	8809200204	REVIEW GR	P	CONWAY, W. F.	8809270080	50-335	F
CLINE, W. E.	8809200151	70-143		CONGEL, F. J.	8809200329	REVIEW GR	P	COOK, J.	8809140427	50-333	R
CLINE, W. E.	8809200166	50-413	Q	CONGEL, F. J.	8809210146	REVIEW GR	P	COOL, D.	8809190256	REVIEW GR	P
CLINE, W. E.	8809200172	REVIEW GR	P	CONKLIN, C.	8809260308	50-277	Q	COOPER, H. F.	8809080060	50-155	V
CLINE, W. E.	8809200197	70-143		CONLON, T.	8809310106	50-321	Q	COOPER, R.	8809140418	50-440	S
CLINE, W. E.	8809200228	70-143		CONLON, T.	8809120087	50-416	Q	COOPER, R.	8809230289	50-440	Q
CLINE, W. E.	8809210050	REVIEW GR	P	CONLON, T.	8809230016	50-338	Q	COOPER, R. W.	8809260287	50-461	Q
CLINE, W. E.	8809220223	70-143		CONLON, T. E.	8809300315	50-416	Q	COOPER, R. W.	8809260339	50-440	S
CLINE, W. E.	8809220290	50-250	Q	CONLON, T. E.	8809070091	50-425	Q	COPELAND, R. A.	8809140331	TOPREP	
CLINE, W. E.	8809230100	50-338	F	CONLON, T. E.	8809070159	50-321	Q	COPELAND, R. A.	8809210056	TOPREP	
CLINE, W. E.	8809230202	50-413	F	CONLON, T. E.	8809070397	50-425	Q	COPELAND, R. A.	8809210245	TOPREP	
CLINE, W. E.	8809260091	50-250	F	CONLON, T. E.	8809080346	50-424	Q	COPELAND, R. A.	8809220048	TOPREP	
CLINE, W. E.	8809260252	50-250	F	CONNELLY, S. R.	8809260059	50-388	P	COPLAN, S.	8809200108	WASTE MGT	
CLONINGER, T. H.	8809080191	50-416	P	CONNER, T. B.	8809080278	50-275	I	CORREA, J. H.	8809230157	TOPREP	
COCKFIELD, D. W.	8809010056	50-344	F	CONNOR, J. W.	8808290228	50-335	S	CORREIA, R. P.	8809210095	50-482	Q
COCKFIELD, D. W.	8809020141	50-344	Q	CONNOR, L.	8809120074	FOIA		COSS, H. D.	8809220329	50-317	P
COCKFIELD, D. W.	8809070082	50-344	Q	CONNORS, H. J.	8809080018	50-348	Q	COSTELLO, F.	8809300021	REVIEW GR	P
COCKFIELD, D. W.	8809070131	50-344	R	CONRAD, J. T.	8809150134	50-315	F	COSTELLO, F.	8809020188	70-698	
COCKFIELD, D. W.	8809070136	50-344	Q	CONRAN, J.	8809160050	REVIEW GR	P	COSTELLO, J.	8809200104	50-260	F
COCKFIELD, D. W.	8809080081	50-344	P	CONRAN, J. H.	8809225011	REVIEW GR	P	COSTELLO, J. J.	8809080295	CONTRACT	
COCKFIELD, D. W.	8809080113	50-344	P	CONRAN, J. H.	8809210547	REVIEW GR	P	COTTER, B. P.	8809020093	50-335	G
COCKFIELD, D. W.	8809140125	50-344	P	CONSTABLE, G. L.	8809190162	50-298	Q	COTTON, J. B.	8809080025	50-277	R
COCKFIELD, D. W.	8809150004	50-344	Q	CONTE, R.	8809010044	50-320	S	COTTON, S. R.	8809300284	50-410	T
COCKFIELD, D. W.	8809150050	50-344	V	CONTE, R.	8808020245	50-320	S	COUCH, D.	8809130287	40-8027	
COCKFIELD, D. W.	8809150170	50-344	P	CONTE, R.	8809230116	50-289	S	COUCH, D. A.	8809080207	40-8027	
COCKFIELD, D. W.	8809150173	50-344	P	CONTE, S. O.	8808300044	50-29	F	COUNCIL, W. G.	8809260048	50-445	
COCKFIELD, D. W.	8809160183	50-344	F	CONVERSE, R. J.	8809130125	50-333	Q	COUNCIL, W. G.	8809260063	50-445	Q
COCKFIELD, D. W.	8809190021	50-344	F	CONVERSE, R. J.	8808260049	50-333	Q	COUNCIL, W. G.	8809260101	50-445	
COE, D. H.	8808030018	50-528	Q	CONVERSE, R. J.	8809010281	50-333	Q	COUNCIL, W. G.	8808260123	50-445	S
COLBURN, T. G.	8809010216	50-346	P	CONVERSE, R. J.	8809010299	50-333	Q	COUNCIL, W. G.	8808280010	50-445	Q
COLBURN, T. G.	8809010222	50-346	P	CONVERSE, R. J.	8809020238	50-333	R	COUNCIL, W. G.	8808280067	50-445	Q
COLBURN, T. G.	8809070513	50-440	P	CONVERSE, R. J.	8809140185	50-333	V	COUNCIL, W. G.	8808280239	50-445	A
COLBURN, T. G.	8809190102	50-440	P	CONVERSE, R. J.	8809140427	50-333	R	COUNCIL, W. G.	8809310083	50-445	Q
COLBURN, T. G.	8809190136	50-440	P	CONVERSE, R. J.	8809200236	50-333	S	COUNCIL, W. G.	8809310185	50-445	S
COLBURN, T. G.	8809200155	50-440	P	CONVERSE, R. J.	8809260192	50-333	Q	COUNCIL, W. G.	8808310192	50-445	J
COLBURN, T. G.	8809260047	50-440	P	CONVERSE, R. J.	8809260206	50-333	Q	COUNCIL, W. G.	8809020268	50-445	A
COLE, R. E.	8809260313	50-458	R	CONWAY, J. T.	8809090204	QA999		COUNCIL, W. G.	8809050315	50-445	S
COLEMAN, N. M.	8809120186	WASTE RES		CONWAY, W. F.	8808260133	50-250	P	COUNCIL, W. G.	8809060392	50-445	S
COLEY, J. L.	8809010200	50-324	Q	CONWAY, W. F.	8808290094	50-335	R	COUNCIL, W. G.	8809060396	50-445	S
COLEY, J. L.	8809260259	50-400	Q	CONWAY, W. F.	8808290106	50-335	P	COUNCIL, W. G.	8809070007	50-445	S
COLLINGHAM, R. E.	8809120201	50-237	P	CONWAY, W. F.	8808290144	50-250	R	COUNCIL, W. G.	8809070332	50-445	S
COLLINGS, S. P.	8809060042	40-8829		CONWAY, W. F.	8808290191	50-250	F	COUNCIL, W. G.	8809070407	50-445	S
COLLINGS, S. P.	8809070004	40-8943		CONWAY, W. F.	8808290228	50-335	S	COUNCIL, W. G.	8809070416	50-445	S
COLLINGS, S. P.	8809120188	40-8828		CONWAY, W. F.	8808300191	50-250	F	COUNCIL, W. G.	8809070555	50-445	Q
COLLINGS, S. P.	8809120190	40-8829		CONWAY, W. F.	8808300237	50-250	R	COUNCIL, W. G.	8809080143	50-445	S
COLLINGS, S. P.	8809140241	40-8828		CONWAY, W. F.	8808310082	50-250	V	COUNCIL, W. G.	8809080176	50-445	V
COLLINS, D. M.	8808290161	50-250	F	CONWAY, W. F.	8808310127	50-250	F	COUNCIL, W. G.	8809090184	50-445	Q
COLLINS, D. M.	8809010038	50-250	Q	CONWAY, W. F.	8808310217	50-250	P	COUNCIL, W. G.	8808130930	50-445	S
COLLINS, D. M.	8809010046	50-348	Q	CONWAY, W. F.	8809010142	50-335	Q	COUNCIL, W. G.	8809140083	50-445	F
COLLINS, D. M.	8809010149	50-395	F	CONWAY, W. F.	8809010311	50-335	V	COUNCIL, W. G.	8809140277	50-445	S
COLLINS, D. M.	8809010254	50-395	F	CONWAY, W. F.	8809010312	50-389	P	COUNCIL, W. G.	8809140278	50-445	Q
COLLINS, D. M.	8809010316	50-324	F	CONWAY, W. F.	8809010312	50-389	Q	COUNCIL, W. G.	8809140340	50-445	A
COLLINS, D. M.	8809070017	50-413	Q	CONWAY, W. F.	8809020283	50-250	Q	COUNCIL, W. G.	8809140367	50-445	A
COLLINS, D. M.	8809070078	50-261	Q								

288 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COUNCIL,W.G	8809230249	50-445 S	CRUDEN,D S	8809010135	50 280 P	DAVIS,A B	8809080116	50 346 Q
COUNCIL,W.G	8809260080	50-445 S	CRUDEN,D S	8809020227	50 280 P	DAVIS,A B	8809080128*	50-348 Q
COUNCIL,W.G	8809260123	50-445 Q	CRUDEN,D S	8809070079	50 338 S	DAVIS,A B	8809080147	50 461 Q
COUNCIL,W.G	8809260131	50-445 S	CRUDEN,D S	8809070541	50 280 R	DAVIS,A B	8809120048	50 331 P
COUNCIL,W.G	8809260159	50-445 A	CRUDEN,D S	8809080039	50-338 R	DAVIS,A B	8809140016	50 331 Q
COUNCIL,W.G	8809260188	50-445 A	CRUDEN,D S	8809120103	50 280 F	DAVIS,A B	8809140062	50-155 Q
COUNCIL,W.G	8809260249	50-445 S	CRUDEN,D S	8809150328	50 280 Q	DAVIS,A B	8809140173	50-237 Q
COUNCIL,W.G	8809260335	50-445 S	CRUDEN,D S	8809160156	50 280 K	DAVIS,A B	8809140190	50 461 Q
COUNCIL,W.G	8809260337	50-445 S	CRUDEN,J N	8809070275	50 338 S	DAVIS,A B	8809200346	50 254 Q
COURTMANCHE,S.	8808260253	70-1500	CRUNK,S L	8809020035	50 312 R	DAVIS,A B	8809200350*	50 254 Q
COVILL,D.	8808300283*	50 218 P	CRUNK,S L	8809020157*	50-312 R	DAVIS,A B	8809200382*	REVIEW GR P
COWAN,R E	8809200358*	REVIEW GR P	CRUNK,S L	8809020159*	50-312 R	DAVIS,A B	8809210155*	REVIEW GR P
COWAN,R E	8809200357*	REVIEW GR P	CRUNK,S L	8809020160*	50 312 R	DAVIS,A B	8809210156*	REVIEW GR P
COWGILL,C	8809010044	50 320 S	CRUNK,S L	8809020174*	50 312 R	DAVIS,A B	8809230235*	REVIEW GR P
COWGILL,C	8809010375*	50 219 Q	CRUNK,S L	8809020175*	50 312 R	DAVIS,A B	8809230282*	REVIEW GR P
COWGILL,C.	8809020182*	50-219 Q	CRUNK,S L	8809200134	50 312 R	DAVIS,A B	8809230284*	REVIEW GR P
COWGILL,C.	8809200245	50-320 S	CRUSE,C H	8809210183	50 317 P	DAVIS,A B	8809260198	50 456 Q
COWGILL,C.	8809070314*	50 289 Q	CRUTCHFIELD,D	8809010364*	50-313 P	DAVIS,A B	8809280098*	REVIEW GR P
COWGILL,C.	8809130293*	50-320 Q	CRUTCHFIELD,D	8809130247	ORG	DAVIS,A B	8809280115*	REVIEW GR P
COWGILL,C.	8809140154	50-244 S	CRUTCHFIELD,D	8809140206	50 346 P	DAVIS,A B	8809280107*	REVIEW GR P
COWGILL,C	8809230119	50 289 S	CULANZ,E J	8809010090	PR	DAVIS,A M	8809020254	40 8907
COWGILL,C	8809230146	50 244 S	CULBERSON,D C	8809260033	70 135	DAVIS,A M	8809060184	40 8807
COWGILL,C.J	8808290277	50 219 Q	CULBERSON,D G	8809260474	70-135	DAVIS,A M	8809070288	40 8807
COWGILL,C.J	8808290287	50 289 Q	CULBERSON,D G	8808260507*	70-135	DAVIS,B A	8809140025	50 305 Q
COWGILL,C.J.	8809010385*	50 244 Q	CULBERSON,D G	8809220130	70-364	DAVIS,J M	8809070326	50 269 F
COWGILL,C.J.	8809080124	50 219 Q	CULBERSON,D G	8808260318	70 135	DAVIS,M J.	8808310006	50 528 P
COWGILL,C.J.	8809080139	50-219 Q	CUMMINGS,J J	8809300084*	FOIA	DAVIS,M J	8808310028	50 528 P
COWLES,R.	8809160274	50-354 S	CUMMINGS,J J	8809300095*	FOIA	DAVIS,M J	8809130031	50 528 P
COX,T.H	8809130303*	PR	CUMMINGS,J J	8809300098*	FOIA	DAVIS,M J	8809230129	50 528 P
CRAGNOLINO,G.	8809220039	NUREG	CUMMINGS,J J	8809300099*	FOIA	DAVIS,P	8809060193	NUREG
CRAIG,J	8809160102*	50 293 P	CUMMINGS,J J	8809300102*	FOIA	DAVIS,T F	8803300024*	REVIEW GR P
CRAIG,J.W	8808300183	TOPREP	CUMMINS,J E	8809260095*	50 298 Q	DAVIS,T F	8803300032*	REVIEW GR P
CRANE,G J.	8809090144*	50 281 Q	CUNNINGHAM,A L	8809010209*	50 338 Q	DAVIS,T F	8809200272*	REVIEW GR P
CRANE,G J.	8809090144*	50 261 Q	CUNNINGHAM,L J	8809120227*	FOIA	DAVISON,W S	8809080163	50-397 S
CRANE,K.L	8809090147	50 369 P	CUNNINGHAM,L J	8805250229*	REVIEW GR P	DAWSON,M	8808280024	50-255 F
CRANWELL,R M	8809130321	WASTE RES	CUNNINGHAM,L J	8808020170*	ORG	DAY,J E	8809090097	WASTE MGT
CRAPO,H.S	8809140366	NUREG	CUNNINGHAM,L J	8809080284	REVIEW GR P	DE AGAZIO,A W	8808260353	50-346 P
CRAVENS,K.B.	8809200253	50 254 S	CUNNINGHAM,L J	8809130187	ORG	DE AGAZIO,A W	8808260367*	50 346 P
CRAWFORD,J D.	8808280312*	50 259 R	CUNNINGHAM,L J	8809130187	TOPREP	DE AGAZIO,A W	8808300110	50-348 P
CRAWFORD,J D	8808280332*	50-259 R	CUNNINGHAM,L J	8809200308	REVIEW GR P	DE AGAZIO,A W	8808300119*	50-348 P
CRAWFORD,J D.	8808280334*	50-259 R	CUNNINGHAM,R E	8809090239*	PR	DE AGAZIO,A W	8809010213	50-346 P
CRAWFORD,J.D.	8808280335*	50-259 R	CUNNINGHAM,R E	8809120184*	FOIA	DE AGAZIO,A W	8809010220	50-346 P
CRAWFORD,J.D.	8808280336*	50-259 R	CUNNINGHAM,R E	8809200118*	REVIEW GR P	DE AGAZIO,A W	8809210210*	50-346 P
CRAWFORD,J.D.	8808280337*	50-259 R	CUNNINGHAM,R E	8809200363*	REVIEW GR P	DE MICHELE,C.M.	8809080090*	50-328 J
CRAWFORD,J.D	8808280338*	50-259 R	CUNNINGHAM,R E	8809200373*	REVIEW GR P	DEAGAZIO,A W	8809150258	50-346 P
CRAWFORD,J.D.	8808280339*	50-259 R	CURRAN,D	8809020010	50-443 G	DEAGAZIO,A W.	8809150260*	50-346 P
CRAWFORD,J.D	8808280340*	50-259 R	CURRAN,D	8809020010	50-443 G	DEAGAZIO,A W	8809160006*	50 346 P
CRAWFORD,J.D.	8808280343*	50-259 R	CURRAN,D	8809020013	50-443 G	DEAGAZIO,A W	8809200211	50 346 P
CRAWFORD,J.D	8808280346*	50-259 R	CURRAN,D	8809020013	50-443 G	DEALMEIDA,T.	8809070166*	CONTRACT
CRAWFORD,J.D	8808280347*	50-259 R	CURRAN,D	8809020015	50-443 G	DEAN,G B	8809140064	50 443 G
CRAWFORD,J.D	8808280349*	50-259 R	CURRAN,D	8809020015	50 443 G	DEAN,G B	8809140088*	50 443 G
CRAWFORD,J.D.	8808280350*	50-259 R	CURRAN,D	8809020020*	50 443 G	DEAN,G B	8809180105*	50 443 G
CREAMER,K L	8808280318*	50-259 R	CURRAN,D	8809020020*	50 443 G	DEAN,G D.	8809180099	50 443 G
CREAMER,K.L	8808280322*	50-259 R	CURRAN,D	8809020038	50 443 G	DECKER,J R.	8809080245	NUREG
CREAMER,K.L.	8808280329*	50-259 R	CURRAN,D	8809020038	50 443 G	DECKER,T R.	8809010156*	50-327 Q
CREAMER,K L	8808280330*	50 258 R	CURRAN,D.	8809020044	50 443 G	DECKER,T.R.	8809010209*	50-339 Q
CREAMER,K.L	8808280331*	50 258 R	CURRAN,D.	8809020044	50 443 G	DECKER,T.R.	8809130180*	50 261 Q
CRECINE,J.P.	8809090001	50 220 P	CURRAN,D.	8809120018	50 443 G	DECKER,T.R.	8809140483*	50 269 Q
CREED,J.R.	8808280124*	50 316 Q	CURRAN,D.	8809120018	50 443 G	DECKER,T.R.	8809260122*	50 62 Q
CREED,J.R.	8809160081*	50 456 Q	CURRAN,D	8809160090	50 443 G	DEEDENS,J C	8809230229	50 458 F
CREEL,G.C.	8809140221	50 317 Q	CURRAN,D	8809020090	50 443 G	DEELSnyder,L	8809200299	50 254 R
CRESTIN,D.C	8809120258	50 272 P	CURRAN,D.	8809230105	50 443 G	DEFAYETTE,R W.	8809260019*	50 346 Q
CREWS,J L.	8809140215*	50-397 Q	CURRAN,D.	8809230105	50 443 G	DEFAYETTE,R W	8809260064*	50 346 Q
CREWS,J.L	8809180240*	50-275 Q	CZAJKOWSKI,C	8809220039	NUREG	DEGRAFF,M	8809220268*	50 324 Q
CRIBBE,T.E	8809230149	50-277 S	DAGUISE,G	8809280147*	REVIEW GR P	DEGRAFF,M I	8808260436*	50-281 Q
CRINIGAN,P.T	8809130014	50 317 R	DAHL,G.	8808310153	50-247 S	DEHNEY,J R.	8809080062	PR
CRLENJAK,R.V.	8809070083*	50 335 Q	DAHLBERG,K A	8809200127	50-220 R	DELLA,A	8808300341*	70 1100
CRLENJAK,R V	8808130156*	50 260 Q	DAMON,D J.	8808300309*	50 456 V	DEMOSSE,G M	8809160126*	REVIEW GR P
CROCKER,L P	8809070030	50-321 Q	DANCE,H.C.	8808310080*	50-348 Q	DENERO,J V	8808280096*	PROJ
CROCKER,L P	8809160275	50-321 P	DANCE,H.C.	8809070380*	50-416 Q	DENHAM,D.H.	8809130221	WASTE RES
CROCKER,L P	8809160281	50-321 P	DANESE,F L	8809080222*	PROJ	DENKOWSKI,W.J.	7903150370*	50-255 Q
CROCKER,L P.	8809190259	50-321 Q	DANIELSON,D H	8809020180*	50 454 Q	DENKOWSKI,W J	8809060110*	50-255 Q
CROFT,B.Y.	8808020136	PR	DANIELSON,D H.	8809070478*	50 316 Q	DENTON,H R.	8809060368	ORG
CROFTON,S.P.	8809090274*	50-29 P	DANIELSON,D.H.	8809070498*	50-373 Q	DEPSON,K J	8809200230*	50-313 Q
CROLEY,B.G	8809190261	50-312 Q	DANIELSON,D H	8809070550*	50-461 Q	DESMARAI,E.W	8809260077*	50-443 Q
CROLEY,B.G.	8809200204	50-312 F	DANIELSON,D H	8809140441*	50 268 Q	DEVINCENTIS,J.	8808280223	50-29 P
CROMWELL,E S	8809130210	50 277 Q	DANIELSON,D.H.	8809230280*	50 346 Q	DEVINCENTIS,J.	8809070304	50-29 Q
CROMWELL,P B.	8809140280	50 277 Q	DANIELSON,D H	8809260235*	50-282 Q	DEVINCENTIS,J.	8809070509	50-29 Q
CROWN,J.B.	8808280141	50 456 S	DANIELSON,T.S.	8809280112	PR	DEVINCENTIS,J.	8809080270	50-29 P
CROSS,J.E	8809070238	50-250 R	DAVIDSON,B S	8809220306*	50-247 Q	DEWEASE,J.G	8809010071	50-382 P
CROTEAU,R	8808300240*	50-369 Q	DAVIS,A.B.	8802160054*	REVIEW GR P	DEYOUNG,R C	8305080714*	FOIA
CROTEAU,R.	8809200209*	50-369 Q	DAVIS,A.B.	8802220372*	REVIEW GR P	DEYOUNG,R.C	8409120034*	FOIA
CROWLEY,B.R	8809260151*	50-413 Q	DAVIS,A B	8808300083	50-346 Q	DEYOUNG,R C	8809120106*	FOIA
CROWN,W.	8809160107*	50 458 Q	DAVIS,A.B.	8808300085*	50-346 Q	DIBBLES,M.	8809280226*	REVIEW GR P
CRUDEN,D S.	8808260364	50-280 P	DAVIS,A.B.	8808300313	50-295 Q	DIBENEDETTO,P	8809090141*	50-261 Q
CRUDEN,D S.	8808290287	50-281 P	DAVIS,A B.	8809060007	50 373 Q	DICHARRY,R.D.	8809010107	PR
CRUDEN,D S.	8808290303	50 338 Q	DAVIS,A B.	8809060008*	50-373 Q	DICK,G.F.	8809060395	50 498 P
CRUDEN,D.S.	8808300233	50 338 Q	DAVIS,A B	8809070303	50-341 Q	DICK,G F	8809130074	50-498 P

PERSONAL AUTHOR INDEX 289

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DICK,G.F.	8809130169	50 498 P	EBNETER,S.D.	8808260460	50 277 F	FAY,C.W.	8809080355	50-266 P
DICK,G.F.	8809160301	50 498 P	EBNETER,S.D.	8808290058	70 1100	FAY,C.W.	8809120180	50-266 Q
DICUS,G.J.	8809090190	PR	EBNETER,S.D.	8808290071	50 219 F	FAY,C.W.	8809140248	50-266 R
DIEDERICH,G.J.	8808260405	50-373 S	EBNETER,S.D.	8808290077	50 333 F	FAY,C.W.	8809140390	50-266 S
DIEDERICH,G.J.	8808290291	50-373 R	EBNETER,S.D.	8808300226	50-219 Q	FAY,C.W.	8809150059	50-266 S
DIEDERICH,G.J.	8809010347	50 374 S	EBNETER,S.D.	8809260111	50 277 Q	FAY,C.W.	8809150252	50-301 P
DIEDERICH,G.J.	8809010349	50 374 S	ECONOMOS,N	8808310117*	50 302 Q	FAY,C.W.	8809190301	50-266 Q
DIEDERICH,G.J.	8809260135	50-374 S	EDEN,W	8809200082*	REVIEW GR P	FAY,C.W.	8809200123	50-266 S
DIEDERICH,G.J.	8809080050	50-373 S	EDGAR,G.L.	8809020052	50 445 G	FAY,C.W.	8809210268	50-266 P
DIEDERICH,G.J.	8809150036	50-373 R	EDGAR,G.L.	8809020052	50-445 G	FEDRICKSON,P.E.	8809130173*	50-324 Q
DIETZ,C.R.	8809230159	50 261 Q	EDGEWORTH,P.	8809060350*	CONTRACT	FEIGENBAUM,T.C.	8808300055	50 443 Q
DIFFERENT,P.M.	8809190311	50 416 S	EDGEWORTH,P.J.	8809010343*	CONTRACT	FEIGENBAUM,T.C.	8809230015	50 443 G
DIGIOVINE,A.S.	8809270100*	50 29 P	EDGEWORTH,P.J.	8809060295*	CONTRACT	FEITIS,M.	8809140132*	CONTRACT
DIGNAN,T.G.	8809160079	50 443 G	EDGEWORTH,P.J.	8809070093*	CONTRACT	FELDMANN,M.J.	8809160270*	50 293 P
DIGNAN,T.G.	8809160079	50 443 G	EDGEWORTH,P.J.	8809070166*	CONTRACT	FELTON,J.M.	8809070430	FOIA
DIGNAN,T.G.	8809190293	50-443 G	EDGEWORTH,P.J.	8809140030*	CONTRACT	FELTON,J.M.	8809090203	FOIA
DIGNAN,T.G.	8809230035	50 443 G	EDGEWORTH,P.J.	8809200380*	CONTRACT	FELTON,J.M.	8809120181	FOIA
DIGNAN,T.G.	8809230035	50 443 G	EDGEWORTH,P.J.	8809210144*	CONTRACT	FELTON,J.M.	8809120238	FOIA
DIGNAN,T.G.	8809260119*	50 443 G	EDGEWORTH,P.J.	8809210203*	CONTRACT	FELTON,J.M.	8809180162	FOIA
DIGNAN,T.G.	8809260119*	50 443 G	EDGEWORTH,P.J.	8809210225*	CONTRACT	FENN,K.W.	8809010041	50 328 S
DIANNI,D.	8809210271	50-202 P	EDGEWORTH,P.J.	8809210244*	CONTRACT	FENN,K.W.	8808140174	50 328 S
DIANNI,D.C.	8808260131	50 282 P	EDGEWORTH,P.J.	8809230050*	CONTRACT	FENN,K.W.	8809140292	50 328 S
DIANNI,D.C.	8808260481	50 282 P	EDGEWORTH,P.J.	8809260332*	CONTRACT	FERNANDEZ,J.A.	8808210239*	WASTE MGT
DIANNI,D.C.	8808060360	50 282 P	EDGEWORTH,P.J.	8809270077*	CONTRACT	FERRELL,S.D.	8808290114*	60-335 H
DIANNI,D.C.	8809200250*	50-155 P	EDGEWORTH,P.J.	8809270088*	CONTRACT	FERSTER,A.	8809120022	50-271 G
DIANNI,D.C.	8809270001	50-282 P	EDGEWORTH,P.J.	8809270107*	CONTRACT	FERSTER,A.	8809120022	50-271 G
DIAMENNA,R.A.	8809220098	NUREG	EDISON,G.E.	8808260239	50 250 P	FERSTER,A.	8809120121	60-271 G
DINGELL,J.	8809190010*	FOIA	EDISON,G.E.	8808300285	50 250 P	FERSTER,A.	8809120121	50 271 G
DINGELL,J.D.	8809210083*	COMMISSION	EDISON,G.E.	8809130049	50-250 P	FERSTER,A.	8809160090	50 443 G
DINGELL,J.D.	8809090122*	FOIA	EDISON,G.E.	8809130109	50-250 P	FERSTER,A.	8809160090	50 443 G
DINGELL,J.D.	8809120123*	FOIA	EDISON,G.E.	8809130352	50 250 P	FEY,F.L.	8808260317	50 263 F
DISTEFANO,J.G.	8809090274*	50-28 P	EDISON,G.E.	8809160147	50 250 P	FEY,F.L.	8808310136	50-282 F
DIXON,G.N.	8809090219	50-410 P	EDWARDS,D.	8809140086*	40 3453	FEY,F.L.	8808310215	50-263 F
DIXON,G.N.	8809060222*	PROJ	EDWARDS,D.W.	8809070588	PR	FEY,F.L.	8809070486	50 263 F
DIXON,G.N.	8809210132*	COMMISSION	EDWARDS,R.P.	8808290353	50-425 M	FEY,F.L.	8809150302	50 282 F
DONOHUE,J.	8809010280	50 327 P	EENIGENBURG,E.	8809010235	50 10 R	FEY,F.L.	8809270113	50 282 F
DONOHUE,J.	8809130201	50-280 Q	EENIGENBURG,E.	8808140053	50-237 S	FIEGE,E.J.	8808200262*	50 354 Q
DONOHUE,J.N.	8809010351	50-327 P	EENIGENBURG,E.	8809190351	50 237 R	FIELDS,J.A.	8808080406	CONTRACT
DONOHUE,J.N.	8809060379	50 327 P	EICK,S.D.	8808300212*	50 315 Q	FIERCE,A.R.	8808260033	50-443 G
DONOHUE,J.N.	8809220005	50 327 P	EICK,S.D.	8809230261*	50 483 Q	FILIPY,R.E.	8808060245	NUREG
DONOVAN,L.	8810110385*	REVIEW GR P	EIDEM,M.E.	8809140078*	50-285 Q	FINKEL,A.E.	8809210095*	50 482 Q
DORNSIFE,W.P.	8808230096	PR	EISENHUT,D.G.	8809210089*	50 275 P	FIRLIT,J.F.	8808260006	50 312 S
DORSEY,M.	8809070041	CONTRACT	EISENHUT,D.G.	8809210322*	FOIA	FIRLIT,J.F.	8808310038	50-312 Q
DORSEY,M.	8809200368	CONTRACT	ELLERB,T.A.	8808090054*	50 255 P	FIRLIT,J.F.	8808090158	50-312 Q
DORSEY,M.	8809210117	CONTRACT	ELLERSHAW,L.E.	8808030091*	50 498 Q	FIRLIT,J.F.	8809140147	60-312 S
DORSEY,M.	8809210235	CONTRACT	ELLIOTT,P.E.	8809230081*	50-374 P	FIRLIT,J.F.	8809140231*	50-312 Q
DORSEY,M.	8809260024	CONTRACT	ELMS,A.L.	8809220103	50 423 R	FIRLIT,J.F.	8809140280	50-312 S
DORSEY,M.	8809080173	50-387 R	ELTAWILA,F.	8809080147	NUREG	FIRLIT,J.F.	8809150331	50-312 Q
DORSEY,M.	8809140078*	50-285 Q	ELTAWILA,F.	8809080157	NUREG	FIRLIT,J.F.	8809200239	50-312 P
DORSEY,M.	8809060110*	50-255 Q	ELTAWILA,F.	8809080174	NUREG	FIRLIT,J.F.	8809260029	50-312 P
DRAWBRIDGE,B.L.	8809230280	50 29 F	ELTAWILA,F.	8809060181	NUREG	FISCHER,D.C.	8809020236	50-272 P
DREW,H.M.	8809010322	PR	ELTAWILA,F.	8809060193	NUREG	FISH,R.	8809160181	50-344 F
DREY,K.	8808290187	50 483 H	ELWARD,T.W.	8809140177	50-165 R	FISH,R.F.	8809140136*	50-387 Q
DREY,K.	8809130071*	40-7102	ELY,P.C.	8809160204*	40-7804	FISH,R.F.	8809220136*	50-312 Q
DROMERICK,A.W.	8809120101	50 219 P	ENGELMANN,R.	8809060006	40 8864	FISHER,W.L.	8804200347*	REVIEW GR P
DROMERICK,A.W.	8809200018	50 219 P	ENGLAND,L.A.	8808310152	50 458 S	FISK,R.H.	8808260025	XPORTLIC
DROMERICK,A.W.	8808310012	WASTE MGT	ENGLAND,L.A.	8809070321	50 458 S	FISK,R.H.	8808260043*	XPORTLIC
DROMERICK,A.W.	8809080111	50-18 R	ENGLAND,L.A.	8809160263	50 458 S	FITZPATRICK,E.	8808300351	60-219 S
DROMERICK,A.W.	8809070370	50-334 R	ENGLAND,L.A.	8809230184	50 458 S	FITZPATRICK,E.	8809010278	50-219 Q
DROMERICK,A.W.	8809070087*	50-410 R	ENGLE,L.	8808260365	50-338 P	FITZPATRICK,E.	8809010284	50-219 P
DUELL,J.N.	8809130312	50 410 S	ENGLE,L.B.	8809140201	50 338 P	FITZPATRICK,E.	8809060244	50-219 S
DUELL,J.N.	8809220107*	50-282 R	ENNIS,J.D.	8809260514*	50 338 Q	FITZPATRICK,E.	8809080044	50-219 V
DUGSTAD,D.	8809220108*	50-282 R	ENNIS,J.D.	8809290018*	50-280 Q	FITZPATRICK,E.	8809200159	50 219 Q
DUNKLEBERGER,J.	8809220127	WASTE MGT	ERICKSON,P.B.	8812290143*	PR	FITZPATRICK,E.	8809200361	50 219 Q
DUNN,G.A.	8809140467	50-440 S	ERICKSON,P.B.	8809140237	50-171 P	FITZPATRICK,E.	8809230019	50 219 S
DUNN,G.A.	8809200128	50 440 R	ERIN,L.E.	8809260238*	50-282 P	FITZPATRICK,R.	8809060147	NUREG
DUNN,G.A.	8809060050	71-659	ERNST,M.L.	8809160154*	60-348 Q	FITZPATRICK,R.	8809060157	NUREG
DUNN,G.A.	8809010173	PR	ERTLE,R.F.	8809070458	50-440 J	FITZPATRICK,R.	8809060174	NUREG
DUQUETTE,J.M.	8808290040	50-255 F	ESELGROTH,P.W.	8809080344*	50 317 V	FITZPATRICK,R.	8809060181	NUREG
DUQUETTE,J.M.	8808300219	50-255 F	ESELGROTH,P.W.	8809190147*	50-272 V	FITZPATRICK,R.	8809060193	NUREG
DUQUIN,J.A.	8803300027*	REVIEW GR P	ESELGROTH,P.W.	8809230174	50-317 V	FLACK,E.	8808300041	I&E
DURR,J.	8808300107*	50-387 Q	EURE,J.A.	8809070250	PR	FLACK,E.	8808300081	50-280 Q
DURR,J.	8809200334*	50-286 Q	EURY,L.W.	8808260135	50-261 Q	FLACK,E.	8809010040	I&E
DURR,J.P.	8803300047*	50-283 Q	EURY,L.W.	8809010126	50-324 P	FLACK,E.	8809080049	I&E
DURR,J.P.	8808260259	50-28 Q	EVANS,K.	8809230214	50 481 F	FLAHIVE,R.	8809140055	50 454 S
DURR,J.P.	8808290052	50 289 Q	EVANS,R.	8809140070*	50-498 Q	FLEENOR,C.M.	8809260016	CONTRACT
DURR,J.P.	8809020023	50-277 Q	EVERETT,R.J.	8808300148*	50-458 Q	FLOREK,D.J.	8808290031*	50-237 Q
DURR,J.P.	8809020162	50-283 Q	EVERETT,R.J.	8808180257*	50 445 Q	FLOWERS,F.D.	8809090165*	XPORTLIC
DURR,J.P.	8809130070	50-220 Q	EVERETT,R.J.	8808200078*	50 267 Q	FLOWERS,F.D.	8809090170*	XPORTLIC
DURR,J.P.	8809160295	50-289 Q	EVLETH,R.M.	8808210147*	REVIEW GR P	FLOWERS,F.D.	8809190097	XPORTLIC
DURR,J.P.	8809190384*	50-334 Q	FAIX,R.J.	8809260087*	50-443 G	FLYNN,H.J.	8809120033	50 443 G
DURR,J.P.	8809220309	50-220 Q	FAIX,R.J.	8809260087*	50-443 G	FLYNN,H.J.	8809120039	50 443 G
DWIGHT,G.E.	8808260158*	50-283 U	FANCETT,D.	8809260153	50-354 F	FLYNN,H.J.	8809160014	50-443 G
EAGLES,W.M.	8809140263	50-277 Q	FANTACCI,C.L.	8809080064	50-458 R	FLYNN,M.J.	8809070450	CONTRACT
EAPEN,P.K.	8808260265*	50-28 Q	FARRELL,R.E.	8809070274*	50-287 Q	FLYNN,M.J.	8809070539	CONTRACT
EAPEN,P.K.	8809160296*	50-289 Q	FAY,C.W.	8808290295	50 266 P	FOGARTY,E.P.	8808290083	50-277 S
EARNEST,A.B.	8809200078*	50-267 Q	FAY,C.W.	8808310145	50 266 R	FOGARTY,E.P.	8808310035	50-352 S
EBNETER,S.D.	8808260421	70-687	FAY,C.W.	8809020264	50-268 F	FOGARTY,E.P.	8809010338	50-277 S

290 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FOGARTY,E P	8809070236	50-278 S	GALLO,R M	8809130081	50-277 V	GOLTRA,E R	8809140386*	40 8027
FOGARTY,E P	8809130066	50-277 S	GALLO,R M	8809160303	50-388 Q	GONGAWARE,B L	8809120094*	50 483 P
FOGARTY,E P	8809130280	50-352 S	GALLOWAY,T J.	8809180128	50-213 S	GOOD,G M	8809140136*	50 387 Q
FOGARTY,E P	8809140378	50-352 S	GANNON,W C	8808280110	40-6940	GOODHUE,N	8809200381*	REVIEW GR P
FOGARTY,E P	8809180132	50-277 S	GANNON,W C	8809190264	40-6940	GOODMAN,L S	8809160267*	REVIEW GR P
FOGARTY,E P	8809180366	50-277 F	GARCIA,P J	8809200010	40-8027	GORALSKI,G	8809150169	50 255 R
FOGARTY,E P	8809200093	50-352 S	GARDNER,R N	8808260387*	50-282 Q	GORDAN,E C	8808310176	50 220 F
FOGARTY,E P	8809260247	50-278 S	GARNER,B	8809200267	50-338 R	GORDON,C S	8808260338	50 346 S
FORMICA,C D	8809060110*	50-255 Q	GARNER,L W	8809130232*	50-261 Q	GORDON,C S	8809130002	50 346 S
FORNEY,W L	8809300209	50-295 P	GARRISH,T J.	8808240336*	PR	GORDON,C S	8809190328	50 346 S
FORNEY,W L	8809130047	50-237 Q	GARRISON,D L	8809060370*	50-488 Q	GORDON,C Z	8809070515*	50 20 Q
FORNEY,W L	8809160165	50-295 Q	GARRISON,D L	8809130015*	50 488 Q	GORDON,C Z	8809190296*	50 220 Q
FORNEY,W L	8809220284	50 456 Q	GASTON,D M	8809080188*	50-255 Q	GORDON,G	8809160011	50 346 F
FORNEY,W L	8809230007	50 456 Q	GATES,W G	8809080017	50-285 R	GORSKI,J P	8809270100*	50 29 P
FORSYTH,M	8809220035	50 488 R	GATES,W G	8809200237	50-285 R	GOTTULA,R C	8809070500*	50 336 P
FOSTER,J	8809180352*	50 315 Q	GAUSDEN,M	8809010184	50-316 R	GOTTULA,R C	8809210240*	50 255 P
FOWLER,E.B.	8809220040	NUREG	GAUSDEN,M	8809010188	50-315 R	GOULD,K L	8809070495	PH
FOX,E F	8808020089*	50 286 Q	GAVALA,J A	8809020180*	50 454 Q	GOULD,M	8809200179	PH
FOX,E F	8809020109*	50 247 Q	GAVALA,J A	8809070478*	50-316 Q	GOVER,M	8809120092	WASTE RES
FRANCE,G M	8809070315*	70 6	GAVALA,J A	8809070488*	50 373 Q	GOWDY,G M	8809020278*	50 385 R
FRANCIS,E	8809060269	40 6622	GAYLEY,R B	8808300351	50-219 S	GRACE,J N	8805040165*	REVIEW GR P
FRANCIS,E	8809130307	40-6622	GEARS,G E	8808280138	50 260 Q	GRACE,J N	8805230314*	REVIEW GR P
FRANCO,F F	8809270073	50-285 F	GEARS,G E	8808260485	50-260 Q	GRACE,J N	8806030035*	REVIEW GR P
FRANKL,W S	8809080057	PR	GEARS,G E	8808290320	50 260 Q	GRACE,J N	8806030368*	REVIEW GR P
FRAZEE,T C	8809290233*	REVIEW GR P	GEARS,G E	8809130154	50 260 Q	GRACE,J N	8808260465	50 321 Q
FRAZIER,I	8809020049	50-341 F	GEHL,E O	8809300085	50-305 H	GRACE,J N	8808280518	50 335 Q
FREDRICKSON,P	8808300128*	50-324 Q	GEHMLICH,D K	8808150080	50 407 R	GRACE,J N	8808290084	50 302 Q
FREDRICKSON,P	8809080379	50-324 Q	GEHMLICH,D K	8809190252	50 72 Q	GRACE,J N	8808300098	70 27
FREDRICKSON,P	8809130232*	50-261 Q	GEISMA,B	8809190321	50 206 H	GRACE,J N	8808300124	50 324 Q
FREEMAN,A L	8808310095*	50 461 P	GEIST,J D	8809080066*	50 528 I	GRACE,J N	8808300211	70-27
FREEMAN,M D	8809060069	40 8768	GEJDENSON,S	8809070485*	FOIA	GRACE,J N	8808300268	70 27
FREEMAN,R D	8809150164	50 461 S	GEJDENSON,S	8809160266*	REVIEW GR P	GRACE,J N	8808300324	70 27
FRICK,T M	8809060018*	50-348 Q	GEJDENSON,S	8809190010*	FOIA	GRACE,J N	8809010144	50 260 R
FRIEDMAN,L	8803300021*	REVIEW GR P	GELB,M	8809210048	50 224 G	GRACE,J N	8809010146	50 302 F
FRIEDMAN,W F	8809010138	PR	GEPHART,S B	8809150062	50 277 Q	GRACE,J N	8809010152	50 269 Q
FRIEDRICHSEN,J	8809150044	50-285 S	GERTZ,C P	8809120113	WASTE MGT	GRACE,J N	8809010221	50 321 Q
FRIEND,H B	8809150034	TOPREP	GERTZ,C P	8809120173*	WASTE MGT	GRACE,J N	8809010225	50 424 P
FRISCH,R R	8809060009	50-155 P	GESSNER,R F	8808290096*	PROJ	GRACE,J N	8809070094	50 369 Q
FRISCH,R R	8809070313	50-155 S	GIANNUZZI,A J	8808300037*	50 333 P	GRACE,J N	8809070144	50 389 Q
FRISCH,R R	8809190078	50-155 P	GIBBONS,D R	8809210211*	REVIEW GR P	GRACE,J N	8809070162	50 321 Q
FRISCH,R R	8809190111	50-155 P	GIBBONS,D R	8809210237*	REVIEW GR P	GRACE,J N	8809070165*	50-321 Q
FRISCH,R R	8809200234	50-155 V	GIBBONS,D R	8809210243*	REVIEW GR P	GRACE,J N	8809080024	50 280 Q
FRIZZLE,C D	8809140252	50 309 Q	GIBBONS,D R	8809210254*	REVIEW GR P	GRACE,J N	8809080027	50-324 Q
FRY,M	8809200286*	REVIEW GR P	GIBBONS,D R	8809210260*	REVIEW GR P	GRACE,J N	8809080167	50 269 Q
FRYE,J H	8809120006	50 277 G	GIBBONS,D R	8809210264*	REVIEW GR P	GRACE,J N	8809080168*	50-269 Q
FULLER,C H	8809190193	50 267 P	GIBBONS,D R	8809210270*	REVIEW GR P	GRACE,J N	8809080174	50 335 Q
FULLER,C H	8809220041	50 267 R	GIBBONS,D R	8809210278*	REVIEW GR P	GRACE,J N	8809080178*	50 335 Q
FULLER,C H	8809260120	50 267 S	GIBBONS,D R	8809220011*	REVIEW GR P	GRACE,J N	8809080354	50 280 Q
FUNCHES,J L	8809200275*	REVIEW GR P	GIBBONS,D R	8809220068*	REVIEW GR P	GRACE,J N	8809080357*	50 280 Q
FUNK,D E	8808280124*	50 315 Q	GIBBONS,D R	8809220145*	REVIEW GR P	GRACE,J N	8809080053*	50 322 F
FURIA,R V	8809140254*	50 218 P	GIBBONS,D R	8809220152*	REVIEW GR P	GRACE,J N	8809120067	50-269 Q
GAD,R K	8809120031	50 271 G	GIBBONS,D R	8809220159*	REVIEW GR P	GRACE,J N	8809130183	50 324 Q
GAD,R K	8809120031	50 271 G	GIBBONS,D R	8809220238*	REVIEW GR P	GRACE,J N	8809130271*	PR
GAD,R K	8809210028	50 271 G	GIBBONS,D R	8809220295*	REVIEW GR P	GRACE,J N	8809140373	50 280 Q
GAD,R K	8809210028	50 271 G	GIBBONS,D R	8809280275*	REVIEW GR P	GRACE,J N	8809140473	50 400 Q
GAD,R K	8809280143	50 271 G	GIBBS,R	8809220266*	50-324 Q	GRACE,J N	8809140475	50 250 Q
GAD,R K	8809280143	50 271 G	GIBSON,A F	8809260471	50-321 Q	GRACE,J N	8809150323	50-260 P
GAGLIARDO,J E	8809020209*	50 336 Q	GIBSON,J	8809220093*	50-336 R	GRACE,J N	8809160007	70 27
GAGLIARDO,J E	8809060021*	50 382 Q	GIBSON,J	8809220095*	50-336 R	GRACE,J N	8809160013	50-335 Q
GAGLIARDO,J E	8809060332*	50 482 Q	GIBSON,L C	8809080189*	50-322 P	GRACE,J N	8809160015	50 321 Q
GAGLIARDO,J E	8809080181*	50 335 Q	GIBSON,M	8809150126	50-315 F	GRACE,J N	8809160022	70 27
GAGLIARDO,J E	8809140070*	50 488 Q	GIGLIOTTI,R J	8809070364	70-371	GRACE,J N	8809160029	50 280 P
GAHAN,M J	8809150071	50 317 S	GIITTER,J G	8809010246	50-305 P	GRACE,J N	8809160033	50 280 Q
GAINES,C R	8809070058	50 382 S	GIITTER,J G	8809020232	50-305 P	GRACE,J N	8809160036	50-160 Q
GALANTI,D M	8808290124*	50-315 Q	GIITTER,J G	8809060383	50-305 P	GRACE,J N	8809190086	50-335 Q
GALLAGHER,J W	8808290314*	50-277 P	GILBERT,L D	8809130015*	50-488 Q	GRACE,J N	8809190389	50-280 S
GALLAGHER,J W	8809010143*	50 277 P	GILLESPIE,F P	8808300204	PRM	GRACE,J N	8809200023	50-348 Q
GALLAGHER,J W	8809010294*	50-277 P	GIPSON,D R	8809080111	50-16 R	GRACE,J N	8809220172	50-324 Q
GALLAGHER,J W	8809010360	50-277 Q	GLASMAN,M	8809070089*	50-424 Q	GRACE,J N	8809220176	70-27
GALLAGHER,J W	8809020243	50 277 P	GLASMAN,M	8809130124*	50-335 Q	GRACE,J N	8809220216	50-324 Q
GALLAGHER,J W	8809080019	50 277 P	GLENN,C	8809200149	WASTE MGT	GRACE,J N	8809230108	50-400 Q
GALLAGHER,J W	8809090232*	50 277 P	GLENN,J	8809230006	I&E	GRACE,J N	8809260025	50-276 Q
GALLAGHER,J W	8809120059*	50-277 P	GLENN,J	8809230212*	COMMISSION	GRACE,J N	8809260098	50-250 Q
GALLAGHER,J W	8809130135	50-277 V	GLENN,J H	8809180036*	FOIA	GRACE,J N	8809260110*	50-250 Q
GALLAGHER,J W	8809140211*	50-277 P	GLOERSEN,W B	8809080110*	50 424 Q	GRACE,J N	8809260127	50 400 Q
GALLAGHER,J W	8809140226*	50-277 P	GLOERSON,W B	8809260272*	50-259 Q	GRACE,J N	8809260144	50 250 Q
GALLAGHER,J W	8809140232	50-352 F	GLOZMAN,V	8809220092	NUREG	GRACE,J N	8809260146	50 280 S
GALLAGHER,J W	8809140431	50-277 P	GNUGNOLI,G N	8809200163	WASTE MGT	GRACE,J N	8809260156	50 160 Q
GALLAGHER,J W	8809190207	50-277 Q	GOBBARD,P S	8809070556	PR	GRACE,J N	8809290121*	REVIEW GR P
GALLAGHER,J W	8808200056*	50-352 P	GODKNECHT,M	8809230019	50-219 S	GRACE,J N	8809140197	50 321 F
GALLAGHER,J W	8809200358	50-277 Q	GODWIN,A V	8809200100*	REVIEW GR P	GRACE,S R	8809140184*	40 8906
GALLAGHER,J W	8809210192	50-277 Q	GOLDBERG,J H	8809070324	50 489 S	GRAHAM,C P	8809260039	50 443 Q
GALLAGHER,J W	8808220112	50-352 Q	GOLDBERG,J H	8809080052	50 488 J	GRAMANN,R H	8808260065	70 3047
GALLO,R M	8808260100	50-322 V	GOLDBERG,J H	8809180209	50-488 Q	GRAMANN,R H	8808260129	40 8954
GALLO,R M	8808290031*	50-237 Q	GOLDSCHLAGER,N	8809080054	PR	GRAMLING,J M	8809260120	50 267 S
GALLO,R M	8809020142	50-247 Q	GOLDSMITH,R	8809180043	WASTE MGT	GRANT,W B	8809190345*	50 454 Q
GALLO,R M	8809020206	50-336 Q	GOLLA,J A	8808260265*	50-28 Q	GRAVES,D N	8808260114*	50-458 V
GALLO,R M	8809080340	50-317 V	GOLLA,J A	8809180296*	50-289 Q	GRAVES,D N	8808310057	50 458 V

PERSONAL AUTHOR INDEX 291

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
GREENE,H.T	8809200008*	50-313	P	GRIMES,B.K	8808260150	ORG	HAIRSTON,W.G	8808310154	50-348	P	
GREENMAN,E.G.	8808260018	50-254	Q	GRIMES,B.K.	8808260173	ORG	HAIRSTON,W.G	8809010043	50-348	F	
GREENMAN,E.G.	8808260250	50-454	Q	GRIMES,B.K	8808260223	ORG	HAIRSTON,W.G	8809010083	50-424	P	
GREENMAN,E.G.	8808260267*	50-454	Q	GRIMES,B.K	8808310193	ORG	HAIRSTON,W.G	8809010089	50-424	R	
GREENMAN,E.G	8808260275	50-454	P	GRIMES,B.K	8809010208	ORG	HAIRSTON,W.G	8809010218	50-321	R	
GREENMAN,E.G	8808260298	50-254	Q	GRIMES,B.K.	8809130099	QA999	HAIRSTON,W.G	8809010321	50-348	R	
GREENMAN,E.G.	8808260301*	50-254	Q	GRIMES,B.K.	8809210149	QA999	HAIRSTON,W.G	8809060016	50-348	Q	
GREENMAN,E.G	8809010237	50-237	P	GRIMES,B.K	8809220086	50-259	P	HAIRSTON,W.G	8809070021	50-424	S
GREENMAN,E.G	8809090102	50-155	Q	GRIMES,B.K.	8809220249	ORG	HAIRSTON,W.G	8809070305	50-424	P	
GREENMAN,E.G.	8809090161	50-461	Q	GRIMES,C.I.	88092260061	50-445	V	HAIRSTON,W.G	8809070388	50-348	V
GREENMAN,E.G.	8809090187	50-305	Q	GRIMES,C.I	8809010297	50-445	A	HAIRSTON,W.G	8809070389	50-424	P
GREENMAN,E.G.	8809220267	50-331	P	GRIMES,C.I	8809010301*	50-445	A	HAIRSTON,W.G	8809120141	50-321	F
GREENMAN,E.G	8809260021	50-346	Q	GRIMES,C.I	8809010307*	50-445	A	HAIRSTON,W.G	8809130343	50-321	S
GREENMAN,E.G.	8809260130	50-295	Q	GRIMES,C.I	8809060302	50-445	A	HAIRSTON,W.G	8809140006	50-424	F
GREENMAN,E.G	8809260172	50-237	Q	GRIMES,C.I	8809090105	50-445	Q	HAIRSTON,W.G	8809140054	50-321	R
GREENMAN,E.G	8809260277	50-254	Q	GRIMES,C.I	8809140255	50-445	V	HAIRSTON,W.G	8809140065	50-366	S
GREGG,I.R	8809201031*	50-315	Q	GRIMSLEY,D	8809070146	50-410	P	HAIRSTON,W.G.	8809140092	50-321	Q
GREGG,R.J.	8809090064	70-371	Q	GRIMSLEY,D.	8809070316	FOIA		HAIRSTON,W.G	8809140098	50-321	Q
GRIDLEY,R.	8808260081	50-327	T	GRIMSLEY,D	8809080234	50-255	P	HAIRSTON,W.G.	8809140139	50-424	Q
GRIDLEY,R.	8808260496	50-390	Q	GRIMSLEY,D	8809120182	FOIA		HAIRSTON,W.G.	8809140181	50-321	F
GRIDLEY,R.	8808290011	50-327	P	GRIMSLEY,D.	8809120211	FOIA		HAIRSTON,W.G	8809140187	50-321	Q
GRIDLEY,R.	8808290116	50-260	P	GRIMSLEY,D.	8809120239	FOIA		HAIRSTON,W.G	8809140274	50-321	S
GRIDLEY,R.	8808290125	50-259	P	GRIMSLEY,D.	8809150253	FOIA		HAIRSTON,W.G	8809140297	50-348	Q
GRIDLEY,R.	8808290133	50-259	P	GRIMSLEY,D.	8809150265	50-271	Q	HAIRSTON,W.G	8809140361	50-321	P
GRIDLEY,R.	8808290151	50-390	Q	GRIMSLEY,D	8809160086	50-283	P	HAIRSTON,W.G	8809150141	50-321	P
GRIDLEY,R.	8808280247	50-327	Q	GRIMSLEY,D	8809160168	50-283	Q	HAIRSTON,W.G	8809150319	50-321	P
GRIDLEY,R.	8808290254	50-327	Q	GRIMSLEY,D.H	8808070441	FOIA		HAIRSTON,W.G	8809150321	50-424	F
GRIDLEY,R.	8808300079	50-327	P	GRIMSLEY,D.H	8808070517	FOIA		HAIRSTON,W.G	8809190157	50-348	P
GRIDLEY,R.	8808300096	50-327	P	GRIMSLEY,D.H	8808090037	50-322	F	HAIRSTON,W.G	8809190168	50-348	P
GRIDLEY,R.	8808300122	50-327	Q	GRIMSLEY,D.H.	8809090044	50-275	P	HAIRSTON,W.G.	8809190190	50-348	Q
GRIDLEY,R.	8808300243	50-327	S	GRIMSLEY,D.H.	8809090063	FOIA		HAIRSTON,W.G	8809190196	50-348	F
GRIDLEY,R.	8808300288	50-390	R	GRIMSLEY,D.H	8809090098	50-186	Q	HAIRSTON,W.G.	8809190229	50-348	Q
GRIDLEY,R.	8808310034	50-327	Q	GRIMSLEY,D.H	8809090117	FOIA		HAIRSTON,W.G	8809190245	50-348	P
GRIDLEY,R.	8808310219	50-390	Q	GRIMSLEY,D.H	8809090143	FOIA		HAIRSTON,W.G.	8809200273	50-424	P
GRIDLEY,R.	8809010161	50-259	P	GRIMSLEY,D.H	8809090150*	PR		HAIRSTON,W.G.	8809200295	50-424	S
GRIDLEY,R.	8809010295	50-269	Q	GRIMSLEY,D.H	8809090157	FOIA		HAIRSTON,W.G	8809200323	50-424	Q
GRIDLEY,R.	8809010296	50-390	Q	GRIMSLEY,D.H.	8809090214	50-410	P	HAIRSTON,W.G.	8809220051	50-364	R
GRIDLEY,R.	8809010333	50-259	S	GRIMSLEY,D.H.	8809090248	FOIA		HAIRSTON,W.G	8809220055	50-348	R
GRIDLEY,R.	8809020104	50-259	P	GRIMSLEY,D.H	8809090269	50-275	P	HAIRSTON,W.G.	8809230023	50-348	P
GRIDLEY,R.	8809020257	50-259	P	GRIMSLEY,D.H.	8809120091	50-206	P	HAIRSTON,W.G	8809230240	50-348	P
GRIDLEY,R.	8809060224	50-259	Q	GRIMSLEY,D.H.	8809120222	FOIA		HAIRSTON,W.G.	8809260229	50-424	Q
GRIDLEY,R.	8809060235	50-328	Q	GRIMSLEY,D.H.	8809150314	FOIA		HAJOS,L.G	8808260414*	50-272	Q
GRIDLEY,R.	8809060248	50-438	R	GRIMSLEY,D.H.	8809160172	FOIA		HALE,M.	8809140289	50-400	R
GRIDLEY,R.	8809060259	50-566	A	GRIMSLEY,D.H.	8809160177	FOIA		HALL,A.	8809020136	PR	
GRIDLEY,R.	8809060297	50-390	S	GROOMS,J.V.	8809220245*	50-317	P	HALL,A.	8809120210	FOIA	
GRIDLEY,R.	8809070037	50-327	P	GROPP,R.W.	8809010178	50-352	R	HALL,D.P	8809120107	50-461	P
GRIDLEY,R.	8809070231	50-259	P	GROSS,K.W.	8809070259	50-250	S	HALL,D.P	8809150164	50-461	P
GRIDLEY,R.	8809070299	50-390	Q	GROSS,K.W.	8809260179	50-250	S	HALL,D.P	8809200074	50-461	Q
GRIDLEY,R.	8809070486	50-390	A	GRUBIC,D.D.	8809150123*	50-382	Q	HALL,D.P.	8809220144	50-461	Q
GRIDLEY,R.	8809070532	50-327	Q	GRUNSEICH,R.W	8808310181	50-322	S	HALL,J.M.	8809060018*	50-348	Q
GRIDLEY,R.	8809070536	50-327	P	GRUNSEICH,R.W.	8809010063	50-322	S	HALL,J.M	8809130036*	50-206	Q
GRIDLEY,R.	8809070551	50-327	P	GRUNSEICH,R.W	8809230274	50-322	S	HALL,J.P	8809220277	50-331	P
GRIDLEY,R.	8809080364	50-327	Q	GUNTRUM,B.C.	8809010341	50-445	S	HALL,R.E	8808310155	18E	
GRIDLEY,R.	8809130313	50-259	F	GUPTA,D.C.	8809140412*	WASTE MGT		HALL,S.P.	8809230214	50-461	F
GRIDLEY,R.	8809140010	50-327	Q	GUINN,R.A	8809080129	50-443	S	HALLE,D.H	8808260084	PR	
GRIDLEY,R.	8809140013	50-327	Q	GWINN,R.A	8809190187	50-443	S	HALLE,H.J	8809060198	NUREG	
GRIDLEY,R.	8809140302	50-438	R	HAAG,B.	8809060377	50-313	S	HALLER,W.A	8809070295	50-413	P
GRIDLEY,R.	8809140466	50-259	K	HAAG,R	8809060403	50-313	S	HALLSTROM,G.A	8809260259*	50-400	Q
GRIDLEY,R.	8809150132	50-390	S	HABCHI,S.D.	8809220080	NUREG		HALTIWANGER,J.	8809220118	50-385	R
GRIDLEY,R.	8809150211	50-327	Q	HACKNEY,C.	8809310109	18E		HAMILTON,B.	8809010066	50-389	F
GRIDLEY,R.	8809150229	50-390	Q	HAGAN,J.J.	8809080251	50-354	S	HAMILTON,P.	8809190291	50-293	R
GRIDLEY,R.	8809150316	50-327	Q	HAGAN,J.J.	8809080300	50-354	S	HAMLIN,J.B	8809080095	50-275	P
GRIDLEY,R.	8809190015	50-327	P	HAGAN,J.J.	8809140246	50-354	S	HAMMER	8808260317	50-263	F
GRIDLEY,R.	8809190349	50-390	S	HAGAN,J.J.	8809160274	50-354	S	HAMMES,R.J.	8809150287	PR	
GRIDLEY,R.	8809200231	50-259	F	HAGAN,T.F.	8809070052*	CONTRACT		HAMRICK,J.S	8809120158	40 8681	
GRIDLEY,R.	8809200374	50-390	Q	HAGAN,T.F.	8809130265*	CONTRACT		HAMRICK,N.P	8809230021*	CONTRACT	
GRIDLEY,R.	8809210009	50-259	P	HAGAN,T.F	8809130281*	CONTRACT		HANDYSIDE,I.	8809200336*	REVIEW GR	P
GRIDLEY,R.	8809210060	50-259	P	HAGAN,T.F.	8809140132*	CONTRACT		HANING,J.L	8809090145*	50-499	Q
GRIDLEY,R.	8809220224	50-259	P	HAGAN,T.F	8809200371*	CONTRACT		HANNEN,R.L	8808260494	71-9208	
GRIDLEY,R.	8809220229	50-327	Q	HAGAN,T.F.	8809210121*	CONTRACT		HANNEN,R.L	8808260497	71-9224	
GRIDLEY,R.	8809220232	50-259	K	HAGAN,T.F	8809210133*	CONTRACT		HANNEN,R.L	8808310097	50-331	S
GRIDLEY,R.	8809220236	50-390	Q	HAGAN,T.F	8809210138*	CONTRACT		HANNEN,R.L.	8809010112	50-331	R
GRIDLEY,R.	8809220323	50-327	P	HAGAN,T.F.	8809210244*	CONTRACT		HANNEN,R.L.	8809080120	50-331	S
GRIDLEY,R.L	8809060367	50-259	V	HAGAN,T.F.	8809210252*	CONTRACT		HANNEN,R.L.	8809130297	50-331	S
GRIDLEY,R.L	8809070060	50-327	F	HAGAN,T.F.	8809230021*	CONTRACT		HANNEN,R.L.	8809140339	50-331	S
GRIDLEY,R.L	8809080072	50-259	F	HAGAN,T.F.	8809260022*	CONTRACT		HANNON,J.N.	8808300075	ORG	
GRIDLEY,R.L	8809150188	50-259	I	HAGAN,T.F.	8809260312*	CONTRACT		HANNON,J.N.	8809080051	50-424	V
GRIDLEY,R.L	8809150237	50-390	A	HAGAN,T.F.	8809270093*	CONTRACT		HANNON,J.N.	8809130181	ORG	
GRIDLEY,R.L	8809190131	50-259	Q	HAGEMAN,J.	8809020172*	WASTE MGT		HANRAHAN,E.J	8809210082*	WASTE MGT	
GRIER,B.H.	8106240090*	FOIA		HAGEMAN,J.P	8808260051	WASTE MGT		HANSELL,J.B	8809140354	50-387	P
GRIFFIN,R.E.	8808290192*	50-382	Q	HAGEMAN,J.P.	8808290283	WASTE MGT		HANSELL,J.R	8809090205	PR	
GRIFFIN,R.L	8809210055	50-445	G	HAGEMAN,S	8809210107*	REVIEW GR	P	HANSON,R.G.	8809220096	NUREG	
GRIFFIN,R.L.	8809210055	50-445	G	HAGER,J.	8809190392	50-255	F	HARBUCK,C.C	8808260008	50-313	P
GRIFFIN,R.L.	8809210062*	50-445	G	HAGEY,H.	8809060285	CONTRACT		HARBUCK,C.C.	8808260077	50-313	P
GRIFFIN,R.L.	8809210062*	50-445	G	HAIRSTON,W.G	8808300023*	50-425	J	HARBUCK,C.C	8808260181	50-368	P
GRIFFING,E.P.	8809080111	50-16	R	HAIRSTON,W.G.	8808310063	50-348	P	HARBUCK,C.C.	8808300188	50-313	F
GRIMES,B.K.	8808250192	ORG		HAIRSTON,W.G.	8808310088	50-366	S	HARBUCK,C.C	8809010363	50-313	P
GRIMES,B.K.	8808260039	STATE PRO G		HAIRSTON,W.G.	8808310116	50-348	Q	HARBUCK,C.C.	8809020194	50-313	P

292 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HARBUCK,C C	8809160293	50-313 P	HAYNES,L S	8809070457*	CONTRACT	HINDS,J M	8809220285*	50-456 Q
HARDGROVE,T W	8809120179	40-2259	HAYNES,R C	8809160173*	50-293 Q	HINKEBEIN,T E.	8809210239*	WASTE MGT
HARLAN,C P	8809060048	WASTE RES	HAYNESWORTH,V	8809140300	50-261 R	HINSON,L	8808290002	50-344 S
HARNES,J L	8808310203	50-324 S	HEALY,B	8809010292	PR	HINSON,L	8809270050	50-344 S
HARNES,J L	8808310206	50-324 S	HEFFNER,G	8809130166	50-440 F	HINTZ,D.C.	8809150065	50-305 Q
HARNES,J L	8809010012	50-324 S	HEITKAMP,A F	8808290170*	XPORTLIC	HIRT,J A.	8809280056	50-387 R
HARNES,J L	8809010045	50-324 H	HEITKAMP,A F	8808290171*	XPORTLIC	HLASTALA,M P.	8809060245	NUREG
HARNES,J L	8809070529	50-325 S	HEITNER,K L	8809020092	50-267 P	HOCHREITER,L E.	8809070049*	50-327 P
HARNES,J L	8809080045	50-324 R	HEITNER,K L	8809060203	50-285 P	HODGDON,A.P	8809140119	50-271 Q
HARNES,J L	8809080053	50-324 Q	HEITNER,K L	8809130004	50-287 P	HODGE,G.R.	8809230185*	REVIEW GR P
HARNES,J L	8809080071	50-324 S	HEITNER,K L	8809130050	50-287 F	HODGE,W M.	8809080369	50-316 S
HARNES,J L	8809090073	50-324 S	HEITNER,K L	8809160314	50-287 F	HODGES,M.W.	8705080057*	50-410 P
HARNES,J L	8809090076	50-324 S	HEITNER,K L	8809230027	50-287 P	HODOR,R S.	8809260387*	50-282 Q
HARNES,J L	8809090083	50-324 S	HEITNER,K L	8809230055	50-287 P	HOFFMAN,D P	8809210226*	50-255 P
HARNES,J L	8809140381	50-324 Q	HEITNER,K L	8809230131	50-287 P	HOFFMAN,D P	8809230185*	50-255 Q
HARNES,J L	8809160271	50-325 S	HEITNER,K L	8809260037	50-287 S	HOFFMAN,D.P	8809280003*	50-255 P
HARNES,J L	8809160294	50-325 S	HEITNER,K L	8809140192*	50-353 A	HOFFMEISTER,J.	8809200345*	REVIEW GR P
HARPER,G A	8809260104*	50-443 G	HEITNER,K L	8809010072	50-116 V	HOFFMEYER,C H	8809080195	NUREG
HARPER,G A	8809280104*	50-443 G	HENDRICKSON,R	8809060305	50-116 P	HOKEL,B	8809210035*	REVIEW GR P
HARRELL,P.H	8808300008*	50-285 Q	HENDRIX,G.H	8809230103	PR	HOKEL,B.	8809210076*	REVIEW GR P
HARRIS,D R	8809020123	50-225 Q	HENRY,L.G.	8809010387	50-57 R	HOKEL,B	8809220183*	REVIEW GR P
HARRIS,J	8809230016*	50-338 Q	HENSLEY,K D	8809120249	70-143	HOKEL,B W.	8809210038*	REVIEW GR P
HARRIS,J E	8809220164	MISC	HENSLEY,K D.	8809220153	70-143	HOKEL,B.W.	8809210059*	REVIEW GR P
HARRIS,R	8809120109	50-348 F	HERDT,A R	8808290113	50-348 Q	HOKEL,B W.	8809210064*	REVIEW GR P
HARRISON,D.F.	8808290313	50-368 R	HERDT,A.R.	8808300312	50-416 Q	HOKEL,B.W.	8809210076*	REVIEW GR P
HARRISON,D F	8809200337	50-368 R	HERDT,A R	8809300319	50-280 Q	HOLAHAAN,G	8809140356*	50-302 P
HARRISON,J J	8808260376	50-282 Q	HERDT,A R	8808300326	50-321 Q	HOLAHAAN,G.M.	8808310016	50-361 S
HARRISON,J J	8808300196	50-315 Q	HERDT,A R	8808310067	50-302 Q	HOLAHAAN,G M	8809020001	50-315 P
HARRISON,J J	8808300206*	50-315 Q	HERDT,A R	8808310075	50-321 Q	HOLAHAAN,G.M.	8809130165	50-341 Q
HARRISON,J J	8809020179	50-454 Q	HERDT,A R	8809010192	50-424 Q	HOLAHAAN,G M	8809210092*	50-482 Q
HARRISON,J J	8809070473	50-316 Q	HERDT,A.R.	8809010197	50-324 Q	HOLAHAAN,G M	8809210274*	50-282 P
HARRISON,J J	8809070492	50-373 Q	HERDT,A.R.	8809070061	50-424 Q	HOLAHAAN,G.M.	8809230224	50-285 Q
HARRISON,J J	8809070548	50-461 Q	HERDT,A R	8809070071*	50-424 Q	HOLAHAAN,G M.	8809260094	50-288 Q
HARRISON,J J	8809140439	50-266 Q	HERDT,A R	8809070090	50-425 Q	HOLLAND,W.E.	8808290073*	50-280 Q
HARRISON,J J	8809230258	50-483 Q	HERDT,A R	8809070148	50-280 Q	HOLLAND,W E	8809140384*	50-280 Q
HARRISON,J J	8809230279	50-346 Q	HERDT,A R	8809070161*	50-280 Q	HOLLER,E.	8808300301	50-498 S
HARRISON,J J	8809260233	50-282 Q	HERDT,A R	8809070385	50-425 Q	HOLLER,E.	8809080370*	50-498 Q
HARRISON,J J	8809260291	50-254 Q	HERDT,A.R.	8809080341	50-424 Q	HOLLER,E.	8809080399	50-498 S
HARRISON,R J	8809020233	50-443 I	HERDT,A.R.	8809120095	50-416 Q	HOLLER,E.	8809150168	50-498 Q
HART,R D	8808290037	WASTE RES	HERDT,A.R.	8809130089	50-335 Q	HOLLER,E.J	8809080364*	50-498 Q
HART,R S	8809120140	50-171 Q	HERDT,A R	8809130258	50-400 Q	HOLLEY,W.L.	8809280031	70-854 P
HARTMAN,G	8809060292	40-1341 F	HERDT,A R	8809140335	50-281 Q	HOLLOWAY,C.J	8808280157	50-481 P
HARVEY,S P.	8808300074	50-483 S	HERDT,A R	8809220134	50-395 Q	HOLLOWAY,C.J.	8809180099	50-320 P
HASSE,R A.	8809140417*	50-373 Q	HERDT,A.R.	8809220138	50-400 Q	HOLMES,R E	8808200241	40-7102
HASSLER,D V	8809070339	50-289 S	HERDT,A R	8809220178	50-269 Q	HOLONICH,J.	8809200036*	WASTE MGT
HATZIS,C	8808300001	71-858	HERDT,A R	8809220181	50-425 Q	HOLONICH,J.J.	8809150248	WASTE MGT
HAUBER,R D.	8809220184*	REVIEW GR P	HERDT,A R	8809220185	50-424 Q	HOLTZSCHER,D L	8808290308	50-481 S
HAUBER,R D	8809200303*	REVIEW GR P	HERDT,A R	8809230012	50-338 Q	HOLTZSCHER,D.L.	8808300015	50-481 P
HAUGHEY,M F	8809060097	50-220 P	HERDT,A R	8809230014*	50-338 Q	HOLTZSCHER,D L.	8808070130	50-481 F
HAUGHEY,M.F.	8809120112	50-220 Q	HERDT,A.R.	8809260147	50-413 Q	HOLTZSCHER,D.L.	8809120045*	50-481 F
HAUGHEY,M F	8809120158	50-220 P	HERDT,A R.	8809260200	50-302 Q	HOLTZSCHER,D.L.	8809130061	50-481 S
HAUGHEY,M.F.	8809130332	50-220 P	HERDT,A R.	8809260224	50-425 Q	HOLTZSCHER,D.L.	8809140163	50-481 S
HAUGHEY,M F.	8809140096	50-220 P	HERDT,A R.	8809260250	50-400 Q	HOLTZSCHER,D.L.	8809140157	50-481 V
HAUGHEY,M F	8809160149	50-220 P	HERDT,A.R.	8809270011	50-250 Q	HOLTZSCHER,D.L.	8809180234	50-481 S
HAUGHEY,M F	8809180067	50-220 Q	HERNAN,R.W	8809150222	50-289 F	HOLTZSCHER,D.L.	8809190363*	50-481 P
HAUGHEY,M F	8809190382	50-220 P	HERNAN,W.R.	8809080320	50-289 P	HOLTZSCHER,D L.	8809200140	50-481 R
HAUGHEY,M.F	8809200216	50-220 Q	HERRERA,E.Y	8809260117	WASTE MGT	HON,A.J.	8808290249*	50-206 Q
HAUGHNEY,C J.	8809220100	50-220 P	HESS,J E	8809200108	71-9222	HOOD,D.	8808260033	50-389 P
HAUGHNEY,C J.	8809130171*	50-341 Q	HESSE,D.J.	8809220058	NUREG	HOOD,D.	8809150342	50-389 P
HAUGHNEY,C J.	8809260095*	50-298 Q	HEWARD,R.W.	8809020228	50-146 P	HOOD,D.	8809180216	50-289 P
HAYERKAMP,D R.	8808300267	50-271 Q	HEYER,R S	8809200210	40-1162	HOOD,D.	8809190144	50-389 P
HAYERKAMP,D R	8809220319*	50-29 Q	HEYER,R S.	8809200218	40-8914	HOOD,D S.	8809010338	50-389 P
HAWKINS,E.F.	8808290107	40-8904	HEYER,R S.	8809200281	40-1162	HOOD,D S.	8809080410	50-389 P
HAWKINS,E F	8809200025	40-1341	HEYER,R.S.	8809200341	40-8584	HOOD,D.S.	8809150228	50-389 P
HAWKINS,E F	8809200287	40-8502	HEYSEK,W.G.	8808310015*	50-219 Q	HOOKER,C.A.	8809060336*	50-312 Q
HAWKINS,E.F	8809200288	40-2259	HICKEY,J.	8809120246*	PR	HOOPES,J.	8809180016	WASTE MGT
HAWKINS,E F.	8809200291	40-8452	HICKEY,J W	8809180230*	REVIEW GR P	HOPKINS,G W.	8809130036*	50-206 Q
HAWKINS,E P.	8809270141	40-8502	HICKMAN,D E.	8808310177	50-381 P	HOPKINS,J A	8808300309*	50-458 V
HAWKINS,F C	8809210095*	50-482 Q	HICKMAN,D.E.	8808310199	50-381 P	HOPKINS,J.B.	8808300202	50-424 P
HAWKINS,E F	8809270144*	40-8502	HICKMAN,D.E	8808310226*	50-381 P	HOPKINS,J.B.	8809180134	50-321 P
HAYES,B	8808300090*	50-348 P	HICKMAN,D E	8808310228*	50-381 P	HOPKINS,J.B.	8809220098	50-424 P
HAYES,B B.	8809160203*	FOIA	HICKMAN,D E.	8809010345	50-381 P	HOPKINS,J.B.	8809230013	50-425 A
HAYES,B B.	8809160246*	FOIA	HICKMAN,D.E.	8809060122	50-381 P	HOPKINS,F.C.	8809210095*	50-482 Q
HAYES,J J	8809210012	50-395 P	HICKMAN,D E	8809060131	50-381 P	HORN,G R	8808290005	50-299 S
HAYES,J.J.	8809220220	50-395 P	HICKMAN,D.E.	8809070068	50-381 P	HORN,G R.	8809080068	50-298 S
HAYES,J.J.	8809220308	50-395 P	HICKMAN,D.E	8809150028	50-381 P	HORN,G.R.	8809150171	50-298 R
HAYNES,H.F.	8809140129	50-245 S	HICKMAN,D.E	8809150090	50-381 P	HORN,M.L	8809080088*	70-3018
HAYNES,J.G	8809150348	50-423 S	HIGGINS,T.	8809140048	50-454 S	HORN,M.L.	8809230169*	70-162
HAYNES,J.G	8808260071	50-528 R	HILDENBRAND,P.	8808300283	50-395 S	HORSCHER,D.S	8808220018	NUREG
HAYNES,J.G.	8808260205	50-528 S	HILL,H.L	8809060210	40-8857	HOSEY,C M	8808310239*	50-327 Q
HAYNES,J.G.	8808260419	50-528 S	HILL,WHILTON,R.	8809090093	50-457 S	HOSEY,C.M.	8809010039*	50-250 Q
HAYNES,J.G.	8808290250	50-530 S	HILL,WHILTON,R	8809230039	50-443 G	HOSEY,C.M.	8809080110*	50-424 Q
HAYNES,J.G.	8809020057	50-529 S	HILLMAN,C.T.	8809230039	50-443 G	HOSEY,C M.	8809220278*	50-395 Q
HAYNES,J.G.	8809080002	50-528 S	HILLMAN,D.J	8809150305	50-255 F	HOSEY,C.M.	8809260162*	70-143
HAYNES,J.G.	8809140167	50-528 S	HINDMAN,T.B.	8809290109*	REVIEW GR P	HOSEY,C.M.	8809260181*	50-335 Q
HAYNES,J.G.	8809140245	50-530 R	HINDMAN,T.B.	8809150320*	WASTE MGT	HOSEY,C.M.	8809260248*	50-321 Q
HAYNES,J.G	8809220139	50-528 R	HINDS,J.M.	8808260299*	50-454 Q	HOUGH,R.	8809260272*	50-259 Q
HAYNES,J.G.	8809260264	50-528 S	HINDS,J M.	8809180168*	50-295 Q		8809200065*	50-368 P

PERSONAL AUTHOR INDEX 293

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOUSE, J.E.	8809190345*	50-454 Q	ITZO, R.F.	8809070527*	PROJ	JONES, J.M.	8809010343*	CONTRACT
HOUSE, W.B.	8809020277*	50-395 R	JABBOUR, K.N.	8809130133	50 413 P	JORDAN, E.L.	8702030158*	50-293 P
HOWARD, D.R.	8808290313	50-368 R	JABLONSKI, F.J.	8808300212*	50-315 Q	JORDAN, E.L.	8708050242*	PR
HOWARD, D.R.	8808290323	50 313 R	JABLONSKI, F.J.	8808230261*	50-483 Q	JORDAN, E.L.	8708200077	REVIEW GR P
HOWARD, D.R.	8809140101	50-313 R	JACKSON, G.	8809140388*	40 2061	JORDAN, E.L.	8801270199*	REVIEW GR P
HOWARD, D.R.	8809140405	50-368 P	JACOBSON, J.M.	8809070478*	50 316 Q	JORDAN, E.L.	8802100081	50-348 Q
HOWARD, D.R.	8809190203	50-313 Q	JACOBSON, L.M.	8809260134*	50 443 G	JORDAN, E.L.	8802250361*	REVIEW GR P
HOWARD, D.R.	8809200056	50 368 P	JAFFE, D.H.	8809190103	50-336 P	JORDAN, E.L.	8803070309*	REVIEW GR P
HOWARD, D.R.	8809200328	50 313 R	JAFFE, D.H.	8809220056	50-423 P	JORDAN, E.L.	8804140381	REVIEW GR P
HOWARD, D.R.	8809200337	50-368 R	JANG, J.C.	8809230002*	50-387 Q	JORDAN, E.L.	8804210482	REVIEW GR P
HOWARD, D.R.	8809220174	50-313 P	JANUSKA, A.	8809260350*	50-263 Q	JORDAN, E.L.	8805040308*	50-322 F
HOWARD, D.R.	8809220293	50-313 V	JANUSKA, A.G.	8809290309*	50-237 Q	JORDAN, E.L.	8805110236	REVIEW GR P
HOWARD, D.R.	8809220301	50-313 Q	JAPE, F.	8809300322*	50-280 Q	JORDAN, E.L.	8805250009	REVIEW GR P
HOWARD, D.R.	8809260132	50-313 P	JAPE, F.	8809300331*	50-321 Q	JORDAN, E.L.	8808130173*	REVIEW GR P
HOWARD, J.E.	8809290192*	50 382 Q	JAPE, F.	8809070170*	50-280 Q	JORDAN, E.L.	8807190082	REVIEW GR P
HOWE, A.G.	8808260102*	50-322 V	JAPE, F.	8809130263*	50-400 Q	JORDAN, E.L.	8808300126	REVIEW GR P
HOWE, A.G.	8808260272*	50-373 V	JAPE, F.	8809220140*	50-400 Q	JORDAN, E.L.	8809010324	REVIEW GR P
HOWE, A.G.	8809130100*	50-277 V	JAPE, F.	8809220186*	50-424 Q	JORDAN, E.L.	8809010329	REVIEW GR P
HOWE, A.J.	8809140359	50-400 S	JAPE, F.	8809260207*	50-302 Q	JORDAN, E.L.	8809010329	REVIEW GR P
HOWE, A.J.	8809190333	50 400 S	JAUDON, J.P.	8809010008	50-295 S	JORDAN, E.L.	8809130254	REVIEW GR P
HOYLE, J.	8809020002	QA999	JAUDON, J.P.	8809080276	50-333 S	JORDAN, E.L.	8809160167*	REVIEW GR P
HOYLE, J.C.	8808290041	COMMISSION	JEFFERSON, R.M.	8809010164	PR	JORDAN, E.L.	8809190005*	REVIEW GR P
HOYLE, J.C.	8809020137	COMMISSION	JEFFRIES, C.	8809200147	50-400 S	JORDAN, E.L.	8809190101	REVIEW GR P
HOYLE, J.C.	8809090086	COMMISSION	JENKINS, K.M.	8809260237*	50-327 Q	JORDAN, E.L.	8809200138	REVIEW GR P
HOYLE, J.C.	8809130309*	PR	JENKINS, R.E.	8809300248	50 410 S	JORDAN, M.	8808260272*	50-373 V
HOYLE, J.C.	8809190155	COMMISSION	JENKINS, R.E.	8809310090	50 410 S	JORDAN, M.	8809070338*	50-341 V
HSU, C.J.	8809060147	NUREG	JENKINS, R.E.	8809010247	50 410 S	JORDAN, M.J.	8808310040*	50-254 V
HSU, C.J.	8809060157	NUREG	JENSEN, W.	8809140066*	40-3453	JORDAN, P.	8809020184	40-8971
HSU, C.J.	8809080181	NUREG	JOHANSEN, J.	8809200335	1&E	JORDAN, W.S.	8809210119*	WASTE MGT
HU, M.H.	8809130036*	50-206 Q	JOHANSEN, J.	8809210195	1&E	JORDAN, W.S.	8809210119*	WASTE MGT
HUBER, M.P.	8809140441*	50-288 Q	JOHNSON, A.D.	8809280249*	50 208 Q	JOSEPH, V.R.	8809260342	50-423 S
HUCK, P.J.	8809120099	WASTE RES	JOHNSON, B.D.	8807130473	50 255 Q	JOSIGER, W.A.	8809010276	50-286 P
HUDSPETH, J.B.	8809150212	50-348 F	JOHNSON, B.D.	8809080278	50-255 R	JOSIGER, W.A.	8809070328	50-286 R
HUENTES, R.T.	8809150126	50-315 F	JOHNSON, B.D.	8809080013	50-155 S	JOSIGER, W.A.	8809080024	50-286 Q
HUEY, F.R.	8808280249*	50-206 Q	JOHNSON, B.D.	8809140150	50 255 S	JOSIGER, W.A.	8809140383	50-286 V
HUEY, F.R.	8809190240*	50-275 Q	JOHNSON, B.D.	8809150118	50 155 P	JOSIGER, W.A.	8809150205	50-286 Q
HUEY, R.	8808300021	50-361 S	JOHNSON, C.E.	8809020183*	50 498 P	JOSIGER, W.A.	8808260184	50-286 R
HUFF, W.J.	8809070482	PR	JOHNSON, C.E.	8809140078*	50 498 Q	JOYNER, J.	8808260020	70-1100
HUGHES, A.	8809010339	CONTRACT	JOHNSON, D.E.	8809260142*	50 443 G	JOYNER, J.	8808210190*	REVIEW GR P
HUGHES, A.	8809130128	CONTRACT	JOHNSON, D.E.	8809260142*	50 443 G	JOYNER, J.H.	8809210127*	REVIEW GR P
HUGHES, A.	8809140123	CONTRACT	JOHNSON, I.M.	8809070461	50-254 P	JULIAN, C.A.	8808260427	50 261 Q
HUKILL, H.D.	8809070325	50-289 Q	JOHNSON, I.M.	8809120189	50-237 P	JULIAN, C.A.	8808260432*	50 261 Q
HUKILL, H.D.	8809070330	50-289 P	JOHNSON, I.M.	8809150338	50 237 P	JULIAN, C.A.	8809020223*	50-315 Q
HUKILL, H.D.	8809070339	50-289 S	JOHNSON, J.	8809050106*	50 255 Q	JULIAN, C.A.	8809060012*	50-315 Q
HUKILL, H.D.	8809080049	50-289 R	JOHNSON, J.	8809140293	50 286 P	JULIAN, C.A.	8809070112	50-369 V
HUKILL, H.D.	8809150007	50-289 Q	JOHNSON, J.R.	8808260400*	50-333 Q	JULIAN, C.A.	8809070280	50-259 V
HUKILL, H.D.	8809200047	50-289 S	JOHNSON, J.R.	8808300247	50-400 S	JULIAN, C.A.	8809130023	50-413 Q
HUKILL, H.D.	8809200154	50-289 P	JOHNSON, J.R.	8809010344	50 400 S	JULIAN, C.A.	8809130029*	50-413 Q
HULBERT, D.D.	8809140202*	50 440 G	JOHNSON, J.R.	8809140146	50-400 S	JULIAN, C.A.	8809200042	50 62 V
HUMPHREY, L.W.	8809200006*	50-313 P	JOHNSON, J.R.	8809230155*	50-220 Q	JULIAN, C.A.	8809200259	50-335 Q
HUNNICUTT, D.M.	8809080354*	50-498 Q	JOHNSON, K.I.	8809220089	NUREG	JULIAN, C.A.	8809220263	50-324 Q
HUNSADER, S.C.	8809010051	50-456 F	JOHNSON, P.	8809300021	50-361 S	JULIAN, C.A.	8809260274	50-338 Q
HUNSADER, S.C.	8809010272	50 456 P	JOHNSON, P.H.	8809140215*	50-397 Q	JULIAN, E.L.	8809160054	50-335 Q
HUNSADER, S.C.	8809080406	50-456 P	JOHNSON, P.H.	8809200106*	50-206 Q	KAHLE, J.B.	8809070022*	50-413 Q
HUNSADER, S.C.	8809130311	50-454 P	JOHNSON, R.	8808260340	50 261 F	KAHLE, J.B.	8809160290*	50 413 Q
HUNSADER, S.C.	8809140024	50-456 Q	JOHNSON, R.	8809190128	50 261 F	KAHLE, J.B.	8809200086*	50-338 Q
HUNSADER, S.C.	8809140050	50-457 P	JOHNSON, R.W.	8809220098	NUREG	KALE, S.O.	8809150320*	WASTE MGT
HUNSADER, S.C.	8809190176	50 457 S	JOHNSON, S.C.	8809210261	70 143	KAMMERER, C.	8808300171	STATE PROG
HUNT, M.	8809230016*	50-338 Q	JOHNSON, S.C.	8809220275	70-143	KAMMERER, C.	8809160194*	FOIA
HUNT, M.D.	8809070091*	50-425 Q	JOHNSON, S.G.	8809080041	50-302 R	KAMMERER, C.	8809160305*	FOIA
HUNT, M.D.	8809070397*	50-425 Q	JOHNSON, T.C.	8809080202	50-278 S	KAMMERER, C.	8809200294*	REVIEW GR P
HUNTER, D.R.	8809060332*	50-482 Q	JOHNSON, T.C.	8809280152	WASTE MGT	KANE, G.E.	8809080091	50-339 S
HUNTER, D.R.	8809210095*	50 482 Q	JOHNSON, W.J.	8809070414	50 601 K	KANE, W.F.	8702190275*	50-293 P
HURLEY, J.	8808300294	50-416 F	JOHNSON, W.J.	8809150082	TOPREP	KANE, W.F.	8808260406	50-387 Q
HUTCHISON, L.	8809010199	50-397 R	JOHNSON, W.J.	8809260290	TOPREP	KANE, W.F.	8808290189	50-247 Q
HUTCHISON, L.B.	8809160197	50-397 R	JOHNSON, W.J.	8809260298	TOPREP	KANE, W.F.	8808290190*	50-247 Q
HUTTER, A.M.	8809080067	PR	JOHNSTON, J.R.	8809140177	50-155 R	KANE, W.F.	8809010388	50-219 Q
HYATT, E.C.	8809150286	NUREG	JOHNSTON, W.V.	8808260325	50-219 Q	KANE, W.F.	8809160184*	50-293 T
IGNE, E.	8809160091*	50-293 F	JOHNSTON, W.V.	8808290280	50-213 Q	KANE, W.F.	8809160189*	50-293 T
IMBRO, E.V.	8809230229*	50-285 Q	JOHNSTON, W.V.	8808300086	50-272 Q	KANE, W.F.	8809160196*	50-293 P
INGLE, S.	8809010283	40-8857	JOHNSTON, W.V.	8808300104	50-387 Q	KANE, W.F.	8809260165	50-277 Q
INGLE, S.	8809060029	40-8857	JOHNSTON, W.V.	8808300123	50-387 Q	KAPLAN, A.	8808250304	50-440 Q
INGLE, S.	8809060183	40-8502	JOHNSTON, W.V.	8808300350	50-271 Q	KAPLAN, A.	8808260245	50-440 Q
INGLE, S.	8809060274	40 8502	JOHNSTON, W.V.	8809020064	50-423 Q	KAPLAN, A.	8809010196	50-440 R
INGLE, S.	8809070012	40 8857	JOHNSTON, W.V.	8809130085	50-363 Q	KAPLAN, A.	8809060038	50-440 R
INGLE, S.	8809140115	40-8684	JONAS, O.	8809060200	NUREG	KAPLAN, A.	8809070353	50 440 Q
INGRAM, F.L.	8809120240*	PR	JONAS, O.	8809060200	NUREG	KAPLAN, A.	8809080030	50-440 R
INTERANTE, C.G.	8808300158	WASTE RES	JONAS, S.A.	8809120134	50-443 G	KAPLAN, A.	8809130166	50-440 F
IPOLITO, T.A.	8809160123*	50-293 P	JONAS, S.A.	8809120134	50-443 G	KAPLAN, A.	8809140019	50-440 P
IRWIN, D.P.	8809120009	50-277 G	JONAS, S.A.	8809120134	50-443 G	KAPLAN, A.	8809140265	50-440 Q
IRWIN, D.P.	8809120009	50-277 G	JONAS, S.A.	8809120134	50-443 G	KAPLAN, A.	8809140434	50-440 F
IRWIN, D.P.	8809210011	50-322 G	JONAS, S.A.	8809120136	50-443 G	KAPLAN, A.	8809140487	50-440 S
IRWIN, D.P.	8809210011	50-322 G	JONAS, S.A.	8809160071	50 443 G	KAPLAN, A.	8809150084	50-440 H
IRWIN, D.P.	8809230017	50-322 G	JONAS, S.A.	8809190028	50-443 G	KAPLAN, A.	8809200115	50-440 Q
IRWIN, D.P.	8809230017	50-322 G	JONAS, S.A.	8809190074	50-443 G	KAPLAN, A.	8809200128	50-440 R
IRWIN, D.P.	8809230022	50-322 G	JONAS, S.A.	8809260040	50-443 G	KAPLAN, A.	8809260205	50-440 P
IRWIN, D.P.	8809230022	50-322 G	JONES, D.W.	8809010049*	70-27	KARAM, R.A.	8809200131	50-160 Q
ISKANDRIAN, A.S.	8809010317	PR	JONES, D.W.	8809200157*	70-143	KARAM, R.A.	8809200139*	50-160 Q

294 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
KARNER, D.B	8809010109	50-528	P	KINGSLEY, O.D	8809080119	50-416	P	KREH, J.L	8809010156*	50-327	Q
KARNER, D.B	8809010257	50-528	P	KINGSLEY, O.D	8809080180	50-416	P	KREH, J.L	8809140463*	50-269	Q
KARNER, D.B	8809060032	50-528	F	KINGSLEY, O.D	8809140082	50-313	P	KRIEG, D.J	8809080093*	50-412	P
KARNER, D.B	8809070048	50-528	F	KINGSLEY, O.D	8809150026	50-416	F	KRIEGER, R	8809150126	50-315	F
KARNER, D.B	8809070150	50-528	F	KINGSLEY, O.D	8809150220	50-416	Q	KRIEGLER, R	8809010371	50-315	F
KARNER, D.B	8809070298	50-528	V	KINGSLEY, O.D	8809150233	50-416	Q	KRIEGLER, R	8808020007	50-315	F
KARNER, D.B	8809070301	50-528	Q	KINGSLEY, O.D	8809160044	50-416	Q	KRIEGLER, J.B	8809020016	50-315	F
KARNER, D.B	8809080059	50-528	I	KINGSLEY, O.D	8809190381	50-416	S	KROESCHKE, J.B	8809210033	50-224	Q
KARNER, D.B	8809090159	50-528	P	KINGSLEY, O.D	8809200060	50-416	Q	KROESCHKE, J.B	8809210033	50-224	G
KARNER, D.B	8809140222	50-528	Q	KINGSLEY, O.D	8809200111	50-416	R	KROESCHKE, J.B	8809210048	50-224	G
KARNER, D.B	8809150147	50-528	P	KINGSLEY, O.D	8809200112	50-416	Q	KROESCHKE, J.B	8809210048	50-224	G
KARNER, D.B	8809200152	50-528	Q	KINGSLEY, O.D	8809200364	50-416	F	KRYTER, K.D	8809260158*	50-443	G
KARNER, D.B	8809200183	50-528	P	KINNEMAN, J	8809202188*	70-698		KRYTER, K.D	8809260168*	50-443	G
KASSIR, M.K.	8809060195	NUREG		KINNEMAN, J.D	8809010308	40-7102		KUDLUK, M	8809070157	FOIA	
KASZA, K.E	8809060198	NUREG		KINNEMAN, J.D	8809020168	70-698		KUEMIN, J.L	8809060030	50-255	P
KATZ, D.	8809080325	TOPREP		KINNEMAN, J.D	8809130088	40-7102		KUEMIN, J.L	8809140294	50-255	P
KAVANAUGH, M	8809150026	50-416	F	KINTNER, E.E	8809300036	PROJ		KUEMIN, J.L	8809210223	50-255	P
KAVULA, M.P	8809150304	PR		KINTNER, E.E	8809300036	PROJ		KUEMIN, J.L	8809230020	50-255	P
KAY, C.E.	8808290324*	WASTE MGT		KINTNER, E.E	8809300262	50-320	P	KUFFEL, E.G	8809080245	NUREG	
KAY, C.E.	8809150273	PR		KINTNER, E.E	8809210041	PROJ		KUNCL, L.G.	8809150031	50-298	Q
KAY, C.E	8809210218*	WASTE MGT		KINTNER, L.L	8809290038	50-416	P	KUNCL, L.G.	8809220016	50-298	Q
KEAST, D.N.	8809260149*	50-443	G	KINTNER, L.L	8809060322	50-416	P	KUNOWSKI, M.A	8809010131*	50-315	Q
KEAST, D.N.	8809260149*	50-443	G	KINTNER, L.L	8809060324*	50-416	P	KUO, A.	8809300037*	50-333	P
KEATING, L.	8809150055*	XPORTLIC		KINTNER, L.L	8809190064	50-416	P	KUROWSKI, L.G.	8809080155	FOIA	
KEHELEY, T.H.	8809120208*	50-237	P	KINTNER, L.L	8809190075	50-416	P	KUZAY, T.M	8809060198	NUREG	
KEIMIG, R.R.	8808260348*	70-371		KINTNER, L.L	8809190088	50-416	P	KUZO, G.B.	8809010039*	50-250	Q
KEIMIG, R.R.	8808300341*	70-1100		KINTNER, L.L	8809220036*	50-416	P	KWOK, K.S.	8809070337	50-20	R
KEIMIG, R.R.	8809010381*	50-277	Q	KINTNER, L.L	8809230024	50-416	P	KWOK, K.S.	8809190070	50-20	R
KEIMIG, R.R.	8809260116*	50-277	Q	KINTNER, L.L	8809260049	50-416	P	LABRUNA, S.	8809260099	50-354	S
KEIMIG, R.R.	8809260116*	50-277	Q	KIRSCH, D.F.	8809070530	50-32	V	LABRUNA, S.	8809010080	50-354	S
KEISER, H.W	8809010233	50-387	P	KIRSCH, D.F.	8809080016	50-288	V	LACKER, D.K	8809150316	PR	
KEISER, H.W.	8809080121	50-387	V	KIRSCH, D.F.	8809090277*	PR		LACKER, D.K.	8809230272*	REVIEW GR	P
KEISER, H.W.	8809080127	50-387	Q	KISER, D.M	8809220096	NUREG		LAGRANGE, R.G.	8809090141*	50-261	Q
KEISER, H.W.	8809080173	50-387	R	KLEINSORGE, W.P.	8809270022*	50-250	Q	LAI, Y.L.	8809060245	NUREG	
KEISER, H.W.	8809150181	50-387	V	KNAPP, M.R.	8809090051*	50-322	F	LAINAS, G.C.	8702120481*	50-410	P
KEISER, H.W.	8809160253*	REVIEW GR	P	KNIGHT, J.P.	8412050571*	50-410	P	LAINAS, G.C.	8702250407*	50-410	P
KEISER, H.W.	8809260056	50-387	R	KNIGHT, M.R	8809200047	50-289	S	LAM, P.	8809310189*	ORG	
KEISER, H.W.	8809260292	50-367	F	KNIGHT, S.P.	8809020191	40-8027		LAMASTHA, M.A	8809200338*	REVIEW GR	P
KEISER, H.W.	8809270115	50-367	F	KNIGHT, S.P	8809060128	40-8027		LAMBE, W.M.	8809300125	50-346	M
KELLEY, C.D.	8809120186	40-8914		KNIGHT, S.P	8809070013	40-8027		LAMBERT, K	8809070025	40-8968	
KELLEY, C.D.	8809160085*	40-8914		KNIGHTON, G.W.	8808260117*	50-344	P	LAMBERT, P.A	8809120111*	50-461	P
KELLY, J.A.	8808300148*	50-458	Q	KNIGHTON, G.W.	8808260188*	50-206	P	LAMBERT, P.A	8809230001*	50-374	P
KELLY, J.L	8809010312	50-259	R	KNIGHTON, G.W.	88083010172*	50-208	P	LAMBERT, P.E	8809300338*	50-331	P
KELLY, L.	8809260184	50-286	R	KNIGHTON, G.W.	8808310191*	50-361	P	LANCASTER, W.K.	8809260116*	50-277	Q
KELLY, W.J	8809010334	50-275	S	KNIGHTON, G.W	8808310208*	50-361	P	LANCASTER, W.K	8809260116*	50-277	Q
KELMERS, A.D.	8809120092	WASTE RES		KNIGHTON, G.W	8808310225*	50-361	P	LANE, P.H	8809140383*	50-528	I
KEMPER, J.S.	8808260095	50-353	Q	KNIGHTON, G.W.	8809010232*	50-275	P	LANGE, D.J.	8808260102*	50-322	V
KEMPER, J.S.	8808260274	50-353	A	KNIGHTON, G.W.	8808060341*	50-275	P	LANGE, D.J	8809130100*	50-277	V
KEMPER, J.S.	8809140189	50-353	A	KNIGHTON, G.W.	8809150025*	50-206	P	LANGE, D.L	8809080123	50-219	V
KENEFICK, R.A	8808260083*	50-128	Q	KNIGHTON, G.W.	8809150032*	50-381	P	LANGFORD, D.	8809010238	50-247	P
KENNEDY, E.E	8809060188	40-8903		KNIGHTON, G.W.	8809160179*	50-397	P	LANGFORD, D	8809010242*	50-247	P
KENNEDY, E.E.	8809140091	40-8903		KNIGHTON, G.W	8808230134*	50-528	P	LANGFORD, D	8809020017	50-247	P
KENNY, P.J.	8809160254*	50-293	Q	KNIGHTON, G.W	8809270064*	50-206	P	LANGFORD, D	8809060273	50-247	P
KENNY, P.J	8809160255*	50-293	Q	KNIGHTON, G.W	8809270071	50-206	P	LANGFORD, D	8809210265	50-247	Q
KENSICK, S.F.	8809060038	50-440	R	KNODE, R.	8809140038	40-8943		LANGLEY, J.R	8809060187	TOPREP	
KEPPER, J.	8809120178*	WASTE MGT		KNOP, R.	8809140418	50-440	S	LANGLEY, J.R.	8809130205	TOPREP	
KEPPER, J.G	8809090180*	50-166	Q	KNOP, R.C	8809230283	50-440	Q	LAROCHE, G.	8809230221	40-8801	
KEPPER, J.G.	8809080259*	PR		KNOP, R.C.	8809230286*	50-440	Q	LAROCHE, G.	8809230233	40-8801	
KERR, G.W.	8809120251*	PR		KNOP, R.C	8809260010	50-346	Q	LAROCHE, G.	8809310240	40-8801	
KERR, W.	8809070415	50-2	F	KNOP, R.C	8809260280	50-461	Q	LAROCHE, G.	8809060345	40-8801	
KEUTER, D.R.	8808300101	50-312	R	KNOP, R.C	8809260284*	50-461	Q	LAROCHE, G.	8809060367	40-8801	
KEUTER, D.R.	8809060348	50-312	P	KNOP, R.C.	8809260339	50-440	S	LAROCHE, G.	8809070073	40-8801	
KEUTER, D.R.	8809070452	50-312	P	KNOTT, J.B.	8809210112*	WASTE MGT		LAROCHE, G.	8809070285	40-8801	
KEUTER, D.R.	8809070557	50-312	S	KNOTT, J.B.	8809210112*	WASTE MGT		LAROCHE, G.	8809150230	40-8801	
KEUTER, D.R.	8809130213	50-312	R	KNOX, E.	8809070088	CONTRACT		LARRAGOITE, L.S	8809200266	60-317	S
KEUTER, D.R	8809140223	50-312	S	KNOX, E.	8809260307	CONTRACT		LARSON, C.E.	8808290115	50-263	Q
KEUTER, D.R.	8809150100	50-312	S	KNOX, J.A	8809080245	FOIA		LARSON, C.E.	8809060040	50-263	Q
KEUTER, D.R.	8809160092	50-312	P	KOBYLINSKI, A.W	8808230128*	REVIEW GR	P	LARSON, C.E.	8809140094	50-263	Q
KEUTER, D.R.	8809220325	50-312	R	KOCHIS, P.J.	8809200090*	50-320	P	LARSON, C.E.	8809150301	50-282	Q
KEUTER, D.R	8809230063	50-312	P	KOLSKY, K.B	8809230160	WASTE RES		LARSON, C.E.	8809150303	50-263	Q
KHAN, T.A.	8809220014	NUREG		KONKLIN, J.E.	8809130171*	50-341	Q	LARSON, C.E	8809190216	50-263	Q
KHATIB-RAHBAR	8808260214	NUREG		KONWINSKI, G.R	8809200268	40-2259		LARSON, C.E.	8809270016	50-282	Q
KIDD, B.Q.	8808300334*	70-27		KONWINSKI, G.R	8809200291	40-8452		LARSON, J.R.	8809220086	NUREG	
KIDO, G.	8710150112*	60-275	P	KOSHURBA, D.P	8809070049*	60-327	P	LASH, T.R.	8809080007	PR	
KILGORE, B.E	8809310158	50-327	S	KOSHY, T.	8809020163*	50-293	Q	LATHAM, S.B.	8809190084*	50-322	G
KING, L.P.	8808260488*	50-338	Q	KOSHY, T.	8809220311*	50-220	Q	LATHAM, S.B.	8809190084*	50-322	G
KING, M.	8808310040*	50-254	V	KOTKOWSKI, G.A	8808140052*	50-443	G	LATHAM, S.B.	8809230011	50-322	G
KING, T.F.	8809070056	50-483	P	KOTTAN, J.J.	8808220322*	50-293	Q	LATHAM, S.B.	8809230011	50-322	G
KINGSLEY, O.D.	8809190311	50-416	S	KOTTAN, J.J	8809230004*	50-29	Q	LATTA, R.M.	8809130232*	50-281	Q
KINGSLEY, O.D.	8808260004	50-416	S	KOWALCHUK, J.N.	8809080148*	50-213	P	LATZ, J.E.	8809230267	WASTE MGT	
KINGSLEY, O.D.	8808260125	50-416	P	KOWALSKI, S.J.	8808310049	50-353	S	LAUER, M.T.	8809010039*	50-250	Q
KINGSLEY, O.D	8808260312	50-416	P	KOWALSKI, S.J.	8809150002	50-352	Q	LAUER, M.T.	8809260181*	50-335	Q
KINGSLEY, O.D.	8808300294	50-416	F	KOZUP, C.S.	8808260024	50-255	F	LAUHALA, K.E	8809060245	NUREG	
KINGSLEY, O.D.	8808310080	50-313	I	KOZUP, C.S	8809010150	50-255	S	LAVEN, D.L.	8809010145	PR	
KINGSLEY, O.D	8809010066	50-416	P	KOZUP, C.S	8809190392	50-255	F	LAWRENCE, R.E	8808260096*	PROJ	
KINGSLEY, O.D	8809060283	50-416	V	KRAJICEK, J.E.	8809230268*	50-397	P	LAWYER,AWY			

PERSONAL AUTHOR INDEX 295

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LAZARUS, W J	8809020089*	50 286 Q	LIEBERMAN, J	8809130325	50-456 Q	MACDONALD, C E	8809010179	71 6717
LAZARUS, W J	8809020109*	50-247 Q	LIEBERMAN, J	8809190400	50-254 Q	MACDONALD, C E	8809010180	71-9036
LAZARUS, W J	8809070515*	50-20 Q	LIEBERMAN, J	8809200335	I&E	MACDONALD, C E	8809010193	71-5957
LAZARUS, W J	8809160101*	50-293 F	LIEBERMAN, J	8809210030	50-456 Q	MACDONALD, C E	8809010202	71 5939
LAZARUS, W J	8809190206*	50-220 Q	LIEBERMAN, J	8809210195	I&E	MACDONALD, C E	8809010215	71 9216
LE ROY, S E	8809260320	50 370 S	LIEBERMAN, J	8809210197	50-317 Q	MACDONALD, C E	8809010231	71-6717
LEACH, C E	8809120094*	50-483 P	LIEBERMAN, J	8809210201	50 387 Q	MACDONALD, C E	8809010264	71 657
LEAVER, D	8809210043*	PROJ	LIEBERMAN, J	8809260045	50-128 Q	MACDONALD, C E	8809010266*	71-657
LEE, L	8809220050*	REVIEW GR P	LIEBERMAN, J	8809270065	50-286 Q	MACDONALD, C E	8809010270	71-173
LEE, L	8809220081*	REVIEW GR P	LIMROTH, D	8809190151	50-317 S	MACDONALD, C E	8809010274*	71-173
LEE, L	8809220113*	REVIEW GR P	LINDER, R	8809300340*	50 498 P	MACDONALD, C E	8809010314	71-6717
LEE, L	8809220121*	REVIEW GR P	LINDQUIST, T R	8809210242*	50 255 P	MACDONALD, C E	8809010319	71-9058
LEE, L	8809220126*	REVIEW GR P	LINDQUIST, T R	8809230026*	50-255 P	MACDONALD, C E	8809010325	71 9102
LEE, T O	8809300100*	70-27	LINDSEY, T D	8809200386*	REVIEW GR P	MACDONALD, C E	8809010342	71-6717
LEE, T O	8809200232*	70-143	LINEHAN, J	8809150257	WASTE MGT	MACDONALD, C E	8809020110	71-9026
LEDS, E	8809310189*	OFI	LINEHAN, J	8809270153	WASTE MGT	MACDONALD, C E	8809020149	71-9058
LEGETTE, F L	8809180134	50-261 S	LINEHAN, J J	8809290091	WASTE MGT	MACDONALD, C E	8809060265	71-9177
LEGETTE, F L	8809200103	50-261 S	LINEHAN, J J	8809060249	WASTE MGT	MACDONALD, C E	8809060293	71-6717
LEHMAN, L L	8809300308	50 285 S	LINEHAN, J J	8809160105	WASTE MGT	MACDONALD, C E	8809070141	71-6717
LEHMAN, L L	8809260348	50-286 S	LINEHAN, J J	8809230287	WASTE MGT	MACDONALD, C E	8809090055	71-8003
LEHNER, J R	8809090147	NUREG	LINEHAN, J J	8809230290*	WASTE MGT	MACDONALD, C E	8809090057*	71-6003
LEHNER, J R	8809090157	NUREG	LINEHAN, J J	8809230296	WASTE MGT	MACDONALD, C E	8809130018	71-9187
LEHNER, J R	8809090181	NUREG	LINTON, O W	8809070552	PR	MACDONALD, C E	8809130022	71-9010
LEHNER, J R	8809090193	NUREG	LINVILLE, J	8809300318	50-352 S	MACDONALD, C E	8809130026*	71-9010
LEHNER, J R	8809090193	NUREG	LINVILLE, J	8809010379*	50-352 Q	MACDONALD, C E	8809130126	71-9032
LEITCH, G M	8809010179	50-352 R	LINVILLE, J	8809080202	50 278 S	MACDONALD, C E	8809160016	70-2786
LEITCH, G M	8809080023	50-352 R	LINVILLE, J C	8809290068*	50 353 Q	MACDONALD, C E	8809200035	71-5980
LEITCH, G M	8809080055	50-352 R	LINVILLE, J C	8809080134	50 277 Q	MACDONALD, C E	8809200182	71-361
LEITCH, G M	8809200164	50-352 R	LINVILLE, J C	8809080257	50-277 R	MACDONALD, C E	8809200191*	71-361
LEITCH, G M	8809080244	50-218 S	LINVILLE, J C	8809140298	50-277 P	MACDONALD, C E	8809200240	71-9176
LEITCH, L W	8809080244	50-218 S	LINVILLE, J C	8809140298	50-277 P	MACDONALD, C E	8809200240	71-9176
LEONARD, J D	8809010138	50-322 F	LITTLE, W S	8809260043*	50-258 Q	MACDONALD, C E	8809200245	71-5957
LEONARD, J D	8809010340*	50-322 V	LIVERMORE, H H	8809090108*	50 445 Q	MACDONALD, C E	8809200255	71-9081
LEONARD, J D	8809020272	50-322 R	LO, R	8809070121	50 281 P	MACDONALD, C E	8809200260	71-9010
LEONARD, J D	8809070455	50-322 Q	LO, R H	8809260389	50-281 P	MACDONALD, C E	8809200263	71-9079
LEONARD, J D	8809090016	50 322 Q	LO, R H	8809060405	50-281 P	MACDONALD, C E	8809200283	71-9070
LEONARD, J D	8809090016	50 322 Q	LO, R H	8809060405	50-281 P	MACDONALD, C E	8809200283	71-9070
LEONARD, J D	8809150231	50-322 Q	LOCKE, E P	8809200045	70-1151	MACDONALD, C E	8809200332	71-9151
LEONARD, J D	8809010098	50-369 F	LOCKE, H V	8809160106	50 275 Q	MACDONALD, C E	8809200340*	71-9151
LEONARD, R	8809090016	50-370 S	LOCKE, R F	8809150185	50 312 Q	MACDONALD, C E	8809200360	71-9018
LEROY, S E	8809140124	50-369 S	LOESCH, R	8809190284*	50-317 H	MACDONALD, C E	8809200366*	71-9016
LEROY, S E	8809150217	50 370 S	LOFGREN, E V	8809160126*	REVIEW GR P	MACDONALD, C E	8809200372	71-9015
LEROY, S E	8809160308	50-369 S	LOFLIN, L I	8809260359	50-400 P	MACDONALD, C E	8809200377*	71-9015
LEROY, S E	8809230228	50-369 S	LOFLIN, L I	8809080208	50-261 Y	MACDONALD, C E	8809220208	71-9183
LEROY, S E	8809260220	50-370 S	LOFLIN, L I	8809080309	50-261 Q	MACDONALD, C E	8809230048	71-6553
LESKE, D N	8809080041	WASTE MGT	LOFLIN, L I	8809070440	50 400 Q	MACDONALD, C E	8809230052*	71-6583
LESSER, M S	8809010174*	50 413 Q	LOFLIN, L I	8809080031	50 400 P	MACDONALD, C E	8809260183	71-9183
LEWIS, J M	8809300157	50-368 S	LOFLIN, L I	8809080274	50 400 P	MACDONALD, C E	8809260188*	71-9163
LEWIS, J M	8809310187	50-313 Q	LOFLIN, L I	8809260085	50-324 H	MACDONALD, C E	8809210207	CONTRACT
LEWIS, J M	8809160148	50-368 S	LOFY, R A	88090903176	FOIA	MACE, M H	8809210215*	CONTRACT
LEWIS, J M	8809020037*	50-313 Q	LOFY, R A	8809270093*	CONTRACT	MACE, M H	8809130185	50-277 Q
LEWIS, J M	8809200228	50-368 S	LOGSDON, M J	8712160331	WASTE RES	MACFARLANE, D	8809310011*	50-218 Q
LEWIS, W	8809130173*	50-324 Q	LOGSDON, M J	8809080084	WASTE RES	MACHROS, A	8809230056*	50 443 G
LEWALD, G H	8809120014	50-443 G	LOGSDON, M J	8809080084	WASTE RES	MACKENZIE, D	8809200298*	REVIEW GR P
LEWALD, G H	8809120014	50-443 G	LOHAUS, P H	8809090130	WASTE MGT	MACKTAL, J J	8809210067*	50-445 G
LEWIS, D F	8809260236	50 483 F	LOHAUS, P H	8809090139	WASTE MGT	MADDEN, J	8809010381*	50-277 Q
LEWIS, J	8809290132*	50-259 P	LOHAUS, P H	8809120187	40 8500	MADDEN, J A	8809260116*	50-277 Q
LEWIS, J	8809290137*	50 259 P	LOHMAN, D C	8809090182	50 305 S	MADEDA, T J	8809150081*	50 456 Q
LEWIS, J	8809290139*	50-259 P	LOBL, J M	8809150286	NUREG	MADNLI, K	8809280214	NUREG
LEWIS, J	8809290140*	50-259 P	LOMBARDI, J P	8809200300*	REVIEW GR P	MAIDEN, G L	8809310126	50-458 S
LEWIS, J	8809290143*	50-259 P	LONG, J	8809190283*	REVIEW GR P	MAIDEN, G L	8809140089	50-458 S
LEWIS, J	8809290146*	50-259 P	LONG, J L	8809310072	50-327 S	MAIDEN, G L	8809190182*	50-298 Q
LEWIS, J	8809290147*	50-259 P	LONG, J T	8809280302*	REVIEW GR P	MAGAN, T F	8809060407*	CONTRACT
LEWIS, J	8809290148*	50-259 P	LORD, W	8809190065	50 443 G	MALARO, J C	8809200109*	REVIEW GR P
LEWIS, J	8809290149*	50-259 P	LORENZO, R	8809300293*	50-219 P	MALATESTA, J P	8809220237	50-277 Q
LEWIS, J	8809290163*	50-259 P	LORINO, J W	8809150107*	50-458 Q	MALDONADO, R A	8809140291	50-277 Q
LEWIS, J	8809290164*	50-259 P	LOSS, F J	8809220043	NUREG	MALINOSKI, J W	8809310100	71-9032
LEWIS, J	8809290166*	50-259 P	LOUX, R R	8712190010	WASTE MGT	MALLET, B	8809210143*	REVIEW GR P
LEWIS, J	8809290168*	50-259 P	LOUX, R R	8809120105	WASTE MGT	MALLET, B S	8809290119	50-315 Q
LEWIS, M	8809290088	50-251 S	LOUX, R R	8809120131	WASTE MGT	MALLET, B S	8809280124*	50-315 Q
LEWIS, M	8809300339	50-251 S	LOUX, R R	8809270160	WASTE MGT	MALLET, B S	8809140442	50-263 F
LEWIS, D	8809140436	50-327 S	LOVEJOY, C A	8809090281*	50-275 T	MALLET, B S	8809140446	50-263 F
LEWIS, E B	8809260168*	50 443 G	LOVEJOY, C A	8809090281*	50 275 T	MALLET, B S	8809140455	50-282 F
LEWIS, E B	8809260168*	50-443 G	LOWENBERG, H	8809190012	WASTE MGT	MALLET, B S	8809150081*	50-456 Q
LEWIS, E B	8203240109*	FOIA	LUCKAS, W J	8611040400*	50-410 P	MALLET, B S	8809160132	50-282 F
LEWIS, E B	8205120056*	FOIA	LUCKAS, W J	8809060147	NUREG	MALLET, B S	8809190159*	REVIEW GR P
LEWIS, E B	8208120035*	FOIA	LUCKAS, W J	8809060157	NUREG	MALLET, B S	8809190274*	REVIEW GR P
LEWIS, E B	8805100328*	FOIA	LUCKAS, W J	8809060174	NUREG	MALLET, B S	8809200229*	REVIEW GR P
LEWIS, E B	8809300041	I&E	LUCKAS, W J	8809060181	NUREG	MALLET, B S	8809230230*	REVIEW GR P
LEWIS, E B	8809300081	50-280 Q	LUCKAS, W J	8809060193	NUREG	MALLET, B S	8809230252	50 483 F
LEWIS, E B	8809010040	I&E	LUCKAS, W J	8809190400	50-264 Q	MALLET, B S	8809230277	I&E
LEWIS, E B	8809060049	I&E	LUCKAS, W J	8809210187	50-317 Q	MALLET, B S	8809270055	50-461 S
LEWIS, E B	8809070542	50-324 Q	LUCKAS, W J	8809210201	50-387 Q	MALLET, B S	8809290189*	REVIEW GR P
LEWIS, E B	8809080327*	FOIA	LUCKAS, W J	8809270085	50-286 Q	MALLET, B S	8809290180*	REVIEW GR P
LEWIS, E B	8809080336*	FOIA	LUCKAS, W J	8809070543*	CONTRACT	MALLET, B S	8809290255*	REVIEW GR P
LEWIS, E B	8809080345*	FOIA	LUCKAS, W J	8809220053	NUREG	MALLOY, M	8809230170	50-445 A
LEWIS, E B	8809080370*	FOIA	LYONS, E	8809160288	50-251 S	MALLOY, M	8809260168	50-445 A
LEWIS, E B	8809080375*	FOIA	LYONS, E	8809180186	50-251 S	MALODY, C W	8809290341*	XPORTLIC
LEWIS, E B	8809080383*	FOIA	LYONS, E L	8809020133	PR	MALODY, C W	8809290345	XPORTLIC
LEWIS, E B	8809080383*	50-10 Q	MACDONALD, C E	8809310120	71-9036	MALODY, C W	8809300071*	XPORTLIC

296 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MALODY,C.W.	8808300097	XPORTLIC	MATTHEWS,D.B.	8809230036	50 269 S	MCDONALD,R.P.	8809080015	50-321 V
MALODY,C.W.	8809070437	70-1257 P	MATTHEWS,D.B.	8808230065	50-269 P	MCDONALD,R.P.	8808080075	50 321 V
MALODY,C.W.	8809150349	PR	MATTHEWS,M.	8809220050*	REVIEW GR P	MCDONALD,R.P.	8809080365	50 424 V
MALONE,D.L.	8809220324*	50-327 P	MATTHEWS,M.	8808220081*	REVIEW GR P	MCDONALD,R.P.	8809080365	50 321 F
MALSCH,M.G.	8703060109	SECY	MATTHEWS,M.	8809220113*	REVIEW GR P	MCDONALD,W.G.	8808260278	PR
MALY,J.A.	8809060147	NUREG	MATTHEWS,M.	8808220121*	REVIEW GR P	MCDONALD,W.G.	8808290008	PR
MALY,J.A.	8809060157	NUREG	MATTHEWS,M.	8809220126*	REVIEW GR P	MCDONALD,W.G.	8808290035	PR
MANGAN,C.V.	8809070358	50-220 Q	MAUCK,C.J.	8808260170	71-9132	MCDONALD,W.G.	8808290121	PR
MANGAN,C.V.	8809200034	50-410 Q	MAUCK,C.J.	8808290014	71-361	MCDONALD,W.G.	8809060247	ORG
MANGANARO,F.F.	8809080249*	50 219 Q	MAUCK,C.J.	8809010313	71-6678	MCDONALD,W.G.	8809120229*	FOIA
MANN,S.A.	8809010261	PR	MAXWELL,D.C.	8809180351	50 237 R	MCDONALD,W.G.	8808260271	PR
MANN,S.A.	8809200168	PR	MAY,B.	8809010040	PR	MCDUFFIE,M.A.	8808310221	50 400 V
MARKEY,E.J.	8808280348*	COMMISSION	MAZZAFERRO,P.	8809080204	50-410 S	MCDUFFIE,M.A.	8809010104	50-324 Q
MARKEY,M.T.	8809190275*	50-387 Q	MAZZAFERRO,P.	8809080146	50-410 S	MCDUFFIE,M.A.	8809140296	50 281 Q
MARKS,B.K.	8808260292	50-259 F	MAZZAFERRO,P.	8809200071	50-410 S	MCDUFFIE,M.A.	8809140422	50 281 Q
MARRIOTT,P.W.	8808160103	50 605 A	MAZZAFERRO,P.A.	8809070407	50 410 S	MCDUFFIE,M.A.	8808230270	50 324 Q
MARSHALL,C.	8809140154	50 244 S	MAZZAFERRO,P.A.	8809080169	50-410 S	MCDUFFIE,M.A.	8808260114	50 324 P
MARSHALL,C.	8809230146	50 244 S	MAZZAFERRO,P.A.	8809080186	50-410 S	MCEACHERN,P.	8809190053	50 443 G
MARSH,L.B.	8809060308	50-244 P	MAZZAFERRO,P.A.	8809080240	50 410 S	MCEACHERN,P.	8809180053	50 443 G
MARSH,L.B.	8809070254	50 335 P	MAZZIE,V.J.	8809080148*	50 213 P	MCEACHERN,P.	8809260048	50 443 G
MARSH,L.B.	8809070428	50-397 P	MAZZIE,V.J.	8809080149*	50 213 Q	MCEACHERN,P.	8809260048	50 443 G
MARSH,L.B.	8809080223	50-250 P	MALPINE,E.J.	8808260017*	50 369 P	MCELHINNEY,T.F.	8809130156*	50 250 Q
MARSH,R.N.	8809010091	TOPREP	MALPINE,E.J.	8808260489*	70 143	MCGEE,D.R.	8809080245	NUREG
MARSHALL,B.M.	8809020231	50 338 S	MALPINE,E.J.	8809010049	70-27	MCGRATH,J.	8808260236	I&E
MARSHALL,J.S.	8809070416	50-445 S	MALPINE,E.J.	8809130107*	70-1113	MCGRATH,J.	8809020248	I&E
MARSHALL,J.S.	8809140083	50 445 F	MALPINE,E.J.	8809150028*	70 27	MCGRATH,J.	8809020252	I&E
MARSHALL,J.S.	8809140340	50 445 F	MALPINE,E.J.	8809200157*	70-143	MCGUFFIN,J.C.	8809270107*	CONTRACT
MARSHALL,J.S.	8809140367	50 445 F	MALPINE,E.J.	8808200232*	70-143	MCGUIRE,D.	8809070417*	50 416 Q
MARSHALL,J.S.	8809180281	50-445 S	MALPINE,E.J.	8808220225*	70-143	MCGUIRE,D.R.	8808260514*	50 338 Q
MARSHALL,J.S.	8809260060	50-445 S	MALPINE,E.J.	8809130087*	50 353 Q	MCGUIRE,D.R.	8808260519*	50 336 Q
MARSHALL,J.S.	8809260186	50 445 A	MALPINE,E.J.	8808300316	50 498 P	MCGUIRE,D.R.	8808290018*	50-280 Q
MARSHALL,S.	8809210031*	REVIEW GR P	MALPINE,E.J.	8809010035	50-498 P	MCGUIRE,D.R.	8808310076*	50 424 Q
MARSHALL,W.	8809010323	50 302 F	MALPINE,E.J.	8809080014	50-498 P	MCGUIRE,D.R.	8809060262*	50 269 Q
MARSHALL,W.	8809010368	50 302 F	MALPINE,E.J.	8809220035	50-498 R	MCGUIRE,D.R.	8809070549	50 250 Q
MARSHALL,W.	8809260257	50 302 F	MALPINE,E.J.	8809300162	50-423 Q	MCGUIRE,D.R.	8809200171*	50 413 Q
MARTIN,D.B.	8805260237*	REVIEW GR P	MALPINE,E.J.	8809080183	50-213 Q	MCGUIRE,L.	8809260241	50 454 F
MARTIN,J.B.	8808290237	50 208 Q	MALPINE,E.J.	8809090005*	50-423 Q	MCGURK,J.	8809210026*	REVIEW GR P
MARTIN,J.B.	8808290241*	50 206 Q	MALPINE,E.J.	8808090113*	50-277 S	MCHENRY,T.J.	8808290289	50 321 F
MARTIN,J.B.	8808290243*	50 206 Q	MALPINE,E.J.	8809090118*	50-317 S	MCINTOSH,J.T.	8809070326	50 269 F
MARTIN,J.B.	8809190227	50 275 Q	MALPINE,E.J.	8809230122*	50-245 Q	MCINTYRE,A.C.	8809090145*	50-499 Q
MARTIN,J.B.	8809190233*	50 275 Q	MALPINE,E.J.	8809140328	71-8639	MCKEE,E.S.	8809010163*	50 424 P
MARTIN,R.D.	8808300139	50-456 Q	MALPINE,E.J.	8809300089	50-271 Q	MCKEE,P.F.	8612310221*	PR
MARTIN,R.D.	8808020275	50 498 Q	MALPINE,E.J.	8707160252*	REVIEW GR P	MCKEOWN,J.A.	8809010084	PR
MARTIN,R.D.	8809120145*	FOIA	MALPINE,E.J.	8809160016	WASTE MGT	MCKERNON,T.O.	8809060354*	50 498 Q
MARTIN,R.D.	8809160217*	FOIA	MALPINE,E.J.	8809090084*	70-3018	MCKIBBEN,J.C.	8808260160	50-188 S
MARTIN,R.D.	8808190208	50-482 Q	MALPINE,E.J.	8809220304*	70 734	MCLAUGHLIN,A.J.	8809260135	50 374 S
MARTIN,R.D.	8809230125	50-313 Q	MALPINE,E.J.	8809120037	50 322 G	MCLAREN,T.	8809270068	CONTRACT
MARTIN,R.E.	8808020247	50-277 P	MALPINE,E.J.	8809120037	50-322 G	MCMURRAY,C.M.	8809180087	50-322 G
MARTIN,R.L.	8809150227	50-29 Q	MALPINE,E.J.	8809010226	70-622	MCMURRAY,C.M.	8809180087	50-322 G
MARTIN,T.	8809190327*	REVIEW GR P	MALPINE,E.J.	8809210124	70 371	MCMURRAY,C.M.	8809190094*	50 322 G
MARTIN,T.T.	8802030409*	REVIEW GR P	MALPINE,E.J.	8809210163	70-27	MCMURRAY,C.M.	8809190094*	50-322 G
MARTIN,T.T.	8802100287*	REVIEW GR P	MALPINE,E.J.	8809210172	70-1257	MCMURRAY,C.M.	8809230011*	50-322 G
MARTIN,T.T.	8803030031*	REVIEW GR P	MALPINE,E.J.	8809210266	70 371	MCMURRAY,C.M.	8809230011	50-322 G
MARTIN,T.T.	8804120300*	REVIEW GR P	MALPINE,E.J.	8809210275	70 143	MCMURRAY,C.M.	8809220062	50 244 R
MARTIN,T.T.	8804120361*	REVIEW GR P	MALPINE,E.J.	8809220022	70-1113	MCMURRAY,C.M.	8809230004*	50 29 Q
MARTIN,T.T.	8804130208*	REVIEW GR P	MALPINE,E.J.	8809220052	70-27	MCNEIL,S.A.	8809150157	50-317 P
MARTIN,T.T.	8808310125	ORG	MALPINE,E.J.	8809260084*	50-346 Q	MCNEIL,S.A.	8809200001	50 317 H
MARTIN,T.T.	8809190140	50-272 V	MALPINE,E.J.	8808260001	50-352 S	MCNEIL,S.A.	8809200331	50 317 P
MARTIN,T.T.	8809190377*	REVIEW GR P	MALPINE,E.J.	8809080055	50-352 R	MCNEIL,S.A.	8809210007	50 317 P
MARTIN,T.T.	8809190379	50-334 Q	MALPINE,E.J.	8809080112	50-352 S	MCNEIL,C.A.	8808260404	50-277 P
MARTIN,T.T.	8809190388	50-293 P	MALPINE,E.J.	8809070091*	50 425 Q	MEDFORD,M.O.	8809140204	50 277 Q
MARTIN,T.T.	8809200330	50-288 Q	MALPINE,E.J.	8808260078	50 327 Q	MEACHAM,J.	8808300214	50 298 F
MARTIN,T.T.	8809230180	50-271 Q	MALPINE,E.J.	8808300270	50-269 F	MEACHAM,J.	8809150097	50-298 F
MARTIN,T.T.	8809260002	50-309 Q	MALPINE,E.J.	8808310238	50-327 Q	MEALE,B.M.	8809220097	NUREG
MARTIN,T.T.	8809260223	50 293 Q	MALPINE,E.J.	8809010148	50-327 Q	MEANE,D.C.	8809300124	50-305 H
MARUYAMA,T.	8808260062	XPORTLIC	MALPINE,E.J.	8809010163*	50-327 Q	MECREDY,R.C.	8809010097	50 244 Q
MARUYAMA,T.	8808260097*	XPORTLIC	MALPINE,E.J.	8809120149	50-259 Q	MECREDY,R.C.	8809010108	50-244 P
MARUYAMA,T.	8808290265	XPORTLIC	MALPINE,E.J.	8809120149	50-259 Q	MECREDY,R.C.	8809010236	50-244 F
MARUYAMA,T.	8808290268*	XPORTLIC	MALPINE,E.J.	8809200223	50-327 V	MECREDY,R.C.	8809080175	50-244 R
MASNIK,M.T.	8808290003	50-320 V	MALPINE,E.J.	8809230104	50-259 F	MECREDY,R.C.	8809080296	50-244 S
MASNIK,M.T.	8809060381	50-320 V	MALPINE,E.J.	8809230144	50-327 Q	MECREDY,R.C.	8809140105	50-244 S
MASNIK,M.T.	8809270152	50 320 P	MALPINE,E.J.	8809260035	50-259 Q	MECREDY,R.C.	8809150015	50-244 Q
MASNYK,O.M.	8808260519*	50-335 Q	MALPINE,E.J.	8809260038*	50-259 Q	MECREDY,R.C.	8809190231	50-244 F
MASNYK,O.M.	8809060262*	50-268 Q	MALPINE,E.J.	8809260199	50 390 Q	MECREDY,R.C.	8809220062	50-244 R
MATHER,R.P.	8809020012	50-277 G	MALPINE,E.J.	8809260234	50-327 Q	MEDFORD,M.O.	8808310045	50 205 R
MATHER,R.P.	8809020022*	50-277 G	MALPINE,E.J.	8809260265	50-327 Q	MEDFORD,M.O.	8809010018	50-206 F
MATHER,R.P.	8809220311*	50-220 Q	MALPINE,E.J.	8809260268	50-269 Q	MEDFORD,M.O.	8809010376	50-361 F
MATHER,R.P.	8809070380*	50-416 Q	MALPINE,E.J.	8809190226*	50-265 V	MEDFORD,M.O.	8809020259	50-206 P
MATHER,R.P.	8808260037*	50-389 P	MALPINE,E.J.	8809140345	50 293 P	MEDFORD,M.O.	8809070519	50-382 Q
MATHER,R.P.	8808260377	50-413 F	MALPINE,E.J.	8809140404	50-293 P	MEDFORD,M.O.	8809150197	50-206 P
MATTHEWS,D.B.	8808260383	50-269 P	MALPINE,E.J.	8809260140	50-293 P	MEDFORD,M.O.	8809150214	50-361 P
MATTHEWS,D.B.	8808300205*	50-424 P	MALPINE,E.J.	8808290298	50 321 F	MEDFORD,M.O.	8809190285	50-206 P
MATTHEWS,D.B.	8809130135*	50-413 P	MALPINE,E.J.	8808290344	50-424 F	MEDFORD,M.O.	8809260055	50-206 P
MATTHEWS,D.B.	8809180276*	50-321 P	MALPINE,E.J.	8808300018	50-426 J	MEDFORD,M.O.	8809260171	50 206 P
MATTHEWS,D.B.	8809180283*	50-321 P	MALPINE,E.J.	8808300052	50-424 S	MEDFORD,M.O.	8809060330	CONTRACT
MATTHEWS,D.B.	8809190146*	50-389 P	MALPINE,E.J.	8808300120	50-321 Q	MEEHAN,B.	8809130380	CONTRACT
MATTHEWS,D.B.	8809220111*	50 424 P	MALPINE,E.J.	8808310146	50-321 Q	MEEHAN,B.	8809200378	CONTRACT
MATTHEWS,D.B.	8809220132*	50-269 P	MALPINE,E.J.	8809010176	50-424 S	MEEHAN,B.	8809210198	CONTRACT

PERSONAL AUTHOR INDEX 297

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MEEHAN,B.	8808260330	CONTRACT	MILTENBERGER,S.	8809080073	50-272	MORRIS,K.J.	8809160174	50-285
MEEHAN,B.	8808270085	CONTRACT	MILTENBERGER,S.	8809190272	50-272	MORRIS,K.J.	8809200237	50-285
MEEHAN,B.	8809270106	CONTRACT	MILTENBERGER,S.	8808190282	50-272	MORRIS,K.J.	8809210140	50-285
MELIER,C	8809200344*	REVIEW GR P	MILTENBERGER,S.	8809190383	50-272	MORRIS,K.J.	8809210145	50-285
MELFI,J.F.	8809200089*	50-344	MILTENBERGER,S.	8809200256	50-354	MORRIS,K.J.	8809210181	50-285
MELLEN,L.S.	8809130034*	50-413	MILTENBERGER,S.	8809220020	50-354	MORRIS,K.J.	8809260348	50-285
MELONE,C.A.	8808310037	50-457	MINOQUE,R.B.	8809130314*	PR	MORRIS,K.J.	8809270073	50-285
MENDLER,O.J.	8809070049*	50-327	MIRAGLIA,F.J.	8808120294	50-3	MORRIS,P.A.	8809090283*	50-275
MENDOCOA,M.	8809140148	50-275	MIZNER,J.H.	8809230081	50-443	MORRIS,P.L.	8809260238*	50-282
MENDONCA,M.M.	8809200076*	50-344	MOELLER,D.W.	8809210199	ADVCN	MORROW,M.G.	8808260340	50-261
MENGERS,C.A.	8808260001	50-352	MOELLER,D.W.	8809220181	ADVCN	MORZENTI,S.P.	8809060215	40-8657
MENGERS,C.A.	8808310035	50-352	MOFFATT,L.W.	8809310042	50-302	MOSER,T.A.	8809150181	50-483
MENGERS,C.A.	8809130280	50-352	MOFFATT,L.W.	8809080078	50-302	MOUNT,D.K.	8808230266*	REVIEW GR P
MENGERS,C.A.	8809140378	50-352	MOFFATT,L.W.	8809080099	50-302	MOZAFARI,B.	8809150247	50-324
MENGERS,C.A.	8809200093	50-352	MOFFATT,L.W.	8809230107	50-302	MROCZKA,E.J.	8804250267	50-245
MENNING,J.E.	8809140276*	50-321	MOHRBACHER,J.A.	8809200385	71-9029	MROCZKA,E.J.	8804250287	50-245
MERRELL,A.	8809260099	50-354	MOLES,K.J.	8809310042	50-482	MROCZKA,E.J.	8808260372	50-336
MERRELL,A.	8809090251	50-354	MONTGOMERY,J.L.	8808300330	50-528	MROCZKA,E.J.	8808260372	50-336
MERRELL,A.	8809090300	50-354	MONTGOMERY,J.L.	8809200134	70-754	MROCZKA,E.J.	8808280333	50-213
MERRILL,C.	8808300214	50-288	MONTGOMERY,J.L.	8809210164	70-734	MROCZKA,E.J.	8808280333	50-213
MERRILL,C.	8809150097	50-288	MOONEY,J.	8808260311	WASTE MGT	MROCZKA,E.J.	8808310064	50-423
METZ,H.	8809130072	50-277	MOONEY,J.L.	8808300005	71-486	MROCZKA,E.J.	8808310064	50-423
MEYER,R.E.	8809180027	WASTE RES	MOONEY,J.L.	8809080371	WASTE MGT	MROCZKA,E.J.	8808310171	50-245
MEYER,T.A.	8809090410*	50-244	MOORE,J.E.	8809020111	50-445	MROCZKA,E.J.	8808310171	50-245
MEYERS,W.G.	8809260124*	WASTE MGT	MOORE,R.L.	8809210095*	50-482	MROCZKA,E.J.	8809010368	50-213
MICHAELS,T.S.	8809190267	50-134	MORAN,D.H.	8809130086	50-260	MROCZKA,E.J.	8809010388	50-213
MICHAUD,P.W.	8809202011*	50-382	MOREY,D.N.	8809220051	50-384	MROCZKA,E.J.	8809020155	50-245
MICHAUD,P.W.	8809070274*	50-267	MOREY,D.N.	8809220055	50-348	MROCZKA,E.J.	8809020155	50-245
MIDDAUGH,J.M.	8809140372*	50-255	MORGAN,H.E.	8809260349	50-206	MROCZKA,E.J.	8809020215	50-245
MIDDLETON,L.L.	8809200095	50-277	MORGAN,H.E.	8808300216	50-361	MROCZKA,E.J.	8809020215	50-245
MIEDLAR,K.	8808310159	50-295	MORGAN,H.E.	8808300281	50-208	MROCZKA,E.J.	8808020221	50-336
MILANO,P.D.	8809020225	50-498	MORGAN,H.E.	8809080069	50-206	MROCZKA,E.J.	8808020221	50-336
MILANO,P.D.	8809080398	50-285	MORGAN,H.E.	8809070006	50-206	MROCZKA,E.J.	8808020239	50-336
MILHOAN,J.L.	8809140327*	50-267	MORGAN,H.E.	8809070658	50-206	MROCZKA,E.J.	8808020239	50-336
MILLER,C.L.	8808300092	ORG	MORGAN,H.E.	8809070657	50-361	MROCZKA,E.J.	8809080001	50-245
MILLER,C.L.	8809160315	50-601	MORGAN,H.E.	8809080083	50-206	MROCZKA,E.J.	8809080001	50-245
MILLER,C.L.	8809220292	STATE PRO G	MORGAN,H.E.	8809080089	50-381	MROCZKA,E.J.	8809080053	50-213
MILLER,C.S.	8809220098	NUREG	MORGAN,H.E.	8809080153	50-382	MROCZKA,E.J.	8809080053	50-213
MILLER,D.B.	8809140315	50-213	MORGAN,H.E.	8809080153	50-381	MROCZKA,E.J.	8809080072	50-213
MILLER,D.B.	8809180126	50-213	MORGAN,H.E.	8809090134	50-382	MROCZKA,E.J.	8809070067	50-213
MILLER,D.B.	8809220120	50-213	MORGAN,H.E.	8809130021	50-206	MROCZKA,E.J.	8809070067	50-213
MILLER,D.E.	8809190345*	50-454	MORGAN,H.E.	8809140088	50-361	MROCZKA,E.J.	8809070348	50-245
MILLER,D.E.	8809220189*	REVIEW GR P	MORGAN,H.E.	8809140097	50-362	MROCZKA,E.J.	8809070348	50-245
MILLER,D.E.	8809220190*	REVIEW GR P	MORGAN,H.E.	8809140217	50-361	MROCZKA,E.J.	8809070480	50-336
MILLER,D.E.	8809220203*	REVIEW GR P	MORGAN,H.E.	8809150021	50-362	MROCZKA,E.J.	8809070480	50-336
MILLER,D.E.	8809220205*	REVIEW GR P	MORGAN,H.E.	8809150243	50-206	MROCZKA,E.J.	8809070544	50-336
MILLER,D.E.	8809220252*	REVIEW GR P	MORGAN,H.E.	8809200146	50-206	MROCZKA,E.J.	8809070544	50-336
MILLER,D.E.	8809220260*	REVIEW GR P	MORGAN,H.E.	8809200174	50-361	MROCZKA,E.J.	8809070545	50-213
MILLER,D.E.	8809220268*	REVIEW GR P	MORGAN,H.E.	8809200190	50-361	MROCZKA,E.J.	8809070545	50-213
MILLER,D.E.	8809220271*	REVIEW GR P	MORGAN,H.E.	8809200257	50-361	MROCZKA,E.J.	8809070553	50-213
MILLER,D.W.	8809130081	50-481	MORGAN,H.E.	8809210098	50-206	MROCZKA,E.J.	8809070553	50-213
MILLER,F.L.	8808290028	40-7455	MORGAN,H.E.	8809210018	50-382	MROCZKA,E.J.	8809080145	50-213
MILLER,G.D.	8809080229	50-297	MORGAN,H.E.	8809230041	50-361	MROCZKA,E.J.	8809080145	50-213
MILLER,G.E.	8808300217	50-326	MORGAN,R.E.	8808260340	50-261	MROCZKA,E.J.	8809130269	50-338
MILLER,G.K.	8808170132*	50-454	MORGAN,R.E.	8809080127	50-261	MROCZKA,E.J.	8809130289	50-338
MILLER,H.J.	8809140409	50-373	MORGAN,R.E.	8809080373	50-281	MROCZKA,E.J.	8809130285	50-213
MILLER,H.J.	8809140415*	50-373	MORGAN,R.E.	8809140301	50-281	MROCZKA,E.J.	8809130285	50-213
MILLER,J.	8809260308	I&E	MORGAN,R.E.	8809140301	50-281	MROCZKA,E.J.	8809130285	50-213
MILLER,J.H.	8808300085*	50-348	MORGAN,R.E.	8809190128	50-281	MROCZKA,E.J.	8809140102	50-336
MILLER,J.H.	8808300088*	50-348	MORGAN,R.E.	8809190134	50-281	MROCZKA,E.J.	8809140102	50-336
MILLER,L.O.	8809140339	50-331	MORGAN,R.E.	8809200103	50-281	MROCZKA,E.J.	8809140149	50-423
MILLER,L.K.	8809140112	50-311	MORGAN,R.E.	8809230215	50-281	MROCZKA,E.J.	8809140149	50-423
MILLER,L.K.	8809140180	50-272	MORGAN,W.E.	8808260012	50-454	MROCZKA,E.J.	8809140165	50-423
MILLER,L.K.	8809140243	50-311	MORGAN,W.E.	8809140087	50-237	MROCZKA,E.J.	8809140165	50-423
MILLER,L.K.	8809140459	50-272	MORGAN,W.E.	8809150223	50-237	MROCZKA,E.J.	8809140309	50-213
MILLER,L.K.	8809180202	50-311	MORGAN,W.E.	8809220243	50-237	MROCZKA,E.J.	8809140309	50-213
MILLER,M.	8809010229	50-293	MORGAN,W.E.	8809290065	50-10	MROCZKA,E.J.	8809150038	50-336
MILLER,M.	8809200054	I&E	MORRILL,V.W.	8809080083	40-8698	MROCZKA,E.J.	8809150038	50-336
MILLER,M.	8808230005	I&E	MORRIS,K.J.	8808330280	50-285	MROCZKA,E.J.	8809160125	50-213
MILLER,M.E.	8809210061*	WASTE MGT	MORRIS,K.J.	8808300308	50-285	MROCZKA,E.J.	8809160125	50-213
MILLER,M.N.	8809080346*	50-424	MORRIS,K.J.	8808300321	50-285	MROCZKA,E.J.	8809190062	50-245
MILLER,M.S.	8809120055	50-322	MORRIS,K.J.	8809020144	50-285	MROCZKA,E.J.	8809190062	50-245
MILLER,M.S.	8809120055	50-322	MORRIS,K.J.	8809080226	50-285	MROCZKA,E.J.	8809200049	50-213
MILLER,M.S.	8809120055	50-322	MORRIS,K.J.	8809080393	50-285	MROCZKA,E.J.	8809200049	50-213
MILLER,M.S.	8809120055	50-322	MORRIS,K.J.	8809070010	50-285	MROCZKA,E.J.	8809200049	50-213
MILLER,M.T.	8809180201*	50-293	MORRIS,K.J.	8809070318	50-285	MROCZKA,E.J.	8809200120	50-213
MILLER,M.T.	8809180205*	50-293	MORRIS,K.J.	8809070505	50-285	MROCZKA,E.J.	8809200120	50-213
MILLER,V.L.	8803280273*	REVIEW GR P	MORRIS,K.J.	8809080017	50-285	MROCZKA,E.J.	8809200165	50-213
MILLER,V.L.	8803290098*	REVIEW GR P	MORRIS,K.J.	8809080193	50-285	MROCZKA,E.J.	8809200165	50-213
MILLER,V.L.	8809120247*	FOIA	MORRIS,K.J.	8809080218	50-285	MROCZKA,E.J.	8809200165	50-213
MILLER,V.L.	8809200203*	REVIEW GR P	MORRIS,K.J.	8809130024	50-285	MROCZKA,E.J.	8809200177	50-336
MILLER,V.L.	8809200333*	REVIEW GR P	MORRIS,K.J.	8809130035	50-285	MROCZKA,E.J.	8809200177	50-336
MILLER,V.L.	8809200379*	REVIEW GR P	MORRIS,K.J.	8809130042*	50-285	MROCZKA,E.J.	8809220166	50-245
MILLER,V.L.	8809230175*	REVIEW GR P	MORRIS,K.J.	8809140027	50-285	MROCZKA,E.J.	8809220166	50-245
MILLER,V.L.	8809290271*	REVIEW GR P	MORRIS,K.J.	8809140074	50-285	MROCZKA,E.J.	8809230037	50-213
MILLER,W.H.	8808310080*	50-348	MORRIS,K.J.	8809150044	50-285	MROCZKA,E.J.	8809230037	50-213
MILTENBERGER,S.	8809070200	50-272	MORRIS,K.J.	8809150172	50-285	MROCZKA,E.J.	8809230070	50-213
MILTENBERGER,S.	8809070221	50-354	MORRIS,K.J.	8809160176*	50-285	MROCZKA,E.J.	8809230070	50-213

298 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
MROZKA,E J	8809230070	50 213	P	NADLER,G	8809230054	50 341	N	MULLAUER,J	8809230099	50 454	P
MROZKA,E J	8809230168	50 245	F	NADLER,G	8809230072	50 341	N	MULLAUER,J	8809230100	50 454	P
MULLER,R U	8809190398	50 390	P	NAGALY	8809230100	50 340	P	MULLAUER,J	8809230102	50 454	P
MULLER,R U	8809220030*	REVIEW GR P		NAGALY	8809230105	50 340	P	MULLAUER,J	8809230106	50 454	P
MULLAUER,J	8809220047*	REVIEW GR P		NAIK,J A	8809230132	50 342	N	MULLAUER,J	8809230110	50 454	P
MULLAUER,J	8809220075*	REVIEW GR P		NALIPKA,D S	8809230108	50 305	N	MULLAUER,J	8809230112	50 454	P
MULLAUER,J	8809220109*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230114	50 454	P
MULLAUER,J	8809220118*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230116	50 454	P
MULLAUER,J	8809220123*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230118	50 454	P
MULLAUER,J	8809220160*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230120	50 341	Q
MULLAUER,J	8809220246*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230122	50 341	Q
MULLAUER,J	8809260165*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MULLAUER,J	8809230124	50 341	S
MULLER,D R	8809260442*	50 464	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260442*	50 464	P
MULLER,D R	8809260005*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260005*	50 461	P
MULLER,D R	8809260152*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260152*	50 461	P
MULLER,D R	8809260166*	50 237	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260166*	50 237	P
MULLER,D R	8809260146*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260146*	50 461	P
MULLER,D R	8809260363*	50 373	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260363*	50 373	P
MULLER,D R	8809260190*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260190*	50 461	P
MULLER,D R	8809260226*	50 373	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809260226*	50 373	P
MULLER,D R	8809120008*	50 373	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809120008*	50 373	P
MULLER,D R	8809140273*	50 237	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809140273*	50 237	P
MULLER,D R	8809190039*	50 373	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809190039*	50 373	P
MULLER,D R	8809210052*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809210052*	50 461	P
MULLER,D R	8809210000*	50 461	P	NALIPKA,D S	8809230132	50 342	N	MULLER,D R	8809210000*	50 461	P
MULLETT,D J	8809200068	50 271	G	NALIPKA,D S	8809230132	50 342	N	MULLETT,D J	8809200068	50 271	G
MULLETT,D J	8809120013	50 271	G	NALIPKA,D S	8809230132	50 342	N	MULLETT,D J	8809120013	50 271	G
MUNRO,S F	8809270283*	50 269	V	NALIPKA,D S	8809230132	50 342	N	MUNRO,S F	8809270283*	50 269	V
MUNSON,S C	8809220215	40 200	P	NALIPKA,D S	8809230132	50 342	N	MUNSON,S C	8809220215	40 200	P
MURLEY,T E	8708180308*	50 323	Q	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8708180308*	50 323	Q
MURLEY,T E	8711050137*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8711050137*	REVIEW GR P	
MURLEY,T E	8711050236*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8711050236*	REVIEW GR P	
MURLEY,T E	8712100309*	FOIA		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8712100309*	FOIA	
MURLEY,T E	8712210174*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8712210174*	REVIEW GR P	
MURLEY,T E	8801070093*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8801070093*	REVIEW GR P	
MURLEY,T E	8802250336*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8802250336*	REVIEW GR P	
MURLEY,T E	8803020137*	REVIEW GR P		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8803020137*	REVIEW GR P	
MURLEY,T E	8804040083*	FOIA		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8804040083*	FOIA	
MURLEY,T E	8808030350	ORG		NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8808030350	ORG	
MURLEY,T E	8809260362	50 402	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260362	50 402	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	NALIPKA,D S	8809230132	50 342	N	MURLEY,T E	8809260446	50 271	P
MURLEY,T E	8809260446	50 271	P	N							

PERSONAL AUTHOR INDEX 299

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PATTERSON, J. W.	8809220175*	REVIEW GR P	PETTENGILL, H. J.	8809200281	40-1162	QUERIO, R. E.	8808260141	50-456 S
PATTON, J. D.	8809060085	40-8102	PETTENGILL, H. J.	8809200341	40-8584	QUERIO, R. E.	8808260243	50-456 S
PAUL, R. A.	8809180345*	50-454 Q	PFENDER, F. J.	8809130237	50-277 Q	QUERIO, R. E.	8808300057	50-456 R
PAULK, C.	8808300315*	50-416 Q	PHIFER, T. K.	8809260201	50-328 S	QUERIO, R. E.	8808300213	50-456 S
PAULK, G.	8809070063*	50-335 Q	PHILLIPS, H. S.	8809090108*	50-445 Q	QUERIO, R. E.	8808310037	50-457 S
PAULK, G. L.	8809260043*	50-259 Q	PHILLIPS, M. P.	8809230142*	50-155 Q	QUERIO, R. E.	8809010194	50-456 R
PAULSON, W. A.	8808280328	50-458 P	PHILLIS, M. T.	8809150245	FOIA	QUERIO, R. E.	8809090043	50-456 R
PAULSON, W. A.	8808300144	50-450 P	PICCONI, J.	8808260253	70-1500	QUERIO, R. E.	8809090093	50-457 S
PAULSON, W. A.	8809010248	50-458 P	PICCONI, J.	8809200054	I&E	QUERIO, R. E.	8809090096	50-457 S
PAULSON, W. A.	8809020207	50-458 P	PICCONI, J.	8809230005	I&E	QUERIO, R. E.	8809190208	50-456 R
PAULSON, W. A.	8809020218	50-458 P	PICK, G. A.	8809060332*	50-482 Q	QUINN, D.	8809260347*	50-286 F
PAULSON, W. A.	8809060400	50-458 P	PIEPER, W. O.	8809130218	50-277 Q	QUINN, G. J.	8808260060	71-8218
PAULSON, W. A.	8809070179	50-458 P	PIERCE, R. N.	8809010122	WASTE MGT	QUINN, G. J.	8809140234	71-8218
PAULSON, W. A.	8809140408	50-458 S	PILMER, D. F.	8809130025	50-206 Q	RADIN, A.	8808300094*	COMMISSION
PAULSON, W. A.	8809260042	50-458 P	PLAUGHER, L. D.	8809280209*	REVIEW GR P	RAGAN, H. A.	8809060245	NUREG
PEEBLES, T.	8809230115	50-287 S	PLENIEWICZ, R.	8808310084	50-454 S	RAMEY, D. P.	8809220240*	50-387 Q
PEEBLES, T. A.	8808300240*	50-369 Q	PLENIEWICZ, R.	8808310093	50-455 S	RANDALL, J. D.	8808260092	WASTE MGT
PEEBLES, T. A.	8809010155*	50-289 Q	PLENIEWICZ, R.	8809010002	50-454 R	RAMEY, R. G.	8809210196*	WASTE RES
PEEBLES, T. A.	8809010174*	50-413 Q	PLENIEWICZ, R.	8809140048	50-454 S	RANGE, D. M.	8809070074	40-8064
PEEBLES, T. A.	8809070077*	50-269 Q	PLENIEWICZ, R.	8809140055	50-454 S	RANIERI, E.	8809260284*	REVIEW GR P
PEEBLES, T. A.	8809200209*	50-369 Q	PLENIEWICZ, R.	8809190247	50-454 R	RAPP, C.	8809070116*	50-369 V
PELCHAT, J.	8803300021*	REVIEW GR P	PLENIEWICZ, R.	8809200221	50-455 S	RATLIFF, S. A.	8808260318*	50-259 R
PELCHAT, J.	8809230006	I&E	PLESSET, M. S.	8102200367*	WASTE MGT	RATLIFF, S. A.	8808260322*	50-259 R
PELIZZA, M. S.	8809070033	40-8968	PLIML, G. J.	8808300049	50-295 R	RATLIFF, S. A.	8808260325*	50-259 R
PELIZZA, M. S.	8809070331	40-8968	PLIML, G. J.	8808310003	50-295 R	RATLIFF, S. A.	8808260329*	50-259 R
PELLET, J. L.	8808260114*	50-458 V	PLIML, G. J.	8808310159	50-295 S	RATLIFF, S. A.	8808260330*	50-259 R
PELLET, J. L.	8809190226*	50-285 V	PLIML, G. J.	8809140089	50-295 R	RATLIFF, S. A.	8808260331*	50-259 R
PELLETIER, J. P.	8808260117	50-271 F	PLIML, G. J.	8809140376	50-304 S	RATLIFF, S. A.	8808260332*	50-259 R
PELLETIER, J. P.	8809070329	50-271 S	PLISKI, J. J.	8808260293*	50-263 Q	RATLIFF, S. A.	8808260334*	50-259 R
PENDERGAST, J.	8808310210	50-341 S	PLMSTZ, D. K.	8808260101*	PROJ	RATLIFF, S. A.	8808260335*	50-259 R
PENDERGAST, J.	8808310213	50-341 S	POHLE, J. A.	8809010074	WASTE RES	RATLIFF, S. A.	8808260336*	50-259 R
PENNINGTON, S.	8809060279	40-7102	POLLARD, A. O.	8809010141	50-400 R	RATLIFF, S. A.	8808260337*	50-259 R
PENNINGTON, W. S.	8809160136	40-8027	POLICH, T.	8809070449	50-528 S	RATLIFF, S. A.	8808260338*	50-259 R
PENTZ, D. C.	8808300330*	50-331 P	POLIN, A. W.	8808260182*	50-362 Q	RATLIFF, S. A.	8808260339*	50-259 R
PENTZ, D. C.	8809120111*	50-461 P	POLIS, T.	8809010198	50-322 R	RATLIFF, S. A.	8808260340*	50-259 R
PEPPER, S. E.	8809060185	NUREG	POLIS, T.	8809190299	50-322 R	RATLIFF, S. A.	8808260343*	50-259 R
PERKINS, K. E.	8808260358*	50-346 P	POLLACK, M. J.	8808300112	50-311 S	RATLIFF, S. A.	8808260346*	50-259 R
PERKINS, K. E.	8808300114*	50-346 P	POLLACK, M. J.	8809140180	50-272 S	RATLIFF, S. A.	8808260347*	50-259 R
PERKINS, K. E.	8809160259*	50-346 P	POLLARD, R. D.	8809210020*	50-443 G	RATLIFF, S. A.	8808260349*	50-259 R
PERKINS, K. E.	8809160005*	50-346 P	POLLYCOVE, M.	8809020136	PR	RATLIFF, S. A.	8808260350*	50-259 R
PERKINS, K. E.	8809220259	50-331 P	POLZER, W. L.	8809220040	NUREG	RATONDO, M.	8809160136	50-341 F
PERKINS, K. R.	8808260147	NUREG	POMREHN, H. P.	8809140021*	50-259 F	RATTA, A. D.	8808260346*	70-371
PERKINS, K. R.	8809060157	NUREG	PORTER, S. C.	8809010359	50-271 F	RAY, M. J.	8808300084	50-327 Q
PERKINS, K. R.	8809060174	NUREG	POSTON, J. W.	8808260083*	50-128 Q	RAY, M. J.	8809060012	50-260 P
PERKINS, K. R.	8809060181	NUREG	POULTON, B. R.	8809010214	50-287 P	RAY, M. J.	8808260343*	50-327 P
PERKINS, K. R.	8809060193	NUREG	POWERS, C. M.	8809010189	50-387 R	REAP, M. E.	8809120036	50-313 G
PERKINS, T. J.	8808260187	50-410 P	POWERS, C. M.	8808300000	50-397 R	REAVEAU, B. K.	8809060180	40-8084
PERKINS, T. J.	8809070080	50-410 S	POWERS, C. M.	8808300163	50-397 S	REAVIS, J. A.	8808260256	50-269 K
PERKINS, T. J.	8809080169	50-410 S	POWERS, C. M.	8808300305	50-397 S	REAVIS, J. A.	8809200293	50-289 R
PERKINS, T. J.	8809080204	50-410 S	POWERS, C. M.	8809080315	50-397 S	REAVIS, J. A.	8809200317*	50-413 R
PERKINS, T. J.	8809130149	50-410 P	POWERS, C. M.	8809180197	50-387 R	REAVIS, J. A.	8809200318*	50-413 R
PERKINS, T. J.	8809140310	50-410 V	PRATT, W. T.	8809060147	NUREG	REAVIS, J. A.	8809200320*	50-369 R
PERKINS, T. J.	8809140484	50-220 V	PRATT, W. T.	8809060157	NUREG	REAVIS, J. A.	8809200322*	50-369 R
PERKINS, T. J.	8809140471	50-220 P	PRATT, W. T.	8809060174	NUREG	REBUCK, E.	8809060052	40-8968
PERKINS, T. J.	8809150312	50-410 Q	PRATT, W. T.	8809060181	NUREG	REED, C.	8808310187	50-373 Q
PERNY, C.	8808310078*	50-424 Q	PRATT, W. T.	8809060193	NUREG	REEVES, D. L.	8808260005	50-288 S
PETERSEN, J. B.	8808310222*	50-263 R	PRENDERGAST, K.	8809150278	NUREG	REEVES, E. A.	8808260113	50-348 P
PETERSON, C. H.	8808260086	WASTE MGT	PRENDERGAST, K.	8809210036*	70-754 Q	REEVES, E. A.	8808300010	50-348 P
PETERSON, G. C.	8809260473	50-285 F	PRENDERGAST, K.	8809220136*	50-312 Q	REEVES, E. A.	8808300323	50-348 P
PETERSON, G. C.	8809260338	50-322 F	PRESCOTT, P. J.	8809210095*	50-482 Q	REEVES, E. A.	8809060278	50-364 Q
PETERSON, J.	8809160282*	REVIEW GR P	PRESS, S. H.	8809120007	50-271 Q	REEVES, E. A.	8809060374	50-348 Q
PETERSON, M. R.	8808260137*	XPORTLIC	PRESS, S. H.	8809120011	50-271 G	REEVES, S. R.	8809130027*	PROJ
PETERSON, M. R.	8808260208	XPORTLIC	PRESTHOLT, P. T.	8809120025	WASTE MGT	REHM, T. A.	8809160222*	FOIA
PETERSON, M. R.	8808260224	XPORTLIC	PRESTHOLT, P. T.	8808260072	WASTE MGT	REID, D. A.	8809260143	50-271 G
PETERSON, M. R.	8808260166	XPORTLIC	PRESTHOLT, P. T.	8809060064	WASTE MGT	REIS, E. J.	8809140051	50-322 G
PETERSON, M. R.	8808300165	XPORTLIC	PRESTHOLT, P. T.	8809090197	WASTE MGT	REIS, E. J.	8809140152	50-322 G
PETERSON, M. R.	8808300170	XPORTLIC	PRESTHOLT, P. T.	8809090221	WASTE MGT	REIS, T.	8808300008*	50-285 Q
PETERSON, M. R.	8808300266	XPORTLIC	PRESTHOLT, P. T.	8809120125	WASTE MGT	REIMICK, F. J.	8809210044*	WASTE MGT
PETERSON, M. R.	8809090162	XPORTLIC	PRESTHOLT, P. T.	8809120129*	WASTE MGT	REIMICK, F. J.	8809210089*	WASTE MGT
PETERSON, M. R.	8809090201	XPORTLIC	PRESTHOLT, P. T.	8809200029	WASTE MGT	REIMLEY, M. E.	8809120146	70-25
PETERSON, M. R.	8809130316	XPORTLIC	PRESTHOLT, P. T.	8809200033*	WASTE MGT	RESCHESKE, P. R.	8809230142*	50-155 Q
PETERSON, M. R.	8809180049	XPORTLIC	PRESTHOLT, P. T.	8809200113	WASTE MGT	RESNER, M. E.	8810040248*	FOIA
PETERSON, M. R.	8809180103	XPORTLIC	PRESTHOLT, P. T.	8809220135	WASTE MGT	RESSLER, W. C.	8808260307	50-289 R
PETERSON, M. R.	8809180112	XPORTLIC	PRESTON, B. A.	8808260402	50-272 Q	REYES, L. A.	8808260307	50-100 Q
PETERSON, M. R.	8809180234	XPORTLIC	PRESTON, B. A.	8809070559	50-272 H	REYES, L. A.	8809070005	50-280 Q
PETERSON, M. R.	8809190241	XPORTLIC	PRESTON, B. A.	8809210159	50-272 P	REYES, L. A.	8809070297	50-348 Q
PETERSON, M. R.	8809200217	XPORTLIC	PRESTON, B. A.	8809260059	50-272 P	REYES, L. A.	8809080203	50-261 P
PETERSON, M. R.	8809260133	XPORTLIC	PRESTON, B. A.	8809260242	50-272 H	REYES, L. A.	8809150337	50-424 Q
PETERSON, M. R.	8809260139	XPORTLIC	PRESTON, B. A.	8809270037	50-272 P	REYES, L. A.	8809190180	50-369 P
PETERSON, M. R.	8809270148	XPORTLIC	PROVENCHE, R. B.	8808300099	40-8027	REYES, L. A.	8809200105	50-369 Q
PETERSON, M. W.	8809010194	50-458 R	PRZEKAS, A. J.	8809220080	NUREG	REYES, L. A.	8809200175	50-424 Q
PETERSON, M. W.	8809190208	50-458 R	PUCKO, T. G.	8809140121	50-443 S	REYES, L. A.	8809200243	50-369 F
PETROSINO, J. J.	8809210153*	40-8906	PUGH, E. N.	8809290104*	WASTE RES	REYNOLDS, S. A.	8809230261*	50-483 Q
PETTENGILL, H. J.	8809140184*	40-1162	PULKINEN, T. E.	8809230067*	50-443 G	RHODES, J.	8809080261	50-277 G
PETTENGILL, H. J.	8809200210	40-1162	PUYEAR, R. J.	8809080033	PH	RHODES, J.	8809090168	50-277 G
PETTENGILL, H. J.	8809200218	40-8914	QUAIN, P.	8809200188	70-1426	RHODES, J.	8809230045*	50-277 Q
PETTENGILL, H. J.	8809200268	40-8971	QUAIN, P. B.	8809190118*	XPORTLIC	RHODES, J.	8809230053*	50-277 Q
PETTENGILL, H. J.	8809200278	40-1162	QUAY, T. R.	8809130182	50-341 P	RHODES, J.	8809230080*	50-277 Q

300 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
ICE,P.D.	8800310210	50 425	Q	ROSE,J.F.	8800280150*	50 250	P	ROSE,J.F.	8800280270	50 334	Q
ICE,P.D.	8800310227	50 424	K	ROSE,J.E.	8800280150*	50 250	P	ROSE,J.E.	8800310184	50 307	Q
ICE,P.D.	88009060263	50 425	S	ROSSOW,D.F.	8800280362*	50 354	Q	ROSSOW,D.F.	8800310122	50 280	Q
ICHARDS,S.	8800970449	50-528	S	ROSS,C.F.	8800280101*	PHCJ		ROSS,C.F.	8800310356	50 387	Q
ICHARDS,S.A	8800200009*	50 344	Q	ROSS,D	8800160144*	REVIEW GR P		ROSS,D	8800310360*	50 271	W
ICHARDSON,H.H	8800280074	50 128	Q	ROSS,C.F.	8800160451	50 3	Q	ROSS,C.F.	8800160271*	50 272	Q
ICHARDSON,S	8800300047	50 327	P	ROSS,C.F.	8800160308	50 3	Q	ROSS,C.F.	8800160274*	50 272	Q
ICHARDSON,S.D.	8800300193	50 327	P	ROSS,C.F.	8800160105	50 3	Q	ROSS,C.F.	8800160284*	50 272	Q
ICHARDSON,S.D.	8800120225	50-260	Q	ROSS,C.F.	8800280112	50 3	Q	ROSS,C.F.	8800160300*	50 271	Q
ICHARDSON,S.D.	8800140312	50 327	Q	ROSS,C.F.	8800280402	50 3	Q	ROSS,C.F.	8800160302*	50-271	Q
ICHARDSON,S.D.	8800160004	50-250	V	ROSS,C.F.	8800300010	50 3	Q	ROSS,C.F.	8800160281*	50 293	F
ICHARDSON,S.D	8800160046	50-327	Q	ROSS,C.F.	8800300330	50 3	Q	ROSS,C.F.	8800280070*	REVIEW GR P	
ICHARDSON,S.D.	8800230133	50 327	P	ROSS,C.F.	8800120107	50 3	Q	ROSS,C.F.	8800300100	TOPREP	
ICHARDSON,S.D.	88009060376	50-300	A	ROSS,C.F.	8800130350	50 3	Q	ROSS,C.F.	8800160300	50 312	S
CHIEY,R.B.	8800010291	50 400	P	ROTH,J.	8800280020	70 1100		ROTH,J.	8800160300		
CHIEY,R.B.	8800280184	50 201	P	ROTH,J.	8800280042*	70 002		ROTH,J.	8800160300	50 312	S
CKETSON,L.T.	8800300030*	50-313	Q	ROTH,J.	8800280059*	70 1100		ROTH,J.	8800280084	MISC	
DGWAY,D.A	88009140193	50 440	G	ROTH,J.	8800910037	70 1100		ROTH,J.	8800310121	WASTE MGT	
DGWAY,D.A.	8800140193	50 440	G	ROTH,J.	88009001105	70 1100		ROTH,J.	8800310122*	WASTE MGT	
ECK,T.A	8800120133	50 205	F	ROTH,W.V.	8800100030*	FOIA		ROTH,W.V.	8800300209	WASTE MGT	
EDEL,G.J.	8800910267*	50 203	P	ROTH,W.C.	8800100184	50 311	Q	ROTH,W.C.	8800280090*	50 320	P
NG,M.A.	8800280302*	50-254	Q	ROTH,W.C.	8800300330	50 311	Q	ROTH,W.C.	8800310030	50 307	S
NG,M.A.	8800130052*	50 237	Q	ROTH,W.C.	8800300604	50 311	Q	ROTH,W.C.	8800280054	50 388	
NG,M.A.	8800280352*	50 205	Q	ROTH,W.C.	8800300101	50 311	Q	ROTH,W.C.	8800280072*	50 322	S
NGSMUTH,I.F	8800290136*	REVIEW GR P		ROTH,W.C.	8800160032	50 311	V	ROTH,W.C.	8800280074*	REVIEW GR P	
CHIE,J.L.	8800910154	PH		ROTH,W.C.	8800100372	50 311	P	ROTH,W.C.	8800280074	REVIEW GR P	
VENBARK,G.	8800280256	50 354	P	ROTH,W.C.	8800280359	50 311	Q	ROTH,W.C.	8800160120	50 251	
VENBARK,G.	8800970191	50 354	P	ROTH,W.C.	8800280369	50 311	Q	ROTH,W.C.	8800160125	50-250	
JERA,J.E.	8800100209	REVIEW GR P		ROTH,W.C.	8800280369	50 311	Q	ROTH,W.C.	8800280259	50 251	
BERTS,H.R.	88009000204	40 8681		ROTH,W.C.	8800160120*	REVIEW GR P		ROTH,W.C.	8800280046	50 313	
BERTS,J.P.	88002800501	50 255	P	ROUGHAN,G.M.	8800130340	70 0010		ROUGHAN,G.M.	8800160300	50 373	I
BERTS,J.P.	8800970043	50 269	Y	ROUGHAN,G.M.	8800140230	70 0120		ROUGHAN,G.M.	8800160125	50 387	
BEY,R.A.	8800100101	50-254	R	ROUSE,L.C.	8800280024	70 024		ROUSE,L.C.	8800280024*	50-128	
BEY,R.A.	8800200200	50 254	R	ROUSE,L.C.	8800280024*	70 024		ROUSE,L.C.	8800160110*	QIRJ	
BINETTE,C.A.	8800280230*	REVIEW GR P		ROUSE,L.C.	8800280030*	70 024		ROUSE,L.C.	8800280046	50 407	I
BISON,D.L.	8800280243	50 456	S	ROUSE,L.C.	8800280050	70 1201		ROUSE,L.C.	8800280429	50 454	I
DELIAN,T.J.	8800280332*	CONTRACT		ROUSE,L.C.	8800280091	70 1211		ROUSE,L.C.	8800280090	XIPOTIC	
DEHAU,T.J.	8800140030*	CONTRACT		ROUSE,L.C.	8800280110	70 1211		ROUSE,L.C.	8800280149*	REVIEW GR P	
DENBECKA,A.	8800270088*	CONTRACT		ROUSE,L.C.	8800280110	70 007		ROUSE,L.C.	8800160300	50 201	C
E.J.W.	8800900000	REVIEW GR P		ROUSE,L.C.	8800300354	70 1211		ROUSE,L.C.	8800280097	NUQEO	
E.J.W.	8800190397	REVIEW GR P		ROUSE,L.C.	8800300064*	70 1101		ROUSE,L.C.	8800160129	50 245	E
E.J.W.	8800200302	50 334	V	ROUSE,L.C.	8800300080*	70 1101		ROUSE,L.C.	8800160131*	50 458	C
E.K.K.	8800910102	TOPREP		ROUSE,L.C.	8800300301	40 0940		ROUSE,L.C.	8800280166	PH	
E.K.K.	8800910165*	TOPREP		ROUSE,L.C.	8800910350	40 2001		ROUSE,L.C.	8800280170	PHQJ	
BERS,D.W	8800280040	50-255	F	ROUSE,L.C.	8800970402*	70 1100		ROUSE,L.C.	8800160170*	50 307	F
BERS,D.W.	8800280078	50 255	F	ROUSE,L.C.	8800970471*	70 1100		ROUSE,L.C.	8800160170*	50 307	F
BERS,D.W.	8800280182	50-255	F	ROUSE,L.C.	8800970480*	70 1100		ROUSE,L.C.	8800160170*	50 307	F
BERS,D.W	8800300210	50 255	F	ROUSE,L.C.	8800970470	70 8		ROUSE,L.C.	8800160180	50 336	V
BERS,H.R.	8800280180	50-327	S	ROUSE,L.C.	8800970470	70 3018		ROUSE,L.C.	8800160180	50 336	V
BERS,H.R.	8800280201	50-328	S	ROUSE,L.C.	8800970480*	70 8118		ROUSE,L.C.	8800160180	50 245	S
BERS,K.C.	8800280034	50 322	U	ROUSE,L.C.	8800970091*	70 3018		ROUSE,L.C.	8800160180	50 423	S
BERS,K.C.	8800210110	COMMISSION		ROUSE,L.C.	8800970231*	PH		ROUSE,L.C.	8800160180	50 423	S
BERS,K.C.	8800210122	COMMISSION		ROUSE,L.C.	8800970400	70 27		ROUSE,L.C.	8800280091*	50 336	R
IRER,N.J	8800010347	50-374	S	ROUSE,L.C.	8800970400	70 27		ROUSE,L.C.	8800280091*	50 336	R
IRER,R.J.	8800010340	50-374	S	ROUSE,L.C.	8800160093*	70 27		ROUSE,L.C.	8800280101*	50 423	R
ES,G.W.	8800900027	MISC		ROUSE,L.C.	8800160119	70 2012		ROUSE,L.C.	8800280110	50 245	R
AN,T.W.	8800310176	50 220	P	ROUSE,L.C.	8800160122*	70 2012		ROUSE,L.C.	8800280110	50 245	R
ANELL,I.F.	88002800330*	REVIEW GR P		ROUSE,L.C.	8800160294	40 2001		ROUSE,L.C.	8800280142	50 423	S
ANOW,V	8800970566	FOIA		ROUSE,L.C.	8800160107	50 801	A	ROUSE,L.C.	8800280142	50 423	S
BERG,W.D.	8804250287	50 245	P	ROUSE,L.C.	8800190100*	50 801	A	ROUSE,L.C.	8800160120	50 605	A
BERG,W.D.	88002800372	50-330	P	ROUSE,L.C.	8800190110*	50 801	A	ROUSE,L.C.	8800280170	50 805	A
NEY,N.D	88002800330*	50-210	Q	ROUSE,L.C.	8800280208	70 734		ROUSE,L.C.	8800160180	50 206	Q
ALD,A.	8800130206*	CONTRACT		ROUSE,L.C.	8800280208	70 734		ROUSE,L.C.	8800160180	50 206	Q
ID,H.	8800101227	50-276	P	ROUSE,L.C.	8800280210*	70 734		ROUSE,L.C.	8800160180	50 316	Q
ID,H.	8800300330	50-276	P	ROUSE,L.C.	8800230164	70 152		ROUSE,L.C.	8800160180	50 461	Q
ID,H.	8800707101	50 275	P	ROUSE,L.C.	8800230187*	70 152		ROUSE,L.C.	8800280212*	50 254	Q
ID,H.	8800070448	50-275	P	ROUSE,L.C.	8800140390	50 186	H	ROUSE,L.C.	8800280421*	50 313	R
ID,H.	8800130043	50-275	P	ROY,D.A.	8800280187	WASH/ MISC		ROY,D.A.	8800280428	50 313	R
ID,H.	8800160093*	50-361	P	ROY,D.A.	8800700440	71 9151		ROY,D.A.	8800280431*	50 368	R
ID,H.	8800190022	50 276	P	ROYDAL,D	8800900362	40 8584		ROYDAL,D	8800280431*	50 425	Q
NEY,V.L.	88009000334	50-271	P	RUBENFIRE,M	8800900103	PH		RUBENFIRE,M	8800280434*	70-1100	
NEY,V.L.	8800160235	50-271	Q	RUBENSTEIN,L.S	8800900617*	50 500	H	RUBENSTEIN,L.S	8800280434*	71-0022	
NEY,V.L.	8800100225	50 271	P	RUBENSTEIN,L.S	8800130020	CHIC		RUBENSTEIN,L.S	8800280434*	70 1100	
ANO,R.P	8800210030	50 460	Q	RUITER,G.H	8800910183	50 305	H	RUITER,G.H	8800280434*	TOPREP	
EH,D.	8800140184*	40-8900		RULAND,W.H.	8800130173*	50 324	H	RULAND,W.H.	8800160121	PROJ	
EH,D.	8800200268	40-8071		RUSSELL,J.E.	8800140133*	50 206	Q	RUSSELL,J.E.	8800280434*	50 470	A
EH,D.	8800200276	40-1102		RUSSELL,J.L	88009008162*	50 302	H	RUSSELL,J.L	8800160281	70 1100	
EH,D.	8800200132*	50-250	P	RUSSELL,L.B	8800280002	50 317	H	RUSSELL,L.B	8800160282	70-1100	
EH,D.	8800200137*	50-250	P	RUSSELL,L.B	8800200264	50 317	S	RUSSELL,L.B	8800160284	70-1100	
EH,D.	8800200139*	50-250	P	RUSSELL,L.B	8800220165	50 317	H	RUSSELL,L.B	8800160290	50 470	A
EH,D.	8800200140*	50 250	P	RUSSELL,W.T.	88003180018*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-470	F
EH,D.	8800200143*	50-250	P	RUSSELL,W.T.	88003180184*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-208	R
EH,D.	8800200146*	50-250	P	RUSSELL,W.T.	8800300036*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-250	R
EH,D.	8800200147*	50-250	P	RUSSELL,W.T.	8800400002*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-259	R
EH,D.	8800200148*	50-250	P	RUSSELL,W.T.	88004280145*	REVIEW GR P		RUSSELL,W.T.	8800280434*	40-8681	
EH,D.	8800280140*	50-250	P	RUSSELL,W.T.	88005030445*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-412	P
EH,D.	8800280153*	50-250	P	RUSSELL,W.T.	8800510090*	REVIEW GR P		RUSSELL,W.T.	8800280434*	50-220	P
EH,D.	8800280154*	50-250	P	RUSSELL,W.T.	8800280074	50-182	Q	RUSSELL,W.T.	8800280434*	50-220	P

NONDOCKETED ITEMS 269

- 8809220148 Forwards safety insp on 880204 No violation noted, but 30 day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director SE426 88/02/18 GRESHAW, D. Ford Motor Co 1p 46962 136 46962 136
- 8809220151 Safety insp on 880205 of general license No violations observed, but 30 day rept required because 22 Model 906 units will be returned to 3M due to contamination. WIEDEMAN, D.G. Region 3, Ofc of the Director * Ford Motor Co SE426 88/02/17 1p 46962 137-46962 137
- 8809220152 Insp Rept 99990003/88 04 on 880205. Contamination noted. GIBBONS, D.R. Region 3, Ofc of the Director. SE426. 88/02/05 2pp 46962:139-46962:139
- 8809220154 Forwards safety insp on 880204 No violation noted. WIEDEMAN, D.G. Region 3, Ofc of the Director SE427 88/02/18 GRESHAW, D. Ford Motor Co 1p 46962 140 46962:140.
- 8809220157 Safety insp on 880204 of general license No violations observed. WIEDEMAN, D.G. Region 3, Ofc of the Director * Ford Motor Co SE427 88/02/17. 1p 46962 141 46962 141
- 8809220159 Insp Rept 99990003/88 03 on 880204 No contamination noted. GIBBONS, D.R. Region 3, Ofc of the Director. SE427 88/02/04. 2pp. 46962 142-46962 143.
- 8809220161 Forwards safety insp on 880215 No violation noted. WIEDEMAN, D.G. Region 3, Ofc of the Director SE428. 88/02/19. JOHNSON, E.J. Northern Engraving Corp 1p. 46962 144-46962:144.
- 8809220165 Safety insp on 880215 of general license No violations observed. SHEAR, G.L. Region 3, Ofc of the Director * Northern Engraving Corp SE428. 88/02/19. 1p. 46962 145 46962:145
- 8809220167 Insp Rept 99990003/88-05 on 880215 No contamination noted. SHEAR, G.L. Region 3, Ofc of the Director SE428. 88/02/15 6pp 46962:146-46962:151.
- 8809220170 Forwards safety insp on 880209. No violation noted. WIEDEMAN, D.G. Region 3, Ofc of the Director. SE429. 88/02/23 LUCE, R.J. Olan Mills, Inc 1p 46962 152 46962 152.
- 8809220171 Safety insp on 880209 of general license No violations observed. PATTERSON, J.W. Region 3, Ofc of the Director * Olan Mills, Inc SE429 88/02/22. 1p 46962:153-46962:153.
- 8809220175 Insp Rept 99990003/88 14 on 880209. No contamination noted. PATTERSON, J.W. Region 3, Ofc of the Director. SE429. 88/02/09 2pp. 46962:154-46962:155.
- 8809220180 Informs of results of review of State of IA, Dept of Public Health survey results re insp on 880211 of Dial Corp facility &/or use of 3M Po-210 static elimination devices. No violations noted, but 30 day rept required. MULLAUER, J. Region 3, Ofc of the Director SE430 88/03/02 Region 3, Ofc of the Director. 1p. 46962:156-46962:156
- 8809220183 Insp Rept 99990003/88 01 on 880211. Contamination noted. Related Info encl. HOKEL, B. Region 3, Ofc of the Director SE430 88/02/11 8pp 46962:157-46962:164
- 8809220188 Forwards safety insp on 880211. No violation noted. WIEDEMAN, D.G. Region 3, Ofc of the Director SE431 88/02/22 Bristol Myers Co. 1p. 46962:165 46962:165.
- 8809220189 Safety insp on 880211 of general license. No violations observed. MILLER, D.E. Region 3, Ofc of the Director. * Bristol-Myers Co. SE431 88/02/18. 1p. 46962:166 46962:166.
- 8809220190 Insp Rept 99990003/88-18 on 880211 No contamination noted. MILLER, D.E., OGG, W.W. Region 3, Ofc of the Director. SE431. 88/02/11 2pp. 46962:167-46962:168.
- 8809220197 Forwards safety insp on 880211. No violation noted, but 30 day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director. SE432. 88/02/22 Vi-Jon Laboratories, Inc 1p 46962:169 46962:169.
- 8809220203 Safety insp on 880211 of general license No violations observed, but 30-day rept required because two Model 908 units will be returned to 3M due to contamination. MILLER, D.E. Region 3, Ofc of the Director. OGG, W.W. Vi-Jon Laboratories, Inc. SE432 88/02/19. 1p. 46962:170 46962:170.
- 8809220205 Insp Rept 99990003/88-16 on 880211 Contamination noted. MILLER, D.E., OGG, W.W. Region 3, Ofc of the Director SE432 88/02/11. 3pp. 46962 171-46962:173.
- 8809220219 Forwards safety insp on 880226. No violation noted, but 30 day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director SE433 88/03/09 WEEMAES, L. Business Systems Finishing, Inc. WEEMAES, L. ALBAR Industries, Inc. 1p. 46962:174-46962:174.
- 8809220231 Safety insp on 880226 of general license No violations observed, but 30-day rept required because six Model 906 units will be returned to 3M due to contamination. WIEDEMAN, D.G. Region 3, Ofc of the Director * Business Systems Finishing, Inc. SE433 88/03/09. 1p. 46962:175 46962:175.
- 8809220236 Insp Rept 99990003/88 81 on 880226. Contamination noted. GIBBONS, D.R. Region 3, Ofc of the Director SE433. 88/09/22 5pp. 46962:176-46962 180
- 8809220246 Informs of results of review of State of IA survey results re insp on 880302 of Alcoa facility &/or use of Po-210 static elimination devices. No violations noted, but 30-day rept required. Contamination of one device of 88 cpm noted. MULLAUER, J. Region 3, Ofc of the Director. SE434. 88/03/09. Region 3, Ofc of the Director. 1p. 46962:181 46962:181.
- 8809220248 Insp Rept 99990003/88-32 on 880302. Contamination noted. * Region 3, Ofc of the Director SE434 88/03/02. 2pp. 46962 182 46962:183
- 8809220251 Forwards safety insp on 880208 No violations noted, but 30 day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director SE435 88/02/22 Anheuser-Busch Cos., Inc 1p. 46962 184-46962:184
- 8809220252 Safety insp on 880208 of general license No violations observed, but 30 day rept required because two Model 908 units will be returned to 3M due to contamination. MILLER, D.E. Region 3, Ofc of the Director. OGG, W.W. Anheuser-Busch Cos., Inc. SE435 88/02/19. 1p 46962 185 46962:185.
- 8809220253 Insp Rept 99990003/88-12 on 880208 Contamination noted. OGG, W.W. Region 3, Ofc of the Director. SE435. 88/02/06. 3pp. 46962:186-46962:188
- 8809220256 Forwards safety insp on 880209. No violation noted. WIEDEMAN, D.G. Region 3, Ofc of the Director SE436 88/02/22. Comran Corp. 1p 46962:189-46962:189.
- 8809220260 Safety insp on 880209 of general license No violations observed. MILLER, D.E. Region 3, Ofc of the Director OGG, W.W. Comran Corp SE436. 88/02/09. 1p 46962:190 46962 190
- 8809220262 Insp Rept 99990003/88 10 on 880209 No contamination noted. OGG, W.W. Region 3, Ofc of the Director. SE436. 88/02/08 3pp. 46962:191-46962 193.
- 8809220265 Forwards safety insp on 880210. No violation noted, but 30 day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director SE437. 88/02/22. McDonnell Douglas Corp 1p 46962:194-46962 194
- 8809220268 Safety insp on 880210 of general license. No violations observed, but 30-day rept required because six Model 902 units will be returned to 3M due to contamination. MILLER, D.E., OGG, W.W. Region 3, Ofc of the Director. * McDonnell Douglas Corp SE437 88/02/19. 1p. 46962:195 46962:195.
- 8809220271 Insp Rept 99990003/88-17 on 880210. Contamination noted. MILLER, D.E. Region 3, Ofc of the Director. SE437. 88/02/10 4pp 46962:196-46962:199.
- 8809220274 Forwards safety insp on 880228 No violation noted, but 30-day rept required. WIEDEMAN, D.G. Region 3, Ofc of the Director. SE438 88/03/02 HILL, K. Meijer, Inc 1p. 46962:200 46962:200.
- 8809220276 Safety insp on 880226 of general license No violations observed, but 30-day rept required because Model 902F will be returned to 3M due to contamination. WIEDEMAN, D.G. Region 3, Ofc of the Director. * Meijer, Inc. SE438. 88/03/01. 1p 46962:201-46962:201
- 8809220295 Insp Rept 99990003/88-57 on 880228 Contamination noted. GIBBONS, D.R. Region 3, Ofc of the Director. SE438. 88/02/26 5pp 46962:202-46962:206.
- 88092203128 Advises that during routine leak testing on 871221, set of 3M nuclear static eliminators Models 205, S/N A38309 & 504, S/N A25974 containing 5 & 10 mCi Po-210 discovered leaking. KOBYLINSKI, A.W. General Electric Co SE457. 87/12/22. Region 1, Ofc of the Director. 2pp. 46964:016 46964 017
- 8809230175 Responds to 880413 request to continue using 3M Model 315 static eliminator bars. Ltr forwarded to State of SC which is Agreement State & has authority to grant continued use of static eliminator bars. MILLER, V.L. Medical, Academic & Commercial Use Safety Branch SE459 88/04/22. HODGE, G.R. Reeves Brothers, Inc. 1p. 46964:020-46964:020.
- 8809230185 Requests continued use of 3M Model 315 static eliminator bars on coated fabrics mfg equipment. Use of bars vital to processes SE480 encl HODGE, G.R. Reeves Brothers, Inc. SE459. 88/04/13 Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46964 021-46964:022.
- 8809230193 Authorizes transfer of Po-210 static elimination devices only in quantities & models to general licensees listed. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. SE461. 88/04/26 WISSINK, R.G. Minnesota, Mining & Manufacturing Co, 3M Co 1p. 46964:023-46964:023.
- 8809230230 Summary of 880406 meeting w/3M re status of 3M surveys of facilities of general licensees contaminated by 3M devices, info 3M should supply in future reports to NRC & procedures 3M will use to follow up on devices not returned by licensees. MALLET, B.S. Region 3, Ofc of the Director. SE438. 88/04/14. NORELIUS, C.E. Region 3, Ofc of the Director. 3pp. 46962:207-46962:209.
- 8809230235 Authorizes temporary continued use of stated 3M Po-210 static elimination devices, contingent upon performing leak tests & contamination surveys of each 3M device at intervals not exceeding 30 days per 880301 request. DAVIS, A.B. Region 3, Ofc of the Director. SE440. 88/04/14. ENGELMANN, J.H. Miles, Inc. (formerly Miles Laboratories, Inc.). 1p 46962:210-46962:210.
- 8809230264 Forwards confirmatory order modifying general license in 10CFR110.23(a)(4) to suspend export of any Po-210 static eliminator device. SHEA, J.R. Region 3, Ofc of the Director. SE501. 88/05/10. WISSINK, R.G. Minnesota, Mining & Manufacturing Co, 3M Co 2pp. 46962:236 46962:237.
- 8809230265 Confirmatory order modifying general license in 10CFR110.23(a)(4), suspending export of Po-210 static elimination device by 3M, effective immediately SE502 encl SHEA, J.R. International Programs. SE501. 88/04/22 Minnesota, Mining & Manufacturing Co., 3M Co 7pp. 46962:238-46962 244.

270 NONDOCKETED ITEMS

--8809230266 Forwards analysis of costs associated w/State of ND, Dept. of Health & Consolidated labs evaluation of potentially leaking Po 210 static elimination devices distributed by 3M, per request, SE504 enc1
MOUNT, D.K. North Dakota, State of SE503, 88/05/06 NUSSDAUMT, J. Assistant Director for State Agreements Program. 2pp 40002 245 40002 240

-8009230260 Submits estimate of effort expended re Po 210 static eliminator problem, in accordance w/telecon w/Doda. 08/05/00 NUSBAUMER, D A Assistant Director for State Agreements Program 1p 46902 240 40906,240

~~8808230272~~ Submits info re State of TX response to 3M static eliminator incident, per request
LACKER, D K, Texas, State of, SE506 86/05/06, NUSSBAUMER, D A NR: No De
tailed Affiliation Given 1p 46962 250 46962 250

-8808230273 Application for amend to License 22 0005/ 06,authorizing 3M qualified personnel to conduct radioactive contamination removal at customer sites as stated, WISSINK, R G Minnesota, Mining & Manufacturing Co, 3M Co St 01 01 01/02/01 MCCANN, G M Region 3, Ofc of the Director 2pp 40002 251 40002 262

-8609230275 Proposes procedures to 3M customers request to return 3M Model 902,906 & 908 static eliminators for testing SE600 through SL611 encl
WISSNI,K,R.G. Minnesota, Mining & Manufacturing Co., 3M Co SL 600 08/02/01
SRENIASKI,D.J. Region 3, Ofc of the Director. 5pp 40002 263 40002 260

~~8009230282~~ Authorizes temporary continued use of stated 3M Po-210 static eliminators, ionizing devices, until 800901, contingent upon performance of leak tests & contamination surveys at intervals not exceeding 30 days, per 800314 & 25 hrs DAVIS, A B Region 3, Ofc of the Director, SI 513 00/05/16 SMITH, M 1 American Tape Co 1p 46062 261 46062:261.

~~8609230204~~ Authorizes temporary continued use of stated 3M
tion devices, until 880615, contingent upon performance of leak
surveys at intervals not exceeding 30 days, per 880307 request
DAVIS, A. B. Region 3, Ofc of the Director, SL514 08/05/10
Klinger, En 2pp 46962 202 46962 267. KL (NG) 11, 11 Rickhard

--8809230291 Advise that facility can be released for unrestricted use, based on JRM radiation survey conducted on 880429 to determine if residual radioactive contamination existed subsequent to removal & return of Po 210 static eliminators. WIEDEMAN,D.G Region 3, Ofc of the Director SC515. 88705718 SPANISHCANYON, AZ. Avory International Corp App. 48662-204-48662-287.

--8009230292 Advises that facility can be released for unrestricted use, based on review of results of 3M radiation survey on 800217 to determine if residual radioactive contamination existed subsequent to removal & return of Po 210 atomic elimination.

WIEDEMANN, D.G. Region 3, O/o of the Director ST 510 88/05/18 JAC (HNS)NLT
Cray Research, Inc. App 46902 268 46902 271.

--6809230294 Advises that facility can be released for unrestricted use, based on review of results of 3M radiation survey on 8/20/418 to determine if residual radioactive contamination existed subsequent to removal & return of Po 210 alpha eliminators. WIEDFMAN, D G. Region 3, Ofc of the Director, St 517, 88/05/10 Ft Hill, Ft. Monroia Plastics Corp. Dn. 46962-2/2 46962-2/0

..8809260336 Request replacement device from 3M State of HI authorized continued use of current device as well as replacement.
ROMANELLIF Dowel Industries, Inc SE 461 88/04/21 1AM511AM NHC No Do
tailed Affiliation Given 2pp 40904024 40904 025

--0809270040 Insp Rpt 08080001/08 70 on 080317 No violations noted. Major areas inspected presence of Po 210 contamination in 3M Model 600 tank, aluminum WALLACE, W.L. Region 1, Ofc of the Director SI 405 08/03/17 68pp 468010 08 46864 103

--8809280098 Authorizes continued temporary use of 3M Po 210 static elimination devices Models 902,902F & 911 Authorization expires on 880531
DAVIS, A B Region 3, Ofc of the Director SF 407 88/04/26 (NIGHTMARE, J) Vtl,
Inc 2pp 46904 176-46904 100

--8800280115 Authorizes continued temporary use of 3M Po 210 static elimination devices Models 210 & 315 Authorization expires on 880531
DAVIS, A B, Inc 2pp, C/o of the Director SE 468 88/04/26 WFO, MI 48101
Screen Co, Reg 2pp 40984 181 40984-182

--8809280129 Advises that facility released for unrestricted use, based on review of data from 3M radiation survey on 8/03/30 to determine if residual radionuclides contamination existed subsequent to removal of Po-210 static elimination device
WIEDEMANN, D G Region 3, Ofc of the Director SF 618 08/05/16 STAFF #11
Becton, Dickinson & Co 7pp 46962 281 40902 287

--8809280155 Advises that facility released for unrestricted use, based on review of data from 3M radionuclide survey on 8/04/21 to determine if residual radioactive contamination existed subsequent to removal of Po 210 static elimination device.
WIEDEMAN, D. G. Region 3, Oic of the Director SL510 88/05/111 DATT S.M. Reno
Owsoe Plastics Rpp 46962 288 46962 293

--8809200159 Advises that facility released for unrestricted use, based on review of data from 3M radionuclide survey on 880415 to determine if residual radionuclides or contamination existed subsequent to removal of Po 210 static elimination device.
WIEDEMANN, O G Region 3, Ofc of the Director SF 520, 88/05/16 WOX/D/MA/NS/14
Northcliff Tower App 46962 04 46962 297

--0009200165 Discusses 3M attempted survey of NI Industries, Inc. facility. 3M turned access by security guard & no survey performed on 000425. Records indicate that all static elimination devices possessed by NI Industries returned to 3M SE 62P and 1 MULLAUF, J. Region 3, Ofc of the Director SE 521 08/05/16 Region 3, Ofc. of the Director 46962 200 46962 305

--8800280168 Advises that facility released for unrestricted use, based on review of data from 3M radiation survey on 880331 to determine if residual radionuclide contamination existed subsequent to removal of 3M Po 210 static eliminator.
WIDEAMAN, D.G. Region 3, Ofc of the Director. SE527 88/05/10. M(17/K)S Inter
Wiesda Corp 25pp 46962 306 46962 330

--8809280172 Advises that 30,818 devices returned to 3M per 880420 telcon
SJOBLONG, Office of Nuclear Material Safety & Safeguards, Director St 4th 88/04/
20 MILLER, V. Office of Nuclear Material Safety & Safeguards, Director tp
46964 183 46964 183.

000020201 Advise that faculty released for one day and based on review of data submitted by request BHRB to be used at BJA's 2010 state elimination device held at MAJICA Regional Office of the District 5, 2010 BJA/2010 PLANCHERLO
[Redacted Content Placeholder]

[illegible]

0000200210 Airtel from that facility also and was unclassified in a phased up review of data from JMW radiation survey on 09/07/78 conducted by determination of residual radioactive contamination resulted only a request for removal of the JMW atomic elimination devices
WFO IN MARCH 1980, 3, 04K of the Division of JMW 00707/78 MAASK HANMER
will Project a 1, 000 00002 0000 0000 0000

[illegible]

0800280Z030 Forwards 11 copies of the exhibit containing reply to 000427 survey of the city, outline and per request of 030406 per a suitable or that transmission effort to fulfill all removal of under head of alpha content into a short report on the 030427 11 of a technical reference to the 030427 000427, WU (1) MAND
Flight 101 of the Pioneer 11p 160300Z 030427 000427

[illegible]

0000200202 Adviser that facility is free for noncommercial use based on review of data from 1M and show survey. See 000012 for a letter for determination of additional radioactive contamination and need subsequent to that of P-210 since no 238U & 235U and WH 100000000. Report 1.1% of the P-210 for 238U, 00000000 0.000000. See 00000000 00000000 00000000.

[illegible][illegible]

800928077A * 1st of mps was 12 of ground + some for all others observed
WOTU NIAPOCA Hwy at 1 mi. E of town for * 20 atom Phosphate up to 50% 80/
02%, 1p 10001013 16901004

• 0000280276 http://purl.org/dc/terms/subject "Psychology" <http://purl.org/dc/terms/subject>
(a) 0000280276 http://purl.org/dc/terms/subject "Psychology" <http://purl.org/dc/terms/subject>
0000280276

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

NONDOCKETED ITEMS 271

- 8809290164 Forwards listing of 3M static eliminators remaining in possession of customers in food, beverage, pharmaceutical, cosmetic & medical device industries List current as of 880516
WISSINK, R.G. Minnesota, Mining & Manufacturing Co., 3M Co SE549 88/05/17 DAVIS, A.B. Region 3, Ofc of the Director 5pp. 46963 084-46963 088.
- 8809290169 Forwards 3M status summary re 880523 Incident Format beginning w/ subj rept changed to include proposed scheduled completion date for activities not already completed
MALLET, B.S. Region 3, Ofc of the Director SE550 88/05/24. NORELIUS, C.E. Region 3, Ofc of the Director 4pp 46963 089-46963 092.
- 8809290190 Forwards 3M responses to orders, latest listing of general licenses failing to return 3M static eliminators & chronology of responses, since 880315
MALLET, B.S. NRC - No Detailed Affiliation Given SE550 88/05/20 NRC - No Detailed Affiliation Given 3pp 46963 093-46963 095.
- 8809290198 Submits results of urinalysis of five people working in automotive body shop where significant Po 210 contamination found from 3M Model 900 static eliminator, per telcon SE552 through SE555 encl.
BROWN, W.R. California, State of SE551 88/02/17. COSTELLO, F. Region 1, Ofc of the Director. 5pp. 46963 096-46963 100.
- 8809290204 Requests 90 day exception to retain two 3M Model 210 & one Model 900 static eliminators Devices being retained due to critical need. Substitutes ordered & should arrive during 90 day time frame SE557 through SE559 encl.
SOBOLZAK, S.C. IBM Corp. SE556 88/05/16 Office of Nuclear Material Safety & Safeguards, Director 1p. 46963 101-46963 153.
- 8809290210 Provides info re recent State of AZ Po-210 involvement SE474 - SE476 encl.
TEDFORD, C.F. Arizona, State of. SE473 88/04/29. BILLING, L. State, Local & Indian Tribe Programs. 7pp 46964 198-46964 204.
- 8809290226 Submits summary of time spent on 3M Po 210 incident, per telcon request SE478 through SE480 encl.
DIBLES, M. Oregon, State of. SE477 88/05/03. BOLLING, C. NRC - No Detailed Affiliation Given 5pp. 46964 205-46964 210.
- 8809290233 Responds to request relayed through J Hornor for info re 3M recall activities insp form & specific license application developed State of WA criticism of general license approach stated.
FRAZEE, T.C. Washington, State of. SE481 88/05/05 BOLLING, L. State, Local & Indian Tribe Programs 15pp 46964 211-46964 225.
- 8809290255 Forwards status summary for 880420 for 3M incident
MALLET, B.S. Region 3, Ofc of the Director SE485. 88/05/06 NORELIUS, C.E. Region 3, Ofc of the Director. 6pp. 46964 232-46964 237.
- 8809290271 Advises that 880425 request for permission to continue use of 3M Po 210 static eliminators forwarded to State of TX for action.
MILLER, V.L. Medical, Academic & Commercial Use Safety Branch SE486. 88/05/06 ALDANA, J. Polytex Fibers Corp 2pp. 46964 238-46964 239.
- 8809290273 Requests continued use of 3M static eliminators until replacements received from Simco Co SE487 through SE489 encl.
ALDANA, J. Polytex Fibers Corp SE487. 88/04/25 Office of Nuclear Material Safety & Safeguards, Director. 5pp. 46964 240-46964 244.
- 8809290279 Authorizes temporary continued use of stated 3M Po-210 static elimination devices until 880905, contingent upon performance of leak tests & contamination surveys at intervals not exceeding 30 days, per 880323 & 0420 requests
RUSSELL, W.T. Region 1, Ofc of the Director. SE490. 88/05/09. KILGOUR, R. J. Arm strong World Industries. 2pp 46964 245-46964 248.
- 8809290280 Authorizes temporary continued use of 3M Po-210 static elimination devices until 880531, contingent upon performance of leak tests & contamination surveys at intervals not exceeding 30 days, per 880317, 21 & 26 facsimiles
RUSSELL, W.T. Region 1, Ofc of the Director. SE491 88/05/09. SUTTON, J.B. E.I. du Pont de Nemours & Co., Inc. 2pp. 46964 247-46964 248.
- 8809290284 Submits info re State of ID insp of facilities using 3M Po 210 static elimination devices, per R Doda request.
RANIERI, E. Idaho, State of. SE492. 88/05/04. NUSSBAUMER, D.A. NRC - No Detailed Affiliation Given. 1p. 46964 249-46964 249.
- 8809290288 Submits info re State of NE, Dept of Health, Div of Radiological Health insp of 33 facilities for 3M static eliminator survey.
BORCHERT, J.H. Nebraska, State of. SE493. 88/05/05. NUSSBAUMER, D.A. State, Local & Indian Tribe Programs 1p 46964 250-46964 250.
- 8809290291 Submits info re time involved, cost & facilities involved concerning investigation of 3M static elimination devices
ANDERSON, L.F. Utah, State of. SE494 88/05/04. NUSSBAUMER, D.A. Assistant Director for State Agreements Program 1p 46964 251-46964 251.
- 8810110385 Informs that 20 mCi Po 210 source for 3M Model 911 static eliminator device test No known exposure or contamination of personnel or facilities occurred, SE548 encl.
DONOVAN, L. Air Force, Dept. of SE547 88/05/06 SPITZBERG, D.B. Region 4, Ofc of the Director. 1p
- 8809190397 Notification of 880928 meeting w/NUMARC & INPO to discuss implementation of alternative approaches to direct NRC involvement in facility requalification program.
ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 88/09/14. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46969 103-46969 104.
- 8809200065 Forwards listed marked-up NUMARC documents for use during 880915 meeting on station blackout.
TAM, P.S. Project Directorate I-4. TAC 40577. 88/09/12. MARION, A. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage 24pp. 46915 084-46915 087.
- 8809290138 Summary of 880810 & 18 CRGR Meeting 144 re proposed final reg guide, "Qualification of Safety-Related Lead Storage Batteries for Nuclear Power Plants" List of attendees encl.
JORDAN, E.L. Committee to Review Generic Requirements. 88/08/28. STELLO, V. Ofc of the Executive Director for Operations. 2pp. 46900 143-46900 144.
- 8809200308 Summary of 880924 meeting w/NUMARC, EEI & several nuclear utility re need for revised regulatory guidance on hot particle exposures of skin List of attendees & viewpoints encl.
CUNNINGHAM, L.J. Radiation Protection Branch 88/08/31. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 40pp 46906 169-46906 197.
- 8809210013 Informs of establishment of Plant Equipment Procurement Working Group to address findings of fraudulent suppliers of mechanical & electrical equipment & assess impact of findings on utility procurements process
COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 88/08/23. TAYLOR, J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 1p 46920 116-46920 118.
- 8809210212 Notification of 880922 meeting w/NUMARC in Rockville, MD to discuss issues raised by NUMARC to address Station Blackout Rule, 10CFR50.63
TAM, P.S. Project Directorate I-4. TAC 40577. 88/09/15. STOLZ, J.F. Project Directorate I-4. 3pp 46928 248-46928 250.
- 8804220046 Discusses Safety Insp Rept 98980001/88-79 on 880317 No violations noted Major areas inspected possession & use of static eliminators mtg by Minnesota Mining & Mfg Co.
WHITE, J.R. Region 1, Ofc of the Director. 88/04/19. PENDLETON, D. GP Technologies 79pp 46964 034-46964 035.

SECY POSITION PAPERS BEFORE THE COMMISSION

- 8703060109 SECY-86 180 Evaluates Appeal Board rejection in ALAB 818 of LILCO "realism" & "immaturity" theories & proposes draft reversing merits decisions on theories
MALSCH, M.G. Office of the General Counsel ALAB 818. 86/06/19 54pp. 46786 001-46786 064.
- 8807190328 Forwards summary & issue identification for CRGR Meeting 141 on 880714 re degrees for senior reactor operators. Minutes for CRGR Meeting 48 & analysis of public comments also encl. W/o minutes & analysis
SAKENAS, C.A. Committee to Review Generic Requirements. 88/07/06. JORDAN, E.L. NRC - No Detailed Affiliation Given 3pp. 46992 116-46992 140.
- 8706030157 SECY-87-101 Requests Commission decision on alternatives re contemplated degree rule for senior operators Recommends that Commission approve separating listed training & educational issues & provide guidance on degree rule option to be developed
STELLO, V. Ofc of the Executive Director for Operations. 87/04/16. 137pp. 46992 215-46992 351.
- 8808310017 Forwards SECY 88 39B & SECY-88-74 for placement in PDR.
BATES, A. Operations Branch 88/08/18. SHELBURNE, B. Public Document Branch. 1p. 46782 020-46782 075.
- 8808310022 SECY-88-074 Provides Commission w/rept on licensee check valve programs & responses to INPO significant Operating Event Rept 88-3 on check valves
STELLO, V. Office of the Secretary of the Commission 88/03/09 11pp. 46782 030-46782 040.
- 8808310023 SECY 88 039B Provides Commission w/quarterly progress rpt for May-Jul 1988 on prelicensing phase of DOE civilian high level radwaste mgt program
STELLO, V. Office of the Secretary of the Commission 88/08/08 35pp 46782 041-46782 075.
- 8809080137 SECY 88-246 Recommends approval of draft final rule on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power testing
STELLO, V. Ofc of the Executive Director for Operations. 88/09/01. 32pp 46919 058-46919 059.
- 8809080232 SECY-88-245 Requests Commission decision on whether to publish notice of proposed rulemaking revising 10CFR55.31 to require that each senior reactor operator hold bachelor degree from accredited college or univ.
STELLO, V. Ofc of the Executive Director for Operations 88/08/31. 66pp 46918 001-46918 057.
- 8809090063 Final response to FOIA request for SECY 88-50 & SECY-88-50A re pipe wall thinning Forwards documents. Documents also available at PDR
GRIMSLEY, D.H. Division of Rules & Records (870413-880514) 88/08/18. NELSON, J.M. Affiliation Not Assigned 2pp 46786 328-46786 335.
- 8809090066 SECY-88 050 Discusses status rpt on pipe wall thinning (responses to NRC Bulletin 87-01 on pipe wall thinning in nuclear power plants). Review indicates pipe wall thinning widespread for single- & two-phase carbon steel sys
STELLO, V. Ofc of the Executive Director for Operations. IES 87 001. 88/02/22 6pp 46766 330-46766 335.
- 8805230074 SECY 88 050A Provides summary of meeting w/NUMARC, EPRI & INPO on status of industry erosion/corrosion program Plant insps will be completed by Oct 1988 & add regulatory requirements prepared by Dec 1988.
STELLO, V. Ofc of the Executive Director for Operations. 88/05/10. 4pp 46766 336-46766 339.
- 8809090143 Final response to FOIA request re all LER documents Forwards App A document. Document also available in PDR
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/08/18. BOLEY, K. Public Citizen's Critical Mass Energy Project 2pp 46786 212-46786 247.
- 8805130022 SECY-88-103 Informs Commission of status of performance indicator (PI) program & requests approval of staff plan to include new PIs in program.
STELLO, V. Ofc of the Executive Director for Operations. 88/04/15 31pp 46766 217-46766 247.

272 NONDOCKETED ITEMS

STATE PROG STATE PROGRAMS

8808260039 Forwards NRC info Notice 88 046 re potentially defective refurbished circuit breakers supplied to nuclear power plants & invoice identifying recipient agency as customer W/o encl
GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). IEIN-88-046 88/08/18 Oregon, State of 2pp 46670 063 46670 064

8808260309 Confirms recent conversation re NRC visit to review State of AL radiation control program for agreement materials rescheduled for 880906 08
WOODRUFF,R.L. Region 2, Ofc of the Director 88/08/11. GODWIN,A.V. Alabama, State of 1p 46654 164-46654 164

8808260446 Discusses util rept, "Rept on Containment Safety at Vermont Yankee"
Based on review, rept appears systematic, thorough evaluation of potential safety improvements to facility
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/24 KUNIN,M. Vermont, State of 7pp 46656 236-46656 242

8808260501 Notification of 880812 meeting w/util in Rockville, MD to discuss util plans for addl spent fuel storage capacity & potential State of MT legislation on fuel storage
ROBERTS,J.P. Fuel Cycle Safety Branch 88/08/18 ROUSE,L.C. Fuel Cycle Safety Branch 12pp 46655 207-46655 221

--8809010372 Requests assurance from NRC that allowing above ground storage of dry spent fuel would not decrease safety of public
MIDDAUGH,J.M. Michigan, State of 88/08/04 THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director 3pp 46655 219 46655 221.

8808300099 Requests addl info re potential improper disposal of licensed mail, per listed questions & Insp Rept 50-271/88 09, specifically NRC recommendations re disposition of estimated 13,500 cubic ft of sludge
MCCANDLES,R.N. Vermont, State of 88/08/15. RUSSELL,W.T. Region 1, Ofc of the Director 1p. 46777 089 46777 089

8808300146 Discusses State of VT continued participation in NRC State Liaison Program
ZECH,L.W. Commissioners 88/08/18 KUNIN,M.M. Vermont, State of. 1p. 46697:204 46697 206

--8808300150 Discusses State of NJ continued participation in NRC State Liaison Program
ZECH,L.W. Commissioners. 88/08/18. KEAN,T.H. New Jersey, State of 1p 46697 205 46697 205

--8808300153 Discusses State of MD continued participation in NRC State Liaison Program
ZECH,L.W. Commissioners 88/08/18. SCHAEFER,W.D. Maryland, State of. 1p. 46697 206-46697 206

8808300171 Forwards comments & recommendations on State of IA radiation control program for agreement mail, per 880528 discussion Program deemed adequate to protect public health & safety
KAMMERER,C. State, Local & Indian Tribe Programs. 88/08/26 ELLIS,M.L. Iowa, State of 5pp 46703 280 46703 284

8809010229 Forwards most recent NRC outstanding items list per request. Documentation of open NRC insp findings, including violations & unresolved items will be considered for review by NRC
MILLER,M. Region 1, Ofc of the Director, 88/08/17 AGNES,P. Massachusetts, Commonwealth of 7pp. 46744 120 46744 126.

8809020184 Forwards self bond agreement for USE/CC Permit PT 381C,
JORDAN,P. Wyoming, State of 88/07/20 ROSE,H. Uranium Recovery Field Ofc, RA. 16pp 46745 073-46745 088

8809060119 Discusses feasibility study for United Nuclear Corp Church Rock site Alternative selected to clean up groundwater will be combination of extracting groundwater from Zone 3 & alluvium to arrest plumes in respective units
CARY,S. New Mexico, State of. 88/08/01. ROWE,W. Environmental Protection Agency 2pp 46767:300 46767 301.

8809060182 Informs of end of stability monitoring period & proposed meeting to discuss results & impact on restoration effort
CLARKIN,K. Wyoming, State of 88/07/25 KONWINSKI,G. NRC - No Detailed Affiliation Given. WOOD,R., ENGELMANN,R. Energy, Dept of. 2pp. 46758 122-46758 123.

8809060207 Forwards proposed findings of fact, conclusions of law & board order re application to renew Permit WD-76 074, which will be presented to Board on 880914 in Oklahoma City, OK
COUCH,D.A. Oklahoma, State of. 24694. 88/09/11. NRC - No Detailed Affiliation Given 61pp. 46764 191-46764 251.

8809070025 Summarizes 880510 12, 0810, 0715 & 0803 discussions re addl info needed to continue review of Churchrock project groundwater discharge plan application.
LAMBERT,K. New Mexico, State of. 88/08/16 PELIZZA,M.S. Hydro Resources, Inc. 1p. 46763 197-46763 198

8809070073 Forwards summary rept on radioactive mail in West Lake landfill (NUREG-1309), W/o encl
LAROUCHE,G. Fuel Cycle Safety Branch 88/08/31. OCCOR,J. Illinois, State of. 1p. 46779 350 46779 350.

8809070250 Comment supporting proposed rule 10CFR50 policy statement on cooperation w/states at commercial nuclear plants & other nuclear production or utilization facilities
EURE,J.A. Iowa, State of 53FR21981 00001. 88/06/22 Docketing & Services Branch. 1p 46713 347-46713 347

8809080007 Comment on proposed rule 10CFR35 re training & experience criteria for persons using radioactive materials in or on humans Advises training & experience for therapeutic use of radiopharmaceuticals should include use of site specific antibodies.
LASH,T.R. Illinois, State of, Dept. of Nuclear Safety. 53FR18845 00061. 88/08/22. Docketing & Services Branch. 3pp. 46713 359 46713 361.

8809090062 Forwards NUREG/CR 0672, Addendum 3, "Technology, Safety & Costs of Decommissioning Ref BWR Power Station," estimating decommission costs for plant, per 880706 meeting W/o NUREG/CR 0672, Addendum 3
STELLO,V. Ofc of the Executive Director for Operations 88/08/20 STERZWINGER,G. Vermont, State of 3pp 46808 322 46809 168

--8809090072 12 "Shutdown Assessment of Vermont Yankee Nuclear Power Facility," interim rept to State of Vt General Assembly
* Vermont, State of 87/12/31 199pp 46808 329 46809 168

8809090103 Requests Commonwealth of MA observations & conclusions different from NRC inspectors w/respect to insp so that NRC can take necessary actions meet regulatory responsibilities Response required by 880906
COLLINS,S.J. Region 1, Ofc of the Director, 88/09/01 BARRY,C.V. Massachusetts Commonwealth of 3pp 46806 200-46806 202

8809120054 Forwards comments on 880817 ltr from AlChemiE, Inc re radiological hazards Clarification desired
WEST,C.P. Tennessee, State of 24703 88/08/30 THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director 3pp 46813 314 46813 316.

8809130242 Forwards "Modeling & Dose Assessment of Alternative Low Level Rad waste Disposal Methods in State of NY," Suppl to Jul 1987 draft EIS for promulgation of 6NYCRR Part 302.
ZOBEL,S. New York, State of. 88/09/06 NRC - No Detailed Affiliation Given 3pp 46828 092-46828 273

--8809130252 "Modeling & Dose Assessment of Alternative Low Level Radwaste Disposal Methods in State of NY," Suppl to Jul 1987 draft EIS for promulgation of 6NYCRR Part 302
* New York, State of 88/08/31 185pp 46828 094 46828 273

8809140303 Forwards Integrated Assessment Team Insp Rept 50 293/88 21 on 880908-24. No fundamental flaws in mgt structure, mgt performance, programs or program implementation noted Results will be considered in decision re restart.
COLLINS,S.J. Region 1, Ofc of the Director 88/09/07. BIRD,R.G. Boston Edison Co 3pp 46843 257 46844 002.

--8809140306 Responds to 880901 ltr re Commonwealth of MA participation in Integrated Assessment Team Insp at facility. Mediocre scores during last SALP period, coupled w/poor performance, should be addressed by NRC in decision re restart
AGNES,P.W. Massachusetts, Commonwealth of 88/09/08 COLLINS,S.J. Region 1, Ofc of the Director 2pp 46844 001-46844 002

8809150316 Comments on proposed rule 10CFR35 re training & experience criteria for medical use of byproduct mail Agrocos w/training requirements by physicists, dosimetrists & technologists
LACKER,D.K. Texas, State of. 53FR18845 00006. 88/09/02. Docketing & Services Branch 1p. 46803 340 46803 340.

8809160085 Partial response to FOIA request for documents re plant Forwards App C documents. Documents also available in PDR & LPDR in Plymouth Public Library in Plymouth, MA
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/09/23. JOHNSON,G.E. Swiffer & Berlin. 3pp 46814 001-46814 028.

--8809160254 Requests that further processing of payment of civil penalty by util & deposit of payment in US Treasury be stayed until disposition of Commonwealth of MA petition.
KENNY,P.J. Massachusetts, Commonwealth of EA 81 063. 82/03/18. HAYNES,R.C. Region 1, Ofc of the Director 1p. 46814 311 46814 311.

--8809160265 Requests that further processing of payment of civil penalty in amount of \$550,000 by util be stayed until disposition of Commonwealth of MA petition
KENNY,P.J. Massachusetts, Commonwealth of EA-81 063 82/03/22 DEYOUNG,R.C. Ofc of Inspection & Enforcement, Director (820201 070413) 1p 46814 312 46814 312

8809160166 Partial response to FOIA request for documents Forwards App E documents App D & E documents available in PDR App E documents being placed at LPDR in Plymouth, MA
GRIMSLEY,D. NRC - No Detailed Affiliation Given 88/08/25 JOHNSON,G.E. Swiffer & Berlin. App. 46831 033 46831 247

--8809160184 Forwards transcript of testimony presented to Special Joint Committee on 870427.
KANE,W.F. Region 1, Ofc of the Director. 87/05/01. FORMAN,P.V. Massachusetts Commonwealth of 1p. 46831 261-46831 261.

--8809160196 Expresses appreciation for repts submitted to NRC by Commonwealth of MA Dept of Public Health & S Cobb re results of epidemiological studies in communities around plant. Commonwealth of MA responsible for reviewing concerns
KANE,W.F. Region 1, Ofc of the Director. 87/09/17 ALEXANDER,L.R. Massachusetts Commonwealth of. 2pp 46831 301-46831 302

--8809160198 Proposes listed agenda items for 871008 meeting in King of Prussia, PA, including status of NRC review of security violations reported by util & allegations of excessive overtime, per 870930 telcon.
AGNES,P.W. Massachusetts, Commonwealth of. 87/10/01 MILLER,M. NRC - No Detailed Affiliation Given. 10pp 46831 303-46831 312

--8809160207 Responds to 871112 request for comments on util restart plan for plant & on results at plant to date.
BARRY,C.V. Massachusetts, Commonwealth of 88/01/04. RUSSELL,W.T. Region 1, Ofc of the Director. App 46831 326-46831 329

--8809160261 Requests right to participate as observer in augmented team insp scheduled for 880608 & to designate addl associate observers to assist G Minor in selected phases of insp.
BARRY,C.V. Massachusetts, Commonwealth of. 88/05/27. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 46832 069-46832 071.

--8809160268 Informs that Governor Dukakis & Atty General Shannon agree to abide by "Guidelines for Accompaniment on Integrated Assessment Team Insp," subj to resolution of end items brought to Zach attention W/o encl.
BARRY,C.V. Massachusetts, Commonwealth of. 88/07/08. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 46832 072-46832 076.

NONDOCKETED ITEMS 273

--8809160201 Summarizes 871008 meeting w/Commonwealth of MA re concerns & status of NRC position on emergency planning,safety enhancements & mgt deficiencies re plant Meeting agenda & list of attendees encl
MILLER,M.T. Region 1, Ofc of the Director 87/12/04 DEAN,G Massachusetts, Commonwealth of 4pp 46831.313-46831.316

--8809160205 Forwards info re allegation process,OL amend process,NRC policy on overtime at plant & generic emergency procedures for containment venting,per 871008 request.W/o stated encls. Related info encl.
MILLER,M.T. Region 1, Ofc of the Director 87/11/10. BARRY,C.V. Massachusetts, Commonwealth of. 9pp 46831.317-46831.325.

--8809160209 "Rept on Emergency Preparedness for Incident at Pilgrim Nuclear Power Station"
BARRY,C.V. Massachusetts, Commonwealth of. 87/12/16 37pp 46831.330-46832.048.

--8809160244 Confirms discussions re 880209 informational meeting between Region 1 staff & representatives of local & state govts & certain residents living in area of plant. AGNES,P.W. Massachusetts, Commonwealth of 88/02/05. MILLER,M Region 1, Ofc of the Director. 2pp. 46832.056-46832.057

--8809160251 Forwards transcripts of oral statements made during public meetings held by NRC on 880218 in Plymouth,MA, to receive public comments on plant restart plan. RUSSELL,W.T. Region 1, Ofc of the Director 88/04/05. BARRY,C.V. Massachusetts, Commonwealth of 1p 46832.058-46832.058.

8809190139 Requests processing of encl documents re 3M compiled by NMSS & re goes through NRC Document Control Sys & forwarding to PDR.
SEVERIDGE,G.G. Program Management, Policy Development & Analysis Staff (Post 870413) 88/08/25. LANHAM,D Document Control Branch (Document Control Desk) 1p 46958.176-46964.263.

--8809200100 Responds to 880209 ltr,requesting that State of AL not enforce regulations.Reservations re distribution of devices under general license,particularly when licensee not told that possessed device contains radioactive mail expressed.
GODWIN,A.V. Alabama, State of SE174. 88/02/22. NUSSBAUMER,D.A Assistant Director for State Agreements Programs. 14pp. 46959.348-46959.361

--8809200210 Provides info re recent State of AZ Po-210 involvement. SE474 - SE478 encl.
TEDFORD,C.F. Arizona, State of. SE473. 88/04/29. BILLING,L. State, Local & Indian Tribe Programs. 7pp. 46964.188-46964.204.

--8809210028 Forwards listing of facilities inspected in State of CA that used 3M static eliminator devices prior to ordered recall by NRC.
MCGURK,J. California, State of. SE376 88/03/17 HORNOR,J.W. Region 5, Ofc of the Director 8pp. 46961.187-46961.194.

--8809290198 Submits results of urinalysis of five people working in automotive body shop where significant Po-210 contamination found from 3M Model 908 static eliminator,per telcon SE552 through SE555 encl.
BROWN,W.R. California, State of SE551. 88/02/17. COSTELLO,F Region 1, Ofc of the Director 5pp. 46963.086-46963.100.

--8809200062 Responds to Eden 811015 ltr to V Miller re use of static eliminators in food industry.Allegation of NRC lack of responsibility on basis of informal,limited oral exchanges unfair.
NUSSBAUMER,D.A. Assistant Director for State Agreements Programs SE174 81/12/10 JERRETT,L. Florida, State of. 2pp 46959.344-46959.345.

--8809200092 Expresses concern re comment of NRC speaker made during Orientation Course in Licensing Practices & Procedures, stating hope that food product consumer would chew up Po-210 microspheres permissible concentration same as for water.
EDEN,W. Florida, State of. SE174. 81/10/15. MILLER,V. Materials Licensing Branch. 2pp. 46959.346-46959.347.

--8809290284 Submits info re State of ID Insp of facilities using 3M Po-210 static elimination devices,per R Doda request
RANIERIE, Idaho, State of. SE492. 88/05/04. NUSSBAUMER,D.A. NRC - No Detailed Affiliation Given. 1p. 46964.249-46964.249.

--8809230269 Submits estimate of effort expended re Po-210 static eliminator problem,in accordance w/telcon w/Doda.
WASCOM,R. Louisiana, State of. SE605. 88/05/09. NUSSBAUMER,D.A Assistant Director for State Agreements Program. 1p 46962.248-46962.249.

--8809200285 Requests that NRC promote prompt notice to state agencies re static elimination devices not returned to mfg,SE230 through SE246,encl.
SMITH,M.J. Mississippi, State of. SE229. 88/02/02. NUSSBAUMER,D.A. Assistant Director for State Agreements Program. 34pp. 46960.330-46961.002.

--8809200386 Submits results of leak tests & wipe samples for 3M Po-210 static elimination devices at six facilities Analysis results encl.
LINDSEY,T.D. Affiliation Not Assigned. SE375. 88/03/09. MARTIN,R.D Region 4, Ofc of the Director. 14pp 46961.173-46961.186.

--8809200288 Forwards request from Faberge Rasford,NC for waiver from order recalling 3M Po-210 static eliminators.
FRY,M. North Carolina, State of. SE284. 88/02/28. BOLLING,L. NRC - No Detailed Affiliation Given. 3pp. 46963.211-46963.213.

--8809230286 Forwards analysis of costs associated w/State of ND,Dept of Health & Consolidated labs evaluation of potentially leaking Po-210 static elimination devices distributed by 3M,per request SE504 encl
MOUNT,D.K. North Dakota, State of. SE503. 88/05/08. NUSSBAUMER,D. Assistant Director for State Agreements Program. 2pp. 46962.245-46962.248.

--8809290288 Submits info re State of NE,Dept of Health,Div of Radiological Health insp of 33 facilities for 3M static eliminator survey
BORCHERT,H.R. Nebraska, State of. SE483. 88/05/05. NUSSBAUMER,D.A. State, Local & Indian Tribe Programs 1p. 46964.250-46964.250.

--8809210031 Forwards summary of 3M recall surveys,Contamination found at Allen Photographics - Bally's,Allen Photographic - Harrah's & Life Touch Portrait Studios in Reno,NV.
MARSHALL,S. Nevada, State of. SE377 88/02/29. HORNOR,J. Region 5, Ofc of the Director. 7pp. 46961.195-46961.201.

--8809290226 Submits summary of time spent on 3M Po-210 incident,per telcon request SE478 through SE480 encl.
DIBBLES,M. Oregon, State of SE477. 88/05/03 BOLLING,C. NRC - No Detailed Affiliation Given 6pp 46964.205-46964.210.

--8809230272 Submits info re State of TX response to 3M static eliminator incident,per request.
LACKER,D.K. Texas, State of SE508. 88/05/06. NUSSBAUMER,D.A NRC - No Detailed Affiliation Given 1p. 46962.250-46962.250.

--8809290291 Submits info re time involved,cost & facilities involved concerning investigation of 3M static elimination devices
ANDERSON,L.F. Utah, State of. SE494 88/05/04 NUSSBAUMER,D.A. Assistant Director for State Agreements Program. 1p. 46964.251-46964.251.

--8809290233 Responds to request relayed through J Hornor for info re 3M recall activities Insp form & specific license application developed.State of WA criticism of general license approach stated.
FRAZEE,T.C. Washington, State of. SE481. 88/05/05. BOLLING,L. State, Local & Indian Tribe Programs 15pp. 46964.211-46964.225

8809210115 Comments on proposed rules 10CFR50 & 51 re onsite storage of spent fuel.Rules should be withdrawn & replaced w/rules mandating full environ review in each licensing proceeding
SINDERBRAND,C. Wisconsin, State of. 48FR22730 00008. 83/07/01. Docketing & Services Branch 6pp 46917.316-46917.324.

8809210178 Discusses State of NV NWPO observations & concern re DOE QA audits from Feb-Jul 1988
ZIMMERMAN,S.W. Nevada, State of. 88/09/06. HOLONICH,J. Office of Nuclear Material Safety & Safeguards,Director. BARRETT,L., GERTZ,C. Energy, Dept. of 4pp 46920.306-46920.309.

8809220292 Responds to 880016 ltr transmitting listing of low level radwaste allocations for commercial power reactors informs that Saxton & Pathfinder reactors licensed under 104b of Atomic Energy Act of 1954.
MILLER,C.L. Standardization & Non-Power Reactor Project Directorate. 88/09/09. CARLIN,E. Washington, State of. 3pp 46927.195-46927.197.

8809230040 Responds to 880816 & 0913 ltrs re NRC recent decision to impose civil penalties on util & util employees & manner in which Commission exercised regulatory oversight responsibility for facility.
ZECH,L.W. Commissioners 88/09/18 RHODES,J. Pennsylvania, Commonwealth of. 1p. 46944.185-46944.183.

--8809230045 Discusses recent set of fines imposed on util & certain personnel at facility due to util poor record of running plant in recent yrs & alleged misconduct.
RHODES,J. Pennsylvania, Commonwealth of. 88/09/13 ZECH,L.W. Commissioners. 2pp 46944.186-46944.187.

--8809230053 Request response to 880816 ltr re full disclosure of all meetings & telcons between util senior mgt & senior officials at NRC re restart of plant & impositions of fines.
RHODES,J. Pennsylvania, Commonwealth of. 88/09/13 ZECH,L.W. Commissioners. 2pp 46944.186-46944.189

--8809230080 Requests disclosure of listed records,per FOIA,re restart investigation & mismanagement investigation.
RHODES,J. Pennsylvania, Commonwealth of. 88/09/13. NRC - No Detailed Affiliation Given. 4pp. 46944.190-46944.193

8809290092 Requests DOE QA seminar be conducted in Albany,NY on 881020-21 for NY State employees Agenda encl.
RANDALL,J.D. New York, State of. 88/08/01. SHUPE,M.E. Energy, Dept. of. 3pp 46963.228-46966.230.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8808260456 Forwards final Audit Rept 88-0126, "Employee Concern Programs in TVA," Objective of audit was to determine if recommendations in util 870403 audit rept implemented.Four remaining recommendations will be implemented by 881130.
ZIGROSSI,N.A. Tennessee Valley Authority. 88/08/10 GRACE,J.N. Region 2, Ofc of the Director. 1p. 46654.339-46654.351.

--8808290036 88-0126 "Employee Concern Programs in TVA," audit on 870320-880310.
ZIGROSSI,N.A. Tennessee Valley Authority 88/03/09. 12pp. 46654.340-46654.351

8808290012 Forwards addl page to "Handbook on Flaw Evaluation,Waterford Unit 3,Reactor Vessel Outlet Nozzle to Shell Welds," inadvertently omitted from original rept transmitted by 880516 ltr re inservice insp.
BURSKI,R.F. Louisiana Power & Light Co. W3P88-1245. 88/08/23. Document Control Branch (Document Control Desk). 1p 46686.346-46686.347.

--8809060182 Errata to "Handbook on Flaw Evaluation Waterford Unit 3 Reactor Vessel Outlet Nozzle to Shell Welds," consisting of page inadvertently omitted from original rept.
Westinghouse Electric Corp. 88/05/31. 1p. 46886.347-46886.347.

8808290201 Forwards Proprietary Rev 1-P-A to CENPD-275-P, "C-E Methodology for Core Designs Containing Gadolinia-Uranium Burnable Absorbers" Encl withheld (ref 10CFR2.790).
SCHERER,A.E. Combustion Engineering, Inc LD-88 079. 88/08/16. NORBERG,J.A Division of Engineering & Systems Technology (Post 870411). 5pp 46896.257-46896.263.

8808290235 Forwards WCAP-11815, "Analysis of Capsule Z From New York Power Authority Indian Point Unit 3 Reactor Vessel Radiation Surveillance Program"
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York). IPN-88-038. 88/08/19. Document Control Branch (Document Control Desk). 1p. 46682.130-46682.212

274 NONDOCKETED ITEMS

- 8808290242 WCAP-11815 "Analysis of Capsule Z from New York Power Authority Indian Point Unit 3 Reactor Vessel Radiation Surveillance Program" YANICHKO, S.E., ANDERSON, S.L., ALBERTIN, L. New York Power Authority (formerly Power Authority of the State of New York) 88/08/31 84pp 46682 131 46682 212
- 8808290252 Forwards WCAP-11808, "Containment Integrity Analysis for Donald C Cook Nuclear Plant Units 1 & 2" ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) TAC 64962 88/08/22 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 6pp 46677 350 46678 044
- 8808290261 WCAP-11908 "Containment Integrity Analysis for Donald C Cook Nuclear Plant Units 1 & 2" WELLS, M.E. Westinghouse Electric Corp. 88/07/31 48pp 46677 357 46678 044.
- 8808300174 Notification of 880908 meeting w/BWR Owners Group in Rockville, MD to discuss new STS development process BUTCHER, E.J. Technical Specifications Branch 88/08/25 ROSS, C.E. Division of Operational Events Assessment (Post 870411) 2pp 46703 229-46703 230.
- 8808300183 Forwards request for addl info on Rev 1 to TP-06 re Nuclear Packaging, Inc encapsulation sys Responses should be received by 881001 in order to complete review within currently scheduled time CRAIG, J.W. Plant Systems Branch 88/08/24 BURNHAM, R.E. Nuclear Packaging, Inc 2pp 46698 286-46698 287
- 8808310048 Forwards proprietary response to request for addl info re Topical Rept BAW-10171P, "REFLOD38, Model for Multinodal Core Reflooding Analysis" Response withheld TAYLOR, J.H. Babcock & Wilcox Co. JHT/88-152. 88/08/15 NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411) 1p 46723 135 46723 136.
- 8808310098 Forwards proprietary partial response to ref request for addl info re Topical Rept BAW-10165P, "FRAP-T8 B&W Computer Code for Transient Analysis of LWR Fuel Rods." Response withheld TAYLOR, J.H. Babcock & Wilcox Co. JHT/88-154 88/08/15 NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411) 1p. 46728 356-46728 356
- 8808310112 Forwards proprietary response to ref request for addl info re Topical Rept BAW-10164P, "RELAPS/MOD2-B&W Advanced Computer Program for LWR LOCA & Non LOCA Transient Analysis" Response withheld TAYLOR, J.H. Babcock & Wilcox Co. JHT/88-153 88/08/15 NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411) 1p 46722 360 46722 361.
- 8809010091 Forwards "Topical Rept QA Program for Nuclear Section of Coordinating Agency for Supplier Evaluation." MARSH, R.N. Coordinating Agency for Supplier Evaluation (CASE Association) 88/08/23 Document Control Branch (Document Control Desk) 2pp 46722 282 46722 323
- 8807130342 Advises that Rev 4 to topical rept acceptable for membership to continue using CASE register & associated audits. WEISS, S.H. Quality Assurance Branch 88/07/01 MARSH, R.N. Coordinating Agency for Supplier Evaluation (CASE Association). 2pp. 46722-284 46722 323.
- 8809010162 Forwards Rev 8A to Topical Rept B&ROE-COM4-1-NP, "Corporate Operations Manual Part IV - Functional Manuals, Section I Nuclear QA Manual" Rev includes changes submitted on 880613 & actions taken to resolve J Spraul comments ROE, K.K. Burns & Roe Enterprises, Inc 88/08/22 WEISS, S. NRC - No Detailed Affiliation Given 1p 46719 001 46719 078
- 8809010165 B&ROE-COM4 1NP R08A Rev 8a to "QA Manual." ROE, K.K. Burns & Roe Enterprises, Inc 88/08/08 75pp 46719 002-46719 078.
- 8809010335 Clarifies data presented on encl chart re B&W Owners Group data on reactor scrams Chart reflects only automatic scrams & plants having capacity factor greater than 25% in given yr SIMPSON, E.C. Babcock & Wilcox Operating Plants Owners Group. OG 274. 88/08/17. CRUTCHFIELD, D. NRC - No Detailed Affiliation Given 2pp 46742 356 46742 357.
- 8809010348 Advises that 880707 Rev 51 to QA Topical Rept CE-1A satisfies 10CFR50, App B requirements & acceptable WRIGHT, G.C. Region 3, Ofc of the Director 88/08/19 REED, C. Commonwealth Edison Co 2pp 46742 071-46742 072
- 8809060197 Forwards nonproprietary version of 880405 submittal re discussion of pressure transmitter survivability at low hydrogen release rates LANGLEY, J.R. Hydrogen Control Owners Group. HGN-131-NP. 88/08/12. Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp. 46758 284 46758 280.
- 8809080032 Application for amend to License NPF-18, revising boric acid makeup sys requirements to reduce boron concentration & increase water vol to meet shutdown margin requirements CEN-385(L), "Boric Acid Concentration ..." encl Fee paid. CONWAY, W.F. Florida Power & Light Co. L 88-356. 88/09/01 Document Control Branch (Document Control Desk). 3pp. 46798 310 46797 123.
- 8809080038 CEN-385 (L) "Boric Acid Concentration Reduction" * Florida Power & Light Co. 88/09/01. 144pp 46798 340-46797 123.
- 8809080196 Forwards responses to SER on B&W Owners Group safety & performance improvement program. Responses address primarily Suppl 1 to NUREG-1231. RUTHERFORD, N.A. Babcock & Wilcox Operating Plants Owners Group OG-280 88/08/22. CRUTCHFIELD, D. Division of Reactor Projects - I/II (Post 870411). 12pp. 46797 171-46797 182.
- 8809080325 Notification of 880907 meeting w/Westinghouse & A.B.B.-ATOM in Rockville, MD to discuss WCAP-11236 on Bison BWR transient analysis code Meeting will involve Westinghouse proprietary info. KATZE, D. Reactor Systems Branch. 88/08/31 HODGES, M.W. Reactor Systems Branch. 2pp. 46793 084-46793 085
- 8809090159 Forwards proprietary Rev 1 to CEN-356(V) P-A & nonproprietary Rev 1 to CEN-356(V)-NP-A. "Modified Statistical Combination of Uncertainties" Proprietary rept withheld (ref 10CFR2 790). KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 161-01286 DBK/B 88/08/30 Document Control Branch (Document Control Desk) 6pp 46801 025-46801 080.
- 8809090167 CEN-356(V)-NP-A R01 Rev 1 to "Modified Statistical Combination of Uncertainties" * Combustion Engineering, Inc 88/05/31 51pp 46801 031-46801 080
- 8809120073 Application for amend to License NPF-30, changing steam low level trip circuitry by adding environ allowance evaluation, WCAP-11884 & WCAP-11883 Proprietary WCAP-11883 (10CFR2 790) SCHNELLD, F. Union Electric Co. ULNRC 1822 88/08/30 Document Control Desk (Document Control Desk) 32pp 46825 055 46825 319
- 8809120094 WCAP 11884 "Implementation of Steam Generator Low Level Trip Time Delay & Environ Allowance Modifier in Callaway Plant" LEACH, C.E., GONGAWARE, B.L., TULEY, C.R. Westinghouse Electric Corp. 88/08/19pp 46825 202 46825 319.
- 8809120189 Application for amend to License DPR-19, revising Tech Specs for future reload licensing review per 10CFR50 58, Supporting documents paid. JOHNSON, J.M. Commonwealth Edison Co. 4805K 88/08/25 MURLEY, T.E. Nuclear Reactor Regulation, Director (Post 870411) 24pp 46826 085-46826 085
- 8809120201 XN NF 84 49 "Analysis of Dresden Units 2 & 3 Operation w/ Valve Out of Svc" SWOPE, D.R., COLLINGHAM, R.E., STOUT, R.B. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) 84/08/28 24pp 46826 177 46826 200
- 8809120205 ANF-87-111 "LOCA-ECCS Analysis for Dresden Units During Operation w/ Advanced Nuclear Fuels Corp Fuel" SWOPE, D.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co.) 88/08/28. 49pp. 46826 201 46826 251
- 8809120208 "Extended Operating Domain/Equipment Out of-Svc Analysis for Units 2 & 3." KEHELEY, T.H. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co.) 07/13. 53pp 46826 252 46826 304
- 8809130025 Forwards proprietary WCAP-11905 & nonproprietary WCAP-11906 Onofre Unit 1 Steam Generator U Bend Tube Fatigue Evaluation." per NRC, 88 002, Westinghouse application also encl. WCAP-11905 withheld (ref 10CFR2 790). PILMER, D.F. Southern California Edison Co. IEB-88 002 88/08/30 MAF 002 3 Region 5, Ofc of the Director 2pp. 46830 287 46830 312
- 8809130030 Requests that proprietary WCAP-11905, "San Onofre Unit 1 Steam Generator U Bend Tube Fatigue Evaluation" be withheld from public disclosure per 10CFR2 790. WESEMANN, R.A. Westinghouse Electric Corp. CAW-88 076 88/07/20 MAF 002 3 Office of Nuclear Reactor Regulation, Director (Post 870411) 11pp 46830 288 46830 288.
- 8809130036 WCAP-11906 "San Onofre Unit 1 Steam Generator U Bend Tube Fatigue Evaluation." HALL, J.M., HOPKINS, G.W., HU, M.H. Westinghouse Electric Corp. 88/07/20 46830 289 46830 312
- 8809130031 Advises that CEN 375(V) P, "Palo Verde Unit 2 End-of-Cycle Safety Exam Rept," marked as proprietary, will be withheld from public disclosure per 10CFR2 790 & Section 103(b) of Atomic Act of 1954) DAVIS, M.J. Project Directorate V. 88/09/01. MCGILL, P.L. Combustion Engineering, Inc 4pp 46834 137-46834 140.
- 8809130190 Requests listed addl info in order to complete NRC review of Topical Rept NEDO 31400, "Safety Evaluation for Eliminating BWR MSIV Closure Function & Scram Function of Main Steam Line Radiation Monitor" CUNNINGHAM, L.J. Emergency Preparedness Branch 88/09/08 GRACE D 46838 Owners Group. 3pp. 46830 358 46830 360
- 8809130205 Forwards partially deleted results of review of hydrogen generator to assumptions vs Rev 4 of emergency procedure guidelines (ref 10CFR2 790). LANGLEY, J.R. Hydrogen Control Owners Group. HGN-128-NP 88/08/30 Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp 46830 257 46830 273
- 8809140206 Provides evaluation of B&W Document 47-1159091-00, "Design Requirements for Diverse Scram Sys & ATWS Mitigation Sys Actuation Circuitry" List of areas of concern that plant-specific submittals must address CRUTCHFIELD, D. Division of Reactor Projects - I/II, IV & Special Projects 870411) 88/08/18. STALTER, L.C. Babcock & Wilcox Operating Plants Owners Group STALTER, L.C. Toledo Edison Co 2pp 46837 035 46837 056
- 8809140228 Ack receipt of 880817 ltr informing NRC of steps taken to correct noted in Insp Rept 60-312/88 05 ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/09/08 FIRLIT, J.F. Sacramento Municipal Utility District. 1p. 46838 203-46838 208.
- 8809140231 Forwards supplemental response supporting until denial of notice of violation from Insp Rept 60-312/88 05. Addl discussion re actions taken by util during diesel generator testing also provided. FIRLIT, J.F. Sacramento Municipal Utility District. CEO 88 132 88 08 17 ZIMMERMAN, R. Region 5, Ofc of the Director. 3pp. 46838 204-46838 206.
- 8809140331 Forwards proprietary Rev 2, Suppl 3, to "RODEX2 Fuel Rod Thermal-Mechanical Response Evaluation Model." Rept withheld (ref 10CFR2 790) COPELAND, R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co.) L 88-356 RAC 049 88 88/08/30. Office of Nuclear Reactor Regulation, Director (Post 870411) 4pp. 46837 001-46837 004
- 8809150034 Forwards proprietary Rev 0 to BP-TOP-4, "Technical Basis for Use of Energy Absorbers as Supports of Nuclear Power Plant Piping Sys" w/proprietary addendum "Validation Manual ME101 Linear Analysis of Piping Sys" for review FRIEND, H.B. Bechtel Power Corp. 88/08/07. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 13pp. 46849 147-46849 159.
- 8809150082 Provides revised charts reflecting organizational & name changes in Energy Sys Business Unit, Nuclear Fuel Business Unit, Power Sys Div & Power Sys Div Assurance. JOHNSON, W.J. Westinghouse Electric Corp. PA 88 996. 88/08/12. ROE, J.W. NRC - No Detailed Affiliation Given. 6pp. 46864 143 46864 149.

8809210056 Forwards updated listing of topical repts currently under review by NRC & scheduled for submittal to NRC for remainder of FY88 & in FY89, per 880817 telcon COPELAND, R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) RAC 055 88. 88/09/13 WU, S.L. Reactor Systems Branch 7pp 46920-105-46920-111.

8809210245 Forwards proprietary ANF-88 133(P), "Qualification of ANF PWR Design Methodology for Rod Burnups of 62GWd/MTU." Affidavit encl Rept withheld (ref 10CFR2.790) COPELAND, R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) RAC 055 88. 88/09/07 Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp 46925-331 46925-334

8809220037 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors investigation revealed that four authorized operators were either coerced, pressured, harassed or intimidated by mgt W/o encl. PARTLOW, J.C. Ofc of Special Projects. 88/09/09 DOBEL, H.F. Hartford Steam Boiler Inspection & Insurance Co 1p 46920-164-46920-164

8809220048 Forwards proprietary response to NRC questions on "Steamline Break Methodology for PWRs" COPELAND, R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) RAC 053 88. 88/09/09 Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46926-183 46926-183

8809220086 Forwards rept of NRC investigation re harassment & intimidation of authorized nuclear inspectors investigation revealed that four authorized operators were either coerced, pressured, harassed or threatened by mgt W/o encl. GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411). 88/09/09 KESSEL, W.R. American Society of Mechanical Engineers 2pp 46928-158-46928-159

8809230157 Forwards "B&W Owners Group Valve Task Force Final Rept." Rept contains results, conclusions & recommendations made by task force in listed areas CORREA, J.H. Babcock & Wilcox Operating Plants Owners Group. OG 296. 88/09/13 CRUTCHFIELD, D. Associate Director for Projects (Post 870411) 1p. 46924-080-46924-201

--8809230163 47-1173004-00 "B&W Owners Group Valve Task Force Final Rept." * Babcock & Wilcox Operating Plants Owners Group 88/09/31. 200pp. 46924-080-46924-201.

8809230179 Forwards slides re performance improvement plan status review, presented during 880907 meeting BOYD, C.C. Babcock & Wilcox Co. 88-159. 88/09/09. GRACE, J.N. Region 2, Ofc of the Director. 53pp. 46942-191-46942-243.

8809230236 Responds to NRC questions re other plant experience w/final feedwater temp reduction & specific mechanical design facility feedwater nozzles & spargers Results of final feedwater & thermal coastdown analysis for Cycle 4 encl. SORESEN, G.C. Washington Public Power Supply System. G02-88-108. 88/09/14. Document Control Branch (Document Control Desk). 5pp. 46947-170 46947-107.

--8809230268 XN NF-87-92 S01 Suppl 1 to "Plant Transient Analysis W/Final Feedwater Temp Reduction Cycle 4 Analysis" KRAJICEK, J.E. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) 88/05/23. 22pp 46947-175-46947-187.

8809260231 Forwards nonproprietary WCAP-11032 & proprietary WCAP-11031, respectively, "Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2." Proprietary rept withheld (ref 10CFR 2.790). MUSOLF, D. Northern States Power Co 88/09/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 46952-054-46952-090.

--8809260238 WCAP-11032 Nonproprietary, "Advanced Digital Feedwater Control Sys Median Signal Selector for Northern States Power Prairie Island Units 1 & 2" ERIN, L.E. ADAMS, J.M., MORRIS, P.L. Westinghouse Electric Corp 88/09/30. 35pp. 46952-085-46952-086.

8809260280 Forwards page changes to proprietary WCAP-10444 P-A & nonproprietary WCAP-10445 A denoting sentences revising VANTAGE 5 bottom nozzle mat from Inconel 718 to Type 304 stainless steel. JOHNSON, W.J. Westinghouse Electric Corp NS-NRC 88-3366 88/09/02 HODGES, M.W. Reactor Systems Branch 2pp. 46965-084-46965-099.

--8809260293 Requests that page changes to proprietary WCAP-10444-P-A, "VANTAGE 5 Bottom Nozzle," be withheld (ref 10CFR2.790(a)). WIESEMANN, R.A. Westinghouse Electric Corp. AW-88 088. 88/09/02. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate 11pp. 46965-086 46965-096

--8809260295 Errata to "Ref Core Rept Vantage 5 Fuel Assembly" * Westinghouse Electric Corp. 88/09/02 3pp. 46965-097-46965-099.

8809260298 Forwards nonproprietary & proprietary WCAP-11873-A & WCAP-10851-P-A, respectively, "Improved Fuel Performance Models for Westinghouse Fuel Rod Design & Safety Evaluations." Proprietary version withheld per 10CFR2.790 JOHNSON, W.J. Westinghouse Electric Corp NS-NRC-88-3365. 88/08/15. HODGES, M.W. Reactor Systems Branch. 2pp 46951-028-46951-212.

--8809260309 Requests that proprietary WCAP-10851-P-A, "Improved Fuel Performance Models for Westinghouse Fuel Rod Design & Safety Evaluations," be withheld (ref 10CFR2.790) Affidavit encl. WIESEMANN, R.A. Westinghouse Electric Corp AW-88 086. 88/08/15 RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 11pp. 46951-030-46951-040.

--8809260320 WCAP-11873-A "Improved Fuel Performance Models for Westinghouse Fuel Rod Design & Safety Evaluations." WEINER, R.A. BURNS, B.S., TREADWELL, K.S. Westinghouse Electric Corp. 88/08/31. 174pp 46951-041-46951-212.

8809270049 Forwards findings from investigation of Generic Issue 23, "Reactor Coolant Pump (RCP) Seal Integrity." NRC requested to confirm that no safety concerns for RCP seals provided high temp qualified O-rings installed during normal maint. NEWTON, R.A. Westinghouse Operating Plants Owners Group OG-88-36. 88/09/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BAER, R.L., JACKSON, J.E. Division of Engineering Safety (880720-870413) 9pp. 46970-153-46970-161.

8809270051 Forwards proprietary Amend 22 to NEDE-24011-P A re application for reactor fuel (GESTAR II) for review. Once amend approved, fuel designs meeting criteria will not require NRC review. CHARNLEY, J.S. General Electric Co MFN 63 88. 88/09/08 HODGES, M.W. Reactor Systems Branch 4pp 46969-037-46969-040

8809270098 Forwards "Simulate 3 Validation & Verification." per 880411 commitment Fee paid PAPANIC, G. Yankee Atomic Electric Co. FVY 88-75. 88/09/12 Document Control Branch (Document Control Desk) 2pp 46968-259-46969-005

--8809270100 YAE 1659 "Simulate 3 Validation & Verification." DIGIOVINE, A.S., GORSKI, J.P., TREMBLAY, M.A. Yankee Atomic Electric Co 88/09/30 106pp 46968-261 46969-005

WASTE MGT NUCLEAR WASTE MANAGEMENT

8712070005 Forwards rept of author participation in QA audit conducted by BNWL during wk of 870815. SCHMEER, K.G. Energy, Dept of HLWR 87/06/26. KENNEDY, J. NRC No Detailed Affiliation Given 5pp 43571-277-43571-281.

8712100010 Requests all water level info for all H Series wells in increments to expedite request. First increment should contain listed items, including all transducer calibr data needed to assess water levels of four wells LOUX, R.R. Nevada, State of HLWR 87/05/28 VIETH, D. Energy, Dept of. 2pp 43667-270-43667-271.

8712100255 Forwards std deficiency rept (SDR) response for survey SR 87-022 & Sci enco Applications Intl Corp, technical & mgt svc response to SDR 069, resulting from review of Waste Mgt Project Ofc files PRESTHOLT, P.T. NRC - No Detailed Affiliation Given HLWR. 87/11/16 KENNEDY, J.E. NRC - No Detailed Affiliation Given 6pp 43661-334 43661-339

8806030121 Forwards proprietary "Waste Form Certification Program Rept 1 PMC Binder Chemistry," inadvertently omitted from 880527 submittal. Proprietary rept withheld. RYAN, M.T. Chem-Nuclear Systems, Inc. RA-0320 8. 88/06/01 TOKAR, M. Technical Branch 4pp. 45737-147-45737-157.

--8806030127 Outlines plan for revs of topical repts on solidification waste forms Tables encl provide update of how previously submitted data reorganized & schedule of addenda submittals Fee paid. RYAN, M.T. Chem-Nuclear Systems, Inc. RA-0315 8. 88/05/27. TOKAR, M. Technical Branch 7pp 45737-151 45737-157.

8807110145 Forwards documents re pit (trench) disposal of demolition debris at Ambrosia Lake U mill tailings remedial action site for review & approval. ARTHUR, W.J. Energy, Dept of UMT/NRC/0888-70. 88/06/21. HAWKINS, E.F. Uranium Recovery Field Ofc, RA. 2pp 46141-188 46141-190

8807260127 Forwards asbestos removal & demolition subcontracts for info & use W/o encl. ARTHUR, W.J. Energy, Dept of. 88/07/10. HAWKINS, E.F. Uranium Recovery Field Ofc, RA 1p. 46304-092-46304-092

8808020072 Forwards NNWSI QA limited stop work order re USGS PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/07/20 KENNEDY, J.E. NRC - No Detailed Affiliation Given 72pp. 46767-167 46767-258

8808260041 Agenda for Interagency Geophysics Discussion Group 880907 meeting in Reston, VA to discuss USGS geophysical activities * Interior, Dept of Geological Survey. 88/08/26 Interior, Dept of Geological Survey 2pp. 46654-135-46654-136

8808260051 Forwards meeting rept on "Technical & Regulatory Aspects of Mined Geologic Repository" on 880726 27 in San Antonio, TX. Meeting introduced members to technical aspects of mined repository HAGEMAN, J.P. Center for Nuclear Waste Regulatory Analyses 88/08/22. PEARRING, J.R. NRC - No Detailed Affiliation Given 3pp 46667-354 46667-358

8808260146 Comments on Chem Nuclear Sys, Inc Rev 1 to "Supplementary Rept on HDPE HIC Mails." Dose calculation appears to be incorrect (too low) & new Philips 14-yr test data show improvement of properties of unirradiated Marlex CL-100. SILLING, S.A. Brown Univ., Providence, RI. 88/08/19 WIDMAYER, D. Division of Low Level Waste Management & Decommissioning (Post 870413). 4pp 46656-137-46656-140.

8808290037 "NRC Technical Assistance for Design Reviews," monthly progress rept for Jul 1988 Encl withheld. HART, R.D. ITASCA Consulting Group, Inc. FIN D 1016 NRC 02-85-002. 88/08/23. TANIUS, N. NRC - No Detailed Affiliation Given. 6pp. 46683-324 46683-328.

8808290061 Forwards draft agenda re preoperational review of UMTAP Grand Junction, CO site on 880921 in Albuquerque, NM. Review is to provide DOE & other attendees final overall review of all aspects of site specific const planning prior to action. ARTHUR, W.J. Energy, Dept of. 88/08/22. LOHAUS, P. Division of Low Level Waste Management & Decommissioning (Post 870413). 2pp 46684-324-46684-325.

8808290086 Trip rept of 880725-27 ASTM visit to Toronto, Canada re long range plan for developing aids in nuclear fuel. PETERSON, C.H. Technical Review Branch (870413-880910). 88/08/25. BALLARD, R.L. Technical Review Branch (870413-880910). 4pp. 46677-284 46677-297.

8808290091 Forwards notice of 880907 & 881003 04 meetings re high level waste forms & vitrification process. LINEHAN, J.J. Operations Branch (870413-880910). 88/08/28 NRC - No Detailed Affiliation Given. 2pp. 46677-269 46677-270.

276 NONDOCKETED ITEMS

- 8808290100** Responds to 880715 ltr re LLL plans to establish peer review panel & invitation to participate on panel. Ofc. of General Counsel believes such svc would constitute conflict of interest & invitation should be declined.
BALLARD,R.L. Technical Review Branch (870413 880910) FIN A 4171. 88/08/19
PUGHEN National Institute of Standards & Technology (formerly National Bureau of Standards) 2pp 46685 260-46685 264
- 8808290104** Forwards invitation from LLL to serve on peer review panel for nuclear waste mgmt program at facility. Requests approval from NRC re panel participation.
PUGHEN National Institute of Standards & Technology (formerly National Bureau of Standards) 88/07/21 BALLARD,R NRC - No Detailed Affiliation Given 3pp 46685 262-46685 264
- 8808290112** Provides list of revs made to HLTR technical position submitted on 880816 & 17 re annotated outlines. Six outlines will be deleted & three rewritten.
BALLARD,R.L. Technical Review Branch (870413-880910) 88/08/23 LINEHAN,J.J. Operations Branch (870413 880910) 13pp 46696 244-46696 256
- 8808290123** Forwards RES & TA contract summaries per request. Ctr budget for technical assistance unclear at present time & not included in encl tables.
BALLARD,R.L. Technical Review Branch 88/08/25 BROWNING,R.E. Division of High Level Waste Management (Post 870413) 55pp 46685 185-46685 258
- 8808290144** Forwards review comments & suggestions re "Investigation of Potential Effects of Seismic Events on Underground Openings & Ground Water Movement".
BALLARD,R.L. Technical Review Branch (870413 880910) FIN B 6666 88/08/14 COSTANZI,F.A. Waste Management Branch 9pp 46685 252-46685 258
- 8808290167** Forwards proprietary formalized comments to consultant study forwarded by M Tokar 880614 ltr to B Roy, per request.
ROY,B. Hittman Nuclear & Development Corp (subs of Hittman Corp) 88/08/25 TOKAR,M. Technical Branch. 1p 46690.183 46690 183.
- 8808290283** Forwards ltr rept for 33rd annual meeting of Health Physics Society on 880703-08 in Boston, MA.
HAGEMAN,J.P. Center for Nuclear Waste Regulatory Analyses 88/08/25 PEARRING,J.R. NRC - No Detailed Affiliation Given 1p 46676 200 46676 202
- 8809020172** Trp rept of 880703-08 33rd annual meeting of Health Physics Society in Boston, MA re recent developments, research & reviews in control, handling, monitoring & measurement of radioactive mail & radiation.
HAGEMAN,J. WHITTING,A.R. Center for Nuclear Waste Regulatory Analyses 88/08/09 Center for Nuclear Waste Regulatory Analyses 1p 46678.201-46678 201.
- 8808290311** Forwards proprietary fifth correspondence w/draft answers to NRC questions on topical rept re composite high integrity container. Encl withheld.
MOONEY,J. LN Technologies Corp (formerly London Nuclear Svcs, Inc.) LN-88-00495-0A1. 88/08/26, WICK,E. Division of Low Level Waste Management & Decommissioning (Post 870413) 1p 46683 291-46683 291
- 8808290319** Forwards Rev 0 to "QA Requirements for Civilian Radwaste Mgt Program," per 880712 meeting w/NRC.
STEIN,R. Energy, Dept. of. 88/08/29. YOUNGBLOOD,B.J. Division of High Level Waste Management (Post 870413). 2pp 46683 017-46683 066
- 8808290324** Rev 0 to "QA Requirements for Civilian Radwaste Mgt Program".
BARRETT,L., KAY,C.E. Energy, Dept. of. 88/08/22. 48pp. 46683 019 46683 066
- 8808300158** "Evaluation & Compilation of DOE Waste Package Test Data," monthly ltr status rept for Jul 1988.
INTERFRANTE,C.G. Commerce, Dept. of. FIN A-4171-7 88/08/15. PETERSON,C. Technical Review Branch (870413 880910). 42pp 46698.183-46698 224.
- 8808310009** Forwards staff paper on development of technical position into rulemaking process. Paper presents various scenarios for technical position to rulemaking process.
BUNTING,J.O. Systems Engineering & Evaluation Branch (870413-880910). 88/08/09 BROWNING,R.E. Division of High Level Waste Management (Post 870413) 4pp 46782 025-46782 028.
- 8808310012** Revised NNWSI QA program plan procedures, including Rev 0 to 033 NNWSI P 11.18, "Air Permeability Measurements".
BROCKERS,J.J. Lawrence Livermore National Laboratory. 88/08/26. 21pp. 46782 076-46782 086
- 8809010074** Comments on monthly progress rept for Jul 1988 under Contract NRC-02-85-008 Overall progress satisfactory.
FOHLE,J.A. Technical Review Branch (870413 880910) FIN D-1020 NRC-02-85 008 88/08/30 WILLIAMS,R.E. Williams & Associates 1p. 46720-354-46720 354.
- 8809010082** Forwards SECY 88-39B. "Quarterly Progress Rept on Pre-Licensing of DOE Civilian High Level Radwaste Mgt Program".
TANAE,T. Operations Branch (870413-880910) 88/08/19 Operations Branch (870413-880910). 3pp 46721 023 46721 060.
- 8809010122** Forwards "Transportation Risk Study Outline for DES Titled 'DES on Transportation of Radioactive Mail in US,'" for review, comment &/or concurrence.
PIERCE,R.N. Center for Nuclear Waste Regulatory Analyses. NRC-02-88 005. 88/08/22 COOK,J.R. Division of Safeguards & Transportation (Post 870413) 2pp. 46739 344 46739 360.
- 8809010125** "Transportation Risk Study Outline for DES Titled, 'DES on Transportation of Radioactive Mail in US,'" for review, comment &/or concurrence.
Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005 88/08/19 NRC - No Detailed Affiliation Given. 16pp. 46739.346-46739 360.
- 8809020173** Forwards environ assessment on proposed remedial action at Green River U mill tailings site. Finding of no significant impact stating DOE determination that EIS not required also encl w/o stated encls.
ARTHUR,W.G. Energy, Dept. of. 88/07/08 NRC - No Detailed Affiliation Given. 1p. 46746-298-46746 298.
- 8809040041** Confirms 880907 meeting w/J Caldwell in Washington, DC to discuss geologic issues re design of UMTRAP pile covers, including technical approaches to soil cover design, gully erosion assessment & use of geomembranes & geocomposites.
LESKE,D.N. Energy, Dept. of. 88/08/30. JOHNSON,T. NRC - No Detailed Affiliation Given 1p. 46765:322-46765 322
- 8809060064** Requests video logs for Boreholes UZ 6 & H 1.
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given 88/08/30 GE-ation Not Assigned 1p 46754.052-46754 052.
- 8809060068** Forwards Rev A to MKF-UMTRA-30, "UMTRAP Green River, UT Insp Plan," for concurrence within 21 days of ltr receipt.
ARTHUR,W.J. Energy, Dept. of. 88/09/01. LOHAUS,P. Division of Low Level Waste Management & Decommissioning (Post 870413) 1p 46748 078 46748 078
- 8809060077** Rev A to MKF-UMTRA-30, "UMTRAP Green River, UT Insp Plan."
MK-Ferguson Co 88/03/04 18pp 46748 079 46748 095
- 8809060084** Forwards "NRC Div of Waste Mgt Compilation of USC, NNWSI Subtask 1.6, 'Review of Site Characterization Plan,'" per NRC request.
LOGSDON,M.J. Nuclear Waste Consultants, Inc. FIN D-1021 274 46748 079 POHLE,J. Technical Review Branch (870413 880910) 3pp 46747 285 46747 285
- 8809060087** "NRC Div of Waste Mgt Compilation of Comments NNWSI, 'Review of Site Characterization Plan,'" for review, comment &/or concurrence.
Water, Waste & Land, Inc. FIN D-1021 88/08/31 NRC - No Detailed Affiliation Given 29pp 46747-288 46747-313
- 8809060140** Forwards draft "Integrated Comments on Consultation Draft Site Characterization Plan Yucca Mountain, NV," Rept includes compilation of comments made by NRC & DOE/NRC conceptual model meeting in Las Vegas, NV.
LOGSDON,M.J. Nuclear Waste Consultants, Inc. FIN D-1021 RS-NM 411 3pp 09/01 POHLE,J. Technical Review Branch (870413 880910) 3pp 46747 285 46747 317
- 8809060144** "Integrated Comments on Consultation Draft Site Characterization Plan Yucca Mountain, NV."
Water, Waste & Land, Inc. FIN D 1021 88/08/30 42pp 46765 276-46765 276
- 8809060161** Forwards "Conceptual Models of Groundwater Flow in Saturated Zones in Vicinity of Yucca Mountain, NV, Part I, III."
WILLIAMS,R.E. Williams & Associates FIN D 1020 194. 88/08/31 PC-17 No Detailed Affiliation Given. 3pp. 46754 059-46754 017
- 8809060165** "Conceptual Models of Groundwater Flow in Saturated Zones in Vicinity of Yucca Mountain, NV, Part I Description of Conceptual Hydrogeologic Models of Flow Paths & Mechanisms of Flow."
Williams & Associates FIN D 1020. 88/08/31. 44pp. 46754 062-46754 062
- 8809060169** "Conceptual Models of Groundwater Flow in Saturated Zones in Vicinity of Yucca Mountain, NV, Part II Detailed Description of Conceptual Hydrogeologic Models."
Williams & Associates. FIN D-1020. 88/08/31. 24pp. 46754.106-46754 128
- 8809060172** "Conceptual Models of Groundwater Flow in Saturated Zones in Vicinity of Yucca Mountain, NV, Part III Revisions Reviewed but Not Into Rept."
Williams & Associates FIN D-1020. 88/08/31. 147pp. 46754 130-46754 130
- 8809060179** "USGS Proceedings of Workshop XXVIII on Boron Earthquake, Vol A."
STEIN,R.S., BUCKNAM,R.C. Interior, Dept. of, Geological Survey 84/11/18 46754.278-46755 017.
- 8809060184** Provides concurrence w/880815 transmittal, "Program Architecture for National Database Work Instruction," under Technical Operating Procedure T.O. 01. Instructions re cfr program elements on format & content of PASS data files.
BUNTING,J.O. Systems Engineering & Evaluation Branch (870413-880910) 88/08/01 WHITTING,A.R. Center for Nuclear Waste Regulatory Analyses 1p 46753.131.
- 8809060190** Forwards comments on preliminary specs/acceptance criteria for major Milestones R7, R8 & R9 re acceleration of program architecture. Comments be consulted on selection & development of "proof of sys" example.
BUNTING,J.O. Systems Engineering & Evaluation Branch (870413-880910) 88/08/01 PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses 3pp 46767:322
- 8809060233** Informs that no addl comments to add based on review of 880812 ltr re program architecture development Milestones D5 & D1.
ALTMARE,P.M. Systems Engineering & Evaluation Branch (870413-880910) 88/08/01. WHITTING,A.R. Center for Nuclear Waste Regulatory Analyses 1p 46782 358
- 8809060241** Summary of 880817 mgmt meeting w/DOE re high level waste management.
YOUNGBLOOD,B.J. Division of High Level Waste Management (Post 870413) 88/08/30 THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards. 3pp 46767.331-46767 332.
- 8809060249** Discusses results of evaluation of NNWSI 880219 response to request for info & info requests listed in encl. NRC cannot adequately evaluate info requested until DOE provides preliminary performance analysis.
LINEHAN,J.J. Operations Branch (870413 880910). 88/08/31. STEIN,R. Energy, Dept. of. 3pp. 46766 004 46766 006.
- 8809060265** Informs of State of OR Dept of Energy recommendation to proceed w/ Shear quarry to obtain remainder of erosion protection mat required for Lakeview waste disposal site. Quality data encl.
STEWART-SMITH Oregon, State of. 88/08/05. ARTHUR,J. Energy, Dept. of. 46765:323-46765 327
- 8809070095** Provides info, for review, in order to reach resolution on rock source for pile Lakeview UMTRAP.
ARTHUR,W.J. Energy, Dept. of. 88/08/15. DIXON,W. Oregon, State of. 46763:190-46763:193.
- 8809070189** Responds to NRC 880725 request for digital cartographic data re activities of NRC activities at Yucca Mountain, NV. NRC addl requirement for DLG data estimated completion date to June 1988.
STARF,L.E. Interior, Dept. of, Geological Survey. 88/09/02. BROWNING,R.E. Division of High Level Waste Management (Post 870413). 2pp. 46774 248-46774 248

NONDOCKETED ITEMS 277

8809070197 Forwards preliminary agenda for fourth NEA Performance Assessment Advisory Group meetings scheduled 881024-26 in Paris. Topical session will be devoted to discussions of biosphere modelling in nuclear waste repositories. THEGERSTROM, C. Organization for Economic Cooperation & Development (Paris) 6pp. 88/08/18. Organization for Economic Cooperation & Development (Paris) 6pp. 46779 162-46779.166

8809070396 Certifies that Milestone P5 has been attained as defined in J. Laiz 880726. Mr. M. Mace PARC formed & began evaluation of Set 1 of draft regulatory requirements. WHITING, A.R. Center for Nuclear Waste Regulatory Analyses. 88/08/02. ALTOFF, P.M. Division of High Level Waste Management (Post 870413). 1p. 46777 339-46777 339

8809080095 Forwards revised pages to NQA-3, Draft 3, Rev 2, Summary of Subcommittee on Nuclear Waste Mgt votes on Ballot 88 1 provided. WILLIAMS, C. American Society of Mechanical Engineers. 88/08/30. American Society of Mechanical Engineers. 4pp. 46797 142-46797-145.

8809080109 Ack receipt of Progress Rept 6 dtd 880630 re developments in NRC/Tuskegee Univ conferences concerning radwaste issues. THOMAS, B.E. Operations Branch (870413-880910). NRC-27-86 025 88/09/01. WEAVER, A. Tuskegee Institute, Tuskegee, AL 2pp. 46791.267-46791.269.

8809080135 Forwards document which contains substantial duplication of DOE mail Document should be incorporated into instructions/ guidance to LSS document submitters whenever practical W/o encl. ALTOFF, P.M. Systems Engineering & Evaluation Branch (870413 880910). 88/08/31. BENOER, A. Office of Administration & Resources Management, Director (Post 870413). 2pp. 46793.357-46793.358.

8809080368 Forwards DOE proposed protocol to be used to guide excavation of Th 230 contaminated mail at Riverton, WY. Comments requested by 880913. ARTHUR, W.J. Energy, Dept. of 88/09/06. LOHAUS, P. Division of Low Level Waste Management & Decommissioning (Post 870413) 17pp. 46803 139 46803.155.

8809080371 Forwards draft comments re NRC questions re high integrity container top call rept. MOONEY, J.L. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). LN-88-00509 QA1 88/08/31. WICK, E. Division of Low Level Waste Management & Decommissioning (Post 870413) 10pp. 46798 036-46798 047

8809090065 Forwards BNL52161R "Long Term Total Containment vs Controlled Release Evaluation for Yucca Mountain Environ." Rept discusses set of problems w/ current NINWSI licensing strategy. SCHWEITZER, D.G. Brookhaven National Laboratory. 88/09/07. BROWNING, R.E. Division of High Level Waste Management (Post 870413) 1p. 46804 102-46804.129.

8809090067 BNL52161R "Long-Term Total Containment vs Controlled Release, Evaluation for Yucca Mountain Environ." SCHWEITZER, D.G. Brookhaven National Laboratory 88/08/31. 27pp. 46804:104-46804.129

8809090090 Informs of DOE desire to schedule technical exchange w/NRC on 880929 & 30 re waste acceptance process w/ respect to defense waste Proposed agenda & draft Rev 1 to "Waste Acceptance Preliminary Specs for Defense Waste ." encl. STEIN, R. Energy, Dept. of 88/09/02. LINEHAN, J. Operations Branch (870413-880910). 5pp. 46807.324-46808.321.

8809150320 Draft Rev 1 to "Waste Acceptance Preliminary Specs for Defense Waste Processing Facility High Level Waste Form." KALE, S.H. HINDMAN, T.B. Energy, Dept. of 88/04/30. 42pp. 46807-320-46808.010.

8809150327 Draft Rev 7 to DPST-86-746, "Waste Form Compliance Plan for Defense Waste Processing Facility." Energy, Dept. of, 88/06/30 200pp. 46808-011-46808 321.

8809090097 Requests review of encl proprietary Rev 0 to USE-61-001 P, "Stability of NS-1 Solidified W/High Strength Asphalt." Test data demonstrates complete compliance w/stability requirements of 10CFR61, Rept withheld. DAY, J.E. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). CH 909-124 88/07/15. TOKAR, M. Technical Branch 2pp. 46804:161-46804.162.

8809090130 Forwards "Draft Technical Evaluation Rept for Proposed Remedial Action Plan at Grand Junction Tailings Site, Grand Junction, CO." NRC review of data designs indicates number of significant outstanding items still remain. LOHAUS, P.H. Operations Branch. 88/08/31. ARTHUR, W.J. Energy, Dept. of. 3pp. 46798.120 46799-172

8809090151 Draft "Technical Evaluation Rept for Proposed Remedial Action at Grand Junction Tailings Site, Grand Junction, CO." Division of Low Level Waste Management & Decommissioning (Post 870413). 88/08/31 50pp. 46798:123 46798:172.

8809090136 Informs that review of preliminary design for stabilization of U mill tailings site near Fall City, TX completed. Info provided found adequate to support initiation of in-depth review. LOHAUS, P.H. Operations Branch. 88/09/01. ARTHUR, W.J. Energy, Dept. of. 1p. 46801:081-46801.081.

8809090142 Record of telcon w/K Feldman of EPA on 880817 re delay in comments on NRC draft technical position on ACL & UMTRAP groundwater protection stds NRC assured Feldman that delayed comments would be considered within reasonable time span. WEBER, M.F. NRC - No Detailed Affiliation Given. 88/08/17. FELDMAN, K. Environmental Protection Agency. 1p. 46799.176-46799:175.

8809090197 Forwards J. Blaylock 880826 ltr approving 880823 one wk extension for responding to std deficiency rept & stop work order. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/08/31. KENNEDY, J.E. NRC - No Detailed Affiliation Given 2pp. 46804:093-46804:094.

8809090209 Forwards Rev 2 to supplementary rept on high density polyethylene high integrity container mails. Primary changes occur in Section 3 re absorbed dose calculation mod. RYAN, M.T. Chem-Nuclear Systems, Inc. RA-0504-B. 88/09/02. TOKAR, M. Technical Branch 1p. 46803-266-46803:267.

8809090215 Rev 2 to "Supplementary Rept on High Density Polyethylene High Integrity Container Mails." Chem-Nuclear Systems, Inc. 88/09/02 30pp. 46803 267-46803 267.

8809090221 Forwards DOE weekly rept for wks ending 880819 & 26. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/08/31. LINEHAN, J.J. Operations Branch (870413 880910). 11pp. 46804 082-46804 082.

8809120092 "Technical Assistance in Geochemistry," progress rept for Aug 1980. KELMERS, A.D., GOVE, R.M., CATLETT, C.R. Oak Ridge National Laboratory. FIN B-0287. 88/09/02. BROOKS, D.J. Technical Review Branch (870413 880910). 3pp. 46813 339 46813 341.

8809120099 Forwards comparison of current schedule & schedule now proposes, under Task Order 009, "Technical Assistance for In Situ testing." Understands that Subtask 03 will be completed ahead of schedule. HUCK, P.J. Engineers International, Inc. FIN D 1004 1148-09. 88/09/06. BUCKLEY, J.T. NRC - No Detailed Affiliation Given. 2pp. 46813 352-46813 353.

8809120105 Comments on attendance at INTRAVAL workshops & meetings. Issues presented at 880718-21 meetings re three unsaturated zone problems addressed. LOUX, R.R. Nevada, State of. 88/09/02. NICHOLSON, T. Office of Nuclear Regulatory Research, Director (Post 860720). 4pp. 46813 317-46813 320

8809120113 Rev 1 to QMP 02-01, "Qualification, Proficiency, Indoctrination & Training of Waste Mgt Protect Ofc Personnel." SPAETH, M., BAYLOCK, J., GERTZ, C.P. Energy, Dept. of. 88/08/29. 17pp. 46824 337-46824.355.

8809120125 Forwards DOE response to request for complete G-4 forensic rept. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/09/07. LINEHAN, J.J. Operations Branch (870413 880910). 1p. 46813-258-46813.255

8809120129 Requests ref document re forensic review of USW-G4 borehole data as existing data in licensing. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/06/21. GERTZ, C.P. Energy, Dept. of. 1p. 46813.259 46813.259.

8809120173 Forwards draft rept "Forensic Review of USW-G4 Borehole Data as Existing Data in Licensing," in response to 880602 request. GERTZ, C.P. Energy, Dept. of. 88/09/02. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 2pp. 46813-260 46813-265

8809120176 Rev 1 to "Forensic Review of USW G4 Borehole Data as Existing Data in Licensing." KEPPER, J. Energy, Dept. of. 88/07/11 24pp. 46813-262 46813 265

8809120131 Forwards "State of NV Comments on DOE Consultation Draft Site Characterization Plan, Yucca Mountain Site, Nevada R&D Area, Nevada," Vols I & II. LOUX, R.R. Nevada, State of. 88/09/12. Nevada, State of. 1p. 46809:171-46811.203

8809120135 Vols I & II to "State of NV Comments on DOE Consultation Draft Site Characterization Plan, Yucca Mountain Site, Nevada R&D Area, Nevada." Nevada, State of. 88/09/30. 520pp. 46809:172-46811.203

8809120186 Advises that Jul monthly progress rept for Fin A-1158 reviewed & found satisfactory. COLEMAN, N.M. Technical Review Branch (870413 880910). FIN A-1158. 88/09/08. BONANO, E. Sandia National Laboratories 2pp. 46825 050-46825.051.

8809120187 Responds to recipient 880729 ltr to B. Cerny re briefing on present & planned activities for development of licensing support sys. Understands that meeting will be arranged for end of Sept or early Oct 1988. Details of meeting requested. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/09/07. McDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413). 2pp. 46825.045 46825 046

8809120191 Confirms understanding reached during 880823 telcon re outstanding issues concerning CNWRA interim QA manual. Understands CNWRA has agreed to grade current projects at QA Level 1, per Interim QA Manual Section 2.3.2. BUNTING, J.O. Systems Engineering & Evaluation Branch (870413-880910). 88/08/30. LATZ, J. Center for Nuclear Waste Regulatory Analyses 1p. 46813.356-46813.356.

8809130233 Discusses commitment by DOE to have QA program accepted by NRC before initiating new site characterization activities. Revised schedule for audits expected to be submitted by end of Sept. STEIN, R. Energy, Dept. of. 88/09/07. LINEHAN, J.J. Operations Branch (870413-880910) 2pp. 46834 359 46834:360.

8809130242 Forwards "Modeling & Dose Assessment of Alternative Low Level Radwaste Disposal Methods in State of NY," Suppl to Jul 1987 draft EIS for promulgation of 6NYCRR Part 382. ZOBEL, S. New York, State of. 88/09/06. NRC - No Detailed Affiliation Given. 3pp. 46828.092-46828:273

8809130252 "Modeling & Dose Assessment of Alternative Low Level Radwaste Disposal Methods in State of NY," Suppl to Jul 1987 draft EIS for promulgation of 6NYCRR Part 382. New York, State of. 88/08/31. 185pp. 46828 094-46828:273.

8809130255 Discusses aging as mechanism to limit long-term survival of polyethylene HCs. Concludes aging probably mechanism which limits long term use when slow crack growth not limiting factor. SILLING, S.A. Brown Univ., Providence, RI. 88/09/11. WIDMAYER, D. Division of Low Level Waste Management & Decommissioning (Post 870413). 2pp. 46830.285-46830:286.

8809130298 Forwards Rev 1 to Project Interface Document 03-S-10-R1 re riprap mat/abrasion test for Durango, CO. ARTHUR, W.J. Energy, Dept. of. 88/08/22. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 3pp. 46835-332 46835:334.

8809130329 Advises of courtesy visit of R. Adler of CNWRA in Washington w/Denton scheduled for 880913. BUNTING, J.O. Systems Engineering & Evaluation Branch (870413-880910). 88/09/08. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 1p. 46834:172-46834:172.

278 NONDOCKETED ITEMS

8809130341 Comments on completion of Milestones I2 & P3 re development of program architecture performed under Technical Operating Procedure 001-01, "Guidance to Program Architecture Review Committee, Review & Rev of WSE&I Major Milestone I2."
ALTOHARE,P.M. Systems Engineering & Evaluation Branch (870413 880910) 88/09/08 WHITING,A.R. Center for Nuclear Waste Regulatory Analyses 8pp 46826 312-46826 317

8809140032 Responds to NRC 880819 ltr & proposed agenda for meeting on open items re design or const of exploratory shaft facility Agrees that proposed meeting needed & dates of 881018 20 discussed w/NRC
STEIN,R. Energy, Dept. of 88/09/02. LINEHAN,J. Operations Branch (870413-880910) 1p 46842 213-46842 213

8809140209 Forwards Rev A to Mexican Hat remedial action insp plan, for review & concurrence Response requested within 21 days of ltr receipt
ARTHUR,W.J. Energy, Dept. of 88/08/12. HAWKINS,E.F. Uranium Recovery Field Ofc, RA 3pp 46841 125-46841 143

8809140224 Rev A to Remedial Action Insp Plan RAIP-1, "Testing & Insp"
* Morrison-Knudsen Engineers, Inc 88/07/15 1p 46841 132-46841-148

8809140375 Forwards final draft of div technical position on post closure seals in un saturated medium, for FR publication.
BALLARD,R.L. Technical Review Branch (870413 880910) 88/09/09 LINEHAN,J.J. Operations Branch (870413 880910) 1p 46842 333 46842 351

8809140412 Draft "Technical Position on Postclosure Seals in Unsaturated Medium"
GUPTA,D.C. Division of High Level Waste Management (Post 870413), 88/09/30 18pp 46842 334 46842 351.

8809140398 Forwards info requested on EDO Ticket 0003844, in response to 1st ACNW 880627 29 meetings re followup items 2,3 & 9 of actions, agreements & assignments.
BROWNING,R.E. Division of High Level Waste Management (Post 870413) 88/09/13 LEAR,G. Program Management, Policy Development & Analysis Staff (Post 870413) 2pp 46839 230-46839 231

8809150194 Rev 2 to Remedial Action Insp Plan 1, "Testing & Insp"
* MK-Ferguson Co 88/07/01 13pp 46848 269-46848 301.

8809150249 Notification of 880928 meeting in Rockville, MD w/DOE, State of NV & Clark & Mye Counties to discuss staff concerns identified as result of evaluation of DOE QA requirements document.
HOLONICH,J.J. Division of High Level Waste Management (Post 870413) 88/09/13. LINEHAN,J.J. Division of High Level Waste Management (Post 870413) 1p 46848 210-46848 210

8809150257 Forwards transcript of 880517 briefing of NRC by DOE on high level waste program
LINEHAN,J. Division of High Level Waste Management (Post 870413), 88/09/14. SWAINSTON,H. Nevada, State of 1p 46850 121-46850 174

8809150279 Requests info or addl info re interface requirements Completed forms &/or suppls should be sent to author by 880920.
ALTOHARE,P.M. Systems Engineering & Evaluation Branch (870413 880910) 88/09/13 DELLIGATTI,S.L., FORTUNA,S.L., STILTENPOLE,B. Systems Engineering & Evaluation Branch (870413-880910) 3pp 46891 088 46891 100.

8809160105 Forwards notice of upcoming NRC/DOE technical/programmatic meetings re high level waste mgt program
LINEHAN,J.J. Division of High Level Waste Management (Post 870413) 88/09/19. NRC - No Detailed Affiliation Given 2pp 46908 350 46908 351

8809160240 Forwards final agenda agreed upon by NRC/DOE for 880929-30 meeting Meeting will cover issues re waste acceptance from Defense Waste Processing facility at Savannah River
STEIN,R. Energy, Dept. of 88/09/15 LINEHAN,J.J. Operations Branch (870413-880910) 6pp 46864 230 46864 235

8809190012 Forwards info re Chichibu Cement Co 880720 application for amend to Certificate of Compliance DHEC-HIC-CL-015 to use Rev 1 to user manual for 200L/400L high integrity containers
LOWENBERG,H. Lowenberg Associates, Inc 88/09/16. MCDANIEL,K. NRC - No Detailed Affiliation Given 8pp 46898 095 46898 102

8809190016 Press release discussing groundbreaking ceremony to commemorate Rifle cleanup activities DOE has established toll free number as public svc for individuals interested in twilings cleanup project
MCCARTY,B., HOOPEES,J. Energy, Dept. of. 88/09/14 1p 46895 260 46895 260.

8809190023 "Washington Low Level Radwaste Disposal Site Alternatives for Future," staff rept
* Washington, State of 88/08/31, 14pp 46909 003 46909 016

8809190037 Press release announcing LLW Forum quarterly meetings on 881017-18 in Knoxville, TN
* Low Level Waste Forum. 88/09/13 7pp. 46899 292-46899 298

8809190043 Press release discussing appointment of K Uematsu as director general of NEA
GOLDSMITH,R. Organization for Economic Cooperation & Development (Paris) 88/09/12 2pp 46892 359-46892 360

8809190058 "Performance Assessment Methodology Development - LLW Disposal Safety Assessment," monthly rept for Aug 1988
BONANO,E.J. Sandia National Laboratories FIN A-1764 88/09/15 DEERING,L. Technical Branch. 10pp 46893 007-46893 016.

8809190063 "Coupled Thermal-Hydro-Mechanical Assessment & Site Characterization Activities for Geologic Repositories," monthly rept for Aug 1988 Encl available in Central Files
BONANO,E.J. Sandia National Laboratories, FIN A-1755 88/09/15 PESHEL,J. Technical Review Branch (870413-880910) 2pp. 46898 337-46898 338

8809190082 Agenda for work group of document control & records mgt meeting on 881004 & 05 in New Orleans, LA
WINN,J.A. American Society of Mechanical Engineers 88/09/13. Northeast Utilities. 47pp. 46887 259-46887 305

8809190318 Rev 0 to QMP-02-06, "Assignment of QA Levels"
SPAETH,M. Energy, Dept. of 88/09/06 14pp. 46893 037-46893 050

8809190320 Interim Change Notice 2 to Rev 1 of QMP-06-03, "Document Review & Compliance/Approval."
SPAETH,M. Energy, Dept. of 88/07/28 4pp. 46898 017-46898 020.

8809190340 Advises that Waste Mgt Project Ofc will conduct QA audit of Reynolds Electrical & Engineering Co, Inc QA program plan & quality related activities on 880822-26 Audit will be in accordance w/encl audit plan Members of audit team listed
BLAYLOCK,J. Energy, Dept. of 88/08/03. PRITCHETT,R.F. Reynolds Electrical & Engineering Co, Inc 2pp 46865 018 46865 341

8809200036 "Waste Mgt Project Ofc QA Audit Plan 88 07"
HOLONICH,J. Energy, Dept. of. 88/08/03 300pp 46865 021-46865 341

8809190396 Forwards CNWRA 880902 ltr forwarding completion of Milestone A2 & update of Milestone A1 re data processing capability of program architecture support sys, for comments.
ALTOHARE,P.M. Systems Engineering & Evaluation Branch (870413 880910) 88/09/19 NRC - No Detailed Affiliation Given. 1p. 46898 241-46898 274

8809090129 Forwards completion of Milestone A2 & update of Milestone A1 finalizing program architecture support sys organizational structure, field definitions & rept generation for elements of pool & MS 12 data, respectively
WHITING,A.R. Center for Nuclear Waste Regulatory Analyses 88/09/02 ALTOHARE,P.M. Division of High Level Waste Management (Post 870413) 33pp 46898 242-46898 274

8809190399 Ack receipt of 880902 ltr transmitting document re Intermediate Milestones A2 & A1 in development of program architecture
WHITING,A.R. Systems Engineering & Evaluation Branch (870413 880910), 88/09/18 ALTOHARE,P.M. Center for Nuclear Waste Regulatory Analyses. 1p. 46898 301 46898 301.

8809190402 "Pertinent Info Summary 7-88 for Wk Ending 880806"
* Center for Nuclear Waste Regulatory Analyses, 88/09/08 3pp 46899 085. 46899 087

8809200029 Forwards NNWSI site rept for Aug 1988.
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given 88/09/16. LINEHAN,J.J. Operations Branch (870413-880910) 1p 46900 175-46900 189.

8809200033 Submits NNWSI site rept for Aug 1988
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given 88/09/12 LINEHAN,J.J. Operations Branch (870413-880910). 14pp 46900 176 46900 189

8809200108 Requests conversion of SUTRA code to fully vectorized form for optimum speed by late Oct in order for program to produce output for forthcoming INTRAVAL meeting in mid-Nov.
COPLAND,S. Geoscience & Systems Performance Branch (Post 880911), 88/09/16 VOGLWEDE,J. Information Technology Services Branch 1p 46920 104 46920 104

8809200113 Forwards DOE weekly rept for wks ending 880902 & 09.
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given 88/09/14 LINEHAN,J.J. Operations Branch (870413 880910) 10pp 46900 190 46900 199.

8809200130 Forwards documents for use in preparing for initial meeting of review group re Commission 1984 waste confidence proceeding findings.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director 88/09/16. GILLESPIE,F.P. Program Management, Policy Development & Analysis Staff (Post 870411). ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 880720) MALSCHE,M.G. Deputy General Counsel for Licensing & Regulation. 8pp 46916 240 46916 016.

8809210044 Forwards listed documents prepared in response to Chairman 81125 request for key matts that will be useful to Commission in preparing for oral presentations to Commission on waste confidence rulemaking
REMICK,F.J. NRC - No Detailed Affiliation Given. 81/12/21. PALLADINO, GILINSKY, BRADFORD Commissioners 1p. 46916 251-46916 251

8809210054 Requests assembly of key matts which will be useful to Commissioners in preparation for oral presentations to Commission in waste confidence proceeding
PALLADINO Commissioners. 81/11/25. REMICK,F.J. Office of Policy Evaluations BICKWIT,L. Office of the General Counsel. 19pp 46916 252-46916 289.

8809210061 Forwards comments & recommendations concerning further proceedings, per 810116 memorandum & order.
MILLER,M.E. NRC - No Detailed Affiliation Given. 81/06/17 HENDRIE, GILINSKY, BRADFORD Commissioners. 18pp. 46916 300 46916 328.

88092200387 Responds to 880109 ltr re storage & disposal of nuclear waste issues have been adequately addressed. Radwaste can be safely stored until ultimate disposal available. Disposal date of yr 2,000 can be met.
PLESSET,M.S. ACRS - Advisory Committee on Reactor Safeguards. 80/12/10 AHEARNE,J.F. Commissioners. 5pp. 46916 329 46917 082.

8809210073 Requests reexamination of 880310 response that consideration of proceeding in waste confidence proceeding not necessary.
AHEARNE,J. Commissioners. 81/09/03. Office of Policy Evaluations. 1p. 46917 083 46917 083.

8809210076 Provides listed questions based on review of rept on waste confidence proceedings.
AHEARNE,J. Commissioners. 81/02/09. Office of Policy Evaluations. 1p. 46917 084 46917 084.

8809210082 Discusses consideration of reprocessing in waste confidence proceeding.
HANRAHAN,E.J. NRC - No Detailed Affiliation Given. 81/03/10. AHERNE Commissioners. 5pp. 46917 085-46917 089.

8809210088 Statement before Subcommittee on Energy & Enron Committee on Interior & Insular Affairs
* NRC - No Detailed Affiliation Given. 81/07/09. 7pp. 46917 090-46917 098.

NONDOCKETED ITEMS 279

- 8809210089 Provides tentative schedules for waste confidence proceeding, per Chairman proceeding.
REMIC, F.J. NRC - No Detailed Affiliation Given 81/09/29 PALLADINO, GILINSKY, BRADFORD Commissioners 7pp 46917 097-46917 150
- 8809210101 Decision in waste confidence rulemaking proceeding finding reasonable assurance that safe disposal of high level radwaste & spent fuel in mined geologic repository is technically feasible
CHILK, S.J. Office of the Secretary of the Commission 44FR61372 83/05/16 88pp 46917 151-46917 300.
- 8809210112 Comments on behalf of AIF on proposed rules 10CFR50 & 51 re requirements for licensee actions concerning disposition of spent fuel upon expiration of OLS
KNOTT, J.B. Atomic Industrial Forum KNOTT, J.B. Knotts, J.B. 48FR22730 00006, 83/07/05, CHILK, S.J. Office of the Secretary of the Commission. 6pp, 46917 301-46917 314
- 8809210115 Comments on proposed rules 10CFR50 & 51 re onsite storage of spent fuel Rules should be withdrawn & replaced w/rules mandating full environ review in each licensing proceeding
SINDERBRAND, C. Wisconsin, State of 48FR22730 00008 83/07/01 Docketing & Services Branch 6pp 46917 315 46917 324
- 8809210119 Forwards comments of Union of Concerned Scientists on proposed rule concerning requirements for licensee actions re disposition of spent fuel upon expiration of reactor OLS
JORDAN, W.S. Union of Concerned Scientists JORDAN, W.S. Harmon & Weiss 48FR22730 00011 83/07/06 CHILK, S. Office of the Secretary of the Commission 10pp, 46917 325 46917 336.
- 8809210148 "Waste Confidence Decision & Requirements for Licensee Actions Re Disposition of Spent Fuel Upon Expiration of Reactor OLS," 10CFR50 & 51 final rules
CHILK, S.J. Office of the Secretary of the Commission 84/08/31. 40pp, 46917 337-46918 016
- 8809200149 Forwards notice of 880922 meeting in Rockville, MD to discuss classification of waste in Hanford double shell tanks.
GLENN, C. Regulatory Branch 88/09/12 THOMPSON, H.L., BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director KNAPP, M.R. Division of Low Level Waste Management & Decommissioning (Post 870413) 3pp 46900 348 46900 350
- 8809200183 Responds to 880714 ltr re suggested revs to rept, "Design of Impoundment & Disposal Facilities for U Mill Tailings & Rehabilitation of Tailings Piles." Intent to shorten rept necessary step to bring guidance into manageable framework.
GNUGNOLI, G.N. Division of Low Level Waste Management & Decommissioning (Post 870413) 88/09/07, FERADAY, M.A. International Atomic Energy Agency, 7pp 46914 219 46915 037.
- 8809200179 Endorses govt publications dept of Univ of Nevada as LPDR for records re potential high level radwaste geologic repository site near Yucca Mountain.
GOULD, M. Washoe County, NV 83FR29535, 88/08/30 BEESON, J. Division of Freedom of Information & Publications Services (Post 880515) 2pp, 46920 102-46920 103
- 8809210178 Discusses State of NV NWPO observations & concern re DOE QA audits from Feb-Jul 1988.
ZIMMERMAN, S.W. Nevada, State of 88/09/06 HOLONICH, J. Office of Nuclear Material Safety & Safeguards, Director. BARRETT, L., GERTZ, C. Energy, Dept of 4pp 46920 306-46920 308.
- 8809210194 Forwards "Status of Lode Quartz Claims on Yucca Mountain, Nye County, NV," final draft, per Task Order 002, under Interagency Agreement NRC 02 85-004.
WELDMAN, R.D. Interior, Dept. of, Bureau of Mines. FIN D 1018. NRC-02-85 004 88/09/19. ABRAMS, C. NRC - No Detailed Affiliation Given. 1p 46926 166 46926 182.
- 8809210196 "Status of Lode Quartz Claims on Yucca Mountain, Nye County, NV" W/ one oversize map.
RANEY, R.G. Interior, Dept. of, Bureau of Mines. FIN D-1018. NRC-02-85 004. 88/09/30 Division of High Level Waste Management (Post 870413) 17pp 46926 166-46926 182
- 8809210205 Forwards updated draft rept SAND 85 0598, "Analyses to Evaluate Effect of Exploratory Shafts on Repository Performance at Yucca Mountain"
STEIN, R. Energy, Dept of 88/09/18 YOUNGBLOOD, B.J. Operations Branch (870413 880910) 1p 46941 071-46941 286.
- 8809210239 SAND 85 0598 DRFT Draft "Analyses to Evaluate Effect of Exploratory Shafts on Repository Performance at Yucca Mountain"
FERNANDEZ, J.A., HINKEBEIN, T.E., CASE, J.B. Energy, Dept of. 88/09/18 225pp, 46941 072 46941 296.
- 8809210214 Forwards document "Selected NRC Products High Level Waste Program," did Sept 1988, for info.
TANA, E.T. Division of High Level Waste Management (Post 870413) 88/09/21. NRC - No Detailed Affiliation Given 1p. 46929 086-46929 114.
- 8809220006 "Selected NRC Products High Level Waste Program,"
* NRC - No Detailed Affiliation Given 88/09/30. 29pp, 46929 086-46929 114
- 8809210216 Forwards DOE Rev 0 to QA program description for civilian radwaste mgt program, for review Discussion of document at 880928 meeting suggested
STEIN, R. Energy, Dept of. 88/09/18, YOUNGBLOOD, B.J. Division of High Level Waste Management (Post 870413) 2pp 46929 117-46929 200.
- 8809210218 Rev 0 to "QA Program Description for Civilian Radwaste Mgt Program"
BARRETT, L., KAY, C.E. Energy, Dept. of. 88/09/16 82pp 46929 119 46929 200.
- 8809210224 Forwards documents for info & use in review of Office of Civilian Radioactive Waste Mgt QA program. Meeting scheduled to discuss rept w/staff at NRC on 830928.
STEIN, R. Energy, Dept. of. 88/09/18, YOUNGBLOOD, B.J. Division of High Level Waste Management (Post 870413). 1p. 46928 315-46929 084
- 8809210227 Rev 0 to "Condensed Source Matrix for the QA Requirements Document"
SOMMER, K.G., BARRETT, L.H. Energy, Dept. of. 88/09/16 6pp. 46928 316-46928 321.
- 8809210229 Rev 0 to "QA Requirements Document, Exceptions to NRC Review Plan Criteria"
SOMMER, K.G., BARRETT, L.H. Energy, Dept of. 88/09/16. 6pp 46928 322 46928 327.
- 8809210232 Rev 0 to "Source Matrix of NRC Review Plan vs QA Requirements Document"
SOMMER, K.G., BARRETT, L.H. Energy, Dept of. 88/09/16 65pp 46928 326-46929 032
- 8809210236 Rev 0 to "QA Requirements for Civilian Radwaste Mgt Program (annotated version)."
SOMMER, K.G., BARRETT, L.H. Energy, Dept of 88/09/16 52pp 46929 033-46929 084.
- 8809220080 "Licensing Methodology Assistance," monthly rept for Aug 1988, FIN A-1165
BONANO, E. J. Sandia National Laboratories FIN A-1165 88/09/15 BROOKS, P. Operations Branch (870413 880910). 22pp, 46926 345 46927 006
- 8809220127 Forwards revised draft of "Plan for Selecting Methods for Disposal of Low Level Radwastes Executive Summary" & "Plan for Selecting Sites for Disposal of Low Level Radwastes Executive Summary"
DUNKLEBERGER, J. New York, State of. 88/09/22 NRC - No Detailed Affiliation Given 2pp 46927 148 46927 174.
- 8809220179 Revised draft of "Plan for Selecting Methods for Disposal of Low Level Radwastes Executive Summary"
* New York, State of * Roy F. Weston, Inc * Burns & Roe Co 88/09/30 8pp, 46927 148-46927 155
- 8809220187 Revised draft of "Plan for Selecting Sites for Disposal of Low Level Radwastes Executive Summary"
* New York, State of * Roy F. Weston, Inc * Burns & Roe Co. 88/09/30 19pp 46927 156-46927 174
- 8809220135 Provides NNWSI site rept for Aug 1988.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given 88/09/12. LINEHAN, J.J. Operations Branch (870413 880910). 260pp 46932 307-46933 254.
- 8809220310 Forwards draft "Technical Position on Postclosure Seals in Unsaturated Medium," for review & comments. Comment period expires 60 days from date of publication in FR.
TANA, E.T. Division of High Level Waste Management (Post 870413) 88/09/22 NRC - No Detailed Affiliation Given. 1p 46932 279-46932 287.
- 8809220327 Notification of 880929-30 meeting w/DOE & State of NV in Washington, DC to brief NRC on plans for demonstrating production of waste forms meeting disposal requirements for defense waste processing facility & to receive NRC feedback.
WALKER, W. Division of High Level Waste Management (Post 870413) 88/09/20. LINEHAN, J.J. Division of High Level Waste Management (Post 870413) 2pp 46927 181-46927 182.
- 8809230117 Vols I & II to, "Radiological Monitoring Plan for NNWSI Project"
* Energy, Dept of. SAIC-87/8000, 88/03/31. 376pp, 46924 292-46925 304.
- 8809230150 Rev 0 to "QA Program Plan WMPO/88-1"
* Energy, Dept of NVO-196-18 88/02/18. 360pp 46923 090 46924 087.
- 8809230253 Forwards article for Fall 1988 issue of ITS news entitled, "NRC Ctr for Nuclear Waste Regulatory Analyses"
BUNTING, J.O. Systems Engineering & Evaluation Branch (870413-880910) 88/09/31 ROBINSON, E. Information Technology Services Branch 6pp 46932 139-46932 143
- 8809230287 Forwards draft CNWRA 88-002, "CONVO Evaluation & Enhancement Plan."
LATZ, J.E. Center for Nuclear Waste Regulatory Analyses NRC-02-88 005 88/09/14 MACE, M. Office of Nuclear Material Safety & Safeguards, Director. 1p 46944 286-46944 330
- 8809230271 Draft CNWRA 88 002, "CONVO Evaluation & Enhancement Plan"
OELKERS, E., WHITING, A.R., PATRICK, W.C. Center for Nuclear Waste Regulatory Analyses NRC-02 88 005 88/09/30 36pp 46944 287-46944 330
- 8809230287 Forwards FR notice re availability of draft technical position on post-closure seals in unsaturated medium
LINEHAN, J.J. Program Management & Quality Assurance Branch (Post 880911). 88/09/22 MEYER, D.L. Rules & Procedures Branch 1p 46942 129-46942 133.
- 8809230290 Notice of availability of draft technical position on post closure seals in unsaturated medium.
LINEHAN, J.J. Program Management & Quality Assurance Branch (Post 880911) 88/09/21. 4pp 46942 130 46942 133
- 8809230296 Forwards notice of upcoming NRC/DOE technical/programmatic meetings
LINEHAN, J.J. Program Management & Quality Assurance Branch (Post 880911). 88/09/28. NRC - No Detailed Affiliation Given. 2pp 46943 006 46943 007
- 8809260092 Requests DOE QA seminar be conducted in Albany, NY on 881020-21 for NY State employees Agenda encl
RANDALL, J.D. New York, State of 88/08/01. SHUPE, M.E. Energy, Dept. of 3pp 46966 228-46966 230.
- 8809260096 "US DOE Low Level Waste Mgt Program Nail Status Rept"
* Energy, Dept. of. 88/08/31 9pp. 46957 218-46957 226.
- 8809260117 Forwards Mod A025 to Cooperative Agreement DE-FC04-81AL16309 between DOE & State of UT. Mod increases state cost estimate & associated State & DOE funding obligations
HERREIRA, E.Y. Energy, Dept of. 88/09/21. MARTIN, D.E. Office of Nuclear Material Safety & Safeguards, Director. 1p. 46947 355 46947 360
- 8809260124 Mod A025 to Cooperative Agreement DE-FC04-81AL16309 re cost limitation & obligation of funds.
MEYERS, W.C. Energy, Dept. of. 88/09/21. 5pp. 46947 356-46947 360.

280 NONDOCKETED ITEMS

8809260152 Advises that 880831 meeting w/Northern States Power to discuss decom mission plan guidance rescheduled for 880907.
JOHNSON,T.C. Regulatory Branch 88/08/26. FISHER,W. Region 4, Ofc of the Direc- tor STEYER,K. CARDILE,F. Office of Nuclear Regulatory Research, Director (Post 860720) 2pp 46957 358-46957 359.

8809270153 Forwards summary of NRC/DOE 880718 19 meetings re exploratory shaft facility.
LINEHAN,J. Division of High Level Waste Management (Post 870413), 88/09/21 STEIN,R. Energy, Dept of 200pp 46969 041 46969 292

8809270156 Discusses concerns re exploratory shaft facility location & related surface facilities.
LOUX,R.R. Nevada, State of 88/09/19. GERTZ,C.P. Energy, Dept of 4pp. 46967 337-46967 340.

8809270158 Table of contents to "T&MSS QA Program Plan & Supporting Documents" Science Applications International Corp (formerly Science Applications, Inc) 88/ 09/20. 3pp. 46970 144 46970.146

WASTE RES WASTE MANAGEMENT RESEARCH REPORTS

8712150331 Forwards preliminary meeting schedule & budget addressing draft TDS, "Simulating Response to Testing & Experimentation on Determination of Paths of Ra- donuclide Travel & Groundwater Travel Time"
LOGSDON,M.J. Nuclear Waste Consultants, Inc FIN D-1021, HLWR 87/10/19 POHLE,J. Office of Nuclear Material Safety & Safeguards,Director, 8pp 43725-354- 43725 361.

8808290037 "NRC Technical Assistance for Design Reviews," monthly progress rept for Jul 1988 Encl withheld
HART,R.D. ITASCA Consulting Group, Inc FIN D-1018 NRC 02-85 002, 88/08/23 TANIOUS,N NRC - No Detailed Affiliation Given 6pp 46683.324 46683 329.

8808290104 Responds to 880715 ltr re LLL plans to establish peer review panel & invi- tation to participate on panel Ofc of General Counsel believes such svc would consti- tute conflict of interest & invitation should be declined.
BALLARD,R.L. Technical Review Branch (870413 880910) FIN A 4171, 88/08/19 PUGH,E.N. National Institute of Standards & Technology (formerly National Bureau of Stand. 2pp. 46685.260 46685.264

8808290104 Forwards invitation from LLL to serve on peer review panel for nuclear waste mgt program at facility Requests approval from NRC re panel participation.
PUGH,E.N. National Institute of Standards & Technology (formerly National Bureau of Stand. 88/07/21 BALLARD,R. NRC - No Detailed Affiliation Given. 3pp. 46685-262- 46685.264.

8808300116 "Development of Low Level Waste Form Criteria - License Fees," monthly mgt rept for Jul 1988.Document contains financial data intended for internal NRC dis- tribution only
BARI,R.A. Brookhaven National Laboratory FIN A-3174, 88/08/18 MCDANIEL,K. Technical Branch. 8pp. 46708.115-46708.122.

8808300138 "Development of Criteria for Matls Used in Engineered Components & Waste Forms at Near Surface Low Level Waste Facilities," monthly mgt rept for July 1988.Encl financial data intended for internal NRC distribution only.
BARI,R.A. Brookhaven National Laboratory, FIN A-3951 88/08/18. MCDANIEL,K. Technical Branch 8pp 46708.123 46708-128

8808300158 "Evaluation & Compilation of DOE Waste Package Test Data," monthly ltr status rept for Jul 1988.
INTERANTE,C.G. Commerce, Dept of FIN A 4171-7, 88/08/15. PETERSON,C. Technical Review Branch (870413-880910) 42pp. 46698-183-46698-224.

8809010074 Comments on monthly progress rept for Jul 1988 under Contract NRC 02- 85-008.Overall progress satisfactory
POHLE,J.A. Technical Review Branch (870413 880910) FIN D-1020, NRC-02-85 008. 88/08/30 WILLIAMS,R.E. Williams & Associates 1p 46720.354 46720-354

8809010078 Forwards comments on second set of responses from LN Technologies re NRC question on composite high integrity container topical rept.Third set of responses will be reviewed by 880814 meeting between NRC & LN Technologies.
SISKIND,B. Brookhaven National Laboratory, FIN A-3174, 88/08/29 WICK,E. Techni- cal Review Branch (870413-880910), 6pp. 46720 332-46720 337.

8809010092 Forwards WM-3951 6, "Evaluation of Gypsum Cement Softening," techni- cal ltr rept
SISKIND,B. Brookhaven National Laboratory FIN A-3951, 88/08/30 MCDANIEL,K. Technical Branch. 1p. 46739.250-46739-255.

8809060048 Forwards ltr rept re 880816-18 visit to Rockville,MD to review FIN A-1764 re low level waste performance assessment project
HARLAN,C.P. Sandia National Laboratories FIN A-1764, 88/08/29 DEERING,L. Technical Branch 3pp. 46748.056-46748.058.

8809080054 Forwards WM-3951-6, "Evaluation of Gypsum Cement Softening," techni- cal ltr rept.
SISKIND,B. Brookhaven National Laboratory, FIN A-3951-7, 88/09/01, MCDANIEL,K. Technical Branch. 1p. 46873.193 46873.194.

8809080084 Forwards "NRC Div of Waste Mgt Compilation of USGS Comments, NNWSI Subtask 1.6, "Review of Site Characterization Plan,"" per NRC 880517 re- quest
LOGSDON,M.J. Nuclear Waste Consultants, Inc. FIN D-1021 279, 88/08/23. POHLE,J. Technical Review Branch (870413-880910), 3pp 46747-285-46747-313

8809080087 "NRC Div of Waste Mgt Compilation of Comments,NNWSI Subtask 1.6, "Review of Site Characterization Plan,"" Water, Waste & Land, Inc. FIN D-1021, 88/08/31. NRC - No Detailed Affiliation Given 29pp. 46747-288-46747-313.

8809080140 Forwards draft "Integrated Comments on Consultation Draft Site Charac- terization Plan Yucca Mountain,NV," Rept includes compilation of formal comments made by NRC & DOE/NRC conceptual model meeting in Las Vegas,NV.
LOGSDON,M.J. Nuclear Waste Consultants, Inc FIN D-1021, RS-NMS 85 009, 88/ 09/01. POHLE,J. Technical Review Branch (870413-880910) 3pp. 46765.273- 46765 317.

8809080144 "Integrated Comments on Consultation Draft Site Char- Yucca Mountain,NV" Water, Waste & Land, Inc FIN D-1021 88/08/30 42pp 46765-27

8809080161 Forwards "Conceptual Models of Groundwater Flow in Sa- rated Zones in Yucca Mountain,NV,Parts I-III" WILLIAMS,R.E. Williams & Associates FIN D 1020 194, 88/08/31, No Detailed Affiliation Given 3pp 46754 059 46755 017.

8809080165 "Conceptual Models of Groundwater Flow in Saturate- Zones in Vicinity of Yucca Mountain,NV,Part I Description of Conce- ptic Models of Flow Paths & Mechanisms of Flow" Williams & Associates FIN D 1020 88/08/31 44pp 46754 062-46

8809080169 "Conceptual Models of Groundwater Flow in Saturate- Zones in Vicinity of Yucca Mountain,NV,Part II Detailed Description Elements of Conceptual Hydrogeologic Models," Williams & Associates FIN D-1020 88/08/31 24pp. 46754 106 46,

8809080172 "Conceptual Models of Groundwater Flow in Saturate- Zones in Vicinity of Yucca Mountain,NV,Part III Refs Reviewed but i- Into Rept." Williams & Associates FIN D-1020 88/08/31, 147pp 46754.130-46

8809080179 "USGS Proceedings of Workshop XXVIII on Earthquake,Vol A," STEIN,R.S., BUCKNAM,R.C. Interior, Dept. of, Geological Survey. 8. 46754 276 46755.017.

8809120092 "Technical Assistance in Geochemistry," progress rept for , KEMERS,A.D., GOVE,R.M., CATLETT,C.R. Oak Ridge National Lab 0287, 88/09/02 BROOKS,D.J. Technical Review Branch (870413 46813.339 46813 341.

8809120099 Forwards comparison of current schedule & schedule now Task Order 009, "Technical Assistance for In Situ testing," Understan- 03 will be completed ahead of schedule
HUCK,P.J. Engineers International, Inc FIN D 1004 1146- BUCKLEY,J.T. NRC - No Detailed Affiliation Given 2pp 46813 352-461

8809120186 Advises that Jul monthly progress rept for Fin A-1158 re- satisfactory.
COLEMAN,N.M. Technical Review Branch (870413-880910) FIN A-1 BONANO,E. Sandia National Laboratories. 2pp. 46826:050-46826.051

8809130221 "Environ Monitoring for Alternative Methods of Dispos- Waste," monthly status rept for Aug 1988.Financial info withheld.
DENHAM,D.H. Battelle Memorial Institute, Pacific Northwest Laborator 8 88/09/08. JAGANNATH,B. Office of Nuclear Material Safety & Safe- 2pp 46834:184-46834:185.

8809130321 "Evaluation,Validation,Verification & Documentation of Computer Code," monthly rept for Aug 1988
FRANWELL,R.M. Sandia National Laboratories, FIN A-1763 88/09/ Regulatory Branch 3pp. 46835-335-46835.337.

8809180027 "Lab Evaluation of DOE Radionuclide Solubility Data & Sol- tion Parameters,Experimental Strategies,Lab Techniques & Procedu- progress rept for Aug 1988.
MEYER,R.E. Oak Ridge National Laboratory FIN B-0290 88/09/13. BR Office of Nuclear Material Safety & Safeguards,Director 4pp. 46885 3

8809190056 "Performance Assessment Methodology Development - i- Safety Assessment," monthly rept for Aug 1988
BONANO,E.J. Sandia National Laboratories, FIN A-1764, 88/09/15, Technical Branch 10pp 46893:007-46893:016

8809190063 "Coupled Thermal-Hydro-Mechanical Assessment & Site Cf- Activities for Geologic Repositories," monthly rept for Aug 1988 Encl ave- tral Files.
BONANO,E.J. Sandia National Laboratories, FIN A-1755 88/09/16 PEI- nical Review Branch (870413 880910), 2pp. 46898-337-46898 338.

8809200099 Forwards WM-3951-6, "Evaluation of Gypsum Cement Sc- 880915 telcon & 880913 MG Cowgill memo re addl info on gypsum soft- ing info received after finalized technical rept.Encl rept withheld.
SISKIND,B. Brookhaven National Laboratory FIN A-3951, 88/09/15 MC Technical Branch. 3pp 46918.098-46918.100

8809210180 "Development of Low Level Waste Form Criteria - License Fe- for Aug 1988 Encl in Central Files
BARI,R.A. Brookhaven National Laboratory, FIN A-3174, 88/09/19. T Technical Branch 6pp. 46920 260 46920:265.

8809210185 "Development of Criteria for Matl Used in Engineered Co- Waste Forms at Near Surface LLW Facilities," monthly mgt rept for Aug Central Files.
BARI,R.A. Brookhaven National Laboratory FIN A-3951, 88/09/19, T Technical Branch. 6pp. 46926 164-46926:169.

8809210188 "Analyses of Special Waste Problems," monthly mgt re- 1988 Encl in Central Files.
BARI,R.A. Brookhaven National Laboratory FIN A-3175 88/09/19, WJ Technical Branch. 5pp. 46928-160 46928:164

8809210194 Forwards "Status of Lode-Quartz Claims on Yucca Mo- County,NV," final draft,per Task Order 002,under Interagency Agreement 004.
WELDM,R.D. Interior, Dept of, Bureau of Mines FIN D-1018 NRC-02-85-1 19. ABRAMS,C. NRC - No Detailed Affiliation Given 1p 46928:165-46928.

8809210196 "Status of Lode-Quartz Claims on Yucca Mountain, Nye Coun- one oversize map
RANEY,R.G. Interior, Dept. of, Bureau of Mines, FIN D-1018 NRC-02 85-1 30. Division of High Level Waste Management (Post 870413), 17pp 46928-182.

8809220080 "Licensing-Methodology Assistance," monthly rept for Aug 1988,FIN A-1165
SONANO,E J Sandia National Laboratories FIN A-1165 88/09/15. BROOKS,P Operations Branch (870413 880810) 22pp. 46926 345-46927,006

8809230160 "Assessment of NMSS Financial Assurance Regulatory Framework," monthly progress rept for Aug 1988
BAILEY,P E, KOLSKY,K B. ICF, Inc FIN D-1047-7 NRC-02-87 002 88/08/31 NRC - No Detailed Affiliation Given 4pp 46943 191-46943 194

EXPORT/IMPORT AND IMPORT LICENSES

8809260025 Forwards application for license to export 17,858 kg U to Japan.
FISK,R H. Edlow International Co 88/08/12. WRIGHT,B NRC - No Detailed Affiliation Given. 1p. 46889 199-46889,200.

8809260043 Application for license to export 17,858 kg U to Japan
FISK,R H. Edlow International Co. K1K-45 88/08/12 1p. 46889 200 46889,200.

8809260082 Forwards application for license to export slightly enriched UF6 for use by Mihama Nuclear Power Plant 2 in Japan
MARUYAMA,T. Mitsubishi International Corp (subs. of Mitsubishi Corp.) HSA 5488-07. 88/08/15 NRC - No Detailed Affiliation Given 2pp 46889 224 46889 226

8809260097 Application for license to export 10,863 kg U-235 to Japan.
MARUYAMA,T. Mitsubishi International Corp (subs. of Mitsubishi Corp.). HSA-5488-07. 88/08/12. 1p. 46889 226-46889 226

8809260118 Forwards corrected Export License XSNM-2390,issued on 880810.Country of ultimate destination incorrectly listed as Japan rather than West Germany
WRIGHT,B L. NRC - No Detailed Affiliation Given. 88/08/18. NRC - No Detailed Affiliation Given 1p. 46889 163-46889 164

8809260137 Corrected license for AT&T to export U-235 containing 2 g U, w/o max,to West Germany.
PETERSON,M R. Assistant Director for International Security. ACN001. 88/08/10 1p 46889 164-46889 164.

8809260206 Forwards application for export license for low enriched U for use in OHI Unit 2 Nuclear Power Reactor in Japan.Ltr of assurance required.
PETERSON,M R. Assistant Director for International Security. 88/08/16 THORNE,C E. State, Dept. of, Bureau of Oceans & Intl Environ & Scientific Affairs. 1p 46884 045-46884 047

8809260224 License for Cleveland Crystals,Inc to export 200 kg deuterium oxide to Ontario Hydro in Canada.
PETERSON,M R. Assistant Director for International Security PO 3134. 88/08/16. 1p 46889 177-46889 177.

8809290166 Requests Executive Branch view re application from Monsanto Corp to export Pu-238 for use as heat sids for calorimeter calor in Italy.
PETERSON,M R. Assistant Director for International Security. 88/08/18. THORNE,C E. State, Dept. of, Bureau of Oceans & Intl Environ. & Scientific Affairs. 1p 46777 083-46777 085.

8809290170 Application for license to export metal encapsulated PuO2 to Italy.
HEITKAMP,A F. Monsanto Research Corp. 88/08/10 1p. 46777 084 46777 084.

8809290171 Forwards application for license to export nuclear mail
HEITKAMP,A F. Monsanto Research Corp. 88/08/12. MOORE,N. Assistant Director for International Security 1p. 46777 085-46777 085

8809290265 Forwards application for license to export slightly enriched UF6 to be used for fabrication of fuel assemblies to be loaded into OHI plant in Japan
MARUYAMA,T. Mitsubishi International Corp. (subs. of Mitsubishi Corp.). HSA-5488-06 88/08/10. NRC - No Detailed Affiliation Given. 2pp. 46888 008-46888 010.

8809290288 Application for license to export enriched UF6 to Japan for conversion fabrication purposes.
MARUYAMA,T. Mitsubishi International Corp. (subs. of Mitsubishi Corp.). HSA-5488-06. 88/08/08. 1p. 46888 010-46888 010.

8809290345 Forwards application to export 100 kg U-235,contained in 2,000 kg U,to Germany.
MALODY,C W. Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc) CWM-88-107. 88/08/17 PETERSON,M R Assistant Director for International Security. 1p 46883 242 46883 243.

8809290341 Application for license to export 100 kg U-235,contained in 2,000 kg U,to Germany.
MALODY,C W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc). 88/08/17. 1p. 46883 243-46883 243.

8809300097 Forwards application for license to export U oxide pellets to Norway to be used for special instrumented fuel rods in Halden experimental heavy BWR.
MALODY,C W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). CWM 88 108. 88/08/17. PETERSON,M R. International Programs. 1p. 46892 004-46892 005.

8809300071 Application for license to export U oxide pellets containing 5 kg of U w/ max U-235 isotope of 0 25 kg to be used for Halden Reactor Project in heavy BWR experimental reactor.
MALODY,C W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 88/08/17. 1p. 46892 005-46892 005.

8809300165 Forwards application for export license for low enriched U for use as reload fuel Ltr of assurance required.
PETERSON,M R. Assistant Director for International Security. 88/08/22. THORNE,C E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 46891 330-46891 333.

8809300170 Forwards application for export license for low enriched U for use as fuel in experimental reactor.Ltr of assurance required.
PETERSON,M R. Assistant Director for International Security. 88/08/25. ROONEY,J. Energy, Dept. of. 1p. 46891 342-46891 344.

8809300266 Requests assistance in obtaining necessary assurance ltr for encl Ad vanced Nuclear Fuels Corp application for license to export low enriched U to West Germany.
PETERSON,M R Assistant Director for International Security. 88/08/25. ROONEY,J Energy, Dept. of 1p. 46897 181 46897 183.

8809090162 Forwards 880831 application for license to export low enriched U as reload fuel to Japan.Ltr of assurance required
PETERSON,M R. Assistant Director for International Security. 88/08/02 THORNE,C E. State, Dept. of, Bureau of Oceans & Intl. Environ & Scientific Affairs. 1p. 46806 303-46806 305.

8809090165 Forwards application for license to export enriched UO2 as powder to Japan for ultimate use in reload Batch 18 for Tsuruga Unit 1 reactor
FLOWERS,F D. General Electric Co. 88/08/31. WRIGHT,B L. International Programs. 1p. 46806 304 46806 305.

8809090170 Application for license to export 442 kg U-235,as 18,350 kg UO2 powder,to Japan
FLOWERS,F D General Electric Co. 88/08/31. 1p. 46806 305 46806 305.

8809090201 Advises that 880803 request for permission to use 3,555 kg U enriched to 93 17% U-235 for refueling of Japan Research Reactor 4,authorized.
PETERSON,M R Assistant Director for International Security 88/08/07. YOSHIMURA,T. Nissho Iwai American Corp 1p 46806 345-46806 345

8809130223 Application for amend to export license,changing name of supplier & adding intermediate consignees.
STALLIONS,J A. Manufacturing Sciences Corp 88/08/28. WRIGHT,B. International Programs. 2pp. 46833 153 46833 154.

8809130318 License for Safely Light Corp to export 300,000 Ci Tritium contained in sealed self-luminous glass sources,to Canada
PETERSON,M R. Assistant Director for International Security. 88/08/02. 1p. 46834 177-46834 177.

8809190049 Requests Executive Branch position re NRD,Inc application for export of 30,000 Ci tritium to Switzerland to be used in labelled compounds & luminous paint.
PETERSON,M R. Assistant Director for International Security 88/08/14 THORNE,C E. State, Dept. of, Bureau of Oceans & Intl. Environ & Scientific Affairs. 1p. 46893 067-46893 071

8809190055 Application for license to export 30,000 Ci tritium Gas H-3-P to Switzerland.
KEATING,L. NRD, Inc. 88/08/09. 2pp 46893 068-46893 071.

8809190097 Requests status of 880617 application for license to export UO2 powder to Japan for use in reload of Tokai Unit 2 reactor.
FLOWERS,F D. General Electric Co. FDF-88-127. 88/08/31. WRIGHT,B. NRC - No Detailed Affiliation Given 1p. 46808 019 46808 019.

8809190103 License for ANL to export 300,000 kg depleted U containing 1.7% niobium to West Germany.
PETERSON,M R. Assistant Director for Export/Import & International Safeguards. SMD-12125D 88/09/08 2pp. 46896 326 46896 327.

8809190112 Forwards Transnuclear,Inc application for export of 4,050 kg of high enriched U to Canada & requests for views,per established procedures,as to whether proposed export meets applicable criteria of Atomic Energy Act of 1954 as amended.
PETERSON,M R. Assistant Director for International Security. 88/08/12 THORNE,C. State, Dept. of, Bureau of Oceans & Intl Environ. & Scientific Affairs 1p 46897 342-46897 344.

8809190115 Application for license to export 4,050 g U metal,containing 3,779 g U-235,to Canada
Transco, Inc. MIS 485 88/09/07. 1p. 46897 343-46897 343.

8809190118 Forwards application for license to export 4,050 g U metal,containing 3,778 g U-235.
QUAIN,P B. Transco, Inc 88/09/07. MOORE,R N. International Programs. 1p 46897 344 46897 344

8809190234 Amend 6 to license for GE Technical Svcs Co,Inc to export 7,400 0 kgs U-235 contained in 270,000 0 kg U enriched to 4.0 w/o max,to Switzerland.
PETERSON,M R Assistant Director for International Security. 88/09/08. 1p 46895 187-46895 187.

8809190241 Amend 1 to License XU 8663 for Mfg Sciences Corp,to export 5,000,000 kgs of depleted U as alloyed metal to Germany.
PETERSON,M R Assistant Director for International Security. 88/08/08. 1p. 46893 334 46893 336

8809190244 Informing of rev to License XU 8663,including change of supplier name & addition of intermediate consignees.
STALLIONS,J A. Manufacturing Sciences Corp. 88/08/28. WRIGHT,B. International Programs. 2pp 46898 335-46898 338.

8809200098 Ltr of assurance re export of nuclear mail to Norway based on 880826 ltr.
SANDVOLD,T J. Norway, Govt. of. 88/08/07 ROONEY,J M. Energy, Dept. of. 1p. 46818 103-46818 103

8809200217 License for Advanced Nuclear Fuels Corporation to export 0.25 kg of U 235,contained in 5.0 kg U,enriched to 5 0 w/o max,to Norway.
PETERSON,M R. Assistant Director for International Security 88/09/15. 2pp. 46912 344-46912 345

8809260133 Forwards application for export license for low enriched U for use in spectroscopic analysis Ltr of assurance required.
PETERSON,M R. Assistant Director for International Security. 88/09/19 THORNE,C E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs 1p. 46876 171-46876 172.

8809260136 Application for license to export 300 g enriched U metal to Japan
SKEDA,M Mitsui & Co. (USA), Inc. (subs. of Mitsui & Co., Ltd). 88/09/06 1p. 46876 172-46876 172.

282 NONDOCKETED ITEMS

8809260139 Amend 5 to license for Transnuclear, Inc. changing licensee address & authorizing shipment of 5465 713 kg Australian U
PETERSON, M R Assistant Director for International Security 88/09/20 1p
46957 217-46957 217

8809270148 License for Nuexco Transportation Svcs Co to import 1,000,000 kg U in any form from any country except as noted.
PETERSON, M R Assistant Director for International Security 88/09/16 1p
46987 341-46987 341

PERSONAL AUTHOR INDEX

Each subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. Each docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, RS. These categories are defined in Appendix B listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TT,R.B.	8808310176	50-220 F	ALLISON,D	8809270001	CONTRACT	BACKUS,R A	8809020058	50-443 G
TT,R.B.	8809070087*	50-410 R	ALTMARE,P.M	8809050233	WASTE MGT	BACKUS,R.A	8809020058	50-443 G
WANN,WH	8809080079	PR	ALTMARE,P.M.	8809080135	WASTE MGT	BACKUS,R.A	8809020058	50-443 G
SON,H.	8809102085	50-333 P	ALTMARE,P.M	8809130341	WASTE MGT	BACKUS,R A	8809160032	50-443 G
SON,H.	8809190046	50-333 Q	ALTMARE,P.M	8809150279	WASTE MGT	BACKUS,R A	8809160032	50-443 G
W.J.	8809190164*	REVIEW GR P	ALTMARE,P.M	8809180398	WASTE MGT	BACKUS,R A	8809210018	50-443 G
OVITZ,S.S.	8809180280*	50-413 Q	ALWOOD,E G.	8809140313	50-277 Q	BACKUS,R A	8809210018	50-443 G
OVITZ,S.S.	8809200321*	REVIEW GR P	AMIRIAN,A N.	8809210017	50-443 G	BACKUS,R A.	8809210023	50-443 G
S.A.	8809010369	50-142 W	AMIRIAN,A N.	8809210019*	50-443 G	BACKUS,R A	8809210023	50-443 G
S.A.	8809190080	50-54 F	AMIRIAN,A N.	8809210021	50-443 G	BACKUS,R A	8809300043	50-443 G
S.A.	8809190104*	50-54 F	AMIRIAN,A.N.	8809210025*	50-443 G	BACKUS,R.A	8809300043	50-443 G
S.M.	8809280238*	50-282 P	ANANDAPPA,A.	8809140053	50-237 S	BACKUS,W.H	8809080296	50-244 S
S.S.R.	8809090230	27-48	ANDERSON,C.	8809250003*	50-309 Q	BACKUS,W.H.	8809140105	50-244 S
S.S.R.	8809080235*	27-48	ANDERSON,C.	8809250225*	50-293 Q	BAEHR,W.R	8809020276*	50-395 R
JAM,E.G.	8809280120*	50-348 P	ANDERSON,C.J.	8809220311*	50-220 Q	BAER,H E.	8808300030*	50-313 Q
JAM,E.G.	8809280154*	50-400 P	ANDERSON,E L.	8809080260*	50-335 Q	BAER,R.E	8809010058*	50-382 Q
JAM,E.G.	8809020011*	50-324 P	ANDERSON,L.F.	8809250291*	REVIEW GR P	BAER,R L	8805270825*	50-410 P
JAM,E.G.	8809220338*	50-324 P	ANDERSON,R.O.	8809010267*	50-263 P	BAGCHI,G	8112110007*	50-410 P
JAM,E.G.	8809230043*	50-418 P	ANDERSON,R.T	8809130281	PROJ	BAGCHI,G.	8802260122*	REVIEW GR P
L.W.	8809190014*	FOIA	ANDERSON,S L.	8809200242*	50-286 P	BAGGETT,S	8803300021*	REVIEW GR P
JAW.	8809180003	50-348 P	ANTHONY,P.	8809070444	50-341 S	BAGGETT,S L	8809210139*	REVIEW GR P
J.P.W.	8809140308*	50-293 Q	ANTHONY,P.	8809200016	50-341 S	BAILEY,J A	8808310027	50-425 Q
J.P.W.	8809180189*	50-293 Q	ANTHONY,P.M.	8809200011	50-341 S	BAILEY,J A.	8808310027	50-425 Q
J.P.W.	8809180244*	50-293 F	ARBUCKLE,J D.	8809080305	50-397 S	BAILEY,J A.	8809140400	50-424 P
INE	8809300092*	FOIA	ARBUCKLE,J.D.	8809080315	50-397 S	BAILEY,J A	8809140400	50-424 P
INE,J.	8809090135*	50-275 P	ARCHITZEL,R E	8809130171*	50-341 Q	BAILEY,J A	8809180289	50-482 Q
INE,J.	8809090139*	50-275 Q	ARLOSEN,J A	8809070283*	50-259 V	BAILEY,J A	8809090178	50-489 Q
NE,J.	8809210073*	WASTE MGT	ARLOTTO,G A.	8808140342*	PR	BAILEY,J.N	8809140138	50-489 F
NE,J.	8809210076*	WASTE MGT	ARTHUR,W.G.	8809020173	WASTE MGT	BAILEY,P E	8809230160	WASTE RES
D.	8809060112	40-8714	ARTHUR,W.J.	8807110145	WASTE MGT	BAILEY,R J.	8809010381*	50-277 Q
D.	8809080186	40-8714	ARTHUR,W.J.	8807260127	WASTE MGT	BAIR,G G	8809180166	50-344 R
AKIN,P.	8809080215	PR	ARTIUR,W.J	8808290081	WASTE MGT	BAKER,D.A.	8809220023	NUREG
TIN,L.	8808290242*	50-286 P	ARTHUR,W.J.	8809080086	WASTE MGT	BAKER,E T	8809090204*	QA099
A.J.	8809290273*	REVIEW GR P	ARTHUR,W.J	8809070095	WASTE MGT	BAKER,E T.	8809150096*	QA099
W.M.	8809070518	50-352 R	ARTHUR,W.J.	8809080368	WASTE MGT	BAKER,E T.	8809210153*	QA099
W.M.	8809080022	50-277 R	ARTHUR,W.J	8809130298	WASTE MGT	BAKER,M N.	8809130027*	PROJ
W.M.	8809130083	50-171 R	ARTHUR,W.J	8809140209	WASTE MGT	BAKER,P.	8809190282*	REVIEW GR P
W.M.	8809200005	50-277 R	ASMUSSEN,K E	8808300343	70-734	BAKER,R L	8809150012	50-296 S
SON,C E.	8809090228*	50-290 Q	ASMUSSEN,K E	8809080275	50-163 P	BAKER,S J	8809080107	40-1162
H.R.	8809180298	PR	ASMUSSEN,K E	8809090250	70-734	BAKER,S J	8808200274	PR
DER,F J.	8809070313	50-155 S	AUSTIN,G	8809140069	50-295 R	BALL,J R	8809080055	PR
H.M.P.	8808260032	50-316 Q	AUSTIN,J	8809200052*	REVIEW GR P	BALLANTYNE,J.W.	8809140266	50-277 Q
H.M.P.	8808290252	50-315 P	AXELRAD,J A	8305120134*	FOIA	BALLARD,R L	8806160445*	WASTE MGT
H.M.P.	8809070360	50-315 R	AXELRAD,J A	8809080351*	FOIA	BALLARD,R L.	8808290100	WASTE RES
H.M.P.	8809070507	50-315 P	AXELRAD,J A	8809090238*	FOIA	BALLARD,R L	8808290112	WASTE MGT
H.M.P.	8809130302	50-315 F	AXELRAD,J A	8809120137*	50-206 P	BALLARD,R L	8808280123	WASTE MGT
H.M.P.	8809140113	50-315 Q	AXELSON,W	8809140314	50-315 S	BALLARD,R L	8809140375	WASTE MGT
H.M.P.	8809190008	50-315 P	AXELSON,W.L.	8808300086	50-265 Q	BANDHAVEN,W.K.	8809010288	50-302 F
H.M.P.	8809190270	50-315 F	AXELSON,W.L.	8809020178	50-282 Q	BANDYOPADHYAY	8809080195	NUREG
H.M.P.	8809230204	50-315 P	AXELSON,W.L.	8809020177*	50-282 Q	BANGART,R L.	8809090265*	PR
H.M.P.	8809260261	50-318 R	AXELSON,W.L.	8809140040	50-255 S	BARI,R A.	8808300116	WASTE RES
H.M.P.	8809270035	50-315 Q	AXLINE,J S	8809080120	50-331 S	BARI,R A	8808300138	WASTE RES
H.M.P.	8809010326	50-483 Q	AXLINE,J S	8809130207	50-331 S	BARI,R A	8809210100	WASTE RES
Q.T.W.	8809260189	50-186 S	AYALA,C	8808250003	50-498 S	BARI,R A.	8809210185	WASTE RES
Q.M.	8808220053	50-374 S	AYALA,C A	8809010240	50-498 S	BARI,R A	8809210188	WASTE RES
Q.M.	8809070504	50-374 S	AYALA,C.A.	8809010362	50-498 S	BARNES,I.	8808030081*	50-498 Q
Q.M.	8809140238	50-373 P	AYALA,C A	8809200284	50-398 S	BARNES,I	8809130015*	50-498 Q
Q.M.	8809150153	50-374 P	BACHMANN,R.G.	8809140155	50-322 G	BARNES,I.	8809160326*	50-267 Q
Q.M.	8809230073	50-374 P	BACHMANN,R G.	8809190183	50-322 G	BARNES,I.	8809220294*	50-285 Q
Q.M.	8809230182	50-373 P	BACKUS,R.A	8809020058	50-443 Q	BARNES,W.C.	8809080039	50-338 R
I.P.	8809080074*	50-528 I	BACKUS,R.A.	8809020058	50-443 G	BARNUM,E.C	8809260367	40-8794

284 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARR,R.C.	8809200076*	50-344 Q	BELLAMY,R.R.	8809200075	50-286 Q	BERRY,K.W.	8809210221*	50-255 P
BARRETT,L.	8809200324*	WASTE MGT	BELLAMY,R.R.	880920107	50-247 Q	BERRY,K.W.	8809260051	50-255 Q
BARRETT,L.	8809210218*	WASTE MGT	BELLAMY,R.R.	880920181	50-54 Q	BERRY,R.L.	8809190085	50-29 R
BARRETT,L.H.	8809210227*	WASTE MGT	BELLAMY,R.R.	880920357	50-247 Q	BERSON,B.A.	8809150048	50-456 Q
BARRETT,L.H.	8809210229*	WASTE MGT	BELLAMY,R.R.	880920475	50-333 Q	BESS,J.E.	8809060370*	50-498 Q
BARRETT,L.H.	8809210232*	WASTE MGT	BELLAMY,R.R.	880920512	50-20 Q	BETTENHAUSEN,L.	8809010373	50-219 Q
BARRETT,L.H.	8809210236*	WASTE MGT	BELLAMY,R.R.	8809206244	50-219 Q	BETTENHAUSEN,L.	8809010384	50-244 Q
BARRETT,S.P.	8809310093	50-455 S	BELLAMY,R.R.	8809090137	50-272 F	BETTENHAUSEN,L.	8809070306	50-289 Q
BARRIOS,D.F.	8809200365*	REVIEW GR P	BELLAMY,R.R.	8809160255*	50-293 F	BETTENHAUSEN,L.	8809090003	50-423 Q
BARRY,C.V.	8809160207*	50-293 P	BELLAMY,R.R.	8809190271	50-387 Q	BETTENHAUSEN,L.	8809130280	50-320 Q
BARRY,C.V.	8809160239*	50-293 F	BELLAMY,R.R.	8809190278	50-317 Q	BETTENHAUSEN,L.	8809230121	50-245 Q
BARRY,C.V.	8809160261*	50-293 Q	BELLAMY,R.R.	8809190297	50-220 Q	BEVERIDGE,G.G.	8809180139	REVIEW GR P
BARRY,C.V.	8809160268*	50-293 Q	BELLAMY,R.R.	8809190357	50-271 Q	BEVERLY,R.L.	8809090145*	50-499 Q
BARSHAK,E.J.	8809210004*	50-443 G	BELLAMY,R.R.	8809200082	50-245 Q	BIANCHETTA,P.J.	8809070176*	CONTRACT
BARSHAK,E.J.	8809210004*	50-443 G	BELLAMY,R.R.	8809220303	50-247 Q	BIBB,H.E.	8809070063*	50-335 Q
BARSHAK,E.J.	8809210005*	50-443 G	BELLAMY,R.R.	8809220321	50-293 Q	BIDINGER,G.H.	8808300072*	70-1151
BARSHAK,E.J.	8809210006*	50-443 G	BELLAMY,R.R.	8809220322*	50-293 Q	BIDINGER,G.H.	8809070477*	70-1100
BARTELS,C.S.	8809060349	40-8968	BELLAMY,R.R.	8809230001	50-387 Q	BIDINGER,G.H.	8809150094*	70-27
BASILLO,J.A.	8808310150	50-277 P	BELLAMY,R.R.	8809230003	50-29 Q	BIDINGER,G.H.	8809220304*	70-734
BASKIN,K.P.	8808290099	50-206 F	BELLAMY,R.R.	8809230216	50-184 Q	BINKOWSKI,J.	8809190307	50-302 R
BASKIN,K.P.	8809070340	50-361 S	BENDHAM,W.K.	8809010042	50-302 F	BIRD,R.G.	8809090272	50-293 P
BASKIN,K.P.	8809070433	50-361 P	BENNETT,W.R.	8809190162*	50-298 Q	BIRD,R.G.	8809140200	50-293 P
BASKIN,K.P.	8809070451*	50-361 P	BENSON,D.L.	8809020131	50-281 S	BIRD,R.G.	8809140305	50-293 V
BASKIN,K.P.	8809070528	50-206 F	BENSON,D.L.	8809060236	50-280 S	BIRD,R.G.	8809150335	50-293 Q
BASKIN,K.P.	8809070537	50-361 Q	BENSON,D.L.	8809060240	50-280 S	BIRD,R.G.	8809190291	50-293 Q
BASKIN,K.P.	8809150051	50-206 P	BENSON,D.L.	8809070419	50-280 S	BIRD,R.G.	8809200277	50-293 Q
BASKIN,K.P.	8809150054*	50-206 P	BENSON,D.L.	8809070438	50-281 S	BIRD,R.G.	8809230110	50-293 Q
BASKIN,K.P.	8809150137	50-361 Q	BENSON,D.L.	8809140161	50-281 S	BIRD,R.G.	8809260145	50-293 Q
BASKIN,K.P.	8809160095*	50-361 Q	BENSON,D.L.	8809200104	50-280 S	BIRELY,W.C.	8808290093	50-277 S
BASKIN,K.P.	8809210003	50-443 G	BENSON,D.L.	8809200219	50-280 S	BIRELY,W.C.	8809010336	50-277 S
BASSETT,C.H.	8809260181*	50-335 Q	BENSON,D.L.	8809200227	50-280 S	BIRELY,W.C.	8809070236	50-278 S
BATES,A.	8808310017	SECY	BERATTA,J.P.	8809140008	50-220 S	BIRELY,W.C.	8809190132	50-277 S
BATES,A.L.	8809160177	50-443 G	BERGERON,G.S.	8809080042	PR	BIRELY,W.C.	8809260247	50-278 S
BATES,J.W.	8808260489*	70-143	BERGER,J.D.	8809160236*	40-8801	BIXBY,W.W.	8808290092	PROJ
BATES,J.W.	8809130107*	70-1113	BERGER,J.D.	8809190088	40-8724	BIXBY,W.W.	8809070524	PROJ
BAX,R.L.	8808310065	50-254 S	BERGER,J.D.	8809190091*	40-8724	BIXBY,W.W.	8808090017	PROJ
BAX,R.L.	8809010081	50-254 R	BERGERON,K.D.	8809140357	NUREG	BJORGEN,J.C.	8809140417*	50-373 Q
BAX,R.L.	8809080021	50-254 P	BERGERON,R.	8809140051*	50-443 G	BLACK,S.	8808290203	50-327 H
BAX,R.L.	8809130305	50-254 S	BERGQUIST,S.A.	8809140135	50-443 G	BLACK,S.	8809060319	50-566 A
BAX,R.L.	8809200253	50-254 S	BERGQUIST,S.A.	8809140141	50-443 G	BLACK,S.	8809070456	50-269 Q
BAYLOCK,J.	8809120113	WASTE MGT	BERGSTROM,P.D.	8809080043	40-8802	BLACK,S.	8809070466	50-260 F
BAZIN,J.P.	8809260322	CONTRACT	BERKOW,H.N.	8809020234	50-302 S	BLACK,S.	8809160215	50-258 P
BEAN,C.D.	8808310107*	71-9032	BERKOW,H.N.	8809140205*	50-335 S	BLACK,S.	8809160218*	50-259 P
BEARD,T.N.	8809260041*	50-443 G	BERKOW,H.N.	8809200270*	50-389 P	BLACK,S.	8809160318	50-260 P
BECHHOEFER,C.	8809160057	50-271 G	BERLINGER,C.H.	8809300195	ORG	BLACK,S.	8809160322	50-259 F
BECK,J.W.	8808310083	50-445 Q	BERLINGER,C.H.	8809010327	ORG	BLACK,S.	8809220302	50-327 P
BECK,J.W.	8808310185	50-445 S	BERLINGER,C.H.	8809140343	ORG	BLACK,S.	8809260232	50-327 P
BECK,J.W.	8809080012	50-445 J	BERLINGER,C.H.	8809210168	J&E	BLACK,S.	8809260253*	50-327 P
BECK,J.W.	8809150083	50-445 A	BERNARDEZ,H.	8809160290*	50-413 Q	BLACK,S.	8809270151	50-327 P
BECK,J.W.	8809230249	50-445 S	BERNARD,J.A.	8809070337	50-20 R	BLACK,S.C.	8809010265	50-327 P
BECK,J.W.	8809260131	50-445 S	BERNARD,J.A.	8809130062	50-20 Q	BLACK,S.C.	8809130038	50-327 P
BECK,J.W.	8809260159	50-445 A	BERNARD,J.A.	8809190070	50-20 R	BLACK,S.C.	8809140168	50-327 P
BECKJORD,E.S.	8709140083*	PR	BERNERO,R.M.	8802230145*	REVIEW GR P	BLACK,S.C.	8809140253	50-259 P
BECKJORD,E.S.	8808290087	RES	BERNERO,R.M.	8802230159*	REVIEW GR P	BLACK,S.C.	8809210246	50-327 P
BECKJORD,E.S.	8809120206*	PR	BERNERO,R.M.	8802260045*	REVIEW GR P	BLACK,W.A.	8809060150*	50-255 Q
BECKJORD,E.S.	8809130279*	PR	BERNERO,R.M.	8803280342*	REVIEW GR P	BLACKWOOD,E.B.	8809120120*	FOIA
BECKJORD,E.S.	8809130337*	PR	BERNERO,R.M.	8809160107*	REVIEW GR P	BLAKE,J.J.	8808301017*	50-302 Q
BECKJORD,E.S.	8809150101	RES	BERNERO,R.M.	8809200038*	REVIEW GR P	BLAKE,J.J.	8809010200*	50-324 Q
BECKJORD,E.S.	8809160080*	REVIEW GR P	BERNERO,R.M.	8809200130	WASTE MGT	BLAKE,J.J.	8809070089*	50-424 Q
BECKJORD,E.S.	8809160119*	REVIEW GR P	BERNERO,R.M.	8809200230*	REVIEW GR P	BLAKE,J.J.	8809120151*	50-258 Q
BECKJORD,E.S.	8809180148*	REVIEW GR P	BERNERO,R.M.	8809200242*	REVIEW GR P	BLAKE,J.J.	8809130120*	50-336 Q
BECKJORD,E.S.	8809180163*	REVIEW GR P	BERNERO,R.M.	8809200282*	REVIEW GR P	BLAKE,J.J.	8809140336*	50-261 Q
BECKJORD,E.S.	8809180180*	REVIEW GR P	BERNERO,R.M.	8809200342*	REVIEW GR P	BLAKE,J.J.	8809220182*	50-269 Q
BECKJORD,E.S.	8809180185*	REVIEW GR P	BERNERO,R.M.	8809200347*	REVIEW GR P	BLAKE,J.J.	8809260151*	50-413 Q
BECKJORD,E.S.	8809180285*	REVIEW GR P	BERNERO,R.M.	8809210065*	REVIEW GR P	BLAKE,J.J.	8809260259*	50-400 Q
BECKJORD,E.S.	8809190019*	REVIEW GR P	BERNERO,R.M.	8809210077*	REVIEW GR P	BLAKE,J.J.	8809270022*	50-250 Q
BECKJORD,E.S.	8809220118	RES	BERNERO,R.M.	8809210090*	REVIEW GR P	BLAKELY,D.R.	8808290229*	50-346 P
BECKJORD,E.S.	8809220241	NUREG	BERNERO,R.M.	8809210094*	REVIEW GR P	BLANCHARD,B.	8809200153	PR
BECKTON,J.W.	8808300145*	COMMISSION	BERNERO,R.M.	8809210103*	REVIEW GR P	BLASY,R.A.	8809140319	50-277 Q
BEDESEM,P.	8809260128	50-275 R	BERNERO,R.M.	8809210104*	REVIEW GR P	BLAYLOCK,J.	8809190340	WASTE MGT
BEHNKE,C.	8808260002	50-317 R	BERNERO,R.M.	8809210164*	REVIEW GR P	BLESSIE,W.J.	8809200237	50-285 R
BELAIR,R.R.	8809090152	50-322 P	BERNERO,R.M.	8809260237*	REVIEW GR P	BLISS,H.E.	8809300195	50-254 Q
BELISLE,G.A.	8809130034*	50-413 Q	BERNHARD,R.H.	8808300322*	50-280 Q	BLISS,H.E.	8808310214	50-295 Q
BELISLE,G.A.	8809200261*	50-335 Q	BERNHOF,T.L.	8808310186	50-305 S	BLISS,H.E.	8809080272	50-254 F
BELISLE,G.A.	8809220266*	50-324 Q	BERNTHAL,F.M.	8809160137*	REVIEW GR P	BLISS,H.E.	8809090046	50-254 F
BELL,D.D.	8809200348	50-288 F	BERRY,G.A.	8809160067	50-443 G	BLISS,H.E.	8809140337	50-456 Q
BELL,D.D.	8809260347*	50-286 F	BERRY,K.W.	8808300314	50-255 P	BLISS,H.E.	8809180243	50-237 Q
BELL,M.J.	8809080268	50-269 Y	BERRY,K.W.	8809010087	50-255 P	BLISS,H.E.	8809190186	50-456 Q
BELL,S.	8809130240	50-275 P	BERRY,K.W.	8809010113	50-255 P	BLOCH,P.B.	8809020086	50-320 G
BELL,S.	8809210136	CONTRACT	BERRY,K.W.	8809070320	50-255 P	BLOCK,M.L.	8809220041	50-267 R
BELL,S.	8809230018	CONTRACT	BERRY,K.W.	8809080047	50-255 Q	BLOOM,T.J.	8808260071	50-528 R
BELLAMY,R.R.	8808260231	50-289 Q	BERRY,K.W.	8809080138	50-255 Q	BLOOM,T.J.	8809220139	50-528 R
BELLAMY,R.R.	8808260280	50-277 Q	BERRY,K.W.	8809120104	50-255 Q	BLOSSER,J.D.	8809150161	50-483 R
BELLAMY,R.R.	8808260347	70-371	BERRY,K.W.	8809140093	50-155 Q	BLOUGH,A.R.	8808260047*	50-293 Q
BELLAMY,R.R.	8808300329	70-1100	BERRY,K.W.	8809150290	50-155 P	BLOUGH,A.R.	8808260409*	50-387 Q
BELLAMY,R.R.	8808300345	50-220 F	BERRY,K.W.	8809160170	50-255 P	BLOUGH,A.R.	8808290279	50-387 Q
BELLAMY,R.R.	8809010380	50-277 Q	BERRY,K.W.	8809190073	50-155 Q	BLOUGH,A.R.	8808300160	50-293 R
BELLAMY,R.R.	8809010382	50-309 Q	BERRY,K.W.	8809200072	50-255 P	BLOUGH,A.R.	8809080115	50-293 P

PERSONAL AUTHOR INDEX 285

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BLOUGH, A. R.	8809140304*	50-293 Q	BRADHAM, O. S.	8809010171	50-395 R	BROWN, W. R.	8809290188*	REVIEW GR P
BLOUGH, A. R.	8809190355	50-293 R	BRADHAM, O. S.	8809020274	50-395 R	BROWNING, R. E.	8809090174*	PR
BLOUGH, A. R.	8809260009	50-293 R	BRADHAM, O. S.	8809070534	50-395 P	BROWNING, R. E.	8809120235*	PR
BLOUNT, P. F.	8809070541	50-280 R	BRADHAM, O. S.	8809130056	50-395 P	BROWNING, R. E.	8809140368	WASTE MGT
BLUBAUGH, R.	8809140066*	40-3453	BRADHAM, O. S.	8809140323	71-9176	BROWNLEE, V. L.	8809300236	50-389 Q
BLUBAUGH, R. E.	8809060166	40-3453	BRADHAM, O. S.	8809150260	50-395 Q	BROWNLEE, V. L.	8809300238*	50-389 Q
BLUBAUGH, R. E.	8809060287	40-3453	BRADHAM, O. S.	8809200254	50-395 Q	BROWNLEE, V. L.	8809300352	50-425 Q
BLUBAUGH, R. E.	8809070084	40-3453	BRADHAM, O. S.	8809200303	50-395 P	BROWNLEE, V. L.	8809310052	50-425 Q
BLUBAUGH, R. E.	8809190076	40-3453	BRADHAM, O. S.	8809220110	50-395 R	BROWNLEE, V. L.	8809310054*	50-425 Q
BLUE, L. A.	8809020276*	50-395 R	BRADHAM, O. S.	8809230231	50-395 P	BROWNLEE, V. L.	8809010168	50-413 Q
BOEHNER, P.	8809160248*	50-293 Q	BRADHAM, O. S.	8809260185	50-395 S	BROWNLEE, V. L.	8809010170*	50-413 Q
BOGER, B. A.	8809010102*	50-286 P	BRADLEY, E. J.	8809200254	50-277 P	BROWNLEE, V. L.	8809070075	50-269 Q
BOGER, B. A.	8809010243*	50-247 P	BRADLEY, E. J.	8809010207	50-277 P	BROWNLEE, V. L.	8809080374	50-413 Q
BOGER, B. A.	8809020025*	50-247 P	BRADLEY, E. J.	8809090224	50-277 P	BROWNLEE, V. L.	8809080384	50-369 Q
BOGER, B. A.	8809080331	50-443 E	BRADLEY, E. J.	8809120051	50-277 P	BROWNLEE, V. L.	8809140272	50-321 Q
BOGER, B. A.	8809120232*	50-286 P	BRADLEY, E. J.	8809140207	50-277 P	BROWNLEE, V. L.	8809140311	50-321 Q
BOHNT, S.	8809010095*	50-461 P	BRADLEY, E. J.	8809140219	50-277 P	BROWNLEE, V. L.	8809190161	50-413 Q
BOLE, A. T.	8809260128*	50-62 Q	BRADLEY, E. J.	8809150174	50-352 P	BROWNLEE, V. L.	8809200205	50-369 Q
BOLEY, K.	8809070302	FOIA	BRADLEY, E. J.	8809160178*	50-352 P	BROWNLEE, V. L.	8809200207*	50-369 Q
BOLEY, K.	8809090136	FOIA	BRADLEY, E. J.	8809200050	50-352 P	BRUBAKER, P. D.	8809280209*	REVIEW GR P
BONANGE, J.	8809220080	WASTE RES	BRADY, R. J.	8809160077*	REVIEW GR P	BRUNET, J. R.	8809290078	50-255 F
BONANGE, J.	8809190058	WASTE RES	BRAM, S. B.	8809260110	50-247 P	BRUNET, J. R.	8809290182	50-255 F
BONANGE, J.	8809190083	WASTE RES	BRAM, S. B.	8809290128	50-247 V	BRUNET, J. R.	8809290204	50-255 F
BONNETT, D. M.	8809220071*	50-250 R	BRAM, S. B.	8809300275	50-247 Q	BRUNET, J. R.	8809070072	50-255 F
BONNETT, D. M.	8809220073*	50-250 R	BRAM, S. B.	8809300325	50-3 F	BRUNET, J. R.	8809070187	50-255 F
BONGIOVANNI, A.	8809140417*	50-373 Q	BRAM, S. B.	8809310131	50-247 Q	BRUNET, J. R.	8809120089	50-255 F
BONNEAU, C.	8809010267*	50-283 P	BRAM, S. B.	8809310153	50-247 S	BRUNET, J. R.	8809150305	50-255 F
BONNETT, R. C.	8809060222*	PROJ	BRAM, S. B.	8809010340	50-247 P	BRUNET, J. R.	8809150307	50-255 F
BONOSARO, C. A.	8809230208*	COMMISSION	BRAM, S. B.	8809200020	50-247 S	BRUNETT, J. R.	8809290040	50-255 F
BONOSARO, C. A.	8809230210*	COMMISSION	BRAM, S. B.	8809070483	50-247 P	BRUNO, R. J.	8809140145	50-286 V
BONSE, B.	8809230115	50-287 S	BRAM, S. B.	8809070486*	50-247 F	BUCHANAN, W. L.	8809190392	50-255 F
BOOKER, J. E.	8809260366	50-458 Q	BRAM, S. B.	8809080140	50-3 F	BUCKLEY, B. C.	8809260452	50-400 P
BOOKER, J. E.	8809260365	50-458 Q	BRAM, S. B.	8809140142	50-247 S	BUCKLEY, B. C.	8809020009	50-324 P
BOOKER, J. E.	8809300024	50-458 K	BRAM, S. B.	8809140225	50-247 S	BUCKLEY, B. C.	8809060365	50-400 P
BOOKER, J. E.	8809310152	50-458 S	BRAM, S. B.	8809140227	50-247 Q	BUCKLEY, B. C.	8809070546	50-324 P
BOOKER, J. E.	8809010258	50-458 S	BRAM, S. B.	8809190224	50-247 Q	BUCKLEY, B. C.	8809140410	50-400 P
BOOKER, J. E.	8809010298	50-458 S	BRAM, S. B.	8809230060	50-247 F	BUCKLEY, B. C.	8809220312	50-400 Q
BOOKER, J. E.	8809010305	50-458 S	BRAM, S. B.	8809230247	50-247 V	BUCKLEY, B. C.	8809220334	50-324 P
BOOKER, J. E.	8809020240	50-458 I	BRAM, S. B.	8809260255	50-247 V	BUCKLEY, B. C.	8809260044	50-324 Q
BOOKER, J. E.	8809020263	50-458 S	BRANCH, M. W.	8809260237*	50-327 Q	BUCKNAM, R. C.	8809080170*	WASTE RES
BOOKER, J. E.	8809060158	50-458 R	BRAND, E. B.	8809190316	50-309 S	BUDD, T.	8809210003*	REVIEW GR P
BOOKER, J. E.	8809070308	50-458 Q	BREAU, J. J.	8809160231*	FOIA	BUNCH, W. G.	8809070110	40-8908
BOOKER, J. E.	8809070321	50-458 S	BREAU, J. J.	8809160233*	FOIA	BUNCH, W. G.	8809070110	40-8908
BOOKER, J. E.	8809080084	50-458 R	BREAU, J. J.	8809160186*	FOIA	BUNDY, H. F.	8809060316*	50-458 Q
BOOKER, J. E.	8809080088	50-458 V	BREMER, G. P.	8809160209	FOIA	BUNDY, H. F.	8809060354*	50-458 Q
BOOKER, J. E.	8809140086	50-458 S	BRENNAN, P.	8809210250	CONTRACT	BUNTING, J. O.	8809310009	WASTE MGT
BOOKER, J. E.	8809140111	50-458 Q	BRENNAN, P. A.	8809210123	CONTRACT	BUNTING, J. O.	8809060184	WASTE MGT
BOOKER, J. E.	8809140233	50-458 Q	BRESLAU, B.	8809220218*	50-324 Q	BUNTING, J. O.	8809060190	WASTE MGT
BOOKER, J. E.	8809150017	50-458 Q	BREY, H. L.	8809150213	50-287 P	BUNTING, J. O.	8809120191	WASTE MGT
BOOKER, J. E.	8809150102	50-458 Q	BRIDGES, J. A.	8809160300	PR	BUNTING, J. O.	8809130320	WASTE MGT
BOOKER, J. E.	8809160263	50-458 S	BRIGGS, E. M.	8809300048*	50-333 P	BUNTING, J. O.	8809230253	WASTE MGT
BOOKER, J. E.	8809230184	50-458 S	BRIGGS, J. J.	8809060407*	CONTRACT	BURAM, R. G.	8809310142	50-387 S
BORCHARDT, W.	8809070355*	50-272 S	BRIGHT, G. O.	8809200088	50-320 G	BURDICK, Q. N.	8809160331*	FOIA
BORCHERT, H. R.	8809280288*	REVIEW GR P	BRINDLE, D.	8809200221	50-455 S	BURDICK, T. M.	8809300309*	50-458 V
BORDENICK, B. M.	8809140043	50-803 Q	BRINKMAN, D. S.	8809300287	50-443 P	BURDOIN, J. F.	8809300181*	50-528 Q
BORDENICK, B. M.	8809140086	50-803 Q	BROCK, B. L.	8809210036*	70-754 Q	BURGER, C. W.	8809300353*	50-425 Q
BORDENICK, B. M.	8809140108	50-803 Q	BROCKMAN, T.	8809100053	50-443 G	BURGESS, B.	8809020178*	50-282 Q
BORDENICK, B. M.	8809190220	50-803 G	BROCKMAN, T.	8809100053	50-443 G	BURGESS, B.	8809140314	50-315 S
BORDINE, T. C.	8809220204	50-255 P	BROCKMAN, T.	8809210016	50-443 G	BURGESS, B. L.	8809300081*	50-255 Q
BOSTED, C. J.	8809140215*	50-397 Q	BROCKMAN, T.	8809210016	50-443 G	BURGESS, B. L.	8809140040	50-255 S
BOULAY, R. J.	8809190180	50-293 F	BROCK, M. T.	8809210023	50-443 Q	BURGESS, G. W.	8809270126	50-220 F
BOWEN, R. D.	8809230118	PR	BROCKMAN, K. E.	8809260048	50-443 G	BURGIN, R. E.	8809230277	I&E
BOYD, C. C.	8809300335*	70-27	BROCKMAN, K. E.	8809070116*	50-369 V	BURNETT, J. R.	8809300219	50-255 F
BOYD, C. C.	8809300338*	70-27	BROGER, B.	8809070283*	50-259 V	BURNETT, P. T.	8809300331*	50-321 Q
BOYD, C. C.	8809190138	70-27	BRONS, J. C.	8809090172*	I&E	BURNETT, P. T.	8809070170*	50-280 Q
BOYD, C. C.	8809190237	70-27	BRONS, J. C.	8809200235	50-286 P	BURNETT, R. F.	8809030153	70-1201
BOYD, C. C.	8809230179	TOPREP	BRONS, J. C.	8809300028	50-333 P	BURNETT, R. F.	8809090153*	PR
BOYD, M.	8809020117	PR	BRONS, J. C.	8809300189	50-286 P	BURNETT, R. F.	8809130268*	PR
BOYD, W. A.	8809080093*	50-412 P	BRONS, J. C.	8809300172*	50-286 P	BURNETT, R. F.	8809210200	70-1100
OYLE, M. L.	8809260396	50-245 P	BRONS, J. C.	8809300192*	50-286 P	BURNETT, R. F.	8809210259	70-371
OYLE, M. L.	8809260506	50-245 P	BRONS, J. C.	88093010078	50-333 P	BURNETT, R. F.	8809220177	70-27
OYLE, M. L.	8809290352	50-245 P	BRONS, J. C.	8809010114*	50-333 P	BURNS, B. S.	8809260320*	TOPREP
OYLE, M. L.	8809300029	50-245 P	BRONS, J. C.	8809010150	50-333 P	BURSKI, R. F.	8809290007	50-382 P
RAC, T. C.	8809080229	50-297 R	BRONS, J. C.	8809010161*	50-333 P	BURSKI, R. F.	8809290012	50-382 Q
RACHEW, E. W.	8809020258	QA899	BRONS, J. C.	8809060219*	50-286 P	BURSKI, R. F.	8809290173	50-382 Q
RACHEW, E. W.	8809090177	QA899	BRONS, J. C.	8809140454	50-286 Q	BURSKI, R. F.	8809020010	50-382 R
RACHEW, E. W.	8809150089	QA899	BRONS, J. C.	8809150283	50-333 P	BURSKI, R. F.	8809140447	50-382 P
RACHEW, E. W.	8809220004	70-143	BRONS, J. C.	8809190041	50-333 Q	BURSKI, R. F.	8809150115	50-382 Q
RACHEW, E. W.	8809220146	70-27	BRONS, J. C.	8809190361	50-333 P	BURSKI, R. F.	8809150133	50-382 V
RACHEW, E. W.	8809220186	70-143	BRONS, J. C.	8809190393*	50-333 P	BURSKI, R. F.	8809160311	50-382 F
RADBURN, J.	8809160320*	FOIA	BRONS, J. C.	8809080213	50-286 P	BURSKI, R. F.	8809190288	50-382 K
RADBURN, J. C.	8809180176*	FOIA	BROTHERS, M. H.	8809080149*	50-219 P	BURSKI, R. F.	8809220026	50-382 R
RADBURN, J. C.	8809180250*	FOIA	BROTT, N.	8809190380	50-265 F	BUSCHBOM, R. L.	8809060245	NUREG
RADHAM, O. S.	8809180310*	FOIA	BROWN, S.	8809190080	50-322 F	BUTCHER, E. J.	8809300133	REVIEW GR P
RADHAM, O. S.	8809260052	50-395 Q	BROWN, S.	8809230071	50-322 F	BUTCHER, E. J.	8809300174	TOPREP
RADHAM, O. S.	8809260435	50-395 F	BROWN, S. W.	8809230194	50-322 P	BUTCHER, E. J.	8809140420	ORG
RADHAM, O. S.	8809300263	50-395 S	BROWN, W. R.	8809260073	50-322 F	BUTCHER, R. C.	8809070380*	50-416 Q
RADHAM, O. S.	8809010124	50-395 S		8809190201*	REVIEW GR P	BUTLER, D. S.	8809260387*	50-282 Q

286 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BUTLER,W R	8809020242*	50 272	P	CAMILLERI,T J	8809160284	50-461	S	CHAFFEE,A E	8809220279	50-344	F
BUTLER,W R.	8809020249*	50 277	P	CAMPBELL	8809200008*	50-313	P	CHAMBERLAIN,D	8809202021*	50-382	Q
BUTLER,W R	8809070201*	50-354	P	CAMPBELL,G G	8808290120	50 259	S	CHAMBERLAIN,D	8809020270	50-382	Q
BYRAM,R G	8809130039	50 387	S	CAMPBELL,G G	8808280306	50 259	R	CHAMBERLAIN,D	8809190141	50 482	S
BYRAM,R G	8809230057	50-387	S	CAMPBELL,G G	8808290312*	50-259	R	CHAMBERLAIN,D	8809200015	50 482	S
BYRAM,R G	8809230254	50 388	S	CAMPBELL,G G	8809070562	50-260	S	CHAMBERS,C E	8809070563	PR	
CACCIAPOUTI,R	8809270100*	50-29	P	CAMPBELL,G G	8809160012	50-296	S	CHAN,E I	8809260109	50 443	G
CALDWELL,C	8808300021	50-361	S	CAMPBELL,R D	8809060075*	50-155	P	CHAN,E I	8809260119*	50-443	G
CALDWELL,C W	8809220106*	50-206	Q	CAMPBELL,T G	8809070376	50 313	P	CHAN,T L	8808260107	50-344	P
CALDWELL,J L	8808260486*	50-336	Q	CAMPBELL,T G	8809200220	50-313	Q	CHAN,T L	8809060408	50-344	P
CALLAHAN,M	8809160258*	FOIA		CAMPBELL,T G	8809220305	50-313	P	CHANEY,H D	8809010058*	50-382	Q
CALLAN,L J	8809220333	50-285	F	CAMPOS,L G	8809210015	50 445	G	CHARNEY,J S	8809270051	TOPREP	
CALLAN,L J	8809300085	50-498	Q	CANNON,W C	8809300245	NUREG		CHARNLEY,J S	8808300338*	50-331	P
CALLAN,L J	8809260053	50-498	V	CANTRELL,F S	8809260486*	60-338	Q	CHARNLEY,J S	8809120111*	50-461	P
CALLAN,L J	8808260108	50 458	V	CANTRELL,F S	8809290073*	50-280	Q	CHARNLEY,J S	8809230081*	50-374	P
CALLAN,L J	8809300003	50 285	Q	CANTRELL,F S	8809140384*	50-280	Q	CHARNOFF,G	8809280264*	REVIEW GR	P
CALLAN,L J	8809300027	50 313	Q	CANTRELL,F S	8809160031*	50-280	P	CHARNOFF,G	8809280264*	REVIEW CR	P
CALLAN,L J.	8809300239	50 298	Q	CANTRELL,F S	8809160037*	50 280	Q	CHARTRAND,T A	8809150305	50 255	P
CALLAN,L J.	8809300244	50 482	F	CANTRELL,F S.	8809260262	50-280	S	CHASE,G	8809020266	40 8452	
CALLAN,L J.	8809300271	50 267	Q	CANTRELL,F.S	8809300016*	50 280	S	CHASE,G	8809060402	40 8452	
CALLAN,L J	8808300297	50 267	Q	CAPODANNO,G R	8808300263*	50-219	P	CHATTEN,R E	8809210215*	CONTRACT	
CALLAN,L J.	8808300311	50 285	Q	CAPOZZA,P.	8809220324*	50 327	P	CHAUBALD,M	8809200348	50 286	F
CALLAN,L J	8808310032	50-313	Q	CAPPA,R A	8809010289*	50 333	P	CHAUBARD,M	8809260347*	50-286	F
CALLAN,L J	8808310041	50 382	F	CAPRA,R A	8809130336*	50-220	P	CHAUDHARY,S K	8808260339*	50 219	F
CALLAN,L J	8808310104	50 498	Q	CAPRA,R A	8809290300	50 220	F	CHAUDHARY,S K	8808290281*	50 213	Q
CALLAN,L J	8808310137	50-458	Q	CAPSTICK,R W.	8808310077	50-271	R	CHAUDHARY,S K	8809020032*	50 277	P
CALLAN,L J.	8809010052	50-382	Q	CAPSTICK,R.W.	8809150308	50 271	P	CHAUDHARY,S K	8809130076*	50 220	P
CALLAN,L J.	8809010374	50-313	V	CAPSTICK,R.W	8809210126	50 271	P	CHECK,P.S.	8811203491*	50-410	P
CALLAN,L J.	8809020162	50-498	Q	CAPSTICK,R W	8809260189	50-271	P	CHENERY,S G	8809090189	PR	
CALLAN,L J	8809020169	50-382	Q	CAPSTICK,R W	8809260195	50 271	P	CHEUNG,L	8809260003*	50-309	Q
CALLAN,L J.	8809060011	50-382	Q	CARBONARO,J	8809220046	50-313	P	CHEUNG,L	8809260225*	50-293	Q
CALLAN,L J.	8809060286	50-382	V	CARDELLA,J C.	8809020120	PR		CHILDS,W.V.	8809200236	50-333	P
CALLAN,L J	8809060304	50 458	Q	CARDILE,F	8809090092	PR		CHILK,S J	8711040272*	REVIEW GR	P
CALLAN,L J	8809060323	50 482	Q	CARDILE,F	8809090229*	PR		CHILK,S J.	8805020350	PR	
CALLAN,L J.	8809060346	50 498	Q	CARDILE,F.	8809090244*	PR		CHILK,S J.	8807280361	10CFR	
CALLAN,L J	8809060363	50 498	Q	CARDILE,F.	8809090247*	PR		CHILK,S J	8808260305	10CFR	
CALLAN,L J.	8809060376	50 498	Q	CARDILE,F	8809120242*	PR		CHILK,S J	8808260311	10CFR	
CALLAN,L J.	8809070265	50-267	Q	CARDILE,F.	8809120244*	PR		CHILK,S J.	8808260329	10CFR	
CALLAN,L J	8809070352	50-482	V	CARDILE,F	8809120246*	PR		CHILK,S J	8809010121	10CFR	
CALLAN,L J	8809070502	50 298	P	CARDILE,F	8809120250*	PR		CHILK,S J.	8809010306	10CFR	
CALLAN,L J	8809130003	50 265	Q	CARDILE,F	8809130320*	PR		CHILK,S J.	8809020024	50 443	G
CALLAN,L J	8809130006	50 192	Q	CARGILLE,E M.	8809080064	50 458	R	CHILK,S J	8809020045	50 341	G
CALLAN,L J.	8809130013	50 408	Q	CARLSON,R T.	8809160116*	50-293	Q	CHILK,S J.	8809020060	50 352	G
CALLAN,L J	8809130164	60 313	F	CARNS,N S	8809070058	50-382	S	CHILK,S J	8809070086	PR	
CALLAN,L J	8809130186	50 313	F	CARPENITO,F L	8809090274*	50 29	P	CHILK,S J.	8809090148	PR	
CALLAN,L J	8809140067	50-498	Q	CARRASCO,J	8809130076*	50-220	Q	CHILK,S J	8809090010	PR	
CALLAN,L J.	8809140075	50 498	Q	CARRASCO,J E	8809200332*	50-277	Q	CHILK,S J	8809090013	PR	
CALLAN,L J.	8809140084	50-498	Q	CARRION,R P	8809120151*	50 259	Q	CHILK,S J.	8809090111	50 275	P
CALLAN,L J	8809140171	50-498	Q	CARRION,R P	8809140336*	50-261	Q	CHILK,S J	8809090158	PR	
CALLAN,L J.	8809140199	50-382	Q	CARROLL,K	8809190085	50 29	R	CHILK,S J.	8809120015	50-327	G
CALLAN,L J.	8809140318	50-267	Q	CARROLL,R	8808290044	50-400	S	CHILK,S J	8809120043	50-250	G
CALLAN,L J	8809140332	50-458	P	CARROLL,R	8809230147	50 400	S	CHILK,S J	8809130198	10CFR	
CALLAN,L J.	8809160317	50 267	Q	CARROLL,R E	8809130130	50 261	S	CHILK,S J	8809130358*	PR	
CALLAN,L J	8809180152	50 298	Q	CARSON,B H.	8809090173	50-387	R	CHILK,S J	8809150329	PR	
CALLAN,L J	8809180195	50-458	P	CARTER,K D.	8809160286	NUREG		CHILK,S J	8809160010	PR	
CALLAN,L J	8809190197	50 498	Q	CARTER,T.H.	8808300212*	50-315	Q	CHILK,S J	8809160040	50-440	G
CALLAN,L J	8809190222	50-285	V	CARTER,T.H.	8809230261*	50-483	Q	CHILK,S J.	8809160152*	REVIEW GR	P
CALLAN,L J	8809190253	50 498	Q	CARTWRIGHT,W R.	8809140353	50-280	S	CHILK,S J.	8809160317*	FOIA	
CALLAN,L J	8809200031	50 313	Q	CARTWRIGHT,W R	8809150001	50-338	Q	CHILK,S J	8809190170	50 443	G
CALLAN,L J.	8809200075	50-267	Q	CARTWRIGHT,W R	8809150295	50-280	Q	CHILK,S J	8809210101*	WASTE MGT	
CALLAN,L J.	8809200080	50 482	Q	CARTWRIGHT,W R	8809190174	50-280	P	CHILK,S J	8809210148*	WASTE MGT	
CALLAN,L J	8809200116	50-298	Q	CARTWRIGHT,W R	8809190200	50-280	F	CHILK,S J	8809220012	10CFR	
CALLAN,L J.	8809200189	50 285	F	CARTWRIGHT,W R	8809200104	50 280	F	CHILK,S J.	8809230042	10CFR	
CALLAN,L J	8809220280	50-285	Q	CARTWRIGHT,W R	8809200124	50-280	R	CHILK,S J.	8809230046	10CFR	
CALLAN,L J	8809230135	50-267	V	CARTWRIGHT,W R	8809200145	50-338	P	CHILK,S J.	8809230074	PR	
CALLAN,L J.	8809230281	50-285	Q	CARTWRIGHT,W.R.	8809200267	50-338	R	CHILK,S J.	8809260054	50 443	G
CALLAN,L J	8809230293	50-498	Q	CARTWRIGHT,W.R.	8809210024	50-338	Q	CHILK,S J	8809270038	PR	
CALLAN,L J.	8809260034	50-498	Q	CARTWRIGHT,W.R.	8809220185	50 280	F	CHIRAMAL,M	8809160272*	REVIEW GR	P
CALLAN,L J	8809260046	50-498	Q	CARTWRIGHT,W.R.	8809220192	50-338	P	CHO,N	8809060147	NUREG	
CALLAN,L J.	8809260137	50-285	Q	CARTWRIGHT,W.R	8809270131	50-280	Q	CHO,N	8809060157	NUREG	
CALLAN,L J.	8809260323	50-287	Q	CARUSO,R J.	8809140393*	50-528	I	CHOU,R.C	8808120151*	50 259	Q
CALVO,J.A.	8808260010*	50 313	P	CARUSO,S N	8809260050*	50-443	G	CHOU,R.C.	8809220182*	50-289	Q
CALVO,J.A.	8808260079*	50-313	P	CARVILL,A F.	8809210186*	REVIEW GR	P	CHOULES,N.C	8808300212*	50-315	Q
CALVO,J.A.	8808260184*	50 368	P	CARY,S	8809060118	40-8907	G	CHOVAN,C	8809090043	50 455	S
CALVO,J.A.	8809010252*	50-458	P	CASE,D T	8809020026	50-322	G	CHRISTENSEN,H	8808290088	50 251	S
CALVO,J A	8809020210*	50 458	P	CASE,D T.	8809020026	50-322	G	CHRISTENSEN,H	8808300339	50 251	S
CALVO,J.A.	8809020220*	50 458	P	CASE,J B	8809210239*	WASTE MGT		CHRISTMAN,J.N	8809020050	50 322	G
CALVO,J A	8809060401*	50-458	F	CASE,J M	8809020226	QA999		CHRISTMAN,J.N	8809020050	50-322	G
CALVO,J.A	8809130077*	50 498	P	CASTRO,B.	8809130305	50-254	S	CHRISTMAN,J.N	8809020102	50-322	G
CALVO,J A.	8809130176*	50-498	P	CATAPANO,G J.	8809260069*	50-443	G	CHRISTMAN,J.N	8809020102	50 322	G
CALVO,J A.	8809140284*	50 482	P	CATAPANO,G J	8809260089*	50 443	G	CHRISTMAN,J.N	8809120030	50-322	G
CALVO,J A.	8809160297*	50-313	P	CATCHPOLE,G J	8809020213	40-8926		CHRISTMAN,J.N.	8809120030	50 322	G
CALVO,J A.	8809180304*	50-498	P	CATCHPOLE,G.J.	8809060076	40 8926		CHRZANOWSKI,R.	8808290278	50-454	P
CALVO,J.A	8809200233	50-313	P	CATCHPOLE,G.J.	8809060178	40 8926		CHRZANOWSKI,R	8808310031	50-454	P
CALVO,J.A.	8809230030*	50-267	P	CATLETT,C R.	8809120092	WASTE RES		CHRZANOWSKI,R	8809190300	50 454	P
CALVO,J.A.	8809230138*	50-267	P	CAZZOLI,E.G	8809280214	NUREG		CICOTTE,G R	8809060298*	50-397	Q
CALVO,J.A.	8809260053	50-382	Q	CENTOLANZI,P	8809220026	50-382	R	CICOTTE,G.R.	8809220082*	50-397	Q
CAMERON,D.F.	8809260116*	50-277	Q	CESARE,J G	8809200111	50-416	R	CILMBERG,R I	8809150088*	QA999	

PERSONAL AUTHOR INDEX 287

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
CIPRIANI, J.	8808310014	50-346	R	COLLINS, D. M.	8809160028	50-321	F	CONWAY, W. F.	8809080187	50-250	R
CIPRIANI, J.	8808260032	50-346	R	COLLINS, D. M.	8809160288	50-413	Q	CONWAY, W. F.	8809080288	50-250	Q
CLARK, R.	8809180245	50-352	Q	COLLINS, D. M.	8809190204	ORG		CONWAY, W. F.	8809090047	50-250	R
CLARKIN, K.	8809060182	40-8714		COLLINS, D. M.	8809100221	50-424	F	CONWAY, W. F.	8809120144	50-250	R
CLAY, E. L.	8809130107*	70-1113		COLLINS, D. M.	8809200083	50-338	Q	CONWAY, W. F.	8809130161	50-335	F
CLEVELAND, J. E.	8809060313	40-8905		COLLINS, D. M.	8809230075	50-324	F	CONWAY, W. F.	8809140329	50-335	Q
CLEVELAND, J. E.	8809140143	40-8905		COLLINS, D. M.	8809230079	50-302	Q	CONWAY, W. F.	8809150195	50-335	P
CLINE, W. E.	8808260013	50-389	Q	COLLINS, D. M.	8809260122	50-62	Q	CONWAY, W. F.	8809150232	50-389	P
CLINE, W. E.	8808260048	70-143		COLLINS, D. M.	8809260125*	50-62	Q	CONWAY, W. F.	8809160224*	REVIEW GR P	
CLINE, W. E.	8808260512	50-338	Q	COLLINS, D. M.	8809260157	70-143		CONWAY, W. F.	8809160298	50-251	S
CLINE, W. E.	8808290015	50-280	Q	COLLINS, D. M.	8808260170	50-335	Q	CONWAY, W. F.	8809190120	50-251	S
CLINE, W. E.	8808290030	50-395	F	COLLINS, D. M.	8809260176*	50-335	Q	CONWAY, W. F.	8809190166	50-251	S
CLINE, W. E.	8808290072	50-302	F	COLLINS, D. M.	8809260246	50-321	Q	CONWAY, W. F.	8809190169	50-250	R
CLINE, W. E.	8808290105	50-250	F	COLLINS, S. J.	8809060260*	50-335	Q	CONWAY, W. F.	8809190171	50-250	R
CLINE, W. E.	8808300100*	70-27		COLLINS, S. J.	8808260046	50-293	Q	CONWAY, W. F.	8809190173	50-250	Q
CLINE, W. E.	8808300106	50-338	F	COLLINS, S. J.	8809090103	50-293	Q	CONWAY, W. F.	8809190175	50-250	S
CLINE, W. E.	8808300113	50-280	F	COLLINS, S. J.	8809140303	50-293	Q	CONWAY, W. F.	8809190178	50-335	S
CLINE, W. E.	8808310068	50-424	Q	COLLINS, T. R.	8809260162*	70-143		CONWAY, W. F.	8809190205	50-335	F
CLINE, W. E.	8809010047	70-27		COLLINS, T. R.	8809260272*	50-259	Q	CONWAY, W. F.	8809190242	50-335	V
CLINE, W. E.	8809060257	50-269	Q	COLLOPY, T. J.	8809120100	70-371		CONWAY, W. F.	8809190266	50-250	P
CLINE, W. E.	8809070291	70-1113		COLVIN, J. F.	8809080152	PR		CONWAY, W. F.	8809190359	50-335	Q
CLINE, W. E.	8809070300	50-395	F	COLVIN, J. F.	8809210013	REVIEW GR P		CONWAY, W. F.	8808260121	50-335	P
CLINE, W. E.	8809070408	50-416	Q	COMFORT, G. C.	8809150203	70-754		CONWAY, W. F.	8808260354	50-335	F
CLINE, W. E.	8809080048	50-250		CONGEL, F. J.	8809330013*	REVIEW GR P		CONWAY, W. F.	8808260070	50-250	R
CLINE, W. E.	8809080182	70-1068		CONGEL, F. J.	8807060445*	REVIEW GR P		CONWAY, W. F.	8808260285	50-251	S
CLINE, W. E.	8809130105	70-1113		CONGEL, F. J.	8809010239*	REVIEW GR P		CONWAY, W. F.	8808260179	50-250	S
CLINE, W. E.	8809150018	70-27		CONGEL, F. J.	8809140419	50-443	P	CONWAY, W. F.	8808260211	50-250	V
CLINE, W. E.	8808260053	70-143		CONGEL, F. J.	8808260203*	REVIEW GR P		CONWAY, W. F.	8808270060	50-335	F
CLINE, W. E.	8809200161	70-143		CONGEL, F. J.	8808260320*	REVIEW GR P		COOK, J.	8809140427	50-333	R
CLINE, W. E.	8809200166	50-413	Q	CONGEL, F. J.	8808210146*	REVIEW GR P		COOLD	8809190256*	REVIEW GR P	
CLINE, W. E.	8808200172*	REVIEW GR P		CONKLIN, C.	8808260308*	50-277	Q	COOPER, R. F.	8809080060	50-155	V
CLINE, W. E.	8808200187	70-143		CONLON, T.	8808310108*	50-321	Q	COOPER, R. R.	8809140418	50-440	S
CLINE, W. E.	8808200220	70-143		CONLON, T.	8809120097*	50-416	Q	COOPER, R.	8808260289*	50-440	Q
CLINE, W. E.	8808210050*	REVIEW GR P		CONLON, T. E.	8808260016*	50-338	Q	COOPER, R. W.	8809260287*	50-461	Q
CLINE, W. E.	8808220223	70-143		CONLON, T. E.	8808300315*	50-416	Q	COOPER, R. W.	8809260339	50-440	S
CLINE, W. E.	8808220299	50-250	Q	CONLON, T. E.	8808070001*	50-425	Q	COPELAND, R. A.	8809140331	TOPREP	
CLINE, W. E.	8808230100	50-338	F	CONLON, T. E.	8808070159*	50-321	Q	COPELAND, R. A.	8808210056	TOPREP	
CLINE, W. E.	8808230202	50-413	F	CONLON, T. E.	8808070397*	50-425	Q	COPELAND, R. A.	8808210245	TOPREP	
CLINE, W. E.	8808260001	50-250	F	CONLON, T. E.	8809080346*	50-424	Q	COPELAND, R. A.	8808220048	TOPREP	
CLINE, W. E.	8808260252	50-250	F	CONNELLY, S. R.	8808260059*	50-368	P	COPLAN, S.	8809200108	WASTE MGT	
CLONINGER, T. H.	8809080191*	50-416	P	CONNERT, T. B.	8809090276*	50-275	I	CORREA, J. H.	8809230157	TOPREP	
COCKFIELD, D. W.	8809010058	50-344	F	CONNOR, J. W.	8808200228	50-335	S	CORREIA, R. P.	8809210095*	50-482	Q
COCKFIELD, D. W.	8809020141	50-344	Q	CONNOR, L.	8809120074	FOIA		COSS, H. D.	8809220329	50-317	F
COCKFIELD, D. W.	8809070062	50-344	Q	CONNORS, H. J.	8809060018*	50-348	Q	COSTELLO, F.	8809300021*	REVIEW GR P	
COCKFIELD, D. W.	8809070131	50-344	R	CONRAD, J. T.	8809150134	50-315	F	COSTELLO, F.	8809020188*	70-688	
COCKFIELD, D. W.	8809070136	50-344	Q	CONRAN, J.	8809180058*	REVIEW GR P		COSTELLO, J.	8809200104	50-280	F
COCKFIELD, D. W.	8809080081	50-344	P	CONRAN, J. H.	8802250113*	REVIEW GR P		COSTELLO, J. J.	8809060205*	CONTRACT	
COCKFIELD, D. W.	8809080113	50-344	P	CONRAN, J. H.	8803210547*	REVIEW GR P		COTER, B. P.	8809020093	50-335	G
COCKFIELD, D. W.	8809140125	50-344	Q	CONSTABLE, G. L.	8808180162*	50-288	Q	COTTON, J. B.	8809060025*	50-277	R
COCKFIELD, D. W.	8809160004	50-344		CONTE, R.	8808010044	50-320	S	COTTON, S. R.	8808300294	50-416	F
COCKFIELD, D. W.	8809150050	50-344	V	CONTE, R.	8809020245	50-320	S	COUCH, D.	8809130287	40-8027	
COCKFIELD, D. W.	8809160170	50-344	P	CONTE, R.	8809230119	50-289	S	COUCH, D. A.	8809080207	40-8027	
COCKFIELD, D. W.	8809150173*	50-344	T	CONTE, S. O.	8808300044*	50-29	F	COUNCIL, W. G.	8808260048	50-445	F
COCKFIELD, D. W.	8809180183*	50-344	T	CONVERSE, R.	8809130125	50-333	Q	COUNCIL, W. G.	8808260069	50-445	F
COCKFIELD, D. W.	8809190021	50-344	T	CONVERSE, R. J.	8808260049	50-333	Q	COUNCIL, W. G.	8808260101	50-445	Q
COE, D. H.	8808300181*	50-528	Q	CONVERSE, R. J.	8808010281	50-333	Q	COUNCIL, W. G.	8808260123	50-445	S
COLBURN, T. G.	8808010216*	50-348	P	CONVERSE, R. J.	8808010289	50-333	Q	COUNCIL, W. G.	8808260010	50-445	Q
COLBURN, T. G.	8809010222*	50-348	P	CONVERSE, R. J.	8808200236	50-333	R	COUNCIL, W. G.	8808260067	50-445	Q
COLBURN, T. G.	8809070513	50-440	P	CONVERSE, R. J.	8809140185	50-333	V	COUNCIL, W. G.	8808290239	50-445	A
COLBURN, T. G.	8809190102*	50-440	P	CONVERSE, R. J.	8809140427	50-333	R	COUNCIL, W. G.	8808310083	50-445	Q
COLBURN, T. G.	8809190136	50-440	P	CONVERSE, R. J.	8809200236	50-333	S	COUNCIL, W. G.	8808310185	50-445	S
COLBURN, T. G.	8809200155	50-440	P	CONVERSE, R. J.	8808260192	50-333	Q	COUNCIL, W. G.	8808310192	50-445	J
COLBURN, T. G.	8809260047	50-440	R	CONVERSE, R. J.	8809260206	50-333	Q	COUNCIL, W. G.	8809020268	50-445	A
COLE, R. E.	8808260313	50-458		CONWAY, J. T.	8809090204*	QA999		COUNCIL, W. G.	8809060315	50-445	S
COLEMAN, N. M.	8808120186	WASTE RES		CONWAY, W. F.	8808260133	50-250	P	COUNCIL, W. G.	8809060392	50-445	S
COLEY, J. L.	8808010200*	50-324	Q	CONWAY, W. F.	8808290034	50-335	R	COUNCIL, W. G.	8809060398	50-445	S
COLEY, J. L.	8808260259*	50-400	Q	CONWAY, W. F.	8808290108	50-335	P	COUNCIL, W. G.	8809070007	50-445	S
COLLINGS, S. P.	8809120201*	50-237	P	CONWAY, W. F.	8808290144	50-260	R	COUNCIL, W. G.	8809070332	50-445	S
COLLINGS, S. P.	8809080042	40-8828		CONWAY, W. F.	8808290191	50-250	F	COUNCIL, W. G.	8809070407	50-445	S
COLLINGS, S. P.	8809070004	40-8943		CONWAY, W. F.	8808290228	50-335	S	COUNCIL, W. G.	8809070416	50-445	S
COLLINGS, S. P.	8809120188	40-8828		CONWAY, W. F.	8808300191	50-250	F	COUNCIL, W. G.	8809070555	50-445	Q
COLLINGS, S. P.	8809120190	40-8828		CONWAY, W. F.	8808300237	50-250	R	COUNCIL, W. G.	8809080143	50-445	V
COLLINGS, S. P.	8809140241	40-8828		CONWAY, W. F.	8808310082	50-250	V	COUNCIL, W. G.	8809080176	50-445	Q
COLLINS, D. M.	8808290181	50-250	F	CONWAY, W. F.	8808310127	50-250	F	COUNCIL, W. G.	8809080184	50-445	S
COLLINS, D. M.	8809010038	50-250	Q	CONWAY, W. F.	8808310217	50-250	P	COUNCIL, W. G.	8809130330	50-445	S
COLLINS, D. M.	8809010048	50-348	Q	CONWAY, W. F.	8809010142	50-335	Q	COUNCIL, W. G.	8809140083	50-445	F
COLLINS, D. M.	8809010149	50-395	F	CONWAY, W. F.	8809010311	50-335	V	COUNCIL, W. G.	8809140277	50-445	Q
COLLINS, D. M.	8809010254	50-395	F	CONWAY, W. F.	8809010332	50-389	P	COUNCIL, W. G.	8809140279	50-445	A
COLLINS, D. M.	8809010318	50-324	Q	CONWAY, W. F.	8809020230	50-389	Q	COUNCIL, W. G.	8809140340	50-445	A
COLLINS, D. M.	8809070017	50-413	Q	CONWAY, W. F.	8809020263	50-250	Q	COUNCIL, W. G.	8809140367	50-445	A

288 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COUNCIL, W. G.	8809230249	50 445 S	CRUDEN, D. S.	8809010135	50-280 P	DAVIS, A. B.	8809080116	50 346 Q
COUNCIL, W. G.	8809260080	50 445 S	CRUDEN, D. S.	8809020227	50-280 P	DAVIS, A. B.	8809080128	50 346 Q
COUNCIL, W. G.	8809260123	50-445 Q	CRUDEN, D. S.	8809070079	50-338 S	DAVIS, A. B.	8809080147	50 461 Q
COUNCIL, W. G.	8809260131	50 445 S	CRUDEN, D. S.	8809070541	50-280 R	DAVIS, A. B.	8809120048	50 331 P
COUNCIL, W. G.	8809260159	50 445 A	CRUDEN, D. S.	8809080039	50-338 R	DAVIS, A. B.	8809140016	50-331 Q
COUNCIL, W. G.	8809260186	50 445 A	CRUDEN, D. S.	8809120103	50-280 F	DAVIS, A. B.	8809140082	50-155 Q
COUNCIL, W. G.	8809260240	50 445 S	CRUDEN, D. S.	8809150328	50-280 Q	DAVIS, A. B.	8809140173	50-237 Q
COUNCIL, W. G.	8809260335	50-445 S	CRUDEN, D. S.	8809160156	50-280 K	DAVIS, A. B.	8809140190	50-461 Q
COUNCIL, W. G.	8809260337	50-445 S	CRUDEN, J. N.	8809070275	50-338 S	DAVIS, A. B.	8809200346	50-254 Q
COURTMANCHE, S.	8809260253	70-1500	CRUNK, S. L.	8809020035	50 312 R	DAVIS, A. B.	8809200350	50-254 Q
COWILL, D.	8809300263	50-219 P	CRUNK, S. L.	8809020157	50-312 R	DAVIS, A. B.	8809200382	REVIEW GR P
COWAN, R. E.	8809200356	REVIEW GR P	CRUNK, S. L.	8809020159	50-312 R	DAVIS, A. B.	8809210155	REVIEW GR P
COWAN, R. E.	8809200357	REVIEW GR P	CRUNK, S. L.	8809020160	50-312 R	DAVIS, A. B.	8809210156	REVIEW GR P
COWGILL, C.	8809010044	50-320 S	CRUNK, S. L.	8809020174	50 312 R	DAVIS, A. B.	8809200385	REVIEW GR P
COWGILL, C.	8809010376	50-219 Q	CRUNK, S. L.	8809020175	50 312 R	DAVIS, A. B.	8809200386	REVIEW GR P
COWGILL, C.	8809020182	50 219 Q	CRUNK, S. L.	8809020134	50-312 R	DAVIS, A. B.	8809230284	REVIEW GR P
COWGILL, C.	8809020245	50 320 S	CRUSE, C. H.	8809210183	50 317 P	DAVIS, A. B.	8809230188	50 456 Q
COWGILL, C.	8809070314	50 289 Q	CRUTCHFIELD, D.	8809010364	50-313 P	DAVIS, A. B.	8809280088	REVIEW GR P
COWGILL, C.	8809130283	50 320 Q	CRUTCHFIELD, D.	8809130247	ORG	DAVIS, A. B.	8809280115	REVIEW GR P
COWGILL, C.	8809140154	50-244 S	CRUTCHFIELD, D.	8809140206	50 346 P	DAVIS, A. B.	8809280107	REVIEW GR P
COWGILL, C.	8809230119	50 289 S	CULANZ, E. J.	8809010080	PR	DAVIS, A. M.	8809020254	40 8907
COWGILL, C.	8809230146	50-244 S	CULBERSON, D. C.	8809020333	70 135	DAVIS, A. M.	8809080184	40 8907
COWGILL, C. J.	8809280277	50 219 Q	CULBERSON, D. G.	8809260474	70-135	DAVIS, A. M.	8809070286	40 8907
COWGILL, C. J.	8809280287	50-289 Q	CULBERSON, D. G.	8809260507	70-135	DAVIS, B. A.	8809140025	50 305 Q
COWGILL, C. J.	8809010385	50-244 Q	CULBERSON, D. G.	8809220130	70 364	DAVIS, J. M.	8809070326	50 289 F
COWGILL, C. J.	8809080124	50-219 Q	CULBERSON, D. G.	8809260318	70-135	DAVIS, M. J.	8809310006	50-528 P
COWGILL, C. J.	8809080133	50 218 Q	CUMMINGS, J. J.	8809300084	FOIA	DAVIS, M. J.	8809310028	50-528 P
COWLES, R.	8809160274	50-354 S	CUMMINGS, J. J.	8809300085	FOIA	DAVIS, M. J.	8809130031	50-529 P
COX, T. H.	8809130303	PR	CUMMINGS, J. J.	8809300088	FOIA	DAVIS, M. J.	8809230129	50-528 P
CRAGNOLINO, G.	8809220039	NUREG	CUMMINGS, J. J.	8809300089	FOIA	DAVIS, P.	8809080193	NUREG
CRAIG, J.	8809160102	50-283 P	CUMMINGS, J. J.	8809300102	FOIA	DAVIS, T. F.	8809300024	REVIEW GR P
CRAIG, J. W.	8809080183	TOPREP	CUMMINGS, J. E.	8809260085	50-288 Q	DAVIS, T. F.	8809300032	REVIEW GR P
CRANE, C. J.	8809080144	50-281 Q	CUNNINGHAM, A. L.	8809010209	50 338 Q	DAVIS, T. F.	8809200272	REVIEW GR P
CRANE, C. J.	8809080144	50-281 Q	CUNNINGHAM, G. H.	8809120227	FOIA	DAVIS, W. S.	8809080163	50-397 S
CRANE, K. L.	8809090147	50-369 P	CUNNINGHAM, L. J.	8809250229	REVIEW GR P	DAVIS, W. S.	8809280024	50 255 F
CRANWELL, R. M.	8809130321	WASTE RES	CUNNINGHAM, L. J.	8809020170	ORG	DAY, J. E.	8809080087	WASTE MGT
CRAPPO, H. S.	8809140366	NUREG	CUNNINGHAM, L. J.	8809080284	REVIEW GR P	DE AGAZIO, A. W.	8809280353	50 346 P
CRAVENS, K. B.	8809200253	50 254 S	CUNNINGHAM, L. J.	8809130167	ORG	DE AGAZIO, A. W.	8809280387	50 346 P
CRAWFORD, J. D.	8809280312	50-259 R	CUNNINGHAM, L. J.	8809130190	TOPREP	DE AGAZIO, A. W.	8809300110	50 346 P
CRAWFORD, J. D.	8809280332	50 259 R	CUNNINGHAM, L. J.	8809200308	REVIEW GR P	DE AGAZIO, A. W.	8809300119	50 346 P
CRAWFORD, J. D.	8809280334	50-259 R	CUNNINGHAM, R. E.	8809090239	PR	DE AGAZIO, A. W.	8809010213	50 346 P
CRAWFORD, J. D.	8809280335	50-259 R	CUNNINGHAM, R. E.	8809120184	FOIA	DE AGAZIO, A. W.	8809010220	50 346 P
CRAWFORD, J. D.	8809280336	50-259 R	CUNNINGHAM, R. E.	8809200118	REVIEW GR P	DE AGAZIO, A. W.	8809210210	50 346 P
CRAWFORD, J. D.	8809280337	50-259 R	CUNNINGHAM, R. E.	8809200353	REVIEW GR P	DE MICHELE, O. M.	8809080090	50 528 I
CRAWFORD, J. D.	8809280338	50-259 R	CUNNINGHAM, R. E.	8809200373	REVIEW GR P	DEAGAZIO, A. W.	8809150256	50 346 P
CRAWFORD, J. D.	8809280339	50 259 R	CURRAN, D.	8809020010	50-443 G	DEAGAZIO, A. W.	8809150260	50 346 P
CRAWFORD, J. D.	8809280340	50-259 R	CURRAN, D.	8809020010	50 443 G	DEAGAZIO, A. W.	8809160006	50-346 P
CRAWFORD, J. D.	8809280343	50-259 R	CURRAN, D.	8809020013	50 443 G	DEAGAZIO, A. W.	8809200211	50 346 P
CRAWFORD, J. D.	8809280346	50-259 R	CURRAN, D.	8809020013	50-443 G	DEALMEIDA, T.	8809070168	CONTRACT
CRAWFORD, J. D.	8809280347	50-259 R	CURRAN, D.	8809020015	50 443 G	DEAN, G. B.	8809140084	50 443 G
CRAWFORD, J. D.	8809280349	50-259 R	CURRAN, D.	8809020015	50-443 G	DEAN, G. B.	8809140088	50-443 G
CRAWFORD, J. D.	8809280350	50-259 R	CURRAN, D.	8809020020	50-443 G	DEAN, G. B.	8809190105	50-443 G
CREAMER, K. L.	8809280318	50-259 R	CURRAN, D.	8809020020	50 443 G	DEAN, G. B.	8809190099	50 443 G
CREAMER, K. L.	8809280322	50-259 R	CURRAN, D.	8809020038	50 443 G	DECKER, J. R.	8809080245	NUREG
CREAMER, K. L.	8809280329	50-259 R	CURRAN, D.	8809020038	50-443 G	DECKER, T. R.	8809010156	50-327 Q
CREAMER, K. L.	8809280330	50-259 R	CURRAN, D.	8809020044	50 443 G	DECKER, T. R.	8809010209	50-339 Q
CREAMER, K. L.	8809280331	50-259 R	CURRAN, D.	8809020044	50 443 G	DECKER, T. R.	8809130160	50-261 Q
CRECINE, J. P.	8809090001	50 220 P	CURRAN, D.	8809120018	50-443 G	DECKER, T. R.	8809140463	50-269 Q
CREED, J. R.	8809280124	50-315 Q	CURRAN, D.	8809120018	50 443 G	DECKER, T. R.	8809280129	50 82 Q
CREED, J. R.	8809150081	50-458 Q	CURRAN, D.	8809160090	50 443 G	DEDDENS, J. C.	8809230222	50 459 F
CREEL, G. G.	8809140221	50-317 Q	CURRAN, D.	8809160090	50-443 G	DEELS, S. N. D. R.	8809200289	50 254 R
CRESTIN, D. C.	8809120236	50-272 P	CURRAN, D.	8809230105	50 443 G	DEFAYETTE, R. W.	8809260019	50 348 Q
CREWS, J. L.	8809140215	50-397 Q	CURRAN, D.	8809230105	50 443 G	DEFAYETTE, R. W.	8809260064	50-346 Q
CREWS, J. L.	8809190240	50 276 Q	CZAJKOWSKI, C.	8809220039	NUREG	DEGRAFF, M.	8809220266	50 324 Q
CRIBBE, T. E.	8809230149	50-277 S	DAQUISE, G.	8809280147	REVIEW GR P	DEGRAFF, M. I.	8809260436	50 261 Q
CRINIGAN, P. T.	8809130014	50 317 R	DAHL, G.	8809310153	50-247 S	DEHNEY, J. R.	8809080062	PR
CRLENJAK, F. V.	8809070063	50-335 Q	DAHLBERG, K. A.	8809200127	50-220 R	DELLA, A.	8809030341	70 1100
CRLENJAK, F. V.	8809130156	50-250 Q	DAMON, D. J.	8809300309	50-456 V	DEMOS, G. M.	8809160126	REVIEW GR P
CROCKER, L. P.	8809070030	50-321 Q	DANCE, H. G.	8809310080	50-348 Q	DENERO, J. V.	8809280098	PROJ
CROCKER, L. P.	8809160275	50-321 P	DANCE, H. G.	8809070380	50 416 Q	DENHAM, D. H.	8809130221	WASTE RES
CROCKER, L. P.	8809160281	50-321 P	DANESE, F. L.	8809060222	PROJ	DENKOWSKI, W. J.	7903160370	50 255 Q
CROCKER, L. P.	8809190259	50-321 Q	DANIELSON, D. H.	8809020180	50 454 Q	DENKOWSKI, W. J.	8809060110	50-255 Q
CROFT, B. Y.	8809020136	PR	DANIELSON, D. H.	8809070478	50-316 Q	DENTON, H. R.	8809060368	ORG
CROFTON, S. P.	8809090274	50-29 P	DANIELSON, D. H.	8809070498	50-373 Q	DEPSON, K. J.	8809200230	50 313 Q
CROLEY, B. G.	8809190261	50-312 Q	DANIELSON, D. H.	8809070550	50-461 Q	DESMARIS, E. W.	8809260077	50 443 G
CROLEY, B. G.	8809200204	50 312 F	DANIELSON, D. H.	8809140441	50-266 Q	DEVINCENTIS, J.	8809280223	50-29 P
CROMWELL, E. S.	8809130210	50-277 Q	DANIELSON, D. H.	8809230280	50-346 Q	DEVINCENTIS, J.	8809070304	50-29 Q
CROMWELL, P. B.	8809140280	50-277 Q	DANIELSON, D. H.	8809260235	50-282 Q	DEVINCENTIS, J.	8809070509	50-29 Q
CRONIN, J. B.	8809260141	50-458 S	DANIELSON, T. S.	8809280112	PR	DEVINCENTIS, J.	8809090270	50-29 P
CROSS, J. E.	8809070238	50 250 R	DAVIDSON, B. S.	8809220306	50-247 Q	DEWEASE, J. G.	8809010071	50-382 P
CROTEAU, R.	8809300240	50-369 Q	DAVIS, A. B.	8802160054	REVIEW GR P	DEYOUNG, R. C.	8305080714	FOIA
CROTEAU, R.	8809200209	50 369 Q	DAVIS, A. B.	8802220372	REVIEW GR P	DEYOUNG, R. C.	8409120034	FOIA
CROWLEY, B. R.	8809260151	50-413 Q	DAVIS, A. B.	8809300063	50-348 Q	DEYOUNG, R. C.	8809120106	FOIA
CROWN, W.	8809150107	50-458 Q	DAVIS, A. B.	8809300065	50-346 Q	DIBBLES, M.	8809280226	REVIEW GR P
CRUDEN, D. S.	8809260364	50 260 P	DAVIS, A. B.	8809300313	50-295 Q	DIBENEDETTO, P.	8809080141	50-261 Q
CRUDEN, D. S.	8809280287	50-281 P	DAVIS, A. B.	8809080007	50-373 Q	DICHARRY, R. D.	8809010107	PR
CRUDEN, D. S.	8809280303	50 338 Q	DAVIS, A. B.	8809060008	50-373 Q	DICK, G. F.	8809060395	50 498 P
CRUDEN, D. S.	8809300233	50-338 Q	DAVIS, A. B.	8809070303	50-341 Q	DICK, G. F.	8809130074	50 498 P

PERSONAL AUTHOR INDEX 289

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY				
DICK,G.F.	8809130189	50-498	P	EBNETER,S.D.	8809280460	50-277	F	FAY,C.W.	8809080355	50-266	P	Q
DICK,G.F.	8809180301	60-488	P	EBNETER,S.D.	8809280056	70-1100	F	FAY,C.W.	8809120160	50-268	P	Q
DICK,G.F.	8809080190	PR		EBNETER,S.D.	8809290071	50-219	F	FAY,C.W.	8809140248	50-268	R	S
DIEDERICH,G.J.	8809280405	50-373	R	EBNETER,S.D.	8809290077	50-333	F	FAY,C.W.	8809140390	50-268	S	S
DIEDERICH,G.J.	8809280291	50-373	S	EBNETER,S.D.	8809300226	50-219	Q	FAY,C.W.	8809150059	50-266	S	S
DIEDERICH,G.J.	8809010347	50-374	S	EBNETER,S.D.	8809260111	50-277	Q	FAY,C.W.	8809150252	50-301	P	Q
DIEDERICH,G.J.	8809103049	50-374	S	ECONOMOS,N.	8809310117	50-302	Q	FAY,C.W.	8809180301	50-266	S	S
DIEDERICH,G.J.	8809260135	50-374	S	EDEN,W.	8809200092	REVIEW GR	P	FAY,C.W.	8809200123	50-266	S	S
DIEDERICH,G.J.	8809080050	50-373	S	EDGAR,G.L.	8809020052	50-445	G	FAY,C.W.	8809210288	50-266	P	Q
DIEDERICH,G.J.	8809150036	50-373	R	EDGAR,G.L.	8809020052	50-445	G	FEDRICKSON,P.E.	8809130173	50-324	Q	Q
DIETZ,C.R.	8809230159	50-281	Q	EDGEWORTH,P.	8809060350	CONTRACT		FEIGENBAUM,T.C.	8809300055	50-443	Q	Q
DIFFERENT,P.M.	8809180311	50-416	S	EDGEWORTH,P.J.	8809010343	CONTRACT		FEIGENBAUM,T.C.	8809230015	50-443	G	G
DIGBYNE,A.S.	8809270100	50-29	P	EDGEWORTH,P.J.	8809060295	CONTRACT		FELTIS,M.	8809140132	CONTRACT		
DIGNAN,T.G.	8809180079	50-443	G	EDGEWORTH,P.J.	8809070093	CONTRACT		FELDMANN,M.J.	8809100270	50-293	P	P
DIGNAN,T.G.	8809180079	50-443	G	EDGEWORTH,P.J.	8809070166	CONTRACT		FELTON,J.M.	8809070430	FOIA		
DIGNAN,T.G.	8809180293	50-443	G	EDGEWORTH,P.J.	8809140030	CONTRACT		FELTON,J.M.	8809090203	FOIA		
DIGNAN,T.G.	8809230035	50-443	G	EDGEWORTH,P.J.	8809200380	CONTRACT		FELTON,J.M.	8809120181	FOIA		
DIGNAN,T.G.	8809230035	50-443	G	EDGEWORTH,P.J.	8809210144	CONTRACT		FELTON,J.M.	8809120238	FOIA		
DIGNAN,T.G.	8809260119	50-443	G	EDGEWORTH,P.J.	8809210203	CONTRACT		FELTON,J.M.	8809160182	FOIA		
DIGNAN,T.G.	8809260119	50-443	G	EDGEWORTH,P.J.	8809210225	CONTRACT		FENK,K.W.	8809010051	50-328	S	S
DIANNID	8809210271	50-282	P	EDGEWORTH,P.J.	8809210244	CONTRACT		FENK,K.W.	8809140174	50-328	S	S
DIANNID,C.	8809260131	50-282	P	EDGEWORTH,P.J.	8809230050	CONTRACT		FERNANDEZ,J.A.	8809140292	50-328	S	S
DIANNID,C.	8809260481	50-282	P	EDGEWORTH,P.J.	8809260332	CONTRACT		FERRELL,S.D.	8809210339	WASTE MGT		
DIANNID,C.	8809080360	50-282	P	EDGEWORTH,P.J.	8809270093	CONTRACT		FERRELL,S.D.	8809280114	50-335	R	G
DIANNID,C.	8809200250	50-155	P	EDGEWORTH,P.J.	8809270088	CONTRACT		FERSTER,A.	8809120022	50-271	G	G
DIANNID,C.	8809270001	50-282	P	EDGEWORTH,P.J.	8809270107	CONTRACT		FERSTER,A.	8809120022	50-271	G	G
DIENNA,R.A.	8809220006	NUREG		EDISON,G.E.	8809280239	50-250	P	FERSTER,A.	8809120121	50-271	G	G
DINGELL,J.	8809180010	FOIA		EDISON,G.E.	8809300255	50-250	P	FERSTER,A.	8809120121	50-271	G	G
DINGELL,J.	8809210083	COMMISSION		EDISON,G.E.	8809130049	50-250	P	FERSTER,A.	8809160080	50-443	G	G
DINGELL,J.	8809090122	FOIA		EDISON,G.E.	8809130109	50-250	P	FERSTER,A.	8809160080	50-443	G	G
DIRCKS,W.J.	8809120123	FOIA		EDISON,G.E.	8809130152	50-250	P	FEY,F.L.	8809280317	50-283	F	F
DISTEFANO,J.	8809090274	50-29	P	EDISON,G.E.	8809130	50-250	P	FEY,F.L.	8809310136	50-282	R	F
DISTEFANO,J.G.	8809090219	50-410	P	EDWARDS,D.	8809140068	40-3453		FEY,F.L.	8809310216	50-283	R	F
DIXON,G.N.	8809060222	PROJ		EDWARDS,D.W.	8809070560	PR		FEY,F.L.	8809070486	50-283	F	F
DOMER,J.A.	8809210132	COMMISSION		EDWARDS,R.P.	8809280353	50-425	M	FEY,F.L.	8809160302	50-282	F	F
DONOHUEW,J.	8809010260	50-327	P	EENIGENBURG,E.	8809010235	50-10	R	FEY,F.L.	8809270113	50-282	F	Q
DONOHUEW,J.	8809130201	50-280	P	EENIGENBURG,E.	8809140053	50-237	R	FIEGEE,J.	8809200262	50-354	Q	Q
DONOHUEW,J.N.	8809010351	50-327	P	EENIGENBURG,E.	8809103051	50-237	R	FIELDS,J.A.	8809080406	CONTRACT		
DONOHUEW,J.N.	8809060379	50-327	P	EICK,S.D.	8809300212	50-316	Q	FIERCE,A.R.	8809280333	50-443	G	G
DONOHUEW,J.N.	8809220005	50-327	P	EICK,S.D.	8809230281	50-483	Q	FILIPPY,R.E.	8809080245	NUREG		
DONOVAN,L.	8810110385	REVIEW GR	P	EIDEM,M.E.	8809140078	50-265	Q	FINKEL,A.E.	8809210095	50-482	Q	Q
DORNS,FE,W.P.	8809230096	PR		EISENHUT,D.G.	8809120099	50-276	Q	FIRLIT,J.F.	8809280006	50-312	Q	S
DORSEY,M.	8809070041	CONTRACT		EISENHUT,D.G.	8809120322	FOIA		FIRLIT,J.F.	8809310038	50-312	Q	Q
DORSEY,M.	8809200368	CONTRACT		ELBERT,A.P.	8809080054	50-255	P	FIRLIT,J.F.	8809080158	50-312	Q	Q
DORSEY,M.	8809210117	CONTRACT		ELLERSHAW,L.E.	8809030091	50-498	Q	FIRLIT,J.F.	8809140147	50-312	S	S
DORSEY,M.	8809210235	CONTRACT		ELLIOTT,P.E.	8809230081	50-374	P	FIRLIT,J.F.	8809140231	50-312	Q	S
DORSEY,M.	8809280024	CONTRACT		ELMS,A.L.	8809220103	50-423	P	FIRLIT,J.F.	8809140280	50-312	Q	S
DOTY,R.L.	8809080173	50-387	R	ELTAWILA,F.	8809080147	NUREG		FIRLIT,J.F.	8809150331	50-312	Q	P
DOUGLAS,S.	8809140078	50-285	Q	ELTAWILA,F.	8809060157	NUREG		FIRLIT,J.F.	8809200239	50-312	P	P
DRAKE,J.B.	8809060110	50-255	Q	ELTAWILA,F.	8809080174	NUREG		FIRLIT,J.F.	8809260029	50-312	P	P
DRAWBRIDGE,B.L.	8809230260	50-29	F	ELTAWILA,F.	8809080181	NUREG		FISCHER,D.C.	8809080203	50-272	P	P
DREW,H.M.	8809010322	PR		ELTAWILA,F.	8809060193	NUREG		FISHER,W.L.	8809160181	50-344	F	F
REY,K.	8809280197	50-483	H	ELTAWILA,T.W.	8809140177	50-155	R	FISHER,W.L.	8809140136	50-397	Q	Q
REY,K.	8809130071	40-7102	P	ELY,P.C.	8809160204	40-7604		FISHER,W.L.	8809220136	50-312	Q	Q
ROMERICK,A.W.	8809120101	50-219	P	ENGELMANN,R.	8809060006	40-8964		FISHER,W.L.	8804200347	REVIEW GR	P	P
ROMERICK,A.W.	8809200018	50-210	P	ENGLAND,L.A.	8809310152	50-458	S	FISK,R.H.	8809280025	XPORTLIC		
ROMERICK,A.W.	8809310012	WASTE MGT		ENGLAND,L.A.	8809070321	50-458	S	FISK,R.H.	8809280043	XPORTLIC		
ROUILLARD,R.C.	8809080111	50-16	R	ENGLAND,L.A.	8809160263	50-458	S	FITZPATRICK,E.	8809300361	50-219	S	Q
RUGA,R.J.	8809070370	50-334	R	ENGLAND,L.A.	8809230184	50-458	P	FITZPATRICK,E.	8809010278	50-219	Q	P
WELL,J.N.	8809070087	50-410	S	ENGLE,L.	8809280365	50-338	P	FITZPATRICK,E.	8809010284	50-219	Q	P
UGSTAD,D.	8809130312	50-410	S	ENNIS,J.O.	8809140201	50-338	P	FITZPATRICK,E.	8809080244	50-219	S	V
UGSTAD,D.	8809220108	50-282	R	ENNIS,J.O.	8809260514	50-338	Q	FITZPATRICK,E.	8809080044	50-219	V	Q
UNKLEBERGER,J.	8809220127	WASTE MGT		ERICKSON,P.B.	8809290143	50-280	Q	FITZPATRICK,E.	8809200159	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8812290143	PR		FITZPATRICK,E.	8809200361	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	Q
UNKLEBERGER,J.	8809140467	50-440	S	ERICKSON,P.B.	8809140237	50-171	P	FITZPATRICK,E.	8809230019	50-219	Q	

290 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
FOGARTY,E P	8809070236	50-278	S	GALLO,R M	8809130081	50-277	V	GOLTRA,E R	8809140386*	40-8027	
FOGARTY,E P	8809130086	50-277	S	GALLO,R M	8809160303	50-388	Q	GONGAWARE,B L	8809120094*	50-483	P
FOGARTY,E P	8809130280	50-352	S	GALLOWAY,T J	8809190126	50-213	S	GOOD,G M	8809140136*	50-397	Q
FOGARTY,E P	8809140376	50-352	S	GANNON,W C	8809290110	40-6940		GOODHUE,N	8809200381*	REVIEW GR	P
FOGARTY,E P	8809190132	50-277	S	GANNON,W C	8809190264	40-6940		GOODMAN,L S	8809160267*	REVIEW GR	P
FOGARTY,E P	8809190366	50-277	F	GARCIA,P J	8809200010	40-8027		GORALSKI,G	8809150169	50-255	R
FOGARTY,E P	8809200093	50-352	S	GARDNER,R N	8809260387*	50-282	Q	GORDAN,E C	8809310176	50-220	F
FOGARTY,E P	8809260247	50-278	S	GARNER,B	8809200267	50-338	R	GORDON,C S	8809260338	50-346	S
FORMICA,C D	8809060110*	50-255	Q	GARNER,L W	8809130232*	50-261	Q	GORDON,C S	8809130002	50-346	S
FORNEY,W L	8809300209	50-295	P	GARRISH,T J	8809240335*	PR		GORDON,C S	8809190328	50-346	S
FORNEY,W L	8809130047	50-237	Q	GARRISON,D L	88090600370*	50-498	Q	GORDON,C Z	8809070515*	50-20	Q
FORNEY,W L	8809160166	50-295	Q	GARRISON,D L	8809130015*	50-498	Q	GORDON,C Z	8809190296*	50-220	Q
FORNEY,W L	8809220284	50-456	Q	GASTON,D M	8809060168*	50-255	Q	GORDON,G	8809160011	50-346	F
FORNEY,W L	8809230007	50-456	Q	GATES,W G	8809080017	50-285	R	GORSKI,J P	8809270100*	50-29	P
FORSYTH,M	8809220035	50-498	R	GATES,W G	8809200237	50-285	R	GOTTULA,R C	8809070500*	50-338	P
FOSTER,J	8809190352*	50-315	Q	GAUSDEN,M	8809010184	50-316	R	GOTTULA,R C	8809210240*	50-255	P
FOWLER,E B	8809220040	NUREG		GAUSDEN,M	8809010188	50-316	R	GOULD,K L	8809070495	PR	
FOX,E F	8809020089*	50-288	Q	GAUVULA,J A	8809020180*	50-454	Q	GOULD,M	8809200179	PR	
FOX,E F	8809020109*	50-247	Q	GAUVULA,J A	8809070478*	50-316	Q	GOVE,R M	8809120092	WASTE RES	
FRANCE,G M	8809070315*	70-8		GAUVULA,J A	8809070496*	50-373	Q	GOWDY,G M	8809020276*	50-395	R
FRANCIS,E	8809060269	40-6822		GAYLEY,R B	88093000351	50-219	S	GRACE,J N	8805040185*	REVIEW GR	P
FRANCIS,E	8809130307	40-6622		GEARS,G E	8809260138	50-260	Q	GRACE,J N	8805230314*	REVIEW GR	P
FRANCO,F F	8809270073	50-285	F	GEARS,G E	8809260495	50-260	P	GRACE,J N	8805030335*	REVIEW GR	P
FRANKL,W S	8809080057	PR		GEARS,G E	8809280320	50-260	Q	GRACE,J N	8809030368*	REVIEW GR	P
FRAZEE,T C	8809290233*	REVIEW GR	P	GEARS,G E	8809130154	50-260	Q	GRACE,J N	8809260465	50-321	Q
FRAZIER,L	8809020049	50-341	F	GEHL,E O	8809300085	50-305	H	GRACE,J N	8809260518	50-335	Q
FREDRICKSON,P	8809300128*	50-324	Q	GEHMLICH,D K	8809150060	50-407	R	GRACE,J N	8809280084	50-302	Q
FREDRICKSON,P	8809080379	50-324	Q	GEHMLICH,D K	8809190252	50-72	Q	GRACE,J N	8809300089	70-27	
FREDRICKSON,P	8809130232*	50-261	Q	GEISMAR,B	8809190321	50-206	H	GRACE,J N	8809300124	50-324	Q
FREEMAN,A L	8809310095*	50-461	P	GEIST,J D	8809080066*	50-628	I	GRACE,J N	8809300211	70-27	
FREEMAN,M D	8809060069	40-8768		GEJDENSON,S	8809070485*	FOIA		GRACE,J N	8809300268	70-27	
FREEMAN,R D	8809150184	50-461	S	GEJDENSON,S	8809160266*	REVIEW GR	P	GRACE,J N	8809300324	50-250	
FRICK,T M	8809060018*	50-348	Q	GEJDENSON,S	8809190010*	FOIA		GRACE,J N	8809010144	50-250	R
FRIEDMAN,L	8809300021*	REVIEW GR	P	GELB,M	8809210048	50-224	G	GRACE,J N	8809010148	50-302	F
FRIEDMAN,W F	8809010138	PR		GEPHART,S B	8809180062	50-277	Q	GRACE,J N	8809010152	50-289	Q
FRIEDRICHSEN,J	8809150044	50-285	S	GERTZ,C P	8809120113	WASTE MGT		GRACE,J N	8809010221	50-321	Q
FRIEND,H B	8809150034	TOPREP		GERTZ,C P	8809120173*	WASTE MGT		GRACE,J N	8809010225	50-424	P
FRISCH,R R	8809060009	50-155	P	GESSNER,R F	8809290096*	PROJ		GRACE,J N	8809070094	50-368	Q
FRISCH,R R	8809070313	50-155	S	GIANNUZZI,A J	8809300037*	50-333	P	GRACE,J N	8809070144	50-309	Q
FRISCH,R R	8809190078	50-155	P	GIBBONS,D R	8809210211*	REVIEW GR	P	GRACE,J N	8809070162	50-321	Q
FRISCH,R R	8809190111	50-155	P	GIBBONS,D R	8809210237*	REVIEW GR	P	GRACE,J N	8809070165*	50-321	Q
FRISCH,R R	8809200234	50-155	V	GIBBONS,D R	8809210243*	REVIEW GR	P	GRACE,J N	8809080024	50-280	Q
FRIZZLE,C D	8809140252	50-309	Q	GIBBONS,D R	8809210254*	REVIEW GR	P	GRACE,J N	8809080027	50-324	Q
FRY,M	8809200286*	REVIEW GR	P	GIBBONS,D R	8809210280*	REVIEW GR	P	GRACE,J N	8809080167	50-269	Q
FRYE,J H	8809120006	50-277	G	GIBBONS,D R	8809210264*	REVIEW GR	P	GRACE,J N	8809080168*	50-269	Q
FULLER,C H	8809190193	50-267	P	GIBBONS,D R	8809210270*	REVIEW GR	P	GRACE,J N	8809080174	50-335	Q
FULLER,C H	8809220041	50-267	R	GIBBONS,D R	8809210275*	REVIEW GR	P	GRACE,J N	8809080178*	50-335	Q
FULLER,C H	8809260120	50-267	S	GIBBONS,D R	8809220011*	REVIEW GR	P	GRACE,J N	8809080354	50-280	Q
FUNCHES,J L	8809200275*	REVIEW GR	P	GIBBONS,D R	8809220068*	REVIEW GR	P	GRACE,J N	8809080357*	50-280	Q
FUNK,D E	8809290124*	50-315	Q	GIBBONS,D R	8809220145*	REVIEW GR	P	GRACE,J N	8809080053*	50-322	F
FURIA,R V	8809140254*	50-219	P	GIBBONS,D R	8809220152*	REVIEW GR	P	GRACE,J N	8809120087	50-269	Q
GAD,R K	8809120031	50-271	G	GIBBONS,D R	8809220159*	REVIEW GR	P	GRACE,J N	8809130163	50-324	Q
GAD,R K	8809120031	50-271	G	GIBBONS,D R	8809220238*	REVIEW GR	P	GRACE,J N	8809130271*	PR	
GAD,R K	8809210028	50-271	G	GIBBONS,D R	8809220295*	REVIEW GR	P	GRACE,J N	8809140373	50-280	Q
GAD,R K	8809210028	50-271	G	GIBBONS,D R	8809220275*	REVIEW GR	P	GRACE,J N	8809140473	50-400	Q
GAD,R K	8809260143	50-271	G	GIBBS,F	8809220286*	50-324	Q	GRACE,J N	8809140475	50-250	Q
GAD,R K	8809260143	50-271	G	GIBSON,A F	8809260471	50-321	Q	GRACE,J N	8809150323	50-250	P
GAGLIARDO,J E	8809020209*	50-336	Q	GIBSON,J	8809220093*	50-336	R	GRACE,J N	8809160007	70-27	
GAGLIARDO,J E	8809060021*	50-382	Q	GIBSON,J	8809220095*	50-336	R	GRACE,J N	8809160013	50-335	Q
GAGLIARDO,J E	8809080332*	50-482	Q	GIBSON,L C	8809090169*	50-322	P	GRACE,J N	8809160015	50-321	Q
GAGLIARDO,J E	8809060181*	50-335	Q	GIBSON,M	8809150126	50-316	F	GRACE,J N	8809160022	70-27	
GAGLIARDO,J E	8809140070*	50-488	Q	GIGLIOTTI,R J	8809070354	70-371		GRACE,J N	8809160029	50-280	P
GAHAN,M J	8809150071	50-317	S	GIITTER,J G	8809010246	50-305	P	GRACE,J N	8809160033	50-280	Q
GAINES,C R	8809070058	50-382	S	GIITTER,J G	8809020232	50-305	P	GRACE,J N	8809160036	50-160	Q
GALANTI,D M	8809290124*	50-315	Q	GIITTER,J G	8809080383	50-305	P	GRACE,J N	8809190086	50-335	Q
GALLAGHER,J W	8809290314*	50-277	P	GILBERT,L D	8809130015*	50-498	Q	GRACE,J N	8809190389	50-280	S
GALLAGHER,J W	8809010143*	50-277	P	GILLESPIE,F P	88090800204	PRM		GRACE,J N	8809200023	50-348	Q
GALLAGHER,J W	8809010234*	50-277	P	GIPSON,D R	8809080111	50-16	R	GRACE,J N	8809220172	50-324	Q
GALLAGHER,J W	8809010360	50-277	Q	GLASMAN,M	8809070089*	50-424	Q	GRACE,J N	8809220176	70-27	
GALLAGHER,J W	8809020243	50-277	P	GLASMAN,M	8809130124*	50-335	Q	GRACE,J N	8809220216	50-324	Q
GALLAGHER,J W	8809060019	50-277	P	GLENN,C	8809200149	WASTE MGT		GRACE,J N	8809230108	50-400	Q
GALLAGHER,J W	8809090232*	50-277	P	GLENN,J	8809230006	I&E		GRACE,J N	8809260025	50-276	Q
GALLAGHER,J W	8809120059*	50-277	P	GLENN,J	8809230212*	COMMISSION		GRACE,J N	8809260098	50-250	Q
GALLAGHER,J W	8809130138	50-277	V	GLENN,J H	8809180036*	FOIA		GRACE,J N	8809260110*	50-250	Q
GALLAGHER,J W	8809140211*	50-277	P	GLOERSEN,W B	8809080110*	50-424	Q	GRACE,J N	8809260127	50-400	Q
GALLAGHER,J W	8809140226*	50-277	P	GLOERSON,W B	8809260272*	50-259	Q	GRACE,J N	8809260144	50-250	Q
GALLAGHER,J W	8809140232	50-352	F	GLOZMAN,V	8809220092	NUREG		GRACE,J N	8809260146	50-280	S
GALLAGHER,J W	8809140431	50-277	P	GNUGNOLI,G N	8809200163	WASTE MGT		GRACE,J N	8809260156	50-160	Q
GALLAGHER,J W	8809190207	50-277	Q	GOBBARD,P S	8809070558	PR		GRACE,J N	8809290121*	REVIEW GR	P
GALLAGHER,J W	8809200056*	50-352	P	GODKNECHT,M	8809230019	50-219	S	GRACE,N J	8809140197	50-321	F
GALLAGHER,J W	8809200358	50-277	Q	GODWIN,A V	8809200100*	REVIEW GR	P	GRACE,S R	8809140184*	40-8906	
GALLAGHER,J W	8809210192	50-277	Q	GOLDBERG,J H	8809070324	50-499	S	GRAHAM,C P	8809260039	50-443	G
GALLO,R M	8809220112	50-352	Q	GOLDBERG,J H	8809080052	50-498	J	GRAMANN,R H	8809260065	70-3047	
GALLO,R M	8809260105	50-322	V	GOLDBERG,J H	8809180209	50-498	Q	GRAMANN,R H	8809260129	40-8954	
GALLO,R M	8809280031*	50-237	Q	GOLDSCHLAGER,N	8809080054	PR		GRAMLING,J M	8809260120	50-287	S
GALLO,R M	8809020142	50-247	Q	GOLDSMITH,R	8809190043	WASTE MGT		GRANT,W B	8809190345*	50-454	Q
GALLO,R M	8809020206	50-336	Q	GOLLA,J A	8809260285*	50-29	Q	GRAVES,D N	8809260114*	50-458	V
GALLO,R M	8809080340	50-317									

PERSONAL AUTHOR INDEX 291

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
GREENE, H. T.	8809200008*	50-313	P	GRIMES, B. K.	8809260150	ORG	HAIRSTON, W. G.	8808310154	50-348	P
GREENMAN, E. G.	8808260018	50-254	Q	GRIMES, B. K.	8809260173	ORG	HAIRSTON, W. G.	8809010043	50-348	F
GREENMAN, E. G.	8808260250	50-454	Q	GRIMES, B. K.	8808260223	ORG	HAIRSTON, W. G.	8809010083	50-424	P
GREENMAN, E. G.	8808260267*	50-454	Q	GRIMES, B. K.	8808310193	ORG	HAIRSTON, W. G.	8809010089	50-424	R
GREENMAN, E. G.	8808260275	50-454	P	GRIMES, B. K.	8809010206	ORG	HAIRSTON, W. G.	8809010218	50-321	R
GREENMAN, E. G.	8808260298	50-254	Q	GRIMES, B. K.	8809130099	QA598	HAIRSTON, W. G.	8809010321	50-348	R
GREENMAN, E. G.	8808260301*	50-254	Q	GRIMES, B. K.	8809210149	QA598	HAIRSTON, W. G.	8809050016	50-348	Q
GREENMAN, E. G.	8809010237	50-237	P	GRIMES, B. K.	8809220096	50-259	HAIRSTON, W. G.	8809070021	50-424	S
GREENMAN, E. G.	8809090102	50-155	Q	GRIMES, B. K.	8809220249	ORG	HAIRSTON, W. G.	8809070305	50-424	P
GREENMAN, E. G.	8809090181	50-461	Q	GRIMES, C. I.	8808260061	50-445	HAIRSTON, W. G.	8809070388	50-348	V
GREENMAN, E. G.	8809090187	50-305	Q	GRIMES, C. I.	8809010297	50-445	HAIRSTON, W. G.	8809070399	50-424	P
GREENMAN, E. G.	8809220267	50-331	P	GRIMES, C. I.	8809010301*	50-445	HAIRSTON, W. G.	8809120141	50-321	F
GREENMAN, E. G.	8809260021	50-346	Q	GRIMES, C. I.	8809010307*	50-445	HAIRSTON, W. G.	8809130343	50-321	S
GREENMAN, E. G.	8809260081	50-295	Q	GRIMES, C. I.	8809060302	50-445	HAIRSTON, W. G.	8809140006	50-424	F
GREENMAN, E. G.	8809260172	50-237	Q	GRIMES, C. I.	8809090105	50-445	HAIRSTON, W. G.	8809140054	50-321	R
GREENMAN, E. G.	8809260277	50-254	Q	GRIMES, C. I.	8809140255	50-445	HAIRSTON, W. G.	8809140065	50-366	S
GREGG, R. J.	8809010131*	50-315	Q	GRIMSLEY, D.	8809070146	50-410	HAIRSTON, W. G.	8809140082	50-321	Q
GRIDLEY, R.	8809000064	70-371	T	GRIMSLEY, D.	8809070316	FOIA	HAIRSTON, W. G.	8809140088	50-321	O
GRIDLEY, R.	8808260496	50-300	Q	GRIMSLEY, D.	8809090234	50-255	HAIRSTON, W. G.	8809140139	50-424	O
GRIDLEY, R.	8808290011	50-327	P	GRIMSLEY, D.	8809120182	FOIA	HAIRSTON, W. G.	8809140181	50-321	F
GRIDLEY, R.	8808290116	50-260	P	GRIMSLEY, D.	8809120211	FOIA	HAIRSTON, W. G.	8809140187	50-321	Q
GRIDLEY, R.	8808290125	50-259	P	GRIMSLEY, D.	8809120239	FOIA	HAIRSTON, W. G.	8809140274	50-321	Q
GRIDLEY, R.	8808290133	50-259	P	GRIMSLEY, D.	8809150253	FOIA	HAIRSTON, W. G.	8809140297	50-348	Q
GRIDLEY, R.	8808290151	50-390	Q	GRIMSLEY, D.	8809150265	50-271	HAIRSTON, W. G.	8809140361	50-321	P
GRIDLEY, R.	8808290247	50-327	Q	GRIMSLEY, D.	8809160005	50-293	HAIRSTON, W. G.	8809150141	50-321	P
GRIDLEY, R.	8808290254	50-327	Q	GRIMSLEY, D. H.	8809160160	50-293	HAIRSTON, W. G.	8809160319	50-321	P
GRIDLEY, R.	8808300079	50-327	P	GRIMSLEY, D. H.	8809070441	FOIA	HAIRSTON, W. G.	8809160321	50-424	P
GRIDLEY, R.	8808300096	50-327	P	GRIMSLEY, D. H.	8809070517	FOIA	HAIRSTON, W. G.	8809160357	50-348	P
GRIDLEY, R.	8808300122	50-327	Q	GRIMSLEY, D. H.	8809090037	50-322	HAIRSTON, W. G.	8809160358	50-348	Q
GRIDLEY, R.	8808300243	50-327	S	GRIMSLEY, D. H.	8809090044	50-275	HAIRSTON, W. G.	8809160359	50-348	P
GRIDLEY, R.	8808300288	50-390	R	GRIMSLEY, D. H.	8809090083	FOIA	HAIRSTON, W. G.	8809160366	50-348	F
GRIDLEY, R.	8808310034	50-327	Q	GRIMSLEY, D. H.	8809090098	50-186	HAIRSTON, W. G.	8809160382	50-348	Q
GRIDLEY, R.	8808310219	50-390	Q	GRIMSLEY, D. H.	8809090117	FOIA	HAIRSTON, W. G.	8809160386	50-348	P
GRIDLEY, R.	8809010101	50-259	P	GRIMSLEY, D. H.	8809090143	FOIA	HAIRSTON, W. G.	8809160387	50-424	P
GRIDLEY, R.	8809010205	50-259	Q	GRIMSLEY, D. H.	8809090150*	PR	HAIRSTON, W. G.	8809160388	50-424	S
GRIDLEY, R.	8809010296	50-390	Q	GRIMSLEY, D. H.	8809090157	FOIA	HAIRSTON, W. G.	8809160389	50-424	Q
GRIDLEY, R.	8809010333	50-259	S	GRIMSLEY, D. H.	8809090214	50-410	HAIRSTON, W. G.	8809160390	50-364	R
GRIDLEY, R.	8809020104	50-259	P	GRIMSLEY, D. H.	8809090248	FOIA	HAIRSTON, W. G.	8809160391	50-348	R
GRIDLEY, R.	8809020257	50-259	P	GRIMSLEY, D. H.	8809090269	50-275	HAIRSTON, W. G.	8809160392	50-348	P
GRIDLEY, R.	8809080224	50-259	Q	GRIMSLEY, D. H.	8809120091	50-206	HAIRSTON, W. G.	8809160393	50-348	P
GRIDLEY, R.	8809080236	50-328	Q	GRIMSLEY, D. H.	8809120222	FOIA	HAIRSTON, W. G.	8809160394	50-424	Q
GRIDLEY, R.	8809080248	50-436	R	GRIMSLEY, D. H.	8809150314	FOIA	HAIRSTON, W. G.	8809160414*	50-272	Q
GRIDLEY, R.	8809080259	50-560	A	GRIMSLEY, D. H.	8809160172	FOIA	HAIRSTON, W. G.	8809160415	50-400	R
GRIDLEY, R.	8809080297	50-390	S	GRIMSLEY, D. H.	8809160177	FOIA	HAIRSTON, W. G.	8809160416	50-400	R
GRIDLEY, R.	8809070037	50-327	P	GRIMSLEY, D. H.	8809160178	FOIA	HAIRSTON, W. G.	8809160417	50-400	R
GRIDLEY, R.	8809070231	50-259	P	GRIMSLEY, D. H.	8809160179	FOIA	HAIRSTON, W. G.	8809160418	50-400	R
GRIDLEY, R.	8809070299	50-390	Q	GRIMSLEY, D. H.	8809160180	FOIA	HAIRSTON, W. G.	8809160419	50-400	R
GRIDLEY, R.	8809070488	50-390	A	GRIMSLEY, D. H.	8809160181	FOIA	HAIRSTON, W. G.	8809160420	50-400	R
GRIDLEY, R.	8809070532	50-327	Q	GRIMSLEY, D. H.	8809160182	FOIA	HAIRSTON, W. G.	8809160421	50-400	R
GRIDLEY, R.	8809070536	50-327	P	GRIMSLEY, D. H.	8809160183	FOIA	HAIRSTON, W. G.	8809160422	50-400	R
GRIDLEY, R.	8809070551	50-327	P	GRIMSLEY, D. H.	8809160184	FOIA	HAIRSTON, W. G.	8809160423	50-400	R
GRIDLEY, R.	8809080364	50-327	P	GRIMSLEY, D. H.	8809160185	FOIA	HAIRSTON, W. G.	8809160424	50-400	R
GRIDLEY, R.	8809130313	50-259	F	GRIMSLEY, D. H.	8809160186	FOIA	HAIRSTON, W. G.	8809160425	50-400	R
GRIDLEY, R.	8809140010	50-327	Q	GRIMSLEY, D. H.	8809160187	FOIA	HAIRSTON, W. G.	8809160426	50-400	R
GRIDLEY, R.	8809140013	50-327	Q	GRIMSLEY, D. H.	8809160188	FOIA	HAIRSTON, W. G.	8809160427	50-400	R
GRIDLEY, R.	8809140014	50-327	Q	GRIMSLEY, D. H.	8809160189	FOIA	HAIRSTON, W. G.	8809160428	50-400	R
GRIDLEY, R.	8809140015	50-327	Q	GRIMSLEY, D. H.	8809160190	FOIA	HAIRSTON, W. G.	8809160429	50-400	R
GRIDLEY, R.	8809140016	50-327	Q	GRIMSLEY, D. H.	8809160191	FOIA	HAIRSTON, W. G.	8809160430	50-400	R
GRIDLEY, R.	8809140017	50-327	Q	GRIMSLEY, D. H.	8809160192	FOIA	HAIRSTON, W. G.	8809160431	50-400	R
GRIDLEY, R.	8809140018	50-327	Q	GRIMSLEY, D. H.	8809160193	FOIA	HAIRSTON, W. G.	8809160432	50-400	R
GRIDLEY, R.	8809140019	50-327	Q	GRIMSLEY, D. H.	8809160194	FOIA	HAIRSTON, W. G.	8809160433	50-400	R
GRIDLEY, R.	8809140020	50-327	Q	GRIMSLEY, D. H.	8809160195	FOIA	HAIRSTON, W. G.	8809160434	50-400	R
GRIDLEY, R.	8809140021	50-327	Q	GRIMSLEY, D. H.	8809160196	FOIA	HAIRSTON, W. G.	8809160435	50-400	R
GRIDLEY, R.	8809140022	50-327	Q	GRIMSLEY, D. H.	8809160197	FOIA	HAIRSTON, W. G.	8809160436	50-400	R
GRIDLEY, R.	8809140023	50-327	Q	GRIMSLEY, D. H.	8809160198	FOIA	HAIRSTON, W. G.	8809160437	50-400	R
GRIDLEY, R.	8809140024	50-327	Q	GRIMSLEY, D. H.	8809160199	FOIA	HAIRSTON, W. G.	8809160438	50-400	R
GRIDLEY, R.	8809140025	50-327	Q	GRIMSLEY, D. H.	8809160200	FOIA	HAIRSTON, W. G.	8809160439	50-400	R
GRIDLEY, R.	8809140026	50-327	Q	GRIMSLEY, D. H.	8809160201	FOIA	HAIRSTON, W. G.	8809160440	50-400	R
GRIDLEY, R.	8809140027	50-327	Q	GRIMSLEY, D. H.	8809160202	FOIA	HAIRSTON, W. G.	8809160441	50-400	R
GRIDLEY, R.	8809140028	50-327	Q	GRIMSLEY, D. H.	8809160203	FOIA	HAIRSTON, W. G.	8809160442	50-400	R
GRIDLEY, R.	8809140029	50-327	Q	GRIMSLEY, D. H.	8809160204	FOIA	HAIRSTON, W. G.	8809160443	50-400	R
GRIDLEY, R.	8809140030	50-327	Q	GRIMSLEY, D. H.	8809160205	FOIA	HAIRSTON, W. G.	8809160444	50-400	R
GRIDLEY, R.	8809140031	50-327	Q	GRIMSLEY, D. H.	8809160206	FOIA	HAIRSTON, W. G.	8809160445	50-400	R
GRIDLEY, R.	8809140032	50-327	Q	GRIMSLEY, D. H.	8809160207	FOIA	HAIRSTON, W. G.	8809160446	50-400	R
GRIDLEY, R.	8809140033	50-327	Q	GRIMSLEY, D. H.	8809160208	FOIA	HAIRSTON, W. G.	8809160447	50-400	R
GRIDLEY, R.	8809140034	50-327	Q	GRIMSLEY, D. H.	8809160209	FOIA	HAIRSTON, W. G.	8809160448	50-400	R
GRIDLEY, R.	8809140035	50-327	Q	GRIMSLEY, D. H.	8809160210	FOIA	HAIRSTON, W. G.	8809160449	50-400	R
GRIDLEY, R.	8809140036	50-327	Q	GRIMSLEY, D. H.	8809160211	FOIA	HAIRSTON, W. G.	8809160450	50-400	R
GRIDLEY, R.	8809140037	50-327	Q	GRIMSLEY, D. H.	8809160212	FOIA	HAIRSTON, W. G.	8809160451	50-400	R
GRIDLEY, R.	8809140038	50-327	Q	GRIMSLEY, D. H.	8809160213	FOIA	HAIRSTON, W. G.	8809160452	50-400	R
GRIDLEY, R.	8809140039	50-327	Q	GRIMSLEY, D. H.	8809160214	FOIA	HAIRSTON, W. G.	8809160453	50-400	R
GRIDLEY, R.	8809140040	50-327	Q	GRIMSLEY, D. H.	8809160215	FOIA	HAIRSTON, W. G.	8809160454	50-400	R
GRIDLEY, R.	8809140041	50-327	Q	GRIMSLEY, D. H.	8809160216	FOIA	HAIRSTON, W. G.	8809160455	50-400	R
GRIDLEY, R.	8809140042	50-327	Q	GRIMSLEY, D. H.	8809160217	FOIA	HAIRSTON, W. G.	8809160456	50-400	R
GRIDLEY, R.	8809140043	50-327	Q	GRIMSLEY, D. H.	8809160218	FOIA	HAIRSTON, W. G.	8809160457	50-400	R
GRIDLEY, R.	8809140044	50-327	Q	GRIMSLEY, D. H.	8809160219	FOIA	HAIRSTON, W. G.	8809160458	50-400	R
GRIDLEY, R.	8809140045	50-327	Q	GRIMSLEY, D. H.	8809160220	FOIA	HAIRSTON, W. G.	8809160459	50-400	R
GRIDLEY, R.	8809140046	50-327	Q	GRIMSLEY, D. H.	8809160221	FOIA	HAIRSTON, W. G.	8809160460	50-400	R
GRIDLEY, R.	8809140047	50-327	Q	GRIMSLEY, D. H.	8809160222	FOIA	HAIRSTON, W. G.	8809160461	50-400	R
GRIDLEY, R.	8809140048	50-327	Q	GRIMSLEY, D. H.	8809160223	FOIA	HAIRSTON, W. G.	8809160462	50-400	R
GRIDLEY, R.	8809140049	50-327	Q	GRIMSLEY, D. H.	8809160224	FOIA	HAIRSTON, W. G.	8809160463	50-400	R
GRIDLEY, R.	8809140050	50-327	Q	GRIMSLEY, D. H.	8809160225	FOIA	HAIRSTON, W. G.	8809160464	50-400	R
GRIDLEY, R.	8809140051	50-327	Q	GRIMSLEY, D. H.	8809160226	FOIA	HAIRSTON, W. G.	8809160465	50-400	R
GRIDLEY, R.	8809140052	50-327	Q	GRIMSLEY, D. H.	8809160227	FOIA	HAIRSTON, W. G.	8809160466	50-400	R
GRIDLEY, R.	8809140053	50-327	Q	GRIMSLEY, D. H.	8809160228	FOIA	HAIRSTON, W. G.	8809160467	50-400	R
GRIDLEY, R.	8809140054	50-327	Q	GRIMSLEY, D. H.	8809160229	FOIA	HAIRSTON, W. G.	8809160468	50-400	R
GRIDLEY, R.	8809140055	50-327	Q	GRIMSLEY, D. H.	8809160230	FOIA	HAIRSTON, W. G.	8809160469	50-400	R
GRIDLEY, R.	8809140056	50-327	Q	GRIMSLEY, D. H.	8809160231	FOIA	HAIRSTON, W. G.	8809160470	50-400	R

292 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HARBUCK,C.C	8809160293	50-313 P	HAYNES,L.S	8809070457*	CONTRACT	HINDS,J.M.	8809220285*	50 456 Q
HARDGROVE,T.W	8809120179	40-2259	HAYNES,R.C	8809160173*	50 293 Q	HINKEBEIN,T.E.	8809210239*	WASTE MGT
HARLAN,C.P.	8809060048	WASTE RES	HAYNESWORTH,V.	8809140300	50 261 R	HINSON,L.	8808290002	50 344 S
HARNESS,J.L.	8808310203	50-324 S	HEALY,B	8809010292	PH	HINSON,L.	8809270050	50-344 S
HARNESS,J.L.	8808310206	50-324 S	HEFFNER,G	8809130166	50 440 F	HINTZ,D.C.	8809150065	50-305 Q
HARNESS,J.L.	8809010012	50-324 S	HEITKAMP,A.F.	8808290170*	XPORTLIC	HIRT,J.A.	8809260056	50-387 R
HARNESS,J.L.	8809010045	50-324 H	HEITKAMP,A.F.	8808290171*	XPORTLIC	HLASTALA,M.P.	8808060245	NUREG
HARNESS,J.L.	8809070529	50-325 S	HEITNER,K.L.	8809020092	50 287 P	HOCHREITER,L.E.	8808070049*	50 327 P
HARNESS,J.L.	8809080045	50-324 R	HEITNER,K.L.	8809060203	50 285 P	HODGDON,A.P.	8809140119	50 271 G
HARNESS,J.L.	8809080053	50-324 Q	HEITNER,K.L.	8809130004	50 287 F	HODGE,G.R.	8809230185*	REVIEW GR P
HARNESS,J.L.	8809080071	50-324 S	HEITNER,K.L.	8809130050	50-287 F	HODGE,W.M.	8809080369	50-315 S
HARNESS,J.L.	8809090073	50-324 S	HEITNER,K.L.	8809160314	50 287 F	HODGES,M.W.	8705080057*	50 410 P
HARNESS,J.L.	8809090078	50-324 S	HEITNER,K.L.	8808230027	50 287 P	HODOR,R.S.	8808260387*	50 282 Q
HARNESS,J.L.	8809090083	50-324 S	HEITNER,K.L.	8808230055	50-287 P	HOFFMAN,D.P.	8809210228*	50 255 P
HARNESS,J.L.	8809140381	50-324 Q	HEITNER,K.L.	8809230131	50-287 F	HOFFMAN,D.P.	8809260051	50 255 Q
HARNESS,J.L.	8809160271	50-325 S	HEITNER,K.L.	8809260037	50 287 S	HOFFMAN,D.P.	8809280003*	50-255 P
HARNESS,J.L.	8809160284	50-325 S	HEITNER,K.L.	8809140192*	50-353 A	HOFFMEISTER,J.	8809200345*	REVIEW GR P
HARPER,G.A.	8809260104*	50 443 G	HENDRICKSON,R	8809010072	50-116 P	HOFMAYER,C.H.	8809080195	NUREG
HARPER,G.A.	8809260104*	50 443 G	HENDRICKSON,R	8809060305	50-116 P	HOKEL,B.	8808210035*	REVIEW GR P
HARRELL,P.H.	8808300008*	50 285 Q	HENDRIX,G.H.	8809230103	PH	HOKEL,B.	8809210049*	REVIEW GR P
HARRIS,D.R.	8809020123	50 225 Q	HENRY,L.G.	8809010387	50 57 R	HOKEL,B.	8809220183*	REVIEW GR P
HARRIS,J.	8808230016*	50 338 Q	HENSLEY,K.D.	8809120249	70-143	HOKEL,B.W.	8809210038*	REVIEW GR P
HARRIS,J.	8809220164	MISC	HENSLEY,K.D.	8809220153	70 143	HOKEL,B.W.	8809210059*	REVIEW GR P
HARRIS,R.	8809120109	50-348 F	HERDT,A.R.	8808250113	60 348 Q	HOKEL,B.W.	8809210064*	REVIEW GR P
HARRISON,D.F.	8808290313	50-368 R	HERDT,A.R.	8808300312	50 416 Q	HOKEL,B.W.	8809210076*	REVIEW GR P
HARRISON,D.F.	8809200337	50 368 R	HERDT,A.R.	8808300319	50-280 Q	HOLAHAN,G.	8809140358*	50 302 P
HARRISON,J.J.	8808260376	50-282 Q	HERDT,A.R.	8808300326	50 321 Q	HOLAHAN,G.M.	8808310016	50 361 S
HARRISON,J.J.	8808300196	50-315 Q	HERDT,A.R.	8808310067	50 302 Q	HOLAHAN,G.M.	8809200001	60-315 P
HARRISON,J.J.	8808300206*	50-315 Q	HERDT,A.R.	8808310075	50-321 Q	HOLAHAN,G.M.	8809130165	50-341 Q
HARRISON,J.J.	8809020179	50-454 Q	HERDT,A.R.	8809010192	50 424 Q	HOLAHAN,G.M.	8809210092	50 482 Q
HARRISON,J.J.	8809070473	50-316 Q	HERDT,A.R.	8809010197	50-324 Q	HOLAHAN,G.M.	8809210274*	50 282 P
HARRISON,J.J.	8809070492	50-373 Q	HERDT,A.R.	8809070061	50-424 Q	HOLAHAN,G.M.	8809230224	50 285 Q
HARRISON,J.J.	8809070548	50-461 Q	HERDT,A.R.	8809070071*	50 424 Q	HOLAHAN,G.M.	8809260094*	50-288 Q
HARRISON,J.J.	8809140439	50-266 Q	HERDT,A.R.	8809070090	50 425 Q	HOLLAND,W.E.	8808290073*	50-280 Q
HARRISON,J.J.	8809230258	50 483 Q	HERDT,A.R.	8809070148	50-280 Q	HOLLAND,W.E.	8809140384*	50 280 Q
HARRISON,J.J.	8809230279	50-346 Q	HERDT,A.R.	8809070161*	50-280 Q	HOLLER,E.	8808200301	50 488 S
HARRISON,J.J.	8809260233	50 282 Q	HERDT,A.R.	8809070385	50 425 Q	HOLLER,E.	8809060370*	50 488 Q
HARRISON,J.J.	8809260291	50-254 Q	HERDT,A.R.	8809080341	60 424 Q	HOLLER,E.	8809060399	50 488 S
HARRISON,R.J.	8809020233	50-443 I	HERDT,A.R.	8809120095	50 416 Q	HOLLER,E.	8809150189	50 488 Q
HART,R.D.	8808290037	WASTE RES	HERDT,A.R.	8809130089	50-335 Q	HOLLER,E.J.	8809060354*	50 489 Q
HART,R.S.	8809120140	50-171 Q	HERDT,A.R.	8809130258	50-400 Q	HOLLEY,W.L.	8809260031	70 854 P
HARTMAN,G.	8809080282	40 1341 F	HERDT,A.R.	8809140335	50-261 Q	HOLLOWAY,C.J.	8808290157	50 461 P
HARVEY,S.P.	8808300074	50-483 F	HERDT,A.R.	8809220134	50-395 Q	HOLLOWAY,C.J.	8809160009	50-320 P
HASSE,R.A.	8809140417*	50-373 Q	HERDT,A.R.	8809220138	50-400 Q	HOLMES,R.E.	8809200241	40-7102
HASSLER,D.V.	8809070339	50-289 S	HERDT,A.R.	8809220178	50-289 Q	HOLONICH,J.	8809200036*	WASTE MGT
HATZIS,C.	8808300001	71-658	HERDT,A.R.	8809220191	50-425 Q	HOLONICH,J.J.	8809160249	WASTE MGT
HAUBER,R.D.	8809200184*	REVIEW GR P	HERDT,A.R.	8809220195	50-424 Q	HOLTZSCHER,D.L.	8808290308	50 461 S
HAUBER,R.D.	8809200303*	REVIEW GR P	HERDT,A.R.	8809230012	50-338 Q	HOLTZSCHER,D.L.	8808260015	50-461 P
HAUGHEY,M.F.	8809060087	50 220 P	HERDT,A.R.	8809230014*	60 338 Q	HOLTZSCHER,D.L.	8809070130	50 461 R
HAUGHEY,M.F.	8809120112	50 220 Q	HERDT,A.R.	8809260147	50 413 Q	HOLTZSCHER,D.L.	8809120045*	50 461 F
HAUGHEY,M.F.	8809120158	50-220 P	HERDT,A.R.	8809280200	50-302 Q	HOLTZSCHER,D.L.	8809130061	50 461 S
HAUGHEY,M.F.	8809130332	50 220 P	HERDT,A.R.	8809280224	50 425 Q	HOLTZSCHER,D.L.	8809140153	50 461 S
HAUGHEY,M.F.	8809140096	50-220 P	HERDT,A.R.	8809260250	50 400 Q	HOLTZSCHER,D.L.	8809140167	50-461 V
HAUGHEY,M.F.	8809160149	50-220 P	HERDT,A.R.	8809270011	60-250 Q	HOLTZSCHER,D.L.	8809160284	50 461 S
HAUGHEY,M.F.	8809190067	50-220 Q	HERNAN,R.W.	8809150222	50-280 F	HOLTZSCHER,D.L.	8809190383*	50 461 P
HAUGHEY,M.F.	8809190382	50 220 P	HERNAN,W.R.	8809080320	50-289 P	HOLTZSCHER,D.L.	8809200140	50 461 R
HAUGHEY,M.F.	8809200216	50 220 Q	HERRERA,E.Y.	8809260117	WASTE MGT	HON,A.L.	8808290249*	50-206 Q
HAUGHEY,M.F.	8809220100	50 220 P	HESSE,J.E.	8809200108	71-9222	HOOD,D.	8808260033	50 369 P
HAUGHNEY,C.J.	8809130171*	50 341 Q	HESSE,D.J.	8809220058	NUREG	HOOD,D.	8809150342	50 369 P
HAUGHNEY,C.J.	8809260095*	50 298 Q	HEWARD,R.W.	8809020228	50-148 F	HOOD,D.	8809160218	50 289 P
HAVERKAMP,D.R.	8808300287	50-271 Q	HEYER,R.S.	8809200210	40-1162	HOOD,D.	8809190144	50-369 P
HAVERKAMP,D.R.	8809220319*	50 28 Q	HEYER,R.S.	8809200218	40-8914	HOOD,D.S.	8809010338	50-369 P
HAWKINS,E.F.	8808290107	40-8904	HEYER,R.S.	8809200281	40-1162	HOOD,D.S.	8809060410	50 369 P
HAWKINS,E.F.	8809200025	40 1341 Q	HEYER,R.S.	8809200341	40 8584	HOOD,D.S.	8809150228	50 369 P
HAWKINS,E.F.	8808200287	40 8502	HEYSEK,W.G.	8808310016*	50 219 Q	HOOKER,C.A.	8809060336*	50-312 Q
HAWKINS,E.F.	8809200288	40-2259	HICKEY,J.	8809120246*	PR	HOOPES,J.	8809190016	WASTE MGT
HAWKINS,E.F.	8809200291	40-8452	HICKEY,J.W.	8809190230*	REVIEW GR P	HOPKINS,G.W.	8809130036*	50-206 Q
HAWKINS,E.F.	8809270141	40 8502	HICKMAN,D.E.	8808310177	50-361 P	HOPKINS,J.A.	8808300309*	50 456 V
HAWKINS,F.C.	8809210085*	50-482 Q	HICKMAN,D.E.	8808310199	50-361 P	HOPKINS,J.B.	8808300202	50 424 P
HAWKINS,E.F.	8809270144*	40-8502	HICKMAN,D.E.	8808310226*	50-361 P	HOPKINS,J.B.	8809160134	50-321 P
HAYES,B.	8808300090*	50-348 P	HICKMAN,D.E.	8808310228*	50-361 P	HOPKINS,J.B.	8809220098	50-424 P
HAYES,B.B.	8809160203*	FOIA	HICKMAN,D.E.	8809010345	50-361 P	HOPKINS,J.B.	8809230013	50-425 A
HAYES,B.B.	8809160246*	FOIA	HICKMAN,D.E.	8809080122	50-361 P	HOPKINS,P.C.	8809210085*	50 482 Q
HAYES,J.J.	8809210012	50-395 P	HICKMAN,D.E.	8808080131	50-361 P	HORN,G.R.	8808290005	50 298 S
HAYES,J.J.	8809220220	50-395 P	HICKMAN,D.E.	8809070069	50 361 P	HORN,G.R.	8809080068	50-298 S
HAYES,J.J.	8809220308	50-395 P	HICKMAN,D.E.	8809150029	50-361 P	HORN,G.R.	8809150171	50 298 R
HAYNES,H.F.	8809140129	50-245 S	HICKMAN,D.E.	8809150090	50-361 P	HORN,M.L.	8809090088*	70 3018
HAYNES,H.F.	8809150348	50-423 S	HIGGINS,T.	8809140048	50-454 S	HORN,M.L.	8809230169*	70-162
HAYNES,J.G.	8808260071	50-528 R	HIGGINS,W.R.	8808300283	50-395 S	HORSCHER,D.S.	8809220018	NUREG
HAYNES,J.G.	8808260205	50-528 S	HILDENBRAND,P.	8809080210	40-8857	HOSEY,C.M.	8808310239*	50-327 Q
HAYNES,J.G.	8808280419	50-528 S	HILL,H.L.	8809090093	50-457 S	HOSEY,C.M.	8809010039*	50 250 Q
HAYNES,J.G.	8808290250	50 530 S	HILL-WHILTON,R.	8809230039	50-443 G	HOSEY,C.M.	8809080110*	50 424 Q
HAYNES,J.G.	8809020057	50-529 S	HILL-WHILTON,R.	8809230039	50-443 G	HOSEY,C.M.	8809220278*	60-395 Q
HAYNES,J.G.	8809060002	50-528 S	HILLMAN,C.T.	8809150305	50-255 F	HOSEY,C.M.	8809280162*	70-143 Q
HAYNES,J.G.	8809140167	50-528 S	HILLMAN,D.J.	8809290109*	REVIEW GR P	HOSEY,C.M.	8809280181*	50-335 Q
HAYNES,J.G.	8809140245	50-530 S	HINDMAN,T.B.	8809150320*	WASTE MGT	HOSEY,C.M.	8809280248*	50 321 Q
HAYNES,J.G.	8809220139	50-528 R	HINDS,J.M.	8808260289*	50-454 Q	HOSEY,C.M.	8809260272*	50-259 Q
HAYNES,J.G.	8809260264	50-528 S	HINDS,J.M.	8809160169*	50-295 Q	HOUGH,R.	8809200065*	50-368 P

PERSONAL AUTHOR INDEX 293

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOUSE, J.E.	8809180345*	50-454	ITZO, R.F.	8809070527*	PROJ	JONES, J.M.	8809010343*	CONTRACT
HOUSE, W.B.	8809020277*	50-395	JABBOUR, K.N.	8809130133	50-413	JORDAN, E.L.	8702030158*	50-293 P
HOWARD, D.R.	8808280313	50-368	JABLONSKI, F.J.	8808300212*	50-315	JORDAN, E.L.	8708050242*	PR
HOWARD, D.R.	8808280323	50-313	JABLONSKI, F.J.	8809230261*	50-483	JORDAN, E.L.	8708200077	REVIEW GR P
HOWARD, D.R.	8809140101	50-313	JACKSON, G.	8809140388*	40-2061	JORDAN, E.L.	8801270199*	REVIEW GR P
HOWARD, D.R.	8809140405	50-368	JACOBSON, J.M.	8809070478*	50-316	JORDAN, E.L.	8802100081	50-348 Q
HOWARD, D.R.	8809190203	50-313	JACOBSON, L.M.	8809260134*	50-443	JORDAN, E.L.	8802250361*	REVIEW GR P
HOWARD, D.R.	8809200056	50-368	JAFFE, D.H.	8809190108	50-336	JORDAN, E.L.	8803070309*	REVIEW GR P
HOWARD, D.R.	8809200328	50-313	JAFFE, D.H.	8809220056	50-423	JORDAN, E.L.	8804140381	REVIEW GR P
HOWARD, D.R.	8809200337	50-368	JANG, J.C.	8809230002*	50-387	JORDAN, E.L.	8804210482	REVIEW GR P
HOWARD, D.R.	8809220174	50-313	JANUSKA, A.	8809260350*	50-263	JORDAN, E.L.	8805040309*	50-322 F
HOWARD, D.R.	8809220293	50-313	JANUSKA, A.G.	8808280309*	50-237	JORDAN, E.L.	8805110236	REVIEW GR P
HOWARD, D.R.	8809220301	50-313	JAPE, F.	8808300322*	50-280	JORDAN, E.L.	8805250009	REVIEW GR P
HOWARD, D.R.	8809260132	50-313	JAPE, F.	8808300331*	50-321	JORDAN, E.L.	8806130173*	REVIEW GR P
HOWARD, J.E.	8808290192*	50-382	JAPE, F.	8809070170*	50-280	JORDAN, E.L.	8807120677	REVIEW GR P
HOWE, A.G.	8808260102*	50-322	JAPE, F.	8809130263*	50-400	JORDAN, E.L.	8807190092	REVIEW GR P
HOWE, A.G.	8808260272*	50-373	JAPE, F.	8809220140*	50-400	JORDAN, E.L.	8808300126	REVIEW GR P
HOWE, A.G.	8809130100*	50-277	JAPE, F.	8809220196*	50-424	JORDAN, E.L.	8809010324	REVIEW GR P
HOWE, A.J.	8809140369	50-400	JAPE, F.	8809260207*	50-302	JORDAN, E.L.	8809010329	REVIEW GR P
HOWE, A.J.	8809190333	50-400	JAUDON, J.P.	8809010008	50-295	JORDAN, E.L.	8809130254	REVIEW GR P
HOYLE, J.	8809020002	COMMISSION	JAUDON, J.P.	8809080276	50-333	JORDAN, E.L.	8809160167*	REVIEW GR P
HOYLE, J.C.	8808280041	COMMISSION	JEFFERSON, R.M.	8809010164	PR	JORDAN, E.L.	8809190005*	REVIEW GR P
HOYLE, J.C.	8809020137	COMMISSION	JEFFRIES, C.	8809200147	50-400	JORDAN, E.L.	8809190101	REVIEW GR P
HOYLE, J.C.	8809080086	COMMISSION	JENKINS, K.M.	8809260237*	50-327	JORDAN, E.L.	8809200136	REVIEW GR P
HOYLE, J.C.	8809130309*	PR	JENKINS, R.E.	8808300248	50-410	JORDAN, M.	8808260272*	50-373 V
HOYLE, J.C.	8809190155	COMMISSION	JENKINS, R.E.	8808310080	50-410	JORDAN, M.	8809070336*	50-341 V
HSU, C.J.	8808060147	NUREG	JENKINS, R.E.	8809010247	50-410	JORDAN, M.J.	8808310040*	50-254 V
HSU, C.J.	8809060167	NUREG	JENSEN, W.	8809140066*	40-3453	JORDAN, P.	8809020184	40-8371
HSU, C.J.	8809060181	NUREG	JOHANSEN, J.	8809200335	1&E	JORDAN, W.S.	8809210119*	WASTE MGT
HSU, C.J.	8809130036*	50-206	JOHANSEN, J.	8809210195	1&E	JORDAN, W.S.	8809210119*	WASTE MGT
HUBER, M.P.	8809140441*	50-266	JOHNSON, A.D.	8808280249*	50-208	JOSEPH, V.R.	8809260342	50-423 S
HUCK, P.J.	8809120099	WASTE RES	JOHNSON, B.D.	8807130473	50-255	JOSIGER, W.A.	8809010276	50-286 P
HUDSPETH, J.B.	8809160212	50-348	JOHNSON, B.D.	8809080276	50-255	JOSIGER, W.A.	8809070328	50-286 R
HUENTES, R.T.	8809150128	50-315	JOHNSON, B.D.	8808080013	50-155	JOSIGER, W.A.	8809090024	50-286 Q
HUEY, F.R.	8808280249*	50-208	JOHNSON, B.D.	8809140150	50-255	JOSIGER, W.A.	8809140383	50-286 V
HUEY, F.R.	8809190240*	50-275	JOHNSON, B.D.	8803150118	50-155	JOSIGER, W.A.	8809150205	50-286 Q
HUEY, R.	8808300021	50-361	JOHNSON, C.E.	8809020183*	50-498	JOSIGER, W.A.	8809260184	50-286 R
HUFF, W.J.	8809070402	PR	JOHNSON, C.E.	8809140076*	50-498	JOYNER, J.	8808260020	70-1100
HUGHES, A.	8809010339	CONTRACT	JOHNSON, D.E.	8809260142*	50-443	JOYNER, J.	8809210190*	REVIEW GR P
HUGHES, A.	8809130128	CONTRACT	JOHNSON, D.E.	8809290142*	50-443	JOYNER, J.H.	8809210127*	REVIEW GR P
HUGHES, A.	8809140123	CONTRACT	JOHNSON, I.M.	8809070481	50-254	JULIAN, C.A.	8808260427	50-261 Q
HUKILL, H.D.	8809070325	50-289	JOHNSON, I.M.	8809120189	50-237	JULIAN, C.A.	8808260432*	50-261 Q
HUKILL, H.D.	8809070330	50-289	JOHNSON, I.M.	8809150338	50-237	JULIAN, C.A.	8809020223*	50-315 Q
HUKILL, H.D.	8809070339	50-289	JOHNSON, J.	8809060106*	50-255	JULIAN, C.A.	8809060012*	50-315 Q
HUKILL, H.D.	8809080049	50-289	JOHNSON, J.	8809140293	50-266	JULIAN, C.A.	8809070112	50-369 V
HUKILL, H.D.	8809150007	50-289	JOHNSON, J.R.	8808260400*	50-333	JULIAN, C.A.	8809070280	50-259 V
HUKILL, H.D.	8809200047	50-289	JOHNSON, J.R.	8808300247	50-400	JULIAN, C.A.	8809130023	50-413 Q
HUKILL, H.D.	8809200154	50-289	JOHNSON, J.R.	8809010344	50-400	JULIAN, C.A.	8809130029*	50-413 Q
HUKILL, H.D.	8809140202*	50-440	JOHNSON, J.R.	8809140146	50-400	JULIAN, C.A.	8809200042	50-42 Q
HUMBERT, D.D.	8809200006*	50-313	JOHNSON, J.R.	8809230155*	50-220	JULIAN, C.A.	8809200259	50-335 Q
HUMPHREY, L.W.	8809080364*	50-498	JOHNSON, K.I.	8809220089	NUREG	JULIAN, C.A.	8809220263	50-324 Q
HUNICUTT, O.M.	8809010051	50-456	JOHNSON, P.	8808300021	50-361	JULIAN, C.A.	8809260274	50-336 Q
HUNSADER, S.C.	8809010272	50-456	JOHNSON, P.H.	8809140215*	50-397	JULIAN, E.L.	8809160054	50-335 Q
HUNSADER, S.C.	8809080406	50-456	JOHNSON, P.H.	8809220106*	50-206	KAHLE, J.B.	8808070022*	50-413 Q
HUNSADER, S.C.	8809130311	50-454	JOHNSON, R.	8808260340	50-261	KAHLE, J.B.	8809160290*	50-413 Q
HUNSADER, S.C.	8809140024	50-456	JOHNSON, R.W.	8809190128	50-261	KAHLE, J.B.	8809200086*	50-338 Q
HUNSADER, S.C.	8809140050	50-457	JOHNSON, S.C.	8809220096	NUREG	KALE, S.H.	8809150320*	WASTE MGT
HUNT, M.	8809190178	50-457	JOHNSON, S.C.	8809210261	70-143	KAMMERER, C.	8808300171	STATE PRO G
HUNT, M.D.	8809230016*	50-338	JOHNSON, S.G.	8809220275	70-143	KAMMERER, C.	8809160194*	FOIA
HUNT, M.D.	8809070091*	50-425	JOHNSON, T.	8809080041	50-302	KAMMERER, C.	8809160305*	FOIA
HUNT, M.D.	8809070397*	50-425	JOHNSON, T.G.	8809080202	50-278	KAMMERER, C.	8809200294*	REVIEW GR P
HUNTER, D.R.	8809080332*	50-482	JOHNSON, W.J.	8809260152	WASTE MGT	KANE, G.E.	8809080091	50-339 P
HUNTER, D.R.	8809210095*	50-482	JOHNSON, W.J.	8809070414	50-601	KANE, W.F.	8702190275*	50-293 P
HURLEY, J.	8808300284	50-416	JOHNSON, W.J.	8809150082	TOPREP	KANE, W.F.	8808260406	50-387 Q
HUTCHISON, L.	8809010189	50-397	JOHNSON, W.J.	8809260280	TOPREP	KANE, W.F.	8808290189	50-247 Q
HUTCHISON, L.B.	8809160197	50-397	JOHNSON, W.J.	8809260298	TOPREP	KANE, W.F.	8808290190*	50-247 Q
HUTTER, A.M.	8809080087	PR	JOHNSON, W.V.	8809140177	50-155	KANE, W.F.	8809010388	50-219 Q
HYATTE, C.	8809150286	NUREG	JOHNSON, W.V.	8808260325	50-219	KANE, W.F.	8809160184*	50-293 T
IGNE, E.	8809180091*	50-293	JOHNSON, W.V.	8808290280	50-213	KANE, W.F.	8809160189*	50-293 P
IGNE, E.V.	8809230229*	50-286	JOHNSON, W.V.	8808300066	50-272	KANE, W.F.	8809160196*	50-293 P
IGLES, S.	8809010283	40-8657	JOHNSTON, W.V.	8808300104	50-387	KANE, W.F.	8809260165	50-277 Q
IGLES, S.	8809080029	40-8657	JOHNSTON, W.V.	8808300123	50-387	KAPLAN, A.	8808250304	50-440 Q
IGLES, S.	8809080183	40-8502	JOHNSTON, W.V.	8808300350	50-271	KAPLAN, A.	8808280245	50-440 Q
IGLES, S.	8809080274	40-8502	JOHNSTON, W.V.	8809020064	50-423	KAPLAN, A.	8809010196	50-440 R
IGLES, S.	8809070012	40-8657	JOHNSTON, W.V.	8809130085	50-353	KAPLAN, A.	8809060038	50-440 R
IGLES, S.	8809140115	40-8684	JONAS, O.	8809060200	NUREG	KAPLAN, A.	8809070353	50-440 Q
IGLES, S.	8809120240*	PR	JONAS, O.	8809060200	NUREG	KAPLAN, A.	8809080030	50-440 F
IGLES, S.	8808300158	WASTE RES	JONAS, S.A.	8809120134	50-443	KAPLAN, A.	8809130166	50-440 P
IPPOUTO, T.A.	8809160123*	50-293	JONAS, S.A.	8809120134	50-443	KAPLAN, A.	8809140265	50-440 Q
IRWIN, D.P.	8809120009	50-277	JONAS, S.A.	8809120134	50-443	KAPLAN, A.	8809140434	50-440 F
IRWIN, D.P.	8809120009	50-277	JONAS, S.A.	8809120134	50-443	KAPLAN, A.	8809140467	50-440 S
IRWIN, D.P.	8809210011	50-322	JONAS, S.A.	8809120136	50-443	KAPLAN, A.	8809150064	50-440 H
IRWIN, D.P.	8809210011	50-322	JONAS, S.A.	8809160071	50-443	KAPLAN, A.	8809200115	50-440 Q
IRWIN, D.P.	8809230017	50-322	JONAS, S.A.	8809190028	50-443	KAPLAN, A.	8809200128	50-440 R
IRWIN, D.P.	8809230017	50-322	JONAS, S.A.	8809190074	50-443	KAPLAN, A.	8809260205	50-440 P
IRWIN, D.P.	8809230022	50-322	JONAS, S.A.	8809260040	50-443	KAPLAN, A.	8809260205	50-440 P
IRWIN, D.P.	8809230022	50-322	JONAS, S.A.	8809010049*	70-27	KARAM, R.A.	8809200131	50-160 Q
ISANDRIAN, A.S.	8809010317	PR	JONES, D.W.	8809200157*	70-143	KARAM, R.A.	8809200139*	50-160 Q

294 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KARNER, D B	8809010109	50-528	KINGSLEY, O D	8809080119	50 416	KREH, J L	8809010156*	50 327
KARNER, D B	8809010257	50-529	KINGSLEY, O D	8809080180	50 416	KREH, J L	8809140463*	50 269
KARNER, D B	8809060032	50-528	KINGSLEY, O D	8809140082	50 313	KRIEG, D J	8809080093*	50 412
KARNER, D B	8809070048	50-528	KINGSLEY, O D	8809160026	50 416	KRIEGER, R	8809150126	50 316
KARNER, D B	8809070150	50-528	KINGSLEY, O D	8809150220	50 416	KRIEGLER, R	8809010371	50 315
KARNER, D B	8809070298	50-528	KINGSLEY, O D	8809150233	50 416	KRIEGLER, R	8809020007	50-315
KARNER, D B	8809070301	50-528	KINGSLEY, O D	8809160044	50 416	KRIEGLER, R	8809020018	50-315
KARNER, D B	8809080059	50-528	KINGSLEY, O D	8809180381	50 416	KROESCHE, J B	8809210033	50-224
KARNER, D B	8809090159	50-528	KINGSLEY, O D	8809200060	50 416	KROESCHE, J B	8809210033	50-224
KARNER, D B	8809140222	50-528	KINGSLEY, O D	8809200111	50 416	KROESCHE, J B	8809210048	50-224
KARNER, D B	8809150147	50-528	KINGSLEY, O D	8809200112	50 416	KROESCHE, J B	8809210048	50-224
KARNER, D B	8809200152	50-528	KINGSLEY, O D	8809200364	50-416	KRYTER, K D	8809260158*	50 443
KARNER, D B	8809200183	50-528	KINNEMAN, J D	8809202188*	70 698	KRYTER, K D	8809260158*	50 443
KASIR, M K	8809060195	NUREG	KINNEMAN, J D	8809010308	50 7102	KUDLICK, M	8809070157	FOIA
KASZA, K E	8809060198	NUREG	KINNEMAN, J D	8809020186	70 698	KUEMIN, J L	8809060030	50-255
KATZE, D	8809080325	TOPREP	KINNEMAN, J D	8809130068	40-7102	KUEMIN, J L	8809140294	50-255
KAVANAUGH, M	8809150026	50-416	KINTNER, E E	8809300036	PROJ	KUEMIN, J L	8809210223	50-255
KAVULA, M P	8809150304	PR	KINTNER, E E	8809300036	PROJ	KUEMIN, J L	8809230020	50 255
KAY, C E	8808290324*	WASTE MGT	KINTNER, E E	8808300262	50 320	KUFFEL, E G	8809060245	NUREG
KAY, C E	8809150273	PR	KINTNER, E E	8809210041	PROJ	KUNCL, L G	8809150031	50 298
KAY, C E	8809210218*	WASTE MGT	KINTNER, L L	8808290038	50 416	KUNCL, L G	8809220016	50 298
KEAST, D N	8809260149*	50-443	KINTNER, L L	8809260322	50 416	KUNOWSKI, M A	8809010131*	50 316
KEAST, D N	8809260149*	50-443	KINTNER, L L	8809260324*	50 416	KUO, A	8808300037*	50 333
KEATING, L	8809180055*	XPORTLIC	KINTNER, L L	8809180064	50 416	KUROWSKI, L G	8809090155	FOIA
KEHELEY, T H	8809120208*	50-237	KINTNER, L L	8809180075	50 416	KUZAY, T M	8809060198	NUREG
KEIMIG, R R	8808260348*	70-371	KINTNER, L L	8809190086	50 416	KUZO, G B	8809010039*	50 250
KEIMIG, R R	8808300341*	70-1100	KINTNER, L L	8809220038*	50 416	KWOK, K S	8809070337	50 20
KEIMIG, R R	8809010381*	50-277	KINTNER, L L	8809230024	50 416	KWOK, K S	8809190070	50-20
KEIMIG, R R	8808260118*	50-277	KINTNER, L L	8809260049	50 416	LABRUNA, S	8808260089	50-354
KEIMIG, R R	8808260118*	50-277	KIRSCH, D F	8809070530	50 32	LABRUNA, S	8809010080	50-354
KEISER, H W	8809010233	50-387	KIRSCH, D F	8809080018	50-288	LACKER, D K	8809150316	PR
KEISER, H W	8809080121	50-387	KIRSCH, D F	8809090277*	PR	LACKER, D K	8809230272*	REVIEW GR P
KEISER, H W	8809080127	50-387	KISER, D M	8809220096	NUREG	LAGRANGE, R G	8809080141*	50-261
KEISER, H W	8809080173	50-387	KLEINSORGE, W P	8809270022*	50-250	LAI, Y L	8809060245	NUREG
KEISER, H W	8809150181	50-387	KNAPP, M R	8809090051*	50-322	LAJAS, G C	8702120481*	50 410
KEISER, H W	8809160253*	REVIEW GR P	KNIGHT, J P	8412050571*	50 410	LAJAS, G C	8702250407*	50 410
KEISER, H W	8809260056	50-387	KNIGHT, M R	8809200047	50-289	LAM, P	8809010189*	ORG
KEISER, H W	8809260292	50-387	KNIGHT, S P	8809200181	40-8027	LAMASTRA, M A	8809200353*	REVIEW GR P
KEISER, H W	8809270115	50-387	KNIGHT, S P	8809060128	40 8027	LAMBE, W M	8808300125	50 348
KELLEY, C D	8809120196	40-6914	KNIGHT, S P	8809070013	40 8027	LAMBERT, K	8809070025	40 8068
KELLEY, C D	8809160065*	40-6914	KNIGHTON, G W	8808260117*	50-344	LAMBERT, P A	8809120111*	50 461
KELLY, J A	8808300148*	50-458	KNIGHTON, G W	8808260168*	50 206	LAMBERT, P A	8809230081*	50 374
KELLY, J L	8809010312	50-259	KNIGHTON, G W	8808310172*	50 206	LAMBERT, P E	8808300338*	50 331
KELLY, L	8809260184	50-286	KNIGHTON, G W	8808310191*	50 361	LANCASTER, W K	8809260116*	50-277
KELLY, W J	8809010334	50-276	KNIGHTON, G W	8808310208*	50 361	LANCASTER, W K	8809260116*	50-277
KELMERS, A D	8809120092	WASTE RES	KNIGHTON, G W	8809310225*	50 361	LANE, P H	8809140393*	50 520
KEMPER, J S	8808260095	50-353	KNIGHTON, G W	8809010232*	50 275	LANGE, D J	8808260102*	50-322
KEMPER, J S	8808260274	50-353	KNIGHTON, G W	8809060341*	50 275	LANGE, D J	8809130100*	50-277
KEMPER, J S	8809140189	50-353	KNIGHTON, G W	8809150025*	50-206	LANGE, D L	8809080123	50-218
KENEFICK, R A	8808290083*	50-128	KNIGHTON, G W	8809160032*	50-361	LANGFORD, D	8809010238	50-217
KENNEDY, E E	8809060188	40-8903	KNIGHTON, G W	8809160178*	50-397	LANGFORD, D	8809010242*	50-247
KENNEDY, E E	8809140091	40-8903	KNIGHTON, G W	8809230134*	50-528	LANGFORD, D	8809020017	50-247
KENNY, P J	8809160254*	50-293	KNIGHTON, G W	8809270064*	50-206	LANGFORD, D	8809060273	50-247
KENNY, P J	8809160265*	50-293	KNIGHTON, G W	8809270071	50-206	LANGFORD, D	8809210265	50 247
KENSICKI, S F	8809060038	50-440	KNODE, R	8809140038	40-8943	LANGLEY, J R	8809060197	TOPREP
KEPPER, J	8809120178*	WASTE MGT	KNOP, R	8809140418	50 440	LANGLEY, J R	8809130205	TOPREP
KEPPLER, J G	8809090160*	50-186	KNOP, R C	8809230283	50-440	LAROCHE, G	8808290221	40 8801
KEPPLER, J G	8809090259*	PR	KNOP, R C	8809230288*	50-440	LAROCHE, G	8808290233	40 8801
KERR, G W	8809120251*	PR	KNOP, R C	8809260010	50-346	LAROCHE, G	8808310240	40 8801
KERR, W	8809070415	50-2	KNOP, R C	8809260280	50-461	LAROCHE, G	8809060346	40 8801
KEUTER, D R	8808300101	50-312	KNOP, R C	8809260284*	50-461	LAROCHE, G	8809060367	40 8801
KEUTER, D R	8809060348	50-312	KNOTT, J B	8809260339	50-440	LAROCHE, G	8809070073	40 8801
KEUTER, D R	8809070452	50-312	KNOTT, J B	8809210112*	WASTE MGT	LAROCHE, G	8809070285	40 8801
KEUTER, D R	8809070557	50-312	KNOX, E	8809210112*	WASTE MGT	LAROCHE, G	8809150230	40 8801
KEUTER, D R	8809130213	50-312	KNOX, E	8809070088	CONTRACT	LARRAGOITE, L S	8809200286	50-317
KEUTER, D R	8809140223	50-312	KNOX, E	8809260307	CONTRACT	LARSON, C E	8808290115	50-263
KEUTER, D R	8809150100	50-312	KNOX, J A	8809090245	FOIA	LARSON, C E	8809060040	50-263
KEUTER, D R	8809160092	50-312	KOBYLINSKI, A W	8809230128*	REVIEW GR P	LARSON, C E	8809140084	50-263
KEUTER, D R	8809220325	50-312	KOCHIS, P J	8809200090*	50 320	LARSON, C E	8809160301	50-262
KEUTER, D R	8809230063	50-312	KOLSKY, K B	8809230160	WASTE RES	LARSON, C E	8809150303	50-263
KHAN, T A	8809220014	NUREG	KONKLIN, J E	8809130171*	50 341	LARSON, C E	8809190216	50 263
KHATIB-RAHBAR	8809280214	NUREG	KONWINSKI, G R	8809200288	40 2259	LARSON, C E	8809270016	50-262
KIDD, B O	8808300334*	70-27	KONWINSKI, G R	8809200291	40 8452	LARSON, J R	8808220086	NUREG
KIDO, C	8710150112*	50-275	KOSHURBA, D P	8809070049*	50-327	LASH, T R	8809080007	PR
KILGORE, B E	8808310158	50-327	KOSHY, T	8809202163*	50-293	LATHAM, S B	8809190094*	50 322
KING, L P	8808260488*	50-336	KOSHY, T	8809220311*	50-220	LATHAM, S B	8809190094*	50-322
KING, M	8808310040*	50-254	KOTKOWSKI, G A	8809140052*	50 443	LATHAM, S B	8809230011	50-322
KING, T F	8809070058	50-483	KOTTAN, J J	8809220322*	50-293	LATHAM, S B	8809230011	50-322
KINGSLEY, O D	8809190311	50-416	KOTTAN, J J	8809230004*	50-29	LATTA, R M	8809130232*	50-261
KINGSLEY, O D	8808260004	50-416	KOWALCHUK, J N	8809080148*	50-213	LATZ, J E	8809230267	WASTE MGT
KINGSLEY, O D	8808260125	50-416	KOWALSKI, S J	8808310049	50-353	LAUER, M T	8809010039*	50-250
KINGSLEY, O D	8808260312	50-416	KOWALSKI, S J	8809150002	50-352	LAUER, M T	8809260181*	50-335
KINGSLEY, O D	8808300294	50-416	KOZUP, C S	8808290024	50-255	LAUHALA, K E	8809060245	NUREG
KINGSLEY, O D	8808310060	50-313	KOZUP, C S	8809140150	50-255	LAVEN, D L	8809010145	PR
KINGSLEY, O D	8809010066	50-416	KOZUP, C S	8809190392	50-255	LAWRENCE, R E	8808290086*	PROJ
KINGSLEY, O D	8809080263	50-416	KRAJICEK, J E	8809230268*	50-397	LAWYER, L	8809020223*	50 315
KINGSLEY, O D	8809060331	50-416	KRAUSE, C W	8809140248	50-266	LAWYER, L	8809060012*	50 315
KINGSLEY, O D	8809070565	50-416	KRAUSE, R W	8809080068	50-298	LAZARUS, W J	8808260308*	50 277

PERSONAL AUTHOR INDEX 295

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LAZARUS,W.J.	8809020089*	50-286 Q	LIEBERMAN,J.	8809130325	50-456 Q	MACDONALD,C.E.	8809010179	71-6717
LAZARUS,W.J.	8809020109*	50-247 Q	LIEBERMAN,J.	8809190400	50-254 Q	MACDONALD,C.E.	8809010150	71-9036
LAZARUS,W.J.	8809070515*	50-20 Q	LIEBERMAN,J.	8809200335	1&E	MACDONALD,C.E.	8809010193	71-5957
LAZARUS,W.J.	8809160191*	50-293 F	LIEBERMAN,J.	8809210030	50-456 Q	MACDONALD,C.E.	8809010202	71-5339
LAZARUS,W.J.	8809190296*	50-220 Q	LIEBERMAN,J.	8809210195	1&E	MACDONALD,C.E.	8809010215	71-9216
LE ROY,S.E.	8808260320	50-370 S	LIEBERMAN,J.	8809210197	50-317 Q	MACDONALD,C.E.	8809010231	71-6717
LEACH,C.E.	8809120094*	50-483 P	LIEBERMAN,J.	8809210201	50-387 Q	MACDONALD,C.E.	8809010264	71-657
LEAVER,D.	8809210043*	PROJ	LIEBERMAN,J.	8809260045	50-128 Q	MACDONALD,C.E.	8809010266*	71-657
LEEL	8809220050*	REVIEW GR P	LIEBERMAN,J.	8809270085	50-286 Q	MACDONALD,C.E.	8809010270	71-173
LEEL	8809220081*	REVIEW GR P	LIMROTH,D.	8809190151	50-317 S	MACDONALD,C.E.	8809010274*	71-173
LEEL	8809220113*	REVIEW GR P	LINDER,R.	8808300340*	50-498 P	MACDONALD,C.E.	8809010314	71-6717
LEEL	8809220121*	REVIEW GR P	LINDQUIST,T.R.	8809210242*	50-255 P	MACDONALD,C.E.	8809010319	71-9056
LEEL	8809220126*	REVIEW GR P	LINDQUIST,T.R.	8809230026*	50-255 P	MACDONALD,C.E.	8809010325	71-9102
LEET,O.	8808300100*	70-27	LINDSEY,T.D.	8809200388*	REVIEW GR P	MACDONALD,C.E.	8809010342	71-6717
LEET,O.	8809200232*	70-143	LINEHAN,J.	8809150257	WASTE MGT	MACDONALD,C.E.	8809020110	71-9036
LEEDS,E.	8808310189*	ORG	LINEHAN,J.	8809270153	WASTE MGT	MACDONALD,C.E.	8809020149	71-9056
LEGETTE,F.L.	8809190134	50-281 S	LINEHAN,J.J.	8808290091	WASTE MGT	MACDONALD,C.E.	8809060265	71-6717
LEGETTE,F.L.	8809200103	50-261 S	LINEHAN,J.J.	8809060249	WASTE MGT	MACDONALD,C.E.	8809060293	71-6717
LEHMAN,L.L.	8808300308	50-285 S	LINEHAN,J.J.	8809160105	WASTE MGT	MACDONALD,C.E.	8809070141	71-6717
LEHMAN,L.L.	8809200348	50-285 S	LINEHAN,J.J.	8809230287	WASTE MGT	MACDONALD,C.E.	8809090055	71-6003
LEHNER,J.R.	8809060147	NUREG	LINEHAN,J.J.	8809230290*	WASTE MGT	MACDONALD,C.E.	8809090057*	71-6003
LEHNER,J.R.	8809060157	NUREG	LINEHAN,J.J.	8809230296	WASTE MGT	MACDONALD,C.E.	8809130018	71-9187
LEHNER,J.R.	8809060174	NUREG	LINTON,O.W.	8809070552	PR	MACDONALD,C.E.	8809130022	71-9010
LEHNER,J.R.	8809060181	NUREG	LINVILLE,J.	8808300318	50-352 S	MACDONALD,C.E.	8809130026*	71-9010
LEHNER,J.R.	8809060193	NUREG	LINVILLE,J.	8809010379*	50-352 Q	MACDONALD,C.E.	8809130126	71-9032
LEITCH,G.M.	8808010178	50-352 R	LINVILLE,J.	8809080202	50-278 S	MACDONALD,C.E.	8809160016	70-2786
LEITCH,G.M.	8809080023	50-352 R	LINVILLE,J.C.	8808290068*	50-353 Q	MACDONALD,C.E.	8809200035	71-5980
LEITCH,G.M.	8809060055	50-352 R	LINVILLE,J.C.	8809080134	50-277 Q	MACDONALD,C.E.	8809200182	71-261
LEITCH,G.M.	8809200184	50-352 R	LINVILLE,J.C.	8809080257	50-277 R	MACDONALD,C.E.	8809200191*	71-261
LEITMAN,L.W.	8809060244	50-219 S	LINVILLE,J.C.	8809140298	50-277 P	MACDONALD,C.E.	8809200240	71-9176
LEONARD,J.D.	8809010136	50-322 F	LITTLE,W.S.	8809260043*	50-259 Q	MACDONALD,C.E.	8809200245	71-5957
LEONARD,J.D.	8809010340*	50-322 V	LIVERMORE,H.H.	8809090108*	50-445 Q	MACDONALD,C.E.	8809200255	71-9081
LEONARD,J.D.	8809020272	50-322 R	LO,R.	8809070121	50-281 P	MACDONALD,C.E.	8809200260	71-9010
LEONARD,J.D.	8809070455	50-322 Q	LO,R.H.	8808260369	50-261 P	MACDONALD,C.E.	8809200263	71-9079
LEONARD,J.D.	8809090016	50-322 G	LO,R.H.	8809060405	50-261 P	MACDONALD,C.E.	8809200283	71-9070
LEONARD,J.D.	8809150231	50-322 Q	LOCHIE,P.	8809200045	70-1151	MACDONALD,C.E.	8809200332	71-9151
LEONARD,R.	8809010096	50-369 F	LOCKE,H.V.	8809150106	50-275 Q	MACDONALD,C.E.	8809200340*	71-9151
LEROY,S.E.	8808300016	50-370 S	LOCKE,R.F.	8809150185	50-312 H	MACDONALD,C.E.	8809200360	71-9016
LEROY,S.E.	8809140124	50-360 S	LOESCH,R.	8809190284*	50-317 Q	MACDONALD,C.E.	8809200366*	71-9016
LEROY,S.E.	8809150217	50-370 S	LOFGREEN,E.V.	8809180126*	REVIEW GR P	MACDONALD,C.E.	8809200372	71-9015
LEROY,S.E.	8809160308	50-360 S	LOFLIN,L.I.	8809260359	50-400 P	MACDONALD,C.E.	8809200377*	71-9015
LEROY,S.E.	8809230220	50-369 S	LOFLIN,L.I.	8809060208	50-261 Y	MACDONALD,C.E.	8809220208	71-9183
LEROY,S.E.	8809260220	50-370 S	LOFLIN,L.I.	8809060309	50-261 P	MACDONALD,C.E.	8809230049	71-6553
LESKEY,N.	8809060041	WASTE MGT	LOFLIN,L.I.	8809070440	50-400 Q	MACDONALD,C.E.	8809230052*	71-6553
LESSER,M.S.	8809010174*	50-413 Q	LOFLIN,L.I.	8809080031	50-400 P	MACDONALD,C.E.	8809260183	71-9163
LEVINE,J.M.	8808300157	50-368 S	LOFLIN,L.I.	8809080274	50-400 P	MACDONALD,C.E.	8809260188*	71-9163
LEVINE,J.M.	8808310187	50-313 Q	LOFLIN,L.I.	8809260085	50-324 H	MACDONALD,C.E.	8809210207	CONTRACT
LEVINE,J.M.	8809150146	50-368 Q	LOFY,R.A.	8809080176	FOIA	MACDONALD,C.E.	8809210215*	CONTRACT
LEVINE,J.M.	8809200037*	50-313 Q	LOFY,R.A.	8809190283*	CONTRACT	MACDONALD,C.E.	8809130185	50-277 Q
LEVINE,J.M.	8809200226	50-368 S	LOGSDON,M.J.	8712160331	WASTE RES	MACDONALD,C.E.	8808310011*	50-219 Q
LEWIS,W.	8809130173*	50-324 Q	LOGSDON,M.J.	8809080084	WASTE RES	MACHROS,A.	8809230056*	50-443 G
LEWALD,G.H.	8809120014	50-443 G	LOGSDON,M.J.	8809060140	WASTE RES	MACKENZIE,D.	8809200296*	REVIEW GR P
LEWALD,G.H.	8809120014	50-443 G	LOHAUS,P.H.	8809090130	WASTE MGT	MACKTAL,J.J.	8809210057*	50-445 G
LEWIS,D.R.	8809260236	50-483 F	LOHAUS,P.H.	8809080138	WASTE MGT	MADDEN,J.	8809010381*	50-277 Q
LEWIS,J.	8808290132*	50-250 P	LOHAUS,P.H.	8809120167	40-6500	MADDEN,J.A.	8809260116*	50-277 Q
LEWIS,J.	8808290137*	50-259 P	LOHMAN,D.C.	8806090182	50-305 S	MADEDA,T.J.	8809150081*	50-456 Q
LEWIS,J.	8808290139*	50-259 P	LOBL,J.M.	8809150286	NUREG	MADNII,K.	8809280214	NUREG
LEWIS,J.	8808290140*	50-259 P	LOMBARDI,J.P.	8809200300*	REVIEW GR P	MADSEN,G.L.	8808310126	50-458 S
LEWIS,J.	8808290143*	50-259 P	LONG,J.	8809190283*	REVIEW GR P	MADSEN,G.L.	8809140089	50-458 S
LEWIS,J.	8808290148*	50-259 P	LONG,J.L.	8808310072	50-327 S	MADSEN,G.L.	8809190162*	50-298 Q
LEWIS,J.	8808290147*	50-259 P	LONG,J.T.	8809280302*	REVIEW GR P	MAGAN,T.F.	8809060407*	CONTRACT
LEWIS,J.	8808290148*	50-259 P	LORD,W.	8809190065	50-443 G	MALARO,J.C.	8809200109*	REVIEW GR P
LEWIS,J.	8808290149*	50-259 P	LORENZO,R.	8808300263*	50-219 P	MALATESTA,J.P.	8809220237	50-277 Q
LEWIS,J.	8808290153*	50-259 P	LORINO,J.W.	8809150107*	50-468 Q	MALDONADO,R.A.	8809140291	50-277 Q
LEWIS,J.	8808290154*	50-259 P	LOSS,F.J.	8809220043	NUREG	MALINOSKI,J.W.	8808310100	71-9032
LEWIS,J.	8808290156*	50-259 P	LOUX,R.R.	8712100010	WASTE MGT	MALLET,B.	8809210143*	REVIEW GR P
LEWIS,J.	8808290158*	50-259 P	LOUX,R.R.	8809120105	WASTE MGT	MALLET,B.S.	8808290119	50-315 Q
LEWIS,M.	8808290088	50-261 S	LOUX,R.R.	8809120131	WASTE MGT	MALLET,B.S.	8808290124*	50-315 Q
LEWIS,M.	8808300339	50-261 S	LOUX,R.R.	8809270156	WASTE MGT	MALLET,B.S.	8809140442	50-263 F
LEWIS,B.O.	8808140436	50-327 S	LOVEJOY,C.A.	8809090281*	50-275 T	MALLET,B.S.	8809140446	50-263 F
LEBERMAN,E.B.	8809260168*	50-443 G	LOVEJOY,C.A.	8809090281*	50-275 T	MALLET,B.S.	8809140455	50-282 F
LEBERMAN,E.B.	8808260168*	50-443 G	LOWENBERG,H.	8809190012	WASTE MGT	MALLET,B.S.	8809150081*	50-456 Q
LEBERMAN,J.	8203240109*	FOIA	LUCKAS,W.J.	8809100012	50-410 P	MALLET,B.S.	8809160132	50-282 F
LEBERMAN,J.	8205120056*	FOIA	LUCKAS,W.J.	8811040400*	NUREG	MALLET,B.S.	8809190159*	REVIEW GR P
LEBERMAN,J.	8206120358*	FOIA	LUCKAS,W.J.	8809060147	NUREG	MALLET,B.S.	8809190274*	REVIEW GR P
LEBERMAN,J.	8805100328*	FOIA	LUCKAS,W.J.	8809060174	NUREG	MALLET,B.S.	8809200229*	REVIEW GR P
LEBERMAN,J.	8808300041	1&E	LUCKAS,W.J.	8809060181	NUREG	MALLET,B.S.	8809230230*	REVIEW GR P
LEBERMAN,J.	8808300081	50-280 Q	LUCKAS,W.J.	8809060193	NUREG	MALLET,B.S.	8809230252	50-463 F
LEBERMAN,J.	8809010040	1&E	LUEHMAN,J.	8809190400	50-254 Q	MALLET,B.S.	8809230277	1&E
LEBERMAN,J.	8809060049	1&E	LUEHMAN,J.	8809210197	50-317 Q	MALLET,B.S.	8809270055	50-461 S
LEBERMAN,J.	8809070542	50-324 Q	LUEHMAN,J.	8809210201	50-387 Q	MALLET,B.S.	8809290189*	REVIEW GR P
LEBERMAN,J.	8809080327*	FOIA	LUEHMAN,J.	8809270065	50-286 Q	MALLET,B.S.	8809290190*	REVIEW GR P
LEBERMAN,J.	8809080336*	FOIA	LUETTERS,R.H.	8809070543*	CONTRACT	MALLET,B.S.	8809290255*	REVIEW GR P
LEBERMAN,J.	8809080345*	FOIA	LYNCH,T.P.	8809220053	NUREG	MALLOY,M.	8809230170	50-445 A
LEBERMAN,J.	8809080370*	FOIA	LYONS,E.	8809160298	50-251 S	MALLOY,M.	8809260166	50-445 A
LEBERMAN,J.	8809080376*	FOIA	LYONS,E.	8809190166	50-251 PR	MALODY,C.W.	8808290341*	XPORTUC
LEBERMAN,J.	8809080383*	FOIA	LYONS,E.L.	8809020133	71-9036	MALODY,C.W.	8808290345	XPORTUC
LEBERMAN,J.	8809080393*	50-10 Q	MACDONALD,C.E.	8808310120		MALODY,C.W.	8808300071*	XPORTUC

296 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MALODY,C.W.	8808300097	XPORTLIC	MATTHEWS,D.B.	8809230036	50-289 S	MCDONALD,R.P.	8809080015	50-321 V
MALODY,C.W.	8809070437	70-1257	MATTHEWS,D.B.	8809230055	50-269 P	MCDONALD,R.P.	8809080075	50-321 Q
MALODY,C.W.	8809150349	PR	MATTHEWS,M.	8809220050*	REVIEW GR P	MCDONALD,R.P.	8809080365	50-424 V
MALONE,D.L.	8809220324*	50-327 P	MATTHEWS,M.	8809220081*	REVIEW GR P	MCDONALD,R.P.	8809090035	50-321 F
MALSCH,M.G.	8703060109	SECY	MATTHEWS,M.	8809220113*	REVIEW GR P	MCDONALD,W.G.	8809260278	PR
MALY,J.A.	8809060147	NUREG	MATTHEWS,M.	8809220121*	REVIEW GR P	MCDONALD,W.G.	8808290008	PR
MALY,J.A.	8809080157	NUREG	MATTHEWS,M.	8809220126*	REVIEW GR P	MCDONALD,W.G.	8808290035	PR
MANGAN,C.V.	8809070358	50-220 Q	MAUCK,C.J.	8808260170	71-9132	MCDONALD,W.G.	8808290121	PR
MANGAN,C.V.	8809200034	50-410 Q	MAUCK,C.J.	8808290014	71-381	MCDONALD,W.G.	8809060247	ORG
MANGANARO,F.F.	8809080249*	50-219 Q	MAUCK,C.J.	8809010313	71 6678	MCDONALD,W.G.	8809120229*	FOIA
MANN,S.A.	8809010261	PR	MAXWELL,D.C.	8809190351	50 237 R	MCDONALD,W.G.	8808260271	PR
MANN,S.A.	8809200168	PR	MAY,B.	8809010048	PR	MCDUFFIE,M.A.	8808310221	50 400 V
MARKLEY,E.J.	8808290348*	COMMISSION	MAZZAFERRO,P.	8809080204	50-410 S	MCDUFFIE,M.A.	8809010104	50 324
MARKLEY,M.T.	8809190275*	50-387 Q	MAZZAFERRO,P.	8809090146	50-410 S	MCDUFFIE,M.A.	8809140286	50-324 Q
MARKS,B.K.	8808260292	50-259 F	MAZZAFERRO,P.	8809200071	50-410 S	MCDUFFIE,M.A.	8809140422	50-261 Q
MARRIOTT,P.W.	8809160103	50-605 A	MAZZAFERRO,P.A.	8809070467	50-410 S	MCDUFFIE,M.A.	8809230270	50-324 Q
MARSHALL,C.	8809140154	50-244 S	MAZZAFERRO,P.A.	8809080169	50-410 S	MCDUFFIE,M.A.	8809260114	50-324 P
MARSHALL,C.	8809230146	50-244 S	MAZZAFERRO,P.A.	8809080186	50-410 S	MCEACHERN,P.	8809190053	50 443 G
MARSH,L.B.	8809060306	50-244 P	MAZZAFERRO,P.A.	8809080240	50-410 S	MCEACHERN,P.	8809190053	50 443 G
MARSH,L.B.	8809070254	50-335 P	MAZZIE,V.J.	8809080148*	50 213 P	MCEACHERN,P.	8809260048	50 443 G
MARSH,L.B.	8809070428	50 397 P	MAZZIE,V.J.	8809080149*	50 213 Q	MCEACHERN,P.	8809260048	50-443 G
MARSH,L.B.	8809080223	50-250 P	MCALPINE,E.J.	8808260017*	50-368	MCELHINNEY,T.F.	8809130166*	50-250 Q
MARSH,R.H.	8809010091	TOPREP	MCALPINE,E.J.	8808260489*	70 143	MCGEED,R.	8808080245	NUREG
MARSHALL,B.M.	8809020231	50-338 S	MCALPINE,E.J.	8809010049*	70 27	MCGRATH,J.	8808260236	I&E
MARSHALL,J.S.	8809070416	50 445 S	MCALPINE,E.J.	8809130107*	70-1113	MCGRATH,J.	8809020248	I&E
MARSHALL,J.S.	8809140083	50 445 F	MCALPINE,E.J.	8809150028*	70-27	MCGRATH,J.	8809020252	I&E
MARSHALL,J.S.	8809140340	50-445 A	MCALPINE,E.J.	8808260157*	70-143	MCGUFFIN,J.C.	8809270107*	CONTRACT
MARSHALL,J.S.	8809140367	50 445 A	MCALPINE,E.J.	8809230232*	70-143	MCGUIRE,D.	8809070417*	50 416 Q
MARSHALL,J.S.	8809190281	50 445 S	MCALPINE,E.J.	8809220226*	70-143	MCGUIRE,D.R.	8808260514*	50-338 Q
MARSHALL,J.S.	8809260080	50 445 S	MCBREARTY,R.A.	8809130087*	50 353 Q	MCGUIRE,D.R.	8808260519*	50-335 Q
MARSHALL,J.S.	8809260186	50-445 A	MCBURNETT,M.A.	8808300316	50 488 P	MCGUIRE,D.R.	8808290018*	50-280 Q
MARSHALL,J.S.	8809210031*	REVIEW GR P	MCBURNETT,M.A.	8809010035	50-488 P	MCGUIRE,D.R.	8808310078*	50 424 Q
MARSHALL,W.	8809010323	50-302 F	MCBURNETT,M.A.	8809080014	50-488 P	MCGUIRE,D.R.	8809080262*	50 269 Q
MARSHALL,W.	8809010368	50-302 F	MCBURNETT,M.A.	8808220035	50 488 R	MCGUIRE,D.R.	8809070549	50 250 Q
MARSHALL,W.	8809260257	50-302 F	MCCABE,E.C.	8808300162	50 423 Q	MCGUIRE,D.R.	8809200171*	50-413 Q
MARTIN,D.B.	8809250237*	REVIEW GR P	MCCABE,E.C.	8809080163	50 213 Q	MCGUIRE,L.	8808260241	50-454 F
MARTIN,J.B.	8808290237	50-206 Q	MCCABE,E.C.	8809080005*	50 423 Q	MCGURK,J.	8808210026*	REVIEW GR P
MARTIN,J.B.	8808290241*	50-206 Q	MCCABE,E.C.	8809090113*	50 277 S	MCHENRY,T.J.	8808290298	50-321 F
MARTIN,J.B.	8808290243*	50-206 Q	MCCABE,E.C.	8809090118*	50-317 S	MCINTOSH,J.T.	8808070326	50-269 Q
MARTIN,J.B.	8809190227	50-275 Q	MCCABE,E.C.	8809230122*	50-245 Q	MCINTYRE,A.C.	8809090145*	50 489 Q
MARTIN,J.B.	8809190233*	50 275 Q	MCCALLUM,E.J.	8809140328	71-6639	MCKEE,E.S.	8809010163*	50 424 P
MARTIN,R.D.	8808300139	50-458 Q	MCCANDLES,R.N.	8808300089	50-271 Q	MCKEE,P.F.	8812310221*	PR
MARTIN,R.D.	8809020275	50-498 Q	MCCANN,G.M.	8707150292*	REVIEW GR P	MCKEOWN,J.A.	8809010084	PR
MARTIN,R.D.	8809120145*	FOIA	MCCARTY,B.	8809190016	WASTE MGT	MCKERNON,T.O.	8808060354*	50-498 Q
MARTIN,R.D.	8809160217*	FOIA	MCCAUGHEY,D.A.	8809090084*	70-3018	MCKIBBEN,J.C.	8809260168	50-186 S
MARTIN,R.D.	8809190206	50-482 Q	MCCAUGHEY,D.A.	8809220304*	70-734	MCLAUGHLIN,A.J.	8809260135	50-374 S
MARTIN,R.D.	8809230125	50-313 Q	MCCLESKEY,K.E.	8809120037	50 322 G	MCLAREN,T.	8809270088	CONTRACT
MARTIN,R.E.	8809020247	50-277 P	MCCLESKEY,K.E.	8809120037	50-322 G	MCMURRAY,C.M.	8809190087	50-322 Q
MARTIN,R.L.	8809150227	50-29 P	MCCORKLE,G.W.	8809010226	70-622	MCMURRAY,C.M.	8809190087	50-322 Q
MARTIN,T.	8809190327*	REVIEW GR P	MCCORKLE,G.W.	8809210124	70-371	MCMURRAY,C.M.	8809190094*	50-322 Q
MARTIN,T.T.	8802030409*	REVIEW GR P	MCCORKLE,G.W.	8809210163	70-27	MCMURRAY,C.M.	8809190094*	50-322 Q
MARTIN,T.T.	8802100287*	REVIEW GR P	MCCORKLE,G.W.	8809210172	70-1257	MCMURRAY,C.M.	8809230011	50-322 Q
MARTIN,T.T.	8803300031*	REVIEW GR P	MCCORKLE,G.W.	8809210266	70-371	MCMURRAY,C.M.	8808230011	50-322 Q
MARTIN,T.T.	8804120300*	REVIEW GR P	MCCORKLE,G.W.	8809210266	70-143	MCNAMARA,A.E.	8809220062	50 244 Q
MARTIN,T.T.	8804120361*	REVIEW GR P	MCCORKLE,G.W.	8809220022	70-1113	MCNAMARA,A.T.	8809230004*	50 29 Q
MARTIN,T.T.	8804130208*	REVIEW GR P	MCCORMICK	8809220052	70-27	MCNEIL,S.A.	8809150167	50-317 P
MARTIN,T.T.	8808310125	50-272 V	MCCORMICK,M.J.	8809260084*	50-346 Q	MCNEIL,S.A.	8809200001	50-317 P
MARTIN,T.T.	8809190140	50-334 Q	MCCORMICK,M.J.	8808260001	50-352 S	MCNEIL,S.A.	8809200331	50-317 P
MARTIN,T.T.	8809190377*	REVIEW GR P	MCCORMICK,M.J.	8809060055	50-352 R	MCNEIL,S.A.	8809210007	50-317 P
MARTIN,T.T.	8809190379	50-334 Q	MCCORMICK,M.J.	8809080112	50 352 S	MCNEILL,C.A.	8808260404	50-277 P
MARTIN,T.T.	8809190388	50-283 P	MCCORMICK,R.D.	8809070091*	50-425 Q	MCROBERTS,D.C.	8809140204	50 277 Q
MARTIN,T.T.	8809200330	50-286 Q	MCCOY,F.R.	8808260076	50-327 Q	MEACHAM,J.	8808300214	50-288 Q
MARTIN,T.T.	8809230180	50-271 Q	MCCOY,F.R.	8808300270	50-259 F	MEACHAM,J.	8809150097	50-288 Q
MARTIN,T.T.	8808260002	50-309 Q	MCCOY,F.R.	8808310238	50-327 Q	MEALE,B.M.	8809220097	NUREG
MARTIN,T.T.	8809260223	50-293 Q	MCCOY,F.R.	8809010148	50-327 Q	MEBANE,D.C.	8809300124	50-305 H
MARUYAMA,T.	8808260062	XPORTLIC	MCCOY,F.R.	8809010153*	50-327 Q	MECREDY,R.C.	8809010097	50-244 Q
MARUYAMA,T.	8808260097*	XPORTLIC	MCCOY,F.R.	8809120149	50-259 Q	MECREDY,R.C.	8809010108	50-244 Q
MARUYAMA,T.	8808290265	XPORTLIC	MCCOY,F.R.	8809120149	50 259 Q	MECREDY,R.C.	8809010236	50-244 Q
MARUYAMA,T.	8808290268*	XPORTLIC	MCCOY,F.R.	8809200223	50 327 V	MECREDY,R.C.	8809080175	50 244 Q
MASNIK,M.T.	8808290003	50-320 V	MCCOY,F.R.	8809230104	50-259 F	MECREDY,R.C.	8809080296	50 244 S
MASNIK,M.T.	8809080381	50-320 V	MCCOY,F.R.	8809230144	50-327 Q	MECREDY,R.C.	8809140105	50-244 S
MASNIK,M.T.	8809270162	50-320 P	MCCOY,F.R.	8809260035	50-259 Q	MECREDY,R.C.	8809150015	50-244 S
MASNYK,O.M.	8808260519*	50-335 Q	MCCOY,F.R.	8809260038*	50-259 Q	MECREDY,R.C.	8809190231	50-244 Q
MASNYK,O.M.	8809060262*	50-289 Q	MCCOY,F.R.	8809260189	50-390 Q	MECREDY,R.C.	8809220062	50-244 Q
MATHER,R.P.	8809020012	50-277 G	MCCOY,F.R.	8809260234	50-327 Q	MEDFORD,M.O.	8808310045	50-206 P
MATHER,R.P.	8809020022*	50-277 G	MCCOY,F.R.	8809260265	50-327 Q	MEDFORD,M.O.	8809010016	50-206 P
MATHEW,R.K.	8809220311*	50-220 Q	MCCOY,F.R.	8809260268	50 259 Q	MEDFORD,M.O.	8809010378	50-361 P
MATHIS,J.L.	8809070380*	50-416 Q	MCCRORY,S.L.	8809190226*	50-285 V	MEDFORD,M.O.	8809020259	50-206 Q
MATTHEWS,D.B.	8808260037*	50-369 P	MCDONALD,D.G.	8809140345	50-293 P	MEDFORD,M.O.	8809070519	50-362 Q
MATTHEWS,D.B.	8808260377	50-413 F	MCDONALD,D.G.	8809140404	50-293 P	MEDFORD,M.O.	8809150197	50-206 Q
MATTHEWS,D.B.	8808260383	50-269 P	MCDONALD,D.G.	8809260140	50-283 P	MEDFORD,M.O.	8809150214	50-361 P
MATTHEWS,D.B.	8808300205*	50-424 P	MCDONALD,R.P.	8808290299	50-321 F	MEDFORD,M.O.	8809190285	50-206 Q
MATTHEWS,D.B.	8809130135*	50-413 P	MCDONALD,R.P.	8808290344	50-424 F	MEDFORD,M.O.	8809260055	50-206 Q
MATTHEWS,D.B.	8809160276*	50-321 P	MCDONALD,R.P.	8808300019	50-425 J	MEDFORD,M.O.	8809260171	50-206 Q
MATTHEWS,D.B.	8809160283*	50-321 P	MCDONALD,R.P.	8808300052	50-424 S	MEEHAN,B.	8809060330	CONTRACT
MATTHEWS,D.B.	8809190146*	50-369 P	MCDONALD,R.P.	8808300120	50-321 Q	MEEHAN,B.	8809130380	CONTRACT
MATTHEWS,D.B.	8809220111*	50-424 P	MCDONALD,R.P.	8808310146	50-321 Q	MEEHAN,B.	8809200378	CONTRACT
MATTHEWS,D.B.	8809220132*	50-269 P	MCDONALD,R.P.	8809010176	50-424 S	MEEHAN,B.	8809210198	CONTRACT

PERSONAL AUTHOR INDEX 297

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MEEHAN,B	8809260330	CONTRACT	MILTENBERGER,S	8809080073	50-272 Q	MORRIS,K J.	8809160174	50-285 F
MEEHAN,B	8809270085	CONTRACT	MILTENBERGER,S	8809190272	50-272 Q	MORRIS,K J.	8809200237	50-285 R
MEEHAN,B	8809270106	CONTRACT	MILTENBERGER,S	8809190282	50-272 P	MORRIS,K J.	8809210140	50-285 S
MEIER,C.G	8809200344*	REVIEW GR P	MILTENBERGER,S	8809190383	50-272 P	MORRIS,K J.	8809210145	50-285 S
MELFI,J.F.	8809200089*	50-344 Q	MILTENBERGER,S	8809200256	50-354 Q	MORRIS,K J.	8809210181	50-285 F
MELLEN,L.S.	8809130034*	50-413 Q	MILTENBERGER,S	8809220020	50-354 Q	MORRIS,K J.	8809260348	50-285 S
MELONE,C.A	8808310037	50-457 S	MINOGUE,P.B.	8809130314*	PR	MORRIS,K J.	8809270073	50-285 F
MENDLER,O.J.	8809070049*	50-327 P	MIRAGLIA,F.J.	8808120294	50-3	MORRIS,P.A.	8809090283*	50-275 P
MENDOCIA,M.	8809140148	50-275 S	MIZNER,J.H.	8809230081	50-443 G	MORRIS,P.L.	8809260230*	50-282 P
MENDONCA,M.M.	8809200076*	50-344 Q	MOELLER,D.W.	8809210189	ADVCM	MORROW,M.C.	8809260340	50-261 F
MENGERS,C.A	8808260001	50-352 S	MOELLER,D.W.	8809220181	ADVCM	MORZENTI,S.P.	8809060215	40 8857
MENGERS,C.A.	8808310035	50-352 S	MOFFATT,L.W.	8808310042	50-302 S	MOSER,T.A.	8809150161*	50-483 R
MENGERS,C.A.	8809130280	50-352 S	MOFFATT,L.W.	8809080076	50-302 S	MOUNT,D.K.	8809230266*	REVIEW GR P
MENGERS,C.A.	8809140378	50-352 S	MOFFATT,L.W.	8809080089	50-302 S	MOZAFARI,B.	8809150247	50-324 P
MENGERS,C.A.	8809200093	50-352 S	MOFFATT,L.W.	8809230107	50-302 S	MROCKZKA,E.J.	8804260267	50-245 F
MENNING,J.E.	8809140276*	50-321 Q	MOHRBACHER,J.A.	8809200385	71 9029	MROCKZKA,E.J.	8804250267	50-245 F
MERRILL,A.	8808260099	50-354 S	MOLES,K.J.	8809260014*	50-482 F	MROCKZKA,E.J.	8808260372	50-336 P
MERRILL,A.	8809060251	50-354 S	MONTGOMERY,J.L.	8808300330	50-526 F	MROCKZKA,E.J.	8809260372	50-336 P
MERRILL,A.	8809060300	50-354 F	MONTGOMERY,J.L.	8809210034	70-764	MROCKZKA,E.J.	8809290333	50-213 P
MERRILL,C.	8808300214	50-298 F	MONTGOMERY,J.L.	8809210164	70-734	MROCKZKA,E.J.	8809290333	50-213 P
MERRILL,C	8809150097	50-298 F	MOONEY,J.	8808290311	WASTE MGT	MROCKZKA,E.J.	8809310064	50-423 P
METZ,H.L.	8809130072	50-277 Q	MOONEY,J.L.	8809300005	71-496	MROCKZKA,E.J.	8809310064	50-423 P
MEYER,R.E.	8809190027	WASTE RES	MOORE,J.E.	8809080371	WASTE MGT	MROCKZKA,E.J.	8808310171	50-245 P
MEYER,T.A.	8809080410*	50-244 F	MOORE,J.E.	8809020111	50-445 G	MROCKZKA,E.J.	8808310171	50-245 P
MEYERS,W.G.	8809260124*	WASTE MGT	MOORE,R.L.	8809210095*	50-482 Q	MROCKZKA,E.J.	8809010386	50-213 F
MICHAELS,T.S.	8809190287	50-134 P	MORAN,D.H.	8809130088	50-260 P	MROCKZKA,E.J.	8809010386	50-213 F
MICHAUD,P.W.	8809020201*	50-382 Q	MOREY,D.N.	8809220061	50-364 R	MROCKZKA,E.J.	8809020155	50-245 F
MICHAUD,P.W.	8809070274*	50-267 Q	MOREY,D.N.	8809220055	50-346 R	MROCKZKA,E.J.	8809020155	50-245 F
MIDDAUGH,J.M.	8809010372*	50-265 P	MORGAN,H.E.	8808260340	50-206 R	MROCKZKA,E.J.	8809020216	50-245 Q
MIDDLETON,L.L.	8809200095	50-277 R	MORGAN,H.E.	8809300216	50-361 Q	MROCKZKA,E.J.	8809020216	50-245 Q
MIEDLAR,K.	8808310159	50-295 S	MORGAN,H.E.	8808300281	50-206 S	MROCKZKA,E.J.	8809020221	50-336 P
MILANO,P.D.	8809020225	50-498 P	MORGAN,H.E.	8809020185	50-206 R	MROCKZKA,E.J.	8809020221	50-336 P
MILANO,P.D.	8809060398	50-285 P	MORGAN,H.E.	8809070008	50-206 S	MROCKZKA,E.J.	8809020239	50-336 P
MILHOAN,J.L.	8809140327*	50-267 Q	MORGAN,H.E.	8809070558	50-206 S	MROCKZKA,E.J.	8809020239	50-336 P
MILLER,C.L.	8808300092	ORG	MORGAN,H.E.	8809070567	50-381 S	MROCKZKA,E.J.	8809060001	50-245 R
MILLER,C.L.	8809160315	50-601 R	MORGAN,H.E.	8809080063	50-206 F	MROCKZKA,E.J.	8809060001	50-245 R
MILLER,C.L.	8809220292	STATE PRO G	MORGAN,H.E.	8809080089	50-361 S	MROCKZKA,E.J.	8809080053	50-213 R
MILLER,C.S.	8809220086	NUREG	MORGAN,H.E.	8809080156	50-362 Q	MROCKZKA,E.J.	8809080053	50-213 R
MILLER,D.B.	8809140315	50-213 S	MORGAN,H.E.	8809080161	50-361 S	MROCKZKA,E.J.	8809080072	50-213 Q
MILLER,D.B.	8809190126	50-213 S	MORGAN,H.E.	8809090134	50-362 S	MROCKZKA,E.J.	8809070067	50-213 Q
MILLER,D.B.	8809220120	50-213 R	MORGAN,H.E.	8809130021	50-206 S	MROCKZKA,E.J.	8809070087	50-213 Q
MILLER,D.E.	8809190345*	50-454 Q	MORGAN,H.E.	8809140088	50-361 S	MROCKZKA,E.J.	8809070346	50-245 P
MILLER,D.E.	8809220189*	REVIEW GR P	MORGAN,H.E.	8809140097	50-362 S	MROCKZKA,E.J.	8809070346	50-245 P
MILLER,D.E.	8809220190*	REVIEW GR P	MORGAN,H.E.	8809140217	50-361 F	MROCKZKA,E.J.	8809070490	50-336 P
MILLER,D.E.	8809220203*	REVIEW GR P	MORGAN,H.E.	8809150021	50-362 F	MROCKZKA,E.J.	8809070490	50-336 P
MILLER,D.E.	8809220205*	REVIEW GR P	MORGAN,H.E.	8809150243	50-206 S	MROCKZKA,E.J.	8809070544	50-336 P
MILLER,D.E.	8809220252*	REVIEW GR P	MORGAN,H.E.	8809200146	50-206 R	MROCKZKA,E.J.	8809070544	50-336 P
MILLER,D.E.	8809220260*	REVIEW GR P	MORGAN,H.E.	8809200174	50-361 S	MROCKZKA,E.J.	8809070545	50-213 F
MILLER,D.E.	8809220268*	REVIEW GR P	MORGAN,H.E.	8809200180	50-361 S	MROCKZKA,E.J.	8809070545	50-213 F
MILLER,D.E.	8809220271*	REVIEW GR P	MORGAN,H.E.	8809200257	50-361 R	MROCKZKA,E.J.	8809070553	50-213 P
MILLER,D.W.	8809130061	50-461 S	MORGAN,H.E.	8809210008	50-206 R	MROCKZKA,E.J.	8809070553	50-213 P
MILLER,F.L.	8809290028	40-7455	MORGAN,H.E.	8809210016	50-362 S	MROCKZKA,E.J.	8809080145	50-213 P
MILLER,G.D.	8809060229	50-297 R	MORGAN,H.E.	8809230041	50-361 R	MROCKZKA,E.J.	8809080145	50-213 P
MILLER,G.E.	8808300217	50-326 R	MORGAN,H.E.	8809260340	50-261 F	MROCKZKA,E.J.	8809130289	50-336 P
MILLER,G.K.	8808170132*	50-454 P	MORGAN,H.E.	8809080127	50-261 R	MROCKZKA,E.J.	8809130289	50-336 P
MILLER,H.J.	8809140409	50-373 Q	MORGAN,R.E.	8809060373	50-261 Q	MROCKZKA,E.J.	8809130285	50-213 Q
MILLER,H.J.	8809140415*	50-373 Q	MORGAN,R.E.	8809140300	50-261 R	MROCKZKA,E.J.	8809130285	50-213 Q
MILLER,J.	8809260308	I&E	MORGAN,R.E.	8809140301	50-261 R	MROCKZKA,E.J.	8809130285	50-213 Q
MILLER,J.H.	8808300085*	50-348 P	MORGAN,R.E.	8809190128	50-261 F	MROCKZKA,E.J.	8809140102	50-336 P
MILLER,J.H.	8808300088*	50-348 P	MORGAN,R.E.	8809190134	50-261 S	MROCKZKA,E.J.	8809140102	50-336 P
MILLER,L.D.	8809140339	50-331 S	MORGAN,R.E.	8809200103	50-261 S	MROCKZKA,E.J.	8809140149	50-423 P
MILLER,L.K.	8809140112	50-311 S	MORGAN,R.E.	8809230015	50-261 R	MROCKZKA,E.J.	8809140149	50-423 P
MILLER,L.K.	8809140180	50-272 S	MORGAN,W.E.	8808260012	50-454 Q	MROCKZKA,E.J.	8809140165	50-423 P
MILLER,L.K.	8809140243	50-311 S	MORGAN,W.E.	8809140087	50-237 P	MROCKZKA,E.J.	8809140165	50-423 P
MILLER,L.K.	8809140459	50-272 S	MORGAN,W.E.	8809160223	50-237 Q	MROCKZKA,E.J.	8809140308	50-213 Q
MILLER,L.K.	8809160202	50-311 S	MORGAN,W.E.	8809220243	50-237 Q	MROCKZKA,E.J.	8809140309	50-213 Q
MILLER,M.	8809010229	50-293 Q	MORGAN,W.E.	8809290085	50-10 P	MROCKZKA,E.J.	8809150038	50-336 P
MILLER,M.	8808200054	I&E	MORRILL,V.W.	8809080083	40-6690	MROCKZKA,E.J.	8809150038	50-336 P
MILLER,M.	8809230005	I&E	MORRIS,K.J.	8808300260	50-285 Q	MROCKZKA,E.J.	8809160125	50-213 F
MILLER,M.E.	8809210061*	WASTE MGT	MORRIS,K.J.	8808300308	50-285 S	MROCKZKA,E.J.	8809160125	50-213 F
MILLER,M.N.	8809080346*	50-424 Q	MORRIS,K.J.	8808300321	50-285 Q	MROCKZKA,E.J.	8809190082	50-245 P
MILLER,M.S.	8809120055	50-322 G	MORRIS,K.J.	8809020144	50-285 F	MROCKZKA,E.J.	8809190082	50-245 P
MILLER,M.S.	8809120055	50-322 G	MORRIS,K.J.	8809080228	50-285 P	MROCKZKA,E.J.	8809200049	50-213 Q
MILLER,M.S.	8809120055	50-322 G	MORRIS,K.J.	8809080393	50-285 P	MROCKZKA,E.J.	8809200049	50-213 Q
MILLER,M.S.	8809120055	50-322 G	MORRIS,K.J.	8809070010	50-285 P	MROCKZKA,E.J.	8809200049	50-213 Q
MILLER,M.T.	8809160201*	50-293 F	MORRIS,K.J.	8809070318	50-285 S	MROCKZKA,E.J.	8809200120	50-213 F
MILLER,M.T.	8809160205*	50-293 F	MORRIS,K.J.	8809070506	50-285 V	MROCKZKA,E.J.	8809200120	50-213 F
MILLER,V.L.	8803280273*	REVIEW GR P	MORRIS,K.J.	8809080017	50-285 P	MROCKZKA,E.J.	8809200165	50-213 J
MILLER,V.L.	8803280098*	REVIEW GR P	MORRIS,K.J.	8809080193	50-285 S	MROCKZKA,E.J.	8809200165	50-213 J
MILLER,V.L.	8809120247*	FOIA	MORRIS,K.J.	8809080218	50-285 F	MROCKZKA,E.J.	8809200166	50-213 J
MILLER,V.L.	8809200203*	REVIEW GR P	MORRIS,K.J.	8809130024	50-285 Q	MROCKZKA,E.J.	8809200177	50-336 P
MILLER,V.L.	8809200333*	REVIEW GR P	MORRIS,K.J.	8809130035	50-285 P	MROCKZKA,E.J.	8809200177	50-336 P
MILLER,V.L.	8809200379*	REVIEW GR P	MORRIS,K.J.	8809130042*	50-285 P	MROCKZKA,E.J.	8809220166	50-245 Q
MILLER,V.L.	8809230175*	REVIEW GR P	MORRIS,K.J.	8809140027	50-285 Q	MROCKZKA,E.J.	8809220166	50-245 Q
MILLER,V.L.	8809290271*	REVIEW GR P	MORRIS,K.J.	8809140074	50-285 Q	MROCKZKA,E.J.	8809230037	50-213 V
MILLER,W.H.	8808310080*	50-348 Q	MORRIS,K.J.	8809150044	50-285 S	MROCKZKA,E.J.	8809230037	50-213 V
MILTENBERGER,S.	8809070200	50-272 R	MORRIS,K.J.	8809150172	50-285 P	MROCKZKA,E.J.	8809230037	50-213 V
MILTENBERGER,S.	8809070221	50-354 R	MORRIS,K.J.	8809150176*	50-285 P	MROCKZKA,E.J.	8809230070	50-213 P

298 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MROCKA,E J	8809230070	50-213 P	NADER,G	8809200055	50-341 S	OLSHAN,L	8809270009	50 454 P
MROCKA,E J	8809290166	50 245 F	NADER,G	8809260072	50 341 S	OLSHAN,L M.	8808260429	50 454 P
MULDER,R U	8809190398	50-396 P	NAGAI,Y	8808260105	50-219 P	OLSHAN,L N	8808260355	50 454 P
MULLAUER,J	8809220030*	REVIEW GR P	NAGAI,Y	8809060355	50-219 P	OLSHAN,L N	8808290136*	50 461 P
MULLAUER,J	8809220047*	REVIEW GR P	NAIK,J A	8808310132	50-327 S	OLSHAN,L N	8809160237	50 454 Q
MULLAUER,J	8809220075*	REVIEW GR P	NALEPKA,D S	8808310186	50-305 S	OLSHAN,L N	8809260160	50 454 P
MULLAUER,J	8809220109*	REVIEW GR P	NALEZNY,C L	8808170132*	50 454 P	ORDERS,W	8808300240*	50 369 Q
MULLAUER,J	8809220119*	REVIEW GR P	NARBUT,P	8809140148	50-275 S	ORDERS,W	8809200209*	50-369 Q
MULLAUER,J	8809220123*	REVIEW GR P	NARDONE,P	8809140425	50 443 R	ORSER,W S	8808300040	50-341 S
MULLAUER,J	8809220180*	REVIEW GR P	NASH,D A	8809090161*	PR	ORSER,W S	8805310210	50-341 S
MULLAUER,J	8809220246*	REVIEW GR P	NASH,J D	8809230161	PR	ORSER,W S	8808310213	50-341 S
MULLAUER,J	8809280165*	REVIEW GR P	NASOLA,L	8809130027*	PROJ	ORSER,W S	8809070444	50-341 S
MULLER,D R	8808260442*	50-454 P	NEIGHBORS,J D	8705280381*	50 410 P	ORSER,W S	8809200011	50-341 R
MULLER,D R	8808290095*	50-461 P	NEIGHBORS,J D	8809010101	50 286 P	ORSER,W S	8808200016	50-341 S
MULLER,D R	8808290152*	50-461 P	NEIGHBORS,J D	8809010357	50 286 P	ORSER,W S	8809200055	50-341 S
MULLER,D R	8809020166*	50 237 P	NEIGHBORS,J D	8809120231	50 286 P	ORSER,W S	8809260072	50-341 S
MULLER,D R	8809060146*	50 461 P	NEIGHBORS,J D	8809150139	50 286 P	ORSER,W S	8809260314	50 16 P
MULLER,D R	8809060353*	50 373 P	NEIGHBORS,J D	8809160171	50 286 P	OSBORN,T G	8809060066	40 8904
MULLER,D R	8809080199*	50 461 P	NEIGHBORS,J D	8809160186	50 286 P	OSBORN,T G	8809060382	40 8904
MULLER,D R	8809080225	50 237 P	NEIGHBORS,J D	8809190343	50-286 P	OSBORN,T G	8809140369	40 8904
MULLER,D R	8809120098*	50-373 P	NEITZEL,D A	8809220089	NUREG	OSBORN,T G	8809160223	40 8904
MULLER,D R	8809140273	50-237 P	NEJFELT,G M	8809070336*	50 341 V	OWEN,J W	8809070444	50-341 S
MULLER,D R	8809190039*	50-373 P	NELSON,D	8808300240*	50 369 Q	OWEN,W H.	8809160257*	REVIEW GR P
MULLER,D R	8809210052*	50 461 P	NELSON,D	8809200209*	50 369 Q	PACKARD,G C.	8809150169	50-255 R
MULLER,D R	8809210068*	50-461 P	NELSON,J M.	8809090061	FOIA	PAGE,M.	8809210141	CONTRACT
MULLETT,D J	8809020068	50 271 G	NERSES,V.	8809020105	50 443 P	PAGE,M	8809210220	CONTRACT
MULLETT,D J	8809120013	50 271 G	NETSKI,C M	8809210004*	50 443 G	PAGE,M.	8809230048	CONTRACT
MUNRO,J F.	8809070283*	50 259 V	NETSKI,C M	8809210004*	50 443 G	PAGE,M	8809270075	CONTRACT
MUNSON,S C	8809220215	40 2061	NETSKI,C M.	8809210006*	50 443 G	PAGE,M	8809270091	CONTRACT
MURLEY,T E	8706180388*	50 323 Q	NETSKI,C M.	8809210006*	50 443 G	PALLADINO	8809210054*	WASTE MGT
MURLEY,T E	8711050137*	REVIEW GR P	NEVLING,R E.	8809070174	50 219 F	PALLADINO,N J.	8809090119*	50-275 P
MURLEY,T E	871100236*	REVIEW GR P	NEWACHECK,R L.	8809160273	50-228 F	PALLADINO,N J	8809090123*	50 275 P
MURLEY,T E	8712100389*	FOIA	NEWBURGH,G	8809220110	50-248 R	PALLADINO,N J	8809090128*	50 275 P
MURLEY,T E	8712210174*	REVIEW GR P	NEWSOME,R W.	8809130124*	50-335 Q	PALLADINO,N J	8809090131*	50 275 P
MURLEY,T E	8801070083*	REVIEW GR P	NEWTON,R A	8809270049	TOPREP	PAPANIC,G.	8809070184	50 29 P
MURLEY,T E	8802250336*	REVIEW GR P	NEWTON,T H	8809090025	50-134 V	PAPANIC,G.	8809190068	50 29 V
MURLEY,T E	8803020137*	REVIEW GR P	NICHOLAS,J B	8808300030*	50-313 Q	PAPANIC,G	8809270012	50 29 R
MURLEY,T E	8804010083*	FOIA	NICHOLSON,L E	8808280073*	50-280 Q	PAPANIC,G	8809270040	50 29 F
MURLEY,T E	8808030350	ORG	NICHOLSON,L E	8809140384*	50-280 Q	PAPANIC,G	8809270038	50 29 P
MURLEY,T E	8808260352	50 462 P	NICOLSI,S L	8808220058	NUREG	PAPERIELLO,C J	8809260351	50-265 Q
MURLEY,T E	8808260446	50 271 P	NIEVES,L A	8808280245	NUREG	PAQUETTE,J F	8809130057	50-277 Q
MURLEY,T E	8809010318	PROJ	NIMITZ,C S	8809010583*	50 309 Q	PAQUIN,P L	8809130270	71-9108
MURLEY,T E	8809010320	50-213 P	NITTSKOFF,A.	8809210098*	REVIEW GR P	PARCE,M V	8809260030*	50-312 P
MURLEY,T E	8809020130	ORG	NOONAN,T P	8808300282	50 412 S	PARIS,O H.	8809020086	50-320 G
MURLEY,T E	8809020214	50-374 P	NOONAN,T P	88090300320	50 412 S	PARK,J F	8809060245	NUREG
MURLEY,T E	8809020216*	50-374 P	NOONAN,V S.	8809090141*	50-261 Q	PARKHILL,R W	8809230229*	50-285 Q
MURLEY,T E	8809060321*	50 482 P	NORELIUS,C E	8809290135	50 255 P	PARKINSON,K L.	8808260387*	50-282 Q
MURLEY,T E	8809060324*	50-482 P	NORELIUS,C E	8809120042	50 481 F	PARLER,W C.	8809160070*	REVIEW GR P
MURLEY,T E	8809120024	ORG	NORELIUS,C E	8809190362	50 481 P	PARLER,W C.	8809300088*	FOIA
MURLEY,T E	8809120217*	FOIA	NORRHOLM,L J	8809260095*	50 298 Q	PARRISH,M	8809310040*	50-254 V
MURLEY,T E	8809130113	ORG	NORRIS,B S	8809160147*	50 272 V	PARRISH,R	8809160104*	50 293 Q
MURLEY,T E	8809130120	ORG	NORRY,P G.	8809120252*	PR	PARTLOW,J G.	8809160113	50 390 Q
MURLEY,T E	8809130327	ORG	NORTH,P J	8809160280	50 269 S	PARTLOW,J G.	8809160118*	50 390 Q
MURLEY,T E	8809160074*	REVIEW GR P	NOVAK,T M.	8804050449*	50 410 P	PARTLOW,J G.	8809190058	50-327 P
MURLEY,T E	8809160119*	REVIEW GR P	NUSSBAUMER,D A	8809190223*	REVIEW GR P	PARTLOW,J G	8809220037	50-259 P
MURLEY,T E	8809160178*	REVIEW GR P	NUSSBAUMER,D A.	8809190365*	REVIEW GR P	PASCIAK,W.	8809010037	70-1100
MURLEY,T E	8809190035*	REVIEW GR P	NUSSBAUMER,D A.	8809200062*	REVIEW GR P	PASCIAK,W J	8808260426*	70 887
MURLEY,T E	8809190273*	50-134 P	NUSSBAUMER,D A.	8809200284*	REVIEW GR P	PASCIAK,W J.	8809220306*	50-247 Q
MURLEY,T E	8809260057	50-368 P	NUSSBAUMER,D A.	8809200312*	REVIEW GR P	PASCIAK,W J	8809220322*	50-283 Q
MURPHY,G A	8809210255*	50-327 P	NUSSBAUMER,D A.	8809200339*	REVIEW GR P	PASCIAK,W J.	8809230002*	50-387 Q
MURPHY,J A	8809200230*	50-313 Q	NYKEIL,A W.	8809260219	50-295 F	PASCIAK,W J.	8809230004*	50-28 Q
MURPHY,J J	8809200164	50 352 R	O'CONNOR,P W	8808260090	50 482 F	PASTIS,H N	8809010203	50-289 P
MURPHY,M E	8809060380*	50 498 Q	O'CONNOR,P W	8808260390	50-482 P	PASTIS,H N	8809220129	50-269 P
MURPHY,W P	8809070447	50 271 Q	O'CONNOR,P W.	8808260600	50-482 P	PASTVA,M J.	8809310203	50-324 S
MURPHY,W P.	8809140151	50 271 Q	O'CONNOR,P W.	8809060386	50 482 P	PASTVA,M J.	8809310206	50-324 S
MURPHY,W P.	8809140158	50-271 R	O'CONNOR,P W.	8809130106	50-298 P	PASTVA,M J.	8809010012	50-324 S
MURPHY,W P	8809210014	50-271 Q	O'CONNOR,P W	8809140278	50-482 P	PASTVA,M J	8809070529	50 325 S
MURRAY,B.	8809230059	50-285 F	O'CONNOR,P W.	8809140282	50 482 P	PASTVA,M J.	8809080071	50 324 S
MURRELL,J O	8809210114*	REVIEW GR P	O'MARA,R E	8809230132	PR	PASTVA,M J.	8809160271	50 325 S
MUSOLF,D	8808260094*	50-263 P	O'REILLY,J P.	8809090109*	50 261 S	PASTVA,M J.	8809160284	50 325 S
MUSOLF,D	8808260491	71-9208	O'REILLY,J P.	8809090172*	50 324 Q	PATE,B W.	8808290140*	50-259 P
MUSOLF,D	8808260499	71-9224	O'REILLY,J P.	8809090213*	50 259 Q	PATE,B W.	8808290147*	50-259 P
MUSOLF,D.	8808310038	50-263 P	OELKERS,E	8809230271*	WASTE MGT	PATE,B W.	8808290148*	50-259 P
MUSOLF,D.	8809010185	50 263 P	OGG,W W.	8809220190*	REVIEW GR P	PATE,B W.	8808290149*	50-259 P
MUSOLF,D.	8809010262	50 263 P	OGG,W W.	8809220203*	REVIEW GR P	PATE,B W.	8808290153*	50-259 P
MUSOLF,D	8809010279	50 263 P	OGG,W W.	8809220205*	REVIEW GR P	PATE,R J	8808300170	50-528 Q
MUSOLF,D.	8809080358	50 263 P	OGG,W W.	8809220252*	REVIEW GR P	PATE,R J.	8809060281	50-508 Q
MUSOLF,D	8809080372*	50-263 P	OGG,W W.	8809220253*	REVIEW GR P	PATE,R J.	8809070264	50-529 V
MUSOLF,D.	8809140109	50-263 P	OGG,W W.	8809220260*	REVIEW GR P	PATE,R J.	8809080163	50-508 Q
MUSOLF,D	8809140117*	50 263 P	OGG,W W.	8809220262*	REVIEW GR P	PATE,R J.	8809080167*	50-508 Q
MUSOLF,D	8809200188	50-282 Q	OGG,W W.	8809220268*	REVIEW GR P	PATE,R J	8809140262	50-312 V
MUSOLF,D.	8809220079	50-282 R	OLMSTEAD,C A	8808290002	50-344 S	PATE,R J.	8809150138	50-206 V
MUSOLF,D	8809220085	50-263 R	OLMSTEAD,C A	8808310007	50-344 F	PATE,R J.	8809160038	50 361 Q
MUSOLF,D.	8809260231	50-282 P	OLMSTEAD,C A.	8808310163	50-344 S	PATE,R J.	8809200084	50 344 Q
MYERS,H.	8809230091	50-327 P	OLMSTEAD,C A.	8809010280	50-344 F	PATRICK,W.C.	8809230271*	WASTE MGT
MYRABO,A L	8809220085	50-263 R	OLMSTEAD,C A	8809150186	50-344 R	PATTERSON,J.	8809190352*	50-315 Q
NADER,G.	8808260449	50-341 S	OLMSTEAD,C A.	8808270050	50-344 S	PATTERSON,J W.	8809220017*	REVIEW GR P
NADER,G	8808300040	50-341 S	OLSEN,T T	8809200025	40-1341	PATTERSON,J W	8809220171*	REVIEW GR P

PERSONAL AUTHOR INDEX 299

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PATTERSON, J W	8809220175*	REVIEW GR P	PETTENGILL, H J	8809200281	40-1162	QUERIO, R E	8808260141	50-456 S
PATTON, J D	8809060085	40-8102	PETTENGILL, H J	8809200341	40-8584	QUERIO, R E	8808260243	50-456 S
PAUL, R A	8809190345*	50-454 Q	PFENDER, F. J.	8809130237	50-277 Q	QUERIO, R E	8808300057	50-456 R
PAULK, C	8808300315*	50-416 Q	PHIFER, T K	8809260201	50-328 S	QUERIO, R E	8808300213	50-456 S
PAULK, G.	8809070063*	50-335 Q	PHILLIPS, H S	8809090108*	50-445 Q	QUERIO, R E	8808310037	50-457 S
PAULK, G. L.	8809260043*	50-259 Q	PHILLIPS, M P	8809230142*	50-155 Q	QUERIO, R E	8809010184	50-456 R
PAULSON, W A	8808290326	50-458 P	PHILLIS, M T.	8809150245	FOIA	QUERIO, R E	8809090043	50-456 S
PAULSON, W A	8808300144	50-458 P	PICCONI, J	8808260253	70-1500	QUERIO, R E	8809090083	50-457 S
PAULSON, W A	8809010248	50-458 P	PICCONI, J	8809200054	I&E	QUERIO, R E	8809090096	50-457 S
PAULSON, W A	8809020207	50-458 P	PICCONI, J	8809230005	I&E	QUERIO, R E	8809180208	50-456 R
PAULSON, W A	8809020218	50-458 P	PICK, G A.	8809060332*	50-482 Q	QUINN, D	8809260347*	50-286 F
PAULSON, W A	8809060400	50-458 P	PIEPER, W O	8809130216	50-277 Q	QUINN, G J.	8808290060	71-9218
PAULSON, W A	8809070179	50-458 P	PIERCE, R N	8809010122	WASTE MGT	QUINN, G J.	8809140234	71-9218
PAULSON, W A	8809140408	50-458 S	PLIMMER, D F	8809130025	50-206 Q	RADIN, A	8808300084*	COMMISSION
PAULSON, W A	8809260042	50-458 P	PLAUGHER, L D	8809260209*	REVIEW GR P	RAGAN, H A	8809080245	NUREG
PEEBLES, T.	8809230115	50-207 S	PLENIOWICZ, R	8808310084	50-454 S	RAMEY, D P.	8809220240*	50-397 Q
PEEBLES, T A.	8808300326	50-369 Q	PLENIOWICZ, R	8808310093	50-455 S	RANDALL, J D	8809260092	WASTE MGT
PEEBLES, T A.	8809010155*	50-269 Q	PLENIOWICZ, R	8809010002	50-454 R	RANEY, R G	8809210198*	WASTE RES
PEEBLES, T A.	8809010174*	50-413 Q	PLENIOWICZ, R	8809140048	50-454 S	RANGE, D M	8809070074	40-8084
PEEBLES, T A.	8809070077*	50-269 Q	PLENIOWICZ, R	8809140055	50-454 S	RANIERI, E	8809290284*	REVIEW GR P
PEEBLES, T A.	8809200209*	50-369 Q	PLENIOWICZ, R	8809180247	50-454 R	RAPP, C.	8809070116*	50-369 V
PELCHAT, J	8809300021*	REVIEW GR P	PLENIOWICZ, R	8809200221	50-455 S	RATLIFF, S A	8808290318*	50-259 R
PELOCHAT, J	8809230006	I&E	PLESSET, M S	8102200367*	WASTE MGT	RATLIFF, S A	8808290322*	50-259 R
PELIZZA, M S	8809070033	40-8968	PLIM, G J.	8808300049	50-295 R	RATLIFF, S A	8808290325*	50-259 R
PELIZZA, M S.	8809070331	40-8968	PLIM, G J.	8808310003	50-295 R	RATLIFF, S A	8808290329*	50-259 R
PELLET, J L.	8808260114*	50-458 V	PLIM, G J.	8808310159	50-295 S	RATLIFF, S A.	8808290330*	50-259 R
PELLET, J L	8809190226*	50-285 V	PLIM, G J.	8809140069	50-295 R	RATLIFF, S A	8808290331*	50-259 R
PELLETIER, J P.	8808290117	50-271 F	PLIM, G J.	8809140378	50-304 S	RATLIFF, S A	8808290332*	50-259 R
PELLETIER, J P.	8809070329	50-271 S	PLOSKI, T J	8808290293*	50-263 Q	RATLIFF, S A	8808290334*	50-259 R
PENDERGAST, J	8808310210	50-341 S	PLOSTZ, D K.	8808290101*	PROJ	RATLIFF, S A	8808290335*	50-259 R
PENDERGAST, J	8808310213	50-341 S	POHLE, J A	8808010074	WASTE RES	RATLIFF, S A	8808290336*	50-259 R
PENNINGTON, S	8809080279	40-7102	POLARD, A O.	8809010141	50-400 R	RATLIFF, S A	8808290337*	50-259 R
PENNINGTON, W S	8809150136	40-8027	POLICH, T	8809070448	50-528 S	RATLIFF, S A.	8808290338*	50-259 R
PENTZ, D C	8808300339*	50-331 P	POLIN, A W	8808290192*	50-382 Q	RATLIFF, S A.	8808290339*	50-259 R
PENTZ, D C	8809120111*	50-461 P	POLIS, T	8809010199	50-322 R	RATLIFF, S A.	8808290340*	50-259 R
PEPPER, S E	8809060195	NUREG	POLIST	8809180299	50-322 R	RATLIFF, S A	8808290343*	50-259 R
PERKINS, K E	8808260358*	50-346 P	POLLACK, M J	8808300112	50-311 S	RATLIFF, S A	8808290346*	50-259 R
PERKINS, K E.	8808300114*	50-346 P	POLLACK, M J.	8809140189	50-272 S	RATLIFF, S A.	8808290347*	50-259 R
PERKINS, K E.	8809150258*	50-346 P	POLLARD, R D	8809210020*	50-443 G	RATLIFF, S A.	8808290348*	50-259 R
PERKINS, K E.	8809180005*	50-346 P	POLLYCOVE, M	8809020135	PR	RATLIFF, S A.	8808290350*	50-259 R
PERKINS, K E.	8809220259	50-331 P	POLZER, W L	8809220040	NUREG	RATONDO, M	8809160136	50-341 F
PERKINS, K R	8809060147	NUREG	POMREHN, H P.	8809140021*	50-259 V	RATTA, A D	8808260348*	70-371
PERKINS, K R.	8809060157	NUREG	PORTER, S C.	8809010359	50-271 F	RAY, M J	8808300084	50-327 Q
PERKINS, K R.	8809060174	NUREG	POSTON, J W.	8808250083*	50-128 Q	RAY, M J	8809080812	50-260 P
PERKINS, K R.	8809060181	NUREG	POULTON, B R.	8809010214	50-297 P	RAY, M J.	8809260343	50-327 P
PERKINS, K R.	8809060193	NUREG	POWERS, C M.	8809010199	50-397 R	REAP, M E	8809120036	50-313 G
PERKINS, T J	8809260187	50-410 P	POWERS, C M.	8809080009	50-397 R	REAVEAU, B K	8809060180	40-8084
PERKINS, T J.	8809070080	50-410 R	POWERS, C M.	8809080163	50-397 S	REAVIS, J	8808260256	50-269 K
PERKINS, T J.	8809080189	50-410 S	POWERS, C M.	8809080305	50-397 S	REAVIS, J A	8809200293	50-269 R
PERKINS, T J.	8809080204	50-410 S	POWERS, C M.	8809080315	50-397 S	REAVIS, J A	8809200317*	50-413 R
PERKINS, T J.	8809130149	50-410 P	PRATT, W T.	8809160197	50-397 R	REAVIS, J A.	8809200318*	50-413 R
PERKINS, T J.	8809140310	50-410 V	PRATT, W T.	8809060147	NUREG	REAVIS, J A.	8809200320*	50-369 R
PERKINS, T J.	8809140464	50-220 V	PRATT, W T.	8809060157	NUREG	REAVIS, J A.	8809200322*	50-369 R
PERKINS, T J.	8809140471	50-220 P	PRATT, W T.	8809060174	NUREG	REBUCK, E.	8809060052	40-8968
PERKINS, T J.	8809150312	50-410 Q	PRATT, W T.	8809060181	NUREG	REED, C	8808310167	50-373 Q
PERNY, C.	8808310078*	50-424 Q	PRATT, W T.	8809060193	NUREG	REEVES, D L	8809260005	50-288 S
PETERSEN, J B	8808310222*	50-263 R	PRENDERGAST, K	8809150278	NUREG	REEVES, E A	8808260113	50-348 P
PETERSEN, C H.	8809200086	WASTE MGT	PRENDERGAST, K.	8809210036*	70-754	REEVES, E A.	8809300007	50-348 P
PETERSEN, G C	8808260473	50-295 F	PRENDERGAST, K.	8809220136*	60-912 Q	REEVES, E A.	8808300223	50-348 Q
PETERSEN, G C.	8809260338	50-322 F	PRESCOTT, P J	8809210095*	60-482 Q	REEVES, E A.	8809060278	50-364 P
PETERSON, J.	8809160262*	REVIEW GR P	PRESS, S H.	8809120007	60-271 G	REEVES, E A.	8809060374	50-348 Q
PETERSON, M R.	8808260137*	XPORTLIC	PRESS, S H.	8809120011	60-271 G	REEVES, S R	8809130027*	PROJ
PETERSON, M R.	8808260206	XPORTLIC	PRESTHOLT, P T.	8712100255	WASTE MGT	REHM, T A.	8809160222*	FOIA
PETERSON, M R.	8808260224	XPORTLIC	PRESTHOLT, P T.	8808200272	WASTE MGT	REID, D A	8809260143	50-271 G
PETERSON, M R.	8808290166	XPORTLIC	PRESTHOLT, P T	8809060084	WASTE MGT	REIS, E J.	8809140051	50-322 G
PETERSON, M R.	8808300165	XPORTLIC	PRESTHOLT, P T	8809090197	WASTE MGT	REIS, E J.	8809140152	50-322 G
PETERSON, M R.	8808300170	XPORTLIC	PRESTHOLT, P T	8809090221	WASTE MGT	REIS, T	8808300008*	50-285 Q
PETERSON, M R.	8808300266	XPORTLIC	PRESTHOLT, P T.	8809120125	WASTE MGT	REMICK, F J	8809210044*	WASTE MGT
PETERSON, M R.	8809080162	XPORTLIC	PRESTHOLT, P T.	8809120129*	WASTE MGT	REMICK, F J	8809210089*	WASTE MGT
PETERSON, M R.	8809090201	XPORTLIC	PRESTHOLT, P T	8809200029	WASTE MGT	REMLEY, M E	8809120146	70-25
PETERSON, M R.	8809130318	XPORTLIC	PRESTHOLT, P T	8809200033*	WASTE MGT	RESCHESKE, P R	8809230142*	50-155 Q
PETERSON, M R.	8809190049	XPORTLIC	PRESTHOLT, P T	8808200113	WASTE MGT	RESNER, M E.	8810040246*	FOIA
PETERSON, M R.	8809190103	XPORTLIC	PRESTHOLT, P T.	8809220135	WASTE MGT	RESSLER, W C	8808290307	50-289 R
PETERSON, M R.	8809190112	XPORTLIC	PRESTON, B A	8808260402	50-272 Q	REYES, L A	8808260007	50-400 Q
PETERSON, M R.	8809190234	XPORTLIC	PRESTON, B A.	8809070559	50-272 H	REYES, L A	8809070005	50-280 Q
PETERSON, M R.	8809190241	XPORTLIC	PRESTON, B A.	8809210159	50-272 P	REYES, L A.	8809070297	50-348 Q
PETERSON, M R.	8809200217	XPORTLIC	PRESTON, B A	8809260058	50-272 P	REYES, L A.	8809080203	50-261 P
PETERSON, M R.	8809260133	XPORTLIC	PRESTON, B A	8809260242	50-272 H	REYES, L A	8809150337	50-424 Q
PETERSON, M R.	8809260139	XPORTLIC	PRESTON, B A	8809270037	50-272 P	REYES, L A.	8809190180	50-369 P
PETERSON, M R.	8809270148	XPORTLIC	PROVENCHER, R B	8808030099	40-8027	REYES, L A.	8809200105	50-369 Q
PETERSON, M W.	8809010194	50-456 R	PRZEKAS, A J	8809220060	NUREG	REYES, L A.	8809200175	50-424 Q
PETERSON, M W.	8809180208	50-456 R	PUCKO, T G.	8809140121	50-443 S	REYES, L A.	8809200243	50-369 P
PETROSINO, J J	8808210153*	QA999	PUGH, E N	8808290104*	WASTE RES	REYNOLDS, S A	8808230261*	50-483 Q
PETTENGILL, H J.	8809140184*	40-8908	PULKINEN, T E	8809230067*	50-443 Q	RHODES, J	8809080261	50-277 G
PETTENGILL, H J.	8809200210	40-1162	PUYEAR, R J.	8809080033	PR	RHODES, J.	8809090168	50-277 G
PETTENGILL, H J.	8809200218	40-8914	QUAIN, P.	8809200198	70-1426	RHODES, J.	8809230045*	50-277 Q
PETTENGILL, H J.	8809200268	40-8971	QUAIN, P B	8809190118*	XPORTLIC	RHODES, J.	8809230053*	50-277 Q
PETTENGILL, H J.	8809200276	40-1162	QUAY, T R.	8809130182	50-341 P	RHODES, J	8809230080*	50-277 Q

300 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RICE, P.D.	8808310218	50-425 Q	ROSE, J.E.	8808290156*	50-259 P	RUSSELL, W.T.	8808260226	50-334 Q
RICE, P.D.	8809010027	50-424 K	ROSE, J.E.	8808290158*	50-259 P	RUSSELL, W.T.	8808300184	50-387 Q
RICE, P.D.	8809060253	50-425 S	ROSS, D.F.	8808200282*	50-354 Q	RUSSELL, W.T.	8809020122	50-286 P
RICHARDS, S.	8809070449	50-528 S	ROSS, C.F.	8808290101*	PROJ	RUSSELL, W.T.	8809070356	50-387 P
RICHARDS, S.A.	8809200089*	50-344 Q	ROSS, C.	8809160144*	REVIEW GR P	RUSSELL, W.T.	8809090069*	50-271 W
RICHARDSON, H.H.	8808290074	50-128 Q	ROSSI, C.E.	8808160451	50-3 Q	RUSSELL, W.T.	8809150271*	50-272 Q
RICHARDSON, S.D.	8808300017	50-327 P	ROSSI, C.E.	8808180368	50-3 Q	RUSSELL, W.T.	8809150274*	50-272 Q
RICHARDSON, S.D.	8808300193	50-327 F	ROSSI, C.E.	8808180185	50-3 Q	RUSSELL, W.T.	8809150284*	50-272 Q
RICHARDSON, S.D.	8809120225	50-259 Q	ROSSI, C.E.	8808230112	50-3 Q	RUSSELL, W.T.	8809150288*	50-271 Q
RICHARDSON, S.D.	8809140312	50-327 Q	ROSSI, C.E.	8808260492	50-3 Q	RUSSELL, W.T.	8809150292*	50-271 Q
RICHARDSON, S.D.	8809160004	50-259 V	ROSSI, C.E.	8808300018	50-3 Q	RUSSELL, W.T.	8809160251*	50-293 F
RICHARDSON, S.D.	8809160046	50-327 Q	ROSSI, C.E.	8809080339	50-3 Q	RUSSELL, W.T.	8809290279*	REVIEW GR P
RICHARDSON, S.D.	8809230133	50-327 P	ROSSI, C.E.	8809120187	50-3 Q	RUSSELL, W.T.	8809290280*	REVIEW GR P
RICHARDSON, S.D.	8809060375	50-390 A	ROSSI, C.E.	8809130350	50-3 Q	RUTHERFORD, N.A.	8809080196	TOPREP
RICHIEY, R.B.	8809010291	50-400 P	ROTH, J.	8808260020	70-1100	RUTTER, S.	8809140260	50-312 S
RICHIEY, R.B.	8809260164	50-261 P	ROTH, J.	8808260426*	70-687	RUTTER, S.W.	8808260006	50-312 S
RICKETSON, L.T.	8808300030*	50-313 Q	ROTH, J.	8808290059*	70-1100	RYAN, J.E.	8809220164	MISC
RIDGWAY, D.A.	8809140193	50-440 G	ROTH, J.	8809010037	70-1100	RYAN, M.T.	8808300121	WASTE MGT
RIDGWAY, D.A.	8809140193	50-440 G	ROTH, J.	8808080105	70-1100	RYAN, M.T.	8808300127*	WASTE MGT
RIECK, T.A.	8809120133	50-285 F	ROTH, J.V.	8809190036*	FOIA	RYAN, M.T.	8809090209	WASTE MGT
RIEDEL, C.J.	8809010267*	50-263 P	ROTHERT, W.C.	8808300184	50-331 Q	RYAN, R.F.	8809200090*	50-320 P
RING, M.A.	8808290302*	50-254 Q	ROTHERT, W.C.	8808300328	50-331 P	RYDER, T.S.	8809190120	50-387 S
RING, M.A.	8809130052*	50-237 Q	ROTHERT, W.C.	8808080094	50-331 P	RYDER, T.S.	8809230254	50-388 S
RING, M.A.	8809260352*	50-265 Q	ROTHERT, W.C.	8808080101	50-331 P	SABLE, J.M.	8809260075*	50-322 F
RINGSMUTH, F.	8809290136*	REVIEW GR P	ROTHERT, W.C.	8809150022	50-331 V	SAKENAS, C.A.	8712230246*	REVIEW GR P
RITCHIE, J.L.	8809010154	PR	ROTHERT, W.C.	8809190332	60-331 P	SAKENAS, C.A.	8807190328	REVIEW GR P
RIVENBARK, G.	8808290256	50-354 P	ROTHERT, W.C.	8808200359	60-331 Q	SALAMON, G.	8809190120	50-251 S
RIVENBARK, G.	8809070181	50-354 P	ROTHERT, W.C.	8808200368	60-331 P	SALAMON, G.	8809190175	50-250 S
RIVERA, J.E.	8809160269*	REVIEW GR P	ROTHERT, W.C.	8808220328	60-331 F	SALAMON, G.	8809230295	50-251 S
ROBERTS, H.R.	8809060294	40-8681	ROTHLEDER, B.M.	8809160126*	REVIEW GR P	SAMANTA, P.K.	8809220046	50-313 P
ROBERTS, J.P.	8808260501	50-255 P	ROUGHAN, C.M.	8809130349	71-9163	SAMONLINSKI, S.	8809150036	50-373 R
ROBERTS, J.P.	8809070043	50-269 Y	ROUGHAN, C.M.	8809140230	71-9128	SAMWORTH, R.B.	8809160175	50-397 P
ROBEY, R.A.	8809190181	50-254 R	ROUSE, L.C.	8808260023	70-824	SANDEL, P.S.	8808290083*	50-128 Q
ROBEY, R.A.	8809200289	50-254 R	ROUSE, L.C.	8808260026*	70-824	SANDERSON, R.E.	8809130119*	ORG
ROBINETTE, C.A.	8809280230*	REVIEW GR P	ROUSE, L.C.	8809260030*	70-824	SANDQUIST, G.	8809150060	50-407 R
ROBINSON, D.L.	8808260243	50-456 S	ROUSE, L.C.	8808260050	70-1201	SANDS, S.P.	8808260429	50-454 P
RODEHAN, T.J.	8809260332*	CONTRACT	ROUSE, L.C.	8808260091	70-734	SANDVOLD, T.I.	8809200098	XPORTLIC
RODEHAUT, J.	8809140030*	CONTRACT	ROUSE, L.C.	8808260119	70-754	SANTANDREU, P.	8809200349*	REVIEW GR P
RODENBECK, A.	8809270088*	CONTRACT	ROUSE, L.C.	8808260163	70-687	SARTOR, W.M.	8809130160*	50-261 Q
ROE, J.W.	8809060060	REVIEW GR P	ROUSE, L.C.	8808300054	70-1151	SATTERWHITE, D.	8809220097	NUREG
ROE, J.W.	8809190397	REVIEW GR P	ROUSE, L.C.	8808300064*	70-1151	SAUER, G.	8809140129	50-245 S
ROE, J.W.	8809200302	50-334 V	ROUSE, L.C.	8809030080*	70-1151	SAUNDERS, B.M.	8809150053*	50-456 Q
ROE, K.K.	8809010162	TOPREP	ROUSE, L.C.	8809080361	40-6840	SAUNDERS, J.J.	8809020156	PR
ROE, K.K.	8809010165*	TOPREP	ROUSE, L.C.	8809070350	40-2061	SAWYER, D.J.	8808290101*	PROJ
ROGERS, D.W.	8806290040	50-255 F	ROUSE, L.C.	8809070462	70-1100	SAXTON, C.H.	8809010075	50-387 R
ROGERS, D.W.	8808290078	50-255 F	ROUSE, L.C.	8809070471*	70-1100	SAXTON, C.H.	8809140258	50-387 R
ROGERS, D.W.	8808290182	50-255 F	ROUSE, L.C.	8809070480*	70-1100	SAXTON, C.H.	8809150076	50-387 P
ROGERS, D.W.	8808300219	50-255 F	ROUSE, L.C.	8809080270	70-8	SCACE, S.E.	8809130189	50-336 V
ROGERS, H.R.	8809260180	50-327 S	ROUSE, L.C.	8809090079	70-3018	SCACE, S.E.	8809130189	50-336 V
ROGERS, H.R.	8809260201	50-328 S	ROUSE, L.C.	8809090081*	70-3018	SCACE, S.E.	8809140129	50-245 S
ROGERS, K.C.	8808260346	50-322 U	ROUSE, L.C.	8809090091*	70-3018	SCACE, S.E.	8809150348	50-423 S
ROGERS, K.C.	8809210118	COMMISSION	ROUSE, L.C.	8809090233*	PR	SCACE, S.E.	8809150348	50-423 S
ROGERS, K.C.	8809210122	COMMISSION	ROUSE, L.C.	8809150088	70-27	SCACE, S.E.	8809220091	50-336 R
ROHRE, R.J.	8809010347	50-374 S	ROUSE, L.C.	8809150091*	70-27	SCACE, S.E.	8809220091	50-336 R
ROHRE, R.J.	8809010349	50-374 S	ROUSE, L.C.	8809150095*	70-27	SCACE, S.E.	8809220103	50-423 R
ROLES, G.W.	8809060027	MISC	ROUSE, L.C.	8809150119	70-2932	SCACE, S.E.	8809220110	50-245 R
ROMAN, T.W.	8808310178	50-220 F	ROUSE, L.C.	8809150122*	70-2932	SCACE, S.E.	8809220110	50-245 R
ROMANELLI, F.	8809260336*	REVIEW GR P	ROUSE, L.C.	8809150294	40-2061	SCACE, S.E.	8809260342	50-423 S
ROMANOW, V.	8809070506	FOIA	ROUSE, L.C.	8809190107	50-603 A	SCACE, S.E.	8809260342	50-423 S
ROMBERG, W.D.	8804250287	50-245 F	ROUSE, L.C.	8809190109*	50-603 A	SCALET, D.C.	8809160120	50-605 A
ROMBERG, W.D.	8808260372	50-336 P	ROUSE, L.C.	8809190110*	60-603 A	SCALET, D.C.	8809230178	50-605 A
ROMNEY, N.D.	8808260339*	50-219 Q	ROUSE, L.C.	8809220288	70-734	SCARANO, R.A.	880910293	50-206 P
RONALD, A.	8809130265*	CONTRACT	ROUSE, L.C.	8809220300*	70-734	SCARANO, R.A.	8809140130	50-206 Q
ROOD, H.	8809010227	50-275 P	ROUSE, L.C.	8809220307*	70-734	SCHAPKER, J.F.	8809070478*	50-316 Q
ROOD, H.	8809060338	50-275 P	ROUSE, L.C.	8809230164	70-152	SCHAPKER, J.F.	8809070560*	50-461 Q
ROOD, H.	8809070101	50-275 P	ROUSE, L.C.	8809230167*	70-152	SCHAPKER, J.F.	8809260302*	50-254 Q
ROOD, H.	8809070448	50-275 P	ROUSH, M.L.	8809140399	50-166 R	SCHAUBROECK, D.	8808290323	50-313 R
ROOD, H.	8809130043	50-275 P	ROY, B.	8808290167	WASTE MGT	SCHAUBROECK, D.	8809200328	50-313 R
ROOD, H.	8809150093*	50-361 P	ROY, B.A.	8809070040	71-9151	SCHAUBROECK, D.	8809200337	50-368 R
ROOD, H.	8809190022	50-275 P	ROYBAL, D.	8809060362	40-8584	SCHAPEN, R.J.	8808300353*	50-425 Q
ROONEY, V.L.	8809060334	50-271 P	RUBENFIRE, M.	8809080103	PR	SCHERER, A.E.	8808260478	70-1100
ROONEY, V.L.	8809160235	50-271 Q	RUBENSTEIN, L.S.	8809080157*	50-508 Q	SCHERER, A.E.	8808260503	71-9022
ROONEY, V.L.	8809190225	50-271 P	RUBENSTEIN, L.S.	8809130020	ORG	SCHERER, A.E.	8808290051	70-1100
ROSANO, R.P.	8809210030	50-456 Q	RUITER, G.H.	8809150183	50-305 R	SCHERER, A.E.	8808290201	TOPREP
ROSE, H.D.	8809140184*	40-8906	RULAND, W.H.	8809130173*	50-324 Q	SCHERER, A.E.	8808310121	PROJ
ROSE, H.D.	8809200268	40-8971	RUSSELL, J.E.	8809140133*	50-206 Q	SCHERER, A.E.	8809080061	50-470 A
ROSE, H.D.	8809200276	40-1162	RUSSELL, J.L.	8809080182*	50-302 F	SCHERER, A.E.	8809140281	70-1100
ROSE, J.E.	8808290132*	50-259 P	RUSSELL, L.B.	8808260002	50-317 R	SCHERER, A.E.	8809190202	70-1100
ROSE, J.E.	8808290137*	50-259 P	RUSSELL, L.B.	8809200268	50-317 S	SCHERER, A.E.	8809190254	70-1100
ROSE, J.E.	8808290139*	50-259 P	RUSSELL, L.B.	8809210165	60-317 R	SCHERER, A.E.	8809190298	50-470 A
ROSE, J.E.	8808290140*	50-259 P	RUSSELL, W.T.	8803160018*	REVIEW GR P	SCHERER, A.E.	8809210116	50-470 F
ROSE, J.E.	8808290143*	50-259 P	RUSSELL, W.T.	8803160164*	REVIEW GR P	SCHUEERMAN, J.T.	8809160171	60-298 R
ROSE, J.E.	8808290146*	50-259 P	RUSSELL, W.T.	8803300038*	REVIEW GR P	SCHUEERMAN, J.T.	8809200143*	50-320 R
ROSE, J.E.	8808290147*	50-259 P	RUSSELL, W.T.	8804080002*	REVIEW GR P	SCHIERBACH, M.	8809220332	50-259 P
ROSE, J.E.	8808290148*	50-259 P	RUSSELL, W.T.	8804280145*	REVIEW GR P	SCHIERMAN, S.L.	8809060020	40-8681
ROSE, J.E.	8808290149*	50-259 P	RUSSELL, W.T.	8805030445*	REVIEW GR P	SCHMIDT, B.W.	8809080093*	50-412 P
ROSE, J.E.	8808290153*	50-259 P	RUSSELL, W.T.	8805310058*	REVIEW GR P	SCHMIDT, W.L.	8809080190	50-220 P
ROSE, J.E.	8808290154*	50-259 P	RUSSELL, W.T.	8808260074	50-352 Q	SCHMIDT, W.L.	8809010010	50-390 R

PERSONAL AUTHOR INDEX 301

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SCHMIERBACH,M.	8809010011*	50-390	SHAFFER,W.D.	8809090048	50-10	SHRIVER,T.D.	8809020057	50-529
SCHMIERBACH,M.	8809010013*	50-390	SHAFFER,W.D.	8809090049*	50-322	SHYLOCK,M.	8809220218*	50-324
SCHMIERBACH,M.	8809010014*	50-390	SHAFFER,W.D.	8809120047	50-255	SHYLOCK,M.B.	8808260436*	50-281
SCHMIERBACH,M.	8809010017*	50-390	SHAFFER,W.D.	8809140423	50-237	SIACOR,E.R.	8809200146	50-206
SCHMIERBACH,M.	8809010019*	50-390	SHAFFER,W.D.	8809140432	50-373	SIACOR,E.R.	8809200257	50-361
SCHMIERBACH,M.	8809010020*	50-390	SHAFFER,W.D.	8809190031	50-295	SIEBER,J.D.	8808260058	50-334
SCHMIERBACH,M.	8809010022*	50-390	SHAFFER,W.D.	8809190342	50-454	SIEBER,J.D.	8808260310	50-412
SCHMIERBACH,M.	8809010024*	50-390	SHAFFER,W.D.	8809190347	50-315	SIEBER,J.D.	8809010115	50-412
SCHMIERBACH,M.	8809010025*	50-390	SHAFFER,W.D.	8809200066	50-346	SIEBER,J.D.	8809010118*	50-412
SCHMIERBACH,M.	8809010026*	50-390	SHAFFER,W.D.	8809230010	50-440	SIEBER,J.D.	8809070521	50-334
SCHMIERBACH,M.	8809010030*	50-390	SHAFFER,W.D.	8809230189	50-454	SIEBER,J.D.	8809080076	50-412
SCHMIERBACH,M.	8809010031*	50-390	SHAFFER,W.D.	8809260346	50-263	SIEBER,J.D.	8809260383*	50-412
SCHMIERBACH,M.	8809010032*	50-390	SHAFFER,G.G.	8809310142	50-387	SIEBER,J.D.	8809140214	50-334
SCHMIERBACH,M.	8809010033*	50-390	SHAFFER,R.	8809020280	40-8684	SIEBER,J.D.	8809200007	50-334
SCHMIERBACH,M.	8809020261	50-361	SHAFFER,R.	8809060025	40-8971	SIEBER,J.D.	8809200013*	50-334
SCHMIERBACH,M.	8809070366	50-380	SHAFFER,R.	8809140059	40-6659	SIEBER,J.D.	8809200063	50-334
SCHMIERBACH,M.	8809150008	50-438	SHAFFER,T.A.	8809080148*	50-213	SIEBER,J.D.	8809260384	50-334
SCHMIERBACH,M.	8809210174	50-269	SHAFFER,T.A.	8809080149*	50-213	SIEBER,J.D.	8809220099	50-334
SCHMUTZ,T.A.	8809020034	50-446	SHANBAKY,M.	8809010383	50-309	SIEGEL,B.	8808300272	50-237
SCHMUTZ,T.A.	8809020034	50-446	SHANBAKY,M.	8809190284*	50-317	SIEGEL,B.	8809020184	50-237
SCHNEBLI,G.A.	8809130156*	50-250	SHANBAKY,M.	8808200091*	50-245	SIEGEL,B.	8809140295	50-237
SCHNELL,D.F.	8809070369	50-483	SHANBAKY,M.	8808230218*	50-184	SIEGEL,J.J.	8809130248*	PR
SCHNELL,D.F.	8809090014	50-483	SHANBAKY,M.M.	8808260247*	50-289	SIEGEL,J.J.	8809150259*	FOIA
SCHNELL,D.F.	8809120073	50-483	SHANBAKY,M.M.	8809190275*	50-387	SIEGEL,J.J.	8809150263*	FOIA
SCHNELL,D.F.	8809130037	50-483	SHANK,K.E.	8808260056	50-387	SIEGEL,J.J.	8809150266*	FOIA
SCHNELL,D.F.	8809140107	50-483	SHAO,L.C.	8809090132*	PR	SIEGEL,J.J.	8809150277*	FOIA
SCHNELL,D.F.	8809140127	50-483	SHAPAKER,J.W.	8808260386	50-374	SIEGEL,J.J.	8809200143*	50-320
SCHNELL,D.F.	8809190018	50-483	SHARP,P.R.	8808300095*	50-348	SILADY,J.A.	8809080342	50-237
SCHUBER,S.	8809280038*	70-143	SHARP,P.R.	8809180010*	FOIA	SILADY,J.A.	8809230173	50-249
SCHUBER,S.	8809070313	50-155	SHEA,J.R.	8809200150*	REVIEW GR P	SILADY,J.A.	8809230191	50-249
SCHUMACHER,M.	8808290309*	50-237	SHEA,J.R.	8809230264*	REVIEW GR P	SILADY,J.A.	8809260099	50-237
SCHUMACHER,M.	8809070315*	70-8	SHEA,J.R.	8809230265*	REVIEW GR P	SILADY,J.A.	8809260345	50-237
SCHUMACHER,M.C.	8809280350*	50-263	SHEAR,G.L.	8809220165*	REVIEW GR P	SILK,D.M.	8809080344*	50-317
SCHUMAN,D.J.	8809190370*	REVIEW GR P	SHEAR,G.L.	8809220167*	REVIEW GR P	SILLING,S.A.	8808260146	WASTE MGT
SCHWABENBAUER	8809010331	50-400	SHEETZ,R.E.	8809130206	50-277	SILLING,S.A.	8809130255	WASTE MGT
SCHWABENBAUER	8809140333	50-400	S	8808290219	50-346	SILVER,H.	8809060118	50-302
SCHWABENBAUER	8809140387	50-400	S	8809060031	50-346	SILVER,H.	8809260084	50-302
SCHWEITZER,D.G.	8809090065	WASTE MGT	S	8809070076	50-346	SIMON,J.T.	8809130319	71-5800
SCHWEITZER,D.G.	8809090067*	WASTE MGT	S	8809070335	50-346	SIMON,S.J.	8809180200	40-7604
SCHWEITZER,J.F.	8809260259	70-162	S	8809090031	50-346	SIMPSON,A.K.	8809160331*	FOIA
SCHWOERER,F.	8809190106	71-9102	G	8809130114	50-346	SIMPSON,A.K.	8809230181*	COMMISSION
SCINTO,J.F.	8809020056	50-443	G	8809140285	50-346	SIMPSON,E.C.	8809010335	TOPREP
SCINTO,J.F.	8809020063	50-335	G	8809140449	50-346	SINDERBRAND,C.	8809210115*	WASTE MGT
SCINTO,J.F.	8809020077	50-322	G	8809160051	50-346	SINGER,B.A.	8809190356*	REVIEW GR P
SCINTO,J.F.	8809020090	50-445	G	8809190239	50-346	SINGHAL,A.K.	8809220080	NUREG
SCINTO,J.F.	8809020108	50-271	G	8809190344	50-346	SINKULE,M.V.	8808300353*	50-425
SCINTO,J.F.	8809190210	50-322	G	8809200370	50-346	SINKULE,M.V.	8808310096*	50-425
SCOTT,B.R.	8809080245	NUREG	G	8809210206	50-346	SINKULE,M.V.	8809140276*	50-321
SCOTT,E.Y.	8809130298	40-8452	S	8809260210	50-346	SISKA,D.	8808310132	50-327
SCOTT,M.	8809120147	50-280	S	8809270118	50-346	SISKA,D.	8808310158	50-327
SCOTT,M.	8809130288	50-280	S	8809080340	50-373	SISKIND,B.	8809010078	WASTE RES
SCOTT,M.	8809140330	50-280	S	8809190032	50-373	SISKIND,B.	8809010092	WASTE RES
SCOTT,W.E.	8809080046	50-155	P	8808260247*	50-289	SISKIND,B.	8809060054	WASTE RES
SCOTT,W.E.	8809140244	50-155	P	8809230218*	50-184	SISKIND,B.	8808260099	WASTE RES
SCOTT,W.E.	8809200248	50-155	P	8809180078*	REVIEW GR P	SJOBLOM,G.	8809190319*	REVIEW GR P
SCOTT-WASILK,J.	8808290275	50-346	R	8809130157	50-312	SJOBLOM,G.	8809280172*	REVIEW GR P
SCOTT-WASILK,J.	8809010106	50-346	R	8808290132*	50-259	SKAGGS,B.J.	8809150286*	NUREG
SEARS,C.F.	8808290333	50-213	P	8808290137*	50-259	SKEDA,M.	8809260138*	XPORTLIC
SEARS,C.F.	8809140309	50-213	Q	8808290139*	50-259	SKIGGS,M.	8808290245*	50-445
SEARS,C.F.	8809140309	50-213	Q	8808290143*	50-259	SKILES,J.L.	8809140078*	50-285
SEARS,C.F.	8809200120	50-213	F	8808290146*	50-259	SKINNER,P.H.	8809010155*	50-269
SEARS,C.F.	8809230037	50-213	V	8808290154*	50-259	SKINNER,P.H.	8809070077*	50-269
SEARS,C.F.	8809230037	50-213	V	8808290156*	50-259	SKOLNICK,F.	8809020027	50-320
SEARS,C.F.	8809230037	50-213	V	8808290158*	50-259	SKOLNICK,F.	8809020027	50-320
SEARS,P.M.	8809120075	50-309	P	8810050335*	50-10	SLABACK,L.A.	8809080098	PR
SEARS,P.M.	8809150206	50-309	Q	8808290280	50-323	SLAWINSKI,W.J.	8809190345*	50-454
SEEMAN,M.J.	8809140401*	PR		8808300012	50-133	SLIFER,B.C.	8809270100*	50-29
SEIDLE,W.C.	8809060316*	50-458	Q	8809010223	50-323	SLEDLEY,R.W.	8809220115	50-255
SEIDLE,W.C.	8809060380*	50-498	Q	8809010334	50-275	SMELSER,J.H.	8808260359	50-603
SEIDLE,W.C.	8809260141*	50-285	Q	8809020127	50-133	SMELSER,J.H.	8808260375	50-604
SELLECK,K.A.	8809120014	50-443	G	8809080029	50-275	SMELSER,J.H.	8809190084	50-803
SELLECK,K.A.	8809120014	50-443	G	8809080097	50-275	SMITH,B.K.	8808310097	50-331
SEMORE,J.W.	8809220324*	50-327	P	8809080282	50-275	SMITH,C.	8808310106*	50-321
SERFATY,S.	8809220126*	COMMISSION		8809140249	50-275	SMITH,C.N.	8808260438	70-27
SERRANO,W.	8808310095*	50-461	P	8809150106	50-275	SMITH,D.M.	8809130150	50-277
SEYMOUR,D.A.	8808260017*	50-369	Q	8809150112	50-323	SMITH,D.M.	8809230101	50-277
SEYMOUR,D.A.	8809150028*	70-27	Q	8809220206	50-133	SMITH,D.M.	8809230149	50-277
SHACK,W.J.	8809220039	NUREG		8809220282	50-275	SMITH,I.W.	8809020042	50-443
SHAFFER,W.D.	8808290289	50-263	Q	8809260310	50-275	SMITH,I.W.	8809120050	50-443
SHAFFER,W.D.	8808290304	50-237	Q	8809230189*	COMMISSION	SMITH,I.W.	8809120126	50-443
SHAFFER,W.D.	8808290305*	50-237	Q	8809020054	50-443	SMITH,J.	8808310123	50-327
SHAFFER,W.D.	8808290328	50-282	F	8809180064	50-322	SMITH,J.	8809070560	PR
SHAFFER,W.D.	8809010123	50-454	F	8809230082	50-322	SMITH,J.B.	8809260027*	50-443
SHAFFER,W.D.	8809010127	50-254	F	8809230099	50-322	SMITH,J.D.	8809140116	50-328
SHAFFER,W.D.	8809010130	50-315	Q	8809220276*	50-395	SMITH,J.F.	8809140441*	50-266
SHAFFER,W.D.	8809010134	50-440	F	8809260248*	50-321	SMITH,L.C.	8809070049*	50-327
SHAFFER,W.D.	8809020273	50-331	F	8808260205	50-528	SMITH,L.P.	8809270069*	CONTRACT
SHAFFER,W.D.	8809070307	70-8	F	8808260419	50-528	SMITH,M.J.	8808260293*	50-263

302 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SMITH,M J	8809200285*	REVIEW GR P	ST LAURENT,N M.	8808290142	50-29 S	STELLO,V	8809090178	FOIA
SMITH,P A	8809070168	CONTRACT	STAFFORD,R T	8809160331*	FOIA	STELLO,V	8809090241	FOIA
SMITH,P A	8809070176*	CONTRACT	STAHL,E C	8809140188	50-244 P	STELLO,V	8809120185*	FOIA
SMITH,P A	8809260329*	CONTRACT	STAKER,T R	8809020201*	50-382 Q	STELLO,V	8809120243	FOIA
SMITH,R	8809010098	50-369 F	STALLIONS,J A.	8809130223	XPORTLIC	STELLO,V	8809160214	FOIA
SMITH,R D	8809140182	40-8806	STALLIONS,J A	8809190244*	XPORTLIC	STELLO,V	8809160282	PRM
SMITH,R D	8809200194	40-8584	STAMBAUGH,B A	8809090125	50-277 Q	STEPHENSON,J D	8809230158	50-302
SMITH,R D	8809200195*	40-8584	STAMBAUGH,B A	8809090149*	50-277 Q	STETKA,T F	8809020183*	50-498
SMITH,R D	8809200213	40-8914	STANCZAK,P	8808300213	50-458 S	STETKA,T F	8809140076*	50-498
SMITH,R D	8809200215*	40-8914	STANDERFER,F R	8808300285	50-320 P	STETZ,J P	8809220103	50-423
SMITH,R D	8809200222	40-8681	STANDERFER,F R	8808310065	50-320 P	STETZ,J P	8809220110	50-245
SMITH,R D	8809200249	40-8971	STANDERFER,F R	8809060022	50-320 R	STETZ,J P	8809220110	50-245
SMITH,R D	8809200258*	40-8971	STANDERFER,F R	8809080164	50-320 V	STEVEN,R A	8809140079	40-8084
SMITH,R D	8809200279	40-1162	STANDERFER,F R	8809130324	50-320 S	STEVEN,S E.	8809140076*	50-304
SMITH,R D	8809200280*	40-1162	STANDERFER,F R	8809160210	50-320 Q	STEVEN,S J.A.	8808280085	50-461
SMITH,R D	8809200290	40-1162	STANDERFER,F R	8809190083	50-320 P	STEVEN,S J.A.	8808290126*	50-461
SMITH,R D	8809200292*	40-1162	STANDERFER,F R	8809190194	50-320 P	STEVEN,S J.A.	8808280145*	50-461
SMITH,R D	8809200297	40-2259	STANDERFER,F R	8809200085	50-320 P	STEVEN,S J.A.	8808080135	50-461
SMITH,R D	8809200298	40-1162	STANDERFER,F R	8808200137	50-320 R	STEVEN,S J.A.	8809060411	50-461
SMITH,R D.	8809200301*	40-1162	STANG,J F	8809080281	50-316 P	STEVEN,S J.A.	8809080188	50-461
SMITH,R D	8809200315*	40-2259	STANG,J F.	8809080283*	50-316 P	STEVEN,S J.A.	8809130009	50-461
SMITH,R D.	8809200325	40-8452	STANG,J F.	8809080289	50-315 P	STEVEN,S J.A.	8809200387	50-461
SMITH,R D.	8809200327*	40-8452	STANG,J F.	8809160225	50-315 P	STEVEN,S J.A.	8809210047	50-461
SMITH,R E.	8809010061	50-244 P	STANG,J F.	8809220258	50-315 P	STEVEN,S J.A.	8809210063*	50-461
SMITH,R E	8809260325	50-244 P	STANG,J F.	8809220261*	50-315 P	STEVEN,S J.A.	8809220214	50-461
SMITH,R E	8809260331*	50-244 P	STANSBERRY,W W.	8809070417*	50-416 Q	STEWART,J	8809080181*	50-335
SMITH,R I.	8809120172*	PR	STAROSTECKI,R	8809120260*	FOIA	STEWART,J P	8809060021*	50-382
SMITH,S J	8808310072	50-327 S	STAROSTECKI,R	8706120267*	FOIA	STEWART,P	8809020209*	50-336
SMITH,S J	8808310132	50-327 S	STARRE,L E	8809070189	WASTE MGT	STEWART,R C	8809220294*	50-285
SMITH,S J	8808310158	50-327 S	STAUFENBERG,D.	8809140060	40-6622	STEWART-SMITH	8809060285	WASTE MGT
SMITH,S J	8809010041	50-328 S	STAUFENBERG,D.	8809140428	40-6622	STIGER,R.	8809210043*	PROJ
SMITH,S J.	8809080298	50-327 S	STAUTER,J C	8807140131	40-8027	STOCKTON,P	8809230091	50-327
SMITH,S J	8809090008	50-327 R	STAUTER,J C	8809060105	40-8768	STODDART,P G.	8809270022*	50-413
SMITH,S J	8809140174	50-328 S	STAUTER,J C	8809060301	40-8768	STODDART,P G	8809200086*	50-338
SMITH,S J.	8809140292	50-328 S	STAUTER,J C	8809070124	40-8905	STOETZEL,G A	8809220053	NUREG
SMITH,S J	8809220074	50-327 R	STAUTER,J C	8809070269	40-8768	STOHR,J P	8809010205	50-338
SMITH,S J	8809260180	50-327 S	STAUTER,J C	8809140385	40-2061	STOHR,J P.	8809080155	50-416
SMITH,S J	8809260201	50-328 S	STAUTER,J C	8809140392*	40-2061	STOHR,J P	8809080249*	PR
SMITH,W.F.	8809020201*	50-382 Q	STAUTER,J C	8809190089	40-8768	STOHR,J P.	8809130083	60-348
SMITH,W.G.	8809010184	50-316 R	STAUTER,J C	8809220184	40-6027	STOHR,J P	8809130294	70-143
SMITH,W G	8809010186	50-315 R	STAUTER,J C	8809220200	40-8027	STOHR,J P	8809220272	50-385
SMITH,W.G.	8809080369	50-315 S	STAYNER,L	8809280038*	70-143	STOKELY,D.L	8808300023*	50-425
SMYTH,C W	8809200154	50-289 R	STEELE,R	8809140366	NUREG	STOLZ,J.F.	8808280508*	50-245
SNEIDER,C A	8809210023	50-443 G	STEFANO,J J	8809010211	50-263 Q	STOLZ,J.F.	8808280022*	50-320
SNEIZEK,J H	8805310146*	50-348 Q	STEFANO,J J	8809200338	50-263 Q	STOLZ,J.F.	8808290355*	50-245
SNELL,W.	8808290293*	50-263 Q	STEIGER,W.E.	8808310181	50-322 S	STOLZ,J.F.	8808300032*	50-245
SNELL,W.	8809190352*	50-315 Q	STEIGER,W.E.	8809010083	50-322 S	STOLZ,J.F.	8809060369	50-320
SNEIZEK,J H.	8809130026*	FOIA	STEIGER,W.E.	8809010188	50-322 R	STOLZ,J.F.	8809070032	50-320
SNEIZEK,J H	8807190289*	REVIEW GR P	STEIGER,W.E.	8809190299	50-322 R	STOLZ,J.F.	8809130080	50-334
SNEIZEK,J H	8809120116*	FOIA	STEIGER,W.E.	8809230274	50-322 S	STOLZ,J.F.	8809130128	50-289
SNUDER,K	8809010077	PR	STEIN,R.	8808290318	WASTE MGT	STOLZ,J.F.	8809150129*	50-289
SNYDER,M J	8809190178	50-335 S	STEIN,R.	8809080090	WASTE MGT	STOLZ,J.F.	8809200020*	50-219
SOBCZAK,S C	8809230204*	REVIEW GR P	STEIN,R.	8809130233	WASTE MGT	STOLZ,J.F.	8809220037*	50-423
SOLTIS,R F.	8809080150*	50-255 Q	STEIN,R.	8809140032	WASTE MGT	STOLZ,J.F.	8809270154*	50-320
SOMMER,K G	8712070005	WASTE MGT	STEIN,R.	8809160240	WASTE MGT	STONE,J C	8808300132	REVIEW GR P
SOMMER,K G	8809210227*	WASTE MGT	STEIN,R.	8809210205	WASTE MGT	STONE,J C.	8809160108	50-272
SOMMER,K G.	8809210229*	WASTE MGT	STEIN,R.	8809210216	WASTE MGT	STONE,J C	8809230031	50-272
SOMMER,K G	8809210232*	WASTE MGT	STEIN,R.	8809210224	WASTE MGT	STONESIFER,R B	8808300037*	50-333
SOMMER,K G	8809210236*	WASTE MGT	STEIN,R S	8808050170*	WASTE RES	STORY,J.	8809260176*	50-443
SOONG,S	8808280026*	70-824	STEINHARDT,C R	8808310186	50-305 S	STORZ,L F.	8808260338	50-346
SOONG,S	8809150094*	70-27	STEINHARDT,C R.	8808310196	50-305 S	STORZ,L F	8808310014	50-346
SORENSEN,G C	8808300332	50-397 Q	STEINHARDT,C R.	8808070241	50-305 V	STORZ,L F	8809130002	50-346
SORENSEN,G C	8809010021	50-397 K	STEINHARDT,C R.	8809080107	50-305 R	STORZ,L F.	8809140397	50-346
SORENSEN,G.C.	8809070272	50-508 A	STEINHARDT,C R	8809080150	50-305 P	STORZ,L F.	8809190328	50-346
SORENSEN,G C	8809070317	50-397 F	STEINHARDT,C R.	8809140195	50-305 F	STORZ,L F.	8809200039	50-346
SORENSEN,G C	8809080125	50-397 Q	STEINHARDT,C R	8809150183	50-305 R	STORZ,L.F.	8809280032	50-346
SORENSEN,G C	8809080388	50-397 P	STEINHARDT,C R	8809150235	50-305 P	STOTZ,J.	8809200039	50-346
SORENSEN,G C	8809150186	50-397 Q	STEINHARDT,C R.	8808210037	50-305 F	STOUT,R B	8809120201*	50-237
SORENSEN,G C	8809150207	50-397 Q	STEINKER,N.	8808070238	50-260 R	STOVAL,W D	8809280329*	CONTRACT
SORENSEN,G C	8809190310	50-397 Q	STELLO,V	8810240061*	FOIA	STRAUSS,H W	8808010120	PR
SORENSEN,G C	8809200355	50-397 Q	STELLO,V	8708030157*	REVIEW GR P	STREIT,J E	8809220096	NUREG
SORENSEN,G C	8809220239	50-397 Q	STELLO,V.	8801130381*	PR	STROH,D.	8809090088	50-457
SORENSEN,G C	8809230236	50-397 P	STELLO,V.	8802260161*	REVIEW GR P	STROSNIDER,J	8808290057*	50-289
SORENSEN,R.C.	8809140215*	50-397 Q	STELLO,V.	8803500161*	REVIEW GR P	STROSNIDER,J.	8808020032*	50-277
SPAETH,M.	8809120113	WASTE MGT	STELLO,V.	8805130022*	FOIA	STROSNIDER,J R	8808260339*	60-219
SPAETH,M	8809190318	WASTE MGT	STELLO,V.	8805230074*	FOIA	STROSNIDER,J.R.	8808290281*	50-213
SPAETH,M.	8809190320	WASTE MGT	STELLO,V	8808240331	PR	STROSNIDER,J R.	8809130076*	50-220
SPARKS,S E	8809130263*	50-400 Q	STELLO,V.	8808310022	SECY	STROSNIDER,J R	8809130087*	50-353
SPARKS,S E.	8809210095*	50-482 Q	STELLO,V	8808310023	SECY	STUART,C.L.	8809070087*	50-410
SPARLING,D.K	8809120156	40-8681	STELLO,V.	8808310184	ORG	STURZ,F.	8809140453	50-261
SPECTOR,S M.	8809160024	50-244 S	STELLO,V.	8809010053	50-346 P	STUSNICK,E.	8809280193*	50-443
SPEIS,T P	8808280006*	REVIEW GR P	STELLO,V.	8808060333*	50-566 A	STUSNICK,E	8809280193*	50-443
SPEIS,T P.	8612230254*	PR	STELLO,V.	8809070246	PR	SUES,R.	8809060075*	50-155
SPEIS,T P.	8805100213*	REVIEW GR P	STELLO,V.	8809080137	50-443 F	SUHL,G Y.	8809200076*	50-344
SPEIS,T P	8809150085	GEN TEC I S	STELLO,V.	8809080232	SECY	SULLIVAN,D W.	8808290090	71-8216
SPITZER,D J.	8809190247	50-454 R	STELLO,V.	8809080082	50-271 W	SULLIVAN,D W.	8809010387	50-57
SPRAUL,J.	8809010273	50-219 P	STELLO,V	8809080066*	FOIA	SULLIVAN,D W.	8809120142	71-9216
SPRAUL,J.G.	8809200136	50-219 P	STELLO,V.	8809080156	50-322 P	SULLIVAN,J.L	8809080122	PR

PERSONAL AUTHOR INDEX 303

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SUNDERLAND,P.R	8808300309*	50 456 V	TERRY,C D	8808300252	50-220 P	TIPTON,T.E	8809130316	REVIEW GR P
SUTHERLAND,L C	8808260208*	50 443 G	TERRY,C D	8808300253*	50-220 P	TOBEY,D.M	8809200378*	REVIEW GR P
SUTHERLAND,L C	8808260208*	50 443 G	TERRY,C D	8808310056	50-410 Q	TODD,G A	8809220225*	70-143
SWAILS,S L	8808010285	50 331 F	TERRY,C D	8808310207	50-410 P	TOLBERT,D	8809090185	PR
SWARTZ,L L	8809280102	PR	TERRY,C D	8809190079	50-220 Q	TOMAN,G J.	8809090144*	50-261 Q
SWARTZWELDER,J	8808300052	50 424 S	TERRY,C D	8809190316	50-220 Q	TOMLINSON,E	8809220057	50 410 R
SWARTZWELDER,J	8808010176	50 424 S	TERRY,C D	8809200126	50-220 P	TOMPSEM,D B	8809260202	QA999
SWARTZWELDER,J	8808070021	50 424 S	TERRY,C D	8809200176	50-410 P	TORRE,J G	8809140239	50 413 S
SWARTZWELDER,J	8809200295	50 424 S	TERRY,C D	8809260102	50-410 P	TOTH,A D.	8809080157*	50 508 Q
SWAYNE,G L.	8809150154	50 277 Q	TERRY,C D	8809270032	50-410 Q	TOTH,A D.	8809190240*	50 275 Q
SWENSON,W H	8809220044	50 266 P	TERRY,C D	8809270126	50-220 F	TOTO,G	8809080398*	50 260 P
SWETLAND,P	8808260258	50 247 F	TESFAYE,G	8809140225	50-247 S	TOURIGNY,E G	8809020070*	50 335 G
SWETLAND,P	8808300031	50 247 P	TETRAULT,R E	8809300327*	70-27	TOURIGNY,E G	8809140256	50 335 P
SWETLAND,P	8808310148	50 247 P	TETRAULT,R E	8809260071	70-27	TOURIGNY,E G	8809180121	50-335 P
SWETLAND,P.	8809070348*	50-247 Q	THADANI,A C	8708030016*	50-410 P	TOURIGNY,E G	8809200269	50 389 P
SWETLAND,P	8808070355	50-272 S	THADANI,M C	8809020269	50-387 P	TOURIGNY,E G	8809270054	50-335 P
SWETLAND,P	8808140269	50-272 Q	THARPE,G W.	8809140261	50-277 Q	TOUSLEY,D.R.	8809020015	50-443 G
SWETLAND,P D	8808290049*	50-247 P	THEGERSTROM,C.	8809070197	WASTE MGT	TOUSLEY,D R.	8809020015	50 443 G
SWETLAND,P D	8808220315*	50-272 Q	THINNES,G	8809220092	NUREG	TOWNSEND,J D	8809080142	50-275 R
SWIFT,J.J.	8808260028*	70-524	THOMANN,R F	8808310085	50-254 S	TOWNSEND,J D	8809140259*	50 275 F
SWIFT,J.J.	8808300072*	70 1151	THOMAS,B E.	8809080109	WASTE MGT	TOWNSEND,J D	8809260128	50 275 R
SWIFT,J.J.	8808070477*	70-1100	THOMAS,C O	8808300023*	50-425 J	TOY,H L	8809120152	70 8
SWIFT,J.J.	8808090004	70-143	THOMAS,G S	8809070467	50-443 R	TRAFICONTE,J.	8808210018	50 443 G
SWIFT,J.J.	8808090084*	70-3018	THOMAS,G S.	8809080118	50-443 Q	TRAFICONTE,J.	8808210032	50 443 G
SWIFT,J.J.	8808090088*	70-3018	THOMAS,G S	8809080129	50-443 S	TRAFICONTE,J.	8809260119*	50 443 G
SWIFT,J.J.	8809150182	40-6940	THOMAS,G S	8809140121	50-443 S	TRAFICONTE,J.	8809260119*	50 443 G
SWOPE,D R	8808120201*	50-237 P	THOMAS,G S	8809140425	50-443 R	TRAMMALL,C M	8809270068	50 206 P
SWOPE,D R	8809120205*	50-237 P	THOMAS,G S.	8809190187	50-443 S	TRAMMELL,C M	8808260182	50 206 P
SYKES,W L	7903150370*	50-255 Q	THOMAS,G S.	8809190353	50-443 S	TRAMMELL,C M	8808260200*	50 206 P
SYLVIA,B.R.	8808290062	71-5938	THOMAS,M	8809200261*	50-335 Q	TRAMMELL,C M	8808290248	50 206 P
SYLVIA,B.R	8808290138	50-341 Q	THOMAS,P.	8809130103	50-155 F	TRAMMELL,C M	8808310170	50 206 P
SYLVIA,B.R.	8808290210	50-341 Q	THOMAS,R D.	8809210036*	70-754	TRAMMELL,C M	8809070215	50 206 P
SYLVIA,B.R.	8808290282	50-341 Q	THOMAS,W	8809200081*	50-245 Q	TRAMMELL,C M.	8809130145	50 206 P
SYLVIA,B.R.	8808090222	50-341 Q	THOMPSON,D.	8103110626*	50-255 P	TRAMMELL,C M	8809130301	50 206 P
SYLVIA,B.R	8809020265	50-341 P	THOMPSON,D.	8103160027*	FOIA	TRAMMELL,C M	8809150023	50 206 P
SYLVIA,B.R	8809020271	50-341 R	THOMPSON,D.	8103260851*	FOIA	TRAMMELL,C M	8809270042	50 206 P
SYLVIA,B.R.	8809070038	50-341 P	THOMPSON,D.	8104290814*	FOIA	TRAMMELL,C M	8809270044*	50 206 P
SYLVIA,B R	8809070344	50-341 S	THOMPSON,D.	8104300284*	FOIA	TRAMMELL,C M	8809270062	50 206 P
SYLVIA,B R	8808140286	50-341 P	THOMPSON,D.	8104300429*	50-259 P	TRAMMELL,J.W	8808200214	PR
SYLVIA,B R	8808140370	71-8079	THOMPSON,D.	8104300433*	FOIA	TRAVERS,W D	8809230192*	50 454 F
SYLVIA,B R.	8809190260	50-341 Q	THOMPSON,D	8105010503*	50-325 Q	TREADWELL,K S	8808260320*	TOPREP
SYLVIA,B.R.	8809260227	50-341 P	THOMPSON,D.	8106230171*	FOIA	TREBY,S A	8809130553*	PR
TABER,P	8808210070*	REVIEW GR P	THOMPSON,D.	8106240068*	FOIA	TREJO,J.	8809010309	50-272 R
TABOR,W	8808270115	50-387 F	THOMPSON,D.	8107160046*	FOIA	TREMBLAY,M A	8808270100*	50 29 P
TALBOT,P	8809070009	50-443 G	THOMPSON,D.	8107200027*	FOIA	TREVORS,G.A	8808260344	50 298 P
TALBOT,P.	8809120049	50-443 G	THOMPSON,D.	8107200031*	FOIA	TREVORS,G A	8808300214	50 298 F
TALWANI,P	8809010172*	50-395 R	THOMPSON,D.	8109220779*	FOIA	TREVORS,G A	8808310200	50 298 Q
TAM,P S.	8808260380	50-412 P	THOMPSON,D.	8112210062*	FOIA	TREVORS,G A	8808020124	50 298 P
TAM,P S.	8808300004	50-334 P	THOMPSON,D	8809080269*	FOIA	TREVORS,G A	8808060004	50 298 F
TAM,P.S.	8808300025	REVIEW GR P	THOMPSON,D	8809080311*	FOIA	TREVORS,G.A	8809060337	50 298 R
TAM,P S.	8809070166	50-412 P	THOMPSON,D	8809080318*	FOIA	TREVORS,G A	8809070319	50 298 V
TAM,P S	8809160089	50-412 P	THOMPSON,D.	8809090323*	FOIA	TREVORS,G A	8809080026	50 298 P
TAM,P.S.	8808200005	REVIEW GR P	THOMPSON,D.	8809080326*	FOIA	TREVORS,G A	8808080050	50 298 F
TAM,P S.	8809020247	50-334 P	THOMPSON,D.	8809090208*	50-259 Q	TREVORS,G.A.	8809060117	50 298 P
TAM,P.S	8809210212	REVIEW GR P	THOMPSON,D.	8809090222*	50-250 Q	TREVORS,G A	8809060165	50-298 Q
TAM,P.S	8809220264	50-334 P	THOMPSON,H	8809190211*	REVIEW GR P	TREVORS,G A.	8809150097	50 298 F
TAM,P S.	8809230098	50-412 P	THOMPSON,H.L	8809120187*	WASTE MGT	TREVORS,G A	8808220235	50 298 P
TANA,E T	8808010082	WASTE MGT	THOMPSON,H.L	8809120215*	FOIA	TRINER,E.G.	8808160334*	FOIA
TANA,E T	8809210214	WASTE MGT	THOMPSON,H.L	8809130262*	PR	TRIPP,L	8808260269	50-334 S
TANA,E T.	8809220310	WASTE MGT	THOMPSON,H.L	8809160124*	REVIEW GR P	TRIPP,L E	8808300201	50 334 Q
TATUM,J.E.	8808290249*	50-206 Q	THOMPSON,H.L	8809190172*	REVIEW GR P	TRIPP,L E	8808020043*	50-317 Q
TAWIL,J.J	8809260245	NUREG	THOMPSON,H.L	8809190179*	REVIEW GR P	TROJANOWSKI,R	8808290064	I&E
TAYLOR,J.H	8808310048	TOPREP	THOMPSON,H.L	8809190337*	REVIEW GR P	TROUT,J.F	8809230015	50-443 G
TAYLOR,J.H	8808310098	TOPREP	THOMPSON,H.L	8809190346*	REVIEW GR P	TROUT,J.F.	8809230015	50-443 G
TAYLOR,J.H	8808310112	TOPREP	THOMPSON,H.L	8809190350*	REVIEW GR P	TROUT,J.P.	8809120032	50-443 G
TAYLOR,J.M	8306270494*	FOIA	THOMPSON,H.L	8809230193*	REVIEW GR P	TROUT,J.P.	8809120032	50 443 G
TAYLOR,J.M	8808080362*	FOIA	THOMPSON,H.L	8809250004	50-603 A	TROUT,J.P.	8809140012	50-443 G
TAYLOR,J.M.	8808090193	PR	THOMPSON,H.L	8809280265*	REVIEW GR P	TROUT,J.P.	8809140012	50 443 G
TAYLOR,J.M.	8809120143*	FOIA	THOMPSON,H.L	8809280284*	REVIEW GR P	TROUT,J.P.	8809140020*	50-443 G
TAYLOR,J.M.	8809190228	50-309 R	THOMPSON,P.	8809090070	PR	TROUT,J.P.	8809140020*	50 443 G
TAYLOR,J.W.	8809010126	50-408 R	THUN,M.J.	8809280038*	70-143	TROUT,J.P.	8809140028*	50 443 G
TAYLOR,J.W	8809180008	50-408 V	TIERNAN,J A	8809280466	50-317 K	TROUT,J.P.	8809140028*	50 443 G
TAYLOR,J.W.	8809220330	50-408 F	TIERNAN,J.A.	8808300068	50-317 P	TROUT,J.P.	8809140169	50 443 G
TAYLOR,J W	8809260155	50-408 P	TIERNAN,J A	8808310233	50-317 Q	TROUT,J.P.	8809140169	50-443 G
TAYLOR,L.A	8808300157	50-368 S	TIERNAN,J.A.	8809020211	50-317 R	TROUT,J.P.	8809190238	50 443 G
TAYLOR,L.A	8809150146	50-368 S	TIERNAN,J.A.	8809080303	50-317 V	TROUT,J.P.	8809190238	50 443 G
TAYLOR,L.A	8809200228	50-368 S	TIERNAN,J A	8809150251	50-317 P	TROUT,J.P.	8809230025	50-443 G
TAYLOR,M J	8808060109*	40-1162	TIERNAN,J A	8809220286*	50-317 P	TROUT,J.P.	8809230025	50-443 G
TAYLOR,N.	8809120218	FOIA	TILLMAN,A	8808310078*	50-424 Q	TROUT,J.P.	8809230028*	50 443 G
TAYLOR,P.A.	8809130263*	50-400 Q	TILLMAN,A.	8809070549	50-250 Q	TROUT,J.P.	8809230028*	50 443 G
TAYLOR,R.G.	8808030091*	50-498 Q	TILLMAN,A	8809200171*	50-413 Q	TROUT,J.P.	8809260005	50 443 G
TAYLOR,R G	8809160326*	50-287 Q	TINGEN,S	8809280207*	50-302 Q	TROUT,J.P.	8809260005	50 443 G
TEDFORD,C.F.	8809290210*	REVIEW GR P	TIPPS,S.B.	8808310068	50-366 S	TROUT,J.P.	8809280017*	50-443 G
TELLA,T.	8808300212*	50-315 Q	TIPPS,S.B.	8809130343	50-321 S	TROUT,J.P.	8809280017*	50 443 G
TEMUS,C J	8808290310	71-9200	TIPPS,S B.	8809140065	50-366 S	TROUT,J.P.	8809260027*	50-443 G
TENBROOK,W K.	8809080351*	50-528 Q	TIPPS,S B.	8809140274	50-321 S	TROUT,J.P.	8809260027*	50-443 G
TERO,N.M.	8809190257*	50-445 Q	TIPTON,T E	8809120102	REVIEW GR P	TRZYNA,G.E.	8808260343	50-295 P
TERRY,C.D.	8808260130	50-220 P	TIPTON,T E	8809130300	REVIEW GR P	TSAL,C.K.	8809070049*	50-327 P

304 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TUCHINDA, J	8809090168	PR	VAUGHN, G E	8808300011	50-488 Q	WATSON, R A	8809140367	50-400 S
TUCKER, H B	8808260318	50-269 P	VAUGHN, G E	8808310047	50-498 R	WATSON, R A	8809150297	50-400 S
TUCKER, H B	8808260320	50-370 S	VAUGHN, G E	8808310073	50-498 Q	WATSON, R A	8809190333	50-400 S
TUCKER, H B	8808290068	50-269 Y	VAUGHN, G E	8809010240	50-498 S	WATSON, R A	8809200147	50-400 S
TUCKER, H B	8808300016	50-370 S	VAUGHN, G E	8809010362	50-498 S	WATSON, R A	8809260284	70-1201
TUCKER, H B	8808300228	50-413 P	VAUGHN, G E	8809090023	50-498 P	WEADOCK, A	8809190284*	50-317 Q
TUCKER, H B	8808310086	50-269 P	VAUGHN, G E	8809140220	50-498 P	WEAVER, J M	8809140251	50-277 Q
TUCKER, H B	8808310110	50-269 P	VAUGHN, G E	8809190371	50-498 S	WEAVER, M L	8809010182	PR
TUCKER, H B	8808310174	50-369 P	VAUGHN, G E	8809200202	50-498 Q	WEAVER, R R	8809070178	40-3453
TUCKER, H B	8809010029	50-413 P	VAUGHN, G E	8809200264	50-498 S	WEBBER, K	8809060409	40-8971
TUCKER, H B	8809020147	50-269 F	VAUGHN, G E	8809270059	50-498 P	WEBER, M	8809130076*	50-220 Q
TUCKER, H B	8809020148	50-413 F	VELASQUEZ, J R	8809060005	40-8907	WEBER, M F	8809090142	WASTE MGT
TUCKER, H B	8809020152	50-269 F	VELASQUEZ, J R	8809080139	40-8907	WEDDINGTON, R E	8809310239*	50-327 Q
TUCKER, H B	8809020154	50-269 F	VELASQUEZ, J R	8809080394	40-8907	WEDDINGTON, R E	8809080110*	50-424 Q
TUCKER, H B	8809060261	50-370 S	VELASQUEZ, J R	8809070244	40-8907	WEHRY, R R	8809230057	50-387 S
TUCKER, H B	8809060384	50-269 P	VELASQUEZ, J R	8809070255*	40-8907	WEINER, R A	8809260320*	TOPREP
TUCKER, H B	8809070064	50-269 R	VELASQUEZ, J R	8809120183	40-8907	WEINGART, J J	8809140357	NUREG
TUCKER, H B	8809070173	50-269 V	VELEZ, P	8809070180	CONTRACT	WEISS, E	8809210018	50-443 G
TUCKER, H B	8809070311	50-287 P	VERNETSON, W G	8809010244	50-83 V	WEISS, E	8809210019	50-443 G
TUCKER, H B	8809070326	50-289 F	VERNETSON, W G	8809080067	70-1068	WEISS, E	8809210023	50-443 G
TUCKER, H B	8809070402	50-413 S	VERRELLI, D M	8808290097	50-348 Q	WEISS, E	8809210023	50-443 G
TUCKER, H B	8809070479	50-370 P	VERRELLI, D M	8808310069	50-348 Q	WEISS, E R	8809120121	50-271 G
TUCKER, H B	8809080034	50-269 S	VERRELLI, D M	8809070015	50-281 Q	WEISS, E R	8809120121	50-271 G
TUCKER, H B	8809080077	50-369 R	VERRELLI, D M	8809070375	50-416 Q	WEISS, E R	8809120121	50-271 G
TUCKER, H B	8809080114	50-269 Q	VERRELLI, D M	8809130224	50-348 Q	WEISS, E R	8809190081	50-271 G
TUCKER, H B	8809080159	50-369 F	VERRELLI, D M	8809130229	50-281 Q	WEISS, E R	8809190081	50-271 G
TUCKER, H B	8809080392	50-413 P	VETTER, R J	8809010133	50-425 Q	WEISS, S H	8809130342*	TOPREP
TUCKER, H B	8809080417	50-269 Q	VIA, S J	8808310098*	50-498 Q	WEISS, S H	8809210095*	50-482 Q
TUCKER, H B	8809140071	50-413 R	VICKREY, R B	8809140070*	50-498 Q	WELDON, R D	8809210184	WASTE RES
TUCKER, H B	8809140124	50-369 S	VIERIMA, T	8809270017	PR	WELLER, R	8809220188	PROJ
TUCKER, H B	8809140164	50-390 A	VINYARD, H T	8809080050	50-373 S	WELLS, A H	8808260475	PROJ
TUCKER, H B	8809140239	50-413 P	VIRGILIO, M J	8808300303*	50-255 P	WELLS, A H	8808280155	71-9225
TUCKER, H B	8809140458	50-369 Q	VIRGILIO, M J	8809060364*	50-282 P	WELLS, A H	8809020005	71-9010
TUCKER, H B	8809150217	50-370 S	VIRGILIO, M J	8809080284*	50-315 P	WELLS, A H	8809060212	PROJ
TUCKER, H B	8809160101	50-269 Q	VISSING, G S	8809080280	PROJ	WELLS, A H	8809120052	PROJ
TUCKER, H B	8809160234	50-269 Q	VOGLER, B H	8809020068	50-335 G	WELLS, A H	8809220019	PROJ
TUCKER, H B	8809160238	50-269 P	WADDELL, D W	8808230214	50-461 F	WELLS, A H	8809200090*	50-320 P
TUCKER, H B	8809160280	50-269 S	WAINWRIGHT, R	8808290025	71-6717	WELLS, D M	8808290281*	50-315 P
TUCKER, H B	8809160308	50-369 S	WALDEYER, J T	8809210121*	CONTRACT	WELLS, M E	8809130324	50-320 S
TUCKER, H B	8809190095	50-369 P	WALKER, W	8809220198	PROJ	WELLS, R D	8809130324	50-320 S
TUCKER, H B	8809190153	50-369 P	WALKER, W	8808220327	WASTE MGT	WENZINGER, E C	8808280393	50-333 Q
TUCKER, H B	8809190238	50-369 F	WALL, E R	8809080080*	50-528 I	WENZINGER, E C	8808280047	50-247 P
TUCKER, H B	8809190277	50-369 S	WALL, K C	8809220120	50-213 R	WENZINGER, E C	8808290066	50-353 Q
TUCKER, H B	8809190324	50-269 P	WALLACE, W	8809260308	I&E	WENZINGER, E C	8809010377	50-352 Q
TUCKER, H B	8809200283	50-269 R	WALLACE, W L	8809270048*	REVIEW GR P	WENZINGER, E C	8809070219	50-247 Q
TUCKER, H B	8809200289	50-413 R	WALLIN, G A	8809140158	50-271 R	WENZINGER, E C	8809220313	50-272 Q
TUCKER, H B	8809200316	50-369 R	WALT, T	8809010280	50-344 F	WENZINGER, E C	8809230152	50-220 Q
TUCKER, H B	8809200367	50-369 Q	WALT, T D	8809210007	50-344 F	WERNER, R P	8809220166	50-245 Q
TUCKER, H B	8809230069	50-413 P	WALT, T T	8809220160	50-344 F	WERT, L D	8809010155*	50-269 Q
TUCKER, H B	8809230228	50-369 S	WAMBACH, T V	8808300007	50-255 P	WERT, L D	8809070077*	50-269 Q
TUCKER, H B	8809230232	50-413 F	WAMBACH, T V	8808300298	50-255 P	WESSMAN, R H	8110280332*	FOIA
TUCKER, H B	8809260082	50-413 Q	WAMBACH, T V	8809130194*	50-341 P	WESSMAN, R H	8809060092	50-244 P
TUCKER, H B	8809260167	50-369 Q	WAMBACH, T V	8809270002*	50-282 P	WESSMAN, R H	8809120082*	50-309 P
TUCKER, H B	8809260220	50-370 S	WANG, A B	8809120220	50-213 P	WESSMAN, R H	8809140348*	50-293 P
TUCKER, H B	8809260250	50-413 F	WANG, A B	8809200225	50-213 P	WESSMAN, R H	8809140416*	50-293 P
TUCKER, J E	8809140054	50-321 R	WANGLER, M E	8808300045	71-3002	WESSMAN, R H	8809190232*	50-271 P
TULEY, C R	8809120094*	50-483 P	WARD, D	8809120097*	50-416 Q	WEST, C P	8809120054	50-603 A
TULON, T	8808310084	50-454 S	WARD, D	8809230018*	50-338 Q	WEST, K S	8809200376	CONTRACT
TURK, S E	8809120004	50-443 G	WARD, D C	8809070159*	50-321 Q	WESTERGAARD, R	8809010315*	40-7102
TURK, S E	8809120012*	50-443 G	WARD, K D	8809230280*	50-346 Q	WESTERGAARD, R	8809080289*	40-7102
TURK, S E	8809140089	50-443 G	WARD, W J	8809260235*	50-282 Q	WESTERMAN, T F	8808300008*	50-285 Q
TURLEY, K L	8809140108	50-443 G	WARD, W J	8809160220*	FOIA	WESTERMAN, T F	8809070274*	50-287 F
UDALL, M	8809080090*	50-528 I	WARD, W J	8809160241*	FOIA	WHARTON, M A	8809130131	50-206
UHLER, J C	8809190010*	FOIA	WAREMBOURG, D W	8809160206	50-267 P	WHEADON, W C	8809140320	71-9001
ULIE, J M	8808260387*	50-282 Q	WAREMBOURG, D W	8809160208*	50-267 P	WHITE, J	8809210180*	REVIEW GR P
ULLRICH, B	8809010079	40-772 Q	WARGO, A R	8809130197	50-277 Q	WHITE, J R	8804120369*	REVIEW GR P
ULLRICH, W T	8809160260*	REVIEW GR P	WARNER, C A	8809140315	50-213 S	WHITE, J R	8804120413*	REVIEW GR P
UNNERSTALL, K	8809080230	FOIA	WARNICK, R F	8809080131	50-445 Q	WHITE, J R	8804130002*	REVIEW GR P
URBAN, P	8809300082*	FOIA	WARNICK, R F	8809140182	50-445 Q	WHITE, J R	8804130178*	REVIEW GR P
URBAN, P A	8809300079	FOIA	WARNICK, R F	8809190255	50-445 Q	WHITE, J R	8804130259*	REVIEW GR P
UTLEY, E E	8809090140	50-261 Q	WARREN, L A	8809200156	50-445 Q	WHITE, J R	8804130359*	REVIEW GR P
UTLEY, E E	8809120138	50-261 Y	WARRINER, R W	8809200124	50-280 R	WHITE, J R	8804130381*	REVIEW GR P
UTLEY, E E	8809220158	50-261 Q	WASCOM, R	8809080075*	50-155 P	WHITE, J R	8804150308*	REVIEW GR P
VACCA, P	8809190248*	REVIEW GR P	WASILK, J S	8809230269*	REVIEW GR P	WHITE, J R	8804210182*	REVIEW GR P
VACCA, P	8809190268*	REVIEW GR P	WATERS, R J	8809160011	50-346 F	WHITE, J R	8804220046*	REVIEW GR P
VACCA, P C	8803020249*	REVIEW GR P	WATSON, R A	8809010111	PR	WHITE, J R	8804270188*	REVIEW GR P
VACCA, P C	8809190250*	REVIEW GR P	WATSON, R A	8809010331	50-400 S	WHITE, J R	8805030142*	REVIEW GR P
VAN DOORN, P K	8809010174*	50-413 Q	WATSON, R A	8808300247	50-400 S	WHITE, J R	8805030178*	REVIEW GR P
VANDOROS, H	8808120081	40-8084	WATSON, R A	8808300299	50-400 F	WHITE, J R	8805030187*	REVIEW GR P
VARGA, S A	8808260441	50-271 P	WATSON, R A	8809010141	50-400 R	WHITE, J R	8805030273*	REVIEW GR P
VARGA, S A	8809060290*	50-364 P	WATSON, R A	8809010344	50-400 S	WHITE, J R	8805030312*	REVIEW GR P
VARGA, S A	8809060385*	50-320 V	WATSON, R A	8809010354	50-400 Q	WHITE, J R	8809200158*	REVIEW GR P
VARGA, S A	8809130064	50-272 P	WATSON, R A	8809070493	50-400 Q	WHITE, J R	8809210120*	REVIEW GR P
VARGA, S A	8809190373	50-322 P	WATSON, R A	8809140146	50-400 S	WHITE, S A	8808280457	50-327 P
VASELY, M	8809260255	50-247 S	WATSON, R A	8809140178	50-400 F	WHITE, S A	8808300038	50-259 H
VAUGHN, G E	8808260003	50-488 S	WATSON, R A	8809140289	50-400 R	WHITE, S A	8809080395	50-280 P
VAUGHN, G E	8808260057	50-488 F	WATSON, R A	8809140333	50-400 S	WHITE, S A	8809080398*	50-280 P
			WATSON, R A	8809140359	50-400 S	WHITENER, H L	8809220140*	50-400 Q

PERSONAL AUTHOR INDEX 305

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WHITENER,H.L.	8809220196*	50-424 Q	WIEDEMAN,D.G.	8809280252*	REVIEW GR P	WINN,J.A.	8809190082	WASTE MGT
WHITING,A.R.	8809202172*	WASTE MGT	WIEDEMAN,D.G.	8809280269*	REVIEW GR P	WINSLOW,T.P.	8808260334	70-1113
WHITING,A.R.	8809060129*	WASTE MGT	WIEDEMAN,D.G.	8809280273*	REVIEW GR P	WINSLOW,T.P.	8808260416	70-1113
WHITING,A.R.	8809070396	WASTE MGT	WIESEMAN,R.A.	8809120077*	50 483 P	WINSLOW,T.P.	8808290150	70-1113
WHITING,A.R.	8809180399	WASTE MGT	WIESEMAN,R.A.	8809060017*	50 348 Q	WINSLOW,T.P.	8808300216	70-1113
WHITING,A.R.	8809230271*	WASTE MGT	WIESEMAN,R.A.	8809070042*	50 327 P	WINSLOW,T.P.	8808310168	70-1113
WHITT,M.S.	8808290323	50-313 R	WIESEMAN,R.A.	8809070424*	50 601 K	WINSLOW,T.P.	8809220201	70-1113
WHITT,M.S.	8809200328	50-313 R	WIESEMAN,R.A.	8809130030*	50 206 Q	WINTERS,R.W.	8808280057*	50-289 Q
WHITTIER,G.D.	8808280297	50-309 Q	WIESEMAN,R.A.	8809140166*	50 380 A	WINTERS,T.A.	8809020258	50-277 Q
WHITTIER,G.D.	8809190228	50-309 R	WIESEMAN,R.A.	8809260299*	50 282 P	WINTERS,W.L.	8809080166	PR
WHITTIER,G.D.	8809190315	50-309 S	WIESEMAN,R.A.	8809260293*	TOPREP	WISMAN,G.	8809230016*	50-338 Q
WHITTIER,G.D.	8809200073	50-309 V	WIESEMAN,R.A.	8809260309*	TOPREP	WISMAN,G.R.	8809070159*	50-321 P
WICHES,D.L.	8809080056	40-8502	WIESEMAN,R.A.	8809260309*	REVIEW GR P	WISMAN,R.A.	8809120063*	50-483 P
WICHES,D.L.	8809080149	40 8502	WIGGINS,E.J.	8809270089*	CONTRACT	WISSINK,R.G.	8809190335*	REVIEW GR P
WICHES,D.L.	8809060156	40 8684	WIGGINS,E.J.	8809070457*	CONTRACT	WISSINK,R.G.	8809190361*	REVIEW GR P
WICHES,D.L.	8809080170	40-8684	WIGGINS,E.J.	8809070543*	CONTRACT	WISSINK,R.G.	8809210152*	REVIEW GR P
WICHES,D.L.	8809070008	40-8502	WIGGINS,J.T.	8809020039	50-317 Q	WISSINK,R.G.	8809230273*	REVIEW GR P
WICHES,D.L.	8809070240	40-8502	WIGGINS,J.T.	8809220317	50-28 Q	WISSINK,R.G.	8809230275*	REVIEW GR P
WICHES,D.L.	8809120154	40 8502	WIGGINTON,D.L.	8809260014	50-382 P	WISSINK,R.G.	8809290164*	REVIEW GR P
WICHES,D.L.	8809140044	40-8502	WIGGINTON,D.L.	8809260391*	50 482 P	WITHERS,B.A.	8809060232	50-482 S
WIDELL,R.C.	8808310042	50-302 S	WIGGINTON,D.L.	8808150202	50-362 Q	WITHERS,B.D.	8808280168	50-482 Q
WIDELL,R.C.	8809020059	50-302 K	WILDE,R.M.	8809210027*	REVIEW GR P	WITHERS,B.D.	8809010355	50-482 S
WIDELL,R.C.	8809070266	50-302 P	WILDS,H.B.	8808150215	PR	WITHERS,B.D.	8809060205	50-482 Q
WIDELL,R.C.	8809080028	50-302 Q	WILGUS,W.S.	8809260449	50 341 S	WITHERS,B.D.	8809060359	50-482 V
WIDELL,R.C.	8809080041	50-302 R	WILGUS,W.S.	8808310004	50-302 P	WITHERS,B.D.	8809070065	50-482 R
WIDELL,R.C.	8809080058	50-302 F	WILLIAMS,J.H.	8809010088	50-302 V	WITHERS,B.D.	8809070336	50-482 P
WIDELL,R.C.	8809080078	50-302 S	WILLARD,M.P.	8809210177*	REVIEW GR P	WITHERS,B.D.	8809190214*	50-482 Q
WIDELL,R.C.	8809080088	50-302 Q	WILLARD,S.C.	8809280120	50-258 S	WITHERS,B.D.	8809200133	50-482 R
WIDELL,R.C.	8809080185	50-302 Q	WILLARD,S.C.	8809070562	50-260 S	WITHERS,B.D.	8809260008	50-482 F
WIDELL,R.C.	8809130304	50-302 P	WILLIAMS,C.	8809080095	WASTE MGT	WITHERS,B.D.	8809260068	50-482 S
WIDELL,R.C.	8809140163	50-302 Q	WILLIAMS,J.H.	8809260068*	50-363 Q	WITHERS,B.D.	8809260088	50-482 F
WIDELL,R.C.	8809150047	50-302 P	WILLIAMS,J.H.	8809010379*	50 352 Q	WOCHOS,J.F.	8809010159	PR
WIDELL,R.C.	8809190061	50-302 Q	WILLIAMS,M.G.	8809010355	50-482 S	WOLFE,G.K.	8808300048*	50-333 P
WIDELL,R.C.	8809230107	50 302 S	WILLIAMS,M.G.	8809080232	50 482 S	WOLFE,S.J.	8809020084	50-443 G
WIDELL,R.C.	8809260228	50-302 P	WILLIAMS,M.G.	8809200133	50 482 R	WOLFER,J.R.	8809010271	50-367 F
WIDELL,R.C.	8809270070	50 302 F	WILLIAMS,R.E.	8809060161	WASTE RES	WONG,C.C.	8809220049	NUREG
WIEDEMAN,D.	8809210086*	REVIEW GR P	WILLIAMS,R.O.	8809260042	50 267 Q	WONG,S.M.	8809220046	50-313 P
WIEDEMAN,D.G.	8809080215	70-1507	WILLIAMS,R.O.	8809260255	50-267 Q	WOOD,D.G.	8804120321*	REVIEW GR P
WIEDEMAN,D.G.	8809080285*	70-1507	WILLIAMS,R.O.	8809260284	50-267 R	WOOD,R.	8809080155	40-4492
WIEDEMAN,D.G.	8809210202*	REVIEW GR P	WILLIAMS,R.O.	8809310087	50-267 P	WOOD,R.	8809140059	40-6658
WIEDEMAN,D.G.	8809210204*	REVIEW GR P	WILLIAMS,R.O.	8809010080	50-267 R	WOODHEAD,C.P.	8809260069	50-320 G
WIEDEMAN,D.G.	8809210217*	REVIEW GR P	WILLIAMS,R.O.	8809070465	50 267 P	WOODLAN,D.R.	8809070332	50-445 S
WIEDEMAN,D.G.	8809210233*	REVIEW GR P	WILLIAMS,R.O.	8809130139	50 267 Q	WOODLAN,D.R.	8809070407	50-445 S
WIEDEMAN,D.G.	8809210238*	REVIEW GR P	WILLIAMS,R.O.	8809190135	50 267 Q	WOODLAN,D.R.	8809070555	50-445 Q
WIEDEMAN,D.G.	8809210241*	REVIEW GR P	WILLIAMS,R.O.	8809270045	50 267 P	WOODLAN,D.R.	8809080143	50-445 S
WIEDEMAN,D.G.	8809210248*	REVIEW GR P	WILLIAMS,M.G.	8809260068	50 482 S	WOODLAN,D.R.	8809080164	50-445 Q
WIEDEMAN,D.G.	8809210253*	REVIEW GR P	WILLIS,J.L.	8809200065*	50-368 P	WOODLAN,D.R.	8809230171	50-445 S
WIEDEMAN,D.G.	8809210257*	REVIEW GR P	WILLIS,J.L.	8808300248	50 410 S	WOODLAN,D.R.	8809260064	50-445 S
WIEDEMAN,D.G.	8809210258*	REVIEW GR P	WILLIS,J.L.	8809310090	50-410 S	WOODLAN,D.R.	8809260335	50-445 S
WIEDEMAN,D.G.	8809210262*	REVIEW GR P	WILLIS,J.L.	8809010247	50-410 S	WOODLAND,D.R.	8808280239	50-445 A
WIEDEMAN,D.G.	8809210263*	REVIEW GR P	WILLIS,J.L.	8809070474	50 220 S	WOODROW,D.S.	8809130199	50-277 Q
WIEDEMAN,D.G.	8809210267*	REVIEW GR P	WILLIS,J.L.	8809070487	50 410 S	WOODRUFF,R.L.	8808260309	STATE PRO G
WIEDEMAN,D.G.	8809210269*	REVIEW GR P	WILLIS,J.L.	8809070503	50 410 S	WOODRUFF,R.L.	8808290048*	I&E
WIEDEMAN,D.G.	8809210272*	REVIEW GR P	WILLIS,J.L.	8809080186	50 410 S	WOODWARD,N.K.	8809140041*	50-443 G
WIEDEMAN,D.G.	8809210273*	REVIEW GR P	WILLIS,J.L.	8809080240	50 410 S	WOODWARD,N.K.	8809140041*	50-443 G
WIEDEMAN,D.G.	8809220007*	REVIEW GR P	WILLIS,J.L.	8809090148	50 410 S	WOODY,G.E.	8809140358*	50-280 S
WIEDEMAN,D.G.	8809220009*	REVIEW GR P	WILLIS,J.L.	8809130312	50 410 S	WOOLRIDGE,E.O.	8809260060*	50-368 P
WIEDEMAN,D.G.	8809220013*	REVIEW GR P	WILLIS,J.L.	8809140383	50 410 Q	WOTENZA,R.A.	8809010081	50-254 R
WIEDEMAN,D.G.	8809220015*	REVIEW GR P	WILLIS,J.L.	8809200071	50 410 S	WRIGHT,B.L.	8808260118	XPORTLIC
WIEDEMAN,D.G.	8809220064*	REVIEW GR P	WILLIS,J.L.	8809200127	50 220 R	WRIGHT,F.N.	8809220278*	50-395 Q
WIEDEMAN,D.G.	8809220068*	REVIEW GR P	WILLIS,J.L.	8809220057	50 410 R	WRIGHT,G.C.	8808260005	50-331 P
WIEDEMAN,D.G.	8809220137*	REVIEW GR P	WILSON,B.A.	8808260482	50-338 Q	WRIGHT,G.C.	8808260075	50-282 V
WIEDEMAN,D.G.	8809220143*	REVIEW GR P	WILSON,B.A.	8808290085	50-280 Q	WRIGHT,G.C.	8808260241	50-373 V
WIEDEMAN,D.G.	8809220146*	REVIEW GR P	WILSON,B.A.	8808290070*	50-280 Q	WRIGHT,G.C.	8808290004	50-237 Q
WIEDEMAN,D.G.	8809220151*	REVIEW GR P	WILSON,B.A.	8809070059	50-335 Q	WRIGHT,G.C.	8808290027*	50-237 Q
WIEDEMAN,D.G.	8809220154*	REVIEW GR P	WILSON,B.A.	8809130148	50-302 Q	WRIGHT,G.C.	8808300002	50 440 V
WIEDEMAN,D.G.	8809220157*	REVIEW GR P	WILSON,B.A.	8809130153	50-250 Q	WRIGHT,G.C.	8808300200	50-331 V
WIEDEMAN,D.G.	8809220161*	REVIEW GR P	WILSON,B.A.	8809130155*	50-260 Q	WRIGHT,G.C.	8808300304	50-456 V
WIEDEMAN,D.G.	8809220170*	REVIEW GR P	WILSON,J.H.	8808300043	40-445 A	WRIGHT,G.C.	8808310030	50-254 V
WIEDEMAN,D.G.	8809220188*	REVIEW GR P	WILSON,J.H.	8809010330	50 445 A	WRIGHT,G.C.	8809010166	50-483 P
WIEDEMAN,D.G.	8809220197*	REVIEW GR P	WILSON,J.H.	8809060169	50-445 F	WRIGHT,G.C.	8809010348	50 10 P
WIEDEMAN,D.G.	8809220219*	REVIEW GR P	WILSON,J.H.	8809070100	50 445 A	WRIGHT,G.C.	8809020217	50 315 Q
WIEDEMAN,D.G.	8809220231*	REVIEW GR P	WILSON,J.H.	8809130001	50 445 A	WRIGHT,G.C.	8809070323	50-341 V
WIEDEMAN,D.G.	8809220251*	REVIEW GR P	WILSON,J.H.	8809160221	50 445 A	WRIGHT,G.C.	8809070333	50-341 V
WIEDEMAN,D.G.	8809220256*	REVIEW GR P	WILSON,J.H.	8809220042	50 445 A	WRIGHT,G.C.	8809080177	50-266 P
WIEDEMAN,D.G.	8809220265*	REVIEW GR P	WILSON,J.H.	8809260267	50-445 F	WRIGHT,G.C.	8809090022	50-283 P
WIEDEMAN,D.G.	8809220274*	REVIEW GR P	WILSON,K.R.	8809270004	50 445 A	WRIGHT,G.C.	8809140180	50-315 V
WIEDEMAN,D.G.	8809220276*	REVIEW GR P	WILSON,K.R.	8808260153	50 302 P	WRIGHT,G.C.	8809140186	50 454 V
WIEDEMAN,D.G.	8809230291*	REVIEW GR P	WILSON,K.R.	8809080099	50 302 S	WRIGHT,G.C.	8809140334	50 483 V
WIEDEMAN,D.G.	8809230292*	REVIEW GR P	WILSON,K.R.	8809190307	50 302 R	WRIGHT,G.C.	8809140352	50-341 V
WIEDEMAN,D.G.	8809230294*	REVIEW GR P	WILSON,M.A.	8809010100	PR	WRIGHT,G.C.	8809230130	50-155 Q
WIEDEMAN,D.G.	8809280129*	REVIEW GR P	WILSON,R.F.	8808300224	50-218 P	WRIGHT,G.C.	8809230139*	50-155 Q
WIEDEMAN,D.G.	8809280155*	REVIEW GR P	WILSON,R.F.	8809140218	50-219 P	YANICHKO,S.E.	8808290242*	50-296 P
WIEDEMAN,D.G.	8809280159*	REVIEW GR P	WILSON,R.F.	8809190367	50-289 P	YANIV,S.S.	8809060265	NUREG
WIEDEMAN,D.G.	8809280166*	REVIEW GR P	WILSON,R.F.	8809190386*	50-289 P	YOST,N.D.	8809140283	50-277 Q
WIEDEMAN,D.G.	8809280201*	REVIEW GR P	WILSON,R.F.	8809210069	50-219 P	YOUNG,M.A.	8809140073	50-322 G
WIEDEMAN,D.G.	8809280219*	REVIEW GR P	WILSON,W.R.	8809190258	50-302 Q	YOUNG,M.A.	8809140169	50-322 G
WIEDEMAN,D.G.	8809280227*	REVIEW GR P	WINGER,M.A.	8809200384	50-334 R	YOUNG,M.A.	8809260061	50-322 G

306 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
YOUNG, M A	8809260065	50 322 G	ZAHNLEUTER, R J	8809230011	50 322 G	ZECH, L W	8809190360*	FOIA
YOUNG, M A	8809260126	50-322 G	ZECH, L H	8809220028	COMMISSION	ZECH, L W.	8809210080	COMMISSION
YOUNGBLOOD, B J	8809060241	WASTE MGT	ZECH, L W	8711040258*	REVIEW GR P	ZECH, L W.	8809210097	COMMISSION
YUAN, C Y	8808170132*	50 454 P	ZECH, L W	8808260157	50 293 U	ZECH, L W.	8809230040	50 277 Q
YUHAS, G P	8808300295	50 528 Q	ZECH, L W	8808290286	COMMISSION	ZECH, L W.	8809230176	COMMISSION
YUHAS, G P	8808310076	50 397 Q	ZECH, L W	8808290342	COMMISSION	ZECH, L W	8809230188	COMMISSION
YUHAS, G P	8809060289	50-397 Q	ZECH, L W	8808300042	50 29 F	ZECH, L W	8809230190	COMMISSION
YUHAS, G P	8809060298*	50-397 Q	ZECH, L W	8808300076	50 348 P	ZECH, L W.	8809230196	COMMISSION
YUHAS, G P	8809060311	50-312 Q	ZECH, L W	8808300089	COMMISSION	ZECH, L W.	8809230207	COMMISSION
YUHAS, G P	8809060328*	50-312 Q	ZECH, L W	8808300142	COMMISSION	ZECH, L W.	8809230211	COMMISSION
YUHAS, G P	8809060336*	50 312 Q	ZECH, L W	8808300146	COMMISSION	ZECOS, P A	8809150238	QA999
YUHAS, G P	8809060342	50 528 Q	ZECH, L W	8808300150*	COMMISSION	ZELLNER, R J	8809120093	40 6724
YUHAS, G P	8809060351*	50 528 Q	ZECH, L W	8808300153*	COMMISSION	ZIGROSSI, N.A.	8808260456	TOPREP
YUHAS, G P	8809140131	50-397 Q	ZECH, L W.	8809180131*	REVIEW GR P	ZIGROSSI, N.A.	8808290036*	TOPREP
YUHAS, G P	8809140133*	50 206 Q	ZECH, L W.	8809160211*	FOIA	ZIMMER, A	8800130256	71-8214
YUHAS, G P	8809150200	50 312 Q	ZECH, L W	8809160291*	FOIA	ZIMMERMAN, R P	8808290266	50-344 Q
YUHAS, G P.	8809210175	50-344 Q	ZECH, L W	8809160300*	FOIA	ZIMMERMAN, R P	8809140179	50 397 Q
YUHAS, G P	8809220077	50-397 Q	ZECH, L W	8809160307*	FOIA	ZIMMERMAN, R P	8809140194*	50-397 Q
YUHAS, G P	8809220082*	50-397 Q	ZECH, L W	8809160316*	FOIA	ZIMMERMAN, R P	8809140228	50-312 Q
YUHAS, G P	8809220131	50 312 Q	ZECH, L W	8809160325*	FOIA	ZIMMERMAN, R P	8809200070	50-344 Q
YUHAS, G P	8809220133*	50 312 Q	ZECH, L W	8809160328*	FOIA	ZIMMERMAN, R.P.	8809220102	50-206 Q
ZACH, J J	8809140145	50 266 V	ZECH, L W	8809160330*	FOIA	ZIMMERMAN, S W	8809210178	WASTE MGT
ZAHNLEUTER, R J	8809190094*	50-322 G	ZECH, L W	8809190017*	FOIA	ZOBEL, S	8809130242	WASTE MGT
						ZUPKO, J M	8808300112	50-311 S

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ALBAR Industries, Inc	8809220066*	REVIEW GR P	American College of Cardiology	8809080166	PR
ALWR Utility Steering Committee	8808300036	PRCJ	American College of Chest Physicians	8809010173	PR
AT&T Information Systems	8809070543*	CONTRACT	American College of Nuclear Physicians	8809020136	PR
Advanced Nuclear Fuels Corp (formerly Exxon Nuclear Co., Inc)	8808290341*	XPORTLIC	American College of Physicians	8809080055	PR
	8809290345	XPORTLIC	American College of Radiology	8809010048	PR
	8808300071*	XPORTLIC		8809070552	PR
	8808300087	XPORTLIC	American Heart Association	8809010292	PR
	8809070437	70-1257	American Hospital Association	8809010099	PR
	8809070500*	50-336 P	American Nuclear Society	8809180260*	REVIEW GR P
	8809120201*	50-237 P	American Society of Mechanical Engineers	8809080095	WASTE MGT
	8809120205*	50-237 P		8809190082	WASTE MGT
	8809120208*	50-237 P	Amersham Corp	8809130349	71-9163
	8809140331	TOPREP		8809140230	71-9128
	8809160349	PR	Amesbury, MA	8809190053	50-443 G
	8809210056	TOPREP		8809190053	50-443 G
	8809210240*	50-255 P		8809190065	50-443 G
	8809210242*	50-255 P	Anaheim, CA	8809280089	50-206 F
	8809210245	TOPREP	Anheuser-Busch Cos., Inc	8809200345*	REVIEW GR P
	8809220048	TOPREP		8809220262*	REVIEW GR P
	8809230026*	50-255 P	Argonne National Laboratory	8809060186	NUREG
	8809230268*	50-307 P		8809060200	NUREG
	8809070056	50-483 P		8809220039	NUREG
Advisory Council on Historic Preservation	8809160273	50-228 F		8808260071	50 528 R
Aerostat Operations, Inc.	8810110385*	REVIEW GR P	Arizona Nuclear Power Project (formerly Arizona Public Service Co.)	8808260205	50 528 S
Air Force, Dept. of	8804120321*	REVIEW GR P		8808260419	50 528 S
Air Force, Dept. of, Radiolotope Comm	8808310063	50-348 P		8808290250	50-530 S
Alabama Power Co.	8808310116	50-348 Q		8809010109	50-526 P
	8808310154	50-348 P		8809010109	50-526 P
	8809010043	50-348 F		8809010109	50-528 P
	8809010043	50-348 F		8809010175*	50-528 P
	8809010321	50-348 R		8809010175*	50-528 P
	8809060016	50-348 Q		8809010175*	50-528 P
	8809070388	50-348 V		8809010257	50-529 P
	8809120109	50-348 F		8809020057	50-529 S
	8809120109	50-348 F		8809060002	50-528 S
	8809140297	50-348 Q		8809060032	50-528 R
	8809150212	50-348 F		8809070048	50-528 F
	8809150212	50-348 F		8809070048	50-528 F
	8809180157	50-348 P		8809070048	50-528 F
	8809180157	50-348 P		8809070150	50-528 F
	8809180150	50-348 P		8809070150	50-528 F
	8809180190	50-348 Q		8809070150	50-528 F
	8809180190	50-348 Q		8809070150	50-528 F
	8809180196	50-348 F		8809070287*	50-528 F
	8809180196	50-348 F		8809070287*	50-528 F
	8809190229	50-348 Q		8809070287*	50-528 F
	8809190245	50-348 P		8809070287*	50-528 F
	8809190245	50-348 P		8809070301	50-528 Q
	8809220051	50 364 R		8809070301	50-528 Q
	8809220055	50 348 R		8809080059	50-528 Q
	8809230023	50 348 P		8809080059	50-528 Q
	8809230240	50 348 P		8809080059	50-528 Q
	8809230240	50-348 P		8809080090*	50-528 Q
	8809200100*	REVIEW GR P		8809090159	50-528 P
Alabama, State of	8808260369	50-803 A		8809090159	50-528 P
All Chemical Isotope Enrichment, Inc	8808260375	50-804 A		8809090159	50-528 P
	8809010210*	50-803 A		8809140187	50-528 S
	8809020082*	50-804 A		8809140222	50-528 Q
	8809190084	50-803 F		8809140222	50-528 Q
	8809260004	50-803 G		8809140245	50-530 S
AltComm, Inc.	8809280088*	50-443 G		8809150147	50-528 S
Altair Resources, Inc	8809020213	40-8926 P		8809150147	50-528 P
	8809060076	40 8926 P		8809150147	50-528 P
	8809060178	40 8926 P		8809150148*	50-528 P
American Association of Physicists in Medicine	8809090185	PR		8809150148*	50-528 P
American Board of Nuclear Medicine	8809090205	PR		8809150148*	50-528 P

308 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Arizona, State of Arkansas Power & Light Co	8809200152	50 528	Williams & Ward	8808300088*	50-348
	8809200152	50 528	Baltimore Gas & Electric Co	8808260002	50 317
	8809200183	50-528		8808260466	50 317
	8809220139	50 528		8808300068	50-317
	8809260264	50 528		8808310233	50-317
	8809290210*	REVIEW GR		8809020211	50 317
	8808260066	50 313		8809020211	50-317
	8808260066	50 313		8809080303	60-317
	8808290313	50-368		8809090173	50-317
	8808290323	50-313		8809130014	50 317
	8808300157	50-368		8809130045*	50-317
	8808310187	50 313		8809130045*	50-317
	8809070376	50-313		8809140221	50-317
	8809070379*	50-313		8809150071	60 317
	8809140101	50-313		8809150251	50-317
	8809140360	50-313		8809200266	50-317
	8809140360	50-313		8809210165	50 317
	8809140368	50-313		8809210183	50 317
	8809140368	50 313		8809220245*	50-317
	8809140405	50 368		8809220266	50-317
	8809150063	50-313		8809220329	50 317
	8809150146	50-368		8809120152	70-8
	8809160140	50-313	Battelle Memorial Institute, Columbus Laboratories	8809220058	NUREG
	8809160140	50-313	Battelle Memorial Institute, Pacific Northwest Laboratory	8809060245	NUREG
	8809160146	50-313		8809120172*	PR
	8809180191	50-313		8809130221	WASTE RES
	8809180191	50 313		8809220023	NUREG
	8809190203	50-313		8809220053	NUREG
	8809200038*	50-313		8809220089	NUREG
	8809200037*	50 313		8809220245	NUREG
	8809200056	50-368		8809220266	40-8452
	8809200220	50 313		8809060402	40-8452
	8809200220	50 313		8809130298	40 8452
Arkansas, State of Ashland Chemical Co	8809200226	50 368	Bear Creek Uranium Co.	8808300089*	50 317
	8809200328	50 313		8808290172	50-361
	8809200337	50-368		8809150034	TOPREP
	8809220174	50 313		8809080245	FOIA
	8809220293	50 313		8809210121*	CONTRACT
	8809220293	50-313		8809210048	60-224
	8809220301	50-313		8809080079	PR
	8809220305	50-313		8809120036	50 313
	8809220305	50-313		8809160245	FOIA
	8809260132	50 313		8809190370*	REVIEW GR
	8809090190	PR		8809080272	50-293
	8803300024*	REVIEW GR	Bechtel Group, Inc. Bechtel Power Corp	8809080279*	50 293
	8803300027*	REVIEW GR		8809140200	50-293
	8803300032*	REVIEW GR		8809140305	50-293
	8809200272*	REVIEW GR		8809150335	50-293
Atlantic Richfield Co (ARCO)	8809080043	40-6902		8809160270*	50 293
	8809130016*	40 6902		8809190291	50-293
	8809060186	40 3453		8809200277*	50-293
	8809060267	40 3453		8809200278*	50-293
	8809070084	40-3453		8809230110	50-293
	8809070178	40-3453		8809260145*	50-293
	8809140066*	40-3453		8809210144*	CONTRACT
	8809190076	40-3453		8809220189*	REVIEW GR
	8809210112*	WASTE MGT		8809210268*	REVIEW GR
	8809260312*	CONTRACT	Brand Examination Services & Testing Co Bristol-Myers Co Bronson Specialties, Inc. Brookhaven National Laboratory	8811040400*	50-410
Atomic Industrial Forum Automatic Management Consultants, Inc. Automatic Switch Co B&W Fuel Co Babcock & Wilcox Co	8809260202	QA999		8808300116	WASTE RES
	8808260284	70-1201		8808300138	WASTE RES
	8808260474	70-135		8809010078	WASTE RES
	8808260485*	70-135		8809010092	WASTE RES
	8808260507*	70 135		8809080054	WASTE RES
	8808300327*	70-27		8809080147	NUREG
	8808300334*	70-27		8809080157	NUREG
	8808300335*	70 27		8809080174	NUREG
	8808300338*	70-27		8809080181	NUREG
	8808310048	TOPREP		8809080183	NUREG
Babcock & Wilcox Operating Plants Owners Group	8808310098	TOPREP	Brown Univ, Providence, RI	8809080185	NUREG
	8808310112	TOPREP		8809090065	NUREG
	8808190138	70-27		8809090067*	WASTE MGT
	8809190237	70 27		8809150278	WASTE MGT
	8809220130	70 364		8809200098	NUREG
	8809230179	TOPREP		8809210180	WASTE RES
	8809260030*	50-312		8809210185	WASTE RES
	8809260071	70 27		8809210188	WASTE RES
	8809260318	70-135		8809220014	NUREG
	8809260333	70-135	Buffalo Materials Research Center Burns & Roe Co	8809220039	NUREG
Backus, Meyer & Solomon	8809010335	TOPREP		8809220048	50-313
	8809080196	TOPREP		8809280214	NUREG
	8809230167	TOPREP		8808260146	WASTE MGT
	8809230183*	TOPREP		8809130255	WASTE MGT
	8809020058	50-443		8809220179*	71-8216
	8809160032	50-443		8809220187*	WASTE MGT
	8809210018	50-443		8809010162	TOPREP
	8809210023	50-443			
	8809300043	50-443			
	8808300085*	50-348			
Balch, Bingham, Baker, Hawthorne,			Burns & Roe Enterprises, Inc.		

CORPORATE SOURCE INDEX 309

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Business Systems Finishing, Inc	8809010165*	TOPREP		8809160294	50-325	S
CFD Research Corp	8809220231*	REVIEW GR	P	8809190128	50-261	F
Cabot Corp	8808220060	NUREG		8809190134	50-261	S
California, State of	8808290110	40-6940		8809190333	50-400	S
California, Univ of, Berkeley, CA	8809160264	40-6940		8809200103	50-261	S
California, Univ of, Irvine, CA	8809210026*	REVIEW GR	P	8809200147	50-400	S
Calmar, Inc	8809290198*	REVIEW GR	P	8809220156	50-261	Q
Camera Shop	8809210033	50-224	G	8809230159	50-261	O
Canada Atomic Energy Control Board	8809210048	50-224	R	8809230215	50-261	R
Canadian Imperial Bank of Commerce	8808300217	50-326	P	8809230215	50-261	H
Canon, Inc	8809220015*	REVIEW GR	R	8809230270	50-324	O
Carolina Power & Light Co	8809290136*	REVIEW GR	P	8809260085	50-324	H
	8809160201*	REVIEW GR	P	8809260085	50-324	P
	8808120081	40-8084		8809260114	50-324	P
	8809060109*	40-1162		8809260114	50-324	P
	8808260135	50-261	Q	8809260115*	50-324	P
	8808260333	50-324	F	8809260115*	50-324	P
	8808260340	50-261	F	8809260164	50-261	P
	8808260359	50-400	P	8808260051	WASTE MGT	
	8808300247	50-400	S			
	8808300299	50-400	F	8808290283	WASTE MGT	
	8808300302*	50-400	F	8809010122	WASTE MGT	
	8808300306*	50-400	F	8809010126*	WASTE MGT	
	8808310203	50-324	S	8809020172*	WASTE MGT	
	8808310206	50-324	S	8809060129*	WASTE MGT	
	8808310221	50-400	V	8809070306	WASTE MGT	
	8809010012	50-324	S	8809180402	WASTE MGT	
	8809010045	50-324	H	8809230267	WASTE MGT	
	8809010104	50-324	C	8809230271*	WASTE MGT	
	8809010128	50-324	P	8809070450	50-440	J
	8809010128	50-324	P	8806030121	WASTE MGT	
	8809010141	50-400	H	8806030127*	WASTE MGT	
	8809010167*	50-324	P	8809020277*	50-395	R
	8809010167*	50-324	P	8809090209	WASTE MGT	
	8809010291	50-400	S	8809090216*	WASTE MGT	
	8809010331	50-400	S	8809130270	71-9106	
	8809010344	50-400	O	8809130270*	71-9106	
	8809010354	50-400	T	8809210055	50-445	G
	8809060127	50-261	R	8809210055	50-445	G
	8809060208	50-261	Y	8809210062*	50-445	G
	8809060208	50-261	Y	8809210062*	50-445	G
	8809060309	50-261	P	8809250304	50-440	S
	8809060373	50-261	O	8809250245	50-440	Q
	8809070440	50-400	O	8809010186	50-440	R
	8809070493	50-400	O	8809090336	50-440	H
	8809070529	50-325	S	8809070353	50-440	C
	8809080031	50-400	F	8809080030	50-440	H
	8809080046	50-324	H	8809120168	50-440	F
	8809080045	50-324	H	8809140019	50-440	P
	8809080063	50-324	O	8809140103	50-440	G
	8809080063	50-324	O	8809140103	50-440	G
	8809080071	50-324	S	8809140202*	50-440	G
	8809080100*	50-324	H	8809140202*	50-440	G
	8809080104*	50-324	H	8809140265	50-440	O
	8809080274	50-400	P	8809140434	50-440	F
	8809090073	50-324	S	8809140434	50-440	F
	8809090076	50-324	S	8809140467	50-440	S
	8809090083	50-324	S	8809150084	50-440	H
	8809090083	50-324	S	8809150084	50-440	O
	8809090140	50-261	O	8809200116	50-440	H
	8809090141*	50-261	O	8809200126	50-440	P
	8809090144*	50-261	O	8809200205	50-440	
	8809120127*	50-261	Y	8809090112	40-8714	
	8809120127*	50-261	Y	8809090185	40-8714	
	8809120138	50-261	Y	8809210177*	REVIEW GR	P
	8809120138	50-261	Y	8809140070	40-8084	
	8809120139*	50-261	Y	8808260478	70-1100	
	8809120139*	50-261	Y	8808260503	71-9022	
	8809140146	50-400	Y	8808260051	70-1100	
	8809140178	50-400	F	8808260201	TOPREP	
	8809140289	50-400	R	8808310121	PROJ	
	8809140298	50-324	O	8809080061	50-470	A
	8809140298	50-324	O	8809090167*	50-528	P
	8809140300	50-261	R	8809140281	70-1100	
	8809140301	50-261	R	8809160202	70-1100	
	8809140301	50-261	R	8809160254	70-1100	
	8809140317*	50-261	R	8809160296	50-470	A
	8809140333	50-400	S	8809210116	50-470	F
	8809140359	50-400	S	8808300158	WASTE RES	
	8809140381	50-324	O	8809200371*	CONTRACT	
	8809140387	50-400	O	8809120236	50-272	P
	8809140422	50-261	O			
	8809140422	50-261	O	8808220053	50-374	S
	8809140422	50-261	O	8808260012	50-454	Q
	8809150297	50-400	S	8808260141	50-458	S
	8809160271	50-325	S	8808260243	50-458	S
				8808260343	50-295	P
				8808260405	50-373	R
				8808260034	50-295	F

310 CORPORATE SOURCE INDEX

Computer Maintenance & Parts Corp
Comran Corp
Concept Communications, Inc.
Connecticut Yankee Atomic Power Co.

CORPORATE SOURCE INDEX 311

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Consolidated Edison Co. of New York, Inc.	8809070545	50-213	Control Data Corp Coordinating Agency for Supplier Evaluation (CASE Association) Dairyland Power Cooperative	8809150305	50-255
	8809070553	50-213		8809150307	50-255
	8809070554*	50-213		8809160170	50-255
	8809080145	50-213		8809190073	50-155
	8809080148*	50-213		8809190078	50-155
	8809080149*	50-213		8809190111	50-155
	8809130285	50-213		8809190380	50-255
	8809140309	50-213		8809190392	50-255
	8809140315	50-213		8809200072	50-255
	8809160125	50-213		8809200079*	50-255
	8809190126	50-213		8809200234	50-155
	8809200049	50-213		8809210221*	50-255
	8809200120	50-213		8809210223	50-255
	8809200165	50-213		8809210226*	50-255
	8809200165	50-213		8809210230*	50-255
	8809220120	50-213		8809220116	50-255
	8809230037	50-213		8809220204	50-255
	8809230037	50-213		8809230020	50-255
	8809230070	50-213		8809260051	50-255
	8809230084*	50-213		8809260174	50-255
	8809260110	50-247		8809280003*	50-255
	8809280128	50-247		8809210070*	REVIEW GR
	8809300275	50-247		8809010091	TOPREP
	8809300326	50-3	Data Base, Inc. Data Computer Corp. of America Detroit Edison Co.	8809010126	50-409
	8809300325	50-3		8809190008	50-409
	8809310131	50-247		8809220330	50-409
	8809310153	50-247		8809260155	50-409
	8809310346	50-247		8809210244*	CONTRACT
	8809320029	50-247		8809270069*	CONTRACT
	8809370463	50-247		8809280048	50-341
	8809370486*	50-247		8809290062	71-5939
	8809370489*	50-247		8809290138	50-341
	8809380140	50-3		8809290210	50-341
	8809380140	50-3		8809280282	50-341
	8809380179*	50-3		8809300040	50-341
	8809140142	50-247		8809310044	50-341
	8809140225	50-247		8809310210	50-341
	8809140227	50-247		8809310213	50-341
	8809140308	50-3		8809320049	50-341
	8809140308	50-3		8809320222	50-341
	8809190224	50-247		8809320265	50-341
	8809230060	50-247		8809320271	50-341
	8809230247	50-247		8809370038	50-341
	8809280255	50-247		8809370344	50-341
Consumers Power Co.	8807130473	50-255		8809370444	50-341
	8808290024	50-255		8809380111	50-16
	8808290040	50-255		8809140286	50-341
	8808290078	50-255		8809140370	71-9078
	8808290182	50-255		8809160136	50-341
	8808300219	50-255		8809190260	50-341
	8808300314	50-255		8809200011	50-341
	8809010097	50-255		8809200016	50-341
	8809010113	50-255		8809200055	50-341
	8809010116*	50-255		8809200313	50-341
	8809020014	50-255		8809260072	50-341
	8809060009	50-155		8809260227	50-341
	8809060030	50-255		8809260314	50-16
	8809060071*	50-155		8809260316*	50-16
	8809060276	50-255		8809260336*	REVIEW GR
	8809060280*	50-255		8809090219	50-410
	8809060283*	50-255		8809120074	FOIA
	8809070072	50-255		8808290187	50-483
	8809070187	50-255		8809130071*	40-7102
	8809070313	50-155		8808280256	50-269
	8809070320	50-255		8808280256	50-269
	8809070322*	50-255		8808280256	50-269
	8809080013	50-155		8808280318	50-269
	8809080036*	50-155		8808280320	50-370
	8809080037*	50-155		8808280351*	50-269
	8809080040*	50-155		8808280351*	50-269
	8809080047	50-255		8808280351*	50-269
	8809080080	50-155		8808290088	50-269
	8809080080	50-155		8808290088	50-269
	8809080138	50-255		8808290088	50-269
	8809090064*	50-255		8808300018	50-370
	8809120063	50-255		8808300228	50-413
	8809120069	50-255		8808300228*	50-413
	8809120104	50-255		8808300228*	50-413
	8809130103	50-155		8808310086	50-269
	8809140083	50-155		8808310086	50-269
	8809140150	50-255		8808310086	50-269
	8809140177	50-155		8808310086	50-269
	8809140284	50-255		8808310110	50-269
	8809140347*	50-155		8808310110	50-269
	8809150118	50-155		8808310110	50-269
	8809150169	50-255		8808310174	50-369
	8809150280	50-155		8808310174	50-369
	8809150281*	50-155		8808310183*	50-369

312 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8808310183'	50-369	P	8809190330*	50-269	P
	8809010029	50-413	P	8809190330*	50-269	P
	8809010029	50-413	P	8809190330*	50-269	P
	8809010096	50-369	F	8809200293	50-269	R
	8809020147	50-269	F	8809200293	50-269	R
	8809020147	50-269	F	8809200293	50-269	R
	8809020147	50-269	F	8809200299	50-413	R
	8809020148	50-413	F	8809200299	50-413	R
	8809020148	50-413	F	8809200316	50-369	R
	8809020150	50-413	F	8809200317*	50-413	R
	8809020150	50-413	F	8809200318*	50-413	R
	8809020152	50-269	F	8809200320*	50-369	R
	8809020152	50-269	F	8809200320*	50-369	R
	8809020154	50-269	F	8809200322*	50-369	R
	8809020154	50-269	F	8809200367	50-369	Q
	8809020154	50-269	F	8809200367	50-369	Q
	8809080261	50-370	S	8809200367	50-369	Q
	8809080384	50-269	P	8809200367	50-369	Q
	8809080384	50-269	P	8809200367	50-369	Q
	8809080384	50-269	P	8809230089	50-413	P
	8809070064	50-269	R	8809230228	50-369	S
	8809070173	50-269	V	8809230232	50-413	F
	8809070173	50-269	V	8809230232	50-413	F
	8809070173	50-269	V	8809230251*	50-269	Q
	8809070173	50-269	V	8809230251*	50-269	Q
	8809070173	50-269	V	8809230251*	50-269	Q
	8809070173	50-269	V	8809230251*	50-269	Q
	8809070295	50-413	P	8809230251*	50-269	Q
	8809070311	50-267	P	8809230251*	50-269	Q
	8809070326	50-269	F	8809230251*	50-269	Q
	8809070328	50-269	F	8809260082	50-413	Q
	8809070328	50-269	F	8809260082	50-413	Q
	8809070402	50-413	S	8809260167	50-369	Q
	8809070479	50-370	P	8809260167	50-369	Q
	8809080034	50-269	S	8809260167	50-369	Q
	8809080034	50-269	S	8809260220	50-370	S
	8809080077	50-369	R	8809260220	50-370	S
	8809080114	50-269	Q	8809260310	50-412	V
	8809080159	50-369	F	8809300292	50-412	S
	8809080160*	50-369	F	8809300320	50-412	S
	8809080160*	50-369	F	8809010115	50-412	P
	8809080392	50-413	P	8809010118*	50-412	P
	8809080392	50-413	P	8809010180*	50-412	P
	8809080400*	50-413	P	8809070370	50-334	R
	8809080400*	50-413	P	8809070521	50-334	R
	8809080417	50-269	Q	8809080076	50-412	P
	8809080417	50-269	Q	8809080083*	50-412	P
	8809080417	50-269	Q	8809080085*	50-412	P
	8809080417	50-269	Q	8809140214	50-334	Q
	8809080417	50-269	Q	8809200007	50-334	P
	8809080417	50-269	Q	8809200013*	50-334	P
	8809080417	50-269	Q	8809200063	50-334	V
	8809080417	50-269	Q	8809200102*	50-334	P
	8809090147	50-369	P	8809200384	50-334	R
	8809090147	50-369	P	8809220099	50-334	Q
	8809140071	50-413	R	8809210241*	REVIEW GR	P
	8809140124	50-369	S	8809210243*	REVIEW GR	P
	8809140184	50-390	A	8809210258*	REVIEW GR	P
	8809140239	50-413	S	8710150112*	50-275	P
	8809140458	50-369	Q	8808170132*	50-454	P
	8809150217	50-370	Q	8808310095*	50-481	P
	8809160101	50-269	Q	8809140356	NUREG	
	8809160101	50-269	Q	8809220092	NUREG	
	8809160101	50-269	Q	8809220096	NUREG	
	8809160101	50-269	Q	8809220097	NUREG	
	8809160101	50-269	Q	8809210093*	REVIEW GR	P
	8809160101	50-269	Q	8809200241	40-7102	
	8809160101	50-269	Q	8809060295*	CONTRACT	
	8809160234	50-269	Q	8809270077*	CONTRACT	
	8809160234	50-269	Q	8808280025	XPORTLIC	
	8809160234	50-269	Q	8808280043*	XPORTLIC	
	8809160236	50-269	S	8809080080*	50-528	
	8809160280	50-269	S	8809280209*	REVIEW GR	
	8809160308	50-369	S	8809150238	QA999	
	8809160095	50-369	P	8809080213	PR	
	8809160095	50-369	P	8712070005	WASTE MGT	
	8809160153	50-369	P	8807110145	WASTE MGT	
	8809160153	50-369	P	8807280127	WASTE MGT	
	8809160153	50-369	P	8808240335*	PR	
	8809160153	50-369	P	8808260170	71-9132	
	8809160153	50-369	P	8808280014	71-361	
	8809160236	50-369	F	8808290061	WASTE MGT	
	8809160236	50-369	F	8808290319	WASTE MGT	
	8809160277	50-369	S	8808290324*	WASTE MGT	
	8809160324	50-269	P	8809010261	PR	
	8809160324	50-269	P	8809010269*	PR	
	8809160324	50-269	P	8809010313	71-6678	

CORPORATE SOURCE INDEX 313

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809010365*	71 9132		8808280094	50 335
	8809020173	WASTE MGT		8808280106	50-335
	8809060041	WASTE MGT		8808280108	50-335
	8809060068	WASTE MGT		8808280114*	50-335
	8809070095	WASTE MGT		8808280144	50-250
	8809070524	PROJ		8808280191	50-250
	8809070527*	PROJ		8808280191	50-250
	8809080368	WASTE MGT		8808280228	50 335
	8809090018*	PROJ		8808300181	50-250
	8809090020*	PROJ		8808300181	50 250
	8809090090	WASTE MGT		8808300237	50 250
	8809120113	WASTE MGT		8808300237	50-250
	8809120173*	WASTE MGT		8808310082	50-250
	8809120178*	WASTE MGT		8808310082	50 250
	8809130027*	PROJ		8808310127	50 250
	8809130233	WASTE MGT		8808310217	50-250
	8809130298	WASTE MGT		8809010142	50-335
	8809140032	WASTE MGT		8809010311	50-335
	8809140209	WASTE MGT		8809010332	50-389
	8809140328	71-6639		8809020230	50-389
	8809150273	PR		8809020263	50 250
	8809150320*	WASTE MGT		8809020263	50-250
	8809150327*	WASTE MGT		8809060201	50 335
	8809160240	WASTE MGT		8809060255	50 335
	8809180016	WASTE MGT		8809060260*	50 335
	8809180318	WASTE MGT		8809060372	50 335
	8809180320	WASTE MGT		8809070238	50 250
	8809180340	WASTE MGT		8809070238	50-250
	8809200036*	WASTE MGT		8809070259	50-250
	8809200168	PR		8809070460	50-250
	8809210205	WASTE MGT		8809070538	50-250
	8809210216	WASTE MGT		8809070538	50-250
	8809210218*	WASTE MGT		8809080032	50-389
	8809210224*	WASTE MGT		8809080035*	50-389
	8809210227*	WASTE MGT		8809080038*	50 389
	8809210229*	WASTE MGT		8809080187	50 250
	8809210232*	WASTE MGT		8809080187	50 250
	8809210235*	WASTE MGT		8809080268	50 250
	8809210238*	WASTE MGT		8809080268	50 250
	8809230117	WASTE MGT		8809090047	50 250
	8809230150	WASTE MGT		8809120144	50 250
	8809260086	WASTE MGT		8809120144	50 250
	8809260117	WASTE MGT		8809130161	50 335
	8809260124*	WASTE MGT		8809130161	50 335
Energy, Dept of, Idaho Operations Ofc	8805250237*	REVIEW GR	P	8809140329	50 335
	8808280092	PROJ		8809150195	50 335
	8808280096*	PROJ		8809150195	50 335
	8808280101*	PROJ		8809150199*	50 335
	8809090017	PROJ		8809150199*	50 335
Engineers International, Inc.	8809120099	WASTE RES		8809150232	50 389
Environmental Protection Agency	8809020254	40 8907		8809150239*	50 389
	8809080194	40 8907		8809160286	50 251
	8809070288	40 8907		8809180120	50 251
	8809130119*	ORG		8809180166	50-251
Environmental Resources Management, Inc.	8809140338*	50 387	P	8809180169	50-250
Everest Minerals Corp.	8809080210	40 8857		8809180169	50 250
	8809080215	40 8857		8809180171	50-250
	8809080218*	40 8857		8809180171	50-250
Excel Decorating	8809210204*	REVIEW GR	P	8809180173	50-250
Exxon Corp.	8809060065	40 8102		8809180173	50-250
	8809070074	40 8064		8809180176	50 250
Fast Foto, Inc	8809210098*	REVIEW GR	P	8809180176	50-335
Fauske & Associates, Inc.	8809210046*	PROJ		8809180205	50-335
Federal Emergency Management Agency	8808260473	50-295	F	8809180242	50-335
	8808260480*	50 295	F	8809180286	50-250
	8808290080*	50 333	F	8809180286	50-250
	8808300145*	COMMISSIO	N	8809180282*	50-250
	8809120033	50 443	G	8809180282*	50-250
	8809120033	50 443	G	8809180358	50-335
	8809120039	50 443	G	8809180358	50-335
	8809120039	50 443	G	8809200121	50-335
	8809150166	50 322	T	8809200121	50-335
	8809180014	50 443	G	8809200354	50-335
	8809210004*	50 443	G	8809220070	50-250
	8809210004*	50 443	G	8809220070	50-250
	8809210006*	50 443	G	8809220070	50-250
	8809210006*	50 443	G	8809220070	50-250
	8809260075*	50 322	F	8809220071*	50 250
	8809260076*	50 322	F	8809220071*	50-250
	8809260338	50-322	F	8809220071*	50 250
Federal Sources, Inc.	8809120218	FOIA		8809220073*	50 250
Ferret Exploration Company of Nebraska, Inc.	8809080042	40 8828		8809220073*	50 250
	8809070004	40-8943		8809230285	50 251
	8809120188	40 8829		8809260179	50 250
	8809120190	40-8829		8809260211	50 250
	8809140038	40-8943		8809270060	50 335
	8809140241	40-8828		8808260153	50 302
Florida Power & Light Co.	8808260133	50-250	P	8808310004	50 302
			Florida Power Corp. (subs. of Florida Progress Corp.)		P

314 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8808310005*	50 302		8809080051*	50-289
	8808310042	50 302		8809080122	PR
	8809010042	50-302		8809080164	50 320
	8809010088	50 302		8809080249*	50-219
	8809010093	50 302		8809090080	50 289
	8809010288	50 302		8809130324	50-320
	8809010300	50 302		8809140218	50-219
	8809010323	50 302		8809140254*	50-219
	8809010368	50 302		8809140468*	50 289
	8809020059	50 302		8809150007	50-289
	8809020089*	50 302		8809150225	50-320
	8809070266	50 302		8809160020	50 289
	8809080028	50 302		8809160210	50-320
	8809080041	50-302		8809190083	50 320
	8809080056	50-302		8809190194	50 320
	8809080078	50-302		8809190367	50-289
	8809080098	50-302		8809190386*	50-289
	8809080099	50-302		8809200047	50 289
	8809080162*	50-302		8809200085	50-320
	8809080185	50-302		8809200090*	50-320
	8809130304	50-302		8809200106	71-9222
	8809140163	50-302		8809200137	50-320
	8809150047	50-302		8809200143*	50-320
	8809190081	50-302		8809200154	50 289
	8809190258	50-302		8809200159	50-219
	8809190307	50 302		8809200361	50-219
	8809230107	50 302		8809210041	PROJ
	8809230158	50-302		8809210069	50-219
	8809260228	50 302		8809230019	50-219
	8809260257	50 302		8809210133*	CONTRACT
	8809270070	50 302		8809090001	50-220
Florida, State of	8809270092*	REVIEW GR	George Mason Univ , Fairfax, VA		
	8809280161	PR	Georgia Institute of Technology, Atlanta		
Florida, Univ of, Gainesville, FL	8809010244	50 83	GA		
	8809080067	70-1088		8809200131	50-160
Ford Motor Co	8809220143*	REVIEW GR	Georgia Power Co	8809200139*	50-160
	8809220151*	REVIEW GR		8808280299	50-321
	8809220157*	REVIEW GR		8808290299	50 321
General Atomics (formerly GA Technologies, Inc /General Atomic Co)	8808300349	70-734		8808290299	50 321
				8808290344	50-424
	8808300346*	70-734		8808290344	50 424
	8809080275	50-163		8808300019	50-425
	8809080250	70 734		8808300023*	50 425
	8809130256	71-9214		8808300052	50 424
General Dynamics Corp	8808300001	71 858		8808300120	50-321
General Electric Co	8808260334	70 1113		8808300120	50-321
	8808260416	70 1113		8808310027	50 425
	8808280150	70-1113		8808310033*	50-425
	8808300216	70 1113		8808310098	50-366
	8808300338*	50-331		8808310146	50-321
	8808310168	70-1113		8808310218	50-425
	8809020226	0A999		8809010027	50-424
	8809090185*	XPORTLIC		8809010027	50-424
	8809090170*	XPORTLIC		8809010089	50 424
	8809120111*	50 461		8809010089	50-424
	8809160103	50 805		8809010094*	50 424
	8809190097	XPORTLIC		8809010176	50-424
	8809220201	70-1113		8809010218	50-321
	8809230081*	50 374		8809060209	50-321
	8809230128*	REVIEW GR		8809060253	50-321
	8809270051	TOPREP		8809070021	50 425
General Nuclear Systems, Inc,	8809130261	PROJ		8809078305	50-424
General Public Utilities Corp - GPU Service Corp.	8808260105	50-219		8809070389	50 424
				8809080015	50-321

CORPORATE SOURCE INDEX 315

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809140361	50 321 P		8809210019*	50 443 G
	8809140361	50 321 P		8809260022*	CONTRACT
	8809140372*	50 321 P		8809260026*	CONTRACT
	8809140400	50 424 P	Haworth, Inc		
	8809140400	50 424 P	Health & Human Services, Dept. of, U.S.		
	8809140403*	50 424 P	Public Health Service		
	8809140403*	50 424 P	Hedra Mining Co.	8809120196	40 8914
	8809140403*	50 424 P		8809160065*	40 8914
	8809150141	50 321 P	Henry Vogt Machine Co	8809090172*	I&E
	8809150143*	50 321 P	Henry, Kelly, Bunch & Hess (formerly	8809070119	40 8908
	8809150319	50 321 P	Henry & Kelly)		
	8809150319	50 321 P	Hittman Nuclear & Development Corp	8808290167	WASTE MGT
	8809150321	50 424 F	(subs. of Hittman Corp.)		
	8809150321	50 424 F			
	8809150326*	50 321 P	Homestake Mining Co	8809070040	71-9151
	8809150326*	50 321 P		8809060188	40 8903
	8809200273	50 424 P	Honeywell, Inc	8809140091	40 8903
	8809200273	50 424 P	House of Rep	8809200344*	REVIEW GR
	8809200295	50 424 S		8808290348*	COMMISSIO
	8809200323	50 424 Q		8809160266*	REVIEW GR
	8809200229	50 424 Q	House of Rep., Appropriations	8809190010*	FOIA
	8809200290*	COMMISSIO	House of Rep., Energy & Commerce	8808300044*	50 29
	8809310020*	50 302 P		8808300095*	50 348
				8809180010*	FOIA
Germany, Federal Republic of			House of Rep., Interior & Insular Affairs	8809210083*	COMMISSIO
Gilbert/Commonwealth, Inc. (formerly				8809070485*	FOIA
Gilbert Associates, Inc.)				8809180010*	FOIA
			Houston Lighting & Power Co	8809260003	50 498
Gloucester County, NJ	8809060192*	50 255 Q		8809260057	50 498
	8809010315*	40-7102		8808300011	50 498
	8809090299*	40-7102		8808300316	50 498
Government Accountability Project	8809120210	FOIA		8808310047	50 498
Greater Buffalo Press, Inc.	8809200349*	REVIEW GR		8808310073	50 498
Gutlin, R.L.	8809210055	50 445 G		8809010035	50 498
	8809210055	50 445 G		8809010240	50 498
	8809210082*	50 445 G		8809010362	50 498
	8809210082*	50 445 G		8809070324	50 498
Gulf States Utilities Co	8809210082*	50 445 G		8809080014	50 498
	8809260366	50 458 Q		8809080014	50 498
	8809260385	50 458 Q		8809080052	50 498
	8808300024	50 458 K		8809080052	50 498
	8808310152	50 458 S		8809080023	50 498
	8809010258	50 458 S		8809080145*	50 498
	8809010298	50 458 S		8809080179	50 498
	8809010305	50 458 S		8809140138	50 498
	8809020240	50 458 I		8809140220	50 498
	8809020253	50 458 S		8809140220	50 498
	8809060158	50 458 R		8809180209	50 498
	8809070308	50 458 S		8809180371	50 498
	8809070321	50 458 R		8809200202	50 498
	8809080064	50 458 V		8809200264	50 498
	8809080096	50 458 S		8809220035	50 498
	8809140085	50 458 Q		8809270059	50 498
	8809140111	50 458 Q		8809130281*	CONTRACT
	8809140233	50 458 Q		8809020050	50 322
	8809150017	50 458 Q		8809020102	50 322
	8809150102	50 458 Q		8809120009	50 277
	8809150107*	50 458 Q		8809120030	50 322
	8809160263	50 458 S	Howard Relocation Group	8809120037	50 322
	8809230184	50 458 S	Huntton & Williams	8809210011	50 322
	8809230222	50 458 F		8809230017	50 322
	8809260313	50 458 R		8809230022	50 322
	8809080057	PR		8809060349	40 8968
				8809070033	40 8968
Hahnemann Univ. Hosp., Philadelphia, PA	8809020058	50 443 G		8809070331	40 8968
(formerly Hahnemann Medical Coll. & Hosp	8809120134	50 443 G	Hydro Resources, Inc	8809060197	TOPREP
Hampton, NH	8809210018	50 443 G		8809130205	TOPREP
	8809210018	50 443 G		8809290204*	REVIEW GR
	8809210023	50 443 G		8809230160	WASTE RES
	8809210023	50 443 G		8809130319	71-5800
	8809260048	50 443 G			
	8809260048	50 443 G		8809010341	50 445
	8809260010	50 443 G		8809080066	40 8904
	8809260010	50 443 G		8809060382	40 8904
	8809260013	50 443 G		8809140369	40 8904
	8809260013	50 443 G		8809160223	40 8904
	8809260015	50 443 G		8808290037	WASTE RES
	8809260015	50 443 G		8809210114*	REVIEW GR
	8809260020*	50 443 G		8809290284*	REVIEW GR
	8809260020*	50 443 G		8808290308	50 461
	8809260038	50 443 G		8808300015	50 461
	8809260038	50 443 G		8809070130	50 461
	8809260044	50 443 G		8809120045*	50 461
	8809260044	50 443 G		8809120107	50 461
	8809120018	50 443 G		8809120108*	50 461
	8809120022	50 271 G		8809130061	50 461
	8809120121	50 271 G		8809140153	50 461
	8809160090	50 443 G		8809140157	50 461
	8809190081	50 271 G		8809150164	50 461
	8809210018	50 443 G		8809160284	50 461
	8809210023	50 443 G		8809190363*	50 461
	8809210119*	WASTE MGT			
	8809230105	50 443 G			
	8809210017	50 443 G			
	8809210017	50 443 G			
	8809210019*	50 443 G			
Haverhill, MA					

316 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		
	8809200074	50-461	Q	Johns Hopkins Univ., Baltimore, MD	8809220126*	COMMISSIO	N
	8809200140	50-461	R	Joint Review Committee on Educational	8809010090	PR	
	8809220144	50-461	Q	Programs in Nuclear Medicine Technology			
	8809230214	50-461	F	Jonas, Inc	8809060200	NUREG	
Illinois, State of, Dept. of Nuclear	8809080007	PR		KLD Associates, Inc	8809180167*	50-293	F
Safety					8809260168*	50-443	G
Indiana Michigan Power Co. (formerly	8808260032	50-316	Q	Kenco Owosso Plastics	8809210233*	REVIEW GR	P
Indiana & Michigan Electric Co.)				Kerr-McGee Chemical Corp. (subs of	8809140385	40-2061	
	8808290252	50-315	P	Kerr-McGee Corp.)			
	8808290252	50-315	R		8809140392*	40-2061	
	8809010184	50-316	R		8809150003*	40-2061	
	8809010186	50-315	R		8808220215	40-2061	
	8809010352	50-315	F	Kerr-McGee Corp.	8809060301	40-8768	
	8809010352	50-315	F		8809070269	40-8768	
	8809010371	50-315	F		8809140388*	40-8027	
	8809010371	50-315	F		8809180089	40-8768	
	8809020007	50-315	F	Keyboard Communications, Inc	8808060407*	CONTRACT	
	8809020007	50-315	F	Killian & Gephart	8809150062	50-277	Q
	8809020018	50-315	F		8808220237	50-277	Q
	8809020018	50-315	F	Kirkpalnck & Lockhart	8809020026	50-322	P
	8809070360	50-315	R		8809080152	50-322	P
	8809070507	50-315	P		8809080169*	50-322	P
	8809070507	50-315	P		8809120055	50-322	G
	8809070510*	50-315	P		8809190087	50-322	G
	8809070510*	50-315	P		8809190094*	50-322	G
	8809080369	50-315	S		8809230011	50-322	G
	8809130302	50-315	F	Knotts, J B	8809210112*	WASTE MGT	
	8809130302	50-315	F	Korea, Republic of (South Korea)	8809230199*	COMMISSIO	N
	8809140113	50-315	Q	LN Technologies Corp. (formerly London	8808280311	WASTE MGT	
	8809140113	50-315	Q	Nuclear Svcs, Inc.)			
	8809150073	50-315	F		8808300005	71-496	
	8809150073	50-315	F	Lacks Industries, Inc.	8809080371	WASTE MGT	
	8809150079	50-315	F	Laeser & Schreiber, Inc	8809210253*	REVIEW GR	P
	8809150126	50-315	F	Lagoulis, Clark, Hill-Whilton & McGuire	8809090155	FOIA	
	8809150126	50-315	F	Lake Country Woodworkers, Ltd.	8809230039	50-443	G
	8809150134	50-315	F	Landmark Reclamation	8809210166*	REVIEW GR	P
	8809150134	50-315	F	Lawrence Livermore National Laboratory	8809060294	40-8681	
	8809180098	50-315	P	Lmitorque Corp	8808310012	WASTE MGT	
	8809180098	50-315	P	Lockheed Electronics Co. (subs of	8809060110*	50-255	Q
	8809180100*	50-315	P	Lockheed Corp.)	8809080150*	50-255	Q
	8809180100*	50-315	P	Logistics Applications Inc			
	8809180270	50-315	F	Long Island Lighting Co	8809070506	FOIA	
	8809180270	50-315	F		8808310181	50-322	S
	8809180279*	50-315	F		8809010063	50-322	S
	8809180279*	50-315	F		8809010136	50-322	F
	8809230204	50-315	P		8809010198	50-322	R
	8809230204	50-315	P		8808010340*	50-322	V
	8809230208*	50-315	P		8809020050	50-322	G
	8809230208*	50-315	P		8809020102	50-322	G
	8809230206*	50-315	P		8809020272	50-322	R
	8809260251	50-316	R		8809070455	50-322	Q
	8809270035	50-315	Q		8809080016	50-322	G
Indiana, State of	8809280112	PR			8809090021*	50-322	G
Institute of Nuclear Power Operations	8809160224*	REVIEW GR	P		8808120030	50-322	G
Interior, Dept. of	8809200153	PR			8808120037	50-322	Q
Interior, Dept. of, Bureau of Mines	8809210194	WASTE RES			8809150231	50-322	R
	8809210198*	WASTE RES			8809190299	50-322	G
Interior, Dept. of, Geological Survey	8808260041	WASTE MGT			8809210011	50-322	G
	8809060179*	WASTE RES			8809230017	50-322	G
	8809070189	WASTE MGT			8809230022	50-322	S
Interior, Dept. of, National Park Service	8809140316	50-483	P	Los Alamos National Laboratory	8809230274	50-322	
International Technology Corp	8809210043*	PROJ			8809150286	NUREG	
	8809280011*	50-603	A		8809200356*	REVIEW GR	P
	8809280012*	50-603	A		8809200357*	REVIEW GR	P
Iowa Electric Light & Power Co	8808260484	71-9208			8809220040	NUREG	
	8808260497	71-9224		Los Angeles Dept. of Water & Power	8809140383*	50-528	I
	8808300184	50-331	Q	Louisiana Power & Light Co.	8808290007	50-382	P
	8808300328	50-331	P		8808290012	50-382	Q
	8808300333*	50-331	P		8808290173	50-382	Q
	8808310097	50-331	S		8808290192*	50-382	P
	8809010112	50-331	R		8809010071	50-382	P
	8809010265	50-331	F		8809010073*	50-382	P
	8809080094	50-331	P		8809020019	50-382	R
	8809080101	50-331	P		8809070058	50-382	S
	8809080106*	50-331	P		8809140447	50-382	P
	8809080120	50-331	S		8809150115	50-382	Q
	8809130297	50-331	S		8809150123*	50-382	V
	8809140339	50-331	S		8809150133	50-382	F
	8809150022	50-331	V		8809160311	50-382	K
	8809190332	50-331	P		8809190288	50-382	R
	8809190338*	50-331	P		8809220026	50-382	K
	8809200359	50-331	Q		8809230154*	50-382	P
	8809200369	50-331	P	Louisiana, State of	8809230268*	REVIEW GR	
	8809220328	50-331	F	Low Level Waste Forum	8809190037	WASTE MGT	
Iowa State Univ., Ames, IA	8809010072	50-116	V	Lowenberg Associates, Inc	8809190012	WASTE MGT	
	8809060305	50-116	P	MHB Technical Associates	8809070167	FOIA	
Iowa, State of	8809070250	PR		MK-Ferguson Co.	8809060077*	WASTE MGT	
Isotopic Analysis, Inc.	8809260031	70-854			8809150194	WASTE MGT	
J. Drais & Co., Inc	8808300207*	50-443	Q	Madison Gas & Electric Co	8809300124	50-305	H

CORPORATE SOURCE INDEX 317

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Main Line Engineering Associates	8809090144*	50-261	Midwest Interstate Low Level Radioactive	8809270017	PR
Maine Yankee Atomic Power Co.	8809290297	50-309	Waste Commission		
	8809070222	50-309	Millon S. Hershey Medical Center,	8809070563	PR
	8809140252	50-309	Hershey, PA		
	8809150310	50-309	Mine Safety Appliances Co.	8809010163*	50-424
	8809190228	50-309	Minerals Exploration Co. (subs. of Union	8809060362	40-8584
	8809190315	50-309	Oil Co. of California)		
	8809200073	50-309	Minnesota, Mining & Manufacturing Co., 3	8809190150*	REVIEW GR
	8809260066*	50-309	Co		
Malapai Resources Co	8809060056	40-8502		8809190335*	REVIEW GR
	8809060149	40-8502		8809190361*	REVIEW GR
	8809060156	40-8584		8809210152*	REVIEW GR
	8809060163	40-8502		8809230273*	REVIEW GR
	8809060170	40-8584		8809230275*	REVIEW GR
	8809070008	40-8502		8809260284*	REVIEW GR
	8809070240	40-8502		8809260184*	REVIEW GR
	8809120154	40-8502	Mississippi, State of	8809260285*	REVIEW GR
	8809140044	40-8502	Missouri, Univ. of, Columbia, MO	8809260169	50-186
	8809140115	40-8584	Mitsubishi International Corp. (subs. of	8809260082	XPORTLIC
	8809210273*	REVIEW GR	Mitsubishi Corp.)		
Malloy Lithographing, Inc.	8809130223	XPORTLIC		8809260097*	XPORTLIC
Manufacturing Sciences Corp.	8809190244*	XPORTLIC		8809290265	XPORTLIC
	8809140399	50-166		8809290268*	XPORTLIC
Maryland, Univ. of, College Park, MD	8809080087	PR	Mitsui & Co. (USA), Inc. (subs. of Mitsu	8809290138*	XPORTLIC
Massachusetts General Hosp., Boston, MA	8809070337	50-20	& Co., Ltd.)		
Massachusetts Institute of Technology,			Modern Plastics Corp	8809220009*	REVIEW GR
Cambridge, MA				8809290273*	REVIEW GR
	8809130082	50-20		8809260357	40-8784
	8809190070	50-20	Molycorp, Inc. (subs. of Union Oil of		
	8809210252*	CONTRACT	California)	8809300094*	COMMISSIO
	8809230066*	50-20	Monitored Retrievable Storage Review		
Massachusetts, Commonwealth of	8809020058	50-443	Commission		
	8809070009	50-443	Monsanto Research Corp	8809290170*	XPORTLIC
	8809120049	50-443		8809290171*	XPORTLIC
	8809120049	50-443	Morrison-Knudsen Engineers, Inc.	8809140224*	WASTE MGT
	8809120121	50-271	Municipal Electrical Authority of Georgi	8809300023*	50-425
	8809120134	50-443	NRD, Inc.	8809190055*	XPORTLIC
	8809120134	50-443	National Institute of Occupational Safety	8809290038*	70-143
	8809120136	50-443	& Health		
	8809140064	50-443	National Institute of Standards &	8809290104*	WASTE RES
	8809140064	50-443	Technology (formerly National Bureau of		
	8809140066*	50-443		8809080098	PR
	8809140068*	50-443		8809270107*	CONTRACT
	8809140068*	50-293		8809310107*	71-9032
	8809140306	50-443	Navy, Dept. of	8809310100	71-9032
	8809160071	50-443	Navy, Dept. of, Naval Sea Systems Commn	8809290344	50-298
	8809160071	50-293	Nebraska Public Power District	8809290005	50-298
	8809160189*	50-293		8809300214	50-298
	8809160207*	50-293		8809310200	50-298
	8809160239*	50-293		8809020124	50-298
	8809160244*	50-293		8809020126*	50-298
	8809160254*	50-293		8809060004	50-298
	8809160281*	50-293		8809060337	50-298
	8809160285*	50-293		8809070319	50-298
	8809160288*	50-293		8809080028	50-298
	8809190028	50-443		8809080058	50-298
	8809190074	50-443		8809080068	50-298
	8809190081	50-271		8809080117	50-298
	8809190099	50-443		8809080151*	50-298
	8809190099	50-443		8809080185	50-298
	8809190105*	50-443		8809150031	50-298
	8809190105*	50-443		8809150072*	50-298
	8809190160	50-293		8809150087	50-298
	8809210018	50-443		8809160171	50-298
	8809210018	50-443		8809220016	50-298
	8809210023	50-443		8809220235	50-298
	8809210032	50-443		8809290285*	REVIEW GR
	8809210032	50-443		8809190108	71-9102
	8809260033	50-443	Nebraska, State of	8712100010	WASTE MGT
	8809260033	50-443	Neutron Products, Inc.	8809120105	WASTE MGT
	8809260040	50-443	Nevada, State of	8809120131	WASTE MGT
	8809260040	50-443		8809120135*	WASTE MGT
	8809260119*	50-443		8809210031*	REVIEW GR
Materials Engineering Associates, Inc	8809220043	NUREG		8809210178	WASTE MGT
Mayo Clinic, Rochester, MN	8809301033	PR		8809270156	WASTE MGT
McDonnell Douglas Corp.	8809220268*	REVIEW GR		8809130265*	CONTRACT
	8809290109*	REVIEW GR		8809020010	50-443
McGean Rohco, Inc. (formerly McGean	8809120093	40-8724	Nevada, Univ. of, Reno, NV		
Chemical Co., Inc.)			New England Coalition on Nuclear		
McJon, Inc.	8809210107*	REVIEW GR	Pollution		
Medical Univ. of South Carolina,	8809160215	PR		8809020010	50-443
Charleston, SC				8809020013	50-443
Mejor, Inc.	8809202276*	REVIEW GR		8809020013	50-443
Mercer Univ., Atlanta, GA	8809150304	PR		8809020015	50-443
Merrimac, MA	8809210021	50-443		8809020020*	50-443
	8809210021	50-443		8809020020*	50-443
	8809210025*	50-443		8809020038	50-443
	8809210025*	50-443		8809020038	50-443
	8809010372*	50-265		8809020044	50-443
Michigan, State of	8809070415	50-2		8809020044	50-443
Michigan, Univ. of, Ann Arbor, MI	8809080369	50-315		8809020058	50-443
Midwest Electric Cooperative					

318 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809120018	50 443 G		8809070087*	50 410 R
	8809120022	50-271 G		8809070358	50 220 O
	8809120121	50-271 G		8809070358	50-220 O
	8809120134	50 443 G		8809070474	50-220 S
	8809160090	50 443 G		8809070487	50 410 S
	8809190081	50 271 G		8809070503	50-410 S
	8809210018	50 443 G		8809080169	50-410 S
	8809210023	50-443 G		8809080186	50 410 S
	8809230105	50 443 G		8809080204	50 410 S
	8809260048	50 443 G		8809080240	50-410 S
	8809260119*	50 443 G		8809090146	50 410 S
New Hampshire, State of	8809260084	PR		8809130149	50 410 P
New Mexico, State of	8809060062	40 8968		8809130312	50-410 S
	8809060119	40 8907		8809140008	50-220 F
	8809070025	40 8868		8809140310	50-410 V
New York Power Authority (formerly Power Authority of the State of New York)	8808260049	50-333 Q		8809140383	50-410 O
	8808280235	50 286 P		8809140464	50-220 V
	8808280242*	50 286 P		8809140471	50 220 P
	8808300028	50-333 P		8809150312	50-410 Q
	8808300169	50-286 P		8809190079	50-220 O
	8808300172*	50 286 P		8809190079	50-220 O
	8808300176*	50 286 P		8809190316	50 220 O
	8808300182*	50-286 P		8809200034	50-410 Q
	8809010076	50-333 P		8809200071	50-410 S
	8809010114*	50 333 P		8809200126	50 220 P
	8809010117*	50 333 P		8809200127	50-220 R
	8809010150	50-333 P		8809200176	50-410 P
	8809010151*	50-333 P		8809220057	50-410 R
	8809010189*	50-333 P		8809260102	50-410 P
	8809010276	50-286 P		8809270032	50-410 Q
	8809010281	50-333 P		8809270126	50-220 F
	8809010299	50-333 Q	North Carolina State Univ., Raleigh, NC	8809270126	50 220 F
	8809020236	50-333 R		8809010214	50-287 P
	8809020213	50-286 P		8809010219*	50-287 P
	8809020219*	50-286 P		8809010224*	50-287 P
	8809020277*	50-286 P		8809010228*	50-287 P
	8809070328	50-286 R		8809010230*	50-287 P
	8809090024	50-286 Q	North Carolina, State of	8809060229	50-287 R
	8809130125	50-333 Q	North Dakota, State of	8809200286*	REVIEW GR
	8809140185	50-333 V	Northeast Nuclear Energy Co. (subs. of	8809230286*	REVIEW GR
	8809140383	50 286 P	Northeast Utilities)	8804250267	50-245 F
	8809140427	50 333 R			
	8809140454	50 286 Q		8808260372	50-336 P
	8809150205	50-286 Q		8808310084	50-423 P
	8809150283	50 333 P		8808310171	50-245 P
	8809160041	50 333 Q		8809020155	50 245 P
	8809160391	50-333 P		8809020155	50-245 F
	8809190393*	50-333 P		8809020155	50-245 F
	8809190394*	50 333 P		8809020215	50-245 O
	8809200236	50 333 S		8809020221	50-338 P
	8809200348	50-286 F		8809020239	50-338 P
	8809210039*	50 286 Q		8809060001	50-245 P
	8809260184	50 286 R		8809070346	50-245 P
	8809260182	50 333 Q		8809070346	50-245 P
	8809260206	50-333 Q		8809070490	50-338 P
	8809260347*	50 286 F		8809070544	50-338 P
	8809120142	71-9216		8809130189	50-338 V
New York, State Univ. of, Albany, NY	8809010387	50 57 R		8809130269	50-338 P
New York, State Univ. of, Buffalo, NY	8809120055	50-322 G		8809130285	50-213 O
New York, State of	8809130242	WASTE MGT		8809140102	50-336 P
	8809130252*	WASTE MGT		8809140129	50-245 S
	8809150288	PR		8809140149	50-423 P
	8809190094*	50 322 G		8809140156*	50-423 P
	8809220127	WASTE MGT		8809140165	50-423 P
	8809220179*	WASTE MGT		8809140170*	50-423 P
	8809220187*	WASTE MGT		8809150038	50-338 P
	8809230011	50 322 G		8809150346	50-423 S
	8809260092	WASTE MGT		8809190062	50-245 P
Newbury, MA	8809230039	50 443 G		8809200049	50-213 O
	8809230056*	50 443 G		8809200049	50-213 O
Newman & Holtzinger	8809020034	50-446 G		8809200165	50-213 J
	8809020052	50 446 G		8809200177	50-338 P
	8809080230	FOIA		8809200181*	50-338 P
Niagara Mohawk Power Corp	8808260130	50-220 P		8809220091	50-338 R
	8808290187	50-410 P		8809220093*	50-338 R
	8808300248	50 410 S		8809220095*	50 338 R
	8808300252	50 220 P		8809220103	50-423 R
	8808300253*	50-220 P		8809220110	50-245 R
	8808300256*	50-220 P		8809220166	50-245 O
	8808310056	50-410 Q		8809230037	50-213 V
	8808310080	50-410 S	Northeast Utilities	8809260342	50-423 S
	8808310176	50-220 F		8804250267	50-245 F
	8808310176	50-220 F		8808260372	50-336 P
	8808310207	50 410 P		8808290333	50-213 P
	8808310237*	50-410 P		8808310064	50-423 P
	8809010247	50 410 S		8808310171	50-245 P
	8809070080	50-410 R		8809010386	50-213 F
	8809070083*	50-410 R		8809020155	50-245 F
				8809020155	50 245 F

319

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809020155	50-245			
	8809020215	50-245			
	8809020221	50-336			
	8809020239	50-336			
	8809060001	50-245			
	8809060053	50-213			
	8809060072	50-213			
	8809070067	50-213			
	8809070346	50-245			
	8809070346	50-245			
	8809070480	50-336			
	8809070544	50-336			
	8809070545	50-213			
	8809070553	50-213			
	8809080145	50-213			
	8809130188	50-336			
	8809130289	50-336			
	8809130285	50-213			
	8809140102	50-336			
	8809140149	50-423			
	8809140165	50-423			
	8809140309	50-213			
	8809150038	50-336			
	8809150348	50-423			
	8809160125	50-213			
	8809190056	50-213			
	8809200049	50-213			
	8809200049	50-213			
	8809200120	50-213			
	8809200165	50-213			
	8809200177	50-336			
	8809220081	50-336			
	8809220110	50-245			
	8809220166	50-245			
	8809230037	50-213			
	8809230070	50-213			
	8809260342	50-423			
	8809280166	50-245			
	8809220165*	REVIEW GR			
	8808260094*	50-263			
	8808260098*	50-263			
	8808260317	50-263			
	8808260491	71-9208			
	8808260499	71-9224			
	8808290115	50-263			
	8808310038	50-263			
	8808310138	50-282			
	8808310160*	50-282			
	8808310161*	50-282			
	8808310162*	50-282			
	8808310215	50-263			
	8808310216*	50-263			
	8808310222*	50-263			
	8809010165	50-263			
	8809010262	50-263			
	8809010267*	50-263			
	8809010279	50-263			
	8809060040	50-263			
	8809070486	50-263			
	8809070525*	50-263			
	8809080356	50-263			
	8809080360*	50-263			
	8809080372*	50-263			
	8809140084	50-263			
	8809140109	50-263			
	8809140117*	50-263			
	8809150301	50-282			
	8809150302	50-282			
	8809150303	50-263			
	8809190216	50-263			
	8809200180	50-282			
	8809220079	50-282			
	8809220085	50-263			
	8809220107*	50-282			
	8809220108*	50-282			
	8809260231	50-282			
	8809260269*	50-282			
	8809270016	50-282			
	8809270113	50-282			
	8809200098	XPORTLIC			
	8808260412	71-9225			
	8808260475	PROJ			
	8808290155	71-9225			
	8809020005	71-9010			
	8809060212	PROJ			
	8809060222*	PROJ			
	8809120052	PROJ			
	8809220019	PROJ			
Northern Engraving Corp Northern States Power Co.			Nuclear Energy Services, Inc. Nuclear Fuel Services, Inc. (subs of Gelly Oil Co.)	8809160204* 8809120249	40-7804 70-143
				8809210261 8809220153 8809220275 8809070430 8809080203 8809120161 8809120238 8809160162 8809080152	70-143 70-143 70-143 FOIA FOIA FOIA FOIA FOIA PR
			Nuclear Licensing Reports		
			Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Mana	8809120102 8809130300 8809130316 8809160257* 8809210013 8809010322	REVIEW GR REVIEW GR REVIEW GR REVIEW GR REVIEW GR PR
			Nuclear Medicine Technology Certificatio Board		
			Nuclear Packaging, Inc	8809140234	71-9218
			Nuclear Products Co	8809210147*	REVIEW GR
			Nuclear Utility Group on Equipment Qualification	8809060116*	50-255
			Nuclear Waste Consultants, Inc		
				8712150331 8809060084 8809060140 8809150236* 8809190088 8809190091* 8809120092 8809150272 8809190027 8809210255* 8809060207 8809130287 8809220171* 8809060260 8808300308 8808300321 8809020144 8809060228 8809060230* 8809060393 8809070010 8809070318 8809070505 8809080017 8809080193 8809080218 8809080219* 8809130024 8809130035 8809130042* 8809130048* 8809140027 8809140074 8809150044 8809150172 8809150176* 8809150179* 8809180174 8809200237 8809210140 8809210145 8809210181 8809220078* 8809220067* 8809260348 8809270073 8809060285 8809290226* 8809070197	WASTE RES WASTE RES WASTE RES 40-8801 40-8724 40-8724 WASTE RES NUREG WASTE RES 50-327 40-8027 REVIEW GR 50-285

320 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809080133*	50-275		8809020258	50-277
	8809080136*	50-275		8809020258	50-277
	8809080142	50-275		8809020258	50-277
	8809080282	50-275		8809080023	50-352
	8809080282	50-275		8809080028*	50-352
	8809090281*	50-275		8809080055	50-352
	8809140249	50-275		8809070236	50-278
	8809140259*	50-275		8809070518	50-352
	8809150106	50-275		8809080001*	50-352
	8809150112	50-323		8809080019	50-277
	8809150185	50-312		8809080019	50-277
	8809220206	50-133		8809080022	50-277
	8809220282	50-275		8809080023*	50-277
	8809260128	50-275		8809080025*	50-277
	8809260128	50-275		8809080112	50-352
	8809260310	50-275		8809080112	50-352
Pacific Nuclear Systems, Inc.	8809260060	71-9218		8809090149*	50-277
	8809260310	71-9200		8809090149*	50-277
	8809140320	71-9001		8809090149*	50-277
Pailan-Johnson Associates, Inc.	8809070052*	CONTRACT		8809090149*	50-277
Panna Maria Concerned Citizens	8809070119	40-8808		8809090224	50-277
Parameter, Inc.	8809060350*	CONTRACT		8809090224	50-277
	8809090176	FOIA		8809090232*	50-277
	8809210203*	CONTRACT		8809090232*	50-277
	8809270083*	CONTRACT		8809090234*	50-277
Pathfinder Mines Corp.	8808120179	40-2259		8809090234*	50-277
Pennsylvania Power & Light Co.	8808260058	50-387		8809120009	50-277
	8808310142	50-387		8809120009	50-277
	8809010075	50-387		8809120051	50-277
	8809010233	50-387		8809120051	50-277
	8809010271	50-387		8809120059*	50-277
	8809080121	50-387		8809120059*	50-277
	8809080127	50-387		8809120061*	50-277
	8809080127	50-387		8809120061*	50-277
	8809080173	50-387		8809120140	50-171
	8809130039	50-387		8809130057	50-277
	8809140258	50-387		8809130083	50-171
	8809140258	50-387		8809130086	50-277
	8809140354	50-387		8809130073*	50-171
	8809150076	50-387		8809130138	50-277
	8809150076	50-387		8809130138	50-277
	8809150181	50-387		8809130138	50-277
	8809160253*	REVIEW GR		8809130138	50-277
	8809230057	50-387		8809130138	50-277
	8809230254	50-386		8809130150	50-277
	8809260056	50-387		8809130150	50-277
	8809260056	50-387		8809130185	50-277
	8809260292	50-387		8809130185	50-277
Pennsylvania, Commonwealth of	8809270115	50-387		8809130187	50-277
	8809020012	50-277		8809130187	50-277
	8809020012	50-277		8809130189	50-277
	8809020022*	50-277		8809130189	50-277
	8809020022*	50-277		8809130189	50-277
	8809080261	50-277		8809130206	50-277
	8809080261	50-277		8809130206	50-277
	8809090168	50-277		8809130210	50-277
	8809090168	50-277		8809130210	50-277
	8809230045*	50-277		8809130218	50-277
	8809230045*	50-277		8809130218	50-277
	8809230053*	50-277		8809130218	50-277
	8809230053*	50-277		8809130237	50-277
	8809230080*	50-277		8809130237	50-277
	8809230080*	50-277		8809130237	50-277
Philadelphia Electric Co.	8809230096	PR		8809130237	50-277
	8808260001	50-352		8809130280	50-352
	8808260095	50-353		8809140189	50-353
	8808260404	50-277		8809140192*	50-353
	8808260093	50-277		8809140204	50-277
	8808260274	50-353		8809140204	50-277
	8808260314*	50-277		8809140204	50-277
	8808260314*	50-277		8809140207	50-277
	8808310035	50-352		8809140207	50-277
	8808310049	50-353		8809140211*	50-277
	8808310150	50-277		8809140211*	50-277
	8809010140	50-277		8809140213*	50-277
	8809010140	50-277		8809140213*	50-277
	8809010143*	50-277		8809140219	50-277
	8809010178	50-352		8809140219	50-277
	8809010187*	50-277		8809140219	50-277
	8809010187*	50-277		8809140226*	50-277
	8809010267	50-277		8809140226*	50-277
	8809010267	50-277		8809140228*	50-277
	8809010294*	50-277		8809140228*	50-277
	8809010302*	50-277		8809140232	50-352
	8809010302*	50-277		8809140232	50-352
	8809010336	50-277		8809140236*	50-352
	8809010360	50-277		8809140236*	50-352
	8809020243	50-277		8809140251	50-277
	8809020243	50-277		8809140251	50-277

CORPORATE SOURCE INDEX 321

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8809140261	50 277	Q	Presbyterian-University Hosp. of	8809010084	PR
	8809140261	50 277		Pittsburgh, Pittsburgh, PA		
	8809140261	50-277	Q		8809010328	PR
	8809140263	50-277	Q	President of U.S. & Executive Offices	8809280102	PR
	8809140263	50 277	Q	Press Intelligence, Inc.	8809010343*	CONTRACT
	8809140263	50 277	Q	Professional Reactor Operator Society	8809160262*	REVIEW GR
	8809140266	50 277	Q	Public Citizen's Critical Mass Energy	8809070302	FOIA
	8809140266	50-277	Q	Project		
	8809140266	50-277	Q		8809090138	FOIA
	8809140280	50 277	Q	Public Service Co. of Colorado	50-287	
	8809140280	50 277	Q		8808280042	50-287
	8809140280	50 277	Q		8808280055	50-287
	8809140280	50 277	Q		8808280084	50-287
	8809140283	50-277	Q		8809280289*	50-287
	8809140283	50-277	Q		8809310087	50-287
	8809140283	50-277	Q		8809010060	50-287
	8809140283	50-277	Q		8809070465	50-287
	8809140291	50-277	Q		8809130139	50-287
	8809140291	50-277	Q		8809150213	50-287
	8809140291	50-277	Q		8809160206	50-287
	8809140313	50-277	Q		8809160208*	50-287
	8809140313	50-277	Q		8809160212*	50-287
	8809140313	50-277	Q		8809190135	50-287
	8809140319	50-277	Q		8809190183	50-287
	8809140319	50-277	Q		8809220041	50-287
	8809140319	50-277	Q		8809280120	50-287
	8809140378	60-352	S		8809270045	50-287
	8809140431	50-277	P	Public Service Co. of New Hampshire	8808300055	50-443
	8809140431	50-277	P		8809020233	60-443
	8809150002	50 352	Q		8809070467	50-443
	8809150154	50 277	Q		8809080118	50 443
	8809150154	50 277	Q		8809080129	50 443
	8809150154	50-277	Q		8809120014	50-443
	8809150174	50-352	P		8809120014	50-443
	8809150178*	50-352	P		8809120032	50 443
	8809150180*	50 352	P		8809120032	50 443
	8809190132	50-277	S		8809140012	50 443
	8809190207	50-277	Q		8809140012	50 443
	8809190207	50-277	Q		8809140020*	50 443
	8809190207	50-277	Q		8809140020*	50 443
	8809190366	50 277	F		8809140028*	60-443
	8809200050	50 352	P		8809140028*	60 443
	8809200058*	50 352	P		8809140041*	50 443
	8809200064*	60 352	P		8809140041*	50 443
	8809200093	60 352	S		8809140052*	50-443
	8809200095	50-277	S		8809140052*	50-443
	8809200095	50-277	R		8809140061*	50-443
	8809200164	50 352	R		8809140061*	50-443
	8809200358	50 277	Q		8809140121	50-443
	8809200358	50 277	Q		8809140169	50-443
	8809210192	50 277	Q		8809140426	50-443
	8809220112	50 352	Q		8809160078	50-443
	8809230101	50-277	F		8809160078	50-443
	8809230101	50-277	F		8809190187	50-443
	8809230149	50-277	S		8809190238	50-443
	8809260165	50-277	S		8809190238	50-443
	8809260247	50-278	S		8809190293	50 443
	8809260247	50-278	S		8809190293	50 443
	8809260247	50-278	S		8809190353	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443
	8809260247	50-278	S		8809210003	50 443

322 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809260142*	50-443		8809010097	50-244
	8809260142*	50-443		8809010108	50-244
	8809260149*	50-443		8809010110*	50-244
	8809260149*	50-443		8809010236	50-244
	8809260158*	50-443		8809080175	50-244
	8809260158*	50-443		8809080253*	50-244
	8809260168*	50-443		8809080298	50-244
	8809260168*	50-443		8809080410*	50-244
	8809260178*	50-443		8809080414*	50-244
	8809260178*	50-443		8809140105	50-244
	8809260183*	50-443		8809150015	50-244
	8809260183*	50-443		8809150024	50-244
	8809260208*	50-443		8809190231	50-244
	8809260208*	50-443		8809220062	50-244
Public Service Co. of New Mexico	8809080066*	50-528		8809260325	50-244
Public Service Electric & Gas Co. of New Jersey	8809260099	50-354		8809260331*	50-244
	8808260402	50-272		8809230132	PR
	8808260414*	50-272	Rochester, Univ. of, Medical Center,		
	8808300112	50-311	Rochester, NY		
	8809010080	50-354	Rockbestos Co	8809010182	PR
	8809010309	50-272	Rockwell International Corp.	8809120146	70-25
	8809060251	50-354	Ropes & Gray	8809140396*	70-25
	8809060300	50-354		8809120014	50-443
	8809070200	50-272		8809120014	50-443
	8809070202*	50-272		8809120031	50-271
	8809070221	50-354		8809120032	50-443
	8809070225*	50-354		8809120032	50-443
	8809070230*	50-354		8809140012	50-443
	8809070559	50-272		8809140020*	50-443
	8809080073	50-272		8809140020*	50-443
	8809080073	50-272		8809140028*	50-443
	8809140112	50-311		8809140028*	50-443
	8809140180	50-272		8809140169	50-443
	8809140243	50-311		8809160079	50-443
	8809140246	50-354		8809160079	50-443
	8809140459	50-272		8809190238	50-443
	8809160202	50-311		8809190238	50-443
	8809160274	50-354		8809210028	50-271
	8809160272	50-272		8809230015	50-443
	8809190272	50-272		8809230025	50-443
	8809190272	50-272		8809230025	50-443
	8809190282	50-272		8809230028*	50-443
	8809190282	50-272		8809230028*	50-443
	8809190282	50-272		8809230035	50-443
	8809190383	50-272		8809230035	50-443
	8809190383	50-272		8809260005	50-443
	8809190385*	50-272		8809260005	50-443
	8809190385*	50-272		8809260017*	50-443
	8809200224	50-272		8809260027*	50-443
	8809200224	50-272		8809260027*	50-443
	8809200224	50-272		8809260119*	50-443
	8809200235	50-354		8809260143	50-271
	8809200256	50-354	Roy F Weston, Inc	8809210225*	CONTRACT
	8809210159	50-272		8809220179*	WASTE MGT
	8809220020	50-354		8809220187*	WASTE MGT
	8809230177	50-272	SCITRAN	8809260158*	CONTRACT
	8809230177	50-272	SRI International	8809260158*	50-443
	8809230177	50-272	Sacramento Municipal Utility District	8809280006	50-312
	8809230209	50-272		8809260136	50-312
	8809230209	50-272		8808300101	50-312
	8809230209	50-272		8808310038	50-312
	8809230209	50-272		8808310074	50-312
	8809260058	50-272		8809020035	50-312
	8809260058	50-272		8809020157*	50-312
	8809260153	50-354		8809020159*	50-312
	8809260175*	50-272		8809020160*	50-312
	8809260175*	50-272		8809020174*	50-312
	8809260242	50-272		8809020175*	50-312
	8809260242	50-272		8809060348	50-312
	8809260242	50-272		8809060378*	50-312
	8809270037	50-272		8809070327	50-312
	8809270037	50-272		8809070452	50-312
	8809270037	50-272		8809070557	50-312
Purdue Univ., West Lafayette, IN	8809260258	70-152		8809080158	50-312
Quivira Mining Co	8809060313	40-8905		8809080207	50-312
	8809070124	40-8905		8809080210	50-312
	8809140143	40-8905		8809130157	50-312
RMC Environmental Services	8808300033*	50-289		8809130213	50-312
Reeves Brothers, Inc	8809230185*	REVIEW GR		8809140147	50-312
Regulatory Group, Inc.	8809270088*	CONTRACT		8809140223	50-312
Reid Memorial Hosp , Richmond, IN	8809070556	PR		8809140231*	50-312
	8809080082	PR		8809140260	50-312
Rensselaer Polytechnic Institute, Troy, NY	8809020123	50-225		8809150042	50-312
				8809150100	50-312
Republic Services, Inc.	8809210263*	REVIEW GR		8809150331	50-312
Resource Technical Services, Inc	8809230050*	CONTRACT		8809160092	50-312
Rio Algom Mining Corp	8809060180	40-8084		8809160094*	50-312
Rochester Gas & Electric Corp	8809010061	50-244		8809180281	50-312

CORPORATE SOURCE INDEX 323

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8809200134	50-312	R		8809200254	50-395	
	8809200204	50-312	F		8809200303	50-395	
	8809200239	50-312	P		8809220118	50-395	
	8809210045*	50-312	S		8809230231	50-395	
	8809220325	50-312	H		8809230234*	50-395	
	8809230063	50-312	P		8809260052	50-395	
	8809230068*	50-312	P		8809260185	50-395	
	8809260029	50-312	P		880910172*	50-395	
Salisbury, MA	8809260039	50-443	G	South Carolina, Univ. of, Columbia, SC	8809120055	50-322	
Salt River Project	880926006*	50-528	I	Southampton, NY	8809180094*	50-322	
San Diego Gas & Electric Co	8809290099	50-206	F		8809230011	50-322	
San Francisco General Hosp	8809300054	PR		Southern California Edison Co.	8809260349	50-206	
San Francisco, CA					8809260099	50-206	
Sandia National Laboratories	8809130921	WASTE RES			8809300215	50-361	
	8809140357	WASTE RES			8809300261	50-206	
	8809180056	NUREG			8809310045	50-206	
	8809190063	WASTE RES			8809310045	50-206	
	8809220018	WASTE RES			8809310045	50-206	
	8809220049	NUREG			8809310045	50-206	
	8809220080	WASTE RES			8809310045	50-206	
Sargent & Lundy, Inc	8809140078*	50-206	Q		8809310045	50-206	
	8809140080*	50-237	P		8809310045	50-206	
Saxton Nuclear Experimental Corp	8809020228	50-146	P		8809310045	50-206	
Schneider Consulting Engineers	8809200230*	50-313	Q		8809310045	50-206	
Science Applications International Corp	8807220128*	50-302	P		8809310045	50-206	
(formerly Science Applications, Inc.)					8809310045	50-206	
	8807270214*	50-289	F		8809310045	50-206	
	8809020073*	50-289	F		8809310045	50-206	
	8809140030*	CONTRACT			8809310045	50-206	
	8809160126*	REVIEW GR	P		8809310045	50-206	
	8809200360*	CONTRACT			8809310045	50-206	
	8809260332*	CONTRACT			8809310045	50-206	
	8809270158	WASTE MGT			8809310045	50-206	
Scituate, MA	8809260158*	50-293	U		8809310045	50-206	
Seacoast Anti-Pollution League	8809020058	50-443	G		8809310045	50-206	
	8809120134	50-443	G		8809310045	50-206	
	8809160032	50-443	G		8809310045	50-206	
	8809210018	50-443	G		8809310045	50-206	
	8809210023	50-443	G		8809310045	50-206	
	8809300043	50-443	G		8809310045	50-206	
Senate, Environment & Public Works	8809180180*	FOIA			8809310045	50-206	
	8809180231*	FOIA			8809310045	50-206	
	8809180233*	FOIA			8809310045	50-206	
	8809180331*	FOIA			8809310045	50-206	
	8809230181*	COMMISSIO	N		8809310045	50-206	
Senate, Governmental Affairs	8809180036*	FOIA			8809310045	50-206	
	8809230212*	COMMISSIO	N		8809310045	50-206	
Senior Executives Association/Profession	8809230206*	COMMISSIO	N		8809310045	50-206	
at Development League					8809310045	50-206	
	8809230210*	COMMISSIO	N		8809310045	50-206	
Sentry Equipment Corp.	8809060168*	50-255	Q		8809310045	50-206	
Sequoiah Fuels Corp (subs of Kerr-McGe	8807140131	40 8027			8809310045	50-206	
Nuclear Corp.)					8809310045	50-206	
	8809020191	40 8027			8809310045	50-206	
	8809080069	40 8769			8809310045	50-206	
	8809060105	40 8769			8809310045	50-206	
	8809060128	40 8027			8809310045	50-206	
	8809070013	40 8027			8809310045	50-206	
	8809220194	40 8027			8809310045	50-206	
	8809220200	40 8027			8809310045	50-206	
Shaines & McEachern	8809190053	50-443	G		8809310045	50-206	
	8809210018	50-443	G		8809310045	50-206	
	8809260048	50-443	G		8809310045	50-206	
Shaw, Pittman, Potts & Trowbridge	8809090085	50-276	P		8809310045	50-206	
	8809140193	50-440	G		8809310045	50-206	
	8809280264*	REVIEW GR	P		8809310045	50-206	
Siegel, J. J.	8809160269*	FOIA			8809310045	50-206	
	8809160263*	FOIA			8809310045	50-206	
	8809160268*	FOIA			8809310045	50-206	
	8809160277*	FOIA			8809310045	50-206	
Sinai Hosp. of Detroit, Detroit, MI	8809080103	PR			8809310045	50-206	
Small Business Administration	8809070052*	CONTRACT			8809310045	50-206	
	8809070093*	CONTRACT			8809310045	50-206	
Society of Nuclear Medicine	8809020138	PR			8809310045	50-206	
	8809150300	PR			8809310045	50-206	
	8809230118	PR			8809310045	50-206	
Sonakysts, Inc.	8809210138*	CONTRACT			8809310045	50-206	
South Carolina Electric & Gas Co.	8809260435	50-395	F		8809310045	50-206	
	8809300283	50-395	S		8809310045	50-206	
	8809010124	50-395	P		8809310045	50-206	
	8809010169*	50-395	P		8809310045	50-206	
	8809010171	50-395	R		8809310045	50-206	
	8809020274*	50-395	R		8809310045	50-206	
	8809020276*	50-395	R		8809310045	50-206	
	8809070534	50-395	P		8809310045	50-206	
	8809130058	50-395	P		8809310045	50-206	
	8809140323	71-8176			8809310045	50-206	
	8809150280	50-395	Q		8809310045	50-206	
					8809310045	50-206	

324 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809210108*	50-206		8809060392	50-445
	8809210108*	50-206		8809060396	50-445
	8809230041	50-361		8809060398	50-445
	8809230286*	50-206		8809070007	50-445
	8809230286*	50-206		8809070007	50-445
	8809230286*	50-206		8809070332	50-445
	8809230286*	50-206		8809070332	50-445
	8809260055	50-206		8809070407	50-445
Southern Company Services, Inc	8809260171	50-206		8809070407	50-445
	8808310027	50-425		8809070416	50-445
Southwest Research Institute	8809140400	50-424		8809070416	50-445
	8808300048*	50-333		8809070555	50-445
	8808310235*	50-317		8809070555	50-445
	8809200262*	50-354		8809080143	50-445
St. Francis College, FL Wayne, IN	8809210215*	CONTRACT		8809080143	50-445
Structural Integrity Associates	8809080070	PR		8809080176	50-445
Structural Mechanics Associates	8808300037*	50-333		8809080176	50-445
Suffolk County, NY	8809080075*	50-155		8809080184	50-445
	8809020026	50-322		8809080184	50-445
	8809120055	50-322		8809130330	50-445
	8809190067	50-322		8809140083	50-445
	8809190094*	50-322		8809140083	50-445
Sugarman & Associates	8809230011*	50-322		8809140277	50-445
	8809210004*	50-443		8809140277	50-445
	8809210004*	50-443		8809140278	50-445
	8809210006*	50-443		8809140278	50-445
	8809210006*	50-443		8809140278	50-445
Susquehanna Valley Alliance, Lancaster, PA	8809200027	50-320		8809140340	50-445
System Energy Resources, Inc.				8809140367	50-445
	8808260004	50-418		8809140367	50-445
	8808260125	50-416		8809150083	50-445
	8808260127*	50-418		8809150083	50-445
	8808260312	50-418		8809150099	50-445
	8808260315*	50-418		8809150108	50-445
	8808300294	50-416		8809150108	50-445
	8808310060	50-313		8809150201	50-445
	8808310060	50-313		8809150281	50-445
	8809010066	50-416		8809200375	50-445
	8809060263	50-416		8809210015	50-445
	8809060331	50-416		8809210015	50-445
	8809070565	50-416		8809210067*	50-445
	8809080119	50-416		8809230123	50-445
	8809080126*	50-416		8809230123	50-445
	8809080180	50-416		8809230127	50-445
	8809080191*	50-416		8809230171	50-445
	8809080198*	50-416		8809230171	50-445
	8809140082	50-313		8809230249	50-445
	8809140082	50-313		8809230249	50-445
	8809150026	50-416		8809260080	50-445
	8809150220	50-416		8809260080	50-445
	8809150233	50-416		8809260123	50-445
	8809180044	50-416		8809260123	50-445
	8809190311	50-416		8809260131	50-445
	8809190381	50-416		8809260131	50-445
	8809200060	50-416		8809260159	50-445
	8809200111	50-416		8809260159	50-445
	8809200112	50-416		8809260186	50-445
TENERA Corp. (subs of TERA Corp.)	8809200364	50-416		8809260186	50-445
TRI State Associates, Inc.	8809140041*	50-443		8809260191*	50-445
	8809090050	71-659		8809260249	50-445
TU Electric (formerly Texas Utilities Generating Co)	8809090101*	71-659		8809260249	50-445
	8808260048	50-445		8809260335	50-445
				8809260335	50-445
	8808260048	50-445		8809260337	50-445
	8808260063	50-445		8809260337	50-445
	8808260063	50-445		8809260370*	50-255
	8808260101	50-445		8809260370*	50-255
	8808260101	50-445		8808260081	50-327
	8808260123	50-445		8808260292	50-259
	8808260123	50-445		8808260456	TOPREP
	8808260123	50-445		8808260457	50-327
	8808260010	50-445		8808260496	50-390
	8808260010	50-445		8808260496	50-390
	8808260067	50-445		8808290011	50-327
	8808260067	50-445		8808290011	50-327
	8808260239	50-445		8808290036*	TOPREP
	8808260245*	50-445		8808290116	50-260
	8808310083	50-445		8808290126	50-259
	8808310185	50-445		8808290126	50-259
	8808310185	50-445		8808290132*	50-259
	8808310182	50-445		8808290133	50-259
	8808310182	50-445		8808290133	50-259
	8809020034	50-445		8808290133	50-259
	8809020034	50-445		8808290133	50-259
	8809020052	50-445		8808290133	50-259
	8809020052	50-445		8808290133	50-259
	8809020268	50-445		8808290133	50-259
	8809020268	50-445		8808290133	50-259
	8809060315	50-445		8808290133	50-259
	8809060315	50-445		8808290133	50-259
	8809060392	50-445		8808290133	50-259
				8808290133	50-259

CORPORATE SOURCE INDEX 325

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8808290133	50-259		8809010031*	50-390
	8808290133	50-259		8809010032*	50-390
	8808290137*	50-259		8809010033*	50-390
	8808290137*	50-259		8809010041	50-328
	8808290137*	50-259		8809010181	50-259
	8808290139*	50-259		8809010181	50-259
	8808290140*	50-259		8809010181	50-259
	8808290143*	50-259		8809010205	50-259
	8808290146*	50-259		8809010205	50-259
	8808290146*	50-259		8809010205	50-259
	8808290146*	50-259		8809010205	50-259
	8808290147*	50-259		8809010205	50-259
	8808290147*	50-259		8809010205	50-259
	8808290147*	50-259		8809010206	50-390
	8808290148*	50-259		8809010333	50-259
	8808290148*	50-259		8809010333	50-259
	8808290148*	50-259		8809010333	50-259
	8808290149*	50-259		8809020104	50-259
	8808290151	50-390		8809020104	50-259
	8808290151	50-390		8809020104	50-259
	8808290153*	50-259		8809020257	50-259
	8808290154*	50-259		8809020257	50-259
	8808290156*	50-259		8809020257	50-259
	8808290158*	50-259		8809020261	50-390
	8808290247	50-327		8809020261	50-390
	8808290254	50-327		8809060224	50-259
	8808290308	50-259		8809060235	50-328
	8808290312*	50-259		8809060248	50-438
	8808290312*	50-259		8809060259	50-568
	8808290315*	50-259		8809060292	40-1341
	8808290317*	50-259		8809060297	50-390
	8808290317*	50-259		8809060357	50-259
	8808290317*	50-259		8809060357	50-259
	8808290318*	50-259		8809060357	50-259
	8808290322*	50-259		8809070037	50-327
	8808290326*	50-259		8809070037	50-327
	8808290329*	50-259		8809070037	50-327
	8808290330*	50-259		8809070037	50-327
	8808290331*	50-259		8809070060	50-327
	8808290332*	50-259		8809070060	50-327
	8808290334*	50-259		8809070231	50-259
	8808290335*	50-259		8809070231	50-259
	8808290336*	50-259		8809070231	50-259
	8808290337*	50-259		8809070289	50-390
	8808290338*	50-259		8809070388	50-390
	8808290339*	50-259		8809070388	50-390
	8808290340*	50-259		8809070388	50-390
	8808290343*	50-259		8809070488	50-390
	8808290346*	50-259		8809070532	50-327
	8808290347*	50-259		8809070532	50-327
	8808290349*	50-259		8809070535	50-327
	8808300038	50-259		8809070551	50-327
	8808300038	50-259		8809070551	50-327
	8808300038	50-259		8809070582	50-259
	8808300038	50-259		8809080012	50-259
	8808300079	50-327		8809080020*	50-259
	8808300079	50-327		8809080072	50-259
	8808300084	50-327		8809080072	50-259
	8808300084	50-327		8809080072	50-259
	8808300096	50-327		8809080288	50-327
	8808300122	50-327		8809080288	50-327
	8808300122	50-327		8809080334*	50-259
	8808300243	50-327		8809080334*	50-259
	8808300243	50-327		8809080334*	50-259
	8808300288	50-390		8809080364	50-327
	8808300288	50-390		8809080364	50-327
	8808310034	50-327		8809080364	50-327
	8808310034	50-327		8809080388*	50-259
	8808310072	50-327		8809080388*	50-259
	8808310123	50-327		8809080008	50-327
	8808310123	50-327		8809080008	50-327
	8808310132	50-327		8809090154*	50-327
	8808310158	50-327		8809090183*	50-327
	8808310219	50-390		8809090184*	50-327
	8809010010	50-390		8809130313	50-259
	8809010010	50-390		8809130313	50-259
	8809010011*	50-390		8809140010	50-327
	8809010013*	50-390		8809140010	50-327
	8809010014*	50-390		8809140013	50-327
	8809010017*	50-390		8809140021*	50-259
	8809010019*	50-390		8809140118	50-328
	8809010020*	50-390		8809140174	50-326
	8809010022*	50-390		8809140292	50-326
	8809010024*	50-390		8809140302	50-438
	8809010024*	50-390		8809140302	50-438
	8809010026*	50-390		8809140486	50-259
	8809010026*	50-390		8809140486	50-259
	8809010030*	50-390		8809140486	50-259
				8809140470*	50-259

326 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809140470*	50 259	Transco, Inc	8809190115*	XPORTLIC
	8809140470*	50-259		8809190118*	XPORTLIC
	8809150006	50 438	Transnuclear, Inc	8809200198	70-1426
	8809150008	50 438	Transportation, Dept of	8808300045	71-3002
	8809150012	50-296	Troutman, Sanders, Lockerman & Ashmore	8808290353	50 425
	8809150132	50 390	Twomey, Latham & Shea	8809190094*	50-322
	8809150188	50 259		8809230011	50-322
	8809150188	50-259	U S Ecology, Inc (formerly Nuclear Engineering, Inc.)	8809090097	WASTE MGT
	8809150188	50 259			
	8809150211	50 327		8809090230	27-48
	8809150211	50 327		8809090235*	27-48
	8809150229	50-380	U.S. Energy Corp	8809060409	40-8071
	8809150229	50 390	U S Tool & Die, Inc	8808300340*	50-408
	8809150237	50 390	UMETCO Minerals Corp (subs. of Union Carbide Corp)	8809060020	40 8681
	8809150237	50-390			
	8809150318	50-327		8809120156	40-8681
	8809150318	50-327		8809200214	PR
	8809150318	50-327	UNC Resources, Inc	8809120100	70-371
	8809150318	50-259	Uhler, J C.	8809090125	50-277
	8809150318	50-259	Union Electric Co	8808300074	50-483
	8809150318	50-259		8809070082*	50 483
	8809150318	50-390		8809070369	50-483
	8809200231	50-259		8809090014	50 483
	8809200374	50-390		8809120073	50 483
	8809210009	50-259		8809120090*	50-483
	8809210009	50 259		8809130037	50-483
	8809210009	50-259		8809140107	50 483
	8809210060	50 259		8809140127	50-483
	8809210060	50 259		8809150161	50-483
	8809210060	50 259		8809190018	50 483
	8809210060	50 259		8809190025*	50-483
	8809210060	50 259	Union of Concerned Scientists	8809280236	50-483
	8809210060	50 259		8809210020*	50 443
	8809210060	50 259	United Kingdom, Govt of	8809210119*	WASTE MGT
	8809210060	50 259	United Nuclear Corp. (subs. of UNC Resources, Inc)	8809200336*	REVIEW GR
	8809210060	50 259		8809060005	40 8907
	8809210060	50 259			
	8809210060	50 259		8809080139	40-8907
	8809210060	50 259		8809080394	40 8907
	8809210060	50 259		8809070244	40 8907
	8809210060	50 259		8809070255*	40-8907
	8809210060	50 259		8809070354	70-371
	8809210060	50 259		8809090084	70-371
	8809210060	50 259	United States Testing Co., Inc	8809120183	40-8907
	8809210060	50 259	Utah, State of	8809200381*	71-9029
	8809210060	50 259	Utah, Univ. of, Salt Lake City, UT	8809190080	50 407
	8809210060	50 259		8809190252	50 72
	8809210060	50 259	Vermont Yankee Nuclear Power Corp.	8808260464	50-271
	8809210060	50 259		8808200117	50-271
	8809210060	50 259		8808310077	50 271
	8809210060	50 259		8809010360	50 271
	8809280160	50 327		8809070329	50-271
	8809280201	50-328		8809070447	50-271
	8809280343	50 327		8809120031	50-271
	8809120054	50 603		8809140151	50 271
	8809290074	50 128		8809140168	50 271
	8809290093*	50 128		8809150009	50 271
	8809150316	PR		8809150308	50 271
	8809230272*	REVIEW GR		8809190219	50 271
	8809290147*	REVIEW GR		8809210014	50-271
	8809060027	50 320		8809210028	50-271
	8808260339	50-346		8809210128	50 271
	8808260219	50 346		8809260143	50 271
	8808260229*	50 346		8809260189	50-271
	8808260275	50-346		8809260195	50-271
	8808310014	50-346		8809300099	50 271
	8809010106	50-346		8809020086	50-271
	8809060031	50-346		8809080072*	50-271
	8809070076	50-346		8809120007	50 271
	8809070335	50-346		8809120011	50-271
	8809090031	50-346		8809120013	50-271
	8809130002	50-346		8809150287	PR
	8809130114	50-346			
	8809140285	50-346	Veterans Admin Medical Center, Madison, WI		
	8809140397	50-346	Vi-Jon Laboratories, Inc.	8809220203*	REVIEW GR
	8809140449	50-346	Video Telecommunications, Inc.	8809070176*	CONTRACT
	8809160011	50 346	Virginia Power (Virginia Electric & Power Co)	8808260364	50-280
	8809160051	50 346			
	8809190239	50-346		8808290267	50-281
	8809190328	50-346		8808290303	50-338
	8809190344	50 346		8808300233	50-338
	8809200039	50-346		8809010135	50-280
	8809200370	50-346		8809020131	50 281
	8809210206	50-346		8809020227	50-280
	8809260032	50 346		8809020227	50-280
	8808260210	50-346		8809020231	50-338
	8808270118	50-346		8809020231	50-338
	8809200365*	REVIEW GR		8809060236	50-280
				8809060240	50-280
	</				

CORPORATE SOURCE INDEX 327

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8809070079	50-338		8809070424*	50 601
	8809070275	50-338		8809070442*	50 601
	8809070419	50-280		8809080093*	50-412
	8809070438	50-281		8809120077*	50 483
	8809070541	50-280		8809120083*	50 483
	8809080039	50 338		8809120094*	50 483
	8809080091	50 339		8809130030*	50 206
	8809120103	50 280		8809130038*	50-208
	8809140181	50 281		8809140166*	50 390
	8809140208*	50 338		8809150082	TOPREP
	8809140353	50 280		8809200045	70-4151
	8809140358*	50 280		8809230021*	CONTRACT
	8809150001	50 338		8809250007*	50-443
	8809150001	50 338		8809260238*	50-282
	8809150295	50-280		8809260250	TOPREP
	8809150295	50 280		8809260293*	TOPREP
	8809150295	50 280		8809260295*	TOPREP
	8809150328	50 280		8809260298	TOPREP
	8809150328	50 280		8809260300*	TOPREP
	8809150328	50 280		8809260320*	TOPREP
	8809150328	50 280		8809270049	TOPREP
	8809160156	50-280	Westinghouse Operating Plants Owners Group		
	8809160156	50-280	Weston Geophysical Corp.	8809010207*	50 440
	8809190174	50-280	Wharlon School, PA	8809130248*	PR
	8809190200	50-280	Whittaker Corp	8809290028	40 7455
	8809190200	50-280	Williams & Associates	8809060161	WASTE RES
	8809200104	50-200		8809060165*	WASTE RES
	8809200124	50-200		8809060169*	WASTE RES
	8809200124	50-200		8809060172*	WASTE RES
	8809200145	50-338	Wisconsin Electric Power Co.	8808200286	50 266
	8809200219	50-280		8808310145	50-266
	8809200227	50-280		8808310151*	50-266
	8809200267	50 338		8808310180*	50-266
	8809210024	50 338		8809020264	50-266
	8809210024	50 338		8809020267*	50-266
	8809220185	50-280		8809080355	50-266
	8809220185	50 280		8809090355	50-266
	8809220192	50-338		8809090381*	50-266
	8809220192	50 338		8809090381*	50 266
	8809270131	50-260		8809090386*	50 266
	8809270131	50 280		8809090386*	50 266
	8809270131	50 280		8809120160	50-266
	8809270131	50 280		8809120160	50 266
	8809270131	50 280		8809140145	50 266
	8809190398	50 386		8809140145	50-266
Virginia, Univ of, Charlottesville, VA	8809190200	40-7604		8809140248	50 266
Vieltron Corp	8809220184	MISC		8809140248	50 266
WFI Nuclear Products, Inc.	8809260140*	50-443		8809140390	50-266
Warning System Services	8808300332	50-397		8809150050	50 266
Washington Public Power Supply System	8809010021	50-397		8809150050	50-266
	8809010199	50-397		8809150252	50-301
	8809070272	50-500		8809160301	50-208
	8809070317	50-397		8809160301	50-208
	8809080000	50-397		8809200123	50-200
	8809080010*	50-397		8809210268	50-200
	8809080125	50-397		8809210268	50-206
	8809080163	50 397		8809220001*	50-266
	8809080305	50-397		8809220001*	50-266
	8809080315	50-397		8809300085	50-305
	8809080388	50-397		8809300182	50-305
	8809150188	50-397		8809310186	50 305

328 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Wyoming, State of	8809260208'	50-443	Zehring Corp	8809060329*	50-29
	8809260208'	50-443		8809070184	50-29
	8809010283	40-8857		8809070304	50-29
	8809020184	40-8971		8809070509	50-29
	8809020260	40-8684		8809070568	PH
	8809060006	40-8964		8809090270	50-29
	8809060025	40-8971		8809090274*	50-29
	8809060029	40-8857		8809150227	50-29
	8809060155	40-4492		8809190088	50-29
	8809060182	40-8714		8809190085	50-29
	8809060269	40-6622		8809230260	50-29
	8809060274	40-8502		8809260104*	50-443
	8809070012	40-8857		8809260104*	50-443
	8809130307	40-8622		8809260142*	50-443
	8809140059	40-8659		8809260142*	50-443
	8809140060	40-8622		8809270012	50-29
	8809140428	40-8622		8809270014*	50-29
	8809290142	50-29		8809270040	50-29
	8809290223	50-29		8809270098	50-29
	8809290225'	50-29		8809270100*	50-29
Yankee Atomic Electric Co.				8809200376*	REVIEW GR

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
12	8809090072*	50-271	W	NUREG/CR-5188	8809080245	NUREG	PNL-6586
23A5841 R00	8809230061*	50-374	P	NUREG/CR-5200	8809220046	50-313	P BNL-NUREG 52024
23A5906 R00	8808300338*	50-331	P	NUREG/CR-5203	8809080185	NUREG	BNL-NUREG 52159
23A591 R00	8809120111*	50-461	P	NUREG/CR-5210	8809220089	NUREG	PNL-6623
3521-4811	8809060150*	50-255	Q	NUREG/CR-5212	8809220053	NUREG	PNL-6625
47-1173004-00	8809230183*	TOPREP		NUREG/CR 5233	8809220080	NUREG	
4710-3221-88-03 R00	8809200080*	50-320	P	OPPD-NA 5301-NP R03	8809060230*	50-285	P
51-1172953-00	8809280030*	50-312	Q	OPPD-NA 5302-NP R02	8809220079*	50-285	P
64342	8808300207*	50-443	Q	OPPD-NA 5303-NP R02	8809220087*	50-285	P
775 R00	8809060192*	50-255	Q	ORAU 68/H 63	8809180091*	40-8724	
83-113 R00	8809080148*	50-213	P	PE-0005 R01	8809140358*	50-280	S
85 068 R00	8809080149*	50-213	P	REAR-5	8809070225*	50-354	FI
88 0126	8808290038*	TOPREP		RESAR-SP/90 PDA A03	8809070442*	50-601	K
AEO/C801	8808310189*	ORG		RIL-152	8809150101	RES	
ANF-87-111	8809120205*	50-237	P	RIL-155	8808290087	RES	
ANF-88-107	8809210240*	50-255	P	RIL-157	8809220116	RES	
ANF-88-108	8809210242*	50-255	P	S-OC 86-03	8808310015*	50-218	Q
ANF-88-108 R01	8809230028*	50-255	P	S-OC 87-01	8808310011*	50-218	Q
ANF-88-118	8809070500*	50-338	P	SAIC-88/1810	8809020073*	50-289	F TAC 84851
B&ROE-COM4-1NP R06A	8809010165*	TOPREP		SAIC-88/3013	8807270214*	50-289	F TAC 84851
B-0027 R A	8809060110*	50-255	Q	SAIC/87-3103	8807220128*	50-302	P TAC 56115
BNL52151R	8809080067*	WASTE MGT		SAND85-0598 DRFT	8809210239*	WASTE MGT	
CE-1-A R52	8810050335*	50-10	P 9518M	SCE-ANO-08	8809230230*	50-313	Q
CEN-356(V)-NP-A R01	8809090167*	50-528	P	SECY-88-180	8703080109	SECY	ALAB-818
CEN-385 (L)	8809080038*	50-388	P	SECY-87-101	8706030157*	REVIEW GR	P
EF-134	8809080111	50-18	R	SECY-87-300	8801130381*	PR	AA40-2 48
EGG-NTA-7841	8710150112*	50-275	P	SECY-88-030B	8808310023	SECY	
EGG-NTA 8028	8808170132*	50-454	P	SECY-88-050	8809090068*	FOIA	IEB-87 001
EGG-PHY-8097	8808310085*	50-461	P	SECY-88-050A	8805230074*	FOIA	
EP85-4	8809060222*	PROJ		SECY-88-074	8808310022	SECY	
HETA 88-381	8809280038*	70-143		SECY-88-103	8805130022*	FOIA	
NED 84-058 R01	8809080151*	50-298	P	SECY-88-245	8809080232	SECY	
NSP/AD 8808 R01	8809010287*	50-283	P	SECY-88-246	8808080137	50-443	F
NUREG-0040 V12 N02	8809150288	NUREG		SIS HERR-24	8809070202*	50-272	R
NUREG-0090 V11 N01	8809080206	NUREG		SIR-87-015 R01	8808300037*	50-333	P
NUREG-0304 V13 N02	8809060137	NUREG		SMA 13703.01	8809080076*	50-155	P
NUREG-0430 V08 N02	8809280026	NUREG		TR-059 R00	8808300263*	50-219	P GL-88-01
NUREG 0838 V07 N02	8809280278	NUREG		TR-203	8809180167*	50-283	F
NUREG 0840 V07 N02	8809280018	NUREG		TVA-RLR-002 R02	8809080020*	50-280	P
NUREG-1317 DRFT FC	8809140371	NUREG		WACQ 402	8809140258	50-387	R PLE-10825
NUREG/BR-0051 V09 N4	8809130097	NUREG		WCAP-10887 ADD 01	8809070048*	50-327	P
NUREG/CP-0064	8809220043	NUREG	MEA-2313	WCAP-11815	8809280242*	50-286	P
NUREG/CR-2000 V07 N7	8809150272	NUREG	ORNL/NSIC-200	WCAP-11873 A	8809280320*	TOPREP	
NUREG/CR-2650 V07	8809220023	NUREG	PNL-4221	WCAP-11876	8809080018*	50-348	Q
NUREG/CR-4747 V02	8809220097	NUREG	EGG-2473	WCAP-11884	8809120094*	50-463	P
NUREG/CR-4811	8809280245	NUREG	PNL-6097	WCAP-11906	8809130036*	50-208	Q
NUREG/CR-4857	8809220058	NUREG	BMI-2146	WCAP-11908	8808280281*	50-315	P
NUREG/CR-4920 V01	8809060193	NUREG	BNL-NUREG-52070	WCAP-11932	8809280238*	50-282	P
NUREG/CR-4920 V02	8809060181	NUREG	BNL-NUREG-52070	WP 01-BFN R00	8809280132*	50-259	P
NUREG/CR-4920 V03	8809060174	NUREG	BNL-NUREG-52070	WP-02-BFN R00	8808290137*	50-259	P
NUREG/CR-4920 V04	8809060157	NUREG	BNL-NUREG-52070	WP-03-BFN R00	8808290139*	50-259	P
NUREG/CR-4920 V05	8809060147	NUREG	BNL-NUREG-52070	WP-04-BFN R00	8808290140*	50-259	P
NUREG/CR-4993	8809220049	NUREG	SAND87-1858	WP-06-BFN R00	8808290143*	50-259	P
NUREG/CR-5031	8809220092	NUREG	EGG-2523	WP-07-BFN R00	8808290148*	50-259	P
NUREG/CR-5043	8809140366	NUREG	EGG 2524	WP-11-BFN R00	8808290147*	50-259	P
NUREG/CR-5083	8809220018	NUREG	SAND88-0030	WP-13-BFN R00	8808290148*	50-259	P
NUREG/CR-5090	8809150286	NUREG	LA-11236	WP-16-BFN R00	8808290149*	50-259	P
NUREG/CR-5125	8809140357	NUREG	SAND88-1407	WP-24-BFN R00	8808290153*	50-259	P
NUREG/CR-5131	8809060198	NUREG	ANL-88-20	WP-25-BFN R00	8808290154*	50-259	P
NUREG/CR-5132	8809150278	NUREG	BNL-NUREG-52143	WP-32-BFN R00	8808290156*	50-259	P
NUREG/CR-5148	8809060200	NUREG	ANL-88-23	WP-35-BFN R00	8808290158*	50-259	P
NUREG/CR-5156	8809220039	NUREG	ANL-88-25	WVNS-TR-300 001 R00	8808290096*	PROJ	
NUREG/CR-5159 V01	8809220014	NUREG	BNL-NUREG 52088	XN NF-84-48	8809120201*	50-237	P
NUREG/CR-5184	8809280214	NUREG	BNL-NUREG-52153	XN NF-87-82 S01	8809230268*	50-397	P
NUREG/CR-5170	8809220040	NUREG	LA-11354-MS	YAEC-1852	8809090274*	50-29	P
NUREG/CR-5194	8809220096	NUREG	EGG-2531	YAEC-1859	8809270100*	50-29	P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7903150370	8807130473	88/07/07	50-255 Q	8712210174	8802100081	88/01/11	REVIEW GR P
8005270825	8809070146	88/08/10	50-410 P	8712230240	8802100081	88/01/11	REVIEW GR P
8011200491	8809070146	88/08/10	50-410 P	8801070083	8804210482	88/04/04	REVIEW GR P
8102200367	8809200130	88/09/16	WASTE MGT	8801130361	8803000082	88/09/00	PR
8103110826	8809080234	88/08/10	50-255 P	8801270189	8804210482	88/04/04	REVIEW GR P
8103160027	8809080234	88/08/10	FOIA	8802030400	8809190139	88/09/25	REVIEW GR P
8103260951	8809080234	88/08/10	FOIA	8802100287	8809190139	88/09/25	REVIEW GR P
8104280814	8809080234	88/08/10	FOIA	8802100554	8809190139	88/09/25	REVIEW GR P
8104300284	8809080098	88/08/17	FOIA	8802220280	8809190139	88/09/25	REVIEW GR P
8104300429	8809080234	88/08/10	50-250 P	8802220372	8809190139	88/09/25	REVIEW GR P
8104300433	8809080234	88/08/10	FOIA	8802230145	8809190139	88/09/25	REVIEW GR P
8105010503	8809080098	88/08/17	50-325 Q	8802230159	8809190139	88/09/25	REVIEW GR P
8106230171	8809080234	88/08/10	FOIA	8802250113	8805110236	88/04/14	REVIEW GR P
8106240088	8809080234	88/08/10	FOIA	8802250330	8804210482	88/04/04	REVIEW GR P
8106240090	8809080234	88/08/10	FOIA	8802250361	8805110236	88/04/14	REVIEW GR P
8107180046	8809080234	88/08/10	FOIA	8802260045	8809190139	88/09/25	REVIEW GR P
8107200027	8809080234	88/08/10	FOIA	8802260122	8804140381	88/03/23	REVIEW GR P
8107200031	8809080234	88/08/10	FOIA	8802260161	8809190139	88/09/25	REVIEW GR P
8109220779	8809080234	88/08/10	FOIA	8803200137	8804140381	88/03/23	REVIEW GR P
8110280332	8809080234	88/08/10	FOIA	8803200249	8809190139	88/09/25	REVIEW GR P
8112110007	8809070146	88/08/10	50-410 P	8803070309	8804140381	88/03/23	REVIEW GR P
8112210062	8809080234	88/08/10	FOIA	8803160018	8809190139	88/09/25	REVIEW GR P
8202120089	8809090044	88/08/15	50-275 P	8803160164	8809190139	88/09/25	REVIEW GR P
8203240109	8809080234	88/08/10	FOIA	8803210547	8804140381	88/03/23	REVIEW GR P
8205120056	8809080234	88/08/10	FOIA	8803200273	8809190139	88/09/25	REVIEW GR P
8208120358	8809080234	88/08/10	FOIA	8803280342	8809190139	88/09/25	REVIEW GR P
8305090714	8809120091	88/08/17	FOIA	8803280088	8809190139	88/09/25	REVIEW GR P
8305120134	8809080234	88/08/10	FOIA	8803300013	8809190139	88/09/25	REVIEW GR P
8306270494	8809120091	88/08/17	FOIA	8803300021	8809190139	88/09/25	REVIEW GR P
8404050448	8809070146	88/08/10	50-410 P	8803300024	8809190139	88/09/25	REVIEW GR P
8409120034	8809080234	88/08/10	FOIA	8803300027	8809190139	88/09/25	REVIEW GR P
8412050571	8809070146	88/08/10	50-410 P	8803300031	8809190139	88/09/25	REVIEW GR P
8501210322	8809090098	88/09/17	FOIA	8803300032	8809190139	88/09/25	REVIEW GR P
8605130026	8809120211	88/08/23	FOIA	8803300039	8809190139	88/09/25	REVIEW GR P
8608290006	8805110236	88/04/14	REVIEW GR	8803300047	8809190139	88/09/25	50-203 Q
8610240081	8809160177	88/08/30	FOIA	8803300161	8809190139	88/09/25	REVIEW GR P
8611040400	8809070146	88/08/10	50-410 P	8804010083	8809120211	88/08/23	FOIA
8612230254	8809090092	88/09/09	PR	8804080002	8809190139	88/09/25	REVIEW GR P
8612290143	8809090092	88/09/09	PR	8804120300	8809190139	88/09/25	REVIEW GR P
8612310221	8809090092	88/09/09	PR	8804120321	8809190139	88/09/25	REVIEW GR P
8702030158	8809160085	88/08/23	50-293 P	8804120361	8809190139	88/09/25	REVIEW GR P
8702120481	8809070146	88/08/10	50-410 P	8804120369	8809190139	88/09/25	REVIEW GR P
8702190275	8809160168	88/08/25	50-293 P	8804120413	8809190139	88/09/25	REVIEW GR P
8702250407	8809070146	88/08/10	50-410 P	8804130002	8809190139	88/09/25	REVIEW GR P
8706080057	8809070146	88/08/10	50-410 P	8804130176	8809190139	88/09/25	REVIEW GR P
8705280381	8809070146	88/08/10	50-410 P	8804130208	8809190139	88/09/25	REVIEW GR P
8706030016	8809070146	88/08/10	50-410 P	8804130259	8809190139	88/09/25	REVIEW GR P
8708030157	8807190328	88/07/08	REVIEW GR	8804130359	8809190139	88/09/25	REVIEW GR P
8708120260	8809160177	88/08/30	FOIA	8804130381	8809190139	88/09/25	REVIEW GR P
8709120267	8809160177	88/08/30	FOIA	8804150306	8809190139	88/09/25	REVIEW GR P
8708180368	8708200077	87/08/07	50-323 Q	8804200347	8809190139	88/09/25	REVIEW GR P
8707150292	8809190139	88/08/25	REVIEW GR	8804210192	8809190139	88/09/25	REVIEW GR P
8708050242	8809090092	88/09/09	PR	8804220046	8810110125	88/08/25	REVIEW GR P
8709140083	8809090092	88/09/09	PR	8804270188	8809190139	88/09/25	REVIEW GR P
8710150112	8809080338	88/09/01	50-275 P	8804280145	8809190139	88/09/25	REVIEW GR P
8711040258	8802100081	88/01/11	REVIEW GR	8805030142	8809190139	88/09/25	REVIEW GR P
8711040272	8802100081	88/01/11	REVIEW GR	8805030178	8809190139	88/09/25	REVIEW GR P
8711050137	8802100081	88/01/11	REVIEW GR	8805030187	8809190139	88/09/25	REVIEW GR P
8711100236	8802100081	88/01/11	REVIEW GR	8805030273	8809190139	88/09/25	REVIEW GR P
8712100369	8809120211	88/08/23	FOIA	8805030312	8809190139	88/09/25	REVIEW GR P

332 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8805030445	8809190139	88/08/25	REVIEW GR	8808260485	8808260474	88/07/19	70-135
8805040165	8809190139	88/08/25	REVIEW GR	8808260488	8808260482	88/08/12	50 338
8805040309	8809090037	88/08/11	50 322	8808260489	8808260486	88/08/18	70 143
8805100213	8805250009	88/05/05	REVIEW GR	8808260507	8808260474	88/07/19	70-135
8805100328	8809080234	88/08/10	FOIA	8808260508	8808260506	88/08/19	50-245
8805130022	8809090143	88/08/18	FOIA	8808260510	8808260506	88/08/19	50-245
8805230074	8809090063	88/08/18	FOIA	8808260514	8808260512	88/08/18	50 338
8805230314	8809190139	88/08/25	REVIEW GR	8808260519	8808260518	88/08/19	50 335
8805250229	8809190139	88/08/25	REVIEW GR	8808290013	8808290007	88/08/23	50-382
8805250237	8809190139	88/08/25	REVIEW GR	8808290018	8808290015	88/08/17	50-280
8805310098	8809190139	88/08/25	REVIEW GR	8808290022	8808290003	88/08/23	50 320
8805310146	8807120677	88/06/17	50 348	8808290027	8808290004	88/08/18	50 237
8806030035	8809190139	88/08/25	REVIEW GR	8808290031	8808290004	88/08/18	50 237
8806030127	8806030121	88/06/01	WASTE MGT	8808290036	8808260456	88/08/10	TOPREP
8806030368	8809190139	88/08/25	REVIEW GR	8808290049	8808290047	88/08/23	50-247
8806130173	8807120677	88/06/17	REVIEW GR	8808290057	8808290052	88/08/18	50-289
8806160445	8808290123	88/08/25	WASTE MGT	8808290059	8808290056	88/08/18	70-1100
8807060445	8809190139	88/06/25	REVIEW GR	8808290068	8808290066	88/08/18	50 353
8807130342	8809010091	88/06/23	TOPREP	8808290070	8808290065	88/08/12	50-280
8807190289	8807190092	88/07/08	REVIEW GR	8808290073	8808290065	88/08/12	50 280
8807220128	8809060118	88/08/29	50-302	8808290080	8808290077	88/08/19	50-333
8807270214	8809150222	88/09/07	50 289	8808290083	8808290074	88/07/28	50-128
8808020170	8809130247	88/08/18	ORG	8808290085	8808290085	88/08/15	50 461
8808030091	8808030085	88/07/20	50 498	8808290086	8808290082	88/08/12	PROJ
8808090172	8808180368	88/08/24	I&E	8808290101	8808290092	88/08/12	PROJ
8808170132	8808260355	88/08/18	50 454	8808290104	8808290100	88/08/19	WASTE RES
8808240335	8808240331	88/08/12	PR	8808290109	8808290085	88/08/15	50-461
8808260010	8808260008	88/08/17	50 313	8808290114	8808290094	88/08/22	50-335
8808260017	8808260013	88/08/11	50 369	8808290124	8808290119	88/08/19	50 315
8808260026	8808260023	88/08/22	70-824	8808290126	8808290085	88/08/15	50 461
8808260028	8808260023	88/08/22	70 824	8808290132	8808290126	88/08/22	50-259
8808260030	8808260023	88/08/22	70 824	8808290136	8808290085	88/08/15	50-259
8808260037	8808260033	88/08/19	50 369	8808290137	8808290126	88/08/22	50-259
8808260040	8808260033	88/08/19	50 369	8808290139	8808290125	88/08/22	50-259
8808260043	8808260025	88/08/12	XPORTLIC	8808290140	8808290126	88/08/22	50-259
8808260047	8808260046	88/08/17	50-293	8808290143	8808290125	88/08/22	50 259
8808260078	8808260078	88/08/10	50-352	8808290145	8808290085	88/08/15	50-461
8808260079	8808260077	88/08/18	50 313	8808290146	8808290125	88/08/22	50-259
8808260084	8808260077	88/08/18	50 313	8808290147	8808290125	88/08/22	50-259
8808260094	8809010279	88/08/17	50-263	8808290148	8808290125	88/08/22	50-259
8808260097	8808260062	88/08/15	XPORTLIC	8808290149	8808290125	88/08/22	50 259
8808260098	8809010279	88/08/17	50 283	8808290152	8808290085	88/08/15	50 461
8808260102	8808260100	88/08/10	50 322	8808290153	8808290125	88/08/22	50-259
8808260114	8808260108	88/08/19	50-458	8808290154	8808290125	88/08/22	50-259
8808260117	8808260107	88/08/03	50-344	8808290156	8808290125	88/08/22	50-259
8808260120	8808260113	88/08/22	50-348	8808290158	8808290125	88/08/22	50-259
8808260122	8808260113	88/08/22	50 348	8808290170	8808290168	88/08/18	XPORTLIC
8808260126	8808260107	88/08/03	50-344	8808290171	8808290168	88/08/18	XPORTLIC
8808260127	8808260126	88/08/19	50-416	8808290180	8808290168	88/08/19	50-247
8808260137	8808260118	88/08/18	XPORTLIC	8808290192	8808290173	88/08/25	50-382
8808260158	8808260157	88/08/18	50 293	8808290225	8808290223	88/08/11	50-29
8808260184	8808260181	88/08/18	50 369	8808290229	8808290219	88/08/23	50-346
8808260188	8808260182	88/08/17	50 206	8808290241	8808290237	88/08/12	50-206
8808260195	8808260182	88/08/17	50-206	8808290242	8808290235	88/08/19	50 288
8808260198	8808260181	88/08/18	50-368	8808290243	8808290237	88/08/12	50-206
8808260200	8808260182	88/08/17	50 206	8808290245	8808290239	88/08/23	50-445
8808260235	8808260226	88/08/17	50 334	8808290249	8808290237	88/08/12	50-206
8808260247	8808260231	88/08/17	50 289	8808290261	8808290262	88/08/22	50-315
8808260265	8808260259	88/08/17	50-29	8808290268	8808290265	88/08/10	XPORTLIC
8808260267	8808260250	88/08/18	50-454	8808290269	8808290264	88/08/08	50-267
8808260272	8808260241	88/08/18	50-379	8808290281	8808290280	88/08/18	50-213
8808260298	8808260250	88/08/18	50 454	8808290280	8808290286	88/08/18	COMMISSIO
8808260308	8808260280	88/08/17	50 277	8808290283	8808290289	88/08/24	50-263
8808260315	8808260312	88/08/19	50-418	8808290301	8808290298	88/08/24	50-254
8808260330	8808260325	88/08/19	50-219	8808290302	8808290296	88/08/24	50-254
8808260339	8808260325	88/08/19	50-219	8808290305	8808290304	88/08/22	50 237
8808260348	8808260347	88/08/09	70 371	8808290309	8808290304	88/08/22	50-237
8808260351	8808260258	88/08/16	50 289	8808290312	8808290306	88/08/15	50-259
8808260358	8808260353	88/08/19	50 346	8808290314	8808290243	88/08/23	50-277
8808260362	8808260353	88/08/19	50-346	8808290316	8808290306	88/08/15	50-269
8808260387	8808260353	88/08/19	50-346	8808290317	8808290306	88/08/15	50-259
8808260387	8808260376	88/08/19	50-282	8808290318	8808290306	88/08/15	50-259
8808260391	8808260390	88/08/19	50-482	8808290322	8808290306	88/08/15	50-259
8808260395	8808260393	88/08/18	60 333	8808290324	8808290319	88/08/29	WASTE MGT
8808260398	8808260396	88/08/22	50-245	8808290325	8808290306	88/08/15	50-259
8808260400	8808260393	88/08/18	50-333	8808290329	8808290306	88/08/15	50-259
8808260409	8808260406	88/08/18	50-387	8808290330	8808290306	88/08/15	50-259
8808260414	8808260402	88/08/15	50-272	8808290331	8808290306	88/08/15	50-259
8808260423	8808260421	88/08/22	70 687	8808290332	8808290306	88/08/15	50-259
8808260426	8808260421	88/08/22	70 687	8808290334	8808290306	88/08/15	50-259
8808260432	8808260427	88/08/12	50 261	8808290335	8808290306	88/08/15	50-259
8808260436	8808260427	88/08/12	50-281	8808290336	8808290306	88/08/15	50-259
8808260442	8808260429	88/08/05	50-454	8808290337	8808290306	88/08/15	50-259
8808260451	8808260429	88/08/05	50-454	8808290338	8808290306	88/08/15	50-259
8808260454	8808260452	88/08/23	50-400	8808290339	8808290306	88/08/15	50-259
8808260455	8808260452	88/08/23	50-400	8808290340	8808290306	88/08/15	50-259
8808260480	8808260473	88/08/08	50-285	8808290341	8808290345	88/08/17	XPORTLIC

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 333

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8808290343	8808290306	88/08/15	50-259 R	8808310107	8808310109	88/08/18	71-9032
8808290346	8808290306	88/08/15	50-259 R	8808310087	8808310087	88/08/18	50-302
8808290347	8808290306	88/08/15	50-259 R	8808310145	8808310145	88/08/23	50-266
8808290348	8808290342	88/08/18	COMMISSIO N	8808310160	8808310138	88/08/26	50-282
8808290349	8808290306	88/08/15	50-259 R	8808310161	8808310136	88/08/26	50-282
8808290350	8808290306	88/08/15	50-259 R	8808310162	8808310138	88/08/26	50-282
8808290355	8808290352	88/08/19	50-245 P	8808310172	8808310170	88/08/25	50-286
8808300006	8808300003	88/08/19	50-285 Q	8808310180	8808310145	88/08/23	50-286
8808300008	8808300003	88/08/19	50-285 Q	8808310183	8808310174	88/08/25	50-389
8808300022	8808290352	88/08/19	50-245 P	8808310189	8808310184	88/08/29	ORG
8808300023	8808300019	88/08/22	50-425 J	8808310191	8808310177	88/08/26	50-381
8808300030	8808300027	88/08/22	50-313 Q	8808310208	8808310189	88/08/03	50-361
8808300032	8808300029	88/08/22	50-245 P	8808310218	8808310215	88/08/20	50-283
8808300033	8808290307	88/08/19	50-289 R	8808310222	8808310216	88/08/20	50-263
8808300035	8808300029	88/08/22	50-245 P	8808310224	8808310189	88/08/03	50-381
8808300037	8808300028	88/08/19	50-333 P	8808310225	8808310189	88/08/03	50-361
8808300044	8808300042	88/08/23	50-29 F	8808310226	8808310189	88/08/03	50-361
8808300048	8808300028	88/08/19	50-333 P	8808310228	8808310189	88/08/03	50-361
8808300064	8808300054	88/08/24	70-1151 Q	8808310235	8808310233	88/07/22	50-317
8808300065	8808300063	88/08/24	50-346 Q	8808310237	8808310207	88/08/26	50-410
8808300069	8808300068	88/08/28	50-317 P	8808310239	8808310236	88/08/05	50-327
8808300071	8808300097	88/08/17	XPORTLIC	8808310011	8808310010	88/08/24	50-390
8808300072	8808300054	88/08/24	70-1151	8808310013	8808310010	88/08/24	50-390
8808300080	8808300054	88/08/24	70-1151	8808310014	8808310010	88/08/24	50-390
8808300082	8808300049	88/08/18	50-285 R	8808310017	8808310010	88/08/24	50-390
8808300085	8808300076	88/02/17	50-348 P	8808310019	8808310010	88/08/24	50-390
8808300088	8808300076	88/02/17	50-348 P	8808310020	8808310010	88/08/24	50-390
8808300090	8808300076	88/02/17	50-348 P	8808310022	8808310010	88/08/24	50-390
8808300091	8808300086	88/08/19	50-255 Q	8808310024	8808310010	88/08/24	50-390
8808300094	8808300089	88/08/17	COMMISSIO N	8808310026	8808310010	88/08/24	50-390
8808300095	8808300076	88/02/17	50-348 P	8808310028	8808310010	88/08/24	50-390
8808300100	8808300098	88/08/17	70-27	8808310030	8808310010	88/08/24	50-390
8808300107	8808300104	88/08/19	50-387 Q	8808310031	8808310010	88/08/24	50-390
8808300114	8808300110	88/08/24	50-348 P	8808310032	8808310010	88/08/24	50-390
8808300118	8808300110	88/08/24	50-348 P	8808310033	8808310010	88/08/24	50-390
8808300119	8808300110	88/08/24	50-348 P	8808310039	8808310038	88/08/19	50-250
8808300128	8808300124	88/08/17	50-324 Q	8808310049	8808310047	88/08/10	70-27
8808300145	8808300142	88/08/18	COMMISSIO N	8808310058	8808310052	88/08/24	50-302
8808300148	8808300139	88/08/22	50-458 Q	8808310073	8808310071	88/08/20	50-382
8808300150	8808300148	88/08/18	COMMISSIO N	8808310094	8808310089	88/08/26	50-424
8808300153	8808300146	88/08/18	COMMISSIO N	8808310102	8808310101	88/08/19	50-280
8808300172	8808300169	88/08/23	50-286 P	8808310105	8808310101	88/08/19	50-280
8808300176	8808300169	88/08/23	50-286 P	8808310110	8808310108	88/08/20	50-244
8808300181	8808300179	88/08/12	50-528 Q	8808310114	8808310076	88/08/24	50-333
8808300182	8808300169	88/08/23	50-286 P	8808310116	8808310113	88/08/24	50-255
8808300205	8808300202	88/08/24	50-424 P	8808310117	8808310076	88/08/24	50-333
8808300206	8808300196	88/08/23	50-315 Q	8808310118	8808310115	88/08/11	50-412
8808300207	8808300055	88/08/25	50-443 Q	8808310125	8808310122	88/08/22	WASTE MGT
8808300208	8808300202	88/08/24	50-424 P	8808310131	8808310130	88/08/26	50-316
8808300212	8808300196	88/08/23	50-315 Q	8808310143	8808310140	88/08/26	50-277
8808300229	8808300228	88/08/24	50-413 P	8808310151	8808310150	88/08/24	50-333
8808300238	8808300236	88/08/19	50-389 Q	8808310153	8808310148	88/08/22	50-327
8808300240	8808300236	88/08/19	50-389 Q	8808310155	8808310152	88/08/22	50-269
8808300253	8808300252	88/08/19	50-220 P	8808310158	8808310148	88/08/22	50-327
8808300258	8808300252	88/08/19	50-220 P	8808310163	8808310083	88/08/26	50-424
8808300263	8808300224	88/08/12	50-219 P	8808310165	8808310162	88/08/22	TOPREP
8808300302	8808300299	88/08/24	50-400 F	8808310167	8808310128	88/08/23	50-324
8808300303	8808300298	88/08/25	50-255 F	8808310169	8808310124	88/08/24	50-305
8808300306	8808300299	88/08/24	50-400 F	8808310170	8808310168	88/08/10	50-413
8808300309	8808300304	88/08/22	50-456 V	8808310172	8808310171	88/08/29	50-395
8808300315	8808300312	88/08/17	50-416 Q	8808310174	8808310168	88/08/19	50-413
8808300317	8808300313	88/08/23	50-295 Q	8808310176	8808310160	88/08/25	50-528
8808300322	8808300319	88/08/17	50-280 Q	8808310180	8808310115	88/08/11	50-412
8808300327	8808300324	88/08/19	70-27	8808310187	8808310140	88/08/26	50-277
8808300331	8808300326	88/08/17	50-321 Q	8808310189	8808310150	88/08/24	50-333
8808300333	8808300328	88/08/19	50-331 P	8808310200	8808310197	88/08/22	50-324
8808300334	8808300324	88/08/19	70-27	8808310207	8808310196	88/08/26	50-440
8808300335	8808300324	88/08/19	70-27	8808310209	8808310205	88/08/22	50-339
8808300336	8808300324	88/08/19	70-27	8808310210	8808310205	88/08/17	50-603
8808300338	8808300328	88/08/19	50-331 P	8808310216	8808310213	88/08/26	50-348
8808300340	8808300316	88/08/19	50-499 P	8808310219	8808310214	88/08/10	50-297
8808300341	8808300329	88/08/18	70-1100	8808310222	8808310220	88/08/25	50-348
8808300346	8808300343	88/08/25	70-734	8808310224	8808310214	88/08/19	50-297
8808300353	8808300352	88/08/19	50-425 Q	8808310228	8808310214	88/08/19	50-297
8808310005	8808310004	88/08/25	50-302 P	8808310230	8808310214	88/08/19	50-287
8808310011	8808300226	88/08/19	50-219 Q	8808310232	8808310227	88/08/26	50-275
8808310015	8808300226	88/08/19	50-219 Q	8808310234	8808310227	88/08/26	50-275
8808310020	8808310004	88/08/25	50-502 P	8808310239	88083100139	88/08/25	REVIEW GR
8808310033	8808310027	88/08/25	50-425 Q	8808310242	8808310238	88/08/25	50-247
8808310040	8808310030	88/08/25	50-254 V	8808310243	8808310238	88/08/25	50-247
8808310054	8808310052	88/08/18	50-425 Q	8808310245	8808310238	88/08/25	50-247
8808310066	8808310065	88/08/25	50-320 P	8808310251	8808310246	88/08/25	50-305
8808310078	8808310068	88/08/25	50-424 Q	8808310252	8808310246	88/08/17	50-458
8808310080	8808310069	88/08/19	50-348 Q	8808310266	8808310264	88/08/25	71-857
8808310085	8808200387	88/09/08	50-461 P	8808310267	8808310262	88/08/25	50-263
8808310096	8808310052	88/08/18	50-425 Q	8808310268	8808310235	88/08/19	50-10
8808310108	8808310075	88/08/18	50-321 Q	8808310269	8808310261	88/08/19	PR

334 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809010274	8809010270	88/08/25	71-173	8809060071	8809060009	88/08/29	50-155 P
8809010277	8809010272	88/08/25	50 456 P	8809060075	8809060009	88/08/29	50-155 P
8809010289	8809010285	88/08/26	50 333 P	8809060077	8809060068	88/09/01	WASTE MGT
8809010290	8809010285	88/08/26	50-333 P	8809060087	8809060084	88/08/23	WASTE RES
8809010294	8809010287	88/08/26	50-277 P	8809060109	8809060107	88/07/01	40 1162
8809010301	8809010297	88/08/25	50 445 A	8809060110	8807130473	88/07/07	50-255 Q
8809010302	8809010287	88/08/26	50 277 P	8809060116	8807130473	88/07/07	50-255 Q
8809010304	8809010297	88/08/25	50 445 A	8809060126	8809060087	88/08/31	50-220 P
8809010307	8809010297	88/08/25	50 445 A	8809060129	8809190396	88/09/19	WASTE MGT
8809010315	8809010308	88/08/25	40-7102	8809060144	8809060140	88/09/01	WASTE RES
8809010340	8808260100	88/08/10	50-322 V	8809060146	8809060135	88/08/30	50 461 P
8809010343	8809010339	88/08/12	CONTRACT	8809060150	8807130473	88/07/07	50 255 P
8809010350	8808260241	88/08/18	50 373 V	8809060162	8808230012	88/08/23	50-382 Q
8809010353	8808260241	88/08/18	50 373 V	8809060185	8809060181	88/08/31	WASTE RES
8809010356	8808260241	88/08/18	50 373 V	8809060168	8807130473	88/07/07	50-255 Q
8809010358	8808260241	88/08/18	50-373 V	8809060169	8809060161	88/08/31	WASTE RES
8809010361	8808260241	88/08/18	50-373 V	8809060172	8809060161	88/08/31	WASTE RES
8809010384	8809010363	88/08/26	50-313 P	8809060179	8809060161	88/08/31	WASTE RES
8809010365	8808260170	88/08/05	71-9132	8809060192	8807130473	88/07/07	50 255 Q
8809010366	8809010363	88/08/26	50-313 P	8809060218	8809060215	88/06/07	40 8857
8809010372	8808260501	88/08/19	50-255 P	8809060219	8809060213	88/08/16	50-286 P
8809010375	8809010373	88/08/24	50-219 Q	8809060222	8809060212	88/08/24	PROJ
8809010379	8809010377	88/08/26	50-352 Q	8809060230	8809060228	88/08/30	50-285 P
8809010381	8809010380	88/08/23	50-277 Q	8809060260	8809060256	88/08/28	50-335 P
8809010383	8809010383	88/08/23	50-309 Q	8809060262	8809060257	88/08/28	50 269 Q
8809010385	8809010384	88/08/25	50-244 Q	8809060270	8808260061	88/08/17	50 327 T
8809020003	8809020001	88/08/26	50-315 P	8809060277	8809060213	88/08/16	50 266 P
8809020011	8809020009	88/08/29	50-324 P	8809060280	8809060276	88/08/31	50-255 R
8809020020	8809020013	88/08/19	50-443 G	8809060283	8809060276	88/08/31	50-255 R
8809020022	8809020012	88/08/24	50-277 G	8809060280	8809060278	88/08/31	50-255 P
8809020025	8809020017	88/08/19	50 247 P	8809060295	8809060286	88/08/19	CONTRACT
8809020030	8809020023	88/08/26	50 277 Q	8809060298	8809060289	88/08/19	50 397 Q
8809020031	8809020017	88/08/19	50 247 P	8809060307	8809060304	88/08/01	50 458 P
8809020032	8809020023	88/08/26	50 277 Q	8809060314	8809060306	88/08/31	50 244 Q
8809020043	8809020039	88/08/26	50 317 Q	8809060316	8809060304	88/09/01	50 458 Q
8809020062	8808260375	88/08/17	50 604 A	8809060320	8808300029	88/08/22	50-245 P
8809020070	8808260068	88/08/30	50 335 G	8809060325	8809060322	88/09/01	50-416 P
8809020073	8809150222	88/09/07	50-289 F	8809060325	8808300029	88/08/22	50-245 P
8809020089	8809020075	88/08/23	50-286 Q	8809060327	8809060323	88/09/02	50 482 Q
8809020099	8809020059	88/08/11	50-302 K	8809060328	8809060311	88/08/16	50 312 Q
8809020109	8809020107	88/08/23	50-247 Q	8809060329	8809270012	88/08/30	50-29 R
8809020113	8809020105	88/08/24	50 443 P	8809060332	8809060323	88/08/02	50-482 Q
8809020126	8809020124	88/08/26	50 298 P	8809060333	8809060319	88/08/29	50-566 A
8809020157	8809020035	88/08/25	50-312 R	8809060335	8809060319	88/08/29	50-566 A
8809020159	8809020035	88/08/25	50 312 R	8809060336	8809060311	88/08/16	50-312 Q
8809020160	8809020035	88/08/25	50-312 R	8809060341	8809060338	88/08/01	50-275 P
8809020163	8809020162	88/08/25	50 293 Q	8809060343	8809060338	88/08/01	50 275 P
8809020166	8809020164	88/08/24	50 237 P	8809060350	8809060330	88/08/17	CONTRACT
8809020167	8809020164	88/08/24	50 237 P	8809060351	8809060342	88/08/16	50 528 Q
8809020172	8808290283	88/08/25	WASTE MGT	8809060353	8809060340	88/08/31	50-373 P
8809020174	8809020035	88/08/25	50-312 R	8809060354	8809060346	88/09/02	50-498 Q
8809020175	8809020035	88/08/25	50 312 R	8809060356	8809060340	88/08/31	50-373 P
8809020177	8809020176	88/08/22	50 282 Q	8809060364	8809060360	88/08/31	50-282 P
8809020178	8809020176	88/08/22	50 282 Q	8809060366	8809060363	88/08/31	50 498 Q
8809020180	8809020179	88/08/29	50-454 Q	8809060370	8809060363	88/08/31	50 498 Q
8809020183	8809020182	88/08/25	50 498 Q	8809060378	8809060348	88/08/31	50-312 P
8809020188	8809020186	88/08/12	70 698 Q	8809060380	8809060376	88/08/29	50-498 Q
8809020189	8809010388	88/08/24	50 219 Q	8809060385	8809060381	88/08/31	50-320 V
8809020190	8809020185	88/08/30	50-206 R	8809060389	8809060381	88/08/31	50-320 V
8809020192	8809010388	88/08/24	50 219 Q	8809060390	8809060386	88/09/01	50-482 P
8809020196	8809020185	88/08/30	50-206 R	8809060401	8809060400	88/08/29	50 458 P
8809020200	8809020189	88/08/25	50-382 Q	8809060404	8809060400	88/08/29	50-458 P
8809020201	8809020189	88/08/25	50 382 Q	8809060407	8809060406	88/08/08	CONTRACT
8809020208	8809020206	88/08/23	50 336 Q	8809070022	8809070017	88/08/24	50-413 Q
8809020209	8809020206	88/08/23	50-336 Q	8809070035	8809070032	88/08/30	50-320 P
8809020210	8809020207	88/08/29	50 458 P	8809070042	8809070037	88/08/31	50-327 P
8809020212	8809020207	88/08/29	50 458 P	8809070049	8809070037	88/08/31	50-327 P
8809020216	8809020214	88/08/26	50 374 P	8809070052	8809070041	88/08/19	CONTRACT
8809020220	8809020218	88/08/29	50-458 P	8809070063	8809070059	88/08/23	50-335 Q
8809020223	8809020217	88/08/30	50 315 Q	8809070071	8809070061	88/08/23	50-424 Q
8809020224	8809020218	88/08/29	50-458 P	8809070077	8809070075	88/08/23	50-289 Q
8809020242	8809020238	88/08/29	50-272 P	8809070082	8809190018	88/08/31	50-483 R
8809020244	8809020238	88/08/29	50-272 P	8809070083	8809070080	88/08/30	50-410 R
8809020249	8809020247	88/08/25	50-277 P	8809070087	8809070080	88/08/30	50-410 R
8809020250	8809020247	88/08/25	50 277 P	8809070089	8809070081	88/08/23	50-424 Q
8809020267	8809020264	88/08/16	50 266 F	8809070091	8809070090	88/08/23	50-425 Q
8809020276	8809020274	88/08/29	50-395 R	8809070093	8809070088	88/08/15	CONTRACT
8809020277	8809020274	88/08/29	50-395 R	8809070116	8809070112	88/08/24	50-369 V
8809020279	8809020275	88/08/26	50-498 Q	8809070155	8809070152	88/08/23	50-321 Q
8809060008	8809060007	88/08/26	50-373 Q	8809070159	8809070152	88/08/23	50-321 Q
8809060012	8809020217	88/08/30	50 315 Q	8809070161	8809070148	88/08/24	50-280 Q
8809060017	8809060016	88/08/29	50-348 Q	8809070166	8809070160	88/08/11	CONTRACT
8809060018	8809060016	88/08/29	50-348 Q	8809070170	8809070148	88/08/24	50-280 Q
8809060021	8809060011	88/08/26	50-382 Q	8809070176	8809070168	88/08/31	CONTRACT
8809060024	8809060022	88/08/29	50-320 Q	8809070201	8809070191	88/08/29	50-354 P
8809060026	8809060022	88/08/29	50-320 R	8809070202	8809070200	88/08/31	50-272 R
8809060028	8809060023	88/08/29	50-352 R	8809070204	8809070191	88/08/29	50-354 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 335

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809070210	8809070200	88/08/31	50-272 R	8809080181	8809080180	88/08/31	50-416 P
8809070225	8809070221	88/08/31	50-354 R	8809080188	8809080180	88/08/31	50-416 P
8809070230	8809070221	88/08/31	50-354 R	8809080199	8809080188	88/09/02	50-481 P
8809070234	8809070146	88/08/10	50-410 P	8809080201	8809080188	88/09/02	50-481 P
8809070248	8809070146	88/08/10	50-410 P	8809080219	8809080218	88/08/31	50-285 F
8809070255	8809070244	88/07/18	40-8807	8809080227	8809080225	88/09/01	50-237 P
8809070258	8809070146	88/08/10	50-410 P	8809080249	8809080244	88/08/25	50-219 Q
8809070274	8809070265	88/08/29	50-267 Q	8809080253	8809010081	88/08/19	50-244 P
8809070283	8809070280	88/08/23	50-259 V	8809080269	8809080234	88/08/10	FOIA
8809070287	8809070150	88/09/02	50-528 F	8809080283	8809080281	88/09/08	50-316 P
8809070310	8809070303	88/08/30	50-341 Q	8809080285	8809080215	88/09/01	70-1507
8809070312	8809070306	88/08/31	50-289 Q	8809080284	8809080289	88/09/30	50-315 P
8809070314	8809070306	88/08/26	50-299 Q	8809080289	8809010308	88/09/25	40-7102
8809070315	8809070307	88/09/01	70-8	8809080311	8809080234	88/09/10	FOIA
8809070322	8809070320	88/08/02	50-255 P	8809080318	8809080234	88/09/10	FOIA
8809070336	8809070333	88/09/01	50-341 V	8809080321	8809080352	88/08/22	50-482 P
8809070342	8809070219	88/08/31	50-247 Q	8809080323	8809080234	88/09/10	FOIA
8809070348	8809070219	88/08/31	50-247 Q	8809080324	8809080352	88/08/22	50-482 P
8809070378	8809070146	88/08/10	50-410 P	8809080328	8809080234	88/08/10	FOIA
8809070379	8809070376	88/08/31	50-313 P	8809080327	8809080234	88/08/10	FOIA
8809070380	8809070375	88/08/26	50-416 Q	8809080334	8809140486	88/08/31	50-269 R
8809070387	8809070385	88/08/24	50-426 Q	8809080336	8809080234	88/08/10	FOIA
8809070417	8809070408	88/08/29	50-416 Q	8809080344	8809080340	88/08/25	50-317 V
8809070424	8809070414	88/08/25	50-601 K	8809080345	8809080234	88/08/10	FOIA
8809070442	8809070414	88/08/25	50-601 K	8809080346	8809080341	88/08/25	50-424 Q
8809070451	8809070433	88/09/01	50-361 P	8809080351	8809080234	88/08/10	FOIA
8809070453	8809070433	88/09/01	50-361 P	8809080352	8809080342	88/08/31	50-237 P
8809070457	8809070450	88/08/31	CONTRACT	8809080357	8809080354	88/08/26	50-260 Q
8809070459	8809070456	88/08/31	50-258 Q	8809080360	8809080356	88/08/31	50-263 P
8809070470	8809070466	88/08/31	50-260 F	8809080362	8809080234	88/09/10	FOIA
8809070471	8809070462	88/08/29	70-1100	8809080370	8809080234	88/08/10	FOIA
8809070477	8809070462	88/08/29	70-1100	8809080372	8809080356	88/08/31	50-263 P
8809070478	8809070473	88/09/01	50-316 Q	8809080375	8809080234	88/08/10	FOIA
8809070480	8809070462	88/08/29	70-1100	8809080381	8809080355	88/08/26	50-266 P
8809070485	8809070441	88/08/17	FOIA	8809080383	8809080234	88/08/10	FOIA
8809070486	8809070483	88/08/29	50-247 P	8809080388	8809080355	88/08/26	50-266 P
8809070489	8809070483	88/08/29	50-247 P	8809080393	8809080234	88/08/10	50-10 Q
8809070498	8809070492	88/08/31	50-373 Q	8809080398	8809080365	88/08/24	50-260 P
8809070500	8809070490	88/09/01	50-336 P	8809080400	8809080382	88/09/29	50-413 P
8809070510	8809070507	88/08/31	50-315 P	8809080410	8809010236	88/08/26	50-244 F
8809070515	8809070512	88/08/30	50-20 Q	8809080414	8809010236	88/08/26	50-244 F
8809070526	8809070526	88/08/28	50-263 R	8809080405	8809080003	88/08/31	50-423 Q
8809070527	8809070524	88/08/23	PROJ	8809080418	8809080017	88/08/16	PROJ
8809070543	8809070539	88/08/30	CONTRACT	8809080420	8809080017	88/08/16	PROJ
8809070550	8809070548	88/08/30	50-461 Q	8809080421	8809080018	88/08/10	50-322 G
8809070554	8809070553	88/08/29	50-213 P	8809080449	8809080037	88/08/11	50-322 F
8809080001	8809070518	88/08/30	50-352 R	8809080051	8809080037	88/08/11	50-322 F
8809080010	8809080009	88/08/26	50-397 R	8809080053	8809080037	88/08/11	50-322 F
8809080020	8809080012	88/08/26	50-260 P	8809080054	8809010113	88/08/24	50-255 P
8809080023	8809080022	88/08/29	50-277 R	8809080057	8809080055	88/08/30	71-6003
8809080025	8809080022	88/08/29	50-277 R	8809080066	8809080063	88/08/18	FOIA
8809080035	8809080032	88/09/01	50-389 P	8809080067	8809080065	88/09/07	WASTE MGT
8809080036	8809080013	88/08/31	50-155 R	8809080069	8809080062	88/08/29	50-271 W
8809080037	8809080013	88/08/31	50-155 R	8809080072	8809080062	88/08/29	50-271 W
8809080038	8809080032	88/09/01	50-389 P	8809080081	8809080079	88/09/30	70-3018
8809080040	8809080013	88/08/31	50-155 R	8809080084	8809080079	88/08/30	70-3018
8809080051	8809080049	88/08/29	50-289 R	8809080088	8809080079	88/08/30	70-3018
8809080068	8809080058	88/08/30	50-528 I	8809080091	8809080079	88/08/30	70-3018
8809080074	8809080059	88/08/30	50-528 I	8809080101	8809080050	88/08/26	71-650
8809080080	8809080059	88/08/30	50-528 I	8809080108	8809080105	88/09/02	50-445 Q
8809080082	8809080081	88/09/02	50-344 P	8809080109	8809080098	88/08/17	50-281 S
8809080083	8809080076	88/08/30	50-412 P	8809080113	8809080098	88/08/17	50-277 S
8809080085	8809080076	88/08/30	50-412 P	8809080118	8809080098	88/08/17	50-317 S
8809080086	8809080059	88/08/30	50-528 I	8809080119	8809080111	88/08/12	50-275 P
8809080090	8809080059	88/08/30	50-528 I	8809080122	8809080117	88/08/18	FOIA
8809080093	8809080076	88/08/30	50-412 P	8809080123	8809080111	88/08/12	50-275 P
8809080100	8809080045	88/08/28	50-324 R	8809080128	8809080111	88/08/12	50-275 P
8809080104	8809080045	88/08/28	50-324 R	8809080131	8809080111	88/08/12	50-275 P
8809080106	8809080101	88/08/29	50-331 P	8809080132	8809080092	88/09/09	PR
8809080108	8809080102	88/08/28	50-424 Q	8809080135	8809080111	88/08/12	50-275 P
8809080110	8809080102	88/08/26	50-424 Q	8809080139	8809080111	88/08/12	50-275 Q
8809080126	8809080119	88/08/31	50-416 Q	8809080141	8809080140	88/09/01	50-261 Q
8809080128	8809080116	88/08/31	50-346 R	8809080144	8809080140	88/09/01	50-261 Q
8809080130	8809080029	88/08/30	50-275 R	8809080145	8809080179	88/09/02	50-489 Q
8809080132	8809080029	88/08/30	50-275 R	8809080148	8809080147	88/08/23	50-389 P
8809080133	8809080029	88/08/30	50-275 R	8809080149	8809080125	88/08/31	50-277 Q
8809080136	8809080029	88/08/30	50-275 R	8809080150	8809080092	88/09/09	PR
8809080148	8809080145	88/09/01	50-213 P	8809080151	8809080130	88/08/31	WASTE MGT
8809080149	8809080145	88/09/01	50-213 P	8809080153	8809080092	88/09/09	PR
8809080151	8809080117	88/09/02	50-298 P	8809080154	8809080093	88/08/23	50-327 R
8809080157	8809080153	88/08/22	50-508 Q	8809080160	8809080098	88/08/17	50-186 Q
8809080160	8809080159	88/08/30	50-369 Q	8809080161	8809080092	88/09/09	PR
8809080162	8809080056	88/08/26	50-302 Q	8809080163	8809080098	88/08/23	50-327 R
8809080168	8809080167	88/08/26	50-269 Q	8809080164	8809080098	88/08/23	50-327 R
8809080178	8809080174	88/08/26	50-335 Q	8809080165	8809080162	88/09/02	XPORTLIC
8809080179	8809080140	88/08/23	50-3 Q	8809080167	8809080159	88/08/30	50-528 P
8809080181	8809080174	88/08/28	50-335 Q	8809080169	8809080156	88/08/17	50-322 P

336 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809090170	8809090162	88/09/02	XPORTLIC	8809130027	8809070524	88/08/23	PROJ
8809090172	8809090098	88/08/17	50-324 Q	8809130029	8809130023	88/09/02	50 413 Q
8809090174	8809090092	88/09/09	PR	8809130030	8809130025	88/08/30	50 206 Q
8809090183	8809090177	88/09/02	QA999	8809130034	8809130023	88/09/02	50 413 Q
8809090184	8809090177	88/09/02	QA999	8809130036	8809130025	88/08/30	50-206 Q
8809090204	8809090177	88/09/02	QA999	8809130040	8809130038	88/09/02	50-327 P
8809090208	8809090098	88/08/17	50-259 Q	8809130042	8809130035	88/09/02	50-285 P
8809090213	8809090098	88/08/17	50-259 Q	8809130045	8809130014	88/09/06	50 317 P
8809090215	8809090209	88/09/02	WASTE MGT	8809130048	8809130035	88/09/02	50-285 P
8809090222	8809090098	88/08/17	50-250 Q	8809130052	8809130047	88/09/07	50-237 Q
8809090226	8809090098	88/08/17	50-250 Q	8809130071	8809130068	88/09/06	40-7102
8809090229	8809090092	88/09/09	PR	8809130073	8809130063	88/08/30	50-171 R
8809090232	8809090092	88/09/07	50-277 P	8809130076	8809130070	88/09/07	50 220 O
8809090233	8809090092	88/09/09	PR	8809130077	8809130074	88/09/05	50-488 P
8809090234	8809090224	88/09/07	50-277 P	8809130087	8809130085	88/09/07	50-353 Q
8809090235	8809090230	88/08/31	27-48	8809130100	8809130081	88/09/02	50-277 V
8809090238	8809090098	88/08/17	FOIA	8809130104	8809130080	88/09/06	50 334 Q
8809090239	8809090092	88/09/09	PR	8809130107	8809130105	88/08/29	70 1113
8809090244	8809090092	88/09/09	PR	8809130119	8809130113	88/08/31	ORG
8809090247	8809090092	88/09/09	PR	8809130124	8809130089	88/09/01	50-335 Q
8809090249	8809090092	88/09/09	PR	8809130135	8809130133	88/09/06	50 413 P
8809090259	8809090092	88/09/09	PR	8809130155	8809130153	88/09/02	50 250 Q
8809090265	8809090092	88/09/09	PR	8809130158	8809130153	88/09/02	50-250 Q
8809090274	8809090270	88/08/19	50 29 P	8809130160	8809130159	88/09/02	50-261 Q
8809090276	8809090269	88/08/18	50 275 I	8809130168	8809130163	88/09/02	50-324 Q
8809090277	8809090092	88/09/09	PR	8809130171	8809130165	88/09/08	50-341 Q
8809090279	8809090272	88/08/31	50-293 P	8809130173	8809130163	88/09/02	50 324 Q
8809090281	8809090269	88/08/18	50 275 T	8809130178	8809130169	88/09/05	50-488 P
8809090282	8809090157	88/08/16	FOIA	8809130194	8809130182	88/09/01	50-341 P
8809090283	8809090269	88/08/18	50 275 P	8809130232	8809130229	88/08/29	50-261 Q
8809120012	8809120004	88/08/26	50-443 G	8809130248	8809090092	88/09/09	PR
8809120045	8809120042	88/09/02	50-461 F	8809130252	8809130242	88/09/06	WASTE MGT
8809120059	8809120051	88/09/07	50-277 P	8809130262	8809090092	88/09/09	PR
8809120061	8809120051	88/09/07	50 277 P	8809130263	8809130258	88/08/29	50-400 Q
8809120077	8809120073	88/08/30	50 483 P	8809130265	8809130240	88/08/29	CONTRACT
8809120082	8809120075	88/09/07	50-309 P	8809130268	8809090092	88/09/09	PR
8809120083	8809120073	88/08/30	50 483 P	8809130271	8809090092	88/09/09	PR
8809120086	8809120075	88/09/07	50-309 P	8809130276	8809130270	88/08/26	71-8108
8809120090	8809120073	88/08/30	50-483 P	8809130279	8809090092	88/09/09	PR
8809120094	8809120073	88/08/30	50 483 P	8809130281	8809130128	88/08/22	CONTRACT
8809120097	8809120085	88/08/29	50-416 Q	8809130283	8809130280	88/09/06	50 320 Q
8809120098	8809090340	88/08/31	50-373 P	8809130303	8809090092	88/09/09	PR
8809120106	8809120081	88/08/17	FOIA	8809130309	8809090092	88/09/09	PR
8809120108	8809120107	88/09/06	50 461 P	8809130314	8809090092	88/09/09	PR
8809120111	8809120107	88/09/06	50 461 P	8809130320	8809090092	88/09/09	PR
8809120116	8809120091	88/08/17	FOIA	8809130336	8809130332	88/09/06	50-220 P
8809120120	8809120091	88/08/17	FOIA	8809130337	8809090092	88/09/09	PR
8809120122	8809060007	88/08/26	50-373 Q	8809130353	8809090092	88/09/09	PR
8809120123	8809120091	88/08/17	FOIA	8809130354	8809130352	88/09/02	50-250 P
8809120127	8809060208	88/08/16	50-261 Y	8809130358	8809090092	88/09/09	PR
8809120128	8809090269	88/08/18	50-275 P	8809140018	8809140016	87/08/31	50-331 Q
8809120129	8809120125	88/09/07	WASTE MGT	8809140020	8809140012	88/09/09	50-443 Q
8809120135	8809120131	88/09/12	WASTE MGT	8809140021	8809070280	88/09/23	50-259 V
8809120137	8809120091	88/08/17	50-208 P	8809140028	8809140012	88/09/09	50 443 Q
8809120139	8809120138	88/08/11	50-261 Y	8809140029	8809140025	87/09/18	50-305 Q
8809120143	8809120091	88/08/17	FOIA	8809140030	8809130360	88/09/08	CONTRACT
8809120145	8809120091	88/08/17	FOIA	8809140041	8809140012	88/09/09	50-443 Q
8809120151	8809120149	88/08/29	50-259 Q	8809140052	8809140012	88/09/09	50-443 Q
8809120172	8809090092	88/09/09	PR	8809140061	8809140012	88/09/09	50-443 Q
8809120173	8809120125	88/09/07	WASTE MGT	8809140063	8809140062	87/12/08	50-165 Q
8809120178	8809120125	88/09/07	WASTE MGT	8809140066	8807210058	88/08/09	40-3453
8809120184	8809120182	88/09/22	FOIA	8809140068	8809140064	88/09/09	50-443 G
8809120185	8809120182	88/08/22	FOIA	8809140070	8809140067	88/09/02	50 498 Q
8809120192	8809120189	88/08/26	50-237 P	8809140076	8809140076	88/09/02	50-498 Q
8809120201	8809120189	88/08/26	50-237 P	8809140078	8809140074	88/09/09	50-285 Q
8809120205	8809120189	88/08/25	50-237 P	8809140080	8809140087	88/09/09	50-237 P
8809120206	8809090092	88/09/09	PR	8809140117	8809140109	88/08/31	50-263 P
8809120208	8809120189	88/08/25	50 237 P	8809140132	8809140123	88/08/16	CONTRACT
8809120213	8809060334	88/09/01	50-271 P	8809140133	8809140130	88/08/25	50-206 Q
8809120215	8809120211	88/08/23	FOIA	8809140136	8809140131	88/08/26	50-387 Q
8809120217	8809120211	88/08/23	FOIA	8809140156	8809140149	88/09/02	50-423 P
8809120227	8809120211	88/08/23	FOIA	8809140166	8809140164	88/09/07	50-390 A
8809120229	8809120222	88/08/30	FOIA	8809140170	8809140165	88/09/02	50-423 P
8809120232	8809120231	88/08/19	50-286 P	8809140172	8809140168	88/09/09	50-327 P
8809120235	8809090092	88/09/09	PR	8809140183	8809140173	88/04/20	50-237 Q
8809120240	8809090092	88/09/09	PR	8809140184	8809140182	88/09/07	40-8908
8809120242	8809090092	88/09/09	PR	8809140192	8809140189	88/08/14	50-353 A
8809120244	8809090092	88/09/09	PR	8809140194	8809140179	88/08/24	50-397 Q
8809120246	8809090092	88/09/09	PR	8809140196	8809140190	87/11/13	50-461 Q
8809120247	8809120243	88/08/29	FOIA	8809140202	8809140193	88/08/31	50-440 Q
8809120248	8809090092	88/09/09	PR	8809140205	8809140201	88/09/07	50-338 P
8809120250	8809090092	88/09/09	PR	8809140208	8809140201	88/09/07	50-338 P
8809120251	8809090092	88/09/09	PR	8809140210	8809140201	88/09/07	50-338 P
8809120252	8809090092	88/09/09	PR	8809140211	8809140207	88/09/07	50-277 P
8809130015	8809130013	88/08/31	50 498 Q	8809140213	8809140207	88/09/07	50-277 P
8809130018	8809080043	88/08/09	40 8902	8809140215	8809140179	88/08/24	50-397 Q
8809130028	8809130022	88/08/05	71-8010	8809140224	8809140209	88/08/12	WASTE MGT

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 337

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809140226	8809140219	88/09/07	50-277 P	8809150284	8809150265	88/08/22	50-272 Q
8809140229	8809140219	88/09/07	50-277 P	8809150288	8809150285	88/08/22	50-271 Q
8809140231	8809140226	88/09/06	50-312 Q	8809150291	8809150290	88/09/08	50-155 P
8809140236	8809140232	88/08/03	50-352 P	8809150292	8809150265	88/08/22	50-271 Q
8809140247	8809140244	88/09/07	50-155 P	8809150320	8809090090	88/08/02	WASTE MGT
8809140254	8809140218	88/09/02	50-210 P	8809150326	8809150318	88/09/06	50-321 P
8809140259	8809140249	88/08/29	50-275 P	8809150327	8809090090	88/09/02	WASTE MGT
8809140275	8809140273	88/09/01	50-237 P	8809150344	8809150342	88/09/02	50-369 P
8809140276	8809140272	88/08/30	50-321 Q	8809160005	8809160003	88/08/31	50-346 P
8809140284	8809140282	88/08/29	50-482 P	8809160006	8809160003	88/08/31	50-346 P
8809140304	8809140303	88/09/07	50-293 Q	8809160031	8809160029	88/09/02	50-280 P
8809140306	8809140303	88/09/07	50-293 Q	8809160037	8809160033	88/09/02	50-280 P
8809140317	8809140301	88/09/06	50-261 Q	8809160058	8807120677	68/06/17	REVIEW GR P
8809140321	8809140318	88/09/02	50-267 Q	8809160065	8809120196	88/07/27	40-8914 P
8809140325	8809140318	88/09/02	50-267 Q	8809160070	8807120677	88/06/17	REVIEW GR P
8809140327	8809140318	88/09/02	50-267 Q	8809160074	8708200077	87/08/07	REVIEW GR P
8809140336	8809140335	88/08/31	50-281 Q	8809160077	8708200077	87/08/07	REVIEW GR P
8809140338	8809140354	88/09/06	50-387 P	8809160076	8805250009	88/05/05	REVIEW GR P
8809140342	8809090092	88/09/09	PR	8809160080	8805250009	88/05/05	REVIEW GR P
8809140347	8809080013	88/08/31	50-155 R	8809160091	8809160085	88/08/23	50-293 P
8809140348	8809140345	88/09/08	50-293 P	8809160094	8809160092	88/09/08	50-312 P
8809140349	8809140345	88/09/08	50-293 P	8809160095	8809160038	88/09/08	50-361 Q
8809140356	8809260084	88/08/19	50-302 P	8809160102	8809160085	88/08/23	50-293 Q
8809140358	8809140353	88/09/02	50-280 S	8809160104	8809160085	88/08/23	50-293 Q
8809140365	8809090092	88/09/08	PR	8809160107	8805250009	88/05/05	REVIEW GR P
8809140372	8809140361	88/09/08	50-321 P	8809160116	8809160095	88/09/23	50-293 Q
8809140384	8809140373	88/08/30	50-280 Q	8809160118	8809160113	88/09/08	50-390 Q
8809140386	8807140131	88/06/28	40-8027 P	8809160119	8805250009	88/05/05	REVIEW GR P
8809140388	8809140385	88/06/28	40-2061 P	8809160123	8809160095	88/09/23	50-293 P
8809140392	8809140385	88/06/28	40-2061 P	8809160124	8708200077	87/08/07	REVIEW GR P
8809140393	8809080059	88/08/30	50-528 I	8809160126	8809010329	88/08/15	REVIEW GR P
8809140396	8809120146	88/07/28	70-25 P	8809160131	8809010329	88/08/15	REVIEW GR P
8809140401	8809090092	88/09/09	PR	8809160137	8809010329	88/08/15	REVIEW GR P
8809140403	8809140400	88/09/02	50-424 P	8809160144	8802100081	88/01/11	REVIEW GR P
8809140412	8809140375	88/09/09	WASTE MGT	8809160148	8807190092	88/07/08	REVIEW GR P
8809140415	8809140409	88/09/09	50-373 Q	8809160150	8809160149	88/09/13	50-220 P
8809140416	8809140404	88/09/08	50-293 P	8809160152	8807190092	88/07/08	REVIEW GR P
8809140417	8809140409	88/09/08	50-373 Q	8809160154	8802100081	88/01/11	50-346 Q
8809140424	8809140404	88/09/08	50-293 P	8809160183	8807190092	88/07/08	REVIEW GR P
8809140441	8809140439	88/09/08	50-268 Q	8809160187	8802100081	88/01/11	REVIEW GR P
8809140463	8809140462	88/08/31	50-289 Q	8809160189	8809160186	88/09/09	50-295 Q
8809140468	8809060049	88/08/28	50-289 R	8809160173	8809160188	88/08/25	50-293 Q
8809140470	8809140470	88/08/31	50-269 R	8809160176	8809160172	88/09/31	FOIA
8809150003	8809140385	88/06/28	40-2061 P	8809160178	8805110236	88/04/14	REVIEW GR P
8809150025	8809150023	88/09/06	50-206 P	8809160179	8809160175	88/09/08	50-397 P
8809150027	8809150023	88/09/06	50-206 P	8809160180	8805110236	88/04/14	REVIEW GR P
8809150028	8809150018	88/09/02	70-27 P	8809160182	8809160175	88/09/08	50-397 P
8809150032	8809150029	88/09/06	50-381 P	8809160183	8809160181	88/09/08	50-344 F
8809150033	8809150029	88/09/06	50-361 Q	8809160184	8809160181	88/08/25	50-293 T
8809150053	8809150048	88/09/07	50-456 Q	8809160185	8805110236	88/04/14	REVIEW GR P
8809150054	8809150051	88/09/13	50-206 P	8809160188	8809160177	88/09/30	FOIA
8809150058	8809150051	88/09/13	50-206 P	8809160189	8809160188	88/08/25	50-293 T
8809150072	8809090165	88/09/02	50-298 Q	8809160191	8809160189	88/08/25	50-293 F
8809150081	8809150048	88/09/07	50-456 Q	8809160194	8809160177	88/08/30	FOIA
8809150081	8809150088	88/09/09	70-27 Q	8809160196	8809160188	88/08/25	50-293 P
8809150093	8809150090	88/08/30	50-361 P	8809160199	8809160188	88/08/25	50-293 P
8809150094	8809150098	88/09/09	70-27 Q	8809160201	8809160188	88/08/25	50-293 F
8809150095	8809150098	88/09/09	70-27 Q	8809160203	8809160177	88/08/30	FOIA
8809150096	8809150098	88/09/08	QA8999 Q	8809160204	8809160200	88/08/15	40-7604 F
8809150107	8809150102	88/09/02	50-456 Q	8809160205	8809160188	88/08/25	50-293 F
8809150122	8809150119	88/09/08	70-2932 Q	8809160207	8809160188	88/08/25	50-293 P
8809150123	8809150115	88/09/09	50-382 Q	8809160208	8809160206	88/08/19	50-267 P
8809150129	8809150128	88/09/02	50-289 P	8809160211	8809160177	88/08/30	FOIA
8809150130	8809150128	88/09/02	50-289 P	8809160212	8809160206	88/08/19	50-267 P
8809150143	8809150141	88/09/08	50-321 P	8809160217	8809160214	88/08/31	FOIA
8809150145	8809150139	88/09/08	50-286 P	8809160218	8809160215	88/09/02	50-259 P
8809150148	8809150147	88/09/08	50-528 P	8809160219	8809160215	88/09/02	50-259 P
8809150160	8809150153	88/09/07	50-374 P	8809160220	8809160177	88/08/30	FOIA
8809150173	8809150170	88/09/09	50-344 P	8809160222	8809160177	88/08/30	FOIA
8809150175	8809150170	88/09/09	50-344 P	8809160224	8802100081	88/01/11	REVIEW GR P
8809150176	8809150172	88/09/09	50-265 P	8809160231	8809160177	88/09/30	FOIA
8809150178	8809150174	88/09/09	50-362 P	8809160233	8809160177	88/08/30	FOIA
8809150179	8809150172	88/09/09	50-265 P	8809160239	8809160188	88/08/25	50-293 F
8809150180	8809150174	88/09/09	60-352 P	8809160241	8809160177	88/08/30	50-293 F
8809150199	8809150195	88/09/07	60-335 P	8809160244	8809160188	88/08/25	50-293 F
8809150224	8809150222	88/09/07	50-289 F	8809160248	8809160177	88/08/30	FOIA
8809150236	8809150230	88/08/08	40-8901 P	8809160249	8809160085	88/08/23	50-293 Q
8809150239	8809150232	88/09/07	50-389 P	8809160250	8809160177	88/08/30	FOIA
8809150258	8809150258	88/08/01	60-346 P	8809160251	8809160188	88/08/25	50-293 F
8809150259	8809150253	88/08/23	FOIA	8809160253	8807190326	88/07/08	REVIEW GR P
8809150260	8809150258	88/09/01	50-348 P	8809160254	8809160085	88/08/23	50-293 Q
8809150261	8809150258	88/08/01	60-346 P	8809160255	8809160188	88/08/25	50-293 P
8809150263	8809150253	88/08/23	FOIA	8809160257	8807190326	88/07/08	REVIEW GR P
8809150266	8809150253	88/08/23	FOIA	8809160258	8809160177	88/08/30	REVIEW GR P
8809150271	8809150265	88/08/22	50-272 Q	8809160260	8807190326	88/07/08	REVIEW GR P
8809150274	8809150265	88/08/22	50-272 Q	8809160261	8809160188	88/08/25	50-293 Q
8809150277	8809150263	88/08/23	FOIA	8809160262	8807190326	88/07/08	REVIEW GR P

338 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809160265	8809160085	88/08/23	50-293	8809190263	8809190139	88/08/25	REVIEW GR
8809160266	8807190328	88/07/08	REVIEW GR	8809190269	8809190139	88/08/25	REVIEW GR
8809160267	8807190328	88/07/08	REVIEW GR	8809190273	8809190267	88/09/12	50-134
8809160268	8809160168	88/09/25	50-293	8809190274	8809190139	88/08/25	REVIEW GR
8809160269	8807190328	88/07/08	REVIEW GR	8809190275	8809190271	88/09/09	50-387
8809160270	8809160085	88/08/23	50-293	8809190279	8809190270	88/09/02	50-316
8809160272	8802100081	88/01/11	REVIEW GR	8809190280	8809190267	88/09/12	50-134
8809160276	8809160275	88/09/12	50-321	8809190283	8809190278	88/09/09	50-317
8809160277	8809160275	88/09/12	50-321	8809190284	8809190278	88/09/09	50-317
8809160283	8809160281	88/09/12	50-321	8809190282	8809190286	88/09/12	50-250
8809160285	8802100081	88/01/11	REVIEW GR	8809190286	8809190287	88/09/09	50-220
8809160286	8809160281	88/09/12	50-321	8809190319	8809190139	88/08/25	REVIEW GR
8809160290	8809160288	88/09/06	50-413	8809190327	8809190139	88/08/25	REVIEW GR
8809160291	8809160177	88/08/30	FOIA	8809190330	8809190324	88/09/09	50-269
8809160296	8809160285	88/09/06	50-299	8809190335	8809190139	88/08/25	REVIEW GR
8809160297	8809160293	88/09/09	50-313	8809190337	8809190139	88/08/25	REVIEW GR
8809160300	8809160177	88/08/30	FOIA	8809190338	8809190332	88/09/02	50-331
8809160304	8809160301	88/09/09	50-498	8809190345	8809190342	88/09/13	50-454
8809160305	8809160177	88/08/30	FOIA	8809190346	8809190139	88/08/25	REVIEW GR
8809160307	8809160177	88/08/30	FOIA	8809190350	8809190139	88/08/25	REVIEW GR
8809160310	8809160177	88/08/30	FOIA	8809190352	8809190347	88/09/12	50-316
8809160313	8809160177	88/08/30	FOIA	8809190356	8809190139	88/08/25	REVIEW GR
8809160318	8809160177	88/08/30	FOIA	8809190360	8809190177	88/08/30	FOIA
8809160319	8809160317	88/09/13	50-267	8809190361	8809190139	88/08/25	REVIEW GR
8809160320	8809160177	88/08/30	FOIA	8809190363	8809190362	88/09/06	50-461
8809160321	8809160317	88/09/13	50-267	8809190365	8809190139	88/08/25	REVIEW GR
8809160324	8809160322	88/09/13	50-259	8809190370	8809190139	88/08/25	REVIEW GR
8809160325	8809160177	88/08/30	FOIA	8809190374	8809190373	88/09/14	50-322
8809160326	8809160317	88/09/13	50-267	8809190375	8809190373	88/09/14	50-322
8809160328	8809160177	88/08/30	FOIA	8809190377	8809190139	88/08/25	REVIEW GR
8809160330	8809160177	88/08/30	FOIA	8809190378	8809190373	88/09/14	50-322
8809160331	8809160177	88/08/30	FOIA	8809190384	8809190379	88/08/07	50-334
8809160334	8809160177	88/08/30	FOIA	8809190385	8809190383	88/08/12	50-272
8809190005	8804210482	88/04/04	REVIEW GR	8809190386	8809190367	88/09/01	50-289
8809190010	8809160177	88/08/30	FOIA	8809190387	8809190382	88/09/14	50-220
8809190014	8809160177	88/08/30	FOIA	8809190393	8809190391	88/09/13	50-333
8809190017	8809160177	88/08/30	FOIA	8809190394	8809190391	88/09/13	50-333
8809190019	8804210482	88/04/04	REVIEW GR	8809200006	88092000132	88/08/09	50-313
8809190025	8809190018	88/08/31	50-483	8809200013	8809200007	88/09/07	50-334
8809190035	8804210482	88/04/04	REVIEW GR	8809200020	8809200018	88/09/12	50-218
8809190036	8809160177	88/08/30	FOIA	8809200022	8809200018	88/08/12	50-219
8809190039	8809190032	88/09/07	50-373	8809200033	8809200029	88/08/18	WASTE MGT
8809190040	8809190032	88/09/07	50-373	8809200036	8809190340	88/08/03	WASTE MGT
8809190050	8809190046	88/09/13	50-333	8809200037	8809200031	88/09/12	50-313
8809190055	8809190049	88/09/14	XPORTLIC	8809200038	8809190139	88/08/25	REVIEW GR
8809190091	8809190088	88/08/29	40-8724	8809200052	8809190139	88/08/25	REVIEW GR
8809190094	8809190087	88/09/13	50-322	8809200058	8809200050	88/09/14	50-352
8809190100	8809190096	88/09/08	50-315	8809200062	8809190139	88/08/25	REVIEW GR
8809190102	8809190136	88/09/07	50-440	8809200064	8809200050	88/09/14	50-352
8809190104	8809190090	88/09/13	50-54	8809200065	8809200056	88/09/09	50-368
8809190105	8809190099	88/09/15	50-443	8809200076	8809200070	88/08/31	50-344
8809190109	8809190107	88/09/08	50-603	8809200078	8809200075	88/09/13	50-287
8809190110	8809190107	88/09/08	50-603	8809200079	8809200072	88/09/16	50-255
8809190113	8809190107	88/09/08	50-603	8809200086	8809200083	88/08/07	50-338
8809190115	8809190112	88/09/12	XPORTLIC	8809200089	8809200084	88/08/31	50-344
8809190117	8809190107	88/09/08	50-603	8809200090	8809200085	88/09/15	50-320
8809190118	8809190112	88/09/12	XPORTLIC	8809200091	8809200082	88/09/09	50-245
8809190143	8809190139	88/08/25	REVIEW GR	8809200092	8809190139	88/08/25	REVIEW GR
8809190146	8809190144	88/09/13	50-399	8809200100	8809190139	88/08/25	REVIEW GR
8809190147	8809190140	88/09/01	50-272	8809200102	8809200007	88/08/07	50-334
8809190148	8809190144	88/09/13	50-399	8809200109	8809190139	88/08/25	REVIEW GR
8809190149	8804210482	88/04/04	50-338	8809200116	8809190139	88/08/25	REVIEW GR
8809190150	8809190139	88/08/25	REVIEW GR	8809200139	8809200131	88/08/13	50-160
8809190159	8809190139	88/08/25	REVIEW GR	8809200143	8809200137	88/09/15	50-320
8809190162	8809190152	88/09/13	50-298	8809200150	8809190139	88/08/25	REVIEW GR
8809190164	8809190139	88/08/25	REVIEW GR	8809200157	8809200151	88/09/07	70-143
8809190167	8809190160	88/03/10	50-263	8809200158	8809190139	88/08/25	REVIEW GR
8809190172	8809190139	88/08/25	REVIEW GR	8809200170	8809200165	88/09/14	50-440
8809190179	8809190139	88/08/25	REVIEW GR	8809200171	8809200166	88/09/12	50-413
8809190199	8809190161	88/09/06	50-413	8809200172	8809190139	88/08/25	REVIEW GR
8809190201	8809190139	88/08/25	REVIEW GR	8809200181	8809200177	88/09/13	50-336
8809190211	8809190139	88/08/25	REVIEW GR	8809200184	8809190139	88/08/25	REVIEW GR
8809190212	8809190208	88/09/12	50-482	8809200191	8809200182	88/09/14	71-361
8809190214	8809190206	88/09/12	50-482	8809200192	8809200023	88/09/07	50-348
8809190223	8809190139	88/08/25	REVIEW GR	8809200195	8809200194	88/08/18	40-8584
8809190226	8809190222	88/09/09	50-285	8809200203	8809190139	88/08/25	REVIEW GR
8809190230	8809190139	88/08/25	REVIEW GR	8809200207	8809200205	88/09/07	50-389
8809190232	8809190225	88/09/09	50-271	8809200208	8809190139	88/08/25	REVIEW GR
8809190233	8809190227	88/09/08	50-275	8809200209	8809200205	88/09/07	50-389
8809190235	8809190225	88/09/09	50-271	8809200215	8809200213	88/08/16	40-8914
8809190240	8809190227	88/09/06	50-275	8809200228	8809190139	88/08/25	REVIEW GR
8809190244	8809190241	88/09/09	XPORTLIC	8809200230	8809200220	88/08/19	50-313
8809190248	8809190139	88/08/25	REVIEW GR	8809200232	8809200228	88/09/07	70-143
8809190250	8809190139	88/08/25	REVIEW GR	8809200236	8809190139	88/08/25	REVIEW GR
8809190256	8809190139	88/08/25	REVIEW GR	8809200242	8809190139	88/08/25	REVIEW GR
8809190257	8809190255	88/09/09	50-445	8809200250	8809200248	88/09/14	50-155
8809190262	8809190139	88/08/25	REVIEW GR	8809200252	8809200248	88/09/14	50-155

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 339

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809200258	8809200249	88/08/16	40 6971	8809210068	8809210047	88/09/14	50 461
8809200261	8809200258	88/09/07	50-335	8809210070	8809190139	88/09/25	REVIEW GR
8809200262	8809200258	88/09/14	50-354	8809210072	8809190139	88/09/25	REVIEW GR
8809200265	8809190139	88/08/25	REVIEW GR	8809210073	8809200130	88/09/16	WASTE MGT
8809200270	8809200269	88/09/13	50-389	8809210075	8809190139	88/09/25	REVIEW GR
8809200271	8809200269	88/09/13	50 389	8809210076	8809200130	88/09/16	WASTE MGT
8809200272	8809190139	88/08/25	REVIEW GR	8809210077	8809190139	88/09/25	REVIEW GR
8809200275	8809190139	88/08/25	REVIEW GR	8809210082	8809200130	88/09/16	WASTE MGT
8809200278	8809200277	88/09/09	50-283	8809210083	8809210080	88/09/21	COMMISSIO
8809200280	8809200279	88/08/16	40-1162	8809210086	8809190139	88/09/25	REVIEW GR
8809200282	8809190139	88/08/25	REVIEW GR	8809210089	8809200130	88/09/16	WASTE MGT
8809200284	8809190139	88/08/25	REVIEW GR	8809210090	8809200130	88/09/16	WASTE MGT
8809200285	8809190139	88/08/25	REVIEW GR	8809210090	8809190139	88/09/25	REVIEW GR
8809200286	8809190139	88/08/25	REVIEW GR	8809210093	8809190139	88/09/25	REVIEW GR
8809200292	8809200290	88/08/15	40-1162	8809210094	8809190139	88/09/25	REVIEW GR
8809200294	8809190139	88/08/25	REVIEW GR	8809210095	8809210092	88/09/16	50 482
8809200296	8809190139	88/08/25	REVIEW GR	8809210098	8809190139	88/09/25	REVIEW GR
8809200300	8809190139	88/08/25	REVIEW GR	8809210101	8809200130	88/09/16	WASTE MGT
8809200301	8809200298	88/08/16	40-1162	8809210103	8809190139	88/09/25	REVIEW GR
8809200303	8809190139	88/08/25	REVIEW GR	8809210104	8809190139	88/09/25	REVIEW GR
8809200312	8809190139	88/08/25	REVIEW GR	8809210107	8809190139	88/09/25	REVIEW GR
8809200315	8809200297	88/08/22	40-2259	8809210108	8809210098	88/09/16	50-206
8809200317	8809200298	88/08/15	50-413	8809210112	8809200130	88/09/16	WASTE MGT
8809200318	8809200299	88/08/15	50-413	8809210114	8809190139	88/09/25	REVIEW GR
8809200320	8809200316	88/08/15	50-368	8809210115	8809200130	88/09/16	WASTE MGT
8809200321	8809190139	88/08/25	REVIEW GR	8809210118	8809200130	88/09/16	WASTE MGT
8809200322	8809200316	88/09/15	50-368	8809210120	8809190139	88/09/25	REVIEW GR
8809200327	8809200325	88/08/22	40-8452	8809210121	8809210117	88/09/16	CONTRACT
8809200328	8809190139	88/08/25	REVIEW GR	8809210127	8809190139	88/09/25	REVIEW GR
8809200333	8809190139	88/08/25	REVIEW GR	8809210132	8809210090	88/09/21	COMMISSIO
8809200334	8809200330	88/08/13	50-286	8809210133	8809210123	88/09/15	CONTRACT
8809200336	8809190139	88/08/25	REVIEW GR	8809210135	8809210138	88/09/15	CONTRACT
8809200339	8809190139	88/08/25	REVIEW GR	8809210139	8809190139	88/09/25	REVIEW GR
8809200340	8809200332	88/09/14	71 9161	8809210142	8809190342	88/09/02	50-369
8809200342	8809190139	88/08/25	REVIEW GR	8809210143	8809190139	88/09/25	REVIEW GR
8809200344	8809190139	88/08/25	REVIEW GR	8809210144	8809210141	88/09/15	CONTRACT
8809200345	8809190139	88/08/25	REVIEW GR	8809210148	8809190139	88/09/25	REVIEW GR
8809200347	8809190139	88/08/25	REVIEW GR	8809210147	8809200130	88/09/25	REVIEW GR
8809200349	8809190139	88/08/25	REVIEW GR	8809210149	8809200130	88/09/16	WASTE MGT
8809200350	8809200346	88/09/15	50-254	8809210150	8809210140	88/09/14	QAG99
8809200353	8809190139	88/08/25	REVIEW GR	8809210151	8809210149	88/09/14	QAG99
8809200356	8809190139	88/08/25	REVIEW GR	8809210162	8809210130	88/09/25	REVIEW GR
8809200357	8809190139	88/08/25	REVIEW GR	8809210163	8809210149	88/09/14	QAG99
8809200363	8809190139	88/08/25	REVIEW GR	8809210164	8809210130	88/09/25	REVIEW GR
8809200365	8809190139	88/08/25	REVIEW GR	8809210155	8809190139	88/09/25	REVIEW GR
8809200366	8809200360	88/09/15	71-8018	8809210156	8809190139	88/09/25	REVIEW GR
8809200371	8809200368	88/09/16	CONTRACT	8809210168	8809190139	88/09/25	REVIEW GR
8809200373	8809190139	88/08/25	REVIEW GR	8809210177	8809190139	88/09/25	REVIEW GR
8809200376	8809190139	88/08/25	REVIEW GR	8809210190	8809190139	88/09/25	REVIEW GR
8809200377	8809200372	88/08/15	71-0015	8809210188	8809210184	88/09/19	WASTE RES
8809200379	8809190139	88/08/25	REVIEW GR	8809210202	8809190139	88/09/25	REVIEW GR
8809200380	8809200378	88/09/16	CONTRACT	8809210203	8809210188	88/09/16	CONTRACT
8809200381	8809190139	88/08/25	REVIEW GR	8809210204	8809200130	88/09/25	REVIEW GR
8809200382	8809190139	88/08/25	REVIEW GR	8809210210	8809190003	88/09/31	50-346
8809200386	8809190139	88/08/25	REVIEW GR	8809210211	8809190139	88/09/25	REVIEW GR
8809210004	8809210003	88/09/15	50 443	8809210215	8809210207	88/09/13	CONTRACT
8809210006	8809210003	88/09/15	50-443	8809210217	8809190139	88/09/25	REVIEW GR
8809210019	8809210017	88/09/16	50 443	8809210218	8809210218	88/09/16	WASTE MGT
8809210020	8809210018	88/09/16	50 443	8809210221	8809210223	88/09/19	50-255
8809210025	8809210021	88/09/16	50-443	8809210225	8809210220	88/09/15	CONTRACT
8809210026	8809190139	88/08/25	REVIEW GR	8809210226	8809210223	88/09/16	50-255
8809210027	8809190139	88/08/25	REVIEW GR	8809210227	8809210224	88/09/16	WASTE MGT
8809210031	8809190139	88/08/25	REVIEW GR	8809210229	8809210224	88/09/16	WASTE MGT
8809210035	8809190139	88/08/25	REVIEW GR	8809210230	8809210223	88/09/19	50 255
8809210036	8809210034	88/09/13	70-754	8809210232	8809210224	88/09/19	WASTE MGT
8809210038	8809190139	88/08/25	REVIEW GR	8809210233	8809190139	88/09/25	REVIEW GR
8809210039	8809140454	88/09/07	50-286	8809210236	8809210224	88/09/16	WASTE MGT
8809210043	8809210041	88/09/15	PROJ	8809210237	8809190139	88/09/25	REVIEW GR
8809210044	8809200130	88/09/16	WASTE MGT	8809210238	8809190139	88/09/25	REVIEW GR
8809210045	8809140147	88/09/30	50-312	8809210239	8809210205	88/09/16	WASTE MGT
8809210046	8809210041	88/09/15	PROJ	8809210240	8809210223	88/09/19	50 255
8809210049	8809190139	88/08/25	REVIEW GR	8809210241	8809190139	88/09/25	REVIEW GR
8809210050	8809190139	88/08/25	REVIEW GR	8809210242	8809210223	88/09/19	50 255
8809210051	8809190139	88/08/25	REVIEW GR	8809210243	8809190139	88/09/25	REVIEW GR
8809210052	8809210047	88/09/14	50-461	8809210244	8809210235	88/09/15	CONTRACT
8809210053	8809190139	88/08/25	REVIEW GR	8809210248	8809190139	88/09/25	REVIEW GR
8809210054	8809200130	88/09/16	WASTE MGT	8809210251	8809210246	88/09/15	50-327
8809210057	8809210047	88/09/14	50-461	8809210252	8809210250	88/09/15	CONTRACT
8809210058	8809190139	88/08/25	REVIEW GR	8809210253	8809190139	88/09/25	REVIEW GR
8809210059	8809190139	88/08/25	REVIEW GR	8809210254	8809190139	88/09/25	REVIEW GR
8809210061	8809200130	88/09/16	WASTE MGT	8809210255	8809210246	88/09/15	50-327
8809210062	8809210055	88/09/12	50-445	8809210257	8809190139	88/09/25	REVIEW GR
8809210063	8809210047	88/09/14	50 461	8809210258	8809190139	88/09/25	REVIEW GR
8809210064	8809190139	88/08/26	REVIEW GR	8809210260	8809190139	88/09/25	REVIEW GR
8809210065	8809190139	88/08/25	REVIEW GR	8809210262	8809190139	88/09/25	REVIEW GR
8809210066	8809190139	88/08/25	REVIEW GR	8809210263	8809190139	88/09/25	REVIEW GR
8809210067	8809210055	88/09/12	50-445	8809210264	8809190139	88/09/25	REVIEW GR

340 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809210267	8809190139	88/08/25	REVIEW GR P	8809220252	8809190139	88/08/25	REVIEW GR P
8809210269	8809190139	88/08/25	REVIEW GR P	8809220253	8809190139	88/08/25	REVIEW GR P
8809210270	8809190139	88/08/25	REVIEW GR P	8809220256	8809190139	88/08/25	REVIEW GR P
8809210272	8809190139	88/08/25	REVIEW GR P	8809220260	8809190139	88/08/25	REVIEW GR P
8809210273	8809190139	88/08/25	REVIEW GR P	8809220261	8809220256	88/09/20	50-315 P
8809210274	8809210271	88/09/16	50-282 P	8809220262	8809190139	88/08/25	REVIEW GR P
8809210276	8809190139	88/08/25	REVIEW GR P	8809220265	8809190139	88/08/25	REVIEW GR P
8809220001	8809210268	88/09/09	50-266 P	8809220266	8809220263	88/09/08	50-324 Q
8809220006	8809210214	88/09/21	WASTE MGT P	8809220266	8809190139	88/08/25	REVIEW GR P
8809220007	8809190139	88/08/25	REVIEW GR P	8809220270	8809220259	88/09/16	50-331 P
8809220009	8809190139	88/08/25	REVIEW GR P	8809220271	8809190139	88/08/25	REVIEW GR P
8809220011	8809190139	88/08/25	REVIEW GR P	8809220274	8809190139	88/08/25	REVIEW GR P
8809220013	8809190139	88/08/25	REVIEW GR P	8809220276	8809190139	88/08/25	REVIEW GR P
8809220015	8809190139	88/08/25	REVIEW GR P	8809220279	8809220272	88/09/09	50-396 Q
8809220017	8809190139	88/08/25	REVIEW GR P	8809220285	8809220284	88/08/14	50-456 Q
8809220030	8809190139	88/08/25	REVIEW GR P	8809220291	8809220290	88/09/16	50-285 Q
8809220033	8809190139	88/08/25	REVIEW GR P	8809220294	8809220290	88/09/16	50-285 Q
8809220036	8809260049	88/09/16	50-416 P	8809220295	8809190139	88/08/25	REVIEW GR P
8809220047	8809190139	88/08/25	REVIEW GR P	8809220300	8809220298	88/09/16	70-734 Q
8809220050	8809190139	88/08/25	REVIEW GR P	8809220304	8809220298	88/09/16	70-734 Q
8809220063	8809220056	88/09/09	50-423 P	8809220306	8809220303	88/09/08	50-247 Q
8809220064	8809190139	88/08/25	REVIEW GR P	8809220307	8809220298	88/09/16	70-734 Q
8809220065	8809220056	88/09/09	50-423 P	8809220311	8809220309	88/09/12	50-220 Q
8809220066	8809190139	88/08/25	REVIEW GR P	8809220314	8809220313	88/09/12	50-272 Q
8809220068	8809190139	88/08/25	REVIEW GR P	8809220315	8809220313	88/09/12	50-272 Q
8809220071	8809220070	88/09/15	50-250 R	8809220319	8809220317	88/09/13	50-283 Q
8809220073	8809220070	88/09/15	50-250 R	8809220322	8809220321	88/09/08	50-293 Q
8809220075	8809190139	88/08/25	REVIEW GR P	8809220324	8809220323	88/09/19	50-327 P
8809220078	8809060228	88/08/30	50-285 P	8809220326	8809220264	88/09/15	50-334 P
8809220081	8809190139	88/08/25	REVIEW GR P	8809220336	8809220334	88/09/20	50-324 P
8809220082	8809220077	88/08/31	50-397 Q	8809220337	8809220334	88/09/20	50-324 P
8809220087	8809060228	88/08/30	50-285 P	8809230002	8809230001	88/09/12	50-367 Q
8809220093	8809220091	88/09/12	50-336 R	8809230004	8809230003	88/09/12	50-29 Q
8809220095	8809220091	88/09/12	50-336 R	8809230014	8809230012	88/09/13	50-338 Q
8809220106	8809220102	88/09/02	50-206 Q	8809230016	8809230012	88/09/13	50-338 Q
8809220107	8809220079	88/09/13	50-282 R	8809230021	8809230018	88/09/14	CONTRACT
8809220108	8809220079	88/09/13	50-282 R	8809230026	8809230020	88/09/19	50-255 P
8809220109	8809190139	88/08/25	REVIEW GR P	8809230028	8809230025	88/09/15	60-443 P
8809220111	8809220098	88/09/16	50-424 P	8809230030	8809230027	88/09/15	50-267 P
8809220113	8809190139	88/08/25	REVIEW GR P	8809230032	8809230027	88/09/16	50-267 P
8809220119	8809190139	88/08/25	REVIEW GR P	8809230043	8809230024	88/09/21	50-416 P
8809220121	8809190139	88/08/25	REVIEW GR P	8809230045	8809230040	88/09/16	50-277 Q
8809220123	8809190139	88/08/25	REVIEW GR P	8809230047	8809230024	88/09/21	50-416 P
8809220126	8809190139	88/08/25	REVIEW GR P	8809230050	8809230048	88/09/20	CONTRACT
8809220128	8809220028	88/08/02	COMMISSIO N	8809230052	8809230049	88/09/19	71-6553
8809220132	8809220129	88/09/12	50-268 P	8809230053	8809230040	88/09/16	50-277 Q
8809220133	8809220131	88/09/01	50-312 Q	8809230056	8809230039	88/09/16	50-443 Q
8809220136	8809220131	88/09/01	50-312 Q	8809230067	8809230061	88/09/19	50-443 G
8809220137	8809190139	88/08/25	REVIEW GR P	8809230068	8809230063	88/09/19	60-312 P
8809220140	8809220138	88/09/09	50-400 Q	8809230077	8809230073	88/09/14	50-374 P
8809220143	8809190139	88/08/25	REVIEW GR P	8809230080	8809230040	88/09/16	50-277 Q
8809220145	8809190139	88/08/25	REVIEW GR P	8809230081	8809230073	88/09/14	50-374 P
8809220148	8809190139	88/08/25	REVIEW GR P	8809230084	8809230070	88/09/13	50-213 P
8809220151	8809190139	88/08/25	REVIEW GR P	8809230086	8809190070	88/08/30	50-20 R
8809220152	8809190139	88/08/25	REVIEW GR P	8809230122	8809230121	88/09/16	50-245 Q
8809220154	8809190139	88/08/25	REVIEW GR P	8809230126	8809230125	88/09/16	50-313 Q
8809220157	8809190139	88/08/25	REVIEW GR P	8809230128	8809190139	88/08/25	REVIEW GR P
8809220159	8809190139	88/08/25	REVIEW GR P	8809230134	8809230129	88/09/06	50-528 P
8809220161	8809190139	88/08/25	REVIEW GR P	8809230136	8809230131	88/09/15	50-267 P
8809220165	8809190139	88/08/25	REVIEW GR P	8809230139	8809230130	88/09/16	50-156 Q
8809220167	8809190139	88/08/25	REVIEW GR P	8809230140	8809230129	88/09/06	50-528 P
8809220170	8809190139	88/08/25	REVIEW GR P	8809230141	8809230131	88/09/15	50-267 P
8809220171	8809190139	88/08/25	REVIEW GR P	8809230142	8809230130	88/09/16	50-155 Q
8809220175	8809190139	88/08/25	REVIEW GR P	8809230153	8809230152	88/09/15	50-220 Q
8809220179	8809220127	88/09/22	WASTE MGT P	8809230154	8809190288	88/09/14	50-382 K
8809220180	8809190139	88/08/25	REVIEW GR P	8809230155	8809230152	88/09/15	50-220 Q
8809220182	8809220178	88/09/08	50-269 Q	8809230163	8809230157	88/09/13	TOPREP
8809220183	8809190139	88/08/25	REVIEW GR P	8809230167	8809230164	88/09/21	70-152
8809220187	8809220127	88/06/22	WASTE MGT P	8809230169	8809230164	88/09/21	70-152
8809220188	8809190139	88/08/25	REVIEW GR P	8809230175	8809190139	88/08/25	REVIEW GR P
8809220189	8809190139	88/08/25	REVIEW GR P	8809230181	8809230176	88/08/04	COMMISSIO N
8809220190	8809190139	88/08/25	REVIEW GR P	8809230185	8809190139	88/08/25	REVIEW GR P
8809220196	8809220195	88/09/09	50-424 Q	8809230187	8809230182	88/09/09	50-373 P
8809220197	8809190139	88/08/25	REVIEW GR P	8809230192	8809230189	88/09/16	50-454 F
8809220203	8809190139	88/08/25	REVIEW GR P	8809230193	8809190139	88/08/25	REVIEW GR P
8809220205	8809190139	88/08/25	REVIEW GR P	8809230197	8809230194	88/09/19	50-322 P
8809220218	8809220216	88/09/09	50-324 Q	8809230199	8809230196	88/09/12	COMMISSIO N
8809220219	8809190139	88/08/25	REVIEW GR P	8809230206	8809230204	88/09/15	50-315 P
8809220225	8809220223	88/09/09	70-143	8809230208	8809230207	88/09/12	COMMISSIO N
8809220231	8809190139	88/08/25	REVIEW GR P	8809230210	8809230207	88/09/12	COMMISSIO N
8809220233	8809220232	88/09/19	50-259 K	8809230212	8809230211	88/09/16	COMMISSIO N
8809220238	8809190139	88/08/25	REVIEW GR P	8809230218	8809230218	88/09/13	50-184 Q
8809220240	8809220239	88/09/19	50-397 Q	8809230229	8809230224	88/09/16	50-265 Q
8809220245	8809220286	88/09/09	50-317 P	8809230230	8809190139	88/08/25	REVIEW GR P
8809220246	8809190139	88/08/25	REVIEW GR P	8809230234	8809230231	88/09/16	50-395 P
8809220248	8809190139	88/08/25	REVIEW GR P	8809230235	8809190139	88/08/25	REVIEW GR P
8809220251	8809190139	88/08/25	REVIEW GR P	8809230251	8809190101	88/09/09	50-289 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 341

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809230261	8809230258	88/09/16	50-483	8809260285	8809260290	88/09/02	TOPREP
8809230264	8809190139	88/09/25	REVIEW GR	8809260302	8809260291	88/09/20	50 254
8809230265	8809190139	88/09/25	REVIEW GR	8809260309	8809260298	88/09/15	TOPREP
8809230266	8809190139	88/09/25	REVIEW GR	8809260312	8809260307	88/09/21	CONTRACT
8809230268	8809230236	88/09/14	50-397	8809260316	8809260314	88/09/15	50 16
8809230269	8809190139	88/09/25	REVIEW GR	8809260320	8809260298	88/09/15	TOPREP
8809230271	8809230267	88/09/14	WASTE MGT	8809260329	8809260322	88/09/21	CONTRACT
8809230272	8809190139	88/09/25	REVIEW GR	8809260331	8809260325	88/09/16	50 244
8809230273	8809190139	88/09/25	REVIEW GR	8809260332	8809260330	88/09/21	CONTRACT
8809230275	8809190139	88/09/25	REVIEW GR	8809260336	8809190139	88/09/25	REVIEW GR
8809230280	8809230279	88/09/15	50 348	8809260347	8809260348	88/09/14	50-286
8809230282	8809190139	88/09/25	REVIEW GR	8809260350	8809260348	88/09/16	50-283
8809230284	8809190139	88/09/25	REVIEW GR	8809260352	8809260351	88/09/15	50-285
8809230286	8809070528	88/09/02	50 208	8809270002	8809270001	88/09/21	50-282
8809230288	8809230283	88/09/14	50 440	8809270010	8809270009	88/09/15	50-454
8809230289	8809230283	88/09/14	50-440	8809270014	8809270012	88/09/30	50-29
8809230290	8809230287	88/09/22	WASTE MGT	8809270022	8809270011	88/09/13	50-250
8809230291	8809190139	88/09/25	REVIEW GR	8809270044	8809270042	88/09/15	50-208
8809230292	8809190139	88/09/25	REVIEW GR	8809270048	8809190139	88/09/25	REVIEW GR
8809230294	8809190139	88/09/25	REVIEW GR	8809270064	8809270062	88/09/14	50-208
8809260003	8809260002	88/09/16	50-309	8809270067	8809270066	88/09/14	50-206
8809260006	8809260002	88/09/16	50-309	8809270069	8809270068	88/09/24	CONTRACT
8809260011	8809260004	88/09/12	50 603	8809270077	8809270076	88/09/20	CONTRACT
8809260012	8809260004	88/09/12	50 603	8809270088	8809270085	88/09/15	CONTRACT
8809260014	8809260008	88/09/19	50 482	8809270093	8809270091	88/09/15	CONTRACT
8809260017	8809260005	88/09/17	50 443	8809270100	8809270098	88/09/12	50 29
8809260018	8809260010	88/09/12	50 348	8809270107	8809270106	88/09/13	CONTRACT
8809260022	8809260016	88/09/22	CONTRACT	8809270144	8809270141	88/09/25	40 8502
8809260024	8809260024	88/09/22	CONTRACT	8809270154	8809270152	88/09/20	50 320
8809260026	8809260005	88/09/17	50 443	8809280003	8809260072	88/09/15	50 255
8809260027	8809260005	88/09/17	50 443	8809280038	8809130284	88/09/29	70-143
8809260030	8809260029	88/09/16	50-312	8809280098	8809190139	88/09/25	REVIEW GR
8809260036	8809260035	88/09/12	50-259	8809280115	8809190139	88/09/25	REVIEW GR
8809260041	8809260005	88/09/17	50-443	8809280129	8809190139	88/09/25	REVIEW GR
8809260043	8809260035	88/09/12	50-259	8809280155	8809190139	88/09/25	REVIEW GR
8809260050	8809260005	88/09/17	50-443	8809280159	8809190139	88/09/25	REVIEW GR
8809260059	8809260057	88/09/21	50-368	8809280165	8809190139	88/09/25	REVIEW GR
8809260060	8809260057	88/09/21	50-368	8809280168	8809190139	88/09/25	REVIEW GR
8809260064	8809260021	88/09/12	50-346	8809280172	8809190139	88/09/25	REVIEW GR
8809260069	8809260005	88/09/17	50-443	8809280201	8809190139	88/09/25	REVIEW GR
8809260076	8809260073	88/09/19	50-322	8809280209	8809190139	88/09/25	REVIEW GR
8809260076	8809260073	88/09/19	50-322	8809280219	8809190139	88/09/25	REVIEW GR
8809260077	8809260077	88/09/17	50-443	8809280227	8809190139	88/09/25	REVIEW GR
8809260087	8809260005	88/09/17	50-443	8809280230	8809190139	88/09/25	REVIEW GR
8809260095	8809260094	88/09/21	50-298	8809280237	8809190139	88/09/25	REVIEW GR
8809260104	8809260005	88/09/17	50-443	8809280252	8809190139	88/09/25	REVIEW GR
8809260110	8809260098	88/09/12	50 260	8809280264	8809190139	88/09/25	REVIEW GR
8809260115	8809260114	88/09/19	50 324	8809280280	8809190139	88/09/25	REVIEW GR
8809260116	8809260111	88/09/12	50-277	8809280280	8809190139	88/09/25	REVIEW GR
8809260118	8809260111	88/09/12	50-277	8809280273	8809190139	88/09/25	REVIEW GR
8809260119	8809260109	88/09/10	50 443	8809280275	8809190139	88/09/25	REVIEW GR
8809260124	8809260117	88/09/21	WASTE MGT	8809280285	8809190139	88/09/25	REVIEW GR
8809260125	8809260122	88/09/14	50 62	8809280294	8809190139	88/09/25	REVIEW GR
8809260129	8809260122	88/09/14	50-62	8809280302	8809190139	88/09/25	REVIEW GR
8809260134	8809260005	88/09/17	50-443	8809280307	8809190139	88/09/25	REVIEW GR
8809260136	8809260133	88/09/19	XPORTLIC	8809280309	8809190139	88/09/25	REVIEW GR
8809260138	8809260137	88/09/19	50 285	8809280311	8809190139	88/09/25	REVIEW GR
8809260141	8809260137	88/09/19	50-285	8809280326	8809190139	88/09/25	REVIEW GR
8809260142	8809260005	88/09/17	50-443	8809280347	8809190139	88/09/25	REVIEW GR
8809260148	8809260144	88/09/13	50 260	8809280364	8809190139	88/09/25	REVIEW GR
8809260149	8809260005	88/09/17	50 443	8809280369	8809190139	88/09/25	REVIEW GR
8809260151	8809260147	88/09/14	50-413	8809280390	8809190139	88/09/25	REVIEW GR
8809260156	8809260005	88/09/17	50-443	8809280398	8809190139	88/09/25	REVIEW GR
8809260162	8809260157	88/09/14	70-143	8809280404	8809190139	88/09/25	REVIEW GR
8809260168	8809260005	88/09/17	50-443	8809280410	8809190139	88/09/25	REVIEW GR
8809260175	8809260058	88/09/16	50-272	8809280426	8809190139	88/09/25	REVIEW GR
8809260176	8809260170	88/09/14	50-335	8809280433	8809190139	88/09/25	REVIEW GR
8809260178	8809260005	88/09/17	50-443	8809280455	8809190139	88/09/25	REVIEW GR
8809260181	8809260170	88/09/14	50-335	8809280471	8809190139	88/09/25	REVIEW GR
8809260186	8809260183	88/09/20	71-9163	8809280473	8809190139	88/09/25	REVIEW GR
8809260191	8809260186	88/09/15	50-445	8809280479	8809190139	88/09/25	REVIEW GR
8809260193	8809260005	88/09/17	50-443	8809280480	8809190139	88/09/25	REVIEW GR
8809260207	8809260200	88/09/10	50-302	8809280484	8809190139	88/09/25	REVIEW GR
8809260208	8809260005	88/09/17	50-443	8809280488	8809190139	88/09/25	REVIEW GR
8809260225	8809260223	88/09/07	50-293	8809280491	8809190139	88/09/25	REVIEW GR
8809260235	8809260233	88/09/19	50-292	8809300016	8809260146	88/09/13	50-280
8809260237	8809260234	88/09/12	50 327	8809300082	8809300079	88/09/16	FOIA
8809260238	8809260231	88/09/15	50-282	8809300084	8809300079	88/09/16	FOIA
8809260248	8809260246	88/09/14	50-321	8809300088	8809300079	88/09/16	FOIA
8809260253	8809260232	88/09/09	50-327	8809300092	8809300079	88/09/16	FOIA
8809260254	8809260232	88/09/09	50-327	8809300095	8809300079	88/09/16	FOIA
8809260259	8809260250	88/09/14	50-400	8809300098	8809300079	88/09/16	FOIA
8809260269	8809260231	88/09/15	50-282	8809300099	8809300079	88/09/16	FOIA
8809260272	8809260268	88/09/14	50 259	8809300102	8809300079	88/09/16	FOIA
8809260284	8809260280	88/09/16	50-461	8809300118	8809300079	88/09/16	FOIA
8809260286	8809260277	88/09/14	50-254	8809300125	8809300079	88/09/16	FOIA
8809260287	8809260280	88/09/16	50-461	8809300126	8809300079	88/09/16	FOIA
8809260293	8809260290	88/09/02	TOPREP	8809300128	8809300079	88/09/16	FOIA

342 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8809300179 8810040248	8809130352 8809300079	88/09/02 88/09/16	50 250 FOIA P	8810050335 8810110385	8809290065 8809190139	88/09/13 88/09/25	50-10 REVIEW GR

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit
2. General Information submitted with construction permit application.
3. Amendments and changes to items 1 and 2.
4. NRC questions, requests for additional information, and applicant responses.
5. Correspondence and documents relating to unresolved design and construction issues.
6. Meeting announcements and summaries of meeting discussions on issues of item 5.
7. Correspondence regarding the Preliminary Safety Analysis Report (PSAR).
8. Information on laws and changes in regulations or policy that affect the status of the application (NEPA, Water Quality Improvement Act, Water Pollution Control Act, etc.).
9. Construction Permit, amendments, and correspondence relating to the construction permit.
10. Scheduling of license application submission or review.
11. Environmental review information.
12. Application for operating license.
13. General Information submitted with operating license application.
14. Amendments and changes to items 12 and 13.
15. Correspondence regarding the Final Safety Analysis Report (FSAR).
16. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
17. Reports of site visits.
18. Backup technical documents (e.g., topical reports) submitted in support of the application.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).
2. Amendments and changes to the PSAR.

3. Transmittal and acknowledgement letters.
4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are filed in Categories A, D, M, P or R.

1. Environmental Report (ER) submitted by the utility
2. Amendments and supplements to the ER
3. Transmittal and acknowledgement letters
4. Information on scheduling of submittal or review of ER.
5. NRC questions, requests for additional information, and applicant responses.
6. Federal register notices citing the availability of items 1 and 2.
7. Correspondence relating to the review of ER.
8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are in categories A, C, M, P or R.

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by the NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other federal, state and local government agencies.
5. Transmittal and acknowledgement letters.
6. Documents related to NRC review of environmental issues or of ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal register notice citing availability of items 1 and 2.
9. Site visits to obtain information for DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other documents dealing with safety related issues are filed in categories A, P or W, depending on the phase of the licensing process.

1. Safety Evaluation Report (SER) prepared by the NRC (formerly called NRC-AEC Hazard Analysis Report)
2. Supplements to SER.
3. Correspondence relating to SER.
4. Federal register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgement letters.

F. SECURITY, MEDICAL, EMERGENCY AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Information submitted as part of the PSAR or FSAR is excluded.

1. Fire Hazard Protection Plan and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Review of Health Physics Program.
5. Correspondence relating to aforementioned plans.
6. Supplements, changes and revisions to plans.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing related documents.
2. Federal register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content or meaning for the status of the license or application are included.

1. Change of address notifications
2. Changes in structure of organization.
3. Changes in service lists.
4. NRC requests to applicant for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports.
2. Separately submitted financial information and related correspondence.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence falls in category A or P.

1. Final Safety Analysis Report (FSAR) (formerly called Final Hazards Summary Report).
2. Amendments and changes to the FSAR.
3. Federal register notices citing availability of items 1 and 2.
4. Transmittal and acknowledgement letters.
5. Certificates of service to the FSAR.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWA) whereby applicants can carry out limited site preparation and construction prior to the granting of a construction permit

1. Limited Work Authorizations (LWA) and amendments.
2. Correspondence pertaining to work performed under LWA s.

M. ANTITRUST REVIEW AND ANTITRUST CORRESPONDENCE

1. Document submitted as part of the applications for a construction permit and operating license entitled "Information Requested by the Attorney General for Antitrust Review"
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding related documents except for hearing transcripts, testimony and briefings, which are filed in category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence falls in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

1. Correspondence and letter reports relating to Advisory Committee on Reactor Safeguards (ACRS) reviews.
2. Correspondence from ACRS.
3. Announcement of ACRS meetings.
4. Transmittal and acknowledgement letters.
5. ACRS reports.
6. Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings.
7. Minutes at ACRS Subcommittee Meetings.

P OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes and related correspondence.
2. Technical specifications and changes.

3. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2
4. Federal register notices citing availability of items 1 and 2.
5. Correspondence regarding the Final Safety Analysis Report (FSAR).
6. All general technical correspondence, meeting announcements or meeting summaries relating to technical specifications, the operating license or technical issues arising after the issuance of the operating license.
7. Correspondence regarding codes (e.g., ASME), regulations, laws or changes in policy that may affect plant operation or bear on the operating license.
8. Information on the Standard Review Plan (STP).
9. Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which fall in category R).
10. Correspondence relating to NRC's Systematic Evaluation Program (SEP).
11. Owner's group meeting announcements and reports.
12. Quality assurance information.
13. Environmental matters (technical).
14. Emergency core cooling system documents.
15. Radioactive waste information.
16. Correspondence regarding expansion of spent fuel storage pool.
17. Start-up test reports.
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
19. Reports of site visits.

Q. INSPECTION REPORTS; IE BULLETINS, CIRCULARS AND INFORMATION NOTICES; CIVIL PENALTIES AND RELATED CORRESPONDENCE

1. Inspection reports.
2. IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars and Information Notices.
3. Responses by applicant to IE correspondence.
4. Applicant's determination of proprietary nature of inspection reports.
5. Letters concerning areas of noncompliance.
6. Pre-service and in-service inspections and procedures.
7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in category S.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

- 1 Monthly, semiannual, or annual operating reports (other than financial).
- 2 Periodic environmental monitoring, effluent testing, or similar reports.
- 3 Periodic personnel exposure reports
- 4 Operational Logbooks:
Logbooks on Environmental Data
Logbooks on Radiological Data
Operations Log on Plant Systems Core
Plant Status Summary Sheets.
- 5 Correspondence or other documents relating to the above listed items.

S. REPORTABLE OCCURRENCES, PNOs, PNSs AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable or nonroutine occurrences or events. This includes:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrence reports and reportable occurrences).
- 2 Potential or possible reportable deficiency reports and related correspondence.
- 3 Personnel exposure reports
- 4 Construction deficiency reports submitted under 10 CFR 50.55e.
- 5 Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).
- 6 Environmental Technical Specifications violation reports and Environmental Event reports.
- 7 Part 21 Reports of defects and noncompliance.
- 8 Correspondence or other documents relating to items 1-7.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, except for antitrust matters (category N), testimony and briefings, and congressional matters (category U).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Advisory Committee on Reactor Safeguards (ACRS) meeting transcripts.
8. Corrections to above items.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in category H.

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches
2. Preparatory and backup documents for item 1.
3. Correspondence to and from NRC Office of Congressional Affairs, Congress and the Executive Branch on other than constituent response matters.

V. LICENSING OPERATORS AND RELATED CORRESPONDENCE

1. Operator licenses or administrative information bearing on licensing of operators.
2. NRC examination results.
3. Power plant examination summary sheet.

W. DECOMMISSIONING STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (category P) file for general technical items from the application for termination of the operating license onward.

1. Application for authority to voluntarily surrender license.
2. Application to dismantle the facility and dispose of component parts
3. Technical documents submitted in support of items 1 and 2, such as. Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.
4. Documents relating to disposal of radioactive material and decontamination of the site.
5. Other correspondence relating to above items.
6. All documentation relating to the ongoing operation of the plan, formerly filed in category P.

X. ONSITE LOW-LEVEL WASTES STORAGE

This category contains items related to the onsite storage of low-level radioactive wastes generated onsite.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

This category contains documents with an NMSS license and/or a Docket-72 number. For installations on a reactor site, the associated Docket-50 number will also be identified.

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
2. All related correspondence and reports to the above.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10CFR – Commission Meeting Records

This category contains documentation pertaining to open and closed Commission meetings. It includes

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification of General Counsel on closed meetings.
4. Commission Determination Statements regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff requirements memoranda for open meetings; memoranda to record, record of votes of Commissioners on items under consideration at meetings.

ACRS – Advisory Committee on Reactor Safeguards

This category contains documentation pertaining to the responsibilities of the Advisory Committee on Reactor Safeguards. ACRS serves as an independent advisory committee to the Commission in safety-related areas. The committee provides advice with respect to the hazards of new or existing nuclear facilities and the adequacy of related safety standards. The documents in this category are:

1. Verbatim transcripts of ACRS subcommittee and full committee meetings relating to facility license applications and safety-related matters.
2. ACRS meeting announcements; description of meeting agendas.
3. ACRS-generated reports, memoranda and correspondence that are publicly available.
4. ACRS consultant reports, comments and related correspondence.
5. ACRS and NRC technical correspondence pertaining to safety matters under review by the Advisory Committee on Reactor Safeguards.

ADVCM – NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees, other than the Advisory Committee on Reactor Safeguards. The documents in this category are:

1. Charters of each advisory committee.
2. Verbatim transcripts of committee meetings.

3. Meeting announcements; description of meeting agendas.
4. Committee generated reports, memoranda, and correspondence that are publicly available.
5. Committee related correspondence.

COMMISSION – NRC Commissioners

This category contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioners, including

1. Incoming and outgoing correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures.
2. Travel vouchers, telephone logs and official appointment calendars of individual Commissioners.
3. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10CFR category. For all other staff papers with a SECY series designation prepared for Commission review, see SECY category.

CONTRACT – NRC Contracts and Modifications

This category contains documentation pertaining to ALC and NRC contracts and Interagency Agreements, including:

1. Notifications of issuance of request for proposal (RFP) and invitations for bid (IFB).
2. Solicitations (RFP or IFB) issued by the NRC.
3. Notifications of contract execution, specifying contract number, project title, contractor name, contract type, funding, and period of performance.
4. Contractual documents and contract modifications, if any.

DISCLOSURE – Financial Disclosure Information

This category contains financial disclosure information in accordance with the Ethics in Government Act of 1978.

FOIA – Freedom of Information Act Requests and Releases

This category contains requests for agency records and records released in accordance with the provisions of the Freedom of Information Act (FOIA). Documents in this category include:

1. Requests made by any member of the public (assigned an identifying number YY-NNN for last two digits of the year numerical sequence) for NRC records made in accordance with the provisions of the Freedom of Information Act.

Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request.
3. Records or portions of records released in response to specific requests made under FOIA.

GEN TECH IS -- Generic Technical Issues

This category contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the Division of Nuclear Reactor Regulation

1. Draft reports of action plans to accomplish generic tasks in the regulatory program.
2. Correspondence with industry and internal correspondence regarding the methodologies, analyses, and programmatic and technical aspects of issues.
3. Meeting notifications and minutes
4. Interim findings and status reports on generic tasks addressing related aspects of generic technical issues.

I&E -- Inspection and Enforcement

This category contains bulletins, circulars and information notices that are issued by the Office of Inspection and Enforcement. These issuances describe particular events that occur at a facility that may require some follow-up action on the part of licensees. Also included in this category are preliminary notifications of events (PNOs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature.
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of this event.
4. Preliminary Notifications of Events (PNOs), which provide updated information of an event of safety or public interest significance.

NOTE: For letters forwarding the above issuances, utility responses to such issuances, and related correspondence, see Category Q of individual docket categories.

MISC -- Public Document Room Miscellaneous

This category contains documents that do not fall into the scope of the other nondocketed categories

NUREG -- NUREG Reports and Related Correspondence

These documents are formal reports issued by the U.S. Nuclear Regulatory Commission which carry the NUREG series code and correspondence pertaining to those reports. NUREG reports are accounts of work performed either by the NRC staff or by NRC contractors.

1. These reports are normally final work products and are characterized by the following criteria:
 - a. They are predecisional documents which present information to be considered in Commission licensing and policy decisions.
 - b. They present the results of Commission licensing and policy decisions.
 - c. They present the results of technical research conducted for the Commission.
2. Correspondence from industry, government and interested members of the public commenting on reports or requesting clarification or interpretation.
3. Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the reports.

ORG – Correspondence with Other Organizations

This category contains correspondence with professional organizations and associations, records other than Regulatory Guides that pertain to the activities of NRC's Office of Standards Development; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue. Included are:

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Standards Development and other government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.
3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Standards Development.
4. Statements, motions, orders and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and re-analysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For Regulatory Guides and comments to Regulatory Guides issued by the NRC Office of Standards Development, see the REGGD category.

For petitions for rule makings filed by the public to amend, rescind or change an NRC regulation, see the PRM category.

PR – Proposed Rule

This category contains records dealing with NRC staff proposals to adopt, amend or repeal a Commission regulation. Proposed Rules (PRs) are normally the result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person. The documents in this category are:

1. Federal Register notices stating the terms or substance of the proposed rule or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Comments, statements, information, opinions or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
4. Requests from the nuclear industry, organizations and other parties for written interpretations of the PR.

PRM – Petition for Rulemaking

This category contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation. Included are:

1. Petitions filed by any interested person or party to issue, amend or rescind an NRC regulation.
2. Federal Register cause notices of the filing of the petition.

3. Correspondence between NRC and the petitioner regarding the status and substance of the petition.
4. Comments from the nuclear industry, professional associations, public interest groups and others in favor of or in opposition to the PRM.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY category.

For Commission review of staff recommendations, see the IOCFR category.

PROJ -- Projects--Predocket Licensing

This category contains records pertaining to two classes of projects (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

This category contains all documentation up until the time that the NRC considers the application and the Preliminary Safety Analysis Report (PSAR) is submitted by the utility for staff review. The unit is then assigned a docket number, and transferred to the Docket 50 category.

These documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket 50 series.

A. Application/Construction Stage

1. Application submitted by the utility.
2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the PSAR.
3. Applicant's Quality Assurance Manual.
4. Early site review information.
5. Backup technical documents submitted in support of the application.
6. Early site visits.

B. Utility PSAR and Amendments

1. PSARs submitted by the utility.
2. Amendments and changes to the PSAR.
3. Transmittal letters.
4. Letters acknowledging receipt of the PSAR.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, *et al.* pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related material pertaining to the antitrust review.

Q. Inspection Reports

1. Inspection reports of the applicant's quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other government technical personnel related to test reactors, critical experiments, and DOD reactors on navy ships and other sites.

PT21 – Noncompliance Reports and Related Correspondence

Deficiency reports are performed in compliance with Part 21 of Title 10 of the Code of Federal Regulations and include.

1. Reports by firms involved in the nuclear industry concerning noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA999 – Quality Assurance Inspections

This category contains inspection reports of vendors' quality assurance programs and follow-up correspondence. Each vendor facility is assigned a docket number and is part of the QA999 series.

Vendors are defined here as companies, both U.S. and foreign, that are engaged in the design or the manufacture of nuclear components for plants licensed by NRC. QA comprises all those planned and systematic actions necessary to provide adequate confidence that a structure, system or component being manufactured will perform satisfactorily once it is put in service. The controlling criteria are 10 CFR Part 50, Appendix B, vendor QA topical reports, and the PSAR and FSAR submitted by utilities for specific facilities. Documents in this category include:

1. NRC inspection reports, conducted on a quarterly or semi-annual basis, of vendor sites. Inspections may cover the design, fabrication, construction and testing of structural systems and components.
2. Notices of deviations.
3. Vendor corrective actions and other follow-up correspondence associated with the resolution of inspection findings.

REGGD – Regulatory Guides

This category contains new and revised regulatory guides issued by the Commission and related correspondence. These guides describe for the industry and the public methods acceptable to the NRC

staff for implementing specific parts of the NRC's regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents, or provide guidance to applicants. Included are:

1. Federal Register notices announcing the issuance and availability of a proposed regulatory guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment and industry codes, when applicable, that pertain to the issuance of a specific Regulatory Guide.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE For documentation pertaining to other work products and activities of the NRC Office of Standards Development, see the Organization category.

RES – Research and Technical Assistance Reports

This category contains reports, generally of an interim nature, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission. Included are:

1. Project description documents.
2. Letter reports of accomplishments and data reports; for example,
 - a. model documentation reports
 - b. code documentation reports
 - c. code verification reports
3. Pre-test prediction reports.
4. "Quick look" reports.
5. Informal experimental data reports and post-irradiation examination analyses.
6. Conceptual design descriptions.
7. Letter reports of foreign travel and site visits by contractors.
8. Letter, monthly, quarterly, interim or annual status or progress reports on other research projects contracted for by the NRC.
9. Meeting summaries and correspondence dealing with technical matters relating to research and technical assistance contracts.
10. Staff Research Information Letters (RILs) transmitting the documented results from completed research programs.

NOTE: For final reports of research conducted by contractors, see also NUREG reports.

REVIEW GRP – NRC Research Review Groups

This category contains records pertaining to the activities of NRC Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in

defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, the possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group. Documents in this category are:

1. Agendas for quarterly review group meetings.
2. Summary minutes of review group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments, presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors and other agencies.
5. Internal memoranda relating to topics under discussion.

RM – Rulemakings

This category contains records pertaining to public hearings held on proposed changes (PRs) to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration. Documents in this category include

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of hearing board meetings.
3. Petitions, motions, testimony and statements submitted by parties to the hearings.
4. Hearing board orders and rulings.
5. Technical reports submitted as evidence in the proceeding.
6. Reports, if any, of the special board to the Commission regarding a rulemaking proceeding.

SECY – Position Papers Before the Commission

This category consists of staff papers prepared for the information or approval of the Commissioners which are assigned a SECY report series code. Included are:

1. Commission Action papers, which normally include alternatives and recommendations by the staff on a given issue and require Commission action.
2. Consent Calendar items and Policy Session items.

NOTE: For Weekly Information Reports prepared by EDO to the Commissioners providing a summary of key events and items of interest undertaken by staff and program offices, see the NRC Commissioners category.

STATE PROG – State Programs

This category contains records that pertain to the Commission's activities and interaction with State governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; (2) the Agency's role in assisting

State and local governments in planning responses to radiological emergencies; and (3) a wide range of liaison and cooperative activities regarding such functions as licensing and siting. It includes

1. Correspondence between and among NRC Office of State Programs and State officials, mostly State liaison officers, regarding,
 - a. cooperative programs in such technical areas as radiation control, emergency response planning to radiological incidents, water quality and transportation surveillance,
 - b. technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
2. Agendas, reports and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e. decommissioning and facility siting.
3. State Legislative Reports
4. Agreement State Licensing Statistics Reports.

NOTE For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects category.

TOPREP – Vendor Reports and Related Correspondence

This category contains topical reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. General vendor related correspondence that is not docket specific is also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing and safety submitted by architect, engineers and other vendors.
2. Revisions, modifications and amendments to topical reports.
3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies and design criteria

NOTE. For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the Docket 50 series.

WASTE MGT – Nuclear Waste Management

This category is topical in nature and contains records dealing with the activities of the NRC Division of Waste Management. Each topic has been assigned a number, with the series designated by a WM prefix. These documents deal primarily with NRC's interaction with DOE and its future role in licensing and regulating DOE facilities designed for the disposal of high-level waste in geologic repositories. This category will be enlarged later to include records dealing with low-level waste issues and tasks. The documents in this category are

1. Meeting agenda and minutes of DOE-NRC meetings in which DOE presents information on their geological exploration program to identify sites for nuclear waste repositories.
2. Briefings by DOE on research being conducted on spent fuel storage and nuclear waste management.

3. Correspondence pertaining to NRC's advisory role in providing DOE with technical assistance in the Waste Isolation Pilot Plant (WIPP) for burial of defense wastes.
4. NRC draft staff guides for developing positions on the content and format of environmental reports for geological repositories.

WASTE RES — Waste Management Research Reports

Contains interim and final reports, and correspondence submitted to NRC by its contractors doing research on topics related to the storage of high-level radioactive waste.

1. Periodic progress reports on the status of research.
2. Trip reports of travel by NRC and contractor personnel.
3. Draft, partial or related reports submitted for NRC review or information.
4. Correspondence between NRC staff and contractors relating to technical questions or issues to be resolved.

XPORTLIC — Export and Import Licenses

This category contains records relating to the issuance of licenses to export or import nuclear facilities and materials. Included are:

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to U.S. common defense and security.
5. Correspondence from foreign governments, international organizations, and members of the public.
6. Staff position papers (SECY series code) prepared for Commissioners review of import or export licenses.
7. Filings pursuant to hearing requests or intervention petitions, if any.
8. Hearing records and decisions.
9. Memoranda from the Office of the Secretary to the Executive Director for Operations regarding the Commission decision on issuance of a proposed license.
10. Licenses, license amendments and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see 10CFR category.

NRC FORM 336 12 841 NRCM 1102, 3201 3202 BIBLIOGRAPHIC DATA SHEET SEE INSTRUCTIONS ON THE REVERSE		U.S. NUCLEAR REGULATORY COMMISSION 1 REPORT NUMBER (Assigned by TIDC add Vol No. if any) NUREG-0540 Vol. 10, No. 9	
2 TITLE AND SUBTITLE Title List of Documents Made Publicly Available September 1-30, 1988		3 LEAVE BLANK 4 DATE REPORT COMPLETED MONTH YEAR 6 DATE REPORT ISSUED MONTH YEAR November 1988	
5 AUTHOR(S) 7 PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) Division of Freedom of Information and Publications Services Office of Administration and Resources Management U.S. Nuclear Regulatory Commission Washington, DC 20555		8 PROJECT TASK WORK UNIT NUMBER 9 FID OR GRANT NUMBER 11a TYPE OF REPORT Monthly b PERIOD COVERED (Inclusive dates)	
10 SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) Same as 7, above.			
12 SUPPLEMENTARY NOTES 13 ABSTRACT (200 words or less) This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference to Principal Documents.			
14 DOCUMENT ANALYSIS - a KEYWORDS/DESCRIPTORS title list b IDENTIFIERS/OPEN ENDED TERMS		15 AVAILABILITY STATEMENT Unlimited 16 SECURITY CLASSIFICATION (This page) Unclassified (This report) Unclassified 17 NUMBER OF PAGES 18 PRICE	